



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
707EC010

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN JOHNSTON
304-558-2402

VENDOR	*709051756	304-346-5301
	WV TRACTOR COMPANY	
	PO BOX 473	
	CHARLESTON WV 25322	

SHIP TO	DIVISION OF HIGHWAYS
	EQUIPMENT DIVISION
	ROUTE 33
	BRUSHY FORK ROAD
	BUCKHANNON, WV 26201
	304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
10/01/2006	Net 30 Days	Truck	Buckhannon	Prepaid

BID OPENING DATE: 11/08/2006 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		670-61	\$145,200	
<p>TRUCK MOUNTED HIGH VELOCITY SEWER CLEANER Sewer Equipment Co. of America 800-HPR GMC TC7C042 OPEN END CONTRACT</p> <p>TO PROVIDE TRUCK MOUNTED HIGH VELOCITY SEWER CLEANER AS DESCRIBED IN ATTACHED PROCUREMENT SPECIFICATION 813-1-G.</p> <p>THERE WILL BE A MANDATORY PRE-BID CONFERENCE AT THE STATE CAPITOL COMPLEX, BUILDING 15, CONFERENCE ROOM, AT 1:00 PM ON 10/26/06. FAILURE TO ATTEND THE PRE-BID CONFERENCE WILL RESULT IN BID DISQUALIFICATION.</p> <p>QUESTIONS: WRITTEN QUESTIONS WILL BE ACCEPTED THROUGH CLOSE OF BUSINESS (5:00PM EST) ON WEDNESDAY 10/18/06. SEND YOUR QUESTIONS TO: PURCHASING DIVISION ATTENTION JOHN JOHNSTON 2019 WASHINGTON ST. E. CHARLESTON, WV. 25305</p> <p>QUESTIONS MAY BE SENT VIA FAX, E-MAIL, OR REGULAR MAIL E-MAIL: JJOHNSTON@WVADMIN.GOV FAX: 304-558-4115</p> <p>IT IS THE VENDORS RESPONSIBILITY TO VERIFY THAT THEIR QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402.</p> <p>EXHIBIT 2</p> <p>LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE 346-5301	DATE 11-21-06
TITLE President	FBN 550621655	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 707EC010

PAGE
 2

ADDRESS CORRESPONDENCE TO ATTENTION OF
 JOHN JOHNSTON
 304-558-2402

VENDOR

*709051756 304-346-5301
 WV TRACTOR COMPANY
 PO BOX 473
 CHARLESTON WV 25322

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
10/01/2006				

BID OPENING DATE: 11/08/2006 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING THIRTY (30) DAYS WRITTEN NOTICE.</p> <p>UNLESS SPECIFIC PROVISIONS ARE STIPULATED IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS, AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.</p> <p>RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p>OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK).</p> <p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIES BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF CONTRACT,</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 707EC010

PAGE
 3

ADDRESS CORRESPONDENCE TO ATTENTION OF
 JOHN JOHNSTON
 304-558-2402

VENDOR

*709051756 304-346-5301
 WV TRACTOR COMPANY
 PO BOX 473
 CHARLESTON WV 25322

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
10/01/2006				

BID OPENING DATE: 11/08/2006 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p> <p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN EQUIPMENT CONTRACT ORDER (FORM NUMBER WV-35) FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL WV-35 MUST BE SENT TO THE PURCHASING DIVISION OF THE DEPARTMENT OF ADMINISTRATION. AFTER APPROVAL AND ENCUMBRANCE, ONE COPY OF THE PURCHASE ORDER WILL BE RETURNED TO THE SPENDING UNIT AND ONE COPY FORWARDED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT. NO ORDER IS VALID UNLESS APPROVED AND ENCUMBERED BY THE PURCHASING DIVISION.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATICALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER.</p> <p>REV. 9/98</p> <p>EXHIBIT 6</p> <p>PRICE ADJUSTMENT PROVISION: THE STATE OF WEST VIRGINIA WILL CONSIDER BIDS THAT CONTAIN PROVISIONS FOR PRICE ADJUSTMENTS PRIOR TO THE ORIGINAL EXPIRATION OF THE CONTRACT, PROVIDED THAT SUCH PRICE ADJUSTMENT COVERS BOTH UPWARD AND DOWNWARD MOVEMENT OF THE COMMODITY PRICE, AND THAT ADJUSTMENT IS BASED ON THE "PASS THROUGH" INCREASE OR DECREASE OF RA MATERIALS AND/OR LABOR, WHICH MAKE UP ALL OR A SUBSTANTIAL PART OF A PRODUCT. ADJUSTMENTS ARE TO BE BASED UPON AN ACTUAL DOLLAR FIGURE, NOT A PERCENTAGE. ALL PRICE ADJUSTMENT REQUESTS MUST BE SUBSTANTIATED IN A MANNER ACCEPTABLE TO THE DIRECTOR PURCHASING, E.G. GOVERNMENTAL BENCH MARKS, GENERAL MARKET INCREASE,</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
-----------	-----------	------

TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
-------	------	-----------------------------------

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFO NUMBER
 707EC010

PAGE
 4

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 JOHN JOHNSTON
 304-558-2402

VENDOR

*709051756 304-346-5301
 WV TRACTOR COMPANY
 PO BOX 473
 CHARLESTON WV 25322

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED 10/01/2006	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
----------------------------	---------------	----------	--------	---------------

BID OPENING DATE: 11/08/2006 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>PUBLISHED PRICE LISTS. SUCH REQUESTS FOR AND INCREASE SHOULD BE RECEIVED IN WRITING BY THE DIRECTOR OF PURCHASING AT LEAST 30 DAYS IN ADVANCE OF THE EFFECTIVE DATE OF THE INCREASE. ANY TIME THE VENDOR REQUESTS A PRICE ADJUSTMENT, THE PURCHASING DIVISION MAY EITHER ACCEPT THE PRICE ADJUSTMENT AND AMEND THE CONTRACT ACCORDINGLY OR REJECT THE ADJUSTMENT IN ITS ENTIRETY AND CANCEL THE CONTRACT.</p> <p>VENDOR PREFERENCE CERTIFICATE</p> <p>CERTIFICATION AND APPLICATION* IS HEREBY MADE FOR PREFERENCE IN ACCORDANCE WITH WEST VIRGINIA CODE, 5A-3-37 (DOES NOT APPLY TO CONSTRUCTION CONTRACTS).</p> <p>A. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p> <p>() BIDDER IS AN INDIVIDUAL RESIDENT VENDOR AND HAS RESIDED CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR</p> <p>(XXX) BIDDER IS A PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR AND HAS MAINTAINED ITS HEAD-QUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR 80% OF THE OWNERSHIP INTEREST OF BIDDER IS HELD BY ANOTHER INDIVIDUAL, PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR WHO HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR</p> <p>() BIDDER IS A CORPORATION NONRESIDENT VENDOR</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
707EC010

PAGE
5

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN JOHNSTON 304-558-2402

VENDOR

*709051756 304-346-5301
 WV TRACTOR COMPANY
 PO BOX 473
 CHARLESTON WV 25322

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
10/01/2006				

BID OPENING DATE: 11/08/2006 BID OPENING TIME 01:30PM

LINE	QUANTITY	UQP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>WHICH HAS AN AFFILIATE OR SUBSIDIARY WHICH EMPLOYS A MINIMUM OF ONE HUNDRED STATE RESIDENTS AND WHICH HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA CONTINUOUSLY FOR THE FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION.</p> <p>B. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p> <p>(xxx) BIDDER IS A RESIDENT VENDOR WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES WORKING ON THE PROJECT BEING BID ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID;</p> <p>OR</p> <p>() BIDDER IS A NONRESIDENT VENDOR EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS OR IS A NONRESIDENT VENDOR WITH AN AFFILIATE OR SUBSIDIARY WHICH MAINTAINS ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES OR BIDDERS' AFFILIATE'S OR SUBSIDIARY'S EMPLOYEES ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID.</p> <p>BIDDER UNDERSTANDS IF THE SECRETARY OF TAX & REVENUE DETERMINES THAT A BIDDER RECEIVING PREFERENCE HAS FAILED TO CONTINUE TO MEET THE REQUIREMENTS FOR SUCH PREFERENCE, THE SECRETARY MAY ORDER THE DIRECTOR OF PURCHASING TO: (A) RESCIND THE CONTRACT OR PURCHASE ORDER ISSUED; OR (B) ASSESS A PENALTY AGAINST SUCH BIDDER IN AN AMOUNT NOT TO EXCEED 5% OF THE BID AMOUNT</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
707EC010

PAGE
6

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN JOHNSTON 304-558-2402

VENDOR

*709051756 304-346-5301
 WV TRACTOR COMPANY
 PO BOX 473
 CHARLESTON WV 25322

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
10/01/2006				

BID OPENING DATE: 11/08/2006 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>AND THAT SUCH PENALTY WILL BE PAID TO THE CONTRACTING AGENCY OR DEDUCTED FROM ANY UNPAID BALANCE ON THE CONTRACT OR PURCHASE ORDER.</p> <p>BY SUBMISSION OF THIS CERTIFICATE, BIDDER AGREES TO DISCLOSE ANY REASONABLY REQUESTED INFORMATION TO THE PURCHASING DIVISION AND AUTHORIZES THE DEPARTMENT OF TAX AND REVENUE TO DISCLOSE TO THE DIRECTOR OF PURCHASING APPROPRIATE INFORMATION VERIFYING THAT BIDDER HAS PAID THE REQUIRED BUSINESS TAXES, PROVIDED THAT SUCH INFORMATION DOES NOT CONTAIN THE AMOUNTS OF TAXES PAID NOR ANY OTHER INFORMATION DEEMED BY THE TAX COMMISSIONER TO BE CONFIDENTIAL.</p> <p>UNDER PENALTY OF LAW FOR FALSE SWEARING (WEST VIRGINIA CODE 61-5-3), BIDDER HEREBY CERTIFIES THAT THIS CERTIFICATE IS TRUE AND ACCURATE IN ALL RESPECTS; AND THAT IF A CONTRACT IS ISSUED TO BIDDER AND IF ANYTHING CONTAINED WITHIN THIS CERTIFICATE CHANGES DURING THE TERM OF THE CONTRACT, BIDDER WILL NOTIFY THE PURCHASING DIVISION IN WRITING IMMEDIATELY.</p> <p style="text-align: right;">West Virginia Tractor Company</p> <p>BIDDER: -----</p> <p style="text-align: center;">11-21-06</p> <p>DATE: -----</p> <p style="text-align: center;"></p> <p>SIGNED: -----</p> <p style="text-align: center;">President</p> <p>TITLE: -----</p> <p>* CHECK ANY COMBINATION OF PREFERENCE CONSIDERATION(S) IN EITHER "A" OR "B", OR BOTH "A" AND "B" WHICH YOU AR</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
707EC010

PAGE
7

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN JOHNSTON 304-558-2402

VENDOR

*709051756 304-346-5301
 WV TRACTOR COMPANY
 PO BOX 473
 CHARLESTON WV 25322

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
10/01/2006				

BID OPENING DATE: 11/08/2006 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>ENTITLED TO RECEIVE. YOU MAY REQUEST UP TO THE MAXIMUM 5% PREFERENCE FOR BOTH "A" AND "B". (REV. 12/00)</p> <p style="text-align: center;">NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p style="text-align: center;">DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER: _____ 33</p> <p>RFQ. NO.: 707EC010</p> <p>BID OPENING DATE AND TIME</p> <p>PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:</p> <p style="text-align: center;">346-5305</p> <p>-----</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
-----------	-----------	------

TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
-------	------	-----------------------------------

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
707EC010

PAGE
8

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN JOHNSTON 304-558-2402

V
E
N
D
O
R

*709051756 304-346-5301
 WV TRACTOR COMPANY
 PO BOX 473
 CHARLESTON WV 25322

S
H
I
P
T
O

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
10/01/2006				

BID OPENING DATE: 11/08/2006 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
CONTACT PERSON (PLEASE PRINT CLEARLY):						
				Gary W. Grady		
***** THIS IS THE END OF RFQ 707EC010 ***** TOTAL: _____						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

NOTE: VENDORS SHOULD TYPE THE BIDDER'S EVALUATION REPORT

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
EQUIPMENT DIVISION

BIDDER'S EVALUATION REPORT

PROCUREMENT SPECIFICATIONS FOR OPEN END CONTRACT
NO. 813-1-G

TRUCK MOUNTED HIGH VELOCITY SEWER CLEANER

NOTE TO BIDDER: Procurement Specification No. 813-1-G, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

Reference Requisition No.: 707EC010

Bidder's Name: West Virginia Tractor Company

Address: P.O. Box 473 Charleston, WV 25322

Telephone Number: 346-5301

Years Bidder has been registered to do business with the State of West Virginia: 24 YRS.

Years Company has been an authorized dealer for proposed unit: 14 YRS.

X4.2 DELIVERY:

X4.2.1 Delivery date of completed representative unit: 90 See Addendum Calendar Days After Date of Purchase Agreement

X4.2.2 Delivery date of balance of completed units: 180 Calendar Days After Date of Purchase Agreement

X5.0 AWARD CRITERIA:

X5.1 Prices for unit in quantities of	1-10	<u>\$145,200</u>	per unit
	11-20	<u>\$145,200</u>	per unit
	21 and over	<u>\$145,200</u>	per unit

X6.0 SPECIFICATIONS - GENERAL

X6.1 Manufacturer, model, series, and date of manufacture of proposed unit:

Sewer Equipment Co. of America 800-HPR 2007Is descriptive literature, fully describing proposed unit attached to your bid? YES NO

If not, why? _____

X6.2 Will the required number of service manuals, and complete parts list be delivered to the Equipment Division at Buckhannon upon completion of delivery of total units? YES NOWill the required Equipment Preventive Maintenance Form (Section X6.2 of Bidders Evaluation Report) be provided upon inspection of the pilot unit? YES NO

X6.2
2-10-00

EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER=S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH.

DESCRIPTION: _____ MAKE: _____

MODEL: _____ YEAR: _____ PURCHASE AMOUNT: _____

ENGINE: MAKE: _____ MODEL: _____ FUEL TYPE: _____

HORSEPOWER: _____ CYLINDER: _____ ENGINE SERIAL: _____

COOLING SYSTEM CAPACITY: _____

BELTS: DESCRIPTION: _____ PART NUMBERS: _____

GVW: _____ AXLE CAPACITY: FRONT: _____ REAR: _____

TIRES: FRONT MAKE & SIZE: _____

REAR MAKE & SIZE: _____

DIMENSIONS OF UNIT: LENGTH: _____ WIDTH: _____ LENGTH: _____

VENDOR CONTACT PERSON: _____ PHONE: _____

PARTS:

BATTERY MAKE: _____ MODEL: _____ CCA: _____

TOP OR SIDE POST: _____ DIMENSIONS: LENGTH _____ WIDTH _____ HEIGHT _____

SPARK PLUGS OR FUEL INJECTORS MAKE: _____ PART # _____

FUEL PUMP OR INJECTION PUMP MAKE: _____ MODEL: _____

ALTERNATOR MAKE: _____ PART #: _____

STARTER MAKE: _____ PART #: _____

TURBO CHARGER MAKE: _____ PART #: _____

TRANS. MAKE: _____ MODEL: _____ AUTO/MANUAL: _____

HYDRAULIC PUMP MAKE: _____ MODEL: _____

FILTERS	MAKE	PART NO.	LUBRICANT	MANUFACTURER TYPE
OIL	_____	_____	ENGINE	_____
AIR INNER	_____	_____	TRANSMISSION	_____
AIR OUTER	_____	_____	POWER STEERING	_____
FUEL PRIMARY	_____	_____	HYDRAULIC	_____
FUEL SECONDARY	_____	_____	DIFFERENTIALS	_____
COOLANT	_____	_____	BRAKE FLUID	_____
HYDRAULIC	_____	_____	COOLANT	_____
OTHER	_____	_____	OTHER	_____

X6.3 TRAINING:

Will training seminar be conducted on Preventive Maintenance, Operator and Mechanic Training
 YES NO

Will you conduct training with each purchase order against this open end contract?
 YES NO

Will training be conducted within 2 working days from the delivery of the pilot unit on the individual purchase order?
 YES NO

If NO, explain time frame _____

Will an Operator's Manual be furnished to the Training Academy? YES NO

X6.4 If you are the successful vendor, will you furnish all training aids, i.e., videos, projectors, required in conducting the training? YES NO

X6.4.1 Will all manuals, booklets, etc. explaining preventive maintenance, operator procedures, and service schedule be delivered with each unit? YES NO
 If NO, explain _____

X6.5 WARRANTY AND SERVICE POLICY

Will the warranty and service you provide comply with all areas as stated in Section 6.5 of specifications
 YES NO

Is warranty literature attached? YES NO

Is a minimum two (2) year bumper to bumper basic warranty included? YES NO
 Describe:

Two years part and labor on Sewer Equipment Co. of America

800-HPR and on the GMC cab and chassis

X6.5 WARRANTY AND SERVICE POLICY QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY THE SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH (If additional lines are needed, make copies of form.)

1. Define the terms of the standard warranty. If not offered, so state. (Attach copy)

Two years on Sewer Equipment Co. of America 800-HPR

2. Define warranty service to be performed at DOH facilities and warranty service to be performed at manufacturer's representative facility. List name and location of manufacturer's representative.

Most work under warranty can be performed at West Virginia

Tractor in Charleston for the Sewer Equipment Co. of America

800-HPR.

3. List locations for parts inventories that are within the State of West Virginia. Also, list availability levels, if known.

West Virginia Tractor in Charleston is the source for parts

for the Sewer Equipment Co. of America 800-HPR

4. During the term of warranty, list the guarantee discount to manufacturer's published list price for parts that bidder will sell the parts to owner.

A.	Terms: Net 30	—	Manufacturer's published list price less:	<u> -</u>	% discount
B.	Terms: Net 60		Manufacturer's published list price less:	<u> -</u>	% discount
C.	Terms: Net 90		Manufacturer's published list price less:	<u> -</u>	% discount

5. During the term of warranty, will all manufacturers or engineering improvements be submitted to Division of Highways? x YES NO

6. During the term of warranty, list the guaranteed rates charged for repair to the unit.

A. Shop Rate \$60.00 per mechanic hour

B. Travel Time Charge \$60.00 per mechanic hour
(Specify if one-way) ; port to port x

C. Mileage Charge \$1.25 per vehicle mile
(Specify if one-way) ; port to port x

D. Field Mechanic Rate \$60.00 per mechanic hour

E. Specify period of time that prices are in effect: During warranty

F. Surcharge for miscellaneous items: Holidays & overtime 150%

X6.3 TRAINING:

Will training seminar be conducted on Preventive Maintenance, Operator and Mechanic Training YES NO

Will you conduct training with each purchase order against this open end contract? YES NO

Will training be conducted within 2 working days from the delivery of the pilot unit on the individual purchase order? YES NO

If NO, explain time frame WITH THE EXCEPTION OF WEEKENDS & HOLIDAYS

Will an Operator's Manual be furnished to the Training Academy? YES NO

X6.4 If you are the successful vendor, will you furnish all training aids, i.e., videos, projectors, required in conducting the training? YES NO

X6.4.1 Will all manuals, booklets, etc. explaining preventive maintenance, operator procedures, and service schedule be delivered with each unit? YES NO
If NO, explain _____

X6.5 WARRANTY AND SERVICE POLICY

Will the warranty and service you provide comply with all areas as stated in Section 6.5 of specifications YES NO

Is warranty literature attached? YES NO

Is a minimum two (2) year bumper to bumper basic warranty included? YES NO
Describe:

X6.5 WARRANTY AND SERVICE POLICY QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY THE SUCCESSFUL BIDDER OR MANUFACTURERS TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH (If additional lines are needed, make copies of form.)

WILL COMPLY WITH THIS IF SUCCESSFUL BIDDER.

1. Define the terms of the standard warranty. If not offered, so state. (Attach copy)

2. Define warranty service to be performed at DOH facilities and warranty service to be performed at manufacturer's representative facility. List name and location of manufacturer's representative.

3. List locations for parts inventories that are within the State of West Virginia. Also, list availability levels, if known.

4. During the term of warranty, list the guarantee discount to manufacturer's published list price for parts that bidder will sell the parts to owner.

A.	Terms: Net 30	Manufacturer's published list price less: _____	% discount
B.	Terms: Net 60	Manufacturer's published list price less: _____	% discount
C.	Terms: Net 90	Manufacturer's published list price less: _____	% discount

5. During the term of warranty, will all manufacturers or engineering improvements be submitted to Division of Highways? _____ YES _____ NO

6. During the term of warranty, list the guaranteed rates charged for repair to the unit.

A.	Shop Rate	\$ _____ per mechanic hour
B.	Travel Time Charge (Specify if one-way)	\$ _____ per mechanic hour _____ ; port to port _____
C.	Mileage Charge (Specify if one-way)	\$ _____ per vehicle mile _____ ; port to port _____
D.	Field Mechanic Rate	\$ _____ per mechanic hour
E.	Specify period of time that prices are in effect: _____	
F.	Surcharge for miscellaneous items: _____ %	

X6.6 EVALUATION COMMITTEE REQUIREMENTS

Is all component specifications, product literature, component models provided for Evaluation Committee bid determination? x YES NO

X6.7 Will all parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, be furnished with the unit and conform in strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry? x YES NO

X6.7.1 Are all parts and accessories adequate and regularly supplied as standard to be included except those which may be duplications of specifications herein, and except these by specification are not to be furnished? x YES NO

X6.7.2 Are all standard safety features that are required by Federal and State statutes of law included? x YES NO

X7.0 SPECIFICATIONS OF THE QUOTED UNIT

The bidder should complete the following schedule in order for the Division to compare the actual bid unit to the specifications. Should the bidder except a requirement, then such exception may be only on the basis that such feature is not offered by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specifications.

X8.0 SPECIFICATIONS – CAB & CHASSIS

Manufacturer: GENERAL MOTORS Model: TC7C042

X8.1 GVW plate rating: 37,600 lbs.

X8.2 Cab to axle dimension: 84" inches

X8.3 Wheelbase: 152" inches

X8.4 Frame: The manufacturer shall provide a frame that meets or exceeds all Federal requirements for GVWR specified that has an integral front frame extension with no frame cutouts to allow engine installation. x YES NO

Extension extends forward of the grill area PER BID REQUEST inches

Warranty on the frame: 5 years

- X8.4.1 Frame Steel: 120,000 PSI
- X8.4.2 R.B.M.: 2,151,600 Ins./Lbs.
- Is there an integral frame and frame extension X YES NO
- X8.5 Cab: Is the cab manufacturer's standard for model bid X YES NO
- X8.5.1 Is hood tilt hood and fenders steel and/or fiberglass X YES NO
- X8.5.2 Is unit equipped with cruise control feature X YES NO
OR
locking hand operated throttle YES NO
- X8.5.3 Cab door locks, both doors X YES NO
- X8.5.4 Dual sun visors X YES NO
- X8.5.5 Arm rests, both sides X YES NO
- X8.5.6 Seats: Two (2) right hand and left hand fully adjustable high back with head rest, air ride, bucket seats, to be cloth covered or minimum of cloth insert in vinyl. X YES NO
- Minimum of 12 inch clearance between seats X YES NO
- X8.5.6.1 Seat Belts: 3 point lap and shoulder type X YES NO
- X8.5.7 Floor Mats: Rubber floor mats throughout cab area with non-absorbent backing under the mats X YES NO
- X8.5.8 Turn Signals: Manufacturers heavy duty, self-canceling type with hazard warning switch X YES NO
- X8.5.9 Heater and defroster: Fresh air type, heaviest duty X YES NO
- X8.5.10 Windshield Wipers and Washers: Manufacturer's heaviest duty available with intermittent feature X YES NO
- X8.5.11 Instruments: Manufacturer's gauges with visual, audible and programmable warning to inform operator when operating conditions are exceeded provided X YES NO
- X8.5.11.1 Voltmeter or Ammeter X YES NO
- X8.5.11.2 Engine RPM tachometer X YES NO

- X8.5.11.3 Primary air pressure gauge with warning light or audible alarm YES NO
- X8.5.11.4 Air filter manufacturers heaviest duty dual element type YES NO
- X8.5.11.5 Air filter restriction indicator gauge (dash mounted) YES NO
- X8.5.11.6 Engine hourmeter (controlled by engine operation, not by key switch) YES NO
- X8.5.11.7 Fuel gauge(s) YES NO
- X8.5.11.8 Manufacturers engine cover or dash mounted extended two (2) cup drink holder
BUT, Our cup holders located by right side driver's seat. YES NO
- X8.5.12 Rearview Mirrors: Heated dual, west coast type, approximately 7" x 16", adjustable with convex spot mirror, stainless steel or aluminum housing and mounting brackets YES NO
- X8.5.12.1 Mirrors: Left side manual adjustable; right side power adjustable YES NO
- X8.5.13 Grab Handle: Right hand and left hand sides of cab, rear of door opening YES NO
- X8.5.14 Glass: Manufacturers tinted safety glass; front, sides, and rear YES NO
- X8.5.15 Radio: Manufacturers standard AM/FM stereo YES NO
- X8.5.16 Air conditioning: Manufacturer's fresh air type heaviest duty YES NO
- X8.5.17 Manufacturer provides for stationary grille or grille with cutout area to allow for front mounted pump for culvert cleaner YES NO
- X8.5.18 Front mudflaps manufacturers standard for unit bid YES NO
- X8.5.19 Emergency triangle warning kit, with hold down fastened in the cab YES NO
Mfr. and Part No. KS LAMP COMPANY/KD610-464S
- X8.5.20 Accessories not addressed but included:
SEE ATTACHING LITERATURE
-
- X8.5.21 Will you provide complete list of all filters required for normal maintenance YES NO

X8.6 Engine:

X8.6.1 Has engine manufacturer made provisions for front mounted hydraulic pump to crankshaft pulley
 YES NO

X8.6.2 Diesel engine

Manufacturer: ISUZU Model: 6H 7.8L

HP: 260 at 2200 RPM

X8.6.2.1 Peak torque: 835

X8.6.2.2 Torque rise: 62 %

X8.6.2.3 Diesel fuel heater in fuel line system YES NO

X8.6.2.4 In engine block heater YES NO 1250 watt

X8.6.2.5 Does the single vertical exhaust pipe with muffler meet all Federal noise abatement requirements
 YES NO

Is exhaust to the passenger side of unit YES NO Located on right side of driver's seat

Is there a heat shield on vertical exhaust YES NO

X8.6.2.6 Is engine equipped with exhaust brake, compression, compression/exhaust, or exhaust
 YES NO

Manufacturer: WABCO

X8.7 Cooling System:

X8.7.1 Is the cooling system capable of maintaining engine temperature within the manufacturer's recommended range during continuous operation YES NO

X8.7.2 Is the system filled with permanent type Dex-Cool or equal antifreeze rated to a -30°F YES NO

Does unit provide adequate temperature control in summer operations (utility hauling in 50°F to 95°F climatic temperatures) and winter operations (snowplowing and salt spreading in -30°F to +30°F climatic temperatures). YES NO

Does the vehicle operate in various altitudes from a low elevation of 250 ft. above sea level to a high elevation of 4700 ft. above sea level with most operating occurring between 400 ft. and 2600 ft. above sea level YES NO

X8.7.3 Does the radiator have four (4) inch square opening to facilitate the installation of a crankshaft driven PTO drive shaft YES NO
 CRANKSHAFT DRIVELINE, PTO SHAFT GOES UNDER THE RADIATOR.
 The distance between the extreme top of the radiator fan blade and the centerline of the crankshaft is a minimum of three (3) inches to insure adequate clearance for PTO drive shaft

YES NO

X8.7.4 Radiator and heater hoses: SILICONE

X8.8 Fuel Tanks:

X8.8.1 Capacity: 75 U.S. gallons Meet FMVSS YES NO

X8.8.2 Is filler cap chain tethered YES NO

X8.9 Electrical System:

X8.9.1 Type: 12 V negative ground system with manufacturer's radio interference suppression YES NO

X8.9.2 Batteries:

X8.9.2.1 Reserve Capacity: 480 minutes @ 27 °F Fully charges YES NO

X8.9.2.2 Cold Crank AMPS: 2250 AMPS

X8.9.3 Alternator Capacity: 130 AMPS brushless with internal regulator

X8.9.4 Lighting: Are provisions made available for all lighting (number, location, and color) to conform to the West Virginia Motor Vehicle Code YES NO

X8.9.5 Have you eliminated rear taillights YES NO

Wiring bundled at end of frame for body vendor hookup of taillights provided in sewer cleaner platform: 8 feet

X8.9.5.1 Has manufacturer provided body builder circuit interface capability with connection plug located at rear of frame for body builder connection to stop, tail, and marker light circuits, ignition controlled auxiliary feed to ground to provide splice free chassis wiring integrity

YES NO

X8.9.5.2 Will manufacturer provide body builder circuits – six (6) switches located in the dash instrument panel with one (1) weather protected body builder connection box or module located at the rear under cab

YES NO
SEE ADDENDUM

Is the power module six (6) channel capable, 20 amps per channel, 80 amp maximum output

YES NO

Do the dash switches control the power module with LED backlighting YES NO

X8.10 Transmission/Clutch:

X8.10.1 Manual:

Manufacturer: EATON-FULLER Model: RT8908LL

Does transmission torque capacity exceed provided engine torque YES NO

X8.10.2 Clutch:

Manufacturer: EATON Model: SOLO TWO PLATE, 14" SELF-ADJUSTING

Two plate ceramic 14 inch diameter, mechanical pull type control with kwik-adjust manual feature
 YES NO

X8.11 Driveline

Manufacturer: SPICER Model: 1710

Greasable main shaft YES NO

X8.12 Rear Axle:

X8.12.1 Rated Capacity: 23,000 lbs. single reduction includes driver controlled main locking differential YES NO

X8.12.2 Rear Spring Capacity: 31,000 lbs. fitted with 4,500 lb. capacity multi leaf load stabilizer springs
 YES NO

Or approved equal: _____

X8.12.3 Ratio:

Gear ratio: 4.11 Capable of a top speed of 65 MPH YES NO

X8.12.4 Is rear axle differential, transmission, and front wheel lubrication reservoirs filled with synthetic type lubrication and provided with magnetic drain plugs where applicable YES NO

X8.12.5 Is unit equipped with manufacturers heavy duty rear shock absorbers YES NO

X8.13 Front Axle:

X8.13.1 Capacity: 14,600 lbs. I-beam type YES NO

X8.13.2 Front spring capacity: 14,600 lbs.

X8.13.3 Manufacturers heavy duty shock absorbers YES NO

X8.13.4 Is front wheel oil lubricated wheel seals provided YES NO

X8.14 Brakes:

X8.14.1 Are they full air with manufacturers ABS in compliance with the most current FMVSS requirements YES NO

X8.14.2 Compressor: Manufacturer: HALDEX Model: 292 12.9 CFM

X8.14.3 Service Brake Size:

X8.14.3.1 Front: 16.5" x 5"

X8.14.3.2 Rear: 16.5" x 7"

X8.14.4 Parking Brake:

Are they spring set, air release actuating rear axle service brakes YES NO

Instrument panel control YES NO YES NO MGM

X8.14.5 Air dryer with heater: Manufacturer BENDIX Model ADIS

X8.14.6 Are they manufacturer's standard air tanks for service brakes YES NO

Auxiliary tank for parking brake YES NO

X8.14.7 Low air pressure warning light and buzzer YES NO

X8.14.8 Do brakes meet or exceed all current Federal and State FMVSS requirement YES NO

X8.14.9 Are brake dust covers installed on all wheels YES NO

X8.15 Tires and Wheels:

X8.15.1 Wheels, Front and Rear: 22.5 x 8.25
Hub piloted steel disc type YES NO

X8.15.2 Tires:

X8.15.2.1 Front: 12R22.5H GOODYEAR PREMIUM HIGHWAY SEE ADDENDUM

X8.15.2.2 Rear: 11R22.5G GOODYEAR G-328 ON-OFF ROAD SEE ADDENDUM

X8.16 Is manufacturers standard power steering provided for front axle specified YES NO

Manufacturer: ZF

Addendum: Currently Goodyear is on strike. This could result in us putting on an or equal brand/tread tire.

X8.17 Other Standard Features

List other standard features offered but not specifically addressed above:

SEE ATTACHMENT

X8.18 Paint

Describe proposed method of painting:

BASE COAT, CLEAR COAT

X8.19 Does unit offered meet or exceed "Occupational Safety and Health Act of 1970" YES NO

X8.20 Does unit conform to the advertising guidelines

Describe: PER BID REQUEST

X8.21 Preventive Maintenance

X8.21.1 Will a preventative maintenance and operator's training seminar be provided?

YES NO

X8.21.2 Will you furnish all training aids; i.e. videos, projectors, etc. required in conducting the training

YES NO

X8.21.3 Will booklets and pamphlets be furnished to be used by the operators

YES NO

X8.21.4 If successful vendor, will you conduct training on the completed unit

YES NO



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
707EC010

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN JOHNSTON 304-558-2402

VENDOR

*709051756 304-346-5301
 WV TRACTOR COMPANY
 PO BOX 473
 CHARLESTON WV 25322

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
10/26/2006	Net 30 Days	Truck	Buckhannon	Prepaid

BID OPENING DATE: 11/22/2006 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
				ADDENDUM NO. 1		
				BID OPENING DATE AND TIME CHANGED		
				FROM: 11-08-06 AT 1:30 P.M.		
				TO: 11-22-06 AT 1:30 P.M.		
				ADDENDUM NO. 2 WILL BE ISSUED AT A LATER DATE WITH CHANGES TO THE SPECIFICATIONS AS A RESULT OF THE PREBID CONFERENCE.		
				NO OTHER CHANGES.		
0001		EA		670-61		
	1			TRUCK MOUNTED HIGH VELOCITY SEWER CLEANER		
				Sewer Equipment Co. of America 800-HPR		
				GMC TC7C042		
				***** THIS IS THE END OF RFQ 707EC010 ***** TOTAL:		

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
	346-5301	11-21-06
TITLE	FON	ADDRESS CHANGES TO BE NOTED ABOVE
President	550621655	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
707EC010

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JOHN JOHNSTON
304-558-2402

VENDOR

*709051756 304-346-5301
 WV TRACTOR COMPANY
 PO BOX 473
 CHARLESTON WV 25322

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
10/31/2006	Net 30 Days	Truck	Buckhannon	Prepaid

BID OPENING DATE: **11/22/2006** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
				ADDENDUM NO. 2		
				CHANGES TO THE SPECIFICATIONS PER THE ATTACHED.		
				BID OPENING DATE AND TIME REMAINS THE SAME.		
				NO OTHER CHANGES.		
0001	1	EA		670-61		
				TRUCK MOUNTED HIGH VELOCITY SEWER CLEANER		
				Sewer Equipment Co. of America 800-HPR		
				GMC TC7C042		
				***** THIS IS THE END OF RFQ 707EC010 ***** TOTAL:		

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: *[Signature]* TELEPHONE: **346-5301** DATE: **11-21-06**

TITLE: **President** FEIN: **550621655** ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

ADDENDUM #2
707EC010

OPEN END CONTRACT
TRUCK MOUNTED HIGH VELOCITY SEWER CLEANER

CHANGES TO SPECIFICATIONS:

FROM:

4.0 REPRESENTATIVE UNIT FOR TEST
The successful vendor must (if specified) provide DOH one (1) completed representative unit to be observed and evaluated on the first order only to insure compliance with specification

TO:

4.0 REPRESENTATIVE UNIT FOR TEST
The successful vendor must (if specified) provide DOH one (1) completed representative unit to be observed and evaluated on each order to insure compliance with specification.

FROM:

4.2 DELIVERY (2nd Paragraph)
Delivery is preferred within 60 days

TO:

4.2 DELIVERY (2nd Paragraph)
Delivery is preferred within 180 days

FROM:

4.2 DELIVERY (3rd Paragraph)
A completed pilot model for inspection must be provided within 45 calendar days after the date of the purchase agreement by the successful vendor.

TO:

4.2 DELIVERY (3rd Paragraph)
A completed pilot model for inspection must be provided within 90 calendar days after the date of the purchase agreement by the successful vendor.

ADD

4.2 DELIVERY: (New Paragraph After 3rd Paragraph)
EXCEPTION FOR 2007 MODEL YEAR ONLY
Due to the emission problems all manufacturers are facing, the vendor shall state in the Bidder's Evaluation Report what time frame for delivery of pilot and delivery of the balance after the turnkey pilot has been approved.

FROM:

6.5 WARRANTY AND SERVICE POLICY (2nd Paragraph)

A mandatory minimum two (2) year bumper to bumper basic warranty is required for this unit except for frame as stated in Section 8.4.

TO:

6.5 WARRANTY AND SERVICE POLICY (2nd Paragraph)

A mandatory minimum two (2) year bumper to bumper basic warranty is required for both truck and sewer cleaner except for frame as stated in Section 8.4.

FROM:

8.2 Cab to axle dimension: Approximately 84"

TO:

8.2 Cab to axle dimension: Approximately 84" (useable dimension top and outside of the frame rails)

FROM:

8.4.2 RBM: 2,100,000 Ins/Lb. Minimum

TO:

8.4.2 RBM: 2,040,000 Ins/Lb. Minimum

FROM:

8.5.11 Instruments: Manufacturer's gauges with visual, audible, and programmable warning to inform driver when operating conditions are exceeded shall include:

TO:

8.5.11 Instruments: Manufacturer's gauges with visual, and/or audible, and/or programmable warning to inform driver when operating conditions are exceeded shall include:

FROM:

8.5.12 Rearview Mirrors: To be heated dual, West Coast Type, approximately 7" x 16" adjustable with convex spot mirror, stainless steel or aluminum housing and mounting brackets.

TO:

8.5.12 Rearview Mirrors: To be heated dual, West Coast Type, approximately 7" x 16" adjustable with convex spot mirror with corrosion resistant finish equal to composite, stainless steel, powder coat, or aluminum housing and mounting brackets.

FROM:

8.6.2.4 In engine block heater 1250 W. (approximate)

TO:

8.6.2.4 In engine block heater minimum 1000 watt/115 volts

FROM:

8.8.1 Capacity: 80 U.S. gallons minimum shall meet FMVSS

TO:

8.8.1 Capacity: 70 U.S. gallons minimum shall meet FMVSS

FROM (Change to 1st Sentence Only):

8.9.5.2 Manufacturer shall provide body builder circuits – six (6) switches shall be located in the dash instrument panel with one (1) weather protected body builder connection box or module located at the rear under cab.

TO: (Change to 1st Sentence Only):

8.9.5.2 Manufacturer shall provide body builder circuits – three (3) switches shall be located in the dash instrument panel with one (1) weather protected body builder connection box or module located at the rear under cab.

FROM:

8.14.2 Compressor: Model TF550 Bendix Westinghouse or equal 13.2 CFM minimum

TO:

8.14.2 Compressor: Model TF550 Bendix Westinghouse or equal 12.9 CFM minimum

FROM:

8.15.1 Wheel, Front and Rear: 22.5 x 8.25, hub piloted steel disc type, to accommodate specified tire size.

TO:

8.15.1 Wheel, Front and Rear: Shall be 22.5 x 8.25 hub piloted steel disc type, to accommodate specified tire size.

FROM:

8.16 Manufacturer's standard power steering to be provided for front axle specified; Sheppard or Ross integrals

TO:

8.16 Manufacturer's standard power steering to be provided for front axle specified

FROM:

8.18.1 Cab exterior and interior: Federal Standard White 595A (No 17875)

TO:

8.18.1 Cab exterior and interior: Federal Standard White 595A (No. 17875) or equal

FROM:

9.2.2 Water pump will be located in the rear compartment

TO:

9.2.2 Water pump will be located in the rear compartment which is shrouded and heated to protect the pump from the dangers of any damage cause by freezing

FROM:

9.5.14.7 Two (2) oval amber LED strobe lights mounted at rear right and left sides and to be switched in combination with front sewer cleaner platform strobe. (PSE amber, Model oulxdlsih or equal

TO:

9.5.14.7 Two (2) oval amber LED strobe lights mounted at rear right and left sides and to be switched in combination with front sewer cleaner platform strobe. (PSE amber, Model OVLALS1H or equal

ADDENDUM #2
707EC010

OPEN END CONTRACT
TRUCK MOUNTED HIGH VELOCITY SEWER CLEANER

CHANGES TO BIDDER'S EVALUATION REPORT:

- X4.0 REPRESENTATIVE UNIT FOR TEST – No Change Required
- X4.2.1 Delivery date of completed representative unit – No Change Required
- X4.2.2 Delivery date of balance of completed units – No Change Required

ADD:
X4.2

DELIVERY:
2007 YEAR MODEL ONLY (Based on order being placed 30 days from bid
bid due date.)

Delivery date of completed representative unit: 180 calendar days after date of
purchase agreement

Delivery date of balance of completed units: 120 calendar days after turnkey pilot
Approved

FROM:
X6.5

WARRANTY AND SERVICE POLICY

Is a minimum two (2) year bumper to bumper basic warranty included?
 YES NO

TO:
X6.5

WARRANTY AND SERVICE POLICY

Is a minimum two (2) year bumper to bumper basic warranty included for both truck
and sewer cleaner? X YES NO

FROM:
X8.2

Cab to axle dimension: inches

TO:
X8.2

Cab to axle dimension: 84 inches (useable dimension top and outside of the
frame rails)

X8.4.2 RBM – No Change Required

FROM:

X8.5.11 Instruments: Manufacturer's gauges with visual, audible, and programmable warning to inform operator when operating conditions are exceeded provided
 _____ YES _____ NO

TO:

X8.5.11 Instruments: Manufacturer's gauges with visual, and/or audible and/or programmable warning to inform operator when operating conditions are exceeded provided
 X YES _____ NO

FROM:

X8.5.12 Rearview Mirrors: Heated dual, west coast type, approximately 7" x 16" adjustable with convex spot mirror, stainless steel or aluminum housing and mounting brackets
 _____ YES _____ NO

TO:

X8.5.12 Rearview Mirrors: Heated dual, west coast type, approximately 7" x 16" adjustable with convex spot mirror with corrosion resistant finish equal to composite, stainless steel, powder coat, or aluminum housing and mounting brackets
 X YES _____ NO

FROM:

X8.6.2.4 In engine block heater _____ YES _____ NO _____ watt

TO:

X8.6.2.4 In engine block heater X YES _____ NO 1250 watt/ 110 volts

X8.8.1 Fuel Tank Capacity – No Change Required

FROM (Change to 1st Sentence Only):

X8.9.5.2 Will manufacturer provide body builder circuits – six (6) switches located in the dash instrument panel with one (1) weather protected body builder connection box or module located at the rear under cab _____ YES _____ NO

TO (Change to 1st Sentence Only):

X8.9.5.2 Will manufacturer provide body builder circuits – three (3) switches located in the dash instrument panel with one (1) weather protected body builder connection box or module located at the rear under cab _____ X YES _____ NO

X8.14.2 Compressor – No Change Required

FROM:

X8.15.1 Wheels, Front and Rear: _____ Hub piloted steel disc type _____ YES _____ NO

TO:

X8.15.1 Are wheels, front and rear 22.5 x 8.25 _____ X YES _____ NO

Hub piloted steel disc type _____ X YES _____ NO

X8.16 Power Steering Manufacturer – No Change Required

X8.18 Paint – No Change Required

FROM:

X9.2.2 Is water pump located in the rear compartment _____ YES _____ NO

TO:

X9.2.2 Is water pump located in the rear compartment which is shrouded and heated to protect the pump from dangers of any damage caused by freezing

_____ X YES _____ NO

X9.5.14.7 Strobe light manufacturer and model – No Change Required

D3S PS

REQUISITION HEADER AND LINE COMMENTS

RCM

NEXT FUNCTION: _____ ACTION: _____ 10/26/2006 10:53:46
REQUEST: _____ SAVE SHOW PAGE NO: _____

=====

BUY ENTITY: PUR REQUISITION NO: 707EC011

CATALOG NO: _____ ITEM NO: e10 BEGINNING SEQUENCE NUMBER: _____

A/B C/D	REQ. LINE	SEQ NO.	COMMENTS/SPECIFICATIONS/INSTRUCTIONS	PRINT LINE
		95	EXHIBIT 10	Y
		100		Y
		105	REQUISITION NO.: 707EC010	Y
		110		Y
		115	ADDENDUM ACKNOWLEDGEMENT	Y
		120		Y
		125	I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED	Y
		130	ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY	Y
		135	PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.	Y
		140		Y
		145	ADDENDUM NO.'S:	Y
		150		Y
		155	NO. 1 .. YES ..	Y
		160		Y
		165	NO. 2 .. YES ..	Y
		170		Y
		175	NO. 3 ..	Y
		180		Y
		185	NO. 4 ..	Y
		190		Y
		195	NO. 5 ..	Y
		200		Y
		205	I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE	Y
		210	ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.	Y
		215		Y
		220	Y
		225	SIGNATURE	Y
		230		Y
		235	MATHENY MOTOR TRUCK CO.	Y
		240	Y
		245	COMPANY	Y
		250		Y
		255	11/20/06	Y
		260	Y
		265	DATE	Y
		270	REV. 11/96	Y

A F F I D A V I T

West Virginia Code §5A-3-10a states:

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions.

"Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

EXCEPTION:

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING:


The vendor must be licensed in accordance with any and all state requirements to do business with the state of West Virginia.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: Matheny Motor Truck Company

Authorized Signature: 

Date: 11/20/06

X9.0 SEWER/CULVERT CLEANER

Bidder's Name: West Virginia Tractor CompanyAddress: P.O. Box 473 Charleston, WV 25322Telephone Number: 346-5301Years Bidder has been registered to do business with the State of West Virginia: 24 YRS.Years Company has been an authorized dealer for proposed unit: 14 YRS.

Manufacturer, model, series, and date of manufacture of proposed unit:

Sewer Equipment Co. of America 800-HPRIs descriptive literature, fully describing proposed unit attached to your bid? YES NO

If not, why? _____

X9.1 Water Tank:

X9.1.1 Tank capacity: 1500 gallons of waterX9.1.2 Is tank welded/repairable construction of .500 inch, U.V. stabilized Duraprolene YES NOX9.1.3 Is the baffle in the tank constructed of .375 inch Duraprolene YES NOWill these baffles reduce sloshing and distortion and form no less than 16 interconnected Compartments YES NOX9.1.4 Is the tank bottom flat bottom type YES NOIs the pump intake located two (2) inches from bottom to allow sediment to settle rather than entering and damaging pump YES NOX9.1.5 Tank is equipped with strainer 20 mesh at top tank for elimination of foreign objects into Tank YES NOX9.1.6 Is entire tank top completely removable for safe access of personal entry during maintenance YES NOX9.1.7 Is Duraprolene ultraviolet stabilized to prevent material breakdown YES NOX9.1.8 Is tank constructed of steel YES NOX9.1.9 Is tank constructed of polypropylene YES NO

- X9.1.10 Is tank filling possible from both curbside and street side YES NO
- X9.1.11 Is tank filling system and fill hose located between cab and water tank of the unit with a fill point on both sides of truck YES NO
- X9.1.12 Does tank fill utilize a quick disconnect cam locking fitting for 2 1/2 inch fill hose YES NO
- X9.1.13 Is a water level indicator located at operators station YES NO
- X9.1.14 Is a water level sight gauge located on street side and on curbside YES NO
- X9.1.15 Is a four (4) inch air gap utilized between fill pipe and tank fill opening to eliminate siphoning potential and to meet all public health standards YES NO
- X9.1.16 Is there a shut off valve between the tank and 20 mesh "Y" strainer YES NO
- X9.1.17 Are two (2) inch drain valves located at curbside and street side YES NO

X9.2 Water Pump:

- X9.2.1 Triplex positive displacement pump rated at and powered to produce 65 GPM at 2000 PSI
- X9.2.2 Is water pump located in the rear compartment YES NO
- X9.2.3 Is pump fitted with factory set overload relief valve YES NO
- X9.2.4 Is water pump direct coupled to a hydraulic motor YES NO
- X9.2.5 Is pump equipped with drain cocks for complete draining YES NO

X9.3 Drive System:

- X9.3.1 Is the water pump driven by a hydraulic system, which is powered by truck engine via a front engine crankshaft PTO YES NO
- Does the PTO drive a shaft, which powers a hydrostatic transmission pump YES NO
- Is the hydrostatic transmission pump responsible for driving a rear mounted hydraulic motor, which drives the water pump YES NO
- Is there a hydraulic pump to relay power to a rear mounted hydraulic motor that drives the hose Reel YES NO

X9.3.2 Hydraulic oil reserve capacity 24 US gallons with oil temperature indicator provided visible to operator x YES NO

Does unit have low hydraulic oil indicator lights in cab as well as at operators station to signal loss of hydraulic oil x YES NO

Is a hydraulic oil cooler provided with hydraulic oil filter x YES NO

Is hydraulic filter cartridge style and integral to reservoir x YES NO

X9.3.3 Are hydraulic oil reservoir, water pump, and rear motor mounted above the chassis frame rails in the enclosed compartment located at the rear of the water tank x YES NO

X9.4 Water Piping System:

X9.4.1 All piping systems subjected to high pressure uses zinc chromate plated steel fittings with burst pressure of four (4) times the system pressure x YES NO

Do hoses working pressure ratings exceed the maximum system pressure x YES NO

X9.4.2 A strainer with 40 mesh screen is installed in the suction line at a location accessible for cleaning x YES NO

X9.4.3 All piping is installed to drain by gravity through suitable openings equipped with plug, drain cocks, or ball valves x YES NO

X9.4.4 Is pressure to cleaning nozzle regulated by an overload relief valve x YES NO

X9.4.5 To control water flow from water pump, does a single lever control regulate direction of water either to hose reel or back to tank utilizing a high pressure valve assembly x YES NO

Does this single lever control control a 3-way valve x YES NO

X9.4.6 Does it have recirculation ability which allows for use of unit in sub-freezing temperatures x YES NO

X9.4.7 Does water delivery to hose pass through a single 90 degree swivel rotary coupling x YES NO

X9.5 Rear Body:

X9.5.1 Is rear body designed for total enclosure of major components including the water pump, hydrostatic motor, hose reel and associated plumbing to sewer hose x YES NO

X9.5.2 Is rear housing of a one-piece welded construction including sides and top to eliminate any corrosion as the result of bolt together joints and seams. x YES NO

- X9.5.3 Is floor decking of rear body constructed of 11 gauge steel. YES NO
 Is flooring treated with a non-skid coating for maximum protection from slipping
 YES NO
- X9.5.4 Does rear compartment have three (3) aluminum roll up doors which incorporate a header/counter balance design made of anodized aluminum panels YES NO
- X9.5.5 Do door panels have no rollers or cables, resist rust and maintenance free
 YES NO
 Are they hinged open doors YES NO
- X9.5.6 Do doors have stainless steel lockable and keyed alike heavy duty handles
 YES NO
- X9.5.7 Do door seals prevent dust, dirt, and moisture from entry of compartment
 YES NO
- X9.5.8 Is the rear roll up door equipped with an automatic switch which will not allow hydraulic extension of hose reel unless door is completely open
 YES NO
- X9.5.9 Are four (4) aluminum tool boxes installed in front of and behind the truck's rear axle on both sides of body
 YES NO
 Are the tool boxes protected from the effects of water and road dust by a thick automotive "bulb type" neoprene seal
 YES NO
- X9.5.10 Is a heavy duty handle (locking style) provided on tool boxes YES NO
- X9.5.11 Is skirting made of 11 gauge steel extending full height of tool boxes with cut outs for rear wheels
 YES NO
- X9.5.12 Is unit mounted on base frame consisting of 2 inch x 6 inch tubing YES NO
- X9.5.13 Is deck assembly solid at rear and spring mounted under the tank to allow the jetter deck to fully support the tanks while allowing the truck chassis rails to flex YES NO
- X9.5.14 Do stop, running, and directional lights comply with ICC regulations YES NO
- X9.5.14.1 Is lighting weather/shock resistant lights LED type with average amp draw between .045-.72 YES NO Manufacturer: Trucklite
- Do all connections have sure snap plug assemblies and epoxy sealed electronics to protect against shock and vibration
 YES NO
- X9.5.14.2 Are all marker lights 2 1/2 inch diameter flush mount sealed beam lights with integral reflector mounted in rubber base
 YES NO

- X9.5.14.3 Are all ground wires attached with plated steel fasteners YES NO
- X9.5.14.4 Are rear lights shock mounted, recessed oval stop, tail, turn and recessed oval back up lights mounted in back YES NO
 Manufacturer and Model: Trucklite M423R-3P
- Are strobe lights marked and switched from dash board location YES NO
- X9.5.14.5 Are there three (3) center rear I.D. lights YES NO
- X9.5.14.6 Are there two (2) amber oval LED strobe lights mounted at the front corners of the sewer cleaner platform and two (2) amber oval LED strobe lights mounted at each outside front corner of the sewer cleaner platform YES NO
 Manufacturer and Model: Trucklite 60360Y
- Are strobe lights marked and switched at dash board location YES NO
- X9.5.14.7 Are there two (2) oval amber LED strobe lights mounted at rear right and left sides and switched in combination with front sewer cleaner platform strobe YES NO
 Manufacturer and Model: Trucklite 60360Y
- X9.6 Rotating Reel:
- X9.6.1 Is unit equipped with a single hose reel YES NO
- Is the hose reel constructed of 1/4 inch steel, designed to withstand maximum working pressure without distortion YES NO
- X9.6.2 Does the hose reel have a capacity of 750 feet of one (1) inch sewer cleaning hose YES NO
- X9.6.3 Reel flanges 1 1/2 inch wide and designed to prevent hose damage YES NO
- X9.6.4 Are the hose reel sides reinforced with heavy duty side supports to eliminate damage YES NO
- X9.6.5 Is the sewer hose attached to the reel on the inside to facilitate replacement of hose YES NO
- X9.6.6 Is the hose reel assembly mounted in the rear/center of the rear compartment YES NO
- X9.6.7 Does the hose reel have the ability to extend out from the rear compartment via a hydraulically powered cylinder YES NO
- X9.6.8 Does the cylinder extend the hose reel 48 inches from the fully retracted position in the rear compartment after the roll up door has been fully opened YES NO

- X9.6.9 Direct alignment to the manholes YES NO
 Does the hose reel rotate 190 degrees when fully extended in the operating position. YES NO
- X9.6.10 Is the hose reel mount assembly supported by a ball bearing allowing smooth trouble free operation YES NO
- X9.6.11 Does the hose reel rotate on a heavy duty vertical thrust bearing YES NO
 Do hose reels rely on sliding contact or other wear surfaces YES NO
- X9.6.12 Does the hose reel lock into position using a spring loaded safety pin every two (2) inch intervals YES NO

X9.7 Hose Reel Drive:

- X9.7.1 Is the hose reel chain driven by hydraulic power in both directions, either with or without the water pump in operation YES NO
 Does the hydraulic drive have sufficient power to retract the hose when fully extended into the sewer with the cleaning nozzle in operation YES NO
- X9.7.2 Hydraulic pump rating 9-8 GPM at 2000 PSI powers the hose reel drive YES NO
 Is a hydraulic motor with chain drive and sprocket provided that is capable of operating in both Directions YES NO
 Are the hydraulic motor and chain adjustable YES NO
- X9.7.3 Is the hydraulic drive for the reel with an overload relief valve provided YES NO

X9.8 Sewer Hose:

- X9.8.1 Does unit have a multi-purpose hose capable of cleaning service drains, culverts, and other open conducts YES NO
- X9.8.2 Is hose one (1) inch ID YES NO and 500 feet
- X9.8.3 Operating pressure of hose 2500 PSI and burst pressure of 6250 PSI

X9.9 Hand Gun:

- X9.9.1 Is the high pressure handgun piping provided as a standard with quick-disconnect fitting located at the control panel and 25 feet of 1/2 inch HP hose with fittings YES NO
- X9.9.2 Does a high pressure handgun circuit utilize an adjustable relief valve capable of 500 PSI capacity YES NO

- X9.9.3 Is the high pressure handgun adjustable and repairable YES NO
- X9.10 Control Panel:
- X9.10.1 Is the jetter control panel at the rear of the truck on the curbside of the hose reel. YES NO
- Are all controls mounted in a weather tight NEMA 4 control panel YES NO
- X9.10.2 Does the control include the following:
- X9.10.2.1 Throttle (locking) YES NO
- X9.10.2.2 Low oil warning light (in cab as well) YES NO
- X9.10.2.3 Variable reel speed control YES NO
- X9.10.2.4 Forward/reverse hose reel control YES NO
- X9.10.2.5 Control panel light YES NO
- X9.10.2.6 Low water warning light YES NO
- X9.10.2.7 Water level indicator (4 light) YES NO
- X9.10.2.8 Tachometer YES NO
- X9.10.2.9 Hour meter YES NO
- X9.10.2.10 Water pressure gauge YES NO
- X9.10.2.11 Pump power control YES NO
- X9.10.2.12 Quick disconnect fitting for wash down gun YES NO
- X9.11 Are the following accessories included:
- X9.11.1 25 foot fill hose YES NO
- X9.11.2 Nozzle extension YES NO
- X9.11.3 Tri-point (chisel) nozzle with replaceable inserts YES NO
- X9.11.4 HW-70 (high flow) nozzle with replaceable insets YES NO
- X9.11.5 Little Thunder Nozzle YES NO
- X9.11.6 Venturi Pump and hoses for filling water tank from streams YES NO

- X9.11.7 Hose guide with rope YES NO
- X9.11.8 Upstream pulley guide YES NO
- X9.11.9 Wash down gun with 25 feet of 1/2 inch hose with quick disconnect YES NO
- X9.11.10 Heavy duty rear bumper with hitch receiver YES NO
- X9.11.11 Mud flaps YES NO
- X9.11.12 Arrow board, rear mounted YES NO
- X9.11.13 Operator's and parts manuals YES NO

X9.12 Paint: (Describe proposed method of painting and colors)

Before painting, all metal shall be cleaned and etched with phosphoric material to insure permanent bond of primer and paint. Entire unit will be painted white (Federal standard white 595A No. 17875). Unit shall have black frame. Hose reel and shroud assemblies to be painted white.

ADDENDUM #2
707EC010

OPEN END CONTRACT
TRUCK MOUNTED HIGH VELOCITY SEWER CLEANER

CHANGES TO BIDDER'S EVALUATION REPORT:

- X4.0 REPRESENTATIVE UNIT FOR TEST – No Change Required
- X4.2.1 Delivery date of completed representative unit – No Change Required
- X4.2.2 Delivery date of balance of completed units – No Change Required

ADD:
X4.2 DELIVERY:
2007 YEAR MODEL ONLY

Delivery date of completed representative unit: 90 calendar days after date of purchase agreement

Delivery date of balance of completed units: 180 calendar days after turnkey pilot Approved

FROM:
X6.5 WARRANTY AND SERVICE POLICY

Is a minimum two (2) year bumper to bumper basic warranty included?
 YES NO

TO:
X6.5 WARRANTY AND SERVICE POLICY

Is a minimum two (2) year bumper to bumper basic warranty included for both truck and sewer cleaner?
 x YES NO

FROM:
X8.2 Cab to axle dimension: inches

TO:
X8.2 Cab to axle dimension: inches (useable dimension top and outside of the frame rails)

X8.4.2 RBM – No Change Required

FROM:

X8.5.11 Instruments: Manufacturer’s gauges with visual, audible, and programmable warning to inform operator when operating conditions are exceeded provided _____ YES _____ NO

TO:

X8.5.11 Instruments: Manufacturer’s gauges with visual, and/or audible and/or programmable warning to inform operator when operating conditions are exceeded provided _____ YES _____ NO

FROM:

X8.5.12 Rearview Mirrors: Heated dual, west coast type, approximately 7” x 16” adjustable with convex spot mirror, stainless steel or aluminum housing and mounting brackets _____ YES _____ NO

TO:

X8.5.12 Rearview Mirrors: Heated dual, west coast type, approximately 7” x 16” adjustable with convex spot mirror with corrosion resistant finish equal to composite, stainless steel, powder coat, or aluminum housing and mounting brackets _____ YES _____ NO

FROM:

X8.6.2.4 In engine block heater _____ YES _____ NO _____ watt

TO:

X8.6.2.4 In engine block heater _____ YES _____ NO _____ watt/ _____ volts

X8.8.1 Fuel Tank Capacity – No Change Required

FROM (Change to 1st Sentence Only):

X8.9.5.2 Will manufacturer provide body builder circuits – six (6) switches located in the dash instrument panel with one (1) weather protected body builder connection box or module located at the rear under cab _____ YES _____ NO

TO (Change to 1st Sentence Only):

X8.9.5.2 Will manufacturer provide body builder circuits – three (3) switches located in the dash instrument panel with one (1) weather protected body builder connection box or module located at the rear under cab _____ YES _____ NO

X8.14.2 Compressor – No Change Required

FROM:

X8.15.1 Wheels, Front and Rear: _____ Hub piloted steel disc type _____ YES _____ NO

TO:

X8.15.1 Are wheels, front and rear 22.5 x 8.25 _____ YES _____ NO

Hub piloted steel disc type _____ YES _____ NO

X8.16 Power Steering Manufacturer – No Change Required

X8.18 Paint – No Change Required

FROM:

X9.2.2 Is water pump located in the rear compartment _____ YES _____ NO

TO:

X9.2.2 Is water pump located in the rear compartment which is shrouded and heated to protect the pump from dangers of any damage caused by freezing

_____ x YES _____ NO

X9.5.14.7 Strobe light manufacturer and model – No Change Required

A F F I D A V I T

West Virginia Code §5A-3-10a states:

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions.

"Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

EXCEPTION:

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING:

The vendor must be licensed in accordance with any and all state requirements to do business with the state of West Virginia.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: West Virginia Tractor Company

Authorized Signature:  Date: 11-21-06

A F F I D A V I T**West Virginia Code §5A-3-10a states:**

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION:

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING:


Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: West Virginia Tractor Company

Authorized Signature:  Date: 11-21-06

DBS PS

REQUISITION HEADER AND LINE COMMENTS


RCM

NEXT FUNCTION: _____ ACTION: _____ 10/26/2006 10:53:46

REQUEST: _____ SAVE SHOW PAGE NO: _____

=====
BUY ENTITY: PUR REQUISITION NO: 707EC011

CATALOG NO: _____ ITEM NO: e10 BEGINNING SEQUENCE NUMBER: _____

A/B C/D	REQ. LINE	SEQ NO.	COMMENTS/SPECIFICATIONS/INSTRUCTIONS	PRINT LINE
		95	EXHIBIT 10	Y
		100		Y
		105	REQUISITION NO.: 707EC010	Y
		110		Y
		115	ADDENDUM ACKNOWLEDGEMENT	Y
		120		Y
		125	I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED	Y
		130	ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY	Y
		135	PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.	Y
		140		Y
		145	ADDENDUM NO.'S:	Y
		150		Y
		155	NO. 1 ... X	Y
		160		Y
		165	NO. 2 ... x	Y
		170		Y
		175	NO. 3	Y
		180		Y
		185	NO. 4	Y
		190		Y
		195	NO. 5	Y
		200		Y
		205	I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE	Y
		210	ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.	Y
		215		Y
		220		Y
		225	SIGNATURE	Y
		230	West Virginia Tractor Company	Y
		235	COMPANY	Y
		240		Y
		245		Y
		250	11-21-06	Y
		255	DATE	Y
		260		Y
		265		Y
		270	REV. 11/96	Y

WEST VIRGINIA TRACTOR COMPANY

COMPLIANCE WITH WEST VIRGINIA PURCHASING RULES

As required by law and West Virginia Department of Administration, Purchasing Division Legislative Rule 148 CSR 1, West Virginia Tractor Company is licensed and in good standing with any and all state and local laws and requirements, including the West Virginia Secretary of State's office, the West Virginia Tax Department, the West Virginia Insurance Commission, or any other state agencies or political subdivisions, including the West Virginia Division of Motor Vehicles as a trailer dealer (DTR-1594) and as a new vehicle dealer (D-43).

West Virginia Code 5A-3-10a. Prohibition for awarding contracts to vendors which owe a debt to the state or its political subdivisions, stipulates that this applies to contracts or renewal of contracts to be awarded by the state or any of its political subdivisions, which includes counties and municipalities.

West Virginia Tractor Company does not discriminate against any employee or applicant for employment because of race, religion, color, sex, handicap, or national origin.

X 8.17

~~X 8.5.7.13~~ CAB ACCESSORIES

Prepared For:

WV DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV 26201
Phone: (304) 472-1750
Fax: (304) 473-4206
Primary FAN: ██████████

Prepared By:

MIKE MATHENY
MATHENY MOTOR TRUCK COMPA
P. O. BOX 1304
PARKERSBURG, WV 261021304
Phone: (304) 485-4418
Fax: (304) 485-2577
Email:
mmatheny@mathenymotors.com



2007 Fleet/Non-Retail GMC TC7500

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2007 Fleet/Non-Retail TC7C042 Regular Cab

INTERIOR

- Stepwell storage areas at each door. Includes storage cover
- Molded vinyl floor covering
- Vinyl door trim panels - with storage pockets, beverage holders, and reflectors
- Two sided single common key for doors and ignition
- Headlamp warning buzzer
- Sunshades, passenger side and driver side, vinyl-covered
- Tachometer with automatic and manual transmissions
- Electronic engine hour meter
- Steering, power - ZF variable ratio power
- Gauges, low oil pressure and coolant level, high coolant and engine oil temperature
- Engine "Check gauges" telltale light and buzzer, oil pressure gauge
- Powerpoints - two in-cab power sources (in addition to optional cigarette lighter) for electrical plug-in accessories
- Underhood bodybuilder connections accessory power supply - Provides 12V power supply from the battery with two separate 30 amp fused circuits
- Air conditioning not desired - this option should be ordered only when a customer does not require air conditioning
- Seat, driver, high-back bucket, Fixed height, manual adjuster - storage in the seat riser with a small lip at the front to help prevent contents from sliding out.
- Seat, passenger, high-back bucket, Fixed height, manual back angle adjuster - storage in the seat riser with a small lip at the front to stop contents from sliding out
- Provisions for stereo - Includes AM/FM antenna, lead wiring for speakers, and separate door chime module (N/A with ZQ2 driver convenience package)
- Interior trim, Very Dark Pewter (Requires 69V Very Dark Pewter Vinyl or 69C Very Dark Pewter Cloth)
- Seat trim, vinyl, Very Dark Pewter

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 116.4, Data updated 8/22/2006 10:29:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

C4500, C5500, C6500, C7500, C8500 & C8500 Tandem 2007 MEDIUM DUTY WARRANTY

Please note: The following warranty information is intended as an overview only for on-highway - application. For complete detailed warranty coverage and eligibilities refer to your GM Warranty Booklet, and individual component supplier warranty information provided with the vehicle.

WARRANTY COVERAGE AT A GLANCE*

Vehicle Coverage	Warranty Limitations (Time or Mileage, Whichever Comes First)		Deductible or Limitations
	Time	Vehicle Miles	
Basic Coverage (#) (except where specified below)	2 Years	Unlimited	-
Vortec 8100 Gas engine	2 Years	Unlimited	-
Duramax 6600 Diesel Engine	5 Years	100,000	\$100.00 deductible charge after 36,000 miles per event
ISUZU 6HK1 – TC 7.8L I6 Diesel Engine	3 Years	Unlimited	-
Caterpillar C7 Diesel Engine (Caterpillar Warranty Applies) ²	3 Years	150,000 ² (or 3,600 Hours)	-
Allison 1000, 2200, 2300, 2500 RDS or HS Series (Allison Warranty Applies) ¹	3 Years	Unlimited	-
Allison 1000, 2200 PTS Series (Allison Warranty Applies) ¹	3 Years	100,000	-
Allison 1000, 2200 MH Series (Allison Warranty Applies) ¹	5 Years	200,000	-
Allison 1000, 2200, 3000, 3500 EVS Series (Allison Warranty Applies) ¹	5 Years	Unlimited	-
Allison Allison 3000, 3500 RDS or HS Series, or 3000 MD Series (Allison Warranty Applies) ¹	2 Years	Unlimited	-
Manual Transmission	2 Years	Unlimited	-
Rear Axle	2 Years	Unlimited	-
Frame Rails & Cross Members	5 Years	Unlimited	-
Cab Corrosion - Perforation	5 Years	Unlimited	-
Emissions – Gas Engines	5 Years	50,000	-
Emissions – Diesel Engines	5 Years	100,000	-
Tires	Tire Manufacturer Warranty Applies		

* The warranty coverage applies until the maximum time or mileage, whichever comes first.

The warranty remains with the vehicle regardless of ownership.

¹ See Allison Owners Manual for details

² Towing, for engine related failures, will be covered for only the first 12 months. See Caterpillar Owners Manual for details

An optional warranty of 3 years/36,000 miles is available through GM dealers for C4500/C5500 models – see GM dealer for details.

GOODYEAR 300 SERIES LINEHAUL COMMERCIAL TRUCK TIRE LIMITED MANUFACTURER'S WARRANTY

Who Is Eligible For Warranty Coverage?

You are eligible for the benefits of this policy if you are the owner or authorized agent of the owner of new Goodyear Unisteel 300 Series Linehaul Radial Truck Tires (hereafter "Goodyear 300 Series Linehaul Truck Tires") bearing Department of Transportation prescribed tire identification numbers, not branded "NA" (Not Adjustable), purchased on or after January 1, 2000, and if your Goodyear 300 Series Linehaul Truck Tires have been used, installed, serviced and maintained according to vehicle manufacturer's and Goodyear's recommendations.

What Is Covered And For How Long?

1. **FREE REPLACEMENT** - All Goodyear 300 Series Linehaul Truck Tires meeting the eligibility criteria listed above are covered by this Warranty. In the event that your Goodyear 300 Series Linehaul Truck Tires become unserviceable due to workmanship or material-related conditions during the first 2/32nds of usable treadwear, or 12 months from the date of purchase (without proof of purchase, date of manufacture will be used), whichever comes first, will be replaced with a comparable new Goodyear tire without charge. You pay only for mounting and balancing.
2. **PRO-RATED REPLACEMENT** - Tires worn beyond 2/32nds of usable treadwear, that do not deliver satisfactory service due to workmanship or material-related conditions will be replaced on a pro-rated basis. You are responsible for mounting and balancing charges.

How Will The Pro-Rated Charges Be Calculated?

The Pro-Rated Charges for 300 Series Linehaul Truck Tires will be calculated by multiplying the current Goodyear "predetermined price for adjustment" or current advertised price at the adjustment location (whichever is lower) by the percentage of usable tread that has been worn off at the time of adjustment. You pay for mounting and balancing, and the amount equal to the current Federal Excise Tax (US only) and any other applicable taxes for the comparable new replacement tire.

Example:

$$\frac{\text{Amount Of Tread Used}}{\text{Original Tread}} \times \text{Value Of Comparable Tire} = \text{Pro-Rated Price Of New Tire (Plus FEE, US only, other applicable taxes, Mounting and Balancing.)}$$

The "predetermined price for adjustment," available at all Goodyear Auto and Commercial Service Centers and participating dealers, fairly represents the actual regular retail selling price of the comparable tire at the time of adjustment. If a "pre-determined price for adjustment" is not available, adjustment will be based on the price at which you are entitled to buy at the time of adjustment.

What Is A Comparable Tire?

A "comparable" new Goodyear 300 Series Linehaul Truck Tire may either be the same line of tire, or in the event that the tire is not available, a tire of the same basic construction and quality with different sidewall or tread configuration. If a higher priced tire is accepted as a replacement, the difference in price will be at an additional charge to you. Any tire replacement under this warranty will be covered by the Goodyear Warranty in effect at the time of replacement.

What Is Not Covered Under This Warranty?

1. 300 Series Truck Tires purchased on or after January 1, 2000 designated for mixed service or off-road applications. Example: G386 mixed service tires. These tires are covered under the "Goodyear Adjustment Policy for Commercial Truck Tires" and "Commercial Authorized Radial Retread Truck Tire Limited Warranty". Date of manufacture will be used when no proof of purchase is available.
2. Irregular wear or damage due to: road hazards (including punctures, cuts, snags, impact breaks, etc.), wrecks, collision, fires, improper inflation, overloading, high speed spin-up, misapplication, misuse, negligence, racing, chain damage, improper mounting or dismounting, or mechanical condition of the vehicle.
3. Ride disturbance after the first 25% of usable treadwear. Ride disturbance due to damaged wheels, rims, irregular wear, brake skids, etc.
4. Any tire intentionally altered after leaving a Goodyear factory to change its appearance (examples: white inlay on black tire, siping, regrooving).
5. Tires with weather cracking which were purchased more than five (5) years prior to presentation for adjustment (manufacture date is used when no proof of purchase is available).
6. Tire failure due to material added to a tire after leaving a Goodyear factory (fillers, sealants, balancing substances, etc.).
7. Loss of time, vehicle use, special, incidental or consequential damage.

Note: Some states or provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This limited warranty is applicable only in the United States and Canada.

What Is The 300 Series Linehaul Casing Provision?

In the event that a Goodyear 300 Series Linehaul Truck Tire will not accept the first retread due to a workmanship or material-related condition, a casing allowance will be issued toward the purchase of a comparable new Goodyear 300 Series Linehaul Truck Tire.

In addition, the casing maintains its full coverage through an unlimited number of retreads for five (5) years from date of original tire manufacture, provided the retreading is performed by a Goodyear Authorized Retreader (GAR) using approved Goodyear retreading materials and equipment.

Casing allowances are established based on local currency in the country where the adjustment takes place. \$100.00 if adjusted in the United States and \$125.00 in Canada.

In the event that a Goodyear 300 Series Linehaul Truck Tire casing is retreaded by a retreader not authorized by Goodyear, or any retreader not using approved Goodyear retreading materials and equipment, the casing allowance is applicable only through the usable tread of the first retread or five (5) years from date of original tire manufacture (whichever comes first). Subsequent retreads carry no casing allowance.

How Do I Know When My Tires Were Manufactured?

Tires with a Department of Transportation (DOT) number ending with 0100 or later were manufactured after 1/1/2000. (0100 refers to the 1st week of 2000.) These tires are covered under the provisions of this Warranty Coverage. Tires purchased or manufactured prior to 1/1/2000 are covered by the preceding warranty.

When Does The Warranty End?

A tire has delivered its full original tread life and this warranty ends when the tread wear indicators become visible, or five (5) years from the date of original tire manufacture or original new tire purchase date (whichever comes first).

How Do You Obtain An Adjustment?

- A. You must present the tire to be adjusted to a Goodyear Auto/Truck Tire Center or Goodyear Tire Dealer. (Please consult your telephone directory for locations or where available call 1-800-GOODYEAR for the nearest location). Tires replaced on an adjustment basis become the property of The Goodyear Tire & Rubber Company.
- B. You must pay for taxes or any additional service you order at the time of adjustment.
- C. No claim will be recognized unless submitted on a Goodyear claim form (supplied by a Goodyear Dealer or Goodyear Auto/Truck Tire Center) completely filled out and signed by you, the owner of the tire presented for adjustment, or your authorized agent.

What Are Your Legal Rights?

This warranty gives you specific legal rights, and you may also have other rights which vary in your state or province.

Note: No representative or dealer has authority to make any representation, promise or agreement on behalf of Goodyear except as stated herein.

Any tire, no matter how well constructed, may fail in service or otherwise become unserviceable due to conditions beyond the control of the manufacturer. This warranty is not intended as a representation that a tire failure cannot occur.

GOODYEAR COMMERCIAL TRUCK TIRE POLICY

Who Is Eligible?

You are eligible for the benefits of this policy if you are the owner or authorized agent of the owner of new Goodyear Unisteel radial light truck or radial truck tires, including mud and snow and on/off road tires; (hereafter "Goodyear truck tires") bearing Department of Transportation prescribed tire identification numbers and not branded "NA" (Not Adjustable) and if your Goodyear truck tires have been used only on the vehicle on which they were originally installed according to the vehicle manufacturer's or Goodyear's recommendations and the tires were purchased on or after January 1, 2000.

What Is Covered And For How Long?

1. **FREE REPLACEMENT** – Goodyear truck tires that are covered by this policy that become unserviceable due to workmanship or material-related conditions during the first 2/32" of usable treadwear, or 12 months from date of purchase, whichever comes first, will be replaced with a comparable new Goodyear tire without charge. (Without proof of purchase, date of manufacture will be used to determine age.) You pay for mounting and balancing.

2. **PRO-RATED REPLACEMENT** – Goodyear truck tires that become unserviceable due to workmanship or material-related conditions not eligible for free replacement will be replaced with a comparable new Goodyear tire on a pro-rata basis. You pay for mounting and balancing.

How Will Pro-rata Charges Be Calculated?

The replacement price will be calculated by multiplying the current Goodyear "predetermined price for adjustment" or current advertised selling price at adjustment location (whichever is lower) by the percentage of usable original tread that has been worn off at the time of adjustment. You pay for mounting, balancing, an amount equal to the full current Federal Excise Tax (US only) and any other applicable taxes for the comparable new Goodyear replacement tire.

Example:

If your disabled tire had an original 16/32" of usable tread depth and is worn to 8/32" of usable tread remaining, you have used 50% and, therefore, must pay 50% of the predetermined price for adjustment or advertised selling price of a comparable tire, plus an amount equal to the full current Federal Excise Tax (US only) applicable to the comparable new replacement tire at the time of adjustment. If the price of the comparable tire is \$400.00, the cost to you would be \$200.00 plus FET (US only) and any other applicable taxes.

What Is A Comparable Tire?

A "comparable" new Goodyear tire may either be the same line of tire or, in the event the disabled tire is not available, a tire of the same basic construction and quality with a different sidewall or tread configuration. If a higher priced tire is accepted as replacement, the difference in price will be additional.

Any tire replacement under this warranty will be covered by the Goodyear warranty in effect at the time of replacement.

What Is Not Covered By This Warranty?

Irregular wear or tire damage due to:

- Road hazards (including punctures, cuts, snags, impact breaks, etc.)
- Wreck, collision, or fire.
- Improper inflation, overloading, high-speed spin-up, misapplication, misuse, negligence, racing, chain damage, or improper mounting or demounting.
- Mechanical condition of the vehicle.
- Ride disturbance after the first 25% of usable treadwear or due to damaged wheels or any vehicle condition.
- Any tire intentionally altered after leaving a Goodyear factory to change its appearance (example: white inlay on a black tire.)
- Tires with weather cracking which were purchased more than four (4) years prior to presentation for adjustment. If you have no proof of purchase date, tires manufactured four (4) or more years prior to presentation are not covered.
- Material added to a tire after leaving a Goodyear factory: (example: tire fillers, sealants, or balancing substances.) If the added material is the cause of the tire being removed from service, the tire will not be adjusted.
- Loss of time, inconvenience, loss of use of vehicle or consequential damage.

What Is The Radial Casing Provision?

In the event a Goodyear Unisteel radial light or medium radial truck tire will not accept the first retread due to a workmanship or material-related condition, a pre-determined casing allowance will be issued toward the purchase of a comparable new Goodyear Unisteel radial light or medium radial truck tire.

In addition, the casings will be warranted for workmanship or material-related conditions through 100% of the first retread for a period of four (4) years from the date of the casing DOT serial number or proof of purchase, if available.

Standard casing allowances will apply through the original tread. During the first retread, standard casing allowances apply through the first 25% wear, reduced casing values apply for the remainder of the first retread.

Predetermined Casing Allowances are available from your nearest commercial tire retailer.

What Are Your Legal Rights?

Some states or provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you.

No representative or dealer has authority to make any representation, promise, or agreement on behalf of Goodyear, except as stated herein.

Any tire, no matter how well constructed, may fail in service or otherwise become unserviceable due to conditions beyond the control of the manufacturer. This warranty is not intended as a representation that a tire failure cannot occur.

This warranty gives you specific legal rights, and you may also have other rights which vary in different states or provinces.

This limited warranty is applicable only in the United States and Canada.

When Does The Warranty End?

A tire has delivered its full original tread life and this warranty ends when the treadwear indicators become visible, regardless of age or mileage.

How Do You Obtain An Adjustment?

- A. You must present the tire to be adjusted to a Goodyear Auto/Truck Tire Center or Goodyear Tire Dealer. (Please consult your telephone directory for locations.) Tires replaced on an adjustment basis become the property of Goodyear.
- B. You must pay for taxes or any additional services you order at the time of adjustment.
- C. No claim will be recognized unless submitted on a Goodyear claim form, supplied by the Goodyear Auto/Truck Tire Center or Goodyear Dealer, completely filled out and signed by you, the owner of the tire presented for adjustment or your authorized agent.