



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
707EC018

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
JOHN JOHNSTON
304-558-2402

RFQ COPY
 TYPE NAME/ADDRESS HERE

Benson Manufacturing, Inc.
P.O. Box 970
Mineral Wells, WV 26150

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 **304-472-1750**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/09/2007	NET 30	Motor Freight	Buckhannon, WV	Pre-Paid
BID OPENING DATE: 02/21/2007		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		765-64		SEE PRICING PAGE
2.3 CUBIC YARD ABRASIVE & CHEMICAL SPREADER						
OPEN END CONTRACT						
TO PROVIDE 2.3 CUBIC YARD STRUCK CAPACITY DEMOUNTABLE ABRASIVE & CHEMICAL SPREADER (SELF CONTAINED) AS DESCRIBED IN THE ATTACHED PROCUREMENT SPECIFICATION 011-1-G.						
THERE WILL BE A MANDATORY PRE-BID CONFERENCE AT THE STATE CAPITOL COMPLEX, BUILDING 15, CONFERENCE ROOM AT 10:00 AM ON 02/09/2007. FAILURE TO ATTEND THE PRE-BID CONFERENCE WILL RESULT IN BID DISQUALIFICATION.						
QUESTIONS: WRITTEN QUESTIONS WILL BE ACCEPTED THROUGH CLOSE OF BUSINESS (5:00 PM EST) ON WEDNESDAY 01/24/2007 SEND YOUR QUESTIONS TO: PURCHASING DIVISION ATTENTION: JOHN JOHNSTON 2019 WASHINGTON STREET EAST CHARLESTON, WV 25305						
QUESTIONS MAY BE SENT VIA FAX, E-MAIL OR REGULAR MAIL E-MAIL: JJOHNSTON@WVADMIN.GOV FAX: 304-558-4115						
IT IS THE VENDORS RESPONSIBILITY TO VERIFY THAT THEIR QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402.						
EXHIBIT 2						
LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>John Johnston</i>	TELEPHONE (304)-489-9020	DATE 2/19/2007
TITLE Municipal Sales	FEIN 550514704	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
707EC018

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF
JOHN JOHNSTON
304-558-2402

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

Benson Manufacturing, Inc.

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/09/2007				

BID OPENING DATE: **02/21/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>..... AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING THIRTY (30) DAYS WRITTEN NOTICE.</p> <p>UNLESS SPECIFIC PROVISIONS ARE STIPULATED IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS, AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.</p> <p>RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICE SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p>OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK).</p> <p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER:
707EC018

PAGE:
3

ADDRESS CORRESPONDENCE TO ATTENTION OF:
**JOHN JOHNSTON
 304-558-2402**

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE
Benson Manufacturing, Inc.

SHIP TO

**DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/09/2007				

BID OPENING DATE: **02/21/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UQP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIES BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p> <p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN EQUIPMENT CONTRACT ORDER (FORM NUMBER WV-35) FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL WV-35 MUST BE SENT TO THE PURCHASING DIVISION OF THE DEPARTMENT OF ADMINISTRATION. AFTER APPROVAL AND ENCUMBRANCE, ONE COPY OF THE PURCHASE ORDER WILL BE RETURNED TO THE SPENDING UNIT AND ONE COPY FORWARDED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT. NO ORDER IS VALID UNLESS APPROVED AND ENCUMBERED BY THE PURCHASING DIVISION.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATICALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER.</p> <p>REV. 9/98</p> <p>EXHIBIT 6</p> <p>PRICE ADJUSTMENT PROVISION: THE STATE OF WEST VIRGINIA WILL CONSIDER BIDS THAT CONTAIN PROVISIONS FOR PRICE ADJUSTMENTS PRIOR TO THE ORIGINAL EXPIRATION OF THE CONTRACT, PROVIDED THAT SUCH PRICE ADJUSTMENT COVERS BOTH UPWARD AND DOWNWARD MOVEMENT OF THE COMMODITY PRICE, AND THAT ADJUSTMENT IS BASED ON THE "PASS THROUGH" INCREASE OR DECREASE OF RAW MATERIALS AND/OR LABOR, WHICH MAKE UP ALL OR A SUBSTANTIAL PART OF A PRODUCT. ADJUSTMENTS ARE TO BE</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
707EC018

PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF:
**JOHN JOHNSTON
 304-558-2402**

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE
Benson Manufacturing, Inc.

SHIP TO

**DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/09/2007				

BID OPENING DATE: **02/21/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>BASED UPON AN ACTUAL DOLLAR FIGURE, NOT A PERCENTAGE. ALL PRICE ADJUSTMENT REQUESTS MUST BE SUBSTANTIATED IN A MANNER ACCEPTABLE TO THE DIRECTOR PURCHASING, E.G. GOVERNMENTAL BENCH MARKS, GENERAL MARKET INCREASE, PUBLISHED PRICE LISTS. SUCH REQUESTS FOR AND INCREASE SHOULD BE RECEIVED IN WRITING BY THE DIRECTOR OF PURCHASING AT LEAST 30 DAYS IN ADVANCE OF THE EFFECTIVE DATE OF THE INCREASE. ANY TIME THE VENDOR REQUESTS A PRICE ADJUSTMENT, THE PURCHASING DIVISION MAY EITHER ACCEPT THE PRICE ADJUSTMENT AND AMEND THE CONTRACT ACCORDINGLY OR REJECT THE ADJUSTMENT IN ITS ENTIRETY AND CANCEL THE CONTRACT.</p> <p>EXHIBIT 4</p> <p>LOCAL GOVERNMENT BODIES: UNLESS THE VENDOR INDICATES IN THE BID HIS REFUSAL TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO COUNTY, SCHOOL, MUNICIPAL AND OTHER LOCAL GOVERNMENT BODIES, THE BID SHALL EXTEND TO POLITICAL SUBDIVISIONS OF THE STATE OF WEST VIRGINIA. IF THE VENDOR DOES NOT WISH TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO ALL POLITICAL SUBDIVISIONS OF THE STATE, THE VENDOR MUST CLEARLY INDICATE SUCH REFUSAL IN HIS BID. SUCH REFUSAL SHALL NOT PREJUDICE THE AWARD OF THIS CONTRACT IN ANY MANNER.</p> <p>REV. 3/88</p> <p>VENDOR PREFERENCE CERTIFICATE</p> <p>CERTIFICATION AND APPLICATION* IS HEREBY MADE FOR PREFERENCE IN ACCORDANCE WITH WEST VIRGINIA CODE, 5A-3-37 (DOES NOT APPLY TO CONSTRUCTION CONTRACTS).</p> <p>A. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER:
707EC018

PAGE:
5

ADDRESS CORRESPONDENCE TO ATTENTION OF:
**JOHN JOHNSTON
 304-558-2402**

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE
Benson Manufacturing, Inc.

SHIP TO

**DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/09/2007				

BID OPENING DATE: **02/21/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>REASON CHECKED:</p> <p>() BIDDER IS AN INDIVIDUAL RESIDENT VENDOR AND HAS RESIDED CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR</p> <p>(XX) BIDDER IS A PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR AND HAS MAINTAINED ITS HEAD-QUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR 80% OF THE OWNERSHIP INTEREST OF BIDDER IS HELD BY ANOTHER INDIVIDUAL, PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR WHO HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR</p> <p>() BIDDER IS A CORPORATION NONRESIDENT VENDOR WHICH HAS AN AFFILIATE OR SUBSIDIARY WHICH EMPLOYS A MINIMUM OF ONE HUNDRED STATE RESIDENTS AND WHICH HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA CONTINUOUSLY FOR THE FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION.</p> <p>B. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p> <p>(XX) BIDDER IS A RESIDENT VENDOR WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES WORKING ON THE PROJECT BEING BID ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID;</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>John Johnston</i>	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER:
707EC018

PAGE:
6

ADDRESS CORRESPONDENCE TO ATTENTION OF:
**JOHN JOHNSTON
 304-558-2402**

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE
Benson Manufacturing, Inc.

SHIP TO

**DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/09/2007				

BID OPENING DATE: **02/21/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>OR () BIDDER IS A NONRESIDENT VENDOR EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS OR IS A NONRESIDENT VENDOR WITH AN AFFILIATE OR SUBSIDIARY WHICH MAINTAINS ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES OR BIDDERS' AFFILIATE'S OR SUBSIDIARY'S EMPLOYEES ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID.</p> <p>BIDDER UNDERSTANDS IF THE SECRETARY OF TAX & REVENUE DETERMINES THAT A BIDDER RECEIVING PREFERENCE HAS FAILED TO CONTINUE TO MEET THE REQUIREMENTS FOR SUCH PREFERENCE, THE SECRETARY MAY ORDER THE DIRECTOR OF PURCHASING TO: (A) RESCIND THE CONTRACT OR PURCHASE ORDER ISSUED; OR (B) ASSESS A PENALTY AGAINST SUCH BIDDER IN AN AMOUNT NOT TO EXCEED 5% OF THE BID AMOUNT AND THAT SUCH PENALTY WILL BE PAID TO THE CONTRACTING AGENCY OR DEDUCTED FROM ANY UNPAID BALANCE ON THE CONTRACT OR PURCHASE ORDER.</p> <p>BY SUBMISSION OF THIS CERTIFICATE, BIDDER AGREES TO DISCLOSE ANY REASONABLY REQUESTED INFORMATION TO THE PURCHASING DIVISION AND AUTHORIZES THE DEPARTMENT OF TAX AND REVENUE TO DISCLOSE TO THE DIRECTOR OF PURCHASING APPROPRIATE INFORMATION VERIFYING THAT BIDDER HAS PAID THE REQUIRED BUSINESS TAXES, PROVIDED THAT SUCH INFORMATION DOES NOT CONTAIN THE AMOUNTS OF TAXES PAID NOR ANY OTHER INFORMATION DEEMED BY THE TAX COMMISSIONER TO BE CONFIDENTIAL.</p> <p>UNDER PENALTY OF LAW FOR FALSE SWEARING (WEST VIRGINIA CODE 61-5-3), BIDDER HEREBY CERTIFIES THAT THIS</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
707EC018

PAGE
7

ADDRESS CORRESPONDENCE TO ATTENTION OF
JOHN JOHNSTON
304-558-2402

RFQ COPY
 TYPE NAME/ADDRESS HERE

Benson Manufacturing, Inc.

VENDOR

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/09/2007				

BID OPENING DATE: **02/21/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>CERTIFICATE IS TRUE AND ACCURATE IN ALL RESPECTS; AND THAT IF A CONTRACT IS ISSUED TO BIDDER AND IF ANYTHING CONTAINED WITHIN THIS CERTIFICATE CHANGES DURING THE TERM OF THE CONTRACT, BIDDER WILL NOTIFY THE PURCHASING DIVISION IN WRITING IMMEDIATELY.</p> <p>BIDDER: <u>Benson Manufacturing, Inc.</u></p> <p>DATE: <u>2/19/07</u></p> <p>SIGNED: <u><i>[Signature]</i></u></p> <p>TITLE: <u>Municipal Sales</u></p> <p>* CHECK ANY COMBINATION OF PREFERENCE CONSIDERATION(S) IN EITHER "A" OR "B", OR BOTH "A" AND "B" WHICH YOU ARE ENTITLED TO RECEIVE. YOU MAY REQUEST UP TO THE MAXIMUM 5% PREFERENCE FOR BOTH "A" AND "B". (REV. 12/00)</p> <p>NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p>DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
707EC018

PAGE
8

ADDRESS CORRESPONDENCE TO ATTENTION OF
**JOHN JOHNSTON
 304-558-2402**

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE
Benson Manufacturing, Inc.

SHIP TO

**DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/09/2007				

BID OPENING DATE: **02/21/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UQP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER: 33</p> <p>RFQ. NO.: 707EC018</p> <p>BID OPENING DATE AND TIME:</p> <p>PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:</p> <p style="text-align: center;">--(304)-489-2828--</p> <p>CONTACT PERSON (PLEASE PRINT CLEARLY):</p> <p style="text-align: center;">--<u>Bubba Smith</u>--</p> <p>***** THIS IS THE END OF RFQ 707EC018 ***** TOTAL: SEE PRICING PAGE</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

NOTE: Vendor should type the Bidder's Evaluation Report
WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
EQUIPMENT DIVISION

17

It is not necessary to return
pages 9-16 of the specifications
with the bid.

BIDDER'S EVALUATION REPORT

PROCUREMENT SPECIFICATIONS FOR OPEN END CONTRACT
NO. 011-1-G

2.3 CUBIC YARD STRUCK CAPACITY DEMOUNTABLE ABRASIVE
AMD CHEMICAL SPREADER (SELF CONTAINED)

NOTE TO BIDDER: Procurement Specification No. 011-1-G, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. Addendums in order, along with exception sheets, should be with Bidder's Evaluation Report.
FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

Reference Requisition No.: 707EC018

Bidder's Name: Benson Manufacturing, Inc.

Address: P.O. BOX 970 Mineral Wells, WV 26150

Telephone Number: (304)-489-9020

Years Bidder has been registered to do business with the State of West Virginia: 20 + YRS.

Years Company has been an authorized dealer for proposed unit: 1 YRS.

X4.2 DELIVERY:

X4.2.1 Delivery date of completed representative unit: 45 Calendar Days After Date of Purchase Agreement

X4.2.2 Delivery date of balance of completed units: 60 Calendar Days After Date of Purchase Agreement

X5.0 AWARD CRITERIA;

X5.1	Prices in quantities of	1-5	<u>\$6,349.20</u>	per unit
		6-10	<u>\$5,866.25</u>	per unit
		11-15	<u>\$5,866.25</u>	per unit
		16-20	<u>\$5,866.25</u>	per unit
		21 and over	<u>\$5,866.25</u>	per unit

X6.0 SPECIFICATIONS - GENERAL

X6.1 Manufacturer, model, series, and date of manufacture of proposed unit:

Henderson FSP2-8'-WV'07

Is descriptive literature, fully describing proposed unit attached to your bid? YES NO

If not, why? _____

X6.2 Will the required number of service manuals, and complete parts list be delivered to the Equipment Division at Buckhannon upon completion of delivery of total units? YES NO

Will the required Equipment Preventive Maintenance Form (Section X6.2 of Bidders Evaluation Report) be provided upon inspection of the pilot unit? YES NO

X6.3 TRAINING:

Will training seminar be conducted on Preventive Maintenance, Operator and Mechanic Training XX YES ____ NO

Will you conduct training with each purchase order against this open end contract? XX YES ____ NO

Will training be conducted within 2 working days from the delivery of the pilot unit on the individual purchase order? XX YES ____ NO

If NO, explain time frame _____

Will an Operator's Manual be furnished to the Training Academy? XX YES ____ NO

X6.4 If you are the successful vendor, will you furnish all training aids, i.e., videos, projectors, required in conducting the training? XX YES ____ NO

X6.4.1 Will all manuals, booklets, etc. explaining preventive maintenance, operator procedures, and service schedule be delivered with each unit? XX YES ____ NO
If NO, explain _____

X6.5 WARRANTY AND SERVICE POLICY

Will the warranty and service you provide comply with all areas as stated in Section 6.5 of specifications XX YES ____ NO

Is warranty literature attached? XX YES ____ NO

Is a minimum two (2) year bumper to bumper basic warranty included? XX YES ____ NO
Describe:

X6.5 WARRANTY AND SERVICE POLICY QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY THE SUCCESSFUL BIDDER OR MANUFACTURERS TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH (If additional lines are needed, make copies of form.)

1. Define the terms of the standard warranty. If not offered, so state. (Attach copy)

COPY ATTACHED

2. Define warranty service to be performed at DOH facilities and warranty service to be performed at manufacturer's representative facility. List name and location of manufacturer's representative.

Dave Cooper - Benson Manufacturing, Inc.

3. List locations for parts inventories that are within the State of West Virginia. Also, list availability levels, if known.

Benson Manufacturing, Inc. - Mineral Wells, WV

4. During the term of warranty, list the guarantee discount to manufacturer's published list price for parts that bidder will sell the parts to owner.

- A. Terms: Net 30 Manufacturer's published list price less: 0 % discount
- B. Terms: Net 60 Manufacturer's published list price less: 0 % discount
- C. Terms: Net 90 Manufacturer's published list price less: 0 % discount

5. During the term of warranty, will all manufacturers or engineering improvements be submitted to Division of Highways? xx YES ___ NO

6. During the term of warranty, list the guaranteed rates charged for repair to the unit.

- A. Shop Rate \$ \$60.00 per mechanic hour
- B. Travel Time Charge \$ \$60.00 per mechanic hour
(Specify if one-way) _____; port to port BOTH WAYS
- C. Mileage Charge \$ 0 per vehicle mile
(Specify if one-way) _____; port to port _____
- D. Field Mechanic Rate \$ \$60.00 per mechanic hour
- E. Specify period of time that prices are in effect: 12 MONTHS
- F. Surcharge for miscellaneous items: _____ 0 %

X6.6 EVALUATION COMMITTEE REQUIREMENTS

Is all component specifications, product literature, component models provided for Evaluation Committee bid determination? YES NO

X6.7 Will all parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, be furnished with the unit and conform in strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry? YES NO

X6.7.1 Are all parts and accessories adequate and regularly supplied as standard to be included except those which may be duplications of specifications herein, and except these by specification are not to be furnished? YES NO

X6.7.2 Are all standard safety features that are required by Federal and State statutes of law included? YES NO

X7.0 SPECIFICATIONS OF THE QUOTED UNIT

The bidder should complete the following schedule in order for the Division to compare the actual bid unit to the specifications. Should the bidder except a requirement, then such exception may be only on the basis that such feature is not offered by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specifications.

Manufacturer: Henderson Manufacturing Model: FSP2-8'-WV'07

X7.1 Are spreaders offered the heavy duty, self contained, hopper type? YES NO

X7.2 Does spreader consist of a steel body, feeder conveyor, spinner disc, power drive, and all components necessary to make a complete operating unit? YES NO

X7.3 Is the unit capable of uniformly spreading sand, cinders, salt, calcium chloride, or other mixtures up to a width of 20 feet? YES NO

X7.4 Body:

X7.4.1 Is the body all-welded 304 stainless steel construction? YES NO

X7.4.2 Capacity Struck: 2.3 Cubic Yards

X7.4.3 Hopper length: 8 Feet Inches

X7.4.4 Overall height: Feet 36 Inches see addendum

X7.4.5 Inside width: Feet 50.5 Inches

23

- X7.4.6 Are body sides sloped at approximately 45° pitch to insure free flow of materials to the conveyor? YES NO
- X7.4.7 Gauge of steel body sides and end-gates is 12 gauge 304 stainless steel and support sills constructed of 12 gauge steel and fully welded YES NO
- X7.4.7.1 Body end-gates are constructed of 12 gauge 304 stainless steel. see addendum
- X7.4.8 Is top of body angle formed for additional support YES NO
- X7.4.9 Are cross supports provided with one (1) at balance point with "lift eye" for easy removal of unit from truck bed? YES NO
- X7.4.10 Is there a protective inverted V conveyor shield made of 304 stainless steel and allows for vertical height adjustment YES NO
- X7.4.11 Is all necessary hardware stainless steel YES NO

X7.5 Conveyor:

- X7.5.1 Is the conveyor located in bottom of hopper and capable of engaging material along its full length and moving material to rear adjustable metering gate? YES NO
- X7.5.2 Is conveyor of chain bar flight construction self-cleaning consisting of two (2) heat treated all steel pintle-type parallel chains with cross bars on nine inch (9") centers YES NO
Specify cross bar dimensions 1/4 inches x 3/4 inches on 4" centers
- X7.5.3 Overall width of chain conveyor: 12 inches
- X7.5.4 Is chain driven by approximately 6-tooth drop forged steel sprocket? YES NO
And approximately 1 1/4" alloy shaft mounted in anti-friction sealed bearings YES NO
If not, specify: 1 1/8" shaft
- X7.5.5 Does forward end of conveyor have adjustment provisions for at least 3" lateral takeup? YES NO
- X7.5.6 Is material composition of adjustment mechanism rust proof? YES NO
- X7.5.7 Does the reduction gear box provide a 20:1 ratio? YES NO
- X7.5.8 Feedgate opening height and width: 4 inches high x 8 inches wide
- X7.6 Distributor Spinner Assembly:
- X7.6.1 Distributor disc material urethane Disc diameter 13 inches

- X7.6.1.1 Number of fins: 4 ; constructed of urethane
- X7.6.1.2 Are fins designed to obtain a controlled spread of material from 4 feet to 20 feet?
x YES NO
- X7.6.2 Is material directed from conveyor end to distributor disc by means of an adjustable material flow enclosed chute?
 YES x NO
- X7.6.3 Is an 18 inch chute and 26 inch below the mounting surface spinner extension provided?
one piece chute 28" below YES x NO
- X7.6.4 Is the spinner assembly manufactured from 304 stainless steel? x YES NO
- X7.7 Baffles:
- X7.7.1 Are baffles provided to control direction and width of spread? x YES NO
- X7.7.1.1 Are there four (4) sections YES x NO
- X7.7.2 Are sections easily adjusted from the full down to the horizontal position without use of tools?
x YES NO
- X7.8. Power Drive:
- X7.8.1 Is auxiliary engine mounted at rear of unit to power both conveyor gear box and spinner assembly?
x YES NO
- X7.8.2 Specify engine manufacturer: Briggs
- Is it air cooled four (4) cycle x YES NO
- HP: 10.5 industrial/commercial type with positive gear driven internal lubrication and integral fuel pump
x YES NO
- X7.8.3 Is throttle electrically controlled with "in cab" controls? x YES NO
- X7.8.4 Is clutch manufacturer's heavy duty electric controlled with "in cab" controls?
x YES NO
- X7.8.5 Is 12 volt electric starter-alternator with control panel for "in cab" start and stop of engine provided?
x YES NO
- X7.8.6 Is engine fully enclosed and provisions made for easy access for service?
x YES NO
- X7.8.7 Are manufacturers heavy duty 12 volt battery and battery case provided? x YES NO
- X7.8.8 Is there an additional two (2) gallon fuel tank provided x YES NO

X7.9 Screen Over Hopper:

X7.9.1 Is flat screen with approximately 3/8 inch x 2 inch openings provided to prevent oversize material from entering hopper during loading? YES NO

X7.9.2 Are manufacturers heavy duty binders/hold-downs provided with all necessary mounting hardware for proposed model YES NO

X7.10 Describe manufacturers method of metal preparation and paint procedures:

All metal that is not 304SS shall have mill scale removed and the
surface chemically cleaned in preparation for rust preventative
primer and Henderson's standard top coat.

X7.11 Does unit offered meet or exceed "Occupational Safety and Health Act of 1970" and subsequent amendments? YES NO

ADDENDUM #1
707EC018

OPEN END CONTRACT

2 3 CUBIC YARD STRUCK CAPACITY DEMOUNTABLE ABRASIVE
AND CHEMICAL SPREADER (SELF CONTAINED)

CHANGES TO BIDDER'S EVALUATION REPORT:

CHANGE IN TITLE: No change required

X1 0 PURPOSE: No Change Required

X4.2.1 FROM:

Delivery date of completed representative unit: 45 calendar days after date of purchase agreement

TO:

Delivery date of complete representative unit with all associated parts: 60 calendar days after date of purchase agreement

X4.2.2 No change Required:

Delivery date of balance of completed units: 45 calendar days after date of purchase agreement.

X6.3 TRAINING:

FROM (5TH SENTENCE:

Will an Operator's Manual be furnished to the Training Academy? YES NO

TO:

Will an Operator's Manual be furnished directly to the Training Academy prior to the delivery of the pilot? YES NO

Page 2
707EC018 Add #1

X6.5 WARRANTY AND SERVICE POLICY (3RD PART)

FROM:

Is a minimum two (2) year bumper to bumper basic warranty included? YES NO

TO:

Is a minimum two (2) year bumper to bumper parts and labor basic warranty including included? YES NO

X7.4.4 No Change Required

Overall height: _____ feet 36 inches

X7.4.7 No Change

Gauge of 304 stainless steel in sides and endgates is 12 gauge

PURCHASING CONTINUATION SHEET

Buyer: JJ-33	Page 8	Req. or P.O. No.: 707EC018
Spending Unit:		

Vendor:

Requisition No.: 707EC018

ADDENDUM ACKNOWLEDGEMENT

I hereby acknowledge receipt of the following checked addendum(s) and have made the necessary revisions to my proposal, plans and/or specifications, etc.

Addendum No.'s:

No. 1 XX


No. 2 _____

No. 3 _____

No. 4 _____

No. 5 _____

I understand that failure to confirm the receipt of the addendum(s) may be cause for rejection of bids.


Signature

Benson Manufacturing, Inc.
Company

2/19/07
Date

FSP AND FSM

Sand and Salt Spreaders

Henderson

ADAPTABILITY IT'S IN THE GENES

The FSP and FSM Sand and Salt Spreaders are shining examples of the adaptability bred into the Henderson family of products. They fit all sizes of pickup trucks and utility dump bodies. And they install in a hurry...almost instantly. Just hoist them in and strap them down, because they are completely self-contained.

The **FSP** is designed for lighter duty pick-up truck applications. They are available in multiple lengths and capacities up to 4.0 cubic yards.


The **FSM** is sized to be compatible with all utility dump bodies. It features a wider conveyor (15") and hopper (70") to handle bigger jobs.

So, when the weather suddenly "turns" and you have been using your truck for other duties, you can be ready to fight ice in moments.

Ideal for municipalities and private contractors for a multitude of applications... cul-de-sacs, parks and recreation, malls, condos, ski resorts and much, much more.

Both models are built for rugged duty and longevity with minimum maintenance. You'd expect this kind of attention to quality from...

The Dependable Ones



FSP – Ideal for pick-up applications

FSM – Ideal for medium duty dump body applications

- Single lift point for quick, one-man installations
- 10.5 HP Briggs engine. 11 HP Honda OPTIONAL
- FSM available with single or dual hydraulic motors OPTIONAL
- Cab-mounted controls with electric throttle for instant adjustment
- Easily replaceable idler assembly with greaseable sealed ball bearings
- Polyurethane spinner eliminates rust and extends spinner disc life
- Spinner chute baffles are adjustable and replaceable without tools
- 12-volt electric starter assures fast start every time
- Easily adjustable idler shaft minimizes chain adjustment time
- Welded-on tie down lugs eliminate scratching of paint and speed installation time
- Hoppers are continuously welded which minimizes corrosion points
- 12 ga. sides and side supports
- Expanded hopper capacity on all models

FEATURES & SPECIFICATIONS

LENGTH	OVERALL LENGTH	BODY WIDTH	BODY HEIGHT	WEIGHT	CAPACITY		
					STRUCK (cu. yd.)	W/6" EXT. STRUCK	W/12" EXT. STRUCK
FSP DIMENSIONS AND CAPACITY CHART							
5'	77-1/4"	50-1/2"	33"	595 lbs.	1.3	1.7	2.1
6'	89-1/4"	50-1/2"	33"	645 lbs.	1.5	2.0	2.4
7'	101-1/4"	50-1/2"	33"	705 lbs.	1.8	2.4	2.9
8'	113-1/4"	50-1/2"	33"	760 lbs.	2.0	2.6	3.3
9'	125-1/4"	50-1/2"	33"	815 lbs.	2.3	3.0	3.7
10'	137-1/4"	50-1/2"	33"	870 lbs.	2.5	3.3	4.1
FSM DIMENSIONS AND CAPACITY CHART							
8'	113-1/4"	70"	39"	905 lbs.	3.0	3.9	4.7
9'	125-1/4"	70"	43"	979 lbs.	4.0	5.0	5.9
10'	137-1/4"	70"	43"	1041 lbs.	4.5	5.6	6.7

GENERAL

Self-contained sand and salt spreaders for mounting on pickup trucks (**FSP**) and utility dump trucks (**FSM**) powered by a 10.5 HP Briggs gasoline engine (11 HP Honda OPTIONAL). Material is spread by a 13" polyurethane spinner disc fed by a pintle type chain conveyor. Material being spread is metered for economy and accuracy of placement.

Cab mounted controls with breakaway plug for quick mounting and removal of unit. All surfaces are high-pressure cleaned and phosphated, primed and painted Highway Orange (304 stainless steel units unpainted).

BODY

Overall height is 33" on **FSP** and 39"/43" on **FSM**. Both models feature single lift point on cross-channel support. Lever action feedgate for easy adjustment of application rate.

FSP units have a minimum of two 12 ga. side supports per side. Single piece sides and conveyor sill with continuous weld joints eliminate corrosion points. 10 ga. floor is solid welded to help prevent corrosion points. **FSM** units have a minimum of three 12 ga. side supports per side.

CONVEYOR

Pintle chain with 1/4" x 3/4" crossbars (on **FSP**) 1/4" x 1" crossbars (on **FSM**) spaced on 4" centers. Chain tensile strength is 11,000 lbs. per strand. 20:1 gearcase has

a high tensile cast iron housing, aluminum bronze gear and a hardened and ground steel worm.

SPINNER CHUTE ASSEMBLY

Material is guided from conveyor to spinner through an enclosed chute with two easily adjustable internal material deflectors.

Chute features four external deflectors, three (3) of which provide easy spread pattern adjustment. No tools required. 13" diameter polyurethane spinner disc creates a spread of 4' to 32'.

ENGINE


10.5 HP, 4-cycle, air-cooled, B&S INTEK engine with cast iron cylinder sleeves (11 HP Honda OPTIONAL). Standard equipment includes a 12-volt electric starter/alternator, electric clutch that is rated at 90 ft/lbs that can be engaged/disengaged at any selected engine RPM. The engine compartment is completely enclosed with a hinged hood.

CAB CONTROLS

Cab controls allow for total operation from cab with rocker switches for starting engine, engaging electric clutch, engine RPM and throttle adjustment all at your fingertips. Functions are backlit for easier nighttime operation.

OPTIONS

- **Premium cab control** – Includes all of the standard controls plus tachometer, hour meter and maintenance alarm. Functions are backlit for easier nighttime operations.
- **Inverted vee** – Reduces load down pressure on conveyor chain and helps prevent material compaction. (Standard on **FSM**.)




Standard screens shown

- **Top grate screen** – **FSP**, one piece expanded metal screen with an angle iron frame. **FSM**, 1/4" rod x 1/4" rod. Top screens keep large, unwanted debris and frozen material out of hopper.

- **H.D. top grate screen** – 3/8" rod x 3/8" rod with an angle iron frame.
- **12" longer spinner chute** – Extends the spinner chute an extra 12" below mounting surface. (Standard on **FSM**.)


- **6" or 12" side extensions** – For increased capacity. Shipped loose for bolt-on installation.



Dual hydraulic motors shown

- **Hydraulic drives** – Single or dual hydraulic motor(s). Dual hydraulic drive systems have individual drive motors, one for the spinner, one for the conveyor, which allow for independent speed adjustments.
- **Honda engine** – 11 HP Honda in lieu of standard B&S engine.
- **304 unpainted stainless steel** – Greatly extends unit life. Sides, ends, sills, floor, feedgate, side supports, engine hood, base plate and spinner chute assembly are all of stainless steel.

- **Vehicle battery wiring harness** – A two-piece, heavy-duty wiring harness with disconnect plugs to hook up spreader to vehicle battery in lieu of a separate battery.
- **Spreader battery kit** – Includes battery tray, box and cables. Battery not included.
- **Center high-mounted stop lamp kit** – A sealed/ housed stop lamp kit for units with side extensions that will restrict visibility of the vehicle CHMSL.



- **Hold-down kit** – Ratchet style nylon hold-down straps for quick mounting of the unit.
- **Pre-wetting system** – Adds to system, increasing effectiveness of granular material at lower temperatures, and helps eliminate scatter.

Henderson

P.O. Box 40 • Manchester, Iowa 52057
800-359-4970 • www.henderson-mfg.com

©2005 Henderson Mfg. Litho in USA. • Henderson Mfg. reserves the right in pursuit of continuous product improvement to change specifications used herein.



10M 12/05

COMPLETE WARRANTY PROVISIONS

A. PARTS REPLACEMENT AND REPAIR:

****Please see addendum at end of page****

Henderson Manufacturing warrants its manufactured products to be free from defects in material or workmanship for a period of two year, after delivery to the original user, or 18 months after factory invoice, whichever occurs first. This warranty of our products under normal use and service is limited to replacement and repair, at the company's factory, of any parts which are returned to the factory freight prepaid, and after our examination were found to be defective.

B. EXCLUSIONS:

1. This warranty is expressly limited to parts replacement and repair, and is not transferable. Any expressed warranty not herein provided, and any remedy for breach of contract is excluded and disclaimed. The implied warranties of merchantability and of fitness for any particular purpose are limited to one year from delivery to the original user, or 18 months from factory invoice, whichever occurs first.
2. Any component or part manufactured by others will carry that manufacturers warranty, and in no case will Henderson Manufacturing be liable, either expressed or implied, for warranties in excess of those made by the original manufacturer.
3. Under no circumstances will Henderson Manufacturing be liable to the purchaser, or any other person, for any incidental or consequential damages. The user assumes liability for all personal injury or property damage resulting from the handling, possession, or use of the product.
4. Repairs or modifications done by others, or parts from other sources outside the company's factory are not covered by this warranty.
5. No agent, employee, or representative of Henderson Manufacturing has any authority to make any affirmation, representation, or warranty concerning Henderson Manufacturing products, except as specifically stated above.

WARRANTY PROCEDURE

1. Prior authorization by Henderson Manufacturing, must be obtained for all warranty work.
2. Contact our distributor or Henderson Manufacturing giving complete details of your request, the unit involved, including serial number, date purchased, who purchased from, and the nature of or reason for the claim.
3. A Warranty Request Number will be assigned, and is required, whenever any warranty is to be paid either in the form of cash, credit, replacement of parts, or service work.
4. The assignment of a Warranty Request Number does not guarantee warranty will be allowed. The number is to identify the request and part to be returned.
5. When parts are shipped no charge on a Warranty Request, you may be required to return defective part(s) for inspection by Henderson Mfg. or the original manufacturer. In this case, you will be invoiced for shipment of new components until the old unit is returned.

ADDENDUM TO WARRANTY PROVISION: For purposes of West Virginia RFQ#707EC018 and #707EC019, Henderson Manufacturing will honor minimum two (2) year bumper to bumper basic parts and labor warranty. Janet Tobin 02/2007

Contract Administration Manager