

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

707EC020

ADDRESS CORRESPONDENCE TO ATTENTION OF

JOHN JOHNSTON 304-558-2402

BID OPENING DATE:

LINE

0001

*709014709 01 304-366-3075 ANDERSON EQUIPMENT COMPANY 7 RUSKIN DRIVE

FAIRMONT WV 26554 DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 **BRUSHY FORK ROAD** BUCKHANNON, WV

26201 304-472-1750 SHIP VIA DATE PRINTED TERMS OF SALE F.O.B. FREIGHT TERMS 03/07/2007 Net 30 days Anderson Equip. Buckhannon, WV Delivered BID OPENING TIME 04/11/2007 01:30PM CAT. QUANTITY UOP UNIT PRICE ITEM NUMBER AMOUNT 760-51 EΑ \$312,338.98/each SKID STEER LOADER WITH ATTACHMENTS Above price is each unit with all attachments included. OPEN END CONTRACT TO PROVIDE SKID STEER LOADER WITH ATTACHMENTS AS DESCRIBED IN ATTACHED PROCUREMENT SPECIFICATION 351-2-F THERE WILL BE A MANDATORY PRE-BID CONFERENCE AT THE STATE CAPITOL COMPLEX, BUILDING 15, CONFERENCE ROOM, AT 10:00 AM ON 3/29/07. FAILURE TO ATTEND THE PRE-BID CONFERENCE WILL RESULT IN BID DISQUALIFICATION. QUESTIONS: WRITTEN QUESTIONS WILL BE ACCEPTED THROUGH CLOSE OF BUSINESS (5:00PM EST) ON TUESDAY, 3/20/07. SEND YOUR QUESTIONS TO: PURCHASING DIVISION ATTENTION JOHN JOHNSTON 2019 WASHINGTON ST. E. CHARLESTON, WV. 25305 QUESTIONS MAY BE SENT VIA FAX, E-MAIL, OR REGULAR MAIL E-MAIL: JJOHNSTONDWVADMIN.GOV 304-558-4115 FAX: RECEIVED IT IS THE VENDORS RESPONSIBILITY TO VERIFY THAT THEIR QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402. EXHIBIT 2 THIS CONTRACT BECOMES EFFECTIVE ON PERCHASING DIVISION LIFE OF CONTRACT: AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE

SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE

TELEPHONE 304-756-2800

5/8/07

ADDRESS CHANGES TO BE NOTED ABOVE 25-032-3970 Manager-WV General



VENDOR

SIGNATURE

TITLE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RFO NUMBER 707EC020

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN JOHNSTON 304-558-2402

þ

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 **BRUSHY FORK ROAD BUCKHANNON, WV**

26201

304-472-1750

304-366-3075 ***709014709 01** ANDERSON EQUIPMENT COMPANY 7 RUSKIN DRIVE FAIRMONT WV 26554

FREIGHT TERMS TERMS OF SALE SHIP VIA F.O.B. DATE PRINTED 03/07/2007 BID OPENING DATE: 04/11/2007 BID OPENING TIME 01:30PM AMOUNT LINE QUANTITY UOP ITEM NUMBER UNITPRICE THE "REASONABLE TIME" PERIOD SHALL ORIGINAL CONTRACT. NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING THIRTY (30) DAYS WRITTEN NOTICE. UNLESS SPECIFIC PROVISIONS ARE STIPULATED IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS, AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT. THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL RENEWAL: WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE DRIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS. CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN. OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMME-DIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK). QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIES BY THE IT IS UNDERSTOOD AND AGREED THAT STATE SPENDING UNIT. THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY SEE REVERSE SIDE FOR TERMS AND CONDITIONS

FEIN

TELEPHONE

DATE

ADDRESS CHANGES TO BE NOTED ABOVE



VENDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

T O

RFQ NUMBER 707EC020

ADDRESS CORRESPONDENCE TO ATTENTION OF

JOHN JOHNSTON 304-558-2402

304-366-3075 *709014709 01 ANDERSON EQUIPMENT COMPANY 7 RUSKIN DRIVE FAIRMONT WV 26554

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

304-472-1750

DATE PRINTED T	ERMS OF SALE SHIP VIA	F.O.B.	FREIGHT TERMS
03/07/2007			
BID OPENING DATE: 04/11	/2007	BID OPENING TIME	01:30PM
LINE QUANTITY	UOP: CAT. ITEM NUMBER	UNIT PRICE	AMOUNT
	DELIVERY DURING THE TE OR LESS THAN THE QUA		
WRITTEN EQU For commodi WV-35 MUST	OCEDURE: SPENDING UNI IPMENT CONTRACT ORDER TIES COVERED BY THIS C BE SENT TO THE PURCHAS RTMENT OF ADMINISTRATI	(FORM NUMBER WV-35) ONTRACT. THE ORIGI ING DIVISION	I !
BE RETURNED WARDED TO T NO ORDER IS	ANCE, ONE COPY OF THE TO THE SPENDING UNIT HE VENDOR AS AUTHORIZA VALID UNLESS APPROVED HASING DIVISION.	AND ONE COPY FOR- TION FOR SHIPMENT.	
FOR BANKRUP	IN THE EVENT THE VENT TCY PROTECTION, THIS C AND VOID, AND IS TERMI	ONTRACT IS AUTOMATI	-
REV. 9/98 EXHIBIT 6			
THE STATE O CONTAIN PRO ORIGINAL EX PRICE ADJUS MOVEMENT OF BASED ON TH MATERIALS A SUBSTANTIAL BASED UPON ALL PRICE A	TMENT PROVISION: F WEST VIRGINIA WILL CONTROL VISIONS FOR PRICE ADJU- PIRATION OF THE CONTRA- TMENT COVERS BOTH UPWA- THE COMMODITY PRICE, E "PASS THROUGH" INCRE, ND/OR LABOR, WHICH MAK- PART OF A PRODUCT. AN ACTUAL DOLLAR FIGUR DJUSTMENT REQUESTS MUST CEPTABLE TO THE DIRECT	STMENTS PRIOR TO TH CT, PROVIDED THAT S RD AND DOWNWARD AND THAT ADJUSTMENT ASE OR DECREASE OF E UP ALL OR A DJUSTMENTS ARE TO B E, NOT A PERCENTAGE T BE SUBSTANTIATED OR PURCHASING, E.G.	UCH I RAW E
SIGNATURE	SEE REVERSE SIDE FOR TERM		ATE
TITLE	FEIN	ADDRESS CHAP	IGES TO BE NOTED ABOVE



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

707EC020

PAGE

(.

ADDRESS CORRESPONDENCE TO ATTENTION OF

JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION

ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV

26201

304-472-1750

*709014709 01 304-366-3075
ANDERSON EQUIPMENT COMPANY
7 RUSKIN DRIVE
FAIRMONT WV 26554

DATE PRIN	TED	TER	MS OF SAL	E	SHIP V	/IA.	ļ	F.O.B.	FREIGHTTERMS
03/07/	2007								
BID OPENING DATE:		04/11/	2007			BID	OPENING	TIME	01:30PM
LINE	QUA	NTITY	UOP	CAT. NO.	(TEM NUM	/BER	U)	IT PRICE	AMOUNT
	PUBLIS SHOULD PURCHA DATE O PRICE ACCEPT ACCORD CANCEL EXHIBI	HED PR BE RE SING A F THE ADJUST THE P INGLY THE C	ICE L CEIVE T LEA INCRE MENT, RICE OR RE	ISTS. D IN ST 30 ASE. THE ADJUS JECT	KS, GENER SUCH RE WRITING B DAYS IN ANY TIME PURCHASIN TMENT AND THE ADUST	QUESTS Y THE D ADVANCE THE VE G DIVIS AMEND MENT IN	FOR AND IRECTOR OF THE NDOR RE ION MAY THE CON ITS EN	INCREAS OF EFFECTI QUESTS A EITHER TRACT TIRETY A	VE
	IN THE AND CO AND OT TO POL VIRGIN PRICES POLITI CLEARL	BID H NDITIO HER LO ITICAL IA. I , TERM CAL SU Y INDI NOT PR	IS RE NS OF CAL G SUBD F THE S, AN BDIVI CATE	FUSAL THE DVERN IVISI VEND D CON SIONS	TO EXTEN BID TO CO MENT BODI ONS OF TH OR DOES N DITIONS O OF THE S REFUSAL I E AWARD O	D THE PUNTY, SES, THE E STATE OT WISH F THE BTATE, THE	RICES, CHOOL, BID SH OF WES TO EXT ID TO A HE VEND ID. SU	TERMS, MUNICIPA ALL EXTE T END THE LL OR MUST CH REFUS	L ND
	PREFER	ENCE I	N AND	APPL ORDAN	EFERENCE ICATION* CE WITH WI Y TO CONS	IS HERE EST VIR	BY MADE GINIA C	ODE,	
	REASON	CHECK	ED:		E FOR 2.5				
				SEE RE	/ERSE SIDE FOR TE		IDITIONS		
SIGNATURE						TELEPHONE		DAT	E
TITLE		FE	IN			- 14	AD	DRESS CHANG	ES TO BE NOTED ABOVE



ENDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

707EC020

PAGE 5

ADDRESS CORRESPONDENCE TO ATTENTION OF

JOHN JOHNSTON 304-558-2402

s H

ρ

*709014709 01 304-366-3075 ANDERSON EQUIPMENT COMPANY 7 RUSKIN DRIVE

FAIRMONT WV 26554

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 304-472-1750

TERMS OF SALE SHIP VIA F.O.B. FREIGHT TERMS DATE PRINTED: 03/07/2007 BID OPENING DATE: 01:30PM 04/11/2007 BID OPENING TIME UNIT PRICE **AMOUNT** QUANTITY UOP ITEM NUMBER LINE HAS RESIDED CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR BIDDER IS A PARTNERSHIP, ASSOCIATION OR CORPORA-(X) TION RESIDENT VENDOR AND HAS MAINTAINED ITS HEAD-QUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR 80% OF THE OWNERSHIP INTEREST OF BIDDER IS HELD BY ANOTHER INDIVIDUAL, PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR WHO HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR BIDDER IS A CORPORATION NONRESIDENT VENDOR WHICH HAS AN AFFILIATE OR SUBSIDIARY WHICH EMPLOYS A MINIMUM OF ONE HUNDRED STATE RESIDENTS AND WHICH HAS MAINTAINED ITS HEAQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA CONTINUOUSLY FOR THE FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED: BIDDER IS A RESIDENT VENDOR WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES WORKING ON THE PROJECT BEING BID ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID; OR BIDDER IS A NONRESIDENT VENDOR EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS OR IS A SEE REVERSE SIDE FOR TERMS AND CONDITIONS DATE SIGNATURE TELEPHONE TITI F FFIN ADDRESS CHANGES TO BE NOTED ABOVE



MODZEN

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

707EC020

PAGE 6

ADDRESS CORRESPONDENCE TO ATTENTION OF

JOHN JOHNSTON 304-558-2402

ø±+¤. T

*709014709 01 304-366-3075 ANDERSON EQUIPMENT COMPANY 7 RUSKIN DRIVE

FAIRMONT WV 26554

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 304-472-1750

DATE PRINTI	ΞD	T _E	RMS OF SAI	F	SHIP V	'IA	F.O.B.	FREIGHT TERMS
03/07/2								
BID OPENING DATE:		04/11	/2007	tananananananan		BID	OPENING TIME 0	1:30PM
LINE	AUQ	NTITY	UOP	CAT.	ITEM NUM	/BER	UNIT PRICE	AMOUNT
	LONDEO	7 D C N T	MENDO	D 117.7			D CURCIDIADY	
							R SUBSIDIARY	
							INCIPAL PLACE	
							YING A MINIMUM TIFIES THAT,	
							ERAGE AT LEAST	
							IATE'S OR	
1			1	i i			F WEST VIRGINIA	
							USLY FOR THE TWO	
			1				OF THIS BID.	
	LAKO	1111122					J	·
ļ.	BIDDER	UNDE	RSTAND	S IF	THE SECRE	TARY OF	TAX & REVENUE	
1			1	1			FERENCE HAS	
F	FAILED	TO C	UNI TNO	E TO	MEET THE	REQUIRE	MENTS FOR SUCH	
F	PREFER	ENCE,	THE S	ECRET	ARY MAY O	RDER TH	E DIRECTOR OF	
	PURCHA	SING	то: (A) RE	SCIND THE	CONTRA	CT OR PURCHASE	
							AGAINST SUCH	
							F THE BID AMOUNT	
1 F			1				THE CONTRACTING	
						AID BAL	ANCE ON THE	
	CONTRA	CT OR	PURCH	ASE 0	RDER.			
					050775701	TE	DED ACRES TO	1
1			ſ	1 i			DER AGREES TO	Marcon and a second a second and a second and a second and a second and a second an
1 :			1				RMATION TO THE DEPARTMENT OF	
1 1			į.	1 :	CLOSE TO			
							IFYING THAT	
!			I .	3 1			TAXES, PROVIDED	
1 3			I .				THE AMOUNTS OF	
							EEMED BY THE TAX	
1			1	1 1	FIDENTIAL			
	JNDER	PENAL	TY OF	LAW F	OR FALSE	SWEARIN	G`(WEST VIRGINIA	
							THAT THIS	
	CERTIF	ICATE	IS TR	UE AN	D ACCURAT	E IN AL	L RESPECTS; AND	
	THAT I	FAC	NTRAC	T IS	ISSUED TO	BIDDER	AND IF ANYTHING	
0	CONTAI	NED W	IHIN	THIS	CERTIFICA	TE CHAN	GES DURING THE	
		840400564060090		SEE DE	VERSE SIDE FOR TI	EMS AND CO	VIDITIONS	
SIGNATURE				ec nc		TELEPHONE	DATE	
								
TITLE			FEIN				ADDRESS CHANGE	S TO BE NOTED ABOVE



VENDOR

SIGNATURE

TITLE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

***709014709 01 304-366-3075**

26554

FEIN

ANDERSON EQUIPMENT COMPANY

7 RUSKIN DRIVE

FAIRMONT WV

Request for Quotation

707EC020

ADL	DRESS CO	PRRESPO	NUPROL	E IOAI	LNI

JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS

EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV

26201

304-472-1750

DATE

ADDRESS CHANGES TO BE NOTED ABOVE

TERMS OF SALE SHIP VIA F.O.B. FREIGHT TERMS DATE PRINTED 03/07/2007 BID OPENING DATE: BID OPENING TIME 01:30PM 04/11/2007 AMOUNT QUANTITY UOP ITEM NUMBER UNIT PRICE LINE CONTRACT, BIDDER WILL NOTIFY THE PURCHASING TERM OF THE DIVISION IN WRITING IMMEDIATELY. Anderson Equipment Company BIDDER: May 8, 2007 DATE: SIGNED: Michael K. Burke General Manager - WV TITLE * CHECK ANY COMBINATION OF PREFERENCE CONSIDERATION(S) IN EITHER "A" OR "B", OR BOTH "A" AND "B" WHICH YOU ARE YOU MAY REQUEST UP TO THE MAXIMU ENTITLED TO RECEIVE. 5% PREFERENCE FOR BOTH "A" AND "B". (REV. 12/00) NOTICE A SIGNED BID MUST BE SUBMITTED TO: DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130 THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED: SEE REVERSE SIDE FOR TERMS AND CONDITIONS

TELEPHONE



VEXDOR

TITLE

***709014709 01**

7 RUSKIN DRIVE

FAIRMONT WV

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

ANDERSON EQUIPMENT COMPANY

26554

FEIN

304-366-3075

Request for Quotation

RFQ NUMBER

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF:

ADDRESS CHANGES TO BE NOTED ABOVE

JOHN JOHNSTON 304-558-2402

Ø#-e +€

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV

				262	01	304-472-1750
DATE PRIN 03/07/		RMS OF SALE	SHIP	/IA	FOB	FREIGHT TERMS
BID OPENING DATE:			450000000000000000000000000000000000000	BID OP	ENING TIME	01:30PM
LINE	QUANTITY	UOP CAT. NO.	ITEM NUI	MBER	UNIT PRICE	AMOUNT
	SEALED BID BUYER: RFQ. NO.:		33 707EC0	20		
	BID OPENING	DATE AND T	IME	77.77		
	PLEASE PROVI TO CONTACT Y			ID:	S NECESSARY	
	CONTACT PERS	ON (PLEASE	PRINT CL Brian Ca			
	***** THIS	IS THE EN	D OF RFQ	707EC020) ***** TO	TAL:
		SEE RE	 VERSE SIDE FOR T	ERMS AND CONDITION	ONS	
SIGNATURE				TELEPHONE		DATE

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS EQUIPMENT DIVISION

BIDDER'S EVALUATION REPORT

PROCUREMENT SPECIFICATIONS FOR OPEN END CONTRACT NO. 351-2-F

SKID STEER LOADER WITH ATTACHMENTS

NOTE TO BIDDER: Procurement Specification No. 351-2-F, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. Addendums in order, along with exception sheets, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

	Reference Requisition No.:/0/EC020	•			
	Bidder's Name:Anderson Equipment Company				
	Address: P. O. Box 3109 Charleston, WV 35331				
	Telephone Number:304-756-2800			,	
	Years Bidder has been registered to do business with the	State of West	Virginia:	22	YRS
	Years Company has been an authorized dealer for propose	ed unit:	·	13	_YRS
	DELIVERY:			10 D	c
X4.2.1	Delivery date of completed representative unit: 45 Five (5) with	uin 45 days			
X4.2.2	Delivery date of balance of completed units:90-12	0	Calendar Da	ys After Da	

X5.0	AWARD CRITERIA;	•			
X5.1	Price for loader only in quantities of	1-5 6-10 11 and over	26,0	37.00	per unit per unit per unit
	Prices for loader and all attachments in quantities of	1-5 6-10 11 and over	312,	338.98_	_per unit
	SPECIFICATIONS - GENERAL Manufacturer, model, series, and date of manufacture of	proposed unit:			
	Gehl Model 5640E - 2007				
	Is descriptive literature, fully describing proposed unit a	ttached to your bid	?X_	YES	NO
	If not, why?				
X6.2	Will the required number of service manuals, and compl	ete parts list be del	ivered	to the Ec	quipment
	Division at Buckhannon upon completion of delivery of				
	Will the required Equipment Preventive Maintenance Fo	orm (Section X6.2)	of Bidd	ers Eval	uation Report)
		(X	YES	NO

EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER=S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH.

DESCRIPT	TION:			MAKE:			
M	ODEL:		YEAR:	PUR	CHASE AMOUN	Γ:	
ENGINE:	MAKE:		MODEL:		FUEL TYPE:		
	HORSEPOWER:		CYLINDER: _	ENG	SINE SERIAL:		
	COOLING SYSTE	M CAPACITY: _					
BELTS:	DESCRIPTION:			PART NUME	BERS:		
I			····				
GVW:						REAR:	
	FRONT MAKE &						
THUD.	REAR MAKE & S						
DIMENSIO						LENGTH:	
PARTS:							
DATTEDS	7 N A A IZ IZ -		MODEL		CCA:		
TOP OR SI	IDE POST-		DIMENSIONS	LENGTH	WIDTH	HEIGHT	
SPARK PI	LIGS OR FUEL INII	ECTORS MAKE:		PART#			
FUEL PUN	AP OR INJECTION I	UMP MAKE:		MODEL:			
ALTERNA	TOR MAKE:			PART #:			
STARTER	MAKE:		<u> </u>	PART #:			
TURBO CI	HARGER MAKE:			PART #:			
TRANS M	IAKE:	MODI	EL:		AUTO/MANUA	\L:	
HYDRAUI	LIC PUMP MAKE:			MODEL:		XL:	
FILTERS	MAKE	PART NO.	LUBR	EICANT	MANUFACTI	URER TYPE	
OIL			ENGI				
AIR INNE	R		TRAN	ISMISSION			
AIR OUTE	SK		POWI				
FUEL PRI	MARY		HYDI	RAULIC			
FUEL SEC	CONDARY		DIFFI				
COOLANI			BRAK	Œ FLUID			
HYDRAUI			COOI				
OTHER			OTHE	ER			

X6.3	IRAINING:			
	Will training seminar be conducted on Preventive Maintenance, OperatorX_	and Me	echanic Tra	ining
	Will you conduct training with each purchase order against this open end	contrac _X_	t? YES	NO
	Will training be conducted within 2 working days from the delivery of the purchase order?	e pilot u X_	nit on the i YES	ndividual NO
	If NO, explain time frame		.,	
	Will an Operator's Manual be furnished directly to Letha Lamb, Training of the pilot?	Acader	ny prior to YES	the deliveryNO
X6.4	If you are the successful vendor, will you furnish all training aids, i.e., vic conducting the training? XYESNO	deos, pro	ojectors, re	quired in
X6.4.1	Will all manuals, booklets, etc. explaining preventive maintenance, of schedule be delivered with each unit? If NO, explain	YES_	orocedures, NO	and service
X6.5	WARRANTY AND SERVICE POLICY			
	Will the warranty and service you provide comply with all areas as statedXYES	l in Secti NO	ion 6.5 of s	pecifications
	Is warranty literature attached?X	YES	NO	
	Is a minimum two (2) year bumper to bumper basic parts and labor warra attachments? X_ Describe:	nty incl YES	uded for ur NO	it and
	See Warranty Statements - Attached			

X6.5 * WARRANTY AND SERVICE POLICY QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY THE SUCCESSFUL BIDDER OR MANUFACTURERS TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH (If additional lines are needed, make copies of form.)

	ine the terms of the standard arranty statements - attached	warranty. If not offered, so state. (Attach copy)
Sec w	arranty statements - attached	
2. Def	ine warranty service to be po	erformed at DOH facilities and warranty service to be performed at
manui	facturer's representative facility	lity. List name and location of manufacturer's representative. I at vendors facility unless it is a machine down emergency.
	Cantrell - Fairmont	t at verteers racintly diffess it is a machine down emergency.
		es that are within the State of West Virginia. Also, list availability levels, if
know		
Charle	eston, WV	
	ont, WV	
	ditional branches at other loc	
	ring the term of warranty, list will sell the parts to owner.	the guarantee discount to manufacturer's published list price for parts that
Diage	will sell the parts to owner.	
A.		ufacturer's published list price less:n/a% discount
B.		ufacturer's published list price less:n/a% discount ufacturer's published list price less:n/a% discount
C.	Terms: Net 90 Man	uracturer's published list price lessiva
5. Du	ring the term of warranty, wi	Il all manufacturers or engineering improvements be submitted to Division of
Highv	vays?	XYESNO
6. Du	ring the term of warranty, lis	t the guaranteed rates charged for repair to the unit.
A.	Shop Rate	\$n/a per mechanic hour
B.	Travel Time Charge	\$n/a per mechanic hour
	(Specify if one-way)	; port to port
C C	Miles on Change	\$ n/a per vehicle mile
C.	Mileage Charge (Specify if one-way	n/a ; port to portn/a
	(Specify if one way	
D.	Field Mechanic Rate	\$_n/a per mechanic hour
E.	Specify period of time that	prices are in effect:n/a
F	Surcharge for miscellaneou	as items: n/a %

X6.6 *]	EVALUATION COMMITTEE REQUIREMENTS
	Is all component specifications, product literature, component models provided for Evaluation Committee bid determination?XYESNO
<u>.</u> !	Will all parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, be furnished with the unit and conform in strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry? X_YESNO
	Are all parts and accessories adequate and regularly supplied as standard to be included except those which may be duplications of specifications herein, and except these by specification are not to be furnished?
X6.7.2	Are all standard safety features that are required by Federal and State statutes of law included? XYESNO
	SPECIFICATIONS OF THE QUOTED UNIT The bidder should complete the following schedule in order for the Division to compare the actual bid unit to the specifications. Should the bidder except a requirement, then such exception may be only on the basis that such feature is not offered by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specifications.
	Manufacturer:Gehl Model:5640E
	Will the unit be completely assembled, adjusted with all equipment including standard and extra equipment installed and ready for continuous operationXYESNO
	Are all parts not specifically mentioned which are necessary for the unit to be complete and ready for operation or which are normally furnished as standard equipment be included? X YES NO
X8.1	Operating weight of skid steer unit:7380 lbs.
X8.2	Wheelbase: 42.5 inches
X8.3	Diesel Engine:
X8.3.1	Horsepower (Net):82 HP
X8.3.2	Is engine pre-heat system providedXYESNO
X8.3.3	Is manufacturer's recommended fuel filter with water separator provided?_X_YESNO
	Manufacturer: Gehl

X8.3.4	Is unit equipped with automatic engine shutdown for low oil pressure and engine/hydraulic temperature XYESNO
X8.3.5	Dry type air filtration with primary and secondary elements X YES NO
X8.4 Hydra	ulic System:
X8.4.1	Auxiliary hydraulics:23 GPM
X8.4.2	Does unit have high flow hydraulic system providing adequate flow and pressure for specified attachmentsX_ YES NO
X8.4.3	Filtration:3 micron
X8.4.4	Adequately sized hydraulic reservoir for the prime mover as well as any and all attachmentsXYESNO
	Is gallons label and sight gauge includedXYESNO
X8.4.5	Are hydraulic hoses cordorva wrapped for operator protectionXYESNO
X8.4.6	Are auxiliary front hydraulics with couplers provided with easy access with controls at operator stationXYESNO
X8.5 Electri	ical System:
X8.5.1	Manufacturers heavy duty 12 volt systemXYESNO Manufacturer: Gehl
X8.5.2	Alternator: 95 amps
X8.5.3 X8.5.4	Battery manufacturers heavy duty maintenance free 12 voltXYESNO CCA: _950 Work lights, dual front halogen; at least one rear halogenXYESNO
X8.6 Instru	mentation: Audible and/or lighted warningsXYESNO
X8.6.1	Fuel levelX YES NO
X8.6.2	Battery voltageX YES NO
X8.6.3	Engine coolant temperatureXYESNO
X8.6.4	Transmission charge pressure X YES NO
X8.6.5	Hydraulic oil temperatureX YES NO
X8.6.6	Engine oil pressureXYESNO
X8.6.7	Engine air cleaner restriction X YES NO

X8.6.8	Park brake reminderXYESNO			
X8.6.9	Seat belt reminderXYESNO			
X8.7 Tires:				
X8.7.1	Manufacturers standard pneumatic lug tires with 12 ply rating	_X	_YES	NO
	Manufacturer:Galaxy			
X8.8 Safety	y:			
X8.8.1	Backup alarm (OSHA approved)	_x_	_YES	NO
X8.8.2	Certified ROPS and FOPS	_X	_YES	NO
X8.8.3	Parking brake manufacturers standard	_X	_YES	NO
X8.8.4	All manufacturers safety related decals and safe operation recomme	ndatio	ns affixed t	o each unit
	, , , , , , , , , , , , , , , , , , ,		_YES	
X8.8.5	Rear view mirror	_X	_ YES	NO
X8.8.6	Equipped with rear window emergency escape	_X_	_YES	NO
X8.8.7	Low profile strobe light mounted for 360° visibility	_X	_ YES	NO
	Manufacturer/Model:Gehl			
X8.8.8	Front and rear emergency flashers	_X_	YES	NO
X8.8.9	Fire extinguisher bracket	_X	_ YES	NO
X8.9 Acces	ssories:			
X8.9.1	Quick-Tatch 2 level attachment mounting design compatible with 9 John Deere, and Case attachments	0% of _X_	BobCat, N _YES	ew Holland NO
X8.9.2	Rear counterweights provided to adequately balance unit with heavy		achment m YES	
X8.9.3	Vinyl suspension seat with automotive type seat belt	_X_	_ YES	NO
X8.9.4	Cab-all-weather enclosure with sliding side glasses	X	_YES	NO
X8.9.5	Front door with wiper, washer	_X	YES	NO
X8.9.6	Does unit have manufacturers heater/defroster/with air conditioner	_X	_YES	NO

X8.9.7		Is unit hydrostatic all wheel drive		_X_	_ YES	NO
X8.9.8		Integral belly plate		X	_ YES	NO
X8.10 X8.10.		Describe manufacturers recommend primered, painted and then baked to	led paint preparation and color: finish.	Uni	t is cleaned	l, degreased,
X9.0	Attach	ments with attachment control kit:				
X9.1	Are all	attachments mounted on a quick-cha	ange mechanism	X	_ YES	NO
X9.2	Backh	oe operation possible with the lift arr	ns in the down position	_X_	YES	NO
X9.3	Is a real	mote attachment control device availa and operate the attachment from the	able for specified attachments (routside the operator control are	narkeo a_X_	d by an "*" YES) to start theNO
X9.4	Is a sir	ngle control unit provided which will	control all available attachment	S	_X_YE	SNO
X9.5	Attach	ments and pricing: SEE ATTAC	HED ATTACHMENT SECTION	N		
X9.5.1		Angle Broom*				
X9.5.2	ı	Auger				
X9.5.3		Backhoe				
X9.5.4		Bale Fork	The state of the s			
X9.5.5		Box Blade				
X9.5.6	,	Box Blade with Laser Receiver*				
X9.5.7	•	Breaker				
X9.5.8	•	Brush Saw				
X9.5.9	ı	Brushcat Rotary Cutter				
X9.5.1	0	Buckets:				
X9.5.1	0.1	Construction 325				
X9.5.1	0.2	Construction 78 inch HD				
X9.5.1	0.3	Construction 84 inch HD				
X9 5 1	0 4	Foundry 72 inch				

X9.5.10.5	Foundry 78 inch HD	
X9.5.10.6	Manure/Slurry 72 inch	
X9.5.10.7	Manure/Slurry 84 inch	
X9.5.10.8	Multi-Purpose 72 inch	
X9.5.10.9	Multi-Purpose 78 inch	
X9.5.10.10	Multi-Purpose 84 inch	
X9.5.10.11	Tooth 72 inch	
X9.5.10.12	Tooth 78 inch HD	
X9.5.10.13	Tooth 84 inch HD	
X9.5.10.14	Utility 72 inch	
X9.5.10.15	Utility 78 inch HD	
X9.5.10.16	Utility 84 inch HD	
X9.5.11	Chipper*	
X9.5.12	Combination Bucket	
X9.5.13	Concrete Mixer*	
X9.5.14	Concrete Pump	
X9.5.15	Digger	
X9.5.16	Dozer Blade _	
X9.5.17	Drop Hammer	
X9.5.18	Dumping Hopper	
X9.5.19	Flail Cutter _	
X9.5.20	Forks, Utility	
X9.5.21	Grader _	
X9.5.22	Grapple, Industrial	
X9.5.23	Grapple, Root	

X9.5.24	Hydraulic Breaker	
X9.5.25	Landplane	
X9.5.26	Landscape Rake	
X9.5.27	Mower	-
X9.5.28	Packer Wheel	
X9.5.29	Pallet Fork – Heavy Duty	
X9.5.30	Pallet Fork – Hydraulic	
X9.5.31 X9.5.31.1	Planer: Standard*	
X9.5.31.2	Curb*	
X9.5.31.3	High Flow*	
X9.5.32	Scarifier	
X9.5.33	Scraper	
X9.5.34	Seeder	
X9.5.35	Snowblade	
X9.5.36	Snow B-Blade*	
X9.5.37	Snowblower*	
X9.5.38	Sod Layer	
X9.5.39 X9.5.39.1	Soil Conditioner: Manual*	
X9.5.39.2	Hydraulic*	
X9.5.40	Spreader	
X9.5.41	Stabilizer	
X9.5.42	Stump Grinder*	
X9.5.43	Sweeper	when the state of
X9.5.44	Three-Point Hitch	
X9.5.45	Tiller	

X9.5.46	Tracks, steel			
X9.5.47	Tree Spade*			
X9.5.48	Trench Compactor			
X9.5.49	Trencher			
X9.5.50	Utility Frame			
X9.5.51	Vibratory Roller			
X9.5.52	Water Kit			
X9.5.53	Wheel Saw	-		
X9.5.54	Whisker Broom	4.V.		
	PRICING FOR ALL ATTACHMENTS			
X10.0 Doe	s the proposed unit meet or exceed the "OSH	[A of 1970" and/or sub	osequent changes?XYES	NO
X11.0 Doe	s the unit conform to the advertising guidelin	nes? (Describe)		
	no manufacturers or vendors decals will be eess.	visible unless they are	in the manufacturing	
X12.0 Prev	ventive Maintenance and Operator's Training	School:		
X12.1	Will a preventative maintenance and open	rator's training semina	r be provided?XYES	NO
	If you are the successful vendor, will you required in conducting the training?	furnish all training aid	ds, i.e., videos, projec X_ YES	tors, _NO
	Will all manuals, booklets, etc. preventive service schedule be delivered with each u If NO, explain		X_ YES	_NO



RFQ COPY

TYPE NAME/ADDRESS HERE

P. O. Box 3109

Charleston, WV

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Anderson Equipment Company

25331

Request for Guotation 707EC02

707EC020

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 BRUSHY FORK ROAD **BUCKHANNON, WV** 26201

304-472-1750

		, loopoorooo (00400 - 200		725000000000000000000000000000000000000		1941545555555555555555555	100000000000000000000000000000000000000	<u> </u>	
DATE PRIN		TER	MS OF SAL	E	SHIPV	IA.		O:B;	FREIGHTTERMS
04/02/ BID OPENING DATE:		05 (00 (2007			DID	OPENING_	TIME	01:30PM
	22000000000000000000000000000000000000	05/09/		CAT				TPRICE	AMOUNT
LINE	QUA	NTITY	UOP	NO	ITEM:NUA	/IBEN	ועוט	I TRIVE	AWGGNT
			А	DDEND	UM NO. 1				
	BID OF	PENING	DATE	AND T	IME CHANG	ED	Workston Company		
	FROM:	04/11	/07 A	т 1:3	0 P.M.				
	TO:	05/09	/07 A	т 1:3	0 P.M.				
		OUM NO. ED SPEC			ISSUED A	T A LAT	ER DATE	WITH	
	SIGN 1	IN SHEE	T ATT	ACHED	•				
	NO OT	IER CHA	NGES.						
0001	SKID S	1	EA OADER		760-51 ATTACHME	NTS	. •	······································	
	****	€ THIS	IS T	HE EN	D OF RFQ	707EC	020 ***	•** TOT	AL:
	-								
				SEERE	VERSE SIDE FOR T	ERMS AND CO TELEPHONE	NDITIONS	li I	DATE
SIGNATURE						PETELUAISE			
TITLE		FE	IN				ADI	DRESS CHA	NGES TO BE NOTED ABOVE

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3, All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
- 5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this contract is automatically null and void, and is terminated without further order.
- 14. HIPAA Business Associate Addendum The West Viginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- Unit prices shall prevail in cases of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

SIGNED BID TO:

Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Page _____ of _____

2

SIGN IN SHEET RFQ# <u>707E 02 10</u> Date: <u>3-29-07</u>

Firm & Representative Name:	Mailing Address:	Phone,	, Fax, & E-Mail:
1. Rish Equipment	Par + 35 St. Alban		P 304-755-3311 6921
A-2625	WU 25177		F 304-755-3603
Gusty Estop		E-mail _	
	1.11	\	
2. Walker Madinery	3 Perk Rd HUB Ind.	terk	P 364-389-4196
Gric Ramey	NI400 WV 25143		F 304-759-6904
			Crancy Que whereat
3.WV TRACTOR	P.O. Box 473		P 346-530(
GARY GRADY		<i>)</i>	F346 · 5305
Mer Gajor	CHARLESTON CU	322 E-mail <u>U</u>	urtractoremsn.com
4. GENE Fisher	PO-BOY 282	_	P 304-371-9875
Fginplain Tractor Sal	le Riplay WC-	7.	F <u>304-372-97/3</u>
	-	E-mail_	
01 2001	ntuebo		~ 7 (877-1655
5. Robert Shetter			P 304-872-4055
Reckard Equipment Co	P.O. Box 488		F304-872-7288
, ,		E-mail _	Nebo P Rochand, Con

Please print or write legibly!

SIGN IN SHEET RFQ# <u>707 EC020</u> Date: <u>3-09-07</u>

•		
Firm & Representative Name:	Mailing Address:	Phone, Fax, & E-Mail:
1. Bobant of Advantage Vaily	Po BX 7555	P 776,9/0
Steve Lewis	Cross Lones by 2535	6 F 776-0285
	E-	mail Stevelewis & reflects . ron
2. Rudd Equipment	PO Box 610	P 755-7788
Vic Green	nitro, WVa. 2514	13 F 755-7990
	E-	mail V green Erudd equipment, Co
3. Uniontown Ind EQ. Mike Clower	LEMENT FURNICE P	_, P <u>724-437-/578</u> A F ~ - 2098 mail
Anderson Equiple	7 Ruskin Da. Fairmont, we 265	
5. Cecil Horne Lestie Equipment Co.	Po. Box7 Niteo, WV.ss	P 304-755-3371 143 F 304-755-3256 mail horve cecil ALECT com
	E-	man horve cecil to recit to

Please print or write legibly!

Page	 of	<u></u>	4
			4

	SIGN IN SHEET	
R	FQ #ate:	
Firm & Representative Name:		ne, Fax, & E-Mail:
1. Greg Shanblin	P.O. BON7	P 304-542-43)
Lostre equip	N. Ero 25147	F 755-3256
•	E-mai	Shamblingresour @ Lect.Co
2. Mile Bunks	Box 3109	P304-756-2800
anderson Equip Company.	Charlester, 25337	F 304-756-278
	E-mai	mborkee@qnomsoneq
3. Anderson Equipment	P.O. BOX 3109	P 304-156-2800
Teri Surface	Chas, W 25331	F 304-156-2799
	E-mai:	1 + Sur Aco @ anderson equ
4. Jin Boyers	2032 Farment doll	P_304-366-4690.
4. Jim Boyers Midfleton Tractor	Farment, Will 26584	F 304-366-4698
	E-mail	Singo Middle towatractor, c
s. Sarah Rexroad	HO71 Box 490	P 364-2445
Nettles Equip.	Duck W 25063	F 364-8360
U I	E-mail	Sarahnex road @
		hanvestmail net

Please print or write legibly!

		Page _	of	5
· · · · · · · · · · · · · · · · · · ·	SIGN IN SHEET RFQ # Date:			
Firm & Representative Name:	Mailing Address:	Phone	e, Fax, & E-Mail:	
1. State Equipment	560 Gottental		P 334-776-44	(05
Jason Lama	Coss Lanes WV 257	ジン	F 304-776-4	1409
		E-mail_	jason 1 P state og	vipum t. (Oz
2. WALKER MACKINERY	3 PARK Rd		P 304-759	6400
2. WALKER MACKINERY WALTER CLARK	. Charleston, WV		F_304-55	2-6483
		E-mail _		
3		······································	P	
1			F	
		E-mail _	1-1	
4			P	
			F	
		E-mail _		
5.			P	

Please print or write legibly!



VHNDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

707EC020

иотгиноц иноц 304-558-2402

ADDRESS CORRESPONDENCE TO ATTENTION OF

RFQ COPY TYPE NAME/ADDRESS HERE

Anderson Equipment Company P. O. Box 3109 Charleston, WV 25331

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

304-472-1750

04/04/2007 BID OPENING TIME 01:30PM BID OPENING TIME 01:30PM LINE QUANTITY UOP CAT. ITEM NUMBER UNIT PRICE	
CAT TELEVISIONED LINITEDICE	
PIO:	AMOUNT
ADDENDUM NO. 2	
CHANGES TO THE SPECIFICATIONS PER THE ATTACHED.	
BID OPENING DATE AND TIME REMAINS THE SAME.	
NO OTHER CHANGES.	
0001 EA 760-51	
SKID STEER LOADER WITH ATTACHMENTS	
***** THIS IS THE END OF RFQ 707EC020 ***** TOTAL:	
	The state of the s
SEE REVERSE SIDE FOR TEAMS AND CONDITIONS	
SIGNATURE TELEPHONE DATE	- Indiana in the second in the
WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENI	

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
- 5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this contract is automatically null and void, and is terminated without further order.
- 14. HIPAA Business Associate Addendum The West Viginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- Complete all sections of the quotation form.
- 4. Unit prices shall prevail in cases of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

SIGNED BID TO:

Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

ADDENDUM #2 707EC020

OPEN END CONTRACT

SKID STEER LOADER WITH ATTACHMENTS

CHANGES TO SPECIFICATIONS:

FROM:

5.1 SECOND PARAGRAPH

Prices for the units with attachments shall be in quantities of 1-5, 6-10, and 11 and over. However, for evaluation purposes, we will use quantities 1-5 for loader and all attachments. DOH reserves the right to place orders in any quantity. Orders placed may be with one (1) or all attachments. Attachments may be ordered as needed.

TO:

5.1 SECOND PARAGRAPH

Prices for the units with attachments shall be in quantities of 1-5, 6-10, and 11 and over. Also, price for loader only shall be submitted as well. However, for evaluation purposes, we will use quantities 1-5 for loader and all attachments. DOH reserves the right to place multiple orders in any quantity. Orders placed may be with one (1) or all attachments. Attachments may be ordered as needed.

FROM:

8.4.2 Unit shall have high flow hydraulic system providing adequate flow and pressure for specified attachments.

TO:

8.4.2 Unit shall have high flow hydraulic system (30 GPM minimum).

DELETE:

9.3 A remote attachment control device should be available for specified attachments (marked by an "*") to start the loader and operate the attachment from the outside the operator control area.

707EC020

ADDENDUM #2

Page 2

RENUMBER:

9.4

to A single control unit should be provided which will control all available attachments.

9.3

DELETE AS WRITTEN:

9.5

The following attachments should be available:

and

sub

topics

9.5.1

to and including

9.5.54

ADD:

9.4

The following attachments shall be available and must be priced to award contract.

and

sub

topics

9.4.1

through

9,4.32

as follows:

AUGER – WOODS EQUIPMENT	HA 25	HA30
CORPORATION OR		
EQUAL		
Drive Type	Planetary	Planetary
Flow Range	10 - 30 gpm	10-40 gpm
Pressure Range	3500 psi	3500 psi
Maximum Bit Size	36" ⁻	36"
Approximate Weight	620 lb.	650 lb.
Performance Guide	Heavy Duty	Heavy Duty
BIT SPECIFICATIONS		
FOR ROTH MODELS		

6" x 50" Head

Bit Specification – Hex – Single Flight Extension

12" x 50" Head 24" x 50" Head Single Flight Extension 12" extension 24" extension 48" extension

BACKHOE WITH 12 INCH BUCKET- ATTACHMENT TECHNOLOGIES	509	511	609	611
INC. OR EQUAL	7.0 in	8 ft. 10 in	7 ft. 9 in	8 ft. 10 in
Transport Height	7 ft. 9 in. 5 ft. 0 in	5 ft. 0 in	4 ft. 9 in.	4 ft. 9 in
Transport Width	11 ft	11 ft	11 ft	11 ft
Ground Clearance		7 ft 9 in	7 ft 7 in	7 ft 9 in
Overall Length	7 ft. 7 in	7 ft 9 ff 16 in.	16 in.	16 in.
Boom Pivot Height	16 in.	16 III. 1594 lb.	1702 lb.	1847 lb.
Operating Weight	1425 lb.	1394 10.	1702 10.	104710.
w/12 in. Bucket	0.6.0.	11 ft. 1 in.	9 ft. 8 in	11 ft. 1 in.
Digging Depth	9 ft. 8 in.	11 1t. 1 III.	9 11. 0 111	11 11. 1 111.
Maximum	0.6.7:	11 ft. 0 in.	9 ft. 7 in.	11 ft. 0 in.
Digging Depth (2	9 ft. 7 in.	[1 1t. V III.	9 It. / III.	11 14. 0 111.
ft.) Flat Bottom	8 ft. 3 in.	9 ft. 11 in	8 ft. 3 in.	9 ft. 11 in
Digging Depth (8	0 It. 3 III.	9 II. II III	o It. J III.	7 It. 11 III
ft.) Flat Bottom	12 ft 10 in	14 ft. 5 in	12 ft. 10 in	14 ft. 5 in
Overall Operating	12 It 10 III	14 IL J III	12.16. 10 111	14 It. 5 III
Height – Fully Raised				
	6 ft. 10 in	8 ft 0 in	6 ft. 10 in	8 ft. 0 in
Loading Height	4 ft. 2 in.	5 ft 0 in	4 ft. 2 in	5 ft. 0 in
Loading Reach	12 ft. 9 in	14 ft. 5 in	12 ft. 10 in	14 ft. 5 in
Reach from Swing	12 11. 9 111	14 II. J III	12 It. 10 III	14 It. J III
Post Product Potation	190 dagraag	180 degrees	180 degrees	180 degrees
Bucket Rotation	180 degrees 180 degrees	180 degrees	180 degrees	180 degrees
Swing Arc	7 ft. 3 in	8 ft. 2 in	7 ft. 3 in	8 ft. 2 in
Straight Wall	/ It. 5 III	0 It. 2 III	7 It. 5 III	0 It. 2 III
Digging Depth	7 ft. 11 in.	7 ft 11 in	9 ft. 11 in	9 ft. 11 in
Stabilizer Spread Operating Position	/ 11. 11 111.	/ It 11 III) It. II III) It. II III
Stabilizer Down	16 in	16 in	17 in	17 in
Below Grade	10 111	10 III	17 111	17 H
System Relief	2500 psi	2500 psi	2500 psi	2500 psi
Valve Setting	2500 psi	2500 psi	2500 psi	2000 por
Digging Force -	5676 lb.	5676 lb.	5908 lb.	6167 lb.
Bucket Cylinder	5070 10.	J070 IU.	5,700 10.	J. 10.
Digging Force –	2754 lb.	3056 lb.	3232 lb	4160 lb.
Digging Force – Dipper Cylinder	273T 10.	2020 10.	0202 10	
PP CJ				

BACKHOE - MINI	MB 12	MB 18	MB 24
- FFC			
ATTACHMENTS			
OR EQUAL	-0.5	, o . c :	5 & C :
Digging Depth	5 ft. 6 in	5 ft. 6 in	5 ft. 6 in
Bucket Width	12 in	18 in	24 in 695 lb.
Weight	635 lb.	665 lb	093 10.
BLADE – DOZER – A	ATTACHMENT	DB 96	
TECHNOLOGIES IN	IC. OR EQUAL		
Width from Centerlin	e to Inside Edge @ 15	49.31 in	
degree Angle			
Width from Centerlin	e to Inside Edge @ 30	47.38 in	
degree Angle			
Dozer Blade Width @15 degree Angle		92.73 in.	
Dozer Blade Width @ 30 degree Angle		83.56 in	
Width from Centerline to Outside Edge @		43.41 in.	
15 degree Angle			
Width from Centerlin	e to Outside Edge @	36.16 in.	
30 degree Angle			
Overall Width		96.00 in	
Angle Left and Right		30 degrees	
Overall Length		36.68 in	
Overall Height		29.89 in.	
Approximate Weight		1460 lb.	
BOOM – MATERIAI	L HANDLING –	MH 66	
ATTACHMENT TEC			
OR EQUAL			
Rated Load Capacity		1500 lb.	
Height		66 in.	
-			

BREAKER - HYDRAULIC - KOMATSU	JPB 210
OR EQUAL	
CIMA Tool Energy Rating	212 ft. lb.
Flow Range	22 gpm
Striking Rate	1375 bpm
Operating Pressure	2059 psi
Working Weight	527 lb.
Striking Rate (blows per minute)	1040 min
Adjusted Breaker Pressure	2000 psi
Max. Operating Pressure	2100 psi
Tool Diameter	2.5 in.

BROOM – ANGLE – POLY/WIRE BRISTLES – ATTACHMENT	AB 84
TECHNOLOGIES INC. OR EQUAL	94 in.
Overall Width	94 in. 88 in
Sweeping Width	35.5 in.
Overall Height	59.60 in.
Length Coupler to Brush Front	•
Transport Height On Stand	40.0 in.
Maximum Angle (Left and Right)	30 degrees
Sweeping Width @ 30 degree Angle	76 in.
Weight	1031 lb.
Brush Diameter	32 in.
Wafers (Quantity)	45
Optional Water Kit with 25 Gallon Tank	
Manual/Hydraulic Angle	

BROOM – GENERAL PURPOSE PICK- UP –	PB68
WOODS EQUIPMENT CORP. OR	
EQUAL	
Brush Width	60 in.
Overall Width	68.5 in
Height	25.25 in
Length	67.7 in
Approximate Weight	714 lb.
Hopper Capacity	13.5 cu. ft
Optional Gutter Broom	Cleaning next to curbs

BRUSH CUTTER - FFC ATTACHMENTS LAF 3772

OR EQUAL

Overall Width 75.5 in
Cutting Width 72 in
Height 27 in
GPM Range 15-30 gpm
Max PSI Range 3500 psi

Blade Speed Min/Max 12474/19127 ft/min

Weight Approximate 1653 lb.

BUCKET – BRUSH GRAPPLE – BG 84 ATTACHMENT TECHNOLOGIES INC.

OR EQUAL

84 in **Overall Width** 35.9 in **Overall Depth** Grapple Width 20.5 in 6 in. **Tine Spacing** Grapple Height - Closed 26.4 in. Grapple Hook - Opening 42 in. Overall Weight (lbs) 826 lb. 1250 lb. Clamping Force (lbs) 4

Number of Grapple Teeth
Number of Cylinders

4

Tines & End Plates 1/2 in. T1 steel (100,000 lb. yield)

 Bore
 2.00 in

 Stroke
 8.25 in

 Rod Diameter
 1.25 in.

BUCKET – FORKED SCRAP GRAPPLE – FFC ATTACHMENTS OR EQUAL	FSG 63	FSG 72
Opening Height	41 in.	41 in.
Height Closed	20 in.	20 in.
Usable Tooth	24.13 in.	24.13 in
Width	63.44 in.	73.06 in.
Number of Teeth	8	10
Approximate Weight	990 lb.	1100 lb.
Cylinder Bore	2 in.	2 in.
Cylinder Stroke	8 in.	8 in.

BUCKET – GENERAL PURPOSE –	GP 68S	GP 73S	GP 68L	GP 73L
WOODS				
EQUIPMENT				
CORP. OR				
EQUAL				
Type of Bottom	Short	Short	Long	Long
Width	68 in	73 in	68 in	73 in
Height	19 in	19 in	19 in	19 in
Length	29 in	29 in	35 in	35 in
Approximate	440 lb.	469 lb.	475 lb.	508 lb.
Weight				
Heaped	13.4 cu ft	14.4 cu ft	16.5 cu ft	17.8 cu ft
Capacity				
Optional Teeth	Weld on	Weld on	Weld on	Weld on
Optional Bolt	5/8 in x 8 in			
on Cutting Edge	reversible	reversible	reversible	reversible
Optional Bolt	66 3/8 in –	71 3/8 in –	66 3/8 in –	71 3/8 in –
on Toothbar	66 3/4 in	71 3/4 in	66 3/4 in	71 3/4 in
Inside Bucket				
Width				

BUCKETS – GENERAL PURPOSE UTILITY & LIGHT MATERIAL – WOODS EQUIPMENT CORPORATION	UT 72		LM 72	LM 78	LM 84
OR EQUAL	CDII		1 M	LM	LM
Type	GPU		LM	78 in	84 in
Width	72 in		72 in	26 in	26 in
Height	25 in		26 in	20 m 38 in	38 in
Length	35 in		38 in		660 lb.
Approximate	553 lb.		585 lb.	617 lb.	000 10.
Weight	00.0 6		05.0 6	20.1 av &	30.3 cu ft
Heaped Capacity	22.8 cu. ft		25.8 cu ft	28.1 cu ft	5/8 in x 8 in
Optional Bolt on	5/8 in x 8 i	n	5/8 in x 8 in	5/8 in x 8 in	reversible
Cutting Edge	reversible		reversible	reversible	
Optional Bolt on	70 3/8 in –		NA	NA	NA
Toothbar Inside	70 3/4 in				
Bucket Width					
BUCKET – HEAV SCRAP GRAPPLE WOODS EQUIPM	E – IENT	SG 72	;	SG 78	
CORP. OR EQUA	L	70 :		70 :	
Width		72 in		78 in	
Height		28 in		28 in	
Length		27 1/4		27 1/4 in	
Capacity		14 cu		15.2 cu ft	
Approximate Weig		856 lb).	886 lb.	
Cylinder Bore Dia	meter	2 in.		2 in.	
Cylinder Stroke		8 1/4 i		8 1/4 in	
Optional Bolt on C Edge	Cutting	5/8 in	x 8 in reversible	5/8 in x 8 i	n reversible

MP 73	MP 78
72 in	78 in
	76 m 31 in
33 in	33 in
14.2 cu ft	15.5 cu ft
644 lb.	688 lb.
1 1/2 in	1 1/2 in
2 1/2 in	2 1/2 in
8 in	8 in
5/8 in x 8 in reversible	5/8 in x 8 in reversible
71 3/8 in –	76 3/8 in –
71 3/4 in	76 3/4 in
	73 in 31 in 33 in 14.2 cu ft 644 lb. 1 1/2 in 2 1/2 in 8 in 5/8 in x 8 in reversible 71 3/8 in –

BUCKET - ROCK - ATTACHMENT	RB 75
TECHNOLOGIES INC. OR EQUAL	
Overall Width	74.35 in
Overall Depth	42.45 in
Depth with Skid Steer Mounting	49.80 in
Overall Height	21.77 in
Tine Spacing (Center to Center)	4.25 in
Tine Spacing (Between Tines)	3.125 in
Overall Weight (lbs.)	619 lb.
Number of Tines	18
Tine Rod Diameter	1.125 in

COLD	CP 12	CP 16	CP 18	CP 24	CP 30
PLANER -					
WOODS					
EQUIPMENT					
CORP. OR					
EQUAL					
Depth of Cut	0-6 in	0-6 in	0-6 in	0-6 in	0-6 in
Width of Cut	12 in	16 in	18 in	24 in	30 in
Number of	28	50	56	70	77
Teeth					
Sideshift	22 in	22 in	22 in	22 in	22 in
Tilt	19 degrees	19 degrees	19 degrees	15 degrees	11 degrees
Weight	1200 lb.	1750 lb	2000 lb.	2300 lb.	2450 lb
Hydraulic	Std	Std	Std	Std	Std
Depth	•				
Control					
Hydraulic Tilt	Std	Std	Std	Std	Std
Control					
CONCRETE	TAN DEC		10024		
CONCRETE C		T	10024		
ATTACHMEN	TS OR EQUA	L			
ATTACHMEN Working Widtl	TS OR EQUA	L	24 in		
ATTACHMEN Working Widtl Working Depth	TS OR EQUA	L	24 in 48 in		
ATTACHMEN Working Widtl Working Depth Height OD	TS OR EQUA 1 1	L	24 in 48 in 21 in		
ATTACHMEN Working Widtl Working Depth Height OD Rear Opening 1	TS OR EQUA 1 1 Height	L	24 in 48 in 21 in 7.5 in		
ATTACHMEN Working Widtl Working Depth Height OD	TS OR EQUA 1 1 Height	L	24 in 48 in 21 in		
ATTACHMEN Working Widtl Working Depth Height OD Rear Opening 1	TS OR EQUA 1 1 Height	L	24 in 48 in 21 in 7.5 in		
ATTACHMEN Working Widtl Working Depth Height OD Rear Opening 1	TS OR EQUA 1 1 Height imate		24 in 48 in 21 in 7.5 in		
ATTACHMEN Working Widtl Working Depth Height OD Rear Opening I Weight Approx	TS OR EQUA 1 Height imate LET – ATTA	CHMENT	24 in 48 in 21 in 7.5 in 575 lb.		
ATTACHMEN Working Widtl Working Depth Height OD Rear Opening I Weight Approx	TS OR EQUA Height imate LET – ATTA ES INC OR E	CHMENT QUAL	24 in 48 in 21 in 7.5 in 575 lb. PF 48 370 lb.		
ATTACHMEN Working Widtl Working Depth Height OD Rear Opening I Weight Approx	TS OR EQUA Height imate LET – ATTA ES INC OR E	CHMENT QUAL	24 in 48 in 21 in 7.5 in 575 lb.		
ATTACHMEN Working Width Working Depth Height OD Rear Opening I Weight Approx FORKS – PAL TECHNOLGII Weight (Includ	TS OR EQUA Height imate LET – ATTA ES INC OR E	CHMENT QUAL	24 in 48 in 21 in 7.5 in 575 lb. PF 48 370 lb.		
ATTACHMEN Working Widtl Working Depth Height OD Rear Opening I Weight Approx FORKS – PAL TECHNOLGII Weight (Includ Fork Length	TS OR EQUA Height imate LET – ATTA(ES INC OR E(ing mounting)	CHMENT QUAL	24 in 48 in 21 in 7.5 in 575 lb. PF 48 370 lb. 48 in	in	
ATTACHMEN Working Widtl Working Depth Height OD Rear Opening I Weight Approx FORKS – PAL TECHNOLGII Weight (Includ Fork Length Fork Capacity	TS OR EQUA Height LET – ATTAC ES INC OR EC ing mounting)	CHMENT QUAL	24 in 48 in 21 in 7.5 in 575 lb. PF 48 370 lb. 48 in 4000 lb.	in	

GRAPPLE – LOG FORK – FFC	LG 28
ATTACHMENTS OR EQUAL	
Tine Length	28.4 in
Opening Height	43.1 in
Capacity	6400 lb.
Weight	610 lb.

HITCH - THREE POINT - WOODS	TH3000
EQUIPMENT CORP. OR EQUAL	
Overall Width	46 in
Height	26 in
Length	11 in
Approximate Weight	180 lb.

POWER RAKE - FFC ATTACHMENTS	PRA 90
OR EQUAL	
Working Width	90 in
Overall Width	101 in
Fully Angled Width	86 in
Height	30.3 in
Angle Option	Manual
	Hydraulic
Weight	1075 lb.

PREPARATOR – FFC ATTACHMENTS	P 76
OR EQUAL	
Bucket Capacity	12.5 cu ft
Overall width	85.25 in
Bucket Swath Width	76 in
Overall Bucket Height	25.53 in
Overall Bucket Length	53 in
RPM-r/min@16 gpm Nominal Flow	0-100
Overall Drum Diameter	21.5 in
Tooth Thickness	.19 in
Tooth Length	2.19 in
Number of Teeth	340
Rake Drive	#80H Roller Chain
Brush Drive	#50H Roller Chain
Overall Weight	1465 lb.

ROCK WHEEL WITH 50 GALLON WATER KIT - WOODS EQUIPMENT CORP. OR EQUAL	RW 12	RW 18	RW 24
Depth of Cut	0-12 in	0-18 in	0-24 in
Width of Cut	2.5/4.5 in	2.5/4.5 in	2.5/4.5 in
Number of Teeth	28/33	42/44	56/66
Side Shift	22 in	22 in	22 in
Weight	1600 lb.	1800 lb.	2100 l.b
Wheel Speed	60 rpm	60 rpm	60 rpm
Cutting Speed	Up to 15 fpm	Up to 15 fpm	Up to 15 fpm

ROLLER – VIBRATORY – WOODS EQUIPMENT	VR 66A	VR 73A
CORP. OR EQUAL		
Drum Width	66 in	73 in
Overall Width	73 in	80.5 in
Drum Oscillation	+/-50 degrees	+/-15 degrees
Overall Height	27 in	27 in
Overall length	33 in	33 in
Drum Diameter	24 in	24 in
Total Output	8740 lb.	10,240 lb.
Frequency VPM	2000 @ 15 gpm	2000 @ 15 gpm
Weight lbs. Smooth	1633 lb.	1762 lb
Weight lbs. Padded	1850 lb.	2100 lb.

SCARIFIER - WOODS EQUIPMENT	SF 3000
CORP. OR EQUAL	
Working Width	40 in
Overall Width	63 in
Height	27 in
Length	20 in
Approximate Weight	350 lb.
Number of Shanks	5

SNOW BLADE - FFC ATTACHMENTS	SB 96
OR EQUAL	
Length	96 in
Height with Edge	23.25 in
Angled Width	82.9 in
Weight	525 lb.

SNOW BLOWER - FFC ATTACHMENTS OR EQUAL	84	84H
Cutting Width	84 in	84 in
Shroud Opening	25 in	36 in
Overall Depth	38 in	43 in
Overall Height	56.75 in	74 in
Weight	720 lb.	1230 lb.

Overall Length 64.1 in 64.1 in 64.1 in 7 in 7 in 7 in 7 in 7 in To 60 HP Ho 60 HP He 60 HP <th>STUMP GRINDER - WOODS EQUIPMENT CORP. OR EQUAL</th> <th>SG 20</th> <th>SG 40</th> <th>SG 60</th>	STUMP GRINDER - WOODS EQUIPMENT CORP. OR EQUAL	SG 20	SG 40	SG 60
Telescopic Extension 7 in 7 in 7 in Horsepower To 20 HP To 40 HP To 60 HP Delivered Cutting Height 21 in 21 in Above Ground Cutting Depth Below 16 in 16 in 16 in Ground Cutting Wheel 3.25 in 3.25 in 3.25 in Width Cutting Width 60 in 60 in 60 in Swing Range 140 degrees 140 degrees 140 degrees Type of Teeth 0.5 in slanted, carbide 0.5 in slanted, carbide 0.5 in slanted, carbide tip tip tip tip Number of Teeth 32 32 32 Wheel Diameter 18 in 18 in 18 in Wheel Speed 700 rpm 900 rpm 900 rpm	-	64.1 in	64.1 in	64.1 in
Delivered Cutting Height 21 in 21 in 21 in Above Ground Cutting Depth Below Ground 16 in 16 in 16 in Ground Cutting Wheel 3.25 in 3.25 in 3.25 in Width Cutting Width 60 in 60 in 60 in Swing Range 140 degrees 140 degrees 140 degrees Type of Teeth 0.5 in slanted, carbide tip 0.5 in slanted, carbide tip 0.5 in slanted, carbide tip Number of Teeth 32 32 32 Wheel Diameter 18 in 18 in 18 in Wheel Speed 700 rpm 900 rpm 900 rpm Approx	Ų	7 in	7 in	7 in
Cutting Height Above Ground 21 in 21 in 21 in Cutting Depth Below Ground 16 in 16 in 16 in Cutting Wheel Swing Range 3.25 in 3.25 in 3.25 in Width Cutting Width Swing Range 60 in 60 in 60 in Swing Range Type of Teeth 0.5 in slanted, carbide tip 0.5 in slanted, carbide tip 0.5 in slanted, carbide tip Number of Teeth 32 32 32 Wheel Diameter 18 in 18 in 18 in Wheel Speed 700 rpm 900 rpm 900 rpm (Approx	Horsepower	To 20 HP	To 40 HP	To 60 HP
Above Ground Cutting Depth Below 16 in 16 in 16 in Ground 3.25 in 3.25 in 3.25 in Width 60 in 60 in 60 in Swing Range 140 degrees 140 degrees 140 degrees Type of Teeth 0.5 in slanted, carbide tip 0.5 in slanted, carbide tip 0.5 in slanted, carbide tip Number of Teeth 32 32 32 Wheel Diameter 18 in 18 in 18 in Wheel Speed 700 rpm 900 rpm 900 rpm (Approx	Delivered			
Cutting Depth Below 16 in 16 in 16 in Ground 3.25 in 3.25 in 3.25 in Width 60 in 60 in 60 in Swing Range 140 degrees 140 degrees 140 degrees Type of Teeth 0.5 in slanted, carbide 0.5 in slanted, carbide 0.5 in slanted, carbide tip tip tip Number of Teeth 32 32 32 Wheel Diameter 18 in 18 in 18 in Wheel Speed 700 rpm 900 rpm 900 rpm (Approx		21 in	21 in	21 in
Ground 3.25 in 3.25 in 3.25 in Width 60 in 60 in 60 in Swing Range 140 degrees 140 degrees 140 degrees Type of Teeth 0.5 in slanted, carbide tip 0.5 in slanted, carbide tip 0.5 in slanted, carbide tip Number of Teeth 32 32 32 Wheel Diameter 18 in 18 in 18 in Wheel Speed 700 rpm 900 rpm 900 rpm (Approx			4.0.	17:
Cutting Wheel 3.25 in 3.25 in 3.25 in Width 60 in 60 in 60 in Swing Range 140 degrees 140 degrees 140 degrees Type of Teeth 0.5 in slanted, carbide tip 0.5 in slanted, carbide tip 0.5 in slanted, carbide tip Number of Teeth 32 32 32 Wheel Diameter 18 in 18 in 18 in Wheel Speed 700 rpm 900 rpm 900 rpm		16 in	16 in	16 in
Width 60 in 60 in 60 in Swing Range 140 degrees 140 degrees 140 degrees Type of Teeth 0.5 in slanted, carbide tip 0.5 in slanted, carbide tip 0.5 in slanted, carbide tip Number of Teeth 32 32 32 Wheel Diameter 18 in 18 in 18 in Wheel Speed 700 rpm 900 rpm 900 rpm			2.07.	2.25:
Cutting Width 60 in 60 in 60 in 60 in Swing Range 140 degrees 140 degrees 140 degrees Type of Teeth 0.5 in slanted, carbide tip 0.5 in slanted, carbide tip Number of Teeth 32 32 Wheel Diameter 18 in 18 in Wheel Speed 700 rpm 900 rpm (Approx	_	3.25 in	3.25 m	3.25 in
Swing Range 140 degrees 140 degrees 140 degrees Type of Teeth 0.5 in slanted, carbide tip 0.5 in slanted, carbide tip 0.5 in slanted, carbide tip Number of Teeth 32 32 32 Wheel Diameter 18 in 18 in 18 in Wheel Speed 700 rpm 900 rpm 900 rpm			<i>.</i>	<i>(</i> 0 :
Type of Teeth 0.5 in slanted, carbide tip Number of Teeth Wheel Diameter Wheel Speed (Approx 0.5 in slanted, carbide tip 32 32 32 32 18 in 18 in 900 rpm 900 rpm 900 rpm	0			
tip tip tip Number of Teeth 32 32 32 Wheel Diameter 18 in 18 in 18 in Wheel Speed 700 rpm 900 rpm (Approx	Swing Range	_	140 degrees	_
Number of Teeth 32 32 32 Wheel Diameter 18 in 18 in 18 in Wheel Speed 700 rpm 900 rpm 900 rpm (Approx 10 rpm 10 rpm 10 rpm	Type of Teeth	0.5 in slanted, carbide	0.5 in slanted, carbide	0.5 in slanted, carbide
Wheel Diameter 18 in 18 in 18 in Wheel Speed 700 rpm 900 rpm 900 rpm (Approx 900 rpm 900 rpm		tip	tip	tip
Wheel Speed 700 rpm 900 rpm 900 rpm (Approx	Number of Teeth	32	32	32
(Approx	Wheel Diameter	18 in	18 in	18 in
	Wheel Speed	700 rpm	900 rpm	900 rpm
	•	_		
Weight 705 to. 775 to. 040 to.	Weight	765 lb.	775 lb.	840 lb.

TILLER – WOODS EQUIPMENT CORP. OR EQUAL	TL 73	TL 84
Overall Width Cutting Width	86 in 73 in	97 in 84 in
Working Depth	6 in	6 in
Overall Height	31 in	31 in
Number of Tines	36	40
Tine Rotation	Bi-directional	Bi-directional
Weight	1050 lb.	1228 lb.
Driveline	(2) in-line gerotor motors	(2) in-line gerotor motors
Maximum Tine Speed	121 rpm	121 rpm
Max Flow	25 gpm @ 2000 psi	46 gpm @ 3500 psi

TREE SPADE – FFC ATTACHMENTS	TS36	TS40	TS42	TS44	TS48
OR EQUAL Maximum Ball	36 in	40 in	42 in	44 in	48 in
Size Weight	258 lb.	312 lb.	360 lb.	378 lb.	425 lb./

TRENCHER – ATTACHMENT TECHNOLOGIES INC. OR EQUAL	615	625	650C
Boom Size	36 in	48 in	48 in
Trench Depth @	36 in	48 in	48 in
Recommended			
Angle			
Chain Width	6 in	6 in	6 in
Recommended	65 degrees	65 degrees	65 degrees
Trenching Angle			
Length	65 in	86 in	84 in
Width	42 in/50.5 in	53 in	43 in
Height	28 in	32 in	37 in
Spoil Discharge	24 in	18 in	27 in
Reach			
Weight	495 lb/775 lb	N/A	N/A

ADDENDUM #2 707EC020

OPEN END CONTRACT

SKID STEER LOADER WITH ATTACHMENTS

CHANGES TO BIDDER'S EVALUATION REPORT:

X5.1 NO CHANGE REQUIRED 26,037.00 per unit Price for loader only in quantities of 1-5 26,037.00 per unit 6-10 26,037.00 per unit 11 and over Prices for loader and all attachments per unit 1-5 312,338.98 In quantities of 312,338.98 per unit 6-10 312,338.98 per unit 11 and over FROM: Does unit have high flow hydraulic system providing adequate flow and pressure for X8.4.2 YES ____NO specified attachments TO: _X__YES___NO Does unit have high flow hydraulic system X8.4.2 GPM: __36_____

DELETI	E :		
X9.3	Is a remote attachment control device available for an "*") to start the loader and operate the attachment control area	specified attachments on the outside thYES	e operator
RENUM X9.4 To Is X9.3	BER: a single control unit provided which will control all a	available attachmentsXYES	NO
A9.3			
DELETI X9.5 And Sub Topics 9.5.1 To and Including 9.5.54	E AS WRITTEN: Attachments and pricing:		
ADD: X9.4 And Sub Topics 9.4.1 Through 9.4.32 As follow	Are you supplying all attachments as listed in the supplying all attachments as a supplying a supplying all attachments as a supplying a supplying all attachments as a supplying a supplying attachments as a supplying a supplying attachments as a supplying a supplying a supplying a supplying attachments as a supplying	he specifications? _XYES	NO

X9.4 ATTACH	MENTS:			
X9.4.1 Does t	he AUGER you	are providing meet or		ation? YESNO
Manufacturer:	_Lowe			
	N	ODEL: SK225H	MODEL:	SK250H
Auger		1,690.25	\$2,719.92	
BITS – HEX:				
6" X 50" Head		199.44	\$199.44	
12" x 50" Head		360.43	\$360.43	
24" x 50" Head	\$3	513.18	\$513.18	
SINGLE FLIGHT	'			
EXTENSIONS:	dt d	100.01	\$122.31	
12" Extension		122.31 136.90	\$122.31	
24" Extension	· · · · · · · · · · · · · · · · · · ·		\$136.90 \$201.92	Me
48" Extension	Φ.	201.92	\$201.92	
TOTAL PRICE:		\$ 3,224,43	\$	4,254.10
	he BACKHOE Vecification?	VITH 12 INCH BUC		ding meet or exceed YESNO
Manufacturer:	Bradco			
	MODEL: 509	MODEL: 511	MODEL: 609	MODEL: 611
Bucket with 12				
Inch Bucket	\$7,216.99	\$7,599.00	\$7,742.54	\$8,192.73
TOTAL PRICE:	\$7,216.99	\$7,599.00	\$7,742.54	\$8,192.73

X9.4.3 Does the B A	ACKHOE-MINI you a	are providing meet or exe	ceed specifications? _XYESNO
Manufacturer:Pal	adin		
	MODEL: MB12	MODEL: MB18	MODEL: MB24
Backhoe – Mini	\$1,631.22	\$1,700.40	\$1,766.20
TOTAL PRICE:	\$1,631.22	\$ 1,700.40	\$ 1,766.20
	·		X_ YES NO
wanulacturerraia	um		
		MODEL: 96" Dozer	Blade
Blade – Dozer		\$3,778.19	
TOTAL PRICE:		\$ 3,778.19	
specification	ns?		oviding meet or exceed the X YES NO
Manufacturer:Pal	adın		
		MODEL: 66" Mater	ial Handler
Boom - Material Hand	ling	\$557.83	
TOTAL PRICE:		\$ 557.83	

X9.4.6 Does the BREAKER – HYDRAUL specifications?	IC you are providing meet or exceed theX YES NO
Manufacturer:I-R Tramac	
	NODEL COM
	MODEL: SC28
Breaker – Hydraulic	\$8,173.07
TOTAL PRICE:	\$8,173.07
	LY/WIRE BRISTLES – WATER KIT WITH ing meet or exceed the specifications? XYESNO
Manufacturer:Sweepster	
	MODEL: QC Angle Broom
Broom – Angle – Poly/Wire Bristles – Std. Manual Angle	
Optional Water Kit with 25 Gallon Tank	\$848.00
Optional Hydraulic Angle	\$779.00
TOTAL PRICE:	\$ 5,554.76
X9.4.8 Does the BROOM – GENERAL PU or exceed the specifications?	URPOSE PICK-UP you are providing meetXYESNO
Manufacturer:Sweepster	
	MODEL: SB Hopper Broom
Droom Conord Durmon Diele Lin	\$3,432.47
Broom – General Purpose Pick-Up	ψυ,τυ <i>Σ</i> .τ <i>1</i>
TOTAL PRICE:	\$ 3,432.47
Specs call for optional Gutter Broom – Include No line to put as option.	led in Price

X9.4.9 Does the BRUSH CUTTER you	are providing meet or e	xceed _X_	the specifi YES	cations? NO
Manufacturer:Bradco				
	MODEL: 104419			
Brush Cutter	\$3,869.41			
TOTAL PRICE:	\$ 3,869.41			
X9.4.10 Does the BUCKET – BRUSH G specifications? Manufacturer: Paladin	- · ·	_X	_ YES	
 -			-	
Manufacturer:				
	MODEL: 11384			
Bucket - Brush Grapple	\$3,033.05			
TOTAL PRICE:	\$ 3,033.05			
X9.4.11 Does the BUCKET – FORKED exceed specifications? Manufacturer: Paladin	_	_X	YES	
	MODEL: FSG63	•	MODEL:	FSG72
Bucket-Forked Scrap Grapple	\$3,234.51		\$3,347.14	
TOTAL PRICE.	\$ 3 234 5 1		\$3,347,14	

	ne BUCKET – GEN cations?	NERAL PURPOSE		meet or exceed the YESNO
Manufacturer:V	Woods			
	MODEL:	MODEL:	MODEL:	MODEL:
	101444066	101444073	101491566	101491573
Bucket - General	<u></u>			
Purpose	\$757.08	\$779.14	\$792.01	\$823.18
Optional Teeth	\$217.00	\$217.00	\$217.00	\$217.00
Optional Bolt on				
	\$128.00	\$128.00	\$128.00	\$128.00
Optional Bolt on				
Toothbar Inside				
Bucket Width	\$309.00	\$324.00	\$309.00	\$324.00
	L LINES FOR EVA		OSES)	
TOTAL PRICE	\$ 1,411.08	\$ 1,448.14	_ \$ 1,446.01	\$ 1,492.18
	BUCKETS - GEN r exceed the specific			HT MATERIAL TESNO
,	MODEL (CDIT)	MODEL (IM)	MODEL (LM):	MODEL (LM):
	MODEL (GPU): 101734673	MODEL (LM): 101734773	101734778	101743784
Bucket (GPU)	\$984.51	101734773	101754770	1017 13701
Bucket (LM)	ψ/04.51	\$1,146.24	\$1,221.96	\$1,304.75
		Ψ1,140.24	Ψ1,521.70	Ψ1,001.70
Optional Bolt on Cutting Edge	\$128.00	\$128.00	\$128.00	\$128.00
Optional Bolt on	Ψ120.00	Ψ120.00	4140.00	Ψ120.00
Toothbar Inside				
Bucket Width	\$324.00	\$324.00	\$339.00	\$339.00
	L LINES FOR EVA			Ψυψυ
(NOTE, ADD AL	L LINES FOR EVA	TOWI TOM I OICE C	nala)	
TOTAL PRICE	\$1,436.51	\$1,598.24	\$ 1,688.96	\$1,771.75

X9.4.14 Does the BUCKET or exceed the specific	- HEAVY DUTY SCRAP GRA			
Manufacturer:Paladin	,			
	MODEL: 11872	MODEL: 11876		
Bucket - Heavy Duty Scrap				
Grapple	\$2,539.72	\$2,877.39		
Optional Bolt on Cutting Edge	\$256.65	\$277.35		
(NOTE: ADD ALL LINES FOR	R EVALUATION PURPOSES)			
TOTAL PRICE:	\$ 2,796.37	\$ 3,154.74		
X9.4.15 Does the BUCKET specifications? Manufacturer:Paladi	- MULTI PURPOSE you are pro	oviding meet or exceed theXYESNO		
	MODEL 103565	MODEL: 103573		
Bucket-Multi Purpose	\$2,310.12	\$3,962.24		
Optional Bolt on Reversible				
Cutting Edge	\$325.00	\$350.00		
Optional Bolt on Toothbar				
Inside Bucket Width	\$360.65	\$400.25		
(NOTE: ADD ALL LINES FOR	R EVALUATION PURPOSES)			
TOTAL PRICE:	\$ 2,995.77	\$ 4,712.49		
X9.4.16 Does the BUCKET	- ROCK you are providing meet	or exceed the specifications?X YES NO		
Manufacturer:FFC				
	MODEL: 89646			
Bucket - Rock	\$1,215.05			
TOTAL PRICE:	\$_1,215.05			

X9.4.17 Doe	es the COLD P	LANER you are	providing meet	or exceed the spe XYES	
Manufacturer:	Woods				
	MODEL:	MODEL:	MODEL:	MODEL:	MODEL:
	CP12	CP16	CP18	CP24	CP30
Cold Planer	\$6,257.12	\$9,173.37	\$9,440.35	\$10,241.31	\$12,024.39
TOTAL PRICE:				\$10,241.31	
			u are providing n	neet or exceed theXYES_	
			MODEL: 100		
C			\$1,375.81	724	
Concrete Claw			\$1,575.81		
TOTAL PRIC	EE:		\$ 1,375.81_		
X9.4.19 Do t	the FORKS – I	PALLET you ar	e providing meet	t or exceed the spe XYES	ecifications?
Manufacturer:	Paladin			to deal of the second of the s	-
			MODEL: 168	370/57604	
Forks – Pallet			\$774.30		
TOTAL PRIC			\$ 774.30		

X9.4.20 Does the GRAPPLE – LOG FORK specifications?	you are providing meet or exceed theXYESNO
Manufacturer:Paladin	
	MODEL: LAF1142
Grapple-Log Fork	\$2,815.56
TOTAL PRICE:	\$ 2,815.56
X9.4.21 Does the HITCH - THREE POINT specifications?	you are providing meet or exceed theXYESNO
Manufacturer:Paladin	
	MODEL: 88020
Hitch-Three Point	\$467.04
TOTAL PRICE:	\$ 467.04
X9.4.22 Does the POWER RAKE you are pr	roviding meet or exceed the specifications?XYESNO
Manufacturer: _Paladin	
	MODEL
	MODEL:
Power Rake	\$5,784.96
Manual Angling Model #LAF5690	
Hydraulic Angling Model LAF5690H	\$6,418.48
TOTAL MANUAL ANGLING PRICE:	\$5,784.96
TOTAL HYDRAULIC ANGLING PRICE:	\$6,418.48

X9.4.23 Does the PREPA	RATOR you are	providing meet or o		-	
			X	_ YES	NO
7 A					
Manufacturer:Paladin_					
		MODEL: LAF3	2576		
D		PC 090 05	5370		
Preparator	,	\$6,089.95			
TOTAL PRICE:		\$ 6,089.95			
X9.4.24 Does the ROCK meet or exceed the				Γ you are p YES	
Manufacturer:Woods					
MO	DEL: RW12	MODEL: RW1	8	MODEL:	RW24
Rock Wheel with 50					
Gallon Water Kit \$9,2	57.71	\$9,974.33		\$10,568.6	9
TOTAL PRICE: \$ 9,2	57.71	\$9,974.33	······································	\$10,568.6	9
X9.4.25 Does the ROLLE specifications?	R – VIBRATOR	XY you are providin	_	r exceed th	
Manufacturer:Paladin				1. *****	
	MODEL: 105	5066	MODEL	.: 105067	
Roller – Vibratory	\$	· · · · · · · · · · · · · · · · · · ·	\$		
Smooth Drum	\$6,086.85		\$6,356.3	32	
Padded Drum	\$6,186.85		\$6,456.3	32	
TOTAL SMOOTH DRUM	\$ 6, 086.85		\$ 6,186	5.85	
TOTAL PADDED DRUM:	\$ 6,356.32		\$ 6,456	5.32	

X9.4.26 Does the SCA	RIFIER you are providing meet	or exceed the specifications? XYESNO
Manufacturer:I	Paladin	
	MODEL	.: LAF2201
Scarifier	\$817.51	
TOTAL PRICE:		1
X9.4.27 Does the SNO	W BLADE you are providing m	eet or exceed the specifications?XYESNO
	in	
	MODEL	.: LAF1496
Snow Blade	\$1,992.5	8
TOTAL PRICE:		.58
	W BLOWER you are providing	meet or exceed the specifications?XYESNO
	MODEL 11007D	MODEL : 670411
	MODEL: 11007D	MODEL: 6786H
Snow Blower	\$3,919.73	\$6,948.83
TOTAL PRICE:	\$ 3.919.73	\$ 6.948.83

X9.4.29 Do	es the STUMP (GRINDER you	are providing me	et or exceed the s	
Manufacturer:	Wood	s		4	
	MOD	EL: SG20	MODEL: SG4	MOD	EL: SG60
Stump Grinder	\$4,764	1.16	\$4,532.10	\$5,61	1.88
TOTAL PRIC	CE: \$ 4,764	1. 16	\$ 4,532.10	\$ 5,61	1.88
X9.4.30 Do	es the TILLER	you are providi	ng meet or exceed	the specification XYES	ns? NO
Manufacturer:	Woods		1-10-1-1-10-1-1-10-1-1-10-1-1-10-1-1-10-1-1-10-1-10-1-1-10-1-10-1-1-10-1-1-10-1-1-10-1-1-10-1-1-10-1-1-10-1-1-10-1-1-10-1-1-10-1-1-10-1-1-10-1-1-10-1-1-10-1-1-10-1-1-10-1		
		MODEL: TL	73	MODEL: TL8	4
Tiller		\$3,866.39		\$4,642.30	
TOTAL PRIC	CE:	\$ 3,866.39_		\$ 4,642.30	
X9.4.31 Doo	es the TREE SP.	ADE you are p	roviding meet or e	exceed the specific	
Manufacturer:	Paladin				
	MODEL: TS36	MODEL: TS40	MODEL: TS42	MODEL: TS44	MODEL: TS48
Tree Spade	\$929.39	\$984.84	\$1,020.57	\$1,046.96	\$1,101.75
TOTAL PRICE:	\$929.39	\$ 984.84	\$ 1,020.57	\$ 1.046.96	\$1,101.75

A9.4.32 Does are	TRENCHER you are pr	oviding meet or exceed to	XYESNO
Manufacturer:	_Lowe		
	MODEL: XR14	MODEL: XR25	MODEL: XR35
Trencher	\$3,513.08	\$3,982.59	\$5,402.28
TOTAL PRICE:	\$ 3,513.08	\$3,982.59	\$ 5,402.28
			00
GRAND TOTAL F	OR ALL ATTACHME	NTS: \$ 286,301	.98



RFQ COPY

Anderson Equipa N P. O. Box 3109 Charleston, WV

TYPE NAME/ADDRESS HERE

Anderson Equipment Company

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

25331

Request for Quotation

707EC020

1

ADDRESS:CORRESPONDENCE TO ATTENTION OF JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV

304-472-1750 26201

DATE PRINT		TER	MS OF SAI	E		SHIP VI	4		FOB.		FREIGHTTERMS
05/02/		05/09/	' > ^ ^ 7~				RTD	OPENT	NG TIN	/IE: 0.1	:30PM
BID OPENING DATE:	100000000000000000000000000000000000000	03/03/	2007					1			
LINE	QUAI	NTITY	UOP	CAT NO.		ITEM NUMI	BER.		UNIT PRIC		AMOUNT
				ADDEN	MUCT	NO. 3					
		4									
1	CITTA NICIT	s To T	TITE CI	NECTET	CATT	ONTC					
-	CHANGE	79 IO 1	ur or	ECTEI	CALL	OND.					-
	IF AN	ATTACH	MENT	DOES	NOT	HAVE 1	HYDRAÜI	IC QU	JICK		
	DISCOL	NECTS	OR WI	RING	INST	ALLED	, INCLU	DE TH	ΙE		
	HYDRAU	TIC DI	SCON	ECTS	AND	WIRIN	3 HARNE	ISS WI	TH THE	<u>.</u>	
	ATTACE	HMENTS,	HIGH	WAYS	MILL	INST	ALL. I	O NO.T	TMCLL()DE	
	LABOR	IN YOU	K PKI	CING	FOR	SUBUE	CI ATT	CHMEN	175.		
	BID OF	PENING	DATE	AND I	IME	REMAII	NS THE	SAME.	•		
-											
	NO OTI	IER CHA	MGES.	1							
						•					
0001	E .		EA,		760-	51		İ			
		1	07.55	*	2 000	* CITATI	TITI CI	ļ			
	SKID S	STEER I	OADEF	MT.T.P	ATT	ACHME	NIS				
								ĺ			
				·			7057	1000 1		momar.	
	*****	* THIS	IS 1	HE EN	ID OF	KŀŲ	70 /EC	1020 ^		TOTAL:	
	'										
	}		E .								
1	}		-		ļ						
]		-								
	1		j	i Seere	I VERSE S	DE FOR TE	RMS AND CO	I NDITIONS			1
SIGNATURE	<u></u>	<u> </u>		are, especial and the			ELEPHONE.			DATE	
TITLE		F	ΞN						ADDRESS	S CHANGES	TO BE NOTED ABOVE

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- Awards will be made in the best interest of the State of West Virginia.
- The State may accept or reject in part, or in whole, any bid.
- All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
- 5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this contract is automatically null and void, and is terminated without further order.
- 14. HIPAA Business Associate Addendum The West Viginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

INSTRUCTIONS TO BIDDERS

- Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- 4. Unit prices shall prevail in cases of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

SIGNED BID TO:

Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130



SIGNATURE

TITLE

State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

RFO NUMBER 707EC020

ADDRESS CORRESPONDENCE TO ATTENTION OF JOHN JOHNSTON

304-558-2402

RFQ COPY TYPE NAME/ADDRESS HERE Anderson Equipment Company P. O. Box 3109

Charleston, WV 25331

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201 304-472-1750

DATE PRINTED TERMS OF SALE SHIPVIA FØB FREIGHT TERMS 05/04/2007 05/09/2007 OPENING TIME 01:30PM BID OPENING DATE: TEM NUMBER LINE QUANTITY UOP UNIT PRICE. **AMOUNT** ADDENDUM NO. 4 CHANGES TO THE SPECIFICATIONS PER THE ATTACHED. BID OPENING DATE AND TIME REMAINS THE SAME. NO OTHER CHANGES 0001 760-51 EΑ SKID STEER LOADER WITH ATTACHMENTS THIS IS THE END OF REO 707Ed020 ***** TOTAL: SEE REVERSE SIDE FOR TERMS AND CONDITIONS.

TELEPHONE

DATE

ADDRESS CHANGES TO BE NOTED ABOVE

ADDENDUM NO. 4

Changes to the specifications on Addendum No. 2

Page 14

ROCK WHEEL WITH 50 GALLON RW 12

RW 18

RW 24

WATER KIT

READS:

2.5/4.5 in

2.5/4.5 in

2.5/4.5 in

TO READ:

Width of Cut

2.5

2.5

2.5

Page 24

Bottom of Page

READS:

MODEL:

TO READ:

MODEL: FSG63

MODEL: FSG72

Page 25

Top of Page

READS:

TOTAL PRICE:

TO READ:

TOTAL PRICE

\$ 3,234.51

TOTAL PRICE

\$ 3,347.14

Page 29

X9.4.24

NO CHANGES

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
- 5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- Payment may only be made after the delivery and acceptance of goods or services.
- Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this contract is automatically null and void, and is terminated without further order.
- 14. HIPAA Business Associate Addendum The West Viginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vro/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.

INSTRUCTIONS TO BIDDERS

- Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- Complete all sections of the quotation form.
- Unit prices shall prevail in cases of discrepancy.
- All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

SIGNED BID TO:

Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130 WV-36& STATE OF WEST VIRGINIA

PURCHASING CONTINUATION SHEET

Vendor:

Requisition No.: 707E0020

ADDENDUM ACKNOWLEDGEMENT

I hereby acknowledge receipt of the following checked addendum(s) and have made the necessary revisions to my proposal, plans and/or specifications, etc.

Addendum No.'s:

- No. 1 ___X
- No. 2 X
- No. 3 X
- No. 4 X
- No. 5

I understand that failure to confirm the receipt of the addendum(s) may be cause for rejection of bids.


Michael K. Burke Itls

Anderson Equipment Company

Company

May 8, 2007

Date





State of West Virginia

May 4^{th,} 2007

Subject: Warranty Bradco, McMillan, Sweepster, FFC

All the products purchased by the State of West Virginia from the bid opening May 9th, 2007 will have two year warranty coverage.

All terms, conditions and other provisions of the standard Paladin Light Construction warranty remain in effect.

Jerry Jelen Vice President - Dealer Sales Paladin Light Construction 612-616-5981 jjelen@paladinbrands.com

CC Jeremy Turncamp Randy Thorson Dave Aldrich Kathy Grau Wendell Moss

WARRANTY

Ingersoll Rand Attachments

Ingersoll Rand Company warrants to its authorized dealers and authorized dealers of Ingersoll Rand Equipment Ltd., who in turn warrant to the original owner, that each new Ingersoll Rand attachment will be free from proven defects in material and workmanship for twelve (12) months after delivery by the authorized Ingersoll Rand dealer to the original buyer.

During the warranty period, the authorized Ingersoll Rand dealer shall repair or replace, at Ingersoll Rand Company's option, without charge for parts and labor, any part of the Ingersoll Rand product which fails because of defects in material or workmanship. The owner shall provide the authorized Ingersoll Rand dealer with prompt written notice of the defect and allow reasonable time for replacement or repair. Ingersoll Rand Company may, at its option, require failed parts to be returned to the factory. Travel time of mechanics and transportation of the Ingersoll Rand product to the authorized Ingersoll Rand dealer for warranty work are the responsibility of the owner. The remedies provided in this warranty are exclusive.

This warranty does not cover replacement of scheduled service items and high wear items. The owner shall rely solely on the warranty, if any, of the respective manufacturers thereof. This warranty does not cover damages resulting from abuse, accidents, alterations, use of the Ingersoll Rand product as an attachment on any equipment not approved by Ingersoll Rand Company, air flow obstructions, or failure to maintain or use the Ingersoll Rand product according to the instructions applicable to it.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES AND CONDITIONS, EXCEPT THE WARRANTY OF TITLE. INGERSOLL RAND COMPANY DISCLAIMS ALL OTHER WARRANTIES AND CONDITIONS, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL INGERSOLL RAND COMPANY OR THE AUTHORIZED INGERSOLL RAND DEALER BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES, WHATSOEVER, INCLUDING, BUT NOT LIMITED TO, LOSS OF INTERRUPTION OF BUSINESS, LOST PROFITS, OR LOSS OF MACHINE USE, WHETHER BASED ON CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY, STATUTE OR OTHERWISE, EVEN IF INGERSOLL RAND COMPANY OR THE AUTHORIZED INGERSOLL RAND DEALER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. THE TOTAL LIABILITY OF INGERSOLL RAND COMPANY AND THE AUTHORIZED INGERSOLL RAND DEALERS WITH RESPECT TO THE PRODUCT AND SERVICES FURNISHED HEREUNDER SHALL NOT EXCEED THE PURCHASE PRICE OF THE PRODUCT UPON WHICH SUCH LIABILITY IS BASED.



Toll Free: 1-800-356-9180 PHONE: 608-538-4000 FAX: 608-538-3995 E-mail: Lowe@Lowerman.com www.lowerman.com



(Ship-to) 18903 High Point Road Viola, WI 54664

(Mail-to) Post Office Box 275 Readstown, WI 54652

LOWE Warranty Policy per Operator's Manual

Lowe Manufacturing Company, Incorporated, (LOWE) is proud of its reputation for producing products with high standards of quality and workmanship. When LOWE products are used and maintained in the prescribed manner, you can be assured they will provide reliable service.

Period of Warranty: Any new LOWE product purchased and registered with LOWE will be warranted against defects in materials and workmanship for a period of two years from the date of purchase, subject to the exclusions noted herein. Replacement parts used in warranty repairs will be warranted for the balance of the applicable warranty period.

Warranty Registration: To be eligible for warranty coverage, LOWE product(s) must first be registered with LOWE. A warranty registration form is provided in the Operator's Manual. This form must be completed, signed, and mailed to LOWE by either the authorized selling dealer or the purchaser.

Customer's Responsibility: Under the terms of this warranty, the customer will be responsible for ensuring the product is properly operated and maintained as specified in the Operator's Manual. The owner of the product shall give notice to an authorized dealer of any and all apparent defects within ten (10) days of discovery and make the product available for inspection and repairs at the dealer's place of business. Dealers must contact Lowe for authorization of any warranty work.

The customer's responsibilities include all costs of normal maintenance, replacement wear parts, non-warranty repairs, accidents, collision damage, and other repairs resulting from abnormal strain, neglect, or abuse. Specific examples include, but are not limited to, bending or prying with the product, failure to monitor wear, use of contaminated hydraulic fluid, excessive oil flow or pressure, and operation with a broken or damaged part which causes another part to fail. The customer is also responsible for incidental costs such as transportation due to failure. If you have any specific questions on operation or maintenance, please contact your dealer for advice.

General Exclusions From Warranty: This warranty is not transferable and applies only to the original owner of the equipment. It does not apply to products sold or used previously, products subject to misuse, service other than normal, damage in transit or handling, normal wear, or products in the opinion of Lowe have had unauthorized alterations or repair.

LOWE will replace any warrantable parts with original LOWE parts. LOWE will not pay for unauthorized parts, nor will it pay for freight, labor, travel time, or mileage connected with the replacement of warranty parts. LOWE will also not pay third party repair or replacement charges.

All defective parts against which warranty claims are made must be returned to LOWE, freight prepaid, in accordance with the LOWE Official Return Policy current at the time of the warranty claim. The hydraulic motor(s) used in LOWE products are warranted by the motor manufacturer and, in case of possible warranty failure, must be returned to LOWE or the nearest authorized hydraulic motor distributor for service. Any attempt by you, your dealer, or another company to repair the motor will result in denial of warranty credit.

This warranty is in lieu of all other warranties, expressed or implied. Any claims for incidental or consequential damages are hereby disclaimed by LOWE and excluded from this warranty. LOWE neither assumes nor authorizes any person or company to assume for it any other obligations or liabilities in connection with its products.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Model Number	Serial Number	Date Purchased	
Owner's Name & Address			
Dealer's Name			
Dealer's Address			
City	State	Zip	
Dealer's Phone Number			



Please Enter Information Below and Save for Future Reference.	
Date of Purchase:	From (Dealer):
Model Number	Serial Number

Woods Equipment Company ("WOODS") warrants this product to be free from defects in material and workmanship. Except as otherwise set forth below, the duration of this Warranty shall be twelve (12) months commencing on the in-service date of the product or fifteen months after shipment from the factory or 1,500 hours of service, whichever occurs first. Proof of the in-service date must be provided for claims involving product that originally shipped more than twelve (12) months prior to the date of the claim.

Under no circumstances will this Warranty apply in the event that the product, in the good faith opinion of WOODS, has been subjected to improper operation, improper maintenance, misuse, inappropriate application or an accident. This Warranty does not apply in the event that the product has been materially modified or repaired by someone other than WOODS, a WOODS authorized dealer or distributor, and/or a WOODS authorized service center. This Warranty does not cover normal wear and tear, or normal maintenance items, as more specifically described below. This Warranty also does not cover repairs made with parts other than those obtainable through WOODS.

This Warranty is extended solely to the original purchaser of new and unused product, including, but not limited to, purchases made from authorized Woods dealers. Should such original purchaser sell or otherwise transfer this product to a third party, this Warranty does not transfer to the third party purchaser in any way. There are no third party beneficiaries of this Warranty.

WOODS' obligation under this Warranty is limited to, at WOODS' option, the repair or replacement, free of charge, of the product if WOODS, in its sole discretion, deems it to be defective or in noncompliance with this Warranty. The product must be returned to WOODS with proof of purchase within thirty (30) days after such defect or noncompliance is discovered or should have been discovered, routed through the dealer and distributor from whom the purchase was made, transportation charges prepaid. WOODS shall complete such repair or replacement within a reasonable time after WOODS receives the product. THERE ARE NO OTHER REMEDIES UNDER THIS WARRANTY. THE REMEDY OF REPAIR OR REPLACEMENT IS THE SOLE AND EXCLUSIVE REMEDY UNDER THIS WARRANTY. THERE ARE NO WARRANTIES, WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE OF THIS WARRANTY. WOODS MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, AND WOODS SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTY OF MERCHANTABILITY AND/OR ANY IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

WOODS shall not be liable for any incidental or consequential losses, damages or expenses, arising directly or indirectly from the product, whether such claim is based upon breach of contract, breach of warranty, negligence, strict liability in tort or any other legal theory. Without limiting the generality of the foregoing, WOODS specifically disclaims any damages relating to (i) lost profits, business, revenue or goodwill; (ii) any expense or loss incurred for labor, supplies, substitute machinery or rental; or (iii) any other type of damage to property or economic loss.

This Warranty is subject to any existing conditions of supply, which may directly affect WOODS' ability to obtain materials or manufacturer replacement parts.

No agent, representative, dealer, distributor, serviceperson, or employee of any company, including without limitation, WOODS, its authorized dealers, distributors, and service centers, is authorized to alter, modify or enlarge this Warranty.

Contact an authorized WOODS dealer or service center for warranty service. Common issues that would NOT be covered by this Warranty Policy include, but are not limited to, the examples listed below this Policy.

Woods Equipment Company

2606 South Illinois Route 2 Post Office Box 1000 Oregon, Illinois 61061

800-848-3447 CE tel 815-732-2141 tel 815-732-7580 fax www.WoodsEquipment.com **ALITEC**™

BMP®

CENTRAL FABRICATORS®

GANNON®

CITT Y

WAIN-ROY®

WOODS®

WCCDS.

Examples of Common, Non-Covered Claims

- 1. The owner and operator are responsible for maintaining weld integrity on attachments subject to weld erosion from ongoing contact with soils, rocks, and other materials. Different materials have differing abrasive characteristics that will erode the structural welds of ground-engaging attachments at differing rates. Structural failures may occur as a result of excessive weld erosion. The owner and operator are responsible for maintaining necessary weld sizes and re-welding eroded welds with industry-approved procedures. Woods will not accept warranty claims for weld erosion or structural failures of the attachment as a result of weld erosion.
- Attachments are used extensively in ground-engaging operations and, as a result, the teeth, tooth holders, cutting edges, bucket edges, ripper shanks,
 and other portions of the attachment are subject to abrasion and resulting wear. Woods will not accept warranty claims for wear of components or wear
 of areas of the attachment subject to ground-engaging wear.
- 3. The owner and operator are responsible for examining the attachment for any weld or structural cracking. Any such cracking caused by a defect in materials or workmanship by Woods will be covered under the Woods Warranty Policy. If the owner or operator continues to operate the attachment after weld cracking or structural cracking is visible or should have reasonably been visible, and as a result of continued operation, additional damage to the attachment results, Woods will not accept responsibility for the additional damage caused to other welds or to the attachment structure.
- 4. Materially modifying Woods attachments may result in premature failures of the attachment. Woods will not accept warranty claims on attachments that have been materially modified.
- 5. Misapplications of attachments may result in premature wear, breakage, or structural failures of the attachment. Woods will not accept warranty claims on attachments that have been misapplied. For instance, using a general purpose excavator bucket in an application requiring a heavy or severe duty bucket or using the excavator bucket as a "jack hammer" to break concrete are considered misapplications.



(M) McMillen



PALADIN LIGHT CONSTRUCTION

Bradco, McMillen, The Major Light Construction Headquarters P.O. Box 266 Delhi, IA 52223 United States of America

PH 563-922-2981 FX 563-922-2700

FFC 100 E. Lee Road Lee, IL 60530 United States of America

PH 800-747-2132 FX 815-824-2620

Sweepster 2800 N. Zeeb Road Dexter, MI 48130 United States of America

PH 800-456-7100 FX 734-996-9014

Hartey 1805 2nd Ave. S.W. P.O. Box 230 Jamestown, ND 58402 United States of America

PH 800-437-9779 FX 701-252-1978

410 Hwy 71E P.O. Box 558 Clarissa, MN 56440

PH 218-756-2378 FX 218-756-2492

www.paladinbrands.com

SWEEPSTER Limited Warranty Two (2) Years Warranty

For a period of Two (2) years from the date of delivery of product to the original user, Sweepster Attachments LLC Of Dexter, Michigan warrants each product to be free from defects, subject to the limitations contained in this policy.

This warranty does not apply to defects caused, in whole or in part, by unreasonable use while in the possession of the user, including, but not limited to: failure to properly set up product; failure to provide reasonable and necessary maintenance; normal wear; routine tune ups or adjustments; improper handling or accidents; operation at speed or load conditions contrary to published specifications; improper or insufficient lubrication; improper storage. This warranty is also not a guarantee that the performance of each product will meet the expectations of the purchaser.

Sweepster Attachments LLC shall not be liable for consequential damages of any kind, including, but not limited to: consequential labor costs or transportation charges in connection with the replacement or repair of defective parts; lost time or expense which may have accrued because of said defects. In no event shall Sweepster Attachments LLC total liability hereunder exceed the product purchase price.

Sweepster Attachments LLC makes no warranty with respect to trade accessories or any component or accessory of the product, which was not manufactured by Sweepster Attachments LLC including any purchased components of any kind. These are subject to the warranties of their respective manufacturers. The warranty will be considered void if the product or any part of the product is modified or repaired in any way not expressly authorized by Sweepster Attachments LLC, or if closed components are disassembled prior to return. Closed components include, but are not limited to: gearboxes, hydraulic pumps, motors, cylinders, and actuators.

Our obligation under this warranty is expressly limited, at our option, to the replacement or repair at Sweepster Attachments LLC of Dexter, Michigan, or at a service facility designated by us, or such part or parts as inspection shall disclosed to have been defective. We are not responsible for unauthorized repairs or replacements. ANY IMPLIED OR STATUARY WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE EXPRESSLY LIMITED TO THE DURATION OF THIS WRITTEN WARRANTY. WE MAKE NO OTHER EXPRESS WARRANTY, NOR IS ANYONE AUTHORIZED TO MAKE ANY IN OUR BEHALF. This warranty cannot be extended, broadened, or changed except in writing by an authorized officer of Sweepster Attachments LLC.



PAT-ADYN LIGHT CONSTRUCTION

Bradco, McMillen, The Major Light Construction Headquarters P.O. Box 266 Delhi, IA 52223 United States of America

PH 563-922-2981 FX 563-922-2700

FFC 100 E. Lee Road Lee, IL 60530 United States of America

PH 800-747-2132 FX 815-824-2620

Sweepster 2800 N. Zeeb Road Dexter, MI 48130 United States of America

PH 800-456-7100 FX 734-996-9014

Harley 1805 2nd Ave. S.W. P.O. Box 230 Jamestown, ND 58402 United States of America

PH 800-437-9779 FX 701-252-1978

410 Hwy 71E P.O. Box 558 Clarissa, MN 56440

PH 218-756-2378 FX 218-756-2492

www.paladinbrands.com

SWEEPSTER Limited Warranty Two (2) Years Warranty

For a period of Two (2) years from the date of delivery of product to the original user, Sweepster Attachments LLC Of Dexter, Michigan warrants each product to be free from defects, subject to the limitations contained in this policy.

This warranty does not apply to defects caused, in whole or in part, by unreasonable use while in the possession of the user, including, but not limited to: failure to properly set up product; failure to provide reasonable and necessary maintenance; normal wear; routine tune ups or adjustments; improper handling or accidents; operation at speed or load conditions contrary to published specifications; improper or insufficient lubrication; improper storage. This warranty is also not a guarantee that the performance of each product will meet the expectations of the purchaser.

Sweepster Attachments LLC shall not be liable for consequential damages of any kind, including, but not limited to: consequential labor costs or transportation charges in connection with the replacement or repair of defective parts; lost time or expense which may have accrued because of said defects. In no event shall Sweepster Attachments LLC total liability hereunder exceed the product purchase price.

Sweepster Attachments LLC makes no warranty with respect to trade accessories or any component or accessory of the product, which was not manufactured by Sweepster Attachments LLC including any purchased components of any kind. These are subject to the warranties of their respective manufacturers. The warranty will be considered void if the product or any part of the product is modified or repaired in any way not expressly authorized by Sweepster Attachments LLC, or if closed components are disassembled prior to return. Closed components include, but are not limited to: gearboxes, hydraulic pumps, motors, cylinders, and actuators.

Our obligation under this warranty is expressly limited, at our option, to the replacement or repair at Sweepster Attachments LLC of Dexter, Michigan, or at a service facility designated by us, or such part or parts as inspection shall disclosed to have been defective. We are not responsible for unauthorized repairs or replacements. ANY IMPLIED OR STATUARY WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE EXPRESSLY LIMITED TO THE DURATION OF THIS WRITTEN WARRANTY. WE MAKE NO OTHER EXPRESS WARRANTY, NOR IS ANYONE AUTHORIZED TO MAKE ANY IN OUR BEHALF. This warranty cannot be extended, broadened, or changed except in writing by an authorized officer of Sweepster Attachments LLC.

WV-96 Rev. 5/94

AGREEMENT ADDENDUM

In the event of conflict between this addendum and the agreement, this addendum shall control:

- ARBITRATION Any references to arbitration contained in the agreement are hereby deleted. Disputes arising out of the agreement shall be presented to the
 . West Virginia Court of Claims.
- 2. HOLD HARMLESS Any clause requiring the Agency to indemnify or hold harmless any party is hereby deleted in its entirety.
- 3. GOVERNING LAW The agreement shall be governed by the laws of the State of West Virginia. This provision replaces any references to any other State's governing law.
- 4. TAXES Provisions in the agreement requiring the Agency to pay taxes are deleted. As a State entity, the Agency is exempt from Federal, State, and local taxes and will not pay taxes for any Vendor including individuals, nor will the Agency file any tax returns or reports on behalf of Vendor or any other party.
- 5. PAYMENT Any references to prepayment are deleted. Payment will be in arrears.
- 6 INTEREST Should the agreement include a provision for interest on late payments, the Agency agrees to pay the maximum legal rate under West Virginia law.

 All other references to interest or late charges are deleted.
- 7. RECOUPMENT Any language in the agreement waiving the Agency's right to set-off, counterclaim, recoupment, or other defense is hereby deleted.
- 8. FISCAL YEAR FUNDING Service performed under the agreement may be continued in succeeding fiscal years for the term of the agreement, contingent upon funds being appropriated by the Legislature or otherwise being available for this service. In the event funds are not appropriated or otherwise available for this service, the agreement shall terminate without penalty on June 30. After that date, the agreement becomes of no effect and is null and void. However, the Agency agrees to use its best efforts to have the amounts contemplated under the agreement included in its budget. Non-appropriation or non-funding shall not be considered an event of default.
- STATUTE OF LIMITATION Any clauses limiting the time in which the Agency may bring suit against the Vendor, lessor, individual, or any other party are deleted.
- 10. <u>SIMILAR SERVICES</u> Any provisions limiting the Agency's right to obtain similar services or equipment in the event of default or non-funding during the term of the agreement are hereby deleted.
- 11. <u>ATTORNEY FEES</u> The Agency recognizes an obligation to pay attorney's fees or costs only when assessed by a court of competent jurisdiction. Any other provision is invalid and considered null and void.
- 12. ASSIGNMENT Notwithstanding any clause to the contrary, the Agency reserves the right to assign the agreement to another State of West Virginia agency, board or commission upon thirty (30) days written notice to the Vendor and Vendor shall obtain the written consent of Agency prior to assigning the agreement.
- 13. LIMITATION OF LIABILITY The Agency, as a State entity, cannot agree to assume the potential liability of a Vendor. Accordingly, any provision limiting the Vendor's liability for direct damages or limiting the Vendor's liability under a warranty to a certain dollar amount or to the amount of the agreement is hereby deleted. In addition, any limitation is null and void to the extent that it precludes any action for injury to persons or for damages to personal property.
- 14. RIGHT TO TERMINATE Agency shall have the right to terminate the agreement upon thirty (30) days written notice to Vendor.
- 15. <u>TERMINATION CHARGES</u> Any provision requiring the Agency to pay a fixed amount or liquidated damages upon termination of the agreement is hereby deleted. The Agency may only agree to reimburse a Vendor for actual costs incurred or losses sustained during the current fiscal year due to wrongful termination by the Agency prior to the end of any current agreement term.
- 16. RENEWAL Any reference to automatic renewal is hereby deleted. The agreement may be renewed only upon mutual written agreement of the parties.
- 17. <u>INSURANCE</u> Any provision requiring the Agency to insure equipment or property of any kind and name the Vendor as beneficiary or as an additional insured is hereby deleted.
- 18. <u>RIGHT TO NOTICE</u> Any provision for repossession of equipment without notice is hereby deleted. However, the Agency does recognize a right of repossession with notice.
- 19. ACCELERATION Any reference to acceleration of payments in the event of default or non-funding is hereby deleted.
- 20. <u>AMENDMENTS</u> All amendments, modifications, alterations or changes to the agreement shall be in writing and signed by both parties. No amendment, modification, alteration or change may be made to this addendum without the express written approval of the Purchasing Division and the Attorney General.

ACCEPTED BY: STATE OF WEST VIRGINIA	VENDOR			
Spending Unit:	Company Name: Anderson Equipment Company			
Signed:	Signed: Michael K. Burke the			
Title:	Title: General Manager - WV			
Date:	Date: May 8, 2007			

RFQ No. 7()7EC020
------------	---------

AFFIDAVIT

West Virginia Code §5A-3-10a states:

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION:

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name:	Anderso	n Equipment	Company				
Authorized Signature	: <u>Cm</u>	ichael K	Bule	The Date:	May 8,	2007	
No Debt Affidavit (Revised	10/13/06)	Michael K.	Burke				

E.SERIES

(TEAL

Skid Loaders




CEAL.






When it comes to different jobs in a variety of applications and conditions, there isn't much the E-Series can't handle. Power, speed reach, operator comfort and visibility.

It's everything you want in a rugged, simple, dependable machine.





Less noise, more comfort... The E-Series really delivers versatility

Introducing the new Gehl E-Series Skid Loaders featuring performance and an expanded lineup of six models, ranging from the compact 3640E through the top-of-line 6640E, a real workhorse with exceptional hydraulic power. These machines are a "must-have" for every task, whether you're a contractor, landscaper, renter, farmer or just someone with a lot of work and not enough time.

All models offer spacious, ergonomically designed cabs with fatigue-fighting features for greater comfort and increased productivity. Plus, your choice

of operator-friendly controls. Without a doubt, there's an E-Series Skid Loader to fit your needs with the performance you expect from Gehl.

3640E / 424GE MODELS FEATURE:

Compact low-profile design for maneuverability in narrow, low-clearance areas

Powerful Yanmar diesel engines for power and performance where it counts

All-Tach™ attachment mounting system for compatibility with most attachments

4640E / 4840E / 5640E / 6640E MODELS FEATURE:

Innovative acoustical materials to reduce interior cab sound levels, and newly-designed engine-related components to lower sound levels, inside and out


New higher operating load ratings—up to 2900 lbs. with optional counterweights **Advanced high horsepower Deutz engines** with in-cylinder glow plugs to improve cold weather starting and auto-shutdown systems

Exceptional hydraulic power for high breakout forces and outstanding attachment performance



Right-sized machines will right-size every job

Gehl has become a big name in the skid loader business and it's not by chance. Gehl is constantly working to improve, enhance and increase performance, versatility, efficiency and operator comfort. The E-Series is the latest example of our committment to give users the edge in productivity and profitability.





3640E / 4240E Features

Maneuverable in tight spaces. 48"/61" wide with ROPS/FOPS height of 70.3"/71.9" (3640E/4240E).


Improved drive controls require less effort and reduce operator fatigue.


More power—up to 46 hp, and higher operating load ratings—up to 1475 lbs. with optional counterweights (4240E).

Lighter weight for better performance, less tire wear and easier hauling (3640E).


Deluxe sound package option lowers sound levels in the operator's compartment.

Hydraulic self-leveling lift action optional.









4640E / 4840E / 5640E / 6640E Features

Acoustical improvements reduce sound levels to among the lowest in the industry.

Compact muffler design lowers engine exhaust noise.

Increased operating load ratings up to 2600 lbs. (2900 lbs. with optional counterweights).

Standard and optional high-flow auxiliary hydraulic systems provide the high pressures and flows necessary to power virtually any attachment.


Maintenance-free, radial-piston drive motors have high start-up torque for rapid acceleration.

Standard ground speed up to 8.5 mph or up to 12.5 mph with optional two-speed drive.

Standard engine auto-shutdown feature turns off engine when low oil pressure or high temperatures are detected.

Standard heavy-duty high-flotation tires.

enhanced rator comfort



3640E / 4240E Interior with T-Bar "Hands Only" Controls

A large operator compartment with clear side and rear sight lines provides operators full, expansive views for increased safety. High-back adjustable cushioned seat improves comfort. Suspension seat and factoryinstalled air-conditioning* and heater system are available options.

ROPS/FOPS (Level II) for extra operator protection.

Roof grid section and window provide excellent bucket visibility at full height.

Adjustable operator restraint bar offers secondary protection and serves as a padded armrest.

Interlock system locks out lift/tilt functions when optional front door is opened.

T-bar "hands-only," hand/foot or dual-hand* controls to match any operator's preference.

* Dual-hand control and air-conditioning not available on 3640E/4240E





Entire ROPS/FOPS structure pivots back, with gas-spring assist, for full, easy access to the internal hydraulic components.

Swing-open rear door and flip-up engine cover fully expose maintenance access points to engine, battery, filters and filler caps.


Maintenance-free axles are lubricated and sealed for long life.

Removable access plates for ease of clean out.






/ 48405 / 56405 / 66405 seith f-Bar "Hands-Only" Controls



Hand/Foot Controls



Dual-Hand Controls (not available on 3640E/4240E)

One look and you'll see that the E-Series Skid Loaders are built for efficiency. The patented Powerview® lift arm offers excellent operator visibility. And Super Hi-power drive chains feature heavy, highstrength construction, designed to stand up to rugged conditions.

A layer of acoustical sound suppression material reduces operator noise levels in the cab.

SUPERIOR PERFORMANCE

Longer wheelbase and a low center of gravity offer a smooth, stable ride. Hydraglide™ ride control option is available on E-Series models 4640E/4840E/5640E/6640E.


Drivetrain on models 4640E/4840E/5640E/6640E features heavy-duty drive components. Adjustments can be made to the simple "bow tie" chain system from outside the unit.

Hydraloc[™] automatic interlock system locks lift, tilt and drive systems when the operator leaves the seat, increasing operator safety. System also engages when the restraint bar is raised or the ignition switch is turned off.

Lift arm hydraulic tubes are concealed and protected from the work environment.

Forged one-piece axle shafts feature heavy-duty tapered roller bearings and "quad" lip seals with trash protection built-in around the seal area.


Rated operating load can be readily increased with the addition of counterweights.





The tools of the trades

FULL ATTACHMENT LINE FOR ANY 108

Your Gehl dealer is your best source for a full line of attachments and accessories designed specifically to fill your needs and to make your E-Series Skid Loader the most versatile machine on your job site.










High horsepower and powerful hydraulic systems provide the pressure and flow to power virtually any attachment. Hydraulic self-leveling action keeps buckets, pallet forks and other attachments level during lifting actions (optional on 3640E/4240E).


















ATTACHMENT CHANGES ARE QUICK & EASY



All models feature the easy-to-use All-Tach™ (universal-style) attachment mounting system compatible with most allied attachments.

Power-A-Tach™ system option* allows users to quickly add or remove attachments without leaving the seat.

*Power-A-Tach™ system option not available on 3640E/4240E



SPECIFICATIONS

All dimensions are in inches (millimeters) unless otherwise noted.

		3640E	42408	4640E	4840E	5649E	6640E
۸	Overall Operating Height	139.6	141.1	149	149	162	168.3
Α.	(fully raised)	(3546)	(3584)	(3785)	(3785)	(4115)	(4274)
D	Height to Hinge Pin	108.1	110	115.5	115.5	123	124.3
۵.	(fully raised)	(2746)	(2794)	(2934)	(2934)	(3124)	(3157)
c	Overall Height w/	70.3	71.9	78.0	78.0	81.0	82.0
	ROPS/FOPS Cab	(1786)	(1826)	(1981)	(1981)	(2057)	(2082)
D.	Ground Clearance	6	8.3	7.5	7.5 /101)	8.0 (203)	9.1 (231)
_		(152)	(211)	(191) 122.8	(191) 126.3	131.0	141.5
Ĕ.	Overall Length	114 (2896)	116.2 (2952)	(3119)	(3208)	(3327)	(3594)
		(w/55"	(w/61"	(w/66"	(w/66"	(w/70"	(w/74"
		bucket)	bucket)	bucket)	bucket)	bucket)	bucket)
F.	Overall Length	88.9	91.1	89.8	93.3 (2370)	95.5 (2426)	101.0 (2565)
_	(less bucket)	(2258)	(2314) 36.7	(2291) 37.5	41.5	42.5	48.4
G.	Wheelbase	34.5 (876)	(932)	(953)	(1054)	(1080)	(1219)
н	Dump Reach	22.8	22.6	27.6	27.6	32.8	34.3
11.	(at full height)	(579)	(574)	(701)	(701)	(833)	(863)
ì.	Rollback at Ground	29°	29°	27°	27°	30°	30°
j.	Dump Angle	42°	42°	40°	40°	40°	40°
K.	Overall Width	48.4 (1229)	52.5/58.4 (1334/1483)	63.5 (1613)	63.5 (1613)	67.0 (1702)	72.5 (1841) 74 - 90
L.	Bucket Width	55.3 (1404)	60.6 (1539)	66 - 72 (1679 - 1829)	66 - 75 (1679 - 1905)	70 - 90 (1778 - 2286)	(1880 - 2286)
M	. Clearance Circle (Rear)	54.1 (1374)	58.4 (1484)	59.5 (1513)	61.5 (1562)	66.0 (1679)	69.0 (1753)
N.	Clearance Circle	44.1	43.4	47	48	50.5 (1283)	54.0 (1372)
	(Front, less bucket)	(1120)	(1102)	(1194) 74.5	(1219) 76.0	82.0	90.5
Ο.	Clearance Circle (Front, w/bucket)	69.4 (1763)	69.2 (1758)	(1892)	(1930)	(2083)	(2299)
В	Seat to Ground Height	32.6 (828)	33.6 (853)	37.5 (953)	37.5 (953)	42.0 (1067)	43.3 (1100)
0.		99°	99°	86°	86°	84°	84°
R.		84.5	86.5	89.5	89.5	93.5	94.8
	2 4p	(2146)	(2197)	(2273)	(2273)	(2375)	(2408)
S.	Departure Angle	26°	29°	25°	25°	26°	29°
	Standard Tire Size	27x8.5x15 HD	10.00x16.5 HD	10.00x16.5 HD	10.00x16.5 HD	12.00x16.5 HD	14.00x17.5 HD
	egave	V	Yanmar	Deutz ^(A)	Deutz	Deutz ⁽⁸⁾	Deutz
	ake	Yanmar 3TNV88	4TNV88	F3M2011	F4M2011	F4M2011	BF4M2011
IVI	odel	211/4/00	4111100	BF3M2011	1 11112071	BF4M2011	
N	et Power (kW) @ RPM	35 hp (26) @ 2600	46 hp (34) @ 2600	46/60 hp (34/45) @ 2600	60 hp (45) @ 2500	60/82 hp (45/61) @ 2500	82 hp (61) @ 2500
Di	splacement (L)	100 cu. in. (1.64)	133 cu. in. (2.19)	142 cu. in. (2.3)	190 cu. in. (3.1)	190 cu. in. (3.1)	190 cu. in. (3.1)
F	YDRAULIC SYSTEM					Treation (Traction/
	bar Hand Controls,	Traction/	Traction/	Traction/ Lift/Tilt	Traction/ Lift/Tilt	Traction/ Lift/Tilt	Lift/Tilt
	and/Foot Controls Dual-Hand Controls [©]	Lift/Tilt	Lift/Tilt	FILMILLE	ZIIO IIIL	2110 1110	
	uxiliary Hyd. (L/min)	14.5 gpm (55)	16.5 gpm (62)	19 gpm (72)	19 gpm (72)	23 gpm (87.1)	23 gpm (87.1)
	gh-Flow Hyd.(L/min) – option	N/A	N/A	30 gpm (114)	30 gpm (114)	36 gpm (136.3)	36 gpm (136.3)
	tration	4 micron	4 micron	3 micron	3 micron	3 micron	3 micron
	eservoir Capacity (L)	8 gal. (30.3)	8 gal. (30.3)	12 gal. (45)	12 gal. (45)	16 gal. (60)	16 gal. (60)
						•	

	36408	4240E	4640E / 4640E Turbo	4840E	5640E / 5640E Turba
BLECTRICAL SYSTEM	40 %	42lh	12-volt	12-volt	12-volt
Battery	12-volt (675 CCA)	12-volt (675 CCA)	(950 CCA)	(950 CCA)	(950 CCA)
g. (0126	•	12-volt (2.3)	12-volt (2.3)	12-volt (2.3)	12-volt (2.3)
Starter (kW)	12-volt (2.3)	40-amp.	95-amp.	95-amp.	95-amp.
Alternator	40-amp.	40-anip.	55-amp.	oo amp.	
CAPACITIES / WEIGHTS					
Rated Operating Load (kg) ⁽⁰⁾	1050 lbs. (476)	1350 lbs. (612)	1550 lbs. (680) / 1650 lbs. (748)	1900 lbs. (862)	2050 lbs. (930) / 2200 lbs. (998)
Rated Operating Load w/ Opt. Counterweight (kg) ^{©)}	1175 lbs. (533)	1475 lbs. (669)	1700 lbs. (771) / 1800 lbs. (816)	2050 lbs. (930)	2350 lbs.(1066) / 2500 lbs. (1134)
Tipping Capacity (kg) ⁽⁰⁾	2100 lbs. (952)	2700 lbs. (1225)	3100 lbs. (1361) / 3300 lbs. (1497)	3800 lbs. (1724)	4100 lbs. (1860) / 4400 lbs. (1996)
Fuel Tank (L)	10.3 gal. (38.9)	12.4 gal. (47)	15 gal. (56)	15 gal. (56)	19 gal. (72)
Travel Speed - max. (km/h)	6.8 mph (10.9)	6.4 mph (10.3)	8.1 mph (13) 11.4 mph (18.3) [©]	8.1 mph (13) 11.4 mph (18.3) [©]	8.4 mph (13.5) 12.5 mph (20) [©]
Operating Weight (kg) ^(r) - approx.	4000 lbs. (1814)	4600 lbs. (2087)	6200 lbs. (2812)	6480 lbs. (2939)	7380 lbs. (3347)
TREMEUOS CARUTAGE					
Auxiliary Hydraulics	Yes	Yes	Yes	Yes	Yes
Brake Control (auto/manual)	Yes	Yes	Yes	Yes	Yes
Engine Heater	Opt.	Opt.	Opt.	Opt.	Opt.
Foot & Hand Throttles	Yes ^(G)	Yes ^(G)	Yes ^(G)	Yes ⁽⁶⁾	Yes ^(G)
Anti-Vandalism Protection	Yes	Yes	Yes	Yes	Yes
Full Instrumentation	Yes	Yes	Yes	Yes	Yes
T-bar Hand Controls Available	Yes	Yes	Yes	Yes	Yes
Hand/Foot Controls					.,
Available	Yes	Yes	Yes	Yes	Yes
Dual-Hand Controls			V	Yes	Yes
Available	No	No	Yes		Yes
Hourmeter	Yes	Yes	Yes	Yes	Yes
Hydraloc™ System	Yes	Yes	Yes	Yes	
Hydrostatic Drive	Yes	Yes	Yes	Yes	Yes
Independent Hydraulic Reservoir	Yes	Yes	Yes	Yes	Yes
Integral Access	Vor	Yes	Yes	Yes	Yes
Plate (removable)	Yes	Yes	Yes	Yes	Yes
Lift Arm Support Device	Yes	Yes	Yes	Yes	Yes
Operational Lights - frt & rear	Yes	res	res	163	163
Operator Restraint Bar with Padded Armrests/Seat Belt	Yes	Yes	Yes	Yes	Yes
Engine Auto-Shutdown System	Opt.	Opt.	Yes	Yes	Yes
All-Tach™ Attachment Mounting	Yes	Yes	Yes	Yes	Yes
ROPS/FOPS Level II					
Overhead Guard (w/integral side screens)	Yes	Yes	Yes	Yes	Yes
Self-Leveling Lift Action	Opt.	Opt.	Yes	Yes	Yes
Sound Reduction Package	Opt.	Opt.	Yes	Yes	Yes
Spark-Arrestor Muffler	Yes	Yes	Yes ^(H)	Yes	Yes ^(H)
spark-Arrestor Munici	103				neo-makend programan ang ang ang ang ang ang ang ang ang a
	THE RESIDENCE OF THE PROPERTY	en o communicación de entre de communicación de la compansión de la compan	parties in demande an amenda an antido de desperto de secue de estado de la consecue de la conse		

⁽A) 4640E turbo versions use Deutz BF3M2011 Turbo engine – 60 hp.

⁽B) 5640E turbo versions use Deutz BF4M2011 Turbo engine – 82 hp.

⁽C) Dual-hand controls not available on 3640E/4240E.

⁽D) Per SAE J818, SAE J732, and ISO 14397.

⁽E) With 2-speed drive option.

⁽F) Weight of base unit with standard equipment, standard tires (heavy-duty flotation), standard (dirt/construction) bucket and 175 lb. (79 kg) operator.

⁽G) Foot throttle is standard with T-Bar and Dual-Hand controls, but not available with Hand/Foot controls.

⁽H) Naturally aspirated engines have spark-arrestor mufflers.

56408

12-volt (950 CCA) 12-volt (2.3) 95-amp.

2600 lbs. (1179)

2900 lbs. (1315)

5200 lbs. (2359)

24 gal. (91) 8.4 mph (13.5) 12.5 mph (20)^(E) 7800 lbs. (3538)

Yes Yes Opt. Yes^(G) Yes Yes

Yes

Yes Yes

Yes Yes

Yes

Yes

Yes Yes

Yes Yes

Yes

Yes

Yes Yes

Yes

No

SAFETY IS NO ACCIDENT. Gehl Company reminds users to read and understand the operator's manual before operating any piece of equipment, and to be sure all safety devices and shields are securely in place and functioning properly.

Gehl Company reserves the right to make changes in specifications or add improvements at any time without notice or obligation.


E-SERIES FEATURED OPTIONS



High-Flow Hydrauics



Enclosed Cab



Counterweight Kit





Protect your investment with the Power Protection Plane offered by Gehl

Eliminate unexpected repair costs and take better care of your Gehl equipment with the Power Protection Plan® offered by Gehl. It ensures repairs will be made quickly with genuine manufacturer-approved parts by trained mechanics. See your Gehl dealer for affordable coverage options.





COMPACT EQUIPMENT FOR BIG RESULTS"

143 Water Street West Bend, WI 53095 U.S.A.

Tel:

262-334-9461

Fax:

262-338-7517

SAVE BIG WITH GEHL FINANCE—Low rates...quick approval... terms you'll like... With Gehl Finance your equipment purchase couldn't be easier or more affordable. Choose from a number of flexible payment options. See your Gehl dealer for details.

PRE-DELIVERY-INSPECTION (PDI) ASSURES QUALITY IN ALL GEHL MACHINES—PDI certifies that the quality you expect will be the quality we deliver with every new skid loader that leaves our plant.

For more information on Gehl equipment, call our literature hotline at 800-628-0491 or visit our website: www.gehl.com