

VENDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

DNR80148

JOHN ABBOTT 304-558-2544

360-573-0202 *709065347 SMITH ROOT INC 14014 NO E SALMON CREEK AVE VANCOUVER WA 98686

DIVISION OF NATURAL RESOURCES PROCUREMENT OFFICE CAPITOL COMPLEX BUILDING 3, ROOM 630 CHARLESTON, WV 304-558-3397 25305

ADDRESS CHANGES TO BE NOTED ABOVE

**ADDRESS CORRESPONDENCE TO ATTENTION OF

F.O.B. FREIGHT TERMS SHIP VIA TERMS OF SALE DATE PRINTED 02/27/2007 01:30PM BID OPENING TIME BID OPENING DATE: 03/13/2007 CAT NO AMOUNT UNIT PRICE ITEM NUMBER QUANTITY UOP LINE REQUEST FOR QUOTATION THE PURCHASING DIVISION IS SOLICITING BIDS FOR THE DIVISION OF NATURAL RESOURCES TO PROVIDE TWO (2) ELECTROFISHING BOATS. 1. SPECIFICATIONS ATTACHMENTS: 2. AFFIDAVIT 0001 EA 120-21 \$125,658.00 \$62,829.00 2 ELECTROFISHING BOAT W/TRAILER & RIGGING VENDOR PREFERENCE CERTIFICATE CERTIFICATION AND APPLICATION* IS HEREBY MADE FOR PREFERENCE IN ACCORDANCE WITH WEST VIRGINIA CODE, 5A-3-37 (DOES NOT APPLY TO CONSTRUCTION CONTRACTS). APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED: BIDDER IS AN INDIVIDUAL RESIDENT VENDOR AND HAS RESIDED CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR BIDDER IS A PARTNERSHIP, ASSOCIATION OR CORPORA-TION RESIDENT VENDOR AND HAS MAINTAINED ITS HEAD-QUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING SEE REVERSE SIDE FOR TERMS AND CONDITIONS TELEPHONE DATE SIGNATURE, 360/573-0202 March 9, 2007

91-0843323



HZDOR

TITLE

*709065347

SMITH ROOT INC

VANCOUVER WA

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

98686

14014 NO E SALMON CREEK AVE

360-573-0202

Request for Quotation

RFO NUMBER DNR80148

ADDRESS CORRESPONDENCE TO ATTENTION OF

JOHN ABBOTT 304-558-2544

DIVISION OF NATURAL RESOURCES PROCUREMENT OFFICE

P

CAPITOL COMPLEX BUILDING 3, ROOM 630 CHARLESTON, WV 25305 304-558-3397

ADDRESS CHANGES TO BE NOTED ABOVE

DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. FREIGHT TERMS 02/27/2007 BID OPENING DATE: 03/13/2007 **BID OPENING TIME** 01:30PM CAT NO LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT THIS CERTIFICATION; OR 80% OF THE OWNERSHIP THE DATE OF BIDDER IS HELD BY ANOTHER INDIVIDUAL, INTEREST OF PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR WHO HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR BIDDER IS A CORPORATION NONRESIDENT VENDOR WHICH HAS AN AFFILIATE OR SUBSIDIARY WHICH EMPLOYS A MINIMUM OF ONE HUNDRED STATE RESIDENTS AND WHICH HAS MAINTAINED ITS HEAQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA CONTINUOUSLY FOR THE FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED: BIDDER IS A RESIDENT VENDOR WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES WORKING ON THE PROJECT BEING BID ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID; BIDDER IS A NONRESIDENT VENDOR EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS OR IS A NONRESIDENT VENDOR WITH AN AFFILIATE OR SUBSIDIARY WHICH MAINTAINS ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES OR BIDDERS' AFFILIATE'S OR |SUBSIDIARY'S| EMPL|OYEES| ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE DATE



VENDOR

TITLE

***709065347**

SMITH ROOT INC

VANCOUVER WA

State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

98686

FEIN

14014 NO E SALMON CREEK AVE

360-573-0202

Request for Quotation

P

RFQ NUMBER DNR80148

ADDRESS:CORRESPONDENCE TO ATTENTION OF

ADDRESS CHANGES TO BE NOTED ABOVE

JOHN ABBOTT

304-558-2544

DIVISION OF NATURAL RESOURCES PROCUREMENT OFFICE CAPITOL COMPLEX BUILDING 3, ROOM 630 CHARLESTON, WV 25305 304-558-3397

DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. FREIGHTTERMS 02/27/2007 **BID OPENING DATE:** 03/13/2007 BID OPENING TIME 01:30PM CAT. LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID. BIDDER UNDERSTANDS IF THE SECRETARY OF TAX & REVENUE DETERMINES THAT A BIDDER RECEIVING PREFERENCE HAS FAILED TO CONTINUE TO MEET THE REQUIREMENTS FOR SUCH PREFERENCE, THE SECRETARY MAY ORDER THE DIRECTOR OF (A) RESCIND THE CONTRACT OR PURCHASE PURCHASING TO: ORDER ISSUED; OR (B) ASSESS A PENALTY AGAINST SUCH BIDDER IN AN AMOUNT NOT TO EXCEED 5% OF THE BID AMOUNT AND THAT SUCH PENALTY WILL BE PAID TO THE CONTRACTING AGENCY OR DEDUCTED FROM ANY UNPAID BALANCE ON THE CONTRACT OR PURCHASE ORDER. BY SUBMISSION OF THIS CERTIFICATE, BIDDER AGREES TO DISCLOSE ANY REASONABLY REQUESTED INFORMATION TO THE PURCHASING DIVISION AND AUTHORIZES THE DEPARTMENT OF TAX AND REVENUE TO DISCLOSE TO THE DIRECTOR OF PURCHASING APPROPRIATE INFORMATION VERIFYING THAT BIDDER HAS PAID THE REQUIRED BUSINESS TAXES, PROVIDED THAT SUCH INFORMATION DOES NOT CONTAIN THE AMOUNTS OF TAXES PAID NOR ANY OTHER INFORMATION DEEMED BY THE TAX COMMISSIONER TO BE CONFIDENTIAL. UNDER PENALTY OF LAW FOR FALSE SWEARING (WEST VIRGINIA CODE 61-5-3), BIDDER HEREBY CERTIFIES THAT THIS CERTIFICATE IS TRUE AND ACCURATE IN ALL RESPECTS; AND THAT IF A CONTRACT IS ISSUED TO BIDDER AND IF ANYTHING CONTAINED WITHIN THIS CERTIFICATE CHANGES DURING THE CONTRACT, BIDDER WILL NOTIFY THE PURCHASING TERM OF THE DIVISION IN WRITING IMMEDIATELY. Smith-Root, Inc. BIDDER: March 9, 2007 DATE: SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE



VENDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

DNR80148

PAGE 4

::::AD	DRESS:	CORRESPON	IDENCE TO A	TTENTION	OF:

JOHN ABBOTT 304-558-2544

*709065347 360-573-0202 SMITH ROOT INC 14014 NO E SALMON CREEK AVE VANCOUVER WA 98686

DIVISION OF NATURAL RESOURCES
PROCUREMENT OFFICE
CAPITOL COMPLEX
BUILDING 3, ROOM 630
CHARLESTON, WV
25305 304-558-3397

DATE PRINTED TER	RMS OF SALE	SHIP VIA	F.O.B.	FREIGHTTERMS
02/27/2007				
BID OPENING DATE: 03/13/	d become transcription of become broad to the state of the	BID	OPENING TIME 0	1:30PM
LINE QUANTITY	UOP CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
IN EITHER "A ENTITLED TO	RECEIVE.	Barbara Stern, Sales Manager OF PREFERENCE OR BOTH "A" AND	CONSIDERATION(S) "B" WHICH YOU ARI	
A CICNED BIE	NOT:			
PURCHAS BUILDIN 2019 WA	ENT OF ADMI ING DIVISION IG 15 SHINGTON S	INISTRATION		
I i		THIS INFORMATION THIS INFORMATION	N ON THE FACE OF SIDERED:	
BUYER:		JOHN ABBOTT		_
RFQ. NO.:		DNR80148		-
BID OPENING	DATE:	3/13/2007		
SIGNATURE	SEE REV	ERSE SIDE FOR TERMS AND CO	NDITIONS DATE	
JOIGNATURE		TELEFITONE	DATE	
TITLE	EIN	4	ADDRESS CHANGE	S TO BE NOTED ABOVE



NODZEK

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

DNR80148

PAGE 5

ADDRESS CORRESPONDENCE TO ATTENTION OF

JOHN ABBOTT 304-558-2544

*709065347 360-573-0202 SMITH ROOT INC 14014 NO E SALMON CREEK AVE VANCOUVER WA 98686

DIVISION OF NATURAL RESOURCES
PROCUREMENT OFFICE
CAPITOL COMPLEX
BUILDING 3, ROOM 630
CHARLESTON, WV
25305
304-558-3397

DATE PRIN	TED	TE	RMS OF SAI	.E	5	HIP VIA	F.O.B.		FREIGHT TERMS
02/27/					, '	•			
BID OPENING DATE	• • •	03/13/	2007	[BID	OPENING TIME	01	L:30PM
LINE	QUAI	NTITY	UOP	CAT. NO.	ITEN	M NUMBER	UNIT PRICE		AMOUNT
	1 0000000000000000000000000000000000000		8 (0.00000000000000000000000000000000000	833333333333					
	DID OD	CNINC	TIME.		1.70	DM			
	BID OP	ENTING	I THE:		1:30	PM			
	PLEASE	PROV	DE A	FAX N	UMBER I	IN CASE IT	IS NECESSAF	RΥ	
•					NG YOUR				
					360/573-				
			-		300/3/3	-2004		•	
	CONTAC	T PERS	ON (P	LEASE	PRINT	CLEARLY):	•		
					Barbara	Stern			
	_							-	
	****	THIS	IS T	HE EN	D OF RE	Q DNR80	148 *****	OTAL:	\$125,658.00
	, i								
									•
1									
1									
	5 /			L ✓ SEE RE	I VERSE SIDE F	OR TERMS AND CO	L NDITIONS		I
SIGNATURE			7/10	1		TELEPHONE		DATE	
TITLE	ar pa	ea f		<u> </u>					
111166			v				ADDRESS (CHANGES	TO BE NOTED ABOVE

Electrofisher Boat with Motor and Trailer Specifications

Hull length: 16 feet 8 inches; bottom width: 80 inches; gunwale width: 79 inches

Side height: 24 inches; transom height: 25 inches; maximum HP rating: 75

Jack transom for 60 hp outboard motor

Maximum weight: 2,080 lbs.; maximum payload: 1,650 lbs.

Material: 5052-H32 aluminum alloy; thickness: 0.125 inch bottom; 0.10 inch side

Modified "V" configured hull; adequate floatation so boat with a full rated load will float level if flooded

Work platform: 48 inches by 84 inches with anti-skid dri-deck tread mat; 42-inch high removable safety railing surrounding work platform; meets OSHA specs.

20-gallon foam-lined fuel tank provides fuel for outboard motors and GPP generator; fittings at fuel filter facilitate using standard marine gas tanks to supplement the main fuel tank; outside hull filling; marine fuel filter; meets Coast Guard specs

1 Locking storage compartment

2 Electrofisher booms 7-feet 11-inches long, 1.75-inches diameter; adjustable 0 to 180 degrees; mounted on each corner of bow on clutches that allow horizontal slippage during impact; quick-release fitting to attach anode arrays

6-Dropper heavy duty stainless steel cable anode array adjustable from 6 to 42 inches diameter.

Dual foot switches built into work platform; additional foot switch at console; 2-position control switch on console to select foot-switch combinations

24 Recessed work lights along bow and side of work deck; 12-volt

2 Halogen head lights mounted in neoprene cases on corners of work deck; 12-volt

2 Back-up lights mounted on stern; 6 deck lights along walk-ways

LED work-up lights on top of console

Running lights: Coast Guard approved

74-Gallon reinforced aluminum fish holding tank, insulated bottom, removable divider, 2 tank lights; hinged lids with braces to permit use as seats; high volume pump for filling and secondary pump for out-of-water aeration

2 Group-24 marine batteries housed in marine enclosures with a 40-amp charging system; dual battery switch, 230-amp. Separate outboard motor starting battery

4 Accessory 12-volt power plugs, 2 on console and 2 on work deck

5.0 GPP Electrofisher and Kohler marine generator or equal, electric start, electric choke, heavy duty windlings to provide 12-volts @ 40 amps for battery charging and 12-volts @ 40 amps for auxiliary lighting; heat exchanger high temperature cutout switch; generator engine housing with 12-volt fan and 12-volt nightlight; generator hour meter mounted on console

Automatic bilge pump

Heavy duty canvas console cover

60-Horsepower Evinrude outboard motor or equal, E-TEC direct fuel injection with stratified low RPM

combustion mode; power trim and tilt; complete mounting to include right-side mounted throttle and gearshift controls; system gage package and hour meter; 20-inch shaft.

2007 model year

Tandem axle galvanized trailer for a 3,600 pound payload including high-density polyethylene bunk sleeves; bunk load side guides; swing lock tongue jack, "locking tire carrier", heavy duty tie-down; non-pressurized bearing lubrication system; non-corrosive spare wheel and tire; custom bow receiver; standard tongue; standard fender steps; single-geared winch; surge brakes

R	-O	No.	DNR80)148
۲ŀ	-(J)	No.	DIMKO	<i>/</i> 140

AFFIDAVIT

West Virginia Code §5A-3-10a states:

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION:

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.


CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name:	Smith-Root, Inc.				
Authorized Signature:	Barban	Stern	Date:	03/09/07	

No Debt Affidavit (Revised 10/13/06)



444444444

A

A

A

A

Smith-Root H and EH model boats are heavy-duty electrofishing work boats designed to provide the fisheries researcher with the outmost in electrofishing efficiency and equipment reliability.

H model boats feature a sled-style hull, available from 14' to 18' in length, perfect for shallow water fishing operations. For rough water conditions, our EH models offer our rugged modified "V" hull available in 18' to 21' lengths.

All models include the standard equipment listed here. Custom equipment is also available to meet individual needs.

Hull And Transon

Hulls are constructed of rugged aluminum that gives superior impact strength and excellent resistance to water and weather corrosion. The fabrication features all-welded seams with hard machine-rivets at all critical rib support points. Seams are double welded at the bottom-to-gunwale sections and are overlaid with a formed chine.

H-models feature a minimal 6°"V" for shallow water work, while EH-models have a modest 20°"V". All models feature superior handling abilities at high running speeds. The bow is a modified "V" design, giving good lift and wave splitting action in rough water.

All Smith-Root boats come equipped with an extra heavy-duty transom built with a double H-frame-style reinforcing. This transom is highly resistant to damage that can happen on or off the trailer.

GPP Electrofisher with Kohler Powered Generator

Kohler generator is custom-wound with insulated high voltage windings able to deliver maximum power into the water. Additional heavy-duty windings provide I2 volt power for battery charging and auxiliary lighting. Engine features:

- Meets Coast Guard safety standards for electrical systems and gasoline fuel systems
- One side serviceability of fuel filter, cooling system and lubrication system
- Heat exchanger
- High water and high exhaust temperature cutouts
- Flywheel guard
- Disposable oil filter
- Oil drain valve
- Full-pressure lube
- Electronic fuel pump
- Anti-dieseling solenoid
- · Solid-state ignition
- Attached overflow bottle
- · Automatic choke
- Emission compliant

For more information about GPP Electrofishers see catalog page 6.

Generator Engine Housing


Housing is lined with heat reflective and sound deadening material. A large cooling fan circulates airflow through the housing. The top lid hinges back and a 12 volt night light is provided. When closed, the lid serves as a seat mount. The adjustable seat is swivel mounted and vinyl covered, with a back-rest.

Fish Holding Tank

Constructed of rugged aluminum with all welded seams. The sides have full length stiffeners and inside corners are angled for easy fish removal. Hinged lids fold down and lay flush along sides. The lids have formed bracing so they can be sat or walked on. Tank lights are provided at each comer for night operations. Tank is filled by a high volume pump. Fresh water is constantly circulated through tank. Additional aeration is provided by a secondary pump and water circulating system with a aerating dome. This feature allows transporting fish when the boat is out of water and can be used to add extra oxygen to the tank when high fish-density occurs.

Steering & Control Console

GPP Electrofisher and boat operator controls are integrated into a center console. The console also contains a patch panel allowing complete selection of anode/cathode boom configurations. Console hinges forward to provide easy access to all steering controls, switches, circuit breakers, and wiring terminals for the entire electrical system. All wiring terminals are clearly labeled for easy identification and servicing. A schematic diagram is provided which shows all wiring and terminal designations for the entire boat.



Automatic Bilge Pump

A console mounted switch allows manual operation of the pump. The pump is rated for an open flow of 1,500 gallons per hour.

Lights

Complete system of lights for navigation and safety. Featuring:

- Halogen head lights
- Navigation lights
- · Work lights
- Deck lights
- Stern flood lights

Flotation

Full-length flotation along both sides, with ample flotation placed below the deck line. This extra flotation is provided so that a fully equipped electrofishing boat will float approximately level in the unlikely event of flooding.

Work Deck

Provides a roomy and safe working area for electrofishing. The deck is below the gunwale top to give a low center of gravity and make it easier to reach fish. The work area is large enough for several people to work comfortably. The work surface is a dri-deck® matt for stable footing. A sturdy 42" railing, with integrated net holders, surrounds the work deck on three sides. Foot switches used to control electrofisher output are built into the work deck. A two-position switch is provided at the steering and control console to select single or dual operation. An additional built-in foot switch is provided for the boat operator. A receptacle is provided for additional foot switches to accommodate extra crew. A large compartment (not available on SR-14H), with locking marine doors, below the work deck provides a secure dry storage area. Wiring at the work deck is contained in safe junction areas and all high voltage to the platform is in separate conduits. Meets all OSHA suggested safety guidelines.

Cathode Array


Provides better loading in low conductivity water and a less intense field at each electrode.

Electrofisher Booms

Standard Boat Booms are mounted at each corner of the bow on clutches. These clutches allow the booms to be swung from 0 to 180 degrees for the most effective spread for the waterway being fished. The clutches also allow horizontal slippage in the event of impact. Booms are elevated by adjustable support chains attached to the safety railing.


Electrode Arrays

All Smith-Root electrofishing boats include a pair of SAA-6 electrode arrays. These medium-duty arrays features six stainless steel dropper cables that expand from twelve inches to thirty-six inches in diameter. The droppers are submersible to three feet of water and are complete with a brass quick connect fitting and safety line. AUA-6 Adjustable Umbrella Arrays are also available as an upgrade.



On-Board Fuel Tanks

Built-in tank provides gas for both the outboard and the GPP generator. The tank is foam-lined to minimize condensation. It also has a marine water separator/filter with a replaceable cartridge and shut-off valves. Fittings at the fuel filter facilitate using standard 6 gallon marine gas tanks to supplement the main fuel tanks.



extinguisher and other small items.

H & EH MODEL COMPARISON

	SR-14H	SR-16H	SR-18H	SR-18EH	SR-20EH	SR-21EH
Hull Style	Heavy Duty	Heavy Duty	Heavy Duty	White Water, Extra Heavy Duty	White Water, Extra Heavy Duty	White Water, Extra Heavy Duty
HolMaterola (1997)	La Alimnum II.	Aliminim 7	Alominum	Almhin	Aluminum	Admindme
Hull Bottom Thickness	0.125*	0.125"	0.125"	0.187*	0.187"	0.187"
ationEstate (ness						
Hull Length	14'-6"	16'-8"	18'	18'-10"	20° - 10°	21'-10"
BonomVicto	80 3 5		900			
Gunwale Width	79"	79*	79*	· 96*	96"	96*
Standard Transom Height	20 *	20°	20"	25"	25*	25"
von middenson keleby		12 25 0 27 E E	E Z 0177			
Approx. Weight w/5.0 GPP	1,475 lb.	1,950 lb.	2,080 lb.	2,700 lb.	2,950 lb.	3,100 lb.
Displacement Wallers		468 B/m 3 45 4	2 500E/IT 51		70170	
Payload Max. ¹	1,320 lb.	1,485 lb. ·	1,650 lb.	. 1,820 lb.	2,150 lb.	2,450 lb.
audiankoapantza (oloily -		50 of Sec. 2	7 7 7 7 7 7 7	20 25 200 Galo 25 25 25
Prop HP Max ²	50	75	90 · .	150	150	. 150
We state to commend of the second	80	2 2 100 2 2		2 200 183 6	200 200	300 40 60
Twin Engine HP	25	30	40	N/A	90	. 90
EUE LES DOCTOR	20018		200als 20	500als	200 B	SO Fals

^{1.} Maximum payload (persons, motor, gear) includes 12" water depth in the fish holding tank.

It is recommended that motors above 30 HP have variable ratio oiler and power trim ad tilt (VRO and PTT). All motors require remote control. Customer supplied motor will incur an installation charge. Specifications subject to change without notice.

Ordering Numbers

SR-14H w/5.0 GPP	05981
SR-14H w/7.5 GPP	05984
SR-14H w/9.0 GPP	05987
SR-16H w/5.0 GPP	
SR-16H w/7.5 GPP	dende de la contra de la forta de la marga de marcha de la familia.
SR-16H w/9.0 GPP	05988
SR-18H w/5.0 GPP	05983
SR-18H w/7.5 GPP	05986
SR-18H w/9.0 GPP	05989
SR-18EH w/5.0 GPP	05951
SR-18EH w/7.5 GPP	
SR-18EH w/9.0 GPP	05953
SR-20EH w/5.0 GPP	05954
SR-20EH w/7.5 GPP	05955
SR-20EH w/9.0 GPP	05956
SR-21EH w/5.0 GPP	05959
SR-21EH w/7.5 GPP	05958
SR-21EH w/9.0 GPP	05957

Standard Features Quick Reference

- · GPP Electrofisher
- Kohler Powered Generator
- Aluminum Hull
- Forward Work Deck with: Safety Railings **Built-in Foot Switches Locking Front Storage**
- · Standard Boat Booms
- SAA-6 Electrode Arrays
- Cathode Array
- · Light Package with: Pre-aimed Work Lights Adjustable Head Lights **Deck Lights Navigation Lights** Stern Flood Lights
- Fish Holding Tank
- **Dual Batteries**
- **Battery Charging System**
- · On-board Fuel Tank

· Steering & Control Console with:

Wheel Steering

Side Mounted Outboard Controls

Fuel Gauge

Tachometer

12 VDC Acc. Power Plugs

Outboard Stall Indicator

Outboard Hour Meter

Generator Hour Meter

Safety Lights

Dual Electric Horns

Shatterproof Windshield

Depth Finder

Voltmeter

Battery switch

Heavy-duty canvas cover

- Automatic Bilge Pump
- · Generator Engine Housing
- · Fire Extinguisher

Boat motor and trailer sold separately. Throttle and gearshift controls are supplied with the outboard motor. Motor and controls must be installed at the time of manufacture to allow under-deck routing of wiring harness, steering and motor control cables and to be able to fully test and guarantee the completed boat before shipment. Motors installed at no additional charge. Additional options and accessories listed on page 19.

^{2.} Four stroke with remote controls.

BOAT MOTORS AND TRAILERS

Correct trailer and motor selection are crucial to ensuring the long-life and proper operation of your electrofishing boat. Smith-Root's experienced sales staff can help you select the right trailer and motor for your new boat.

We proudly offer trailers from King, EZ Loader and ShoreLan'r.







For qualifying customers, factory direct government pricing is available for **Johnson/Evenrude** and **Mercury** motors. Government pricing for **Yamaha**, **Honda** and **Suzuki** is also available.













Contact Smith-Root sales for trailer and motor pricing and specifications.

OPTIONAL EQUIPMENT

Auxiliary Lighting Kit

Six inch diameter "headlight" type light mounted in a tough rubber housing. Comes with mounting hardware. Lights are 12V, can be used with either AC or DC power and are approximately 60 watts output.





Light Box

All of the larger Smith-Root electrofishing boats can be equipped with these lights. The high powered diffused lighting system is designed to be mounted on the bow and on the sides of your boat. Cathode droppers may be added to shield hull from effects of electrolysis. Each box has 6 high power lights. Bolts easily to most boats.

Most boats will accept four light boxes, two on bow, one port, one starboard.



Standard dimensions are 35 1/4"Lx3 3/4"Wx4 1/4"H Custom sizes are available for specific applications. All mounting hardware is included.

Hand-held Spot Light

Rugged design and corrosion-resistant construction make this 12V spotlight with 400,000 candlepower ideal for marine environments. Eliminates reflective glare and protects against night blindness. 170-watt sealed bulb with intense beam can penetrate fog, snow, windshields, and water. Comes with 10-ft. coil cord and plugs into any 12-Volt source.

Order Number...... 03617

Extra High Transom Adapters

This adaptor is welded to the top of the transom to alter the transom to a 27" height for a jet drive engine. This adaptor can be removed later if you wish to go to a 20" shaft engine. Available for H Model boats only.

Order Number...... 03318

Boat Cover

Provides complete weather protection for the complete boat hull during storage. The Sunbrella® material is lightweight, UV resistant and has reinforced abrasion points, elastic draw rope, and spaced eyelets.


Foot Switches

With 15' of neoprene cable. Fitted with a mating plug to match the connector at the console.

Single Foot Switch 03309 Dual Foot Switches 03310

Cathode Arrays

Cathode array featuring thirty-two 38" droppers provides better loading in low conductivity water and a less intense field at each electrode. Can be added to



any boat. Set of four (two on bow, one port, one starboard side) bolts easily to most boats.

Order Number...... 05266

Replacement Droppers

38" replacement dropper cables for cathode arrays. Fits all non-isolated arrays. Sold individually.

Order Number...... 05183

Isolated Cathode Array

This is required in California. It mounts across the bow with evenly spaced droppers reaching into the water.

Order Number...... 06799

Locking Side Storage

Locking keyed doors installed in side compartments. Priced per compartment door. Available on EH Model boats only.

Order Number...... 06012



PRICES ARE IN U.S. DOLLARS.

All prices are listed numerically according to Smith-Root order number.

Payment Terms

Smith-Root excepts VISA, MasterCard, American Express, cashiers check, money order, electronic wire transfer, company check or preapproved purchase order as valid forms of payment. Buyer's credit card will not be charged until products are shipped. Payment of all applicable taxes, assessments, or duties which may be imposed upon the shipment or sale of the products covered by these Terms will be Buyer's sole responsibility and will be paid by Buyer. Smith-Root built boat orders require 50% down payment, balance on delivery (BOD) including shipping charges. 2% discount for 100% down.

Refunds & Returns

Customers returning equipment in new condition within 30 days of accepting delivery of Smith-Root, Inc. merchandise will be given a refund within five days from the date of the return. Valid equipment returns include, but are not limited to, ordering incorrect equipment, funding deficits, and defective equipment returned for reimbursement. A completed Equipment Return Form (http://www.smith-root.com/support/forms/) must accompany all returns. All returns are subject to a restocking fee and applicable shipping charges. The restocking fee is figured at 10% of the purchase price but not less than \$20.00. Customers receiving equipment in damaged condition will be referred to the shipping company for insurance reimbursement.

Patent Notice

Smith-Root, Inc. Electrical Field Fish Barrier systems are protected by patent. Ideas, arrangements, drawings, and specifications are the sole property of Smith-Root, Inc. and are intended for this specific catalog and shall not be used for any other purpose, without written consent of Smith-Root, Inc. U.S. - 4,750,451 Canada - 1,304,442

Warranty

Smith-Root, Inc. built boats are covered by a two year warranty. All other Smith-Root, Inc. manufactured products are covered by a one year warranty. Items manufactured by companies other than Smith-Root, Inc. carry the original manufactures warranty. Please contact product manufacturer for return instructions.

Prices are subject to change without notice. SRI reserves the right to make changes of products at anytime without notice.

Rev. 2006Q3-20061013







No surcharge for Credit Card purchases.

SRI#	Item Description	Price
00857	STANDARD COUNTING TUNNEL 1IN	
00940	1101-TS TUNNEL SIMULATOR	
01380	DIP NET HANDLE 8FT 1PC HVY & SUPER DUTY	
01697	TYPE VII 12V 33AH BATTERY	
01868	2.5 GPP ELECTROFISHER SYSTEM	
02015	DIP NET HANDLE 6FT 2PC TANK TEAR TRAP	
02026	DIP NET TEAR DROP 1/4IN MESHDIP NET HANDLE 6FT 1PC TANK TEAR TRAP	
02074	COUNTER RESET MAGNET MODEL 12 & 15	
02418	NET REPLACEMENT HVY DUTY 1/2IN MESH	
02563	7.5 GPP ELECTROFISHER SYSTEM	
02746 02885	RATTAIL ELECTRODE MODEL 12 & 15	
02003	CONSOLE COVER W-OUT WINDSHIELD	
02919	MODEL 12 ALUMINUM CARRY CASE	
02999	ELECTRODE EXTENSION CABLE PER FT	
03102	ELECTRICAL GLOVES 10KV	
03131	ELECTRICAL GLOVES 5KV	
03294	DIP NET HANDLE 9FT 2PC TANK TEAR TRAP	
03296	ELECTRODE EXTENSION CABLE 25FT W-BELT	
03297	ELECTRODE RING 11IN	
03302	FOOT & HAND SWITCH W-15FT CABLE & PLUG	
03309	SINGLE FOOT SWITCH W-15FT CABLE & PLUG	
03310	DUAL FOOT SWITCH W-15FT CABLE & PLUG	
03318	TRANSOM 27IN JET DRIVE ADAPTOR	
03319	BOAT HULL COVER SR-18EH 20EH 21EH	
03357	FRY COUNTING HEAD SR-1601	
03359	MOUNTING PLATE COUNTING TUNNELS	
03360	TUNNEL JUNCTION BOX SR-1601	
03363	SR-1101 INTERNAL RECHARGEABLE BATTTERY	
03364	SR-1101 EXTERNAL BATTERY ADAPTER	
03365	STANDARD COUNTING TUNNEL 2IN	721.00
03366	STANDARD COUNTING TUNNEL 3IN	999.00
03395	DIP NET HANDLE 18IN TANK TEAR TRAPEZOID	48.00
03414	SR-6 TOTE BARGE	1,969.00
03427	TYPE VI-A ELECTROFISHER SYSTEM	7,400.00
03574	CONSOLE COVER W-WINDSHIELD	
03584	ELECTRODE RING 6IN	
03586	ELECTRODE EXTENSION CABLE 50FT W-BELT	425.00
03588	ELECTRODE EXTENSION CABLE 75FT W-BELT	
03589	ELECTRODE EXTENSION CABLE 100FT W-BELT	
03602	RECTIFIER FOR DC ACCESSORIES	
03617	SPOT LIGHT	
03866	9.0 GPP ELECTROFISHER SYSTEM	
03892	BOAT HULL COVER SR-16 & 18	
03980	DIAMOND SHAPED ELECTRODE	
04013	FLOAT FOR CABLE EXTENSION	
04042	DANGER DECAL ELECTROFISHING HIGH VOLTAGE	
04065	1.5 KVA ELECTROFISHER SYSTEM	
04071	ELECTRODE EXT CABLE 25FT W-BELT 3-FLOATS	
04356	HONDA EU1000I GENERATOR	
04424	DIP NETTRAPEZOID 1/8IN MESH	
04443	ELECTRIC FIELD PROBE	
04444	ELECTRODE EXT CABLE 25FT Y CONFIG	
04467	CABLE HOLDER FOR SR-6 TOTE BARGE	
04468	ELECTRODE ARRAY EXPANDER 24IN	
04494	HONDA EM3800S GENERATOR	
04510	DIP NET TEAR DROP 1/8IN MESH	
04532	CAT FISH ZAPPER	
04547	NET REPLACEMENT TEAR & TRAP 1/4IN MESH	
04574	5.0 GPP ELECTROFISHER SYSTEM	9,900.00

SRI#	Item Description	Price
04732	HONDA EM5000S GENERATOR	2,681.00
04745	TYPE VII 12V 14AH BATTERY	242.00
04807	BC-24PS EUROPEAN POWER CORD	27.00
04948	EXTERNAL BATTERY ADAPTER FOR SR-1601	39.00
04952	SR-1601 FISH COUNTER	9,292.00
04953	SR-1101 FISH COUNTER	6,578.00
04961	1601 FISH COUNTER BATTERY 12V 12AH	136.00
05006	ELECTRODE POLE 6FT 1PC 4-PIN AMP PLUG	276.00
05007	ELECTRODE POLE 6FT 2PC 4-PIN AMP PLUG	334.00
05008	ELECTRODE POLE 9FT 2PC 4-PIN AMP PLUG	372.00
05009	DIP NET HEAVY DUTY 12IN DEEP 1/2IN MESH	182.00
05010	DIP NET SUPER DUTY 1-7/8IN MESH	299.00
05078	MODEL 15 ALUMINUM CARRY CASE	580.00
05094	DIP NET TRAPEZOID 1/4IN MESH	131.00
05140	IAC-4B CONTROL BOX FOR 2.5 & 5.0 GPP	1,151.00
05181	BOAT LIGHTBOX	383.00
05183	REPLACEMENT DROPPER FOR CATHODE ARRAY	18.00
05251	RCB-6B JUNCTION BOX 2.5 & 5.0 GPP	630.00
05266	CATHODE ARRAY WITH 38IN DROPPERS	831.00
05268	DC FILTER MOD FOR 2.5 & 5.0	1,536.00
05273	ELECTRODE RING 18IN	89.00
05282	INSTALL OUTBOARD MOTOR W-CUSTOMERS ENG	553.00
05399	ELECTRODE ARRAY EXPANDER 36IN	87.00
05409	QUICK-CONNECT ADAPTER	
05451	EXTENDED MAINTENANCE CONTRACT	473.00
05575	BC-24PS UK POWER CORD	44.00
05591	BOOM INTERCONNECT BOX	310.00
05610	TYPE VI-A COMBO WEEKLY RENTAL	
05660	SAFETY PUSH HANDLE USED WITH RCB-6B	383.00
05713	ELECTRODE ARRAY MULTIPLIER KIT	500.00
05845	FLOODLIGHT ROUND 12V	75.00
05851	DANGER SIGN FISH BARRIER INT SYMBOLS	78.00
05951	SR-18EH 5.0 GPP ELECTROFISHER BOAT	58,872.00
05952	SR-18EH 7.5 GPP ELECTROFISHER BOAT	62,738.00
05953	SR-18EH 9.0 GPP ELECTROFISHER BOAT	65,461.00
05954	SR-20EH 5.0 GPP ELECTROFISHER BOAT	63,272.00
05955	SR-20EH 7.5 GPP ELECTROFISHER BOAT	67,138.00
05956	SR-20EH 9.0 GPP ELECTROFISHER BOAT	69,861.00
05957	SR-21EH 9.0 GPP ELECTROFISHER BOAT	72,061.00
05958	SR-21EH 7.5 GPP ELECTROFISHER BOAT	69,338.00
05959	SR-21EH 5.0 GPP ELECTROFISHER BOAT	65,472.00
05981	SR-14H 5.0 GPP ELECTROFISHER BOAT	46,591.00
05982	SR-16H 5.0 GPP ELECTROFISHER BOAT	50,591.00
05983	SR-18H 5.0 GPP ELECTROFISHER BOAT	54,591.00
05984	SR-14H 7.5 GPP ELECTROFISHER BOAT	50,456.00
05985	SR-16H 7.5 GPP ELECTROFISHER BOAT	54,456.00
05986	SR-18H 7.5 GPP ELECTROFISHER BOAT	58,456.00
05987	SR-14H 9.0 GPP ELECTROFISHER BOAT	53,179.00
05988	SR-16H 9.0 GPP ELECTROFISHER BOAT	57,179.00
05989	SR-18H 9.0 GPP ELECTROFISHER BOAT	61,179.00
06005	SR-17 CATARAFT ELECTROFISHER COMBO	39,213.00
06012	LOCKING SIDE STORAGE COMPARTMENT	76.00
06039	NET REPLACEMENT TEAR & TRAP 1/8IN MESH	24.00
06066	BC-24PS AUSTRALIA POWER CORD	16.00
06137	SAA-6 ARRAY DROPPER CABLE ASSEMBLY	59.00
06138	SAA-6 ARRAY SLIDE CENTER TUBE ASMB	
06223	SR-6JB JUNCTION BOX FOR GPP	627.00
06242	BOOM EXTENSION REPLACEMENT 2.5 5.0 & 7.5	
06243	BOOM EXTENSION REPLACEMENT 9.0 GPP	
06248	LIGHT DUTY BOOMS W/INTERCONNECT BOX	1,090.00

SRI#	Item Description	Price
06280	NET REPLACEMENT TANK 1/8IN MESH	
06292	HONDA EB3000C GENERATOR	
06293	HONDA EU3000IS GENERATOR NET REPLACEMENT HEAVY DUTY 1/4IN MESH	
06483	DIP NET HEAVY DUTY 12IN DEEP 1/4IN MESH	
06484	PELICAN DINGHY DOLLY 2 PER SET	
06504	HEADLIGHT ROUND 12V	
06528 06537	HONDA EU2000I GENERATOR	
06550	TANK DIP NET 1/8IN MESH	140.00
06584	BC-1101 BATTERY CHARGER	
06619	EA-1000A ELECTROANESTHESIA SYSTEM	
06629	STANDARD BOOM - STARBOARD MOUNT	
06630	STANDARD BOOM - PORT MOUNT	
06631	STANDARD BOOM 7.5 GPP STARBOARD	
06632	STANDARD BOOM 7.5 GPP PORT	
06633	HI-CURRENT BOOM 9.0 GPP STARBOARD	
06634	HI-CURRENT BOOM 9.0 GPP PORT	
06644	LIGHT DUTY BOOMS FOR 7.5 GPP	
06645	LIGHT DUTY BOOMS FOR 9.0 GPP	968.00
06681	24 V 7 AH BATTERY	
06682	24 V 12 AH BATTERY	
06759	SAA-6 SPIDER ADJUSTABLE ARRAY	531.00
06799	ARRAY ISOLATED ELECTRODE UPGRADE	
06811	MC-24 BATTERY MAINTENANCE CHARGER US/JP	
06814	BC-24PS BATTERY CHARGER EURO LR	
06815	BC-24PS BATTERY CHARGER US LR	
06816	BC-24PS BATTERY CHARGER JPN LR	
06817	LR-24 ALUMINUM CARRY CASE	
06821	RATTAIL ELECTRODE LR	
06826	LR-24 ELECTROFISHER COMBO	
06856	LR-24 BACKPACK ELECTROFISHER	
06973	GUEST UNIVERSAL BATTERY CHARGER	
07258	DIP NET HEAVY DUTY 1/8IN MESH	
07395	LPA-6 LOW PROFILE ARRAY	
07458	ADAPTER MODEL 12 BATT TO LR CHRG	
07459	ADAPTER LR BATT TO MODEL 12 CHRG	
07466	24 V 2.2 AH BATTERY	215.00
07574	ELECTRODE POLE 6FT 1PC LR	
07575	ELECTRODE POLE 6FT 2PC LR	
07576		
07613	ELECTRODE RING 11IN ADJUSTABLE AL	
07655	LR-24 COMBO WEEKLY RENTAL LR-24 COMBO MONTHLY RENTAL	
07656	TYPE VI-A COMBO MONTHLY RENTAL	
07659	FRAME-SUSPENSION FOR BACKPACK MODEL 15	
07764	FRAME-SUSPENSION FOR BACKPACK MODEL 13	
07765	DANGER SIGN INTERNATIONAL 12IN X 18IN	
07823	VVP-15B ELECTROFISHER SYSTEM	
07957	BAT-01 BATTERY ANALYSIS TOOL	
08041	2.5 GPP TRAVEL CASE	
08057 08115	ELECTRODE POLE & CATHODE TESTER	
08288	LOKI 21.5" X 24" BOAT DIPNET	
08288 08288-N		
08301	LOKI 5.5FT - 9FT TELESCOPING NET HANDLE	
08301	LOKI LIVEWELL DIPNET	
08309 08309-N		
08317	LOKI 11" X 15" STREAM DIPNET	
08317 08317-N		
08317-IN 08336	LOKI 16" X 16" STREAM DIPNET	
08336-N		
77777		

SRI#	Item Description	Price
08344	LOKI 4.5FT -7FT TELESCOPING NET HANDLE	129.00
08360	LOKI 2FT FIBERGLASS NET HANDLE	32.00
08508	ELECTRODE TESTER 4-PIN AMP PLUG ADAPTER	39.00
08631	1.5KVA COMBO WEEKLY RENTAL	1,000.00
08632	1.5KVA COMBO MONTHLY RENTAL	3,000.00
08679	ELECTRODE RING 11IN ADJUSTABLE SS	101.00
08747	RCB-6B JUNCTION BOX TYPE VI-A	675.00
08748	RCB-6B JUNCTION BOX 1.5 KVA	630.00
08749	RCB-6B JUNCTION BOX VVP-15B	765.00
09122	VVP-15B COMBO WEEKLY RENTAL	1,500.00
09123	VVP-15B COMBO MONTHLY RENTAL	4,500.00
09336	MC-24 BATTERY MAINTENANCE CHARGER EU/AU	680.00
09369	TELESCOPING ELECTRODE POLE 4.5-6.5 FT	317.00
09379	SR-6JB JUNCTION BOX FOR VVP-15B	627.00
09396	LOKI 14" X 17" TRAPEZOID DIPNET	59.00
09396-N	LOKI 14" X 17" TRAPEZOID DIPNET	19.00
09438	LR-20 BACKPACK ELECTROFISHER	3,999.00
09473	AUA-6 ELECTRODE ARRAY	650.00
09540	CARRY AND STORAGE CASE FOR LR-24	580.00
09627	LR-20 BACKPACK ELECTROFISHER COMBO	5,883.00
09632	CARRY AND STORAGE CASE FOR LR-20	580.00