



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DPS0706

PAGE
1

917

ADDRESS CORRESPONDENCE TO ATTENTION OF
BUYER 32
304-558-0492

VENDOR
 *706115400 972-398-3780
APPLIED CONCEPTS INC
2609 TECHNOLOGY DRIVE

PLANO TX 75074-7467

SHIP TO
WEST VIRGINIA STATE POLICE

4124 KANAWHA TURNPIKE
SOUTH CHARLESTON, WV
25309 304-746-2141

DATE PRINTED: 10/16/2006	TERMS OF SALE Net 30	SHIP VIA UPS	F.O.B.	FREIGHT TERMS
------------------------------------	-------------------------	-----------------	--------	---------------

BID OPENING DATE: **11/02/2006** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
REQUEST FOR QUOTATION						
THE PURCHASING DIVISION IS SOLICITING BIDS FOR THE WEST VIRGINIA STATE POLICE TO PROVIDE AN OPEN-END CONTRACT FOR LASER SPEED AND RANGE MEASUREMENT SYSTEMS FOR STATE, COUNTY AND CITY POLICE AGENCIES.						
ATTACHMENTS: 1. SPECIFICATIONS 2. AFFIDAVIT						
0001				680-77	\$ 2579.00 each	
HAND-HELD LASER/RANGE MEASUREMENT SYSTEM						
VENDOR PREFERENCE CERTIFICATE						
CERTIFICATION AND APPLICATION* IS HEREBY MADE FOR PREFERENCE IN ACCORDANCE WITH WEST VIRGINIA CODE, 5A-3-37 (DOES NOT APPLY TO CONSTRUCTION CONTRACTS).						
A. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:						
() BIDDER IS AN INDIVIDUAL RESIDENT VENDOR AND HAS RESIDED CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE 	TELEPHONE 800-782-5537	DATE 10/31/06
TITLE Sales Manager	FEIN 75-1544925	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DPS0706

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
BUYER 32 304-558-0492

VENDOR

*706115400 972-398-3780
 APPLIED CONCEPTS INC
 2609 TECHNOLOGY DRIVE
 PLANO TX 75074-7467

SHIP TO

WEST VIRGINIA STATE POLICE
 4124 KANAWHA TURNPIKE
 SOUTH CHARLESTON, WV
 25309 304-746-2141

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
10/16/2006				

BID OPENING DATE: 11/02/2006 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
CERTIFICATION; OR <input type="checkbox"/> BIDDER IS A PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR AND HAS MAINTAINED ITS HEAD- QUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR 80% OF THE OWNERSHIP INTEREST OF BIDDER IS HELD BY ANOTHER INDIVIDUAL, PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR WHO HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR <input type="checkbox"/> BIDDER IS A CORPORATION NONRESIDENT VENDOR WHICH HAS AN AFFILIATE OR SUBSIDIARY WHICH EMPLOYS A MINIMUM OF ONE HUNDRED STATE RESIDENTS AND WHICH HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA CONTINUOUSLY FOR THE FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION. B. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED: <input type="checkbox"/> BIDDER IS A RESIDENT VENDOR WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES WORKING ON THE PROJECT BEING BID ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID; OR <input type="checkbox"/> BIDDER IS A NONRESIDENT VENDOR EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS OR IS A NONRESIDENT VENDOR WITH AN AFFILIATE OR SUBSIDIARY WHICH MAINTAINS ITS HEADQUARTERS OR PRINCIPAL PLACE						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
	800-782-5537	10/31/06
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
Sales Manager	75-1544925	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DPS0706

PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF
BUYER 32 304-558-0492

VENDOR


*706115400 972-398-3780
 APPLIED CONCEPTS INC
 2609 TECHNOLOGY DRIVE
 PLANO TX 75074-7467


SHIP TO

WEST VIRGINIA STATE POLICE
 4124 KANAWHA TURNPIKE
 SOUTH CHARLESTON, WV
 25309 304-746-2141

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
10/16/2006				

BID OPENING DATE: **11/02/2006** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>BIDDER: <u>Applied Concepts, Inc.</u></p> <p>DATE: <u>10/31/06</u></p> <p>SIGNED: </p> <p>TITLE: <u>Sales Manager</u></p> <p>* CHECK ANY COMBINATION OF PREFERENCE CONSIDERATION(S) IN EITHER "A" OR "B", OR BOTH "A" AND "B" WHICH YOU ARE ENTITLED TO RECEIVE. YOU MAY REQUEST UP TO THE MAXIMUM 5% PREFERENCE FOR BOTH "A" AND "B". (REV. 12/00)</p> <p>NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p>DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE 	TELEPHONE	DATE	
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	
Sales Manager	75-1544925	800-782-5537	10/31/06

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DPS0706

PAGE
5

ADDRESS CORRESPONDENCE TO ATTENTION OF:
BUYER 32
304-558-0492

***706115400 972-398-3780**
APPLIED CONCEPTS INC
2609 TECHNOLOGY DRIVE

PLANO TX 75074-7467

SHIP TO
WEST VIRGINIA STATE POLICE

4124 KANAWHA TURNPIKE
SOUTH CHARLESTON, WV
25309 304-746-2141

DATE PRINTED 10/16/2006	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
-----------------------------------	---------------	----------	--------	---------------

BID OPENING DATE: **11/02/2006** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>BUYER: RON PRICE</p> <p>RFQ. NO.: DPS0706</p> <p>BID OPENING DATE: NOVEMBER 2, 2006</p> <p>BID OPENING TIME: 1: 30 PM</p> <p>PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: <u>972-398-3781</u></p> <p>CONTACT PERSON (PLEASE PRINT CLEARLY): <u>John Dawson</u></p> <p>***** THIS IS THE END OF RFQ DPS0706 ***** TOTAL: <u>\$2579.00 each</u></p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE 	TELEPHONE 800-782-5537	DATE 10/31/06
TITLE Sales Manager	FEIN 75-1544925	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

HANDHELD LASER SPEED AND RANGE MEASUREMENT SYSTEM SPECIFICATIONS

The West Virginia State Police desire to establish an open-end contract for the purchase of Police Traffic LIDAR (Light Detection and Ranging) handheld laser speed and range measurement systems, hereinafter system. The contract will be available for use by other entities of state government, as well as counties and municipalities.

1. LIDAR SPECIFICATIONS

		Comply?	
		<u>Yes</u>	<u>No</u>
1.1	The instrument shall use LIDAR techniques to determine the range and speed of target objects from a series of infrared laser light pulse.	<u>X</u>	_____
1.2	The system shall conform to the National Highway Traffic Safety Administration (NHTSA) "Model Minimum Performance Specifications for (LIDAR) Laser Speed Measuring Devices. In addition the system should meet the FDA/CDRH CLASS 1 Device specifications for eye safety.	<u>X</u>	_____
1.3	The system shall operate from the unfiltered power supply available in a standard automotive vehicle (10.8 – 16.5 volts DC; negative ground) and from removable battery located in the handle.	<u>X</u>	_____
1.4	The system shall include both the DC power supply cord and the battery needed to operate the system. The DC power supply cord shall be at least 5 1/2 feet in length, with a completely flexible polypropylene jacket impervious to deterioration by oil and exposure to sunlight. It shall terminate on one end by a rugged heavy duty male plug compatible with a conventional cigarette lighter receptacle of a vehicle with the other end securely fastening to the system. The male connector plug shall be made of a rugged bread-resistant material and shall have heavy, corrosion-resistant spring-action electrical contacts. The end of the cigarette plug shall be removable and contain no more than a 3 amp SLO-BLO fuse. If the system utilizes a rechargeable battery pack then the system must also include a charger for the battery pack and one (1) additional battery pack.	<u>X</u>	_____
1.5	The system shall be accurate through its range within plus or minus one (+/- 1) mile per hour and shall be capable of reading speed from at the minimum ± 1 mph to ± 200 mph.	<u>X</u>	_____
1.6	The system shall have an adjustable range control which allows the operator to select the maximum distance at which a target will be detected, from a minimum of 20 feet to 4500 feet.	<u>X</u>	_____
1.7	The system shall be gun shape in design for maximum ease of use and portability.	<u>X</u>	_____
1.8	The system shall incorporate a heads-up display (HUD) that allows the operator to simultaneously observe the target and continuously updated speed displays, to insure proper tracking history.	<u>X</u>	_____

	Comply?	
	<u>Yes</u>	<u>No</u>
1.9 The system shall be capable of displaying either speed or range to the target, in the HUD selectable by the operator.	<u>X</u>	_____
1.10 The systems HUD shall have an adjustable brightness control with a visual indication of the selected brightness.	<u>X</u>	_____
1.11 The systems HUD shall incorporate two separate four-character minimum high-brightness alphanumeric displays, one each for target speed and range.	<u>X</u>	_____
1.12 The system shall be equipped with an LED indicator which presents a visual indication that DC power is present and the unit is turned on.	<u>X</u>	_____
1.13 The system shall be equipped with an LED indicator which presents a visual indication that laser pulses are being transmitted.	<u>X</u>	_____
1.14 The system shall incorporate a dual function trigger. When the trigger is pulled, it activates the firing of laser pulses and the range and speed measurement functions of the system. When the trigger is released, the displayed range and speed readings are locked on the displays.	<u>X</u>	_____
1.15 The system shall be capable of distinguishing between different directions of vehicular traffic: approaching and receding.	<u>X</u>	_____
1.16 The system shall have an adjustable audio control with a visual indication of the selected audio level.	<u>X</u>	_____
1.17 The system shall output an adjustable volume, variable pitch, audio tone that is directly proportional to target speed.	<u>X</u>	_____
1.18 The system shall include a built-in and an operator initiated electronic calibration self-test which performs a diagnostic test of the time-measurement circuitry, signal processor, random access memory (RAM), and associated processor logic. Any detected malfunction will result in a "FAIL" indication.	<u>X</u>	_____
1.19 The system shall have a light-test function for checking the readout display to verify that all displays are in working order.	<u>X</u>	_____

2. OPERATING INSTUCTIONS MANUAL

2.1 A full and complete set of operating instructions shall be furnished by the contractor with each unit.	<u>X</u>	_____
2.2 The contractor shall make available complete LIDAR operator training. This may be in the form of VHS video training which is to be included with each system purchased.	<u>X</u>	_____

Comply?
Yes **No**

3. WARRANTY

3.1 The manufacturer shall fully guarantee their traffic LIDAR system and agree to repair or replace (at its discretion) each unit that fails due to defective materials or workmanship for a period of two (2) years from the date of delivery to the agency. x _____

Stalker Lidar Warranty Information

If you have a Stalker radar system, lidar or speed display in need of service, please call our **Customer Service** department at **1-877-782-5537 (Monday-Friday 8a-5p Central Time)**.

All non-warranty repairs are 100% satisfaction guaranteed (parts and labor) for 90 days.

		PARTS COVERAGE			LABOR COVERAGE		
		90 Days	1 Year	2 Years	3 Years	1 Year	2 Years
Stalker Lidar	Batteries		✦			✦	

* The radar system in speed trailers is covered through the radar's normal warranty period.

Limited Warranty

Manufacturer warrants the radar or laser system to the original purchaser to be free of defects. At its discretion, the manufacturer agrees to repair or replace all radar components that fail due to defective materials or workmanship during the stated warranty period from the date of purchase. During the warranty period, there will be no charge for repair labor or parts. Purchaser shall return the failed unit to the factory or authorized service center, freight prepaid. The manufacturer will pay standard UPS ground return shipping. This warranty applies only to internal electronic components and circuitry. Warranty excludes normal wear-and-tear such as frayed cords, broken connectors, scratched or broken cases, or physical abuse. Manufacturer reserves the right to charge for defects and/or damages resulting from abuse or extraordinary environmental damage to the unit during the warranty period at rates normally charged for repairing such units not covered under warranty. Seller warrants the radar devices manufactured by Applied Concepts, Inc. are designed to perform the function of determining the speed of motor vehicles or the speed of target objects with reasonable radar reflectivity. The foregoing warranty is exclusive, in lieu of all other warranties, of quality, fitness, or merchantability, whether written, oral, or implied. Applied Concepts, Inc. will not be liable for any direct, indirect, consequential or incidental damages arising out of the use or inability to use the product. As a further limit on warranty, and as an expressed warning, the user should be aware that harmful personal contact may be made with seller's radar devices in the event of violent maneuvers, collisions, or other circumstances, even though said radar devices are installed and used according to instructions. Applied Concepts, Inc. specifically disclaims any liability for injury caused by the radar devices in all such circumstances.

STALKER LIDAR SPECIFICATIONS

Operational:

Type:	Handheld Lidar offering Tracking mode, Single Shot mode, and Time/Distance mode.
Acquisition Time:	Less than .4 second
Nominal Range :	Minimum < 5 feet (1.5 meters) Maximum > 4000 feet (1200 meters)
Range Accuracy:	less than or equal to 1 foot (1/3 meter)
Speed Measure:	±1 mph to ±299 mph (±1.6 kph to ±481 kph)
Speed Accuracy:	+1 mph, -2 mph (+1.6 kph, -3.2 kph)
Test/Alignment mode:	Enter using the TEST key and the Trigger. Used to test Hud alignment using audio tone.
Metric Operation:	Setup menu selectable
Lidar trigger modes:	Setup menu selectable: 1. Constant trigger depression for constant XMIT 2. Separate trigger depressions to start/stop XMIT
Time/Dist. trigger mode:	Separate trigger depressions when target enters and exits speed zone
Inclement Weather mode:	Suppresses target returns from targets closer than approximately 250 ft to reduce interference from rain, fog, and snow
Remote Trigger:	Remote trigger signal available through I/O Port
Target Speed Tone:	Variable audio tone corresponding to target speed. A fast target generates a higher tone and a slow target generates a lower tone
Target Return Tone:	No tone when beam is off target; tone repetition increases as beam moves into target and return signal quality increases
Switching Output:	I/O Port signal for operation of external devices (i.e.: a camera) Toggles when speed exceeds speed signal setting
I/O Signals:	Ext. Trigger, Switch Out, Tx, Rx, Gnd, and +5Vdc

Physical

Dimensions:	9.9" Height, 6.0" Length, and 4.2" Width 21.8 cm Height, 15.3 cm Length, 10.7 cm Width
Weight:	Wt with Battery Handle - 3.8 lbs (1.72 kg) Wt with Cigarette Handle - 3.0 pounds (1.36 kg)
Housing:	Metal case with rubber end caps
Shoulder Stock:	Accessory shoulder stock is available
Input Voltage Range:	Battery Handle: 5.7V to 9.0V @ 400 ma. nominal Low voltage inhibit activates between 5.7V and 6.2V Cigarette Handle: 6.5V to 16.0V @ 270 ma. nominal Low voltage inhibit activates between 6.5V and 7.2V
Low Voltage Inhibit:	Inhibits all readings while input voltage is below the low voltage inhibit level
Low Voltage Standby:	After 10 seconds of inactivity (unit not transmitting), power consumption is reduced to 63% of nominal
Input Power Protection:	Solid state automatically resettable fuse
Environmental:	-30 to +60 C, operating -40 to +85 C, non-operating
Humidity Protection:	+37 C, 90% Relative Humidity, 8 hours minimum, operating
Additional Resistance:	Dust, water, and impact
EMI:	RFI icon indicates that the unit is in a high EMI field. No false readings when the unit is subjected to Electromagnetic Interference from vehicle alternator, ignition, air conditioner/heater motor, windshield wiper motor, Police FM transceiver, and Citizen Band AM transceiver

Tripod Mount:	Female ¼ - 20 closed end nut on right side of case
I/O Connector:	Standard 6-pin I.O. connector on right side of case

Transmitter & Receiver:

Operating Wavelength:	905 ± 10 nm Peak @ 25° C
Spectral Bandwidth:	5 ± 3 nm FWHM
Laser Type:	MOCVD InGaAs Stacked Array Pulsed Laser Diode
Eye Safety:	FDA/CDRH CLASS 1 Laser Device (Rated Eyesafe)
Pwr. Output & Density:	TBD (meets FDA/CDRH regulations)
Pulse Width:	< 30 nsec.
Pulse Repetition Rate:	Fixed, 130 Hz (±0.1 % at 11.04 VDC)
Beam Divergence:	< 3 ± 0.5 mrad FWHM
Optical Design Type:	Bistatic (dual aperture)

HUD

Targeting:	Illuminated Pinpoint, keyboard adjustable intensity.
Range and Speed Data:	7-Digit (7-segment) with ± LED display with keyboard adjustable intensity

PANEL

Display:	8-Character (7-segment) with ± LCD display with keyboard controlled backlight
Display Clear:	Activates prior to new measurement (with depression of trigger)
Power-On Self Test:	Circuit elements tested, timing accuracy verified, and all display elements illuminated. Errors indicated by beep code.
Speed Display Lock:	Manual control (auto lock of speed and range with release of trigger)
Controls:	Polycarbonate overlay covering backlit (with LEDs) push button switches

SWITCH DEFINITION

TRIGGER: (Lidar mode)	Setup Menu Selectable: 1. Constant trigger depression for constant Xmit 2. Separate trigger depressions start/stop Xmit
TRIGGER: (time/dist mode)	Separate trigger depressions when target enters and exits speed zone
PWR:	Rear Panel switch toggles main power ON/OFF
TEST:	Performs a complete self-test
HUD Light:	Toggles the HUD intensity from low to high through six levels when pressed
SPEED/RANGE:	Used to select Tracking mode, Single Shot mode, Inclement Weather mode, and to toggle between SPEED only, RANGE only, and simultaneous SPEED and RANGE display. Used to exit from MIN, MAX, and TIME/DIST modes.
PANEL LIGHT:	Toggles both the LCD backlight and the keyboard backlight ON and OFF
AUDIO:	Used to adjust the volume of the speaker in 4 steps
TIME/DIST:	Selects TIME/DIST mode
MAX:	Used in TIME/DIST mode to display/update maximum range
MIN:	Used in TIME/DIST mode to display/update minimum range

DISPLAY MESSAGES

Err:	This message indicates that a measurement error has occurred
PASS:	This message (with "happy tone") indicates that a self-test has successfully completed

HAND HELD POLICE LASER

The Best Choice for "Dense Traffic" Speed Enforcement

The STALKER LIDAR is the next generation of police speed laser with outstanding performance and features. It is available with a corded handle and with the popular cordless battery handle configuration.

User Friendly

The STALKER LIDAR has been designed to provide the operator with the most features of any laser while at the same time making the product very easy to use. You won't find a lot of cryptic multi-function buttons on the STALKER LIDAR. The keys on the STALKER are backlit and well labeled. Each key does an obvious and clear function.

Doppler-Type Audio Tracking

Most laser operators also operate radar. The STALKER LIDAR generates a continuous Doppler-type audio tone which correlates to the target speed - just like the audio on a police radar. This audio is a substantial aid to understanding and building a target tracking history - providing a better evidentiary case for citations.

Heads Up Display With Speed & Range

STALKER LIDAR is the only laser on the market to provide the user with both speed and range information together in the heads up display. This provides the operator with the distance confirmation on every target - without having to constantly check the LCD.

Updated Design

STALKER LIDAR has been updated to provide greater range, even quicker target acquisition, and inclement weather mode. With the inclement weather mode, the lidar can be operated in all weather conditions including snow, rain, and fog.

STALKER[®] LIDAR




Pick Out Speeders
in Traffic with
Pinpoint
Accuracy!

LOADED WITH FEATURES

- Built-In H.U.D.
- Inclement Weather Mode
- Simultaneous Speed & Range Display
- Backlit Switches and Display
- RS-232 Output for Computers
- Continuous Speed Tracking
- Doppler-Type Audio Tracking Tones
- Time / Distance (Stopwatch) Mode
- Digital Signal Processing
- Software Upgradeable

Ergonomically Designed and Easy to Operate



Updated Design

- Increment Weather Mode
- Quicker Acquisition
- Longer Range

Detachable Handle

The handle easily detaches from the lidar body. This allows the operator to quickly replace a drained battery handle with a fully charged handle in seconds.


SPECIFICATIONS

Target Range	5' - 4000' (1.5m - 1200m) Nominal	Acquisition Time	0.33 Seconds
Speed Range	1 - 299 mph (1.6 - 480 kph)	Beam Divergence	3 Milliradians (3' Wide at 1000')
Speed Accuracy	+1 mph, -2 mph (+2 kph, -3 kph)	Input Voltage	6.5 to 16.0 VDC (Corded Handle)
Wavelength	904 ±10 Nanometers	Operating Temp.	-22° to +140° F (-30° to +60° C)
Weight (Corded)	3.0 lbs. (1.36 kg)	Dimensions	9.75" (24.77cm) H
Weight (Cordless)	3.8 lbs. (1.72 kg with Battery)		4.2" (10.67cm) W
Eye Safety	FDA/CDRH Class 1 (Eyesafe)		6.7" (17.02 cm) L

STALKER
LIDAR

Available Accessories

- 12 VDC Corded Handle
- Double Capacity NiMH Battery Handle
- Smart Charging Platform
- Shoulder Stock Stabilization Bracket
- Side Window Stabilization Head
- Large, Heavy Duty Tripod
- Waterproof Carrying Case



Call for an On-Site Demonstration Today

Just call our toll free number and arrange to have one of our factory trained sales representatives demonstrate the LIDAR's performance and ease of use.

Call Toll Free 1-800-782-5537

1-800-STALKER

www.stalkerradar.com

Email: sales@stalkerradar.com

applied concepts, inc.

2609 Technology Drive

Plano, Texas 75074-7467

Phone (972) 398-3780

Fax (972) 398-3781

AFFIDAVIT

West Virginia Code §5A-3-10a states:

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions.

"Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

EXCEPTION:

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING:


The vendor must be licensed in accordance with any and all state requirements to do business with the state of West Virginia.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: Applied Concepts, Inc.

Authorized Signature:  Date: 10/31/06
John Dawson