



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**DPS0731**

PAGE  
**1**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
**JOHN ABBOTT**  
**304-558-2544**

RECEIVED

RFQ COPY  
 TYPE NAME/ADDRESS HERE  
**BKT Uniforms**  
**3535 Franklin Rd**  
**Roanoke Va. 24014**

RECEIVED

**WEST VIRGINIA STATE POLICE**  
**4124 KANAWHA TURNPIKE**  
**SOUTH CHARLESTON, WV**  
**25309 304-746-2141**

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
02/20/2007	NET 30	UPS	VED	

BID OPENING DATE: **03/08/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		680-08		
<b>REQUEST FOR QUOTATION</b> THE PURCHASING DIVISION IS SOLICITING BIDS FOR THE WEST VIRGINIA STATE POLICE TO PROVIDE AN OPEN-END CONTRACT FOR BULLIT RESISTANT BODY ARMOR. ATTACHMENTS: 1. SPECIFICATIONS / BID FORM 2. AFFIDAVIT THIS CONTRACT MAY BE USED BY ALL AUTHORIZED STATE, COUNTY, AND CITY AGENCIES SO LONG AS THE WV STATE POLICE RECEIVE ORDERS ON TIME AS STATED. SAMPLES: THE WV STATE POLICE RESERVES THE RIGHT TO REQUEST SAMPLES TO BE SUBMITTED FOR EVALUATION PURPOSES. THE COST OF DELIVERY AND PICK UP WILL BE THE RESPONSIBILITY OF THE VENDOR. VENDOR'S BIDDING AN EQUAL SHALL PROVIDE SPECIFICATION DOCUMENTATION, COLORED BROCHURES, AND TEST INFORMATION WITH THEIR BID. EXHIBIT 3 LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON ..... AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE						

**RECEIVED**  
 2007 MAR -8 A 11:29  
 PURCHASING DIVISION  
 STATE OF WV

SIGNATURE *A Terry Marks* TELEPHONE **304-400-0048** DATE **3/7/07**  
 TITLE **OWNER** FEIN **65-1251659** ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**DPS0731**

PAGE  
**2**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
**JOHN ABBOTT**  
**304-558-2544**

S U P P L I E R

RFQ COPY  
 TYPE NAME/ADDRESS HERE  
**BKT Uniforms**  
**3535 Franklin Rd**  
**Roanoke, Va. 24014**

S H I P T O

**WEST VIRGINIA STATE POLICE**  
  
**4124 KANAWHA TURNPIKE**  
**SOUTH CHARLESTON, WV**  
**25309 304-746-2141**

DATE PRINTED <b>02/20/2007</b>	TERMS OF SALE <b>NET 30</b>	SHIP VIA <b>VPS</b>	FOB <b>FRNK</b>	FREIGHT TERMS <b>FRNK</b>
-----------------------------------	--------------------------------	------------------------	--------------------	------------------------------

BID OPENING DATE: **03/08/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING 30 DAYS WRITTEN NOTICE.</p> <p>UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.</p> <p>RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM TO THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p>OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK.)</p> <p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIED BY</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <b>A Tony Marks</b>	TELEPHONE <b>540-403-0088</b>	DATE <b>2/17/04</b>
TITLE <b>owner</b>	FEIN <b>65-1251659</b>	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**DPS0731**

PAGE  
**3**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
**JOHN ABBOTT**  
**304-558-2544**

SHIP TO

RFQ COPY  
 TYPE NAME/ADDRESS HERE  
**BET Uniforms**  
**3535 Franklin Rd.**  
**Roanoke, Va. 24014**

SHIP TO

WEST VIRGINIA STATE POLICE  
  
**4124 KANAWHA TURNPIKE**  
**SOUTH CHARLESTON, WV**  
**25309 304-746-2141**

DATE PRINTED <b>02/20/2007</b>	TERMS OF SALE <b>net 30</b>	SHIP VIA <b>VP</b>	FOB <b>FRG</b>	FREIGHT TERMS <b>FRG</b>
BID OPENING DATE: <b>03/08/2007</b>		BID OPENING TIME <b>01:30PM</b>		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF THE CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p> <p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN STATE CONTRACT ORDER (FORM NUMBER WV-39) TO THE VENDOR FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL COPY OF THE WV-39 SHALL BE MAILED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT, A SECOND COPY MAILED TO THE PURCHASING DIVISION, AND A THIRD COPY RETAINED BY THE SPENDING UNIT.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATICALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER.</p> <p>THE TERMS AND CONDITIONS CONTAINED IN THIS CONTRACT SHALL SUPERSEDE ANY AND ALL SUBSEQUENT TERMS AND CONDITIONS WHICH MAY APPEAR ON ANY ATTACHED PRINTED DOCUMENTS SUCH AS PRICE LISTS, ORDER FORMS, SALES AGREEMENTS OR MAINTENANCE AGREEMENTS, INCLUDING ANY ELECTRONIC MEDIUM SUCH AS CD-ROM.</p> <p>REV. 04/11/2001            VENDOR PREFERENCE CERTIFICATE</p> <p>CERTIFICATION AND APPLICATION* IS HEREBY MADE FOR PREFERENCE IN ACCORDANCE WITH WEST VIRGINIA CODE, 5A-3-37 (DOES NOT APPLY TO CONSTRUCTION CONTRACTS).</p> <p>A. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p> <p>( ) BIDDER IS AN INDIVIDUAL RESIDENT VENDOR AND</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <b>A Terry Moore</b>	TELEPHONE <b>540-402-0548</b>	DATE <b>3/3/07</b>
TITLE <b>owner</b>	FEIN <b>65-1251659</b>	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**DPS0731**

PAGE  
**4**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
**JOHN ABBOTT  
 304-558-2544**

RFQ COPY

TYPE NAME/ADDRESS HERE

*BKT Uniforms  
 3535 Franklin Rd.  
 Roanoke, Va. 24014*

SHIP TO

WEST VIRGINIA STATE POLICE

4124 KANAWHA TURNPIKE  
 SOUTH CHARLESTON, WV  
 25309 304-746-2141

DATE PRINTED <b>02/20/2007</b>	TERMS OF SALE <i>NET 30</i>	SHIP VIA <i>VIA</i>	F.O.B. <i>Yes</i>	FREIGHT TERMS <i>Free</i>
BID OPENING DATE: <b>03/08/2007</b>		BID OPENING TIME <b>01:30PM</b>		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>HAS RESIDED CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR</p> <p>( ) BIDDER IS A PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR AND HAS MAINTAINED ITS HEAD-QUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR 80% OF THE OWNERSHIP INTEREST OF BIDDER IS HELD BY ANOTHER INDIVIDUAL, PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR WHO HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR</p> <p>( ) BIDDER IS A CORPORATION NONRESIDENT VENDOR WHICH HAS AN AFFILIATE OR SUBSIDIARY WHICH EMPLOYS A MINIMUM OF ONE HUNDRED STATE RESIDENTS AND WHICH HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA CONTINUOUSLY FOR THE FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION.</p> <p>B. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p> <p>( ) BIDDER IS A RESIDENT VENDOR WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES WORKING ON THE PROJECT BEING BID ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID;</p> <p>OR</p> <p>( ) BIDDER IS A NONRESIDENT VENDOR EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS OR IS A</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>A. Taylor</i>	TELEPHONE <i>304-485-0000</i>	DATE <i>3/7/07</i>
TITLE <i>owner</i>	FEIN <i>65-1251659</i>	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER
DPS0731

PAGE
5

ADDRESS CORRESPONDENCE TO ATTENTION OF
JOHN ABBOTT 304-558-2544

RFQ COPY

RFQ COPY  
 TYPE NAME/ADDRESS HERE

BKT Uniforms  
 3535 Franklin Rd.  
 Roanoke, Va. 24014

SHIP TO

WEST VIRGINIA STATE POLICE

4124 KANAWHA TURNPIKE  
 SOUTH CHARLESTON, WV  
 25309 304-746-2141

DATE PRINTED 02/20/2007	TERMS OF SALE Net 30	SHIP VIA ups	FOB Yes	FREIGHT TERMS
BID OPENING DATE: 03/08/2007		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>NONRESIDENT VENDOR WITH AN AFFILIATE OR SUBSIDIARY WHICH MAINTAINS ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES OR BIDDERS' AFFILIATE'S OR SUBSIDIARY'S EMPLOYEES ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID.</p> <p>BIDDER UNDERSTANDS IF THE SECRETARY OF TAX &amp; REVENUE DETERMINES THAT A BIDDER RECEIVING PREFERENCE HAS FAILED TO CONTINUE TO MEET THE REQUIREMENTS FOR SUCH PREFERENCE, THE SECRETARY MAY ORDER THE DIRECTOR OF PURCHASING TO: (A) RESCIND THE CONTRACT OR PURCHASE ORDER ISSUED; OR (B) ASSESS A PENALTY AGAINST SUCH BIDDER IN AN AMOUNT NOT TO EXCEED 5% OF THE BID AMOUNT AND THAT SUCH PENALTY WILL BE PAID TO THE CONTRACTING AGENCY OR DEDUCTED FROM ANY UNPAID BALANCE ON THE CONTRACT OR PURCHASE ORDER.</p> <p>BY SUBMISSION OF THIS CERTIFICATE, BIDDER AGREES TO DISCLOSE ANY REASONABLY REQUESTED INFORMATION TO THE PURCHASING DIVISION AND AUTHORIZES THE DEPARTMENT OF TAX AND REVENUE TO DISCLOSE TO THE DIRECTOR OF PURCHASING APPROPRIATE INFORMATION VERIFYING THAT BIDDER HAS PAID THE REQUIRED BUSINESS TAXES, PROVIDED THAT SUCH INFORMATION DOES NOT CONTAIN THE AMOUNTS OF TAXES PAID NOR ANY OTHER INFORMATION DEEMED BY THE TAX COMMISSIONER TO BE CONFIDENTIAL.</p> <p>UNDER PENALTY OF LAW FOR FALSE SWEARING (WEST VIRGINIA CODE 61-5-3), BIDDER HEREBY CERTIFIES THAT THIS CERTIFICATE IS TRUE AND ACCURATE IN ALL RESPECTS; AND THAT IF A CONTRACT IS ISSUED TO BIDDER AND IF ANYTHING CONTAINED WITHIN THIS CERTIFICATE CHANGES DURING THE</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE A. T. Moore	TELEPHONE 304-400-0948	DATE 2/7/07
TITLE OWNER	FEB 65-1251659	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

REQ NUMBER  
**DPS0731**

PAGE  
**6**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
**JOHN ABBOTT  
 304-558-2544**

RFQ COPY  
 TYPE NAME/ADDRESS HERE

**BKT UNIFORMS**  
**3535 Franklin Rd. Suite E**  
**Roanoke VA 24014**

WEST VIRGINIA STATE POLICE

4124 KANAWHA TURNPIKE  
 SOUTH CHARLESTON, WV  
 25309 304-746-2141

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
02/20/2007	NET 30	UPS	YES	Free

BID OPENING DATE: **03/08/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>TERM OF THE CONTRACT, BIDDER WILL NOTIFY THE PURCHASING DIVISION IN WRITING IMMEDIATELY.</p> <p>BIDDER: <u>BKT UNIFORMS</u></p> <p>DATE: <u>3/7/07</u></p> <p>SIGNED: <u>A. T. [Signature]</u></p> <p>TITLE: <u>OWNER</u></p> <p>* CHECK ANY COMBINATION OF PREFERENCE CONSIDERATION(S) IN EITHER "A" OR "B", OR BOTH "A" AND "B" WHICH YOU ARE ENTITLED TO RECEIVE. YOU MAY REQUEST UP TO THE MAXIMUM 5% PREFERENCE FOR BOTH "A" AND "B". (REV. 12/00)</p> <p>NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p>DEPARTMENT OF ADMINISTRATION          PURCHASING DIVISION          BUILDING 15          2019 WASHINGTON STREET, EAST          CHARLESTON, WV 25305-0130</p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <u>A. T. [Signature]</u>	TELEPHONE <u>304-400-0048</u>	DATE <u>3/7/07</u>
TITLE <u>OWNER</u>	FERN <u>65-12516-59</u>	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

**Request for  
 Quotation**

RFQ NUMBER:  
**DPS0731**

PAGE:  
**7**

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
**JOHN ABBOTT  
 304-558-2544**

RFQ COPY  
 TYPE NAME/ADDRESS HERE

**BKT UNIFORMS  
 3535 Franklin Rd. Suite E  
 Roanoke VA 24014**

WEST VIRGINIA STATE POLICE

4124 KANAWHA TURNPIKE  
 SOUTH CHARLESTON, WV  
 25309 304-746-2141

DATE PRINTED <b>02/20/2007</b>	TERMS OF SALE <b>NET 30</b>	SHIP VIA <b>UPS</b>	FOB <b>YES</b>	FREIGHT TERMS <b>FREE</b>
-----------------------------------	--------------------------------	------------------------	-------------------	------------------------------

BID OPENING DATE: **03/08/2007** BID OPENING TIME: **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
SEALED BID						
BUYER:				JOHN ABBOTT-----		
RFQ. NO.:				DPS0731-----		
BID OPENING DATE:				03/08/2007-----		
BID OPENING TIME:				1:30 PM-----		
PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:						
				540-400-0056-----		
CONTACT PERSON (PLEASE PRINT CLEARLY):						
				TERRY MATHIS-----		
***** THIS IS THE END OF RFQ DPS0731 ***** TOTAL: <b>766.<sup>00</sup></b>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: **A Terry Mathis** TELEPHONE: **540-400-0048** DATE: **3/7/07**  
 TITLE: **OWNER** FEIN: **65-1251659** ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

The West Virginia State Police are soliciting competitive bids in the form of an open end contract for the purchase of bullet resistant body armor. Vendors submitting bids on this contract do not have to be registered in the State of West Virginia to submit a bid, but if the successful low bidder, must register with the State of West Virginia Purchasing Division and pay the \$125.00 registration fee.

**GENERAL:**

The WV State Police desire to purchase American Body Armor model XHP-III A or Equal. This armor has been reviewed by members of the WV State Police Special Response Team and K-9 Units. These members found this vest to meet the minimum specifications of the PACA vest and other vest previously utilized by the department. The aforementioned vest had a higher comfort level which is extremely important to encourage members to wear the vest. Members wearing their vest for their entire shift shall be comfortable, and vest shall not irritate the body in any way.

**SCOPE:**

Vest is intended for the use by male and female officers of the agency. The vest shall be worn comfortably while being concealed under a uniform shirt. Vest shall protect against labeled projectile penetration while reducing resultant blunt trauma and vest distortion to acceptable levels. The successful vendor shall be required to supply the individual vest with applicable options and colors as ordered for male or female officers.

Vest shall be certified under the NIJ 2005 Interim Requirement for Bullet Resistant Body Armor Threat Level 3A. Bids based on body armor models made by manufacturers other than American Body Armor must be clearly identified as such; those bidders must include a male and female sample, full product description, drawings and/or photos, technical specifications, as well as a list of at least ten (10) law enforcement agencies currently using that model armor for reference with their bid. **Bidders failing to submit this supporting documentation shall be rejected from the bid process.**

When the apparent low bidder has proposed an alternate product, that bidder shall demonstrate product equivalency to the satisfaction of the agency. Evidence equivalency shall be presented for each requirement of this specification and the burden of such equivalency rest entirely on the vendor. Any bidder may be required, at any time during the procurement process, to provide documentation proving compliance with any or all terms of this specification.

Only body armor models which have been tested by the National Institute of Justice (NIJ), National Law Enforcement Technology Center (NLETC) utilizing the methodology found in the NIJ 2005 Interim Requirement for bullet Resistant Body Armor, and found to comply with the NIJ 2005 Interim Requirement for Bullet Resistant Body Armor, for Type 3A Armor shall be submitted under this specification. **NO EXCEPTIONS.** Models certified under earlier standards and grandfathered into compliance with the NIJ 2005 Interim Requirement for Bullet Resistant Body Armor will



be rejected. Vendors must provide test results of any and all rounds that exceed NIJ 2005 Interim Requirement for Bullet Resistant Body Armor. This NIJ abbreviated testing is commonly known as "Special Threat" testing, testing of such rounds must be conducted by an NIJ approved laboratory.

#### **APPLICABLE DOCUMENTS:**

The following list of standards and specifications in effect on the date of this solicitation shall form a part of this specification

1. NIJ 200t Interim Requirement for Bullet Resistant Body Armor
2. MIL-STD-662, V50 Ballistic Test for Armor
3. Federal Standard no. 751, Stitches, seams, and stitching.
4. ISO 9001 Quality Assurance Certification
5. ANSI/ASQC-Q9000 Quality Standard, dated August 1, 1994
6. Additional Test reports of "Special Threat Testing from a certified NIJ Laboratory as required.

#### **PURCHASE REQUIREMENTS:**

The successful bidder must be a recognized wholesaler/retailer, which maintains a convenient location for measurement, fitting and service during regular business hours Monday through Friday. Any manufacturers, which bid direct, must include a service proposal as to how measuring, reworks, and customer service will be maintained without local distribution.

#### **SPECIFIC QUANTITY**

The agency has the right to determine quantity, if not otherwise specified. Of the total quantity purchased both male and female products will be represented. The agency has the right to adjust the total quantities while maintaining the accepted bid price.

#### **DESIGN REQUIREMENTS:**

The intended use of the soft body armor detailed herein is intended to be standard issue armor. It is intended for routine daily wear as an undergarment.

The soft body armor shall be designed to provide:

1. Light and thin NIJ 2005 Interim requirement for Bullet Resistant body armor in Level 3A
2. A high degree of concealment and comfort.
3. Minimum restriction of motion or mobility.
4. Optional carriers to allow for laundering and color changes.
5. Provide protection against the labeled projectiles in accordance with the NIJ 2005 Interim Requirement for Bullet Resistant Body Armor.

**GENERAL DESIGN:**

The ballistic panels of soft body armor meeting this specification shall provide thin, flexible, lightweight comfort utilizing a matrix of two or more of the following: Wwaron, gold RS and Dyneema. There shall be no stitching completely through the entire ballistic panel(s), with the exception to tacks at the panel's edges. The soft body armor shall be designed for regular daily wear as an undergarment. Therefore, vest shall be designed and constructed to provide (1) light and thin NIJ 2005 Interim Requirement for Bullet Resistant Body Armor certified armor in Level 3A, (2) durability (3) ease of cleaning, (4) minimum restriction of motion or mobility and (5) the greatest amount of ballistic coverage consistent with comfort and concealment.

The general configuration shall be the slipover vest type that covers the majority of the upper torso, including side coverage. Availability for four or six elastic straps with hook and pile fasteners shall provide proper positioning and comfort. The entire vest perimeter shall be curved. No sharp corners or straight edges shall be allowed.

The front ballistic panel shall cover the chest approximately up to the collar bone, have a scooped neck sufficient to maintain concealability when wearing an open collar shirt, extend downward to the waist but not far enough to "push up into the throat" when the wearer is seated, and extend around the sides to provide side protection. The biceps/chest area shall be cut with sufficient space to minimize irritation and restriction of arm movement during common duties such as the operation of a motor vehicle.

The rear ballistic panel shall cover the back of the torso from just above the shoulder blades down to a position above the waist belt. The sides of the torso shall be covered by having side coverage from both the front and rear panels, as the department has determined that such a configuration maximizes both coverage and comfort. Accordingly, armor which maintains side coverage from only the front and rear panels *will be rejected*.

Panels and carriers shall be equipped with an internal suspension system, which prevents ballistic panels from sagging, ensuring full protection.

Each piece of soft body armor shall include the following:

1. One (1) set of ballistic panels (1 front, 1 rear)
2. One (1) complete NS washable carrier.
3. One (1) trauma reduction insert.

**OPTIONS:**

The following will be optional equipment that can be purchased:

1. Cool Max Tee Shirt
2. Additional Akwadyne Comfort Mesh removable outer carrier.
3. Quilted outer carrier
4. Tactical outer carrier

**BALLISTIC PANEL MATERIALS**

All materials shall be new, unused and without flaws that affect appearance, durability and function. The ballistic panels shall be constructed of a matrix of two or more of the following: Twaron, gold RS and Dyneema. As the agency has selected these materials, any bids which represent products manufactured from other materials shall be rejected.

**PANEL CONSTRUCTION:**

The ballistic panels shall be constructed of a matrix of two or more of the following: Twaron, gold RS, and Dyneema. There shall be no stitching completely through the entire ballistic panel(s) with the exception to takcs at the panels edges.

All vests, which are submitted, shall represent armor, which in layer count is uniform throughout the ballistic panel. Accordingly, any ballistic panel, which is not uniform, in layer count, throughout the entire ballistic package, shall be rejected. If the manufacturer contends that such feathering of the armor is advantageous, then the armor shall be tested utilizing the least number of layers, which exist in any part of the ballistic package. Failure to submit such testing shall be cause for rejection.

It is the intent of the agency to procure the lightest weight, best performing personal armor available in relation to areal density, therefore a vest section of 12”X12” (one square foot) (30.5 cm X 30.5 cm) must not exceed the following

<b>Threat Level</b>	<b>maximum weight</b>	<b>maximum thickness</b>
3A	.97 lbs. sq. ft.	.18 inches

**BALLISTIC PANEL PERFORMANCE**

**V50 Performance**

Each bidder shall submit V50 Test reports for the vest being offered. The V50 test reports for the vest being offered. The V50 test shall be performed in accordance with MIL-STD-662F using NIJ 2005 Interim Requirement for Bullet Resistant Body Armor 9mm 124 grain FMJ test projectiles. The test must be performed by an independent laboratory approved by the National Institute of Justice (NIJ) National Law Enforcement technology Center (NLETC) for testing in accordance with NIJ 2005 Interim Requirement for Bullet Resistant Body Armor. Models grandfathered into compliance with the NIJ 2005 Requirement will be rejected. The vest must be tested under protocol

contained in the new NIJ 2005 Interim Requirement for Bullet resistant Body Armor. The V50 test shall be against clay backing. V-50 reports which represent testing without clay backing shall be rejected. Vendor shall provide written certification that all V 50 testing is accomplished with clay backing. Failure to provide certification shall be cause for rejection.

Test reports submitted by the bidder shall reflect the following minimum test results.

<b>Threat Level</b>	<b>Bullet Description</b>	<b>V50 Velocity (Minimum)</b>
3A	9mm, 124-grain fmjrn	1816 fps

Bid submissions not including NIJ required baseline V50 reported shall be rejected. In addition to the NIJ 2005 Interim Requirement for bullet resistant body armor required 9mm/V50 test report, each bidder must provide NIJ Base Line Test Reports on the following minimum test results.

<b>Threat Level</b>	<b>Bullet Description</b>	<b>V50 Velocity (Minimum)</b>
3A	44 mag.fjhp 240-grain	1640 fps

**Relative Performance Index (RPI)**

It has been determined that the relative strength to weight ratio of a ballistic design is important in determining its comfort/performance characteristics. The strength to weight ratio is calculated by dividing the areal weight (lbs. per square foot) into the performance V50 value. A high strength to weight ratio or Relative Performance Index (RPI) indicates a high degree of comfort & performance. Therefore, the minimum RPI shall be no lower than:

<b>Threat Level</b>	<b>Bullet Description</b>	<b>Relative Performance Index (RPI Minimum)</b>
3A	9mm, 124-grain FMJRN	1872 fps
3A	44 mag, FJP, 240-grain	1690 fps

**Trauma Performance (BFS)**

Blunt Trauma reduction is an important aspect of armor design. Low back face signature (BFS) should result in reduced blunt trauma injury. Therefore, the back face signature results of NIJ 2005 Interim Requirement for Bullet Resistant Armor certification test reports shall reflect BFS no higher than:

<b>Threat Level</b>	<b>Bullet Description</b>	<b>back face signature (BFS Maximum)</b>
---------------------	---------------------------	--

3A	9mm,124-grain FMJRN	28mm
3A	44 mag, FJHP, 240-grain	42mm

Bid submissions which do not meet this requirement , will be rejected.

#### **LABELING**

Label material shall withstand normal wear and cleaning and remain readable during the entire warranted life of the armor or carrier.

All soft body armor shall be labeled in strict adherence to the labeling requirement set forth in NIJ 2005 Interim Requirement for Bullet Resistant Body Armor. The ballistic panel labeling shall include, but not be limited to the following:

1. Name of Manufacturer
2. Level of Protection
3. NIJ 2005 Interim Requirement for Bullet Resistant Body Armor
4. Date of fabrication
5. Size
6. Serial Number
7. Model of Vest
8. Care instructions
9. Lot number.

#### **BALLISTIC PANEL COVER MATERIAL**

Each ballistic panel shall be covered in 100% anti-microbial Olefin treated for water repellency. Construction 70 denier and sized 110" X 85" (279cm x 215 cm) . Inner cover material must be stain-resistant, odor and mildew resistant. Material shall have no visible fabric or color flaws.

#### **VEST OUTER CARRIER MATERIAL**

##### **Removable carrier-ns-carrier**

The outer machine washable carrier shall be removable from the ballistic panels for laundering by way of zippers integrated into the outside of the garment. Carrier shall come with fixed waist and shoulder straps. Carrier shall come with (1) set of straps. Outer vest material shall be poly-cotton or micro mini-rip. The inner carrier material shall be Akwadyne Mesh. Male carrier shall have both a 7X9 and 5X8 pockets on the outer front of the carrier. All fabrics shall have no visible fabric or color flaws.

#### **TRAUMA INSERT**

A trauma reduction insert constructed of bullet resistant material cut five inch by eight inch shall be provided. The trauma reduction insert shall be placed in a nylon cover, which shall be tucked into one end of the ballistic material and sewn shut through to hold it in place.

## **QUALITY CONTROL**

The manufacturer must maintain a quality program certified under the ISO 9001 certification program by an accredited registrar under the accreditation of the Registrar Accreditation Board. The scope of the certification must include the Design and Manufacturing of technologically advanced personal safety equipment including concealable and tactical bullet resistant vests, custom body armor, composite armor, explosive ordinance protection, ballistic face and head protection, ballistic shields and other police and military apparel, and narcotic identification systems.

The documented quality control system must be designed to insure the integrity and quality of the manufactured products. The quality control system shall control all manufacturing process and incoming raw materials. The manufacturer must have an in-house ballistic laboratory capable of performing ballistic testing of incoming raw materials and in-process samples. The manufacturer must have the capability of performing testing in accordance with MIL-STD-662 and NIJ 2005 Interim Requirement for Bullet Resistant Body Armor. Procedures for lot testing of incoming raw materials and in process samples must be incorporated into the quality control system. All incoming ballistic material shall undergo V-50 ballistic lot test in accordance with MIL-STD-662. Every vest panel manufactures shall be subsequently inspected for proper ballistic panel stitching. Covers and accessories shall be re inspected during manufacturing for defects at selected points during manufacturing to assure the absence of hidden defects in the final item.

In addition, each vest shall receive a final inspection prior to shipment. This inspection shall include a review of the quality control check sheet and confirm the product against the customers order.

A copy of the Certificate of Accreditation, as well as the manufactures quality control program must be submitted with bid documents.

## **SERIAL NUMBERS**

Each unit of soft body armor delivered shall have an individual serial number. Each serialized soft body armor shall be traceable to its original ballistic material mill roll number. Additionally the soft body armor serial number shall be traceable t an incoming material lot test and ballistic panel lay up lot test. The vendor must have the ability to trace serial numbers.

## **LOT TESTING**

All incoming ballistic material shall undergo V50 ballistic lot test in accordance with MIL-STD-662F except that the test will be conducted on clay backing which meets the requirements of NIJ 2005 Interim Requirement for Bullet Resistant Body Armor for backing material.

#### MEASUREMENT AND FITTING

Unless otherwise stated, individual measurements will be taken of each user. Each delivered vest shall fit in accordance with the following guidelines:

1. The side edges of the front and back ballistic panels shall meet or overlap.
2. The bottom edge of the front ballistic panel shall be within one inch (1") of the highest waist belt (usually the duty belt) measurement when the wearer is in a relaxed seated position.
3. The bottom edge of the front ballistic panel shall be within one-inch (1") of the highest waist belt (usually the duty belt) measurement when the wearer is in a relaxed seated position.
4. Female sizes are determined based on individual measurements including bust size and are conformed through the use of sizing/fit samples in conjunction with a tape measure and a certified Size Right Program.

**The selected bidder must have a manufacturer armor-sizing program that utilizes certified representatives and distribution-trained personnel to properly size armor.**

#### FIT AND ALTERATION POLICY

The manufacturer shall perform all required alterations of more than one inch within 30 days after the original shipment of the product at no charge. Adjustments of an inch or less can be accomplished by utilizing the adjustable strap feature on the vest.

#### PRODUCT LIABILITY INSURANCE

Vest manufacture shall agree to provide a minimum of \$20,000,000.00 product liability insurance coverage on delivered vest.

#### WARRANTY

Ballistic Panels: For five (5) years after the date of purchase the manufacture will warrant the ballistic panels against defects in materials and workmanship.

The alteration of ballistic panels in any way shall render the warranty void.

#### REMOVABLE COVERS:

Removable machine washable covers shall be fully warranted for twelve (12) months after the date of purchase against any defects in the material and /or workmanship.

## PACKAGING

All soft body armor shall be packaged and shipped consistent with good commercial practices.

**Plastic Bags:** Each set of armor, along with its optional equipment shall be placed in an individual plastic bag.

**Shipping Cartons:** The soft body armor shall be packed into suitable corrugated cardboard box. The box shall allow for normal shipping without damage to the soft body armor.

## DOCUMENTATION

The following documents, certifications, test-reports and samples must be provided.

1. Models must be clearly identified and shall include:
  - a. Full product description
  - b. Complete bid sample, male and female
  - c. Drawings and/or photographs
  - d. Technical specifications
2. Manufacturers bidding direct must include a service proposal as to how measuring, alterations and customer service will be maintained without local distribution.
3. Compliance with NIJ 2005 Interim Requirement for bullet Resistant Body Armor and test reports from an accredited laboratory for the vest being certified under the NIJ 2005 Interim Requirement and not grandfather in under earlier standards.
  - a. Any ballistic rounds tested above and beyond the required NIJ 2005 Interim Requirement for Bullet Resistant body Armor standard for requested threat level requires a report from a NIJ Certified Laboratory. Any Bidder that does not provide such documentation at the time of the bid will be rejected.
4. V50 test reports performed in accordance with MIL-STD-662F. V50 testing must be accomplished with clay backing.
  - a. Test Reports must be submitted for the entire ballistic package.
  - b. Test reports must be submitted for incoming materials, which are utilized in the ballistic package.



- 5. Chemical test reports certifying use of Akwadyne fabric treatment
- 6. The ability to trace serial numbers.
- 7. The layer count of the vest must be uniform throughout the entire ballistic package. If not, test reports must be submitted for the vest utilizing the least amount of layers.
- 8. Quality Control Procedures
  - a. Incoming materials
  - b. Lay-up configuration
  - c. In-process configuration
  - d. Testing verification
  - e. Inspection of ballistic panel stitching
  - f. Random final product inspection and continuous in-process surveillance
- 9. Product Liability Insurance providing a minimum coverage of \$20,000,000.
- 10. Documentation stating a 5-year ballistic package warranty
- 11. Documentation stating a 12-month cover warranty
- 12. ISO-9001 Certificate

**END OF SPECIFICATIONS & REQUIREMENTS:**

**COST**

One (1) complete set of body armor including:

- 1. One (1) set of ballistic panels (1 front and 1 rear)
- 2. One (1) Complete NS washable carrier.
- 3. One (1) Trauma reduction insert

Total Cost per unit: \_\_\_\_\_ \$ 449.00

**Optional Equipment:**

Cool Max Tee shirt \_\_\_\_\_ \$ 175.00

Additional Akwadnye Comfort Mesh  
Removable outer carrier \_\_\_\_\_ \$ 495.00

Quilted outer carrier-----\$ 125<sup>00</sup>

Tactical outer carrier-----\$ 125<sup>00</sup>

END OF PRICING:

# A F F I D A V I T

**West Virginia Code §5A-3-10a states:**

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

**DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

**EXCEPTION:**

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

**LICENSING:**

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

**CONFIDENTIALITY:**

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit [www.state.wv.us/admin/purchase/privacy](http://www.state.wv.us/admin/purchase/privacy) for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: BKT Unxams

Authorized Signature: A Tey mado Date: 3/3/07

**GENERAL TERMS & CONDITIONS  
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this contract is automatically null and void, and is terminated without further order.
14. **HIPAA Business Associate Addendum -** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.


---

**INSTRUCTIONS TO BIDDERS**

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in cases of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications.

**SIGNED BID TO:**

Department of Administration  
Purchasing Division  
2019 Washington Street East  
Post Office Box 50130  
Charleston, WV 25305-0130



**HOME**

**WELCOME TO GATOR HAWK ARMOR**

**WARRANTY & REGISTRATION**

**TEAM GATOR HAWK - ABOUT US**

**TEAM GATOR HAWK**

**David Daggett - CEO and Chairman of the Board**  
Grandson of the late F. Morton Pitt, founder of the F. Morton Pitt Co Pittco in 1941. Quickly became one of the largest Law Enforcement Equipment Distributors in the United States.

President of the F. Morton Pitt Company from 1994 to 1999. Sold the equipment side of the business in 1999 retaining ownership of PITT PITTCO has manufactured molded rear seats for patrol cars since 1999. PITTCO also manufactures the Duraflare High Intensity Strobe Traffic Light. Each of these products continues to have a strong presence in the Law Enforcement community.

**Scotty Wylie - President:**  
Over 20 years experience in the Body Armor Industry

2 years as a consultant to Body Armor, Holster and Police Equipment manufacturers including Pittco Inc.

20 months as a Vice President for Armor Holdings parent company American Body Armor, Defense Technology and NIK Public Safety equipment.

6 years with Safariland Corporate. Leaving as Vice President of the Law Enforcement Division. Managed Sales, Marketing, Research, Development and Customer Service for the Body Armor, Duty Gear, Graphics and Accessories Divisions.

11 years as a Factory Representative for Safariland in 17 states.

**ABOUT US**

**CONTACT US**

**PRESS RELEASE**

**CONCEALABLE**

**TACTICAL**

**GATOR-GEAR**

**SIZING FORM**


**TRADE SHOWS**

**BALLISTIC SERIES**

**SPIKE SERIES**

**SALES REPS**

**ORDER**



# GH-3A-0603

## NIJ Performance Data & Technical Summary

**Country of Certification:** USA  
**Ballistic Standard:** NIJ 0101.04  
**Date Certified:** 7/2/2004

**Threat Level:** IIIA

**Areal Density:** 0.99 lbf/ft<sup>2</sup>  
15.96 oz/ft<sup>2</sup>  
48.3 grams dM2

**Thickness:** .314 in.  
7.97 mm

**Composition:** 100% - LFT

**Stitching:** Shoulder & Waist Tacks

**Ballistic Cover:** 70 denier Ripstop  
Nylon Urethane Backed

**Ply Count:** 25

## Ballistic Performance @ Certification

9mm V50: 1740 fps.  
9mm V50: 530 m/s  
9mm RPI: 1757 rpi  
9mm BFS: 0.97 in.  
9mm BFS: 24.8 mm

357 Mag V50: 1709 fps.  
357 Mag V50: 520 m/s  
357 Mag RPI: 1726 rpi

44 Mag V50: 1631 fps.  
44 Mag V50: 497 m/s  
44 Mag RPI: 1647 rpi  
44 Mag BFS: 1.47 in.  
44 Mag BFS: 37.5 mm

**S&B 7.62x25 86gr. Steel Jacket NIJ .04 V0**  
**@ 1525 fps. +/-25 BFS: 23.6 mm**

**Fiocchi 9mm 115gr. FMJ NIJ .04 V0**  
**@ 1210 fps. +/-30 BFS: 21.5 mm**





**U.S. Department of Justice**

Office of Justice Programs

*National Institute of Justice*

---

Washington, D.C. 20530

September 27, 2005

David M. Daggett  
Chief Executive Officer  
Gator Hawk Armor, Inc.  
1806 Goodyear Ave.  
Ventura, CA 93003

**Notice of Compliance with NIJ 2005 Interim Requirements**  
Body Armor Model: GH-3A-0603                      Level: IIIA  
Manufacturer: Gator Hawk Armor, Inc.  
Warranty Period: Not yet declared (additional submission required)

Dear Mr. Daggett:

We have reviewed the documentation submitted by your company concerning the body armor model described above ("the Body Armor Model") in accordance with the *National Institute of Justice (NIJ) 2005 Interim Requirements for Bullet-Resistant Body Armor*.

The following documents were received:

Certification as to materials identified in NIJ Body Armor Standard Advisory Notices (NIJ Form IR-1);

Certification as to materials of construction of each component of the body armor model (NIJ Form IR-2);

Certification as to labeling of the armor (NIJ Form IR-3B ); and

Acknowledgment concerning NIJ's recent research findings, the NIJ 2005 Interim Requirements, and certain related matters (NIJ Form IR-4).

Based on our review of these documents, and on our previous determination (based on the submission of armor samples to NIJ's Voluntary Body Armor Compliance Testing Program) that the Body Armor Model satisfied the requirements of NIJ Standard-0101.04, NIJ deems the Body Armor Model to

comply with the *NIJ 2005 Interim Requirements for Bullet-Resistant Body Armor*. The Body Armor Model will be added to the list of armor models that comply with the NIJ 2005 Interim Requirements available at [www.justnet.org](http://www.justnet.org). To maintain the Body Armor Model's compliance status, however, your company must submit NIJ Form IR-5 ("Certification as to Ballistic Performance") **within 90 days of the date of this notice**. If a satisfactory certification on NIJ Form IR-5 is not submitted on a timely basis, the Body Armor Model will lose its compliance status and will be removed from the compliance list until it is submitted.

To complete NIJ Form IR-5, an authorized officer of the manufacturer of a body armor model must declare the warranty period for the model and certify that the manufacturer: (1) reasonably believes the armor model will maintain its ballistic performance (consistent with its originally declared threat level) over its declared warranty period, (2) has objective evidence to support that belief, and (3) agrees to provide that evidence to NIJ promptly on demand. Information on declared warranty periods will be included in any NIJ list of compliant models.

Sincerely,

A handwritten signature in black ink that reads "John Morgan". The signature is written in a cursive style with a large initial "J" and "M".

John Morgan  
Assistant Director  
Office of Science and Technology  
National Institute of Justice



PRODUCER Phone: (858) 748-1357 Fax: (858) 748-4278  
**BAUER INSURANCE SERVICES, INC.**  
 13750 DANIELSON STREET SUITE 200  
 POWAY CA 92064-8851

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

INSURED  
**GATOR HAWK ARMOR, INC.**  
 1806 GOODYEAR AVENUE  
 VENTURA CA 93003


INSURERS AFFORDING COVERAGE		NAIC #
INSURER A:	<b>COLONY INSURANCE COMPANY</b>	
INSURER B:	<b>JAMES RIVER INSURANCE COMPANY</b>	
INSURER C:		
INSURER D:		
INSURER E:		


**COVERAGES**

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR: ADD'L LTR: INSRD	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS							
A	<b>GENERAL LIABILITY</b> <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR  GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC	AR6360114	10/13/06	10/13/07	EACH OCCURRENCE \$ <b>1,000,000</b> DAMAGE TO RENTED PREMISES (Ea occurrence) \$ MED. EXP (Any one person) \$ PERSONAL & ADV INJURY \$ <b>1,000,000</b> GENERAL AGGREGATE \$ <b>2,000,000</b> PRODUCTS-COMP/OP AGG. \$ <b>2,000,000</b>							
	<b>AUTOMOBILE LIABILITY</b> <input type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS <input type="checkbox"/> NON-OWNED AUTOS				COMBINED SINGLE LIMIT (Ea accident) \$ BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$							
	<b>GARAGE LIABILITY</b> <input type="checkbox"/> ANY AUTO				AUTO ONLY - EA ACCIDENT \$ OTHER THAN AUTO ONLY: EA ACC AGG \$							
B	<b>EXCESS / UMBRELLA LIABILITY</b> <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS MADE  <input type="checkbox"/> DEDUCTIBLE RETENTION \$ <b>0</b>	000192290	10/13/06	10/13/07	EACH OCCURRENCE \$ <b>5,000,000</b> AGGREGATE \$ <b>5,000,000</b> \$ \$							
	<b>WORKERS COMPENSATION AND EMPLOYERS' LIABILITY</b> ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? If yes, describe under SPECIAL PROVISIONS below				<table border="1"> <tr> <td>WC STATUTORY LIMITS</td> <td>OTHER</td> </tr> <tr> <td>E.L. EACH ACCIDENT</td> <td>\$</td> </tr> <tr> <td>E.L. DISEASE-EA EMPLOYEE</td> <td>\$</td> </tr> <tr> <td>E.L. DISEASE-POLICY LIMIT</td> <td>\$</td> </tr> </table>	WC STATUTORY LIMITS	OTHER	E.L. EACH ACCIDENT	\$	E.L. DISEASE-EA EMPLOYEE	\$	E.L. DISEASE-POLICY LIMIT
WC STATUTORY LIMITS	OTHER											
E.L. EACH ACCIDENT	\$											
E.L. DISEASE-EA EMPLOYEE	\$											
E.L. DISEASE-POLICY LIMIT	\$											
A	<b>OTHER: EXCESS LIABILITY</b>	AR6460176	10/13/06	10/13/07	EACH OCCURRENCE \$ <b>5,000,000</b> AGGREGATE \$ <b>5,000,000</b>							

**DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/EXCLUSIONS ADDED BY ENDORSEMENT/ SPECIAL PROVISIONS**

CERTIFICATE HOLDER	CANCELLATION
Evidence of Insurance   Attention:	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING INSURER WILL ENDEAVOR TO MAIL 10 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO DO SO SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER, IT'S AGENTS OR REPRESENTATIVES.  AUTHORIZED REPRESENTATIVE 



Quality  
Endorsed  
Company

# CERTIFICATE OF REGISTRATION

## Gator Hawk Armor Inc.

1806 Goodvear Avenue. Ventura. California 93003

complies with the requirements of

**ISO 9001:2000**

Exclusions: None

Quality Management Systems - Requirements

for the following capability

This Registration Covers the Quality Management System for the Research & Development, Design and Manufacturing of Body Armor, and Armor Systems.

**Registered by:**

SAI Global Certification Services Pty Ltd (ACN 108 716 669) 286 Sussex Street Sydney NSW 2000 Australia with SAI Global Inc. ("SAI Global") and subject to the SAI Global Terms and Conditions for Certification. While all due care and skill was exercised in carrying out this assessment, SAI Global accepts responsibility only for proven negligence. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request.

**Certificate No.:** QEC15672  
**Issue Date:** 11 June 2006

**Certified Date:** 11 June 2003  
**Expiry Date:** 11 June 2009

**Alex Ezrakhovich**  
General Manager Certification  
for and on behalf of  
SAI Global

**Carl F. Blazik**  
Authorised Local Signatory  
for and on behalf of  
SAI Global



**JAS-ANZ**



SAI Global is Accredited by  
the Joint Accreditation System  
of Australia and New Zealand  
Acc No. 512509245



To verify that this certificate is current please refer to the SAI Global On-Line Certification Register: <http://register.sai-global.com>

 **Read Message**

[Previous](#)   [Next](#)   **Back to: Inbox**

**From:** "Scotty Wylie" <scotty@gatorhawkarmor.com>   
**Date:** 2007/03/07 Wed PM 06:51:20 EST  
**To:** "Terry Mathis" <uniforms@bkt.roacoxmail.com>  
**CC:** "GH Todd Dix" <DixEnterprises@aol.com> , "C.J. Ruppert" <cjrun1@hotmail.com>   
**Subject:** 10 Agencies

[Reply](#)   [Reply All](#)   [Forward](#)   [Delete](#)   [Move To: \(Choose Folder\)](#)

Terry.

See Below

South Carolina Department of Public Safety  
Lexington County Sheriffs Department  
City of Lexington  
Horry Count Sheriffs Department  
Iowa State Patrol  
Missouri State Patrol  
Greenwich P.D.  
Hartford P D  
Dallas County Sheriffs  
Greenville Count

Scotty Wylie  
President  
Gator Hawk Armor Inc

Phone (904) 273-9781  
Fax (904) 273-3078

**CONFIDENTIALITY NOTICE:** This e-mail message, including any attachments, is for the sole use of the intended recipient(s) and may contain confidential and proprietary information. Any unauthorized review, use, disclosure or distribution is prohibited. If you are not the intended recipient(s), please contact the sender by reply e-mail and destroy all copies of the original message.

[Reply](#)   [Reply All](#)   [Forward](#)   [Delete](#)   [Move To: \(Choose Folder\)](#)

[Search Messages](#)

[Previous](#)   [Next](#)   **Back to: Inbox**

© 2001 Openwave Systems, Inc. All Rights Reserved

[Help](#)