

VENDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

T O

RFQ NUMBER **HST0741**

	P	40	ìΕ		ं	3	3	
				1				

ADDRESS CORRESPONDENCE TO ATTENTION OF:

RON PRICE

304-558-0492

*117134613 304-204-2435 WV TRUCK & TRAILER CO INC **#1 JAIN DRIVE**

CROSS LANES WV 25313 HEALTH, SAFETY AND TRAINING OFFICE OF MINERS' 1615 WASHINGTON STREET EAST

02/11/2007)EH	IMS OF SAI	E	SHIP VIA		F.O.B.	FREIGHT TERMS
BID OPENING DATE		02/21/	2007		19844	RTD I	OPENING TIME 0	L:30PM
LINE				CAT	ITEM NUMBER			
O O O 1		THE B THE S X 24 X	ID OP	NO ADDEN ENING F THE		2/14/0 XES F	UNIT PRICE 07 TO 2/21/07 ROM 24 X 24 X 48 \$88,529 00	\$177.058 °C
	TRUCKS,		1		26,000 LBS. D OF RFQ		741 ***** TOTAL:	\$ 177,058 =
				SEE DEVI	ERSE SIDE FOR TERMS	ANG	ITIONE	
IGNATURE	en Mo	J			TELEP	HONE	04-2435 DATE 2	21-07
rs/Geveral	MANAG	LITE BYUNG FEIN	55-	0677	13B	/4 	ADDRESS CHANGES	



VENDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

Ţ

HST0741

RFQ NUMBER

41

:	े	ं	Į	Α	C	àl	Ξ		3			
								1				

ADDRESS CORRESPONDENCE TO ATTENTION OF:

RON PRICE 304-558-0492

*117134613 304-204-2435 WV TRUCK & TRAILER CO INC #1 JAIN DRIVE

CROSS LANES WV 25313

HEALTH, SAFETY AND TRAINING OFFICE OF MINERS' 1615 WASHINGTON STREET EAST

DATE PRI	NTED	TER	RMS OF SA	LE	S-	IIP VIA		F	O.B.		FREIGHTTERMS
01/30	/2007										
BID OPENING DATE	Ξ:	02/14/	2007			BID	OPE	NING	TIME	0 1	L:30PM
LINE	QUA	NTITY	UOP	CAT. NO	ITÉM	NUMBER		UN	IT PRICE		AMOUNT
0001		2	EA	<u> </u>	070-51						
	TRUCKS	, GVW	LESS	THAN	26,000	LBS.					
	PER TH	IE ATTA	CHED	SPECI	FICATIO	NS					
	THE AC	CEPTAB	LE LE	VEL O	F QUALI	S NAMED H	A DN	ARE I		SH	
						NCE OR FA					
						VENDORS W D INCLUDE				IG	
						. FAILUR					
						S MAY BE					
						ATE RESER				-	
						IN BIDS					
						3-1-4(F)					
	VIRGIN	IA LEG	ISLAT	IVE R	ULES ANI	REGULAT	IONS	S .			
4			VEND	OR PR	EFERENCE	CERTIFI	CATE	Ē			
	CEDITE	TCATIO	N AND	ADDI	TCATIONS	IS HERE	DV M	(ADE	E O D		
						WEST VIR					
						ISTRUCTIO				7,74	
	A. API REASON			S MAD	FOR 2.	5% PREFE	RENC	E FC	R THE	9.00	
\$	HAS RE	SIDED (CONTI	งบอบร เ	Y IN WE	RESIDENT	NIA	FOR	FOUR		
	(4) YEA			TELY	PRECEDIN	IG THE DA	TE O	F TH	IS		
	(X) 1	BIDDER	IS A	PARTI	NERSHIP,	ASSOCIA	TION	OR	CORPO	RA-	
RIGNATURE	J			SEE REV	ERSE SIDE FOR	TERMS AND CON	I VIDITIONS	3		loate	
		,,,								,	
TTLË		FEII	N .					ADD	RESS CHA	ANGES	TO BE NOTED ABOVE



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

SH-A

Ţ

HST0741

PAGE__

ADDRESS CORRESPONDENCE TO ATTENTION OF

RON PRICE 304-558-0492

*117134613 304-204-2435 WV TRUCK & TRAILER CO INC #1 JAIN DRIVE

CROSS LANES WV 25313

HEALTH, SAFETY AND TRAINING OFFICE OF MINERS' 1615 WASHINGTON STREET EAST

		SHIP VIA	F.O.B.	FREIGHT TERMS
01/30/2007				
BID OPENING DATE:	02/14/2007	BID	PENING TIME 0	L:30PM
LINE QUAN	ITITY UOP CAT	ITEM NUMBER	UNIT PRICE	AMOUNT
TTON D	ESTREME VENDOR A	ND HAS MAINTAINED	TTO HEAD	A STATE OF THE STA
		PLACE OF BUSINESS		
		(4) YEARS IMMEDI		•
		FICATION; OR 80%		
		HELD BY ANOTHER I		
		ON OR CORPORATION		
		HEADQUARTERS OR		
OF BUS	INESS CONTINUOUS	LY IN WEST VIRGIN	IIA FOR FOUR (4)	
		EDING THE DATE OF		
	ICATION; OR			
		1.		
() E	BIDDER IS A CORP	DRATION NONRESID <mark>e</mark>	NT VENDOR	
		OR SUBSIDIARY WH		
		ED STATE RESIDEN <mark>T</mark>		
		QUARTERS OR PRIN <mark>C</mark>		
i	1 1	IRGINIA CONTINUO <mark>U</mark>		
	1 (1	TELY PRECEDING TH	E DATE OF THIS	
CERTIFI	CATION.			
D ADE	NI TON TO MANY	* FOR 2 F#/ BREEF	ENOT FOR THE	
		FOR 2.5% PREFER	ENCE FUR THE	
REASON	CHECKED:			
(X) B	STANED TO A DEST	DENT VENDOR WHO C	EDTTETEC THAT	
- 1		CONTRACT, ON AVE		
		ORKING ON THE PRO		
		IRGINIA WHO HAVE		
		FOR THE TWO YEAR		
!	NG SUBMISSION OF			
OR				
	IDDER IS A NONRE	SIDENT VENDOR EM	PLOYING A	
		STATE RESIDENTS		
		AN AFFILIATE OR		
i i	1 1	DQUARTERS OR PRI		
,		VIRGINIA EMPLOY		
		SIDENTS WHO CERT		
		CONTRACT, ON AVE		
GNATURE	SEE HEVE	ERSE SIDE FOR TERMS AND CONDI TELEPHONE	HIONS DATE	
	[eqs.			
TLE	FEIN		ADDRESS CHANGES	TO BE NOTED ABOVE



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

Ť O HST0741

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF:

RON PRICE 304-558-0492

*117134613 304-204-2435 WV TRUCK & TRAILER CO INC #1 JAIN DRIVE

CROSS LANES WV 25313

HEALTH, SAFETY AND TRAINING OFFICE OF MINERS' 1615 WASHINGTON STREET EAST

DATE PRINT	ED	TER	MS OF SAL	E	SHIP	VIA	F.O.B.		FREIGHT TERMS
01/30/2	2007								
BID OPENING DATE:		02/14/	2007			BID	OPENING TIM	E 01	:30PM
LINE	QUAN	ITITY	UOP	CAT NO	ITEM NU	MBER	UNIT PRICE		AMOUNT
	75% OF SUBSID WHO HA YEARS BIDDER BETERM PREFERI PURCHAS BIDDER B	THE E IARY'S VE RES IMMEDI UNDER INCE, SING T ISSUED IN SUC SING T ISSUED OF OR SI	MPLOY EMPL IDED ATELY STAND HATINU THE CO: AMOUNTHE CO: A	EES OO	R BIDDERS ARE RESI E STATE C EDING SUB THE SECREV MEET THE ARY MAY O SCIND THE SSESS A P T TO EXCE WILL BE P M ANY UNP RDER. CERTIFICA Y REQUEST CLOSE TO INFORMAT QUIRED BU DOES NOT ER INFORM FIDENTIAL OR FALSE EREBY CER	AFFIL DENTS OF CONTINUOUS MISSION TARY OF THE CONTRACT THE CONTRACT THE DIRECT THE DIREC	IATE'S OR F WEST VIRG USLY FOR TH OF THIS BI TAX & REVE FERENCE HAS MENTS FOR S E DIRECTOR CT OR PURCH AGAINST SUC F THE BID A THE CONTRAC ANCE ON THE DER AGREES RMATION TO DEPARTMENT	INIA E TWO D. NUE UCH OF ASE H MOUNT TING TO THE OF S OF E TAX GINIA	AMOUNT
Т Т	HAT IF	A CO	NTRAC	r is	ISSUED TO	BIDDER	L RESPECTS; AND IF ANY SES DURING	THING	
	ERM OF	THE C	CONTR	ACT, E	BIDDER WI	LL NOTI	Y THE PURC		
Þ	IVISIO	א מו אנ	√RITI N	16 IW	MEDIATELY	;	1,	Ì	
		;	E	BIDDE		2		Touc	k
SIGNATURE				SEE REV	ERSE SIDE FOR	ERMS AND CON TELEPHONE	DITIONS	DATE	
SIGNATURE						IELETHONE	-	DATE	į
TITLE		FEII	N				ADDRESS	CHANGES	TO BE NOTED ABOVE



State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

25313

Request for

RFQ NUMBER <u> HST0741</u>

ADDRESS CORRESPONDENCE TO ATTENTION OF

ADDRESS CHANGES TO BE NOTED ABOVE

RON PRICE

304-558-0492

Ö

HEALTH, SAFETY AND TRAINING OFFICE OF MINERS' 1615 WASHINGTON STREET EAST

CHARLESTON, WV 25311

304-204-2435 ***117134613** WV TRUCK & TRAILER CO INC **#1 JAIN DRIVE**

CROSS LANES WV

FREIGHT TERMS DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. 01/30/2007 **BID OPENING DATE** 02/14/2007 BID OPENING TIME 01:30PM CAT. QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT LINE 2-20-2007 DATE: SIGNED: * CHECK ANY COMBINATION OF PREFERENCE CONSIDERATION(S) IN EITHER "A" OR "B", OR BOTH "A" AND "B" WHICH YOU AR ENTITLED TO RECEIVE. YOU MAY REQUEST UP TO THE MAXIMUM 5% PREFERENCE FOR BOTH "A" AND "B". (REV. 12/00) NOTICE A SIGNED BID MUST BE SUBMITTED TO: DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130 THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED: SEALED BID BUYER: 41 SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE DATE TITLE FEIN

SPECIFICATIONS

TRUCK AND BODY TO SERVE AS A MOBILE MINE RESCUE STATION.

Desired truck is a 7500 GMC, Freightliner MD 80, International 4300 series or equivalent, with a 24-foot box body with a three-foot over the cab extension.

Bids must apply to purchase of more than one truck. (One or two trucks may be purchased at this time.)

The truck must have:

A GVW of less than 26000 lbs.

A height to the top of the frame rails of not more than 36 inches

Tire size 245/75 R22.5, mud and snow on rear, straight tread on front

Dual saddle fuel tanks of at least 45 gallons each

A diesel engine rated at a minimum of 275-horse power with at least 700 lbs of torque

An automatic transmission with dash mounted selector switch.

Air brakes with dash mounted park brake.

Dual bucket seats in cab.

Heater, defroster, air conditioner, rubber floor mat and FM radio in cab.

Mirrors to be single post design with flat and convex mirrors in same frame.

All standard gauges, controls, switches and indicators as usually found in such vehicles.

Vehicle must meet all accepted standards for the motor truck industry for frame size and length to accept and properly mount the 24-foot box body.

Vehicle must meet all state and federal laws and requirements for lighting, signaling and air brakes and meet all inspection requirements.

Body to be 24 feet long from back of cab to rear end, and have a 3-foot extension over the cab.

Body to be steel or aluminum skin attached to steel framing members with plastic or fiberglass reinforced plywood lining on the inside of the body.

Floor to be one and one half inch thick wood planks bolted to a steel frame.

Roof to be one piece stainless steel or aluminum with steel cross members.

Roof to be reinforced to support a center mounted heater/air conditioner and to have 12-inch square opening and wiring for same.

Body floor, walls and roof to be insulated to the fullest extent possible with Styrofoam or equivalent insulation. Bidder must state type and thickness of insulation for floor, walls and roof.

Body to have one sliding, 36 inch man door with a recessed step well to the floor of the body. This door to be on the passenger or curb side of the body 48 inches from the front of the body. Second door to be in the rear center of the body, 36 inches wide. Both doors to be lockable and keyed the same, and must be operable from inside or outside of the body.

Interior height of the body to be seven feet.

Body will be mounted as close to frame (as low) as practical

Body will have 4 aluminum underbody storage boxes installed in dual 3-inch channel iron mounts welded to the body frame. Three boxes will be 24X24X48 and will have dual swing out doors latched in the center. The right front box to be 24X24X24. Boxes to be "Highway Products" brand or equal. All four boxes to be lockable and keyed alike. Body to have a steel frame welded to the underside to support a 7500-watt diesel generator. Frame to be enclosed to cover generator but still allow access for maintenance. Bidder will furnish and install a 7500 watt diesel generator. (Onan "quiet diesel" or equal.) Generator to use fuel from truck fuel system and start from the truck battery system.

Rear of body to have steel diamond plate step bumper and frame for steps to rear door. Bidder will supply a set of steps, with hand rail, to allow access to the rear door. These steps will fold or slide into the frame for transport while the truck is in motion. DOT bar to be part of rear frame or bumper.

Bidders must clearly state items in the bid requirements they are not in compliance with or wish to take exception to Bidders must state delivery dates. Bidders should state any options they offer or think would better serve the purpose of this vehicle.

AFFIDAVIT

West Virginia Code §5A-3-10a states:

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION:

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated

Vendor's Name: WEST VIRBINIA PRINCE + TRAILER	Co.	
Authorized Signature:	Date:	2-20-2007
No Debt Affidavit (Revised 10/15/06)	<u> </u>	



VENDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

S H - P

HST0741

PAGE 5

ADDRESS CORRESPONDENCE TO ATTENTION OF:

RON PRICE

304-558-0492

*117134613 304-204-2435 WV TRUCK & TRAILER CO INC **#1 JAIN DRIVE**

CROSS LANES WV 25313

HEALTH, SAFETY AND TRAINING OFFICE OF MINERS' 1615 WASHINGTON STREET EAST

DATE PRIN		JE/	RMS OF SA	Lt	SHI	³ VIA	1000	F.O.B.	FREIGHT TERMS
01/30/ BID OPENING DATE:		02/14/	/2007			חזמ		ENING TIME	01:30PM
				CAT	 T⊏K# N		<u> </u>		
LINE	RFQ. N BID OP BID OP PLEASE TO CON	O.: HENING ENING PROVITACT Y TACT Y T PERS DAYJ	DATE: TIME: DE A OU RE	I 2/1 1:3 FAX N GARDI	4/07 0 PM UMBER IN NG YOUR 3 C PRINT C	CASE IT BID:) 4 20 LEARLY):	1: 4	UNIT PRICE S NECESSARY	AMOUNT
				SEEBEN	ERSE SIDE FOR	TERMS AND CON	والإالا	ามร	
BIGNATURE				SEE HEV	LESE SIDE FOR	TELEPHONE	ACH SIC	JNS DATE	
ITLE		FEI	IN					ADDRESS CHANG	ES TO BE NOTED ABOVE



#1 Jain Drive, Cross Lanes, West Virginia 25313 • Phone (304) 204-2435 • Fax (304) 204-2447

February 20 2007

STATE OF WEST VIRGINIA DEPT. OF ADMINISTRATION PURCHASING DIVISION ATT. RON PRICE

Please find enclosed the bid RFQ NUMBER HST0741 for Health and Safety Training Truck Price \$ 88,529.00 each includes cab chassis and body. If I may be of further assistance in this matter please feel free to contact me at 304 204 2435

THANK YOU

DAVE MEEKS

WEST VIRGINIA TRUCK & TRAILER CO.

FREIGHTLINER



The Company that does things right.


Prepared by:
Dave Meeks
WEST VIRGINIA TRUCK & TRAILER
COMPANY
1 Jain Dr.
Cross Lanes, WV 25313
Phone: 304-204-2435

A proposal for HEALTH AND SAFETY STATE OF WEST VIRGINIA

Prepared by WEST VIRGINIA TRUCK & TRAILER COMPANY Dave Meeks

February 20, 2007

M2 106 CONVENTIONAL CHASSIS



Application Version 6.0.018 Data Version PRL-72A.010 BOX TRUCK



02/20/2007 9:46 AM

Page 14 of 14

Prepared by:
Dave Meeks
WEST VIRGINIA TRUCK & TRAILER
COMPANY
1 Jain Dr.
Cross Lanes, WV 25313
Phone: 304-204-2435

SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear	Retail Price
Price Level				
PRL-72A	M2 PRL-72A (EFF:8/15/06)			N/C
Data Version				
DRL-010	SPECPRO21 DATA RELEASE VER 010			N/C
Vehicle Configur	ation			
001-172	M2 106 CONVENTIONAL CHASSIS	5,140	2,970	\$68 851 00
004-208	2008 MODEL YEAR SPECIFIED			N/C
002-004	SET BACK AXLE - TRUCK			STD
019-002	STRAIGHT TRUCK PROVISION			STD
003-001	LH PRIMARY STEERING LOCATION			STD
General Service				
AA1-002	TRUCK CONFIGURATION			STD
AA6-002	DOMICILED, USA 49 STATES (WITHOUT CALIFORNIA)			N/C
A85-002	PICKUP AND DELIVERY/SHORT HAUL SERVICE			STD
A84-1GF	GENERAL FREIGHT BUSINESS SEGMENT	•		STD
AA4-011	FIXED LOAD COMMODITY			N/C
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
AB1-008	MAXIMUM 8% EXPECTED GRADE			STD
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			STD
995-091	MEDIUM TRUCK WARRANTY			STD
A66-99D	EXPECTED FRONT AXLE(S) LOAD: 8000 0 lbs			
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD: 17500 0 lbs	·		
A63-99D	EXPECTED GROSS VEHICLE WGT CAPACITY: 25500.0 lbs			
Truck Service				



D:	ata Code	Description	Weight Front	Weight Rear	Retail Price
	AA3-001	DRY VAN BODY			STD
	AF4-99D	EXPECTED EMPTY BODY WEIGHT: 3500 0 lbs			
	A88-99D	EXPECTED TRUCK BODY LENGTH: 24 0 ft			
	AF6-99D	EXPECTED EMPTY BODY CG LOC FROM BODY FRT: 12 0 ft			
	A89-99D	REQUESTED CAB TO TRUCK BODY CLEARANCE:			
	AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES: 32.0			
Engine					
	101-2HB	MBE900-280 7 2L 280 HP @ 2200 RPM, 2500 GOV, 800 LB/FT @ 1200 RPM	60		\$4 894 00
Electror	nic Param	ieters			
	ED2-99D	ROAD SPEED LIMIT MPH: 75 0			
1	EC3-99D	MAX CRUISE CONTROL MPH: 70.0			
Engine I	Equipme				
	99C-009	2007 EPA/CARB EMISSION CERTIFICATION			STD
	105-001	ENGINE MOUNTED OIL CHECK AND FILL			STD
	133-004	ONE PIECE VALVE COVER			STD
(014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER			STD
	124-1CA	LN 12V 160 AMP LONG BRUSH 2180 PAD MOUNT ALTERNATOR WITHOUT LAMP DRIVER	10		\$83.00
2	292-1D8	(2) ALLIANCE MODEL 1131, GROUP 31, 12 VOLT MAINTENANCE FREE 1850 CCA THREADED STUD BATTERIES	10		STD
2	290-017	BATTERY BOX FRAME MOUNTED			STD
2	282-003	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB			N/C
2	291-001	FRAME GROUND RETURN FOR BATTERY CABLES			STD
2	289-001	NON-POLISHED BATTERY BOX COVER			STD
2	295-998	NO JUMP START POST			STD
1	107-005	WABCO 15.5 CFM AIR COMPRESSOR			N/C
1	131-010	STEEL AIR COMPRESSOR DISCHARGE LINE WITH INTEGRAL QUICK CONNECT SYSTEM CHARGING VALVE			N/C
1	52-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			STD
0)16-1BH	RH INBOARD FRAME MOUNTED HORIZONTAL AFTERTREATMENT DEVICE WITH RH HORIZONTAL TAILPIPE			STD



Data Code	Description	Weight Front	Weight Rear	Retail Price
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			STD
239-001	STANDARD EXHAUST SYSTEM LENGTH			STD
237-052	RH STANDARD HORIZONTAL TAILPIPE			STD
273-035	HORTON HT650 FRONTAL AIR ON/OFF ENGINE FAN CLUTCH			N/C
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH			N/C
110-040	MBE FUEL FILTER			STD
120-998	NO COOLANT FILTER			STD
266-013	1100 SQUARE INCH ALUMINUM RADIATOR	20		\$483 00
103-036	ANTIFREEZE TO -34F, ETHYLENE GLYCOL PRE- CHARGED SCA HEAVY DUTY COOLANT			STD
171-007	GATES BLUE STRIPE COOLANT HOSES			\$55.00
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			STD
270-998	NO RADIATOR DRAINCOCK			STD
168-002	LOWER RADIATOR GUARD	•		STD
138-011	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4		\$126 00
140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			N/C
134-001	ALUMINUM FLYWHEEL HOUSING			STD
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH			STD
Transmission				
342-580	ALLISON 3000 HS AUTOMATIC TRANSMISSION, NO PTO PROVISION	170	50	\$6,083.00
Transmission E	uipment			
343-144	WTEC CALIBRATION - 6 SPEED HS (PACKAGE 200)			N/C
353-022	VEHICLE INTERFACE WIRING WITH BODY BUILDER CONNECTOR MOUNTED BACK OF CAB			\$145.00
34C-998	NO AUX/ACC TRANSMISSION WIRING			STD
362-998	NO MAIN TRANSMISSION MOUNTED PTO			STD
363-998	NO PTO MOUNTING LOCATION SPECIFIED			STD
341-018	MAGNETIC PLUGS, ENGINE DRAIN TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			STD
345-003	PUSH BUTTON, ELECTRONIC SHIFT CONTROL, DASH MOUNTED			N/C
370-015	WATER TO OIL TRANSMISSION COOLER - IN RADIATOR END TANK			STD



Data Code	Description	Weight Front	Weight Rear	Retail Price
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK			N/C
Front Axle and E	quipment			
400-1EX	MFM-08-143A 8,000# FF1 SINGLE FRONT AXLE	20		\$312 00
402-021	MERITOR 15X5 Q+ CAST SPIDER CAM FRONT BRAKES DOUBLE ANCHOR, FABRICATED SHOES	20		\$187.00
403-002	NON-ASBESTOS FRONT BRAKE LINING			STD
419-021	GUNITE CAST IRON FRONT BRAKE DRUMS			N/C
427-001	FRONT BRAKE DUST SHIELDS	5		\$43.00
409-006	FRONT OIL SEALS			STD
408-001	VENTED FRONT HUB CAPS - OIL		-	ŞTD
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			STD
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS			N/C
536-050	TRW THP-60 POWER STEERING	10		N/C
539-003	POWER STEERING PUMP		•	STD
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			STD
Front Suspensio				
620-015	12 000# TAPERLEAF FRONT SUSPENSION	40		\$170.00
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			STD
410-001	FRONT SHOCK ABSORBERS			STD
Rear Axle and Ed	quipment			
420-109	RS-17-144 17,500# R-SERIES SINGLE REAR AXLE		160	\$405.00
421-557	5.57 REAR AXLE RATIO			N/C
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			STD
386-013	17T MERITOR MAIN DRIVELINE WITH HALF ROUND YOKES	120	120	\$694 00
452-998	NO TRACTION EQUALIZER			STD
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			(\$143 00)
433-002	NON-ASBESTOS REAR BRAKE LINING			STD
434-003	STANDARD BRAKE CHAMBER LOCATION			N/C
451-023	CONMET CAST IRON REAR BRAKE DRUMS			N/C
425-002	REAR BRAKE DUST SHIELDS		5	\$63.00
440-001	CHICAGO RAWHIDE SCOTSEAL CLASSIC REAR OIL SEALS			STD
426-074	HALDEX LONG STROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS			N/C



Data Code	Description	Weight Front	Weight Rear	Retail Price
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			N/C
Rear Suspensio		hili di kabup		
622-002	20,000# FLAT LEAF REAR SPRING SUSPENSION WITH RADIUS ROD		150	\$324 00
621-001	SPRING SUSPENSION - NO AXLE SPACERS			STD
431-001	STANDARD U-BOLT PAD			STD
623-005	FORE/AFT CONTROL RODS			N/C
Brake System				
018-002	AIR BRAKE PACKAGE	80	140	(\$309 00)
490-100	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL ENHANCEMENT			N/C
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			N/C
412-001	STANDARD BRAKE SYSTEM VALVES			N/C
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			N/C
480-047	BW AD-IS (DRM) BRAKE LINE AIR DRYER WITH SHIELD, HEATER AND INTEGRAL RESERVOIR	. 20		\$385.00
460-001	STEEL AIR BRAKE RESERVOIRS			N/C
477-011	PETCOCK DRAIN VALVES ON ALL AIR TANK(S)			N/C
Trailer Connecti	ons de la companya d			
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT			\$98.00
32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT	•		STD
Wheelbase & Fra	ame			
545-615	6150MM (242") WHEELBASE	16.05.25.45.00.55.56.01	eccionis (S. S. S. S. S.	N/C
546-093	11/32" X 3-1/2" X 10-3/16" STEEL FRAME (8.73MM X 258.8/ 344" X 10.19") 80KSI	560	90	\$1,332 00
552-009	3050MM (120") REAR FRAME OVERHANG			N/C
55W-011	FRAME OVERHANG RANGE: 111" TO 120"	-70	290	N/C
553-001	SQUARE END OF FRAME			STD
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			STD
572-001	STANDARD REARMOST CROSSMEMBER	•		STD
565-001	STANDARD SUSPENSION CROSSMEMBER			STD
Chassis Equipm	ent			
556-1AN	THREE-PIECE 14" STEEL CENTER BUMPER WITH FLEXIBLE PLASTIC ENDS			STD
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			STD
607-001	CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD			N/C



Data Code	Description	Weight Front	Weight Rear	Retail Price
551-007	GRADE 8 THREADED HEX-HEADED FRAME FASTENERS			STD
Fuel Tanks				
206-192	50 GALLON/189 LITER RECTANGULAR ALUMINUM FUEL TANK - RH	20		\$37.00
204-192	50 GALLON/189 LITER RECTANGULAR ALUMINUM FUEL TANK - LH	70	30	\$632.00
218-005	RECTANGULAR FUEL TANK(S)			STD
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			STD
212-007	FUEL TANK(S) FORWARD			STD
205-001	FUEL TANK CAP(S)			STD
122-075	ALLIANCE FUEL FILTER/WATER SEPARATOR	15		\$80.00
216-020	EQUIFLO INBOARD FUEL SYSTEM			STD
20E-001	AUXILIARY FUEL SUPPLY AND RETURN PORTS			\$33 00
202-003	REINFORCED NYLON FUEL HOSE			STD
Tires				
514-006	295/75R22.5 16 PLY RADIAL FRONT TIRES			N/C
093-0JR	GOODYEAR G395 LHS 295/75R22 5 16 PLY RADIAL FRONT TIRES	6		\$476.00
516-006	295/75R22.5 16 PLY RADIAL REAR TIRES			N/C
094-0JR	GOODYEAR G395 LHS 295/75R22 5 16 PLY RADIAL REAR TIRES		12	\$952.00
Hubs		ilalikindi salabid		
418-030	CONMET IRON FRONT HUBS			N/C
450-030	CONMET IRON REAR HUBS			(\$3.00)
Wheels				
	A COURTE COACO CO SVO OS AO LINE DU OTO HAND			(\$56 00)
502-411	ACCURIDE 28408 22 5X8.25 10-HUB PILOT 2-HAND STEEL DISC FRONT WHEELS			(φυφ.υυ)
505-411	ACCURIDE 28408 22 5X8.25 10-HUB PILOT 2-HAND STEEL DISC REAR WHEELS			(\$112 00)
Cab Exterior				
829-071	106" BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			STD
650-008	AIR CAB MOUNTS			\$158 00
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			\$38.00
678-001	LH AND RH GRAB HANDLES	4		\$89.00
646-009	PAINTED PLASTIC GRILLE			STD



Data Code	e Description	Weight Front	Weight Rear	Retail Price
65X-001	ARGENT SILVER HOOD MOUNTED AIR INTAKE GRILLE			STD
644-004	FIBERGLASS HOOD			STD
727-1AF	SINGLE 14" ROUND POLISHED AIR HORN ROOF MOUNTED	4		\$136.00
726-001	SINGLE ELECTRIC HORN			STD
728-001	SINGLE HORN SHIELD			N/C
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			STD
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			STD
312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY			STD
302-001	(5) AMBER MARKER LIGHTS			STD
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS			STD
300-015	STANDARD FRONT TURN SIGNAL LAMPS			STD
744-1BG	DUAL WEST COAST MOLDED-IN COLOR HEATED MIRRORS			\$162 00
797-001	DOOR MOUNTED MIRRORS			STD
796-001	102" EQUIPMENT WIDTH			STD
743-1AP	LH AND RH 8" MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			N/C
729-001	STANDARD SIDE/REAR REFLECTORS		, , , , , , , , , , , , , , , , , , ,	STD
768-043	63"X14" TINTED REAR WINDOW			STD
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS			STD
654-003	MANUAL DOOR WINDOW REGULATORS			STD
663-013	TINTED WINDSHIELD			STD
659-007	8 LITER WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR			STD
Cab Interior				
707-1AK	OPAL GRAY VINYL INTERIOR		EMBLES STREET	STD
706-013	MOLDED PLASTIC DOOR PANEL			STD
708-013	MOLDED PLASTIC DOOR PANEL			STD
772-027	GRAY VINYL MATS WITH INSULATION			STD
785-001	DASH MOUNTED ASH TRAYS AND LIGHTER			\$30.00
691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING			STD
694-010	IN DASH STORAGE BIN			STD
742-007	(2) CUP HOLDERS LH AND RH DASH			STD
680-006	GRAY/CHARCOAL FLAT DASH			STD
720-003	5 LB. FIRE EXTINGUISHER	10		\$54.00



Data Code	Description	Weight Front	Weight Rear	Retail Price
700-002	HEATER, DEFROSTER AND AIR CONDITIONER	70		\$1 076.00
701-001	STANDARD HVAC DUCTING			STD
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			N/C
170-015	STANDARD HEATER PLUMBING			STD
130-031	SANDEN HEAVY DUTY AIR CONDITIONER COMPRESSOR			N/C
702-002	BINARY CONTROL, R-134A			N/C
739-001	CAB INSULATION			STD
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			STD
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			STD
324-014	DOME LIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS			\$3 00
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS			STD
7 22-001	TRIANGULAR REFLECTORS WITH FLARES	12		\$46.00
756-1CV	HIGH BACK NON SUSPENSION DRIVER SEAT WITH FORE AND AFT ADJUSTMENT	·		STD
760-1C6	HIGH BACK NON SUSPENSION PASSENGER SEAT WITH FORE AND AFT ADJUSTMENT			\$24 00
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS		•	STD
758-036	VINYL WITH VINYL INSERT DRIVER SEAT			STD
761-036	VINYL WITH VINYL INSERT PASSENGER SEAT			STD
763-032	3 POINT FIXED D-RING RETRACTOR DRIVER AND PASSENGER SEAT BELTS			STD
532-001	FIXED STEERING COLUMN			STD
540-015	4-SPOKE 18" (450MM) STEERING WHEEL			STD
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD
Instruments & Co	ontrols			
870-001	BLACK GAUGE BEZELS			\$TD
732-004	GRAY DRIVER INSTRUMENT PANEL			STD
734-004	GRAY CENTER INSTRUMENT PANEL			STD
486-001	LOW AIR PRESSURE LIGHT AND BUZZER			N/C
840-002	2" PRIMARY AND SECONDARY AIR PRESSURE GAUGES			N/C
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS			STD
721-001	97 DB BACKUP ALARM		2	\$62 00
149-013	CRUISE CONTROL - ELECTRONIC ENGINE. WITH SWITCHES IN LH SWITCH PANEL			STD
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			STD



Data Code	Description	Weight Front	Weight Rear	Retail Price
811-011	ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER. 26 WARNING LAMPS DATA LINKED, ICU3			STD
160-012	DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1587/1708/1939 LOCATED BELOW DASH			STD
844-001	2" ELECTRIC FUEL GAUGE		•	STD
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD
864-005	TRANSMISSION OIL TEMPERATURE INDICATOR LIGHT			ŠTD
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			STD
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
746-1AF	AM/FM/WB RADIO	10		\$309 00
747-001	DASH MOUNTED RADIO			N/C
750-002	(2) RADIO SPEAKERS (CAB ONLY)			N/C
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF			N/C
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			STD
812-001	ELECTRONIC TACHOMETER 3000 RPM			\$104.00
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			STD
883-998	NO TRAILER HAND CONTROL BRAKE VALVE		•	STD
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			ŞTD
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			STD
304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH			STD
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			N/C
299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE			STD
298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS			STD
Design		Arabalestelea		
065-000	PAINT: ONE SOLID COLOR	in opecinismi hisum		STD
Color				
	CAR COLOR A: MOOGEA WHITE ELITE SS			
980-3F6 986-020	CAB COLOR A: N0006EA WHITE ELITE SS BLACK, HIGH SOLIDS POLYURETHANE CHASSIS			STD STD
	PAINT			
962-970	VENDOR WHITE FRONT WHEELS/RIMS			STD



Prepared by:
Dave Meeks
WEST VIRGINIA TRUCK & TRAILER
COMPANY
1 Jain Dr.
Cross Lanes, WV 25313
Phone: 304-204-2435

Data Code	Description	Weight Front	Weight Rear	Retail Price
966-970	VENDOR WHITE REAR WHEELS/RIMS			STD
964-6Z7	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX		•	STD
Secondary Facto	ry Options		en e	
998-998	DEALER ACCEPTS RESPONSIBILITY FOR IN- SERVICE PDI INSPECTION			STD
Sales Programs				

TOTAL VEHICLE SUMMARY

Adjusted List Price

Adjusted List Price **



Weight Summary	
Total Weight ⁺	
Front Weight Total	6440 LBS
Rear Weight Total	4019 LBS
Total Weight	10459 LBS

ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE

Other Factory Charges

PMQ-207 2007 ENGINE EMISSIONS ESCALATOR

\$6,000.00

DELIVERY & ORDER PROCESSING CHARGE

\$1,525.00

(+) Weights shown are estimates only


If weight is critical, contact sales application engineering

(**) Prices shown do not include taxes, fees etc. "Net Equipment Selling Price" is located on the Quotation Details Proposal Report



Prepared by:
Dave Meeks
WEST VIRGINIA TRUCK & TRAILER
COMPANY
1 Jain Dr.
Cross Lanes, WV 25313
Phone: 304-204-2435

DIMENSIONS





VEHICLE SPECIFICATIONS SUMMARY - DIMENSIONS

 Model
 M2106

 Wheelbase (545)
 6150MM (242") WHEELBASE

 Rear Frame Overhang (552)
 3050MM (120") REAR FRAME OVERHANG

Application Version 6 0 018 Data Version PRL-72A.010 BOX TRUCK



02/20/2007 9:46 AM

Prepared by:
Dave Meeks
WEST VIRGINIA TRUCK & TRAILER
COMPANY
1 Jain Dr.
Cross Lanes, WV 25313
Phone: 304-204-2435

Cab Size (829) 106" BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB Sleeper (682) NO SLEEPER BOX/SLEEPERCAB Exhaust System (016) RH INBOARD FRAME MOUNTED HORIZONTAL AFTERTREATMENT DEVICE WITH RH HORIZONTAL TAILPIPE

TABLE SUMMARY - DIMENSIONS

Dimensions	Inches
Bumper to Back of Cab (BBC)	106.31
Bumper to Centerline of Front Axie (BA)	40.7
Min. Cab to Body Clearance (CB)	3.0
Back of Cab to Centerline of Rear Axle(s) (CA)	178.4
Effective Back of Cab to Centerline of Rear Axle(s) (Effective CA)	173.4
Back of Cab Protrusions (Exhaust/Intake) (CP)	0.0
Back of Cab Protrusions (Side Extenders/Trim Tab) (CP)	0.0
Back of Cab Clearance (CL)	3.0
Back of Cab to End of Frame	. 298.4
Cab Height (CH) as a measure as a second	67.9
Wheelbase (WB)	242.0
Frame Overhang (OH)	120.0
Overall Length (OAL)	4 2 7
Rear Axle Spacing	Ü.O
Unladen Frame Height at Centerline of Rear Axle	39.9



MOUNTAINEER TRUCK EQUIPMENT INC. P. O. BOX 3588
CHARLESTON, WV 25335
304 925 6300

Current
Date
2/17/07

QUOTATION NUMBER 1D7900131

BILL TO:

SHIP TO:

WV TRUCK & Trailor

WV TRUCK & FRAILOR

Shipping Method: SELLER POB: RAND, WV

Reference

OFFICE OF MINERS HEALTH, SAFETY

Terms COD

DESCRIPTION GVSDI08524096 YTI'I MAUO DRY PERIGHT TRECEATED BODY INSIDE HEIGHT INSIDE PRMILA INSIDE WIDTH REAR DOOR OPENING 85 12 289 56" 92.488 88 00" W x 79 25" H DESCRIPTION OUANT ITY MCSCELLAGEOUS V THIS ORDER PROCESSED BY MORGAN BODY BUILDER SOBPRANCE 3"1-BEAM CROSSWEMBERS 12"CENTERS 4"LONG PAIL-SINGLE AXLE SUB FRAME OPTION MYLAR TAPE ON BOTTOM RAILS MOUNTING OPTION STANDARD U-BOLT WITH FOAM BETWEEN STILLS CUSTOMER PINISP. MID FIARS MORGAN 24" X 36" BLACK INSTIL-PLOOR BLOCK FOAM BETWEEN SILLS-GVSDI THRESHOLD-REAR STEBL GALVANIZED ANGLE FIUSH TO REAR PLOOR 1-3/8 LAMINATED HARDWOOD RRAR FRAME ENDPLRIE REINFORCEMENT FOR 4 1/8" OR 4 3/8' INDPLATE REAR PRAME GALVANNEALRO HEADER POST GUSSET 1 REAR PRAME GALVANNEALED WITH OVERHEAD DOOR AND RECESS TAILITES 1 CUSTOMER HAS REQUESTED A MORGAN VAN BODY THAT DOES NOT INCLUDE WORGAN STANDARD TRUCKSKIN-COMPATIBLE PRE-DRILLED (PIUGGED)

rescription	YIKHAUQ
HOLES IN THE REAR FRAME POSTS	
INSUL-REAK-FRANK	ī
FIBERGLASS INSULATION FOR REAR PRAME 85" HIGH BODY	
CRAB HANDLE	2
ALUMINUM-15, - WONOBOLIED	
CURBSIDE AND ROADSIDE REAR	
SIARI?	3
RIVETS FOR FROM AND SIDEWALL ASSEMBLIES FOR 24 BODY	
SINE POST	1
STEEL Z ON 16" CENTERS NO DOOR CURBSIDE	
SIDE FORT	1
STEEL Z ON 16 CENTERS NO DOOR ROADSIDE	
SKINS-SIDES	3
,040 ALUMINUM PREPAINTED WHITE NO DOOR	
INSUL-SIDES	2
1 5/16" POLYSIYRENE FORM ON 16" CENTERS NO DOOR	
XXX	2
engineering special item(s)	
GLASSBOARD FULL HEIGHT NO DOOR	
YEOUT EVO	3
AERODYNAMIC ALUMINUM RADII WITH SIBEL Z POSIS	
SRINS-PRONT	1
.040 ALIMINUM PREPAINTED WHITE	
INSUL-CKILING	1
1 5/16 STYROFOAM WITH 1 5/16 FRONT STYROFOAM	
INSUL-PROUT	1
1 5/16" THICK STYRO-POAM USING 1 5/16" THICK BLOCKS	
XXX	1
ENSERING SPECIAL ITEM	
GLASSBOARD LINER WITH 1.31° STYROPOAM	
Insulation Roop	
	1
032 ALUMINUM GVSDT	
FRONT TOP RADIUS	1
ALUNINUM WITH RADII	
LDKR-CSTEDIG	J
3/32" GLASSBOARD WITH 1 3/9" CHILING FOAM AND 1 5/16" FRONT FOAM	
INT. LICHT COTTON	ı
EXTRA SPOI ON SAME CIRCUIT	
ENGINEERING SPECIAL LIEN	3
SPOT WITH SWITCH AT REAR	
ACAN ATTER DIATION WITH	

ICC UNDERRIDE	CUANTI!
center style stepwith pull out step extension	
LICENSE PLATE LIFE WITH BRACKET	
EXTERIOR LIGHTS	
PER YMV99-106 WITH SEALED HARNESS SYSTEM SIANDARD	
EXT. LIGHT OPTION	
TAILITTES IN REAR CORNER POST, DOMESTIC CHASSIS	
NAT LIGHT OPTION	
DELPHI PACKARD SETLED METRI PACK 280 SERIES CONNECTOR	
components use for chassis wiring and exterior lights	
INCLUDING DOME AND CLEARANCE LIGHTS	
PATNY	-
REAR FRAME STEEL WHITE IMRON	
DECALS	7
MORGAN-SLACK-FULI MODET-CUSTOMER BINISH	_
ACCESSORIES	7
BACK-UR ALARM VELVAC-697087	_
ENGINEERING SPECIAL LIEM	
SCO6002851 - MAXIMIZER SLIDING SIDE DOOR WITH	
RECESSED STEP WELL. 36" CLEAR OPENING WITH X	
80-3/16' OPENING HEIGHT LOCAIR DOOR ON	
CURBSIDE AT 40 ROM INSIDE FRONT	
STEPWELL TO BE A 3-STEP ASSEMBLY WITH A	
COURTESY LIGHT IN STEPWELL	
REFERENCE DOS333, DS39122, DS99027, BFW246902	
ILDOZI AND CD245946. STEPWELL SLIDING SIDE	
DOOR AND DOOR POCKET AREA WILL HAVE NO	
insulation	
XXX	1
engineering special item	
SC06002853 - SINGLE PANEL NARROW OPENING DOOR	
WITH (3) HINGES PER PANEL , POLAR 70118	
INC-POINT PARDWARE WITH KEY LOCKING HANDLE	
WITH INSIDE HANDLE LOCATE HANDLE 41" FROM	
TOP OF ENDPLATE TO CENTER OF HANDLE SKANK	
HOTE	
D. Company of the second of th	
REPERENCE ONLY LAWO9201, MFP0031, PDR3S101	

AND AD35550. NO INSULATION IN REAR DOOR OR IN

REAR FRAME AREA.

	SCRIPTION	TITMAUG
Ā	ZX .	1
•	ENGINEERING SPECIAL ITEM	
	Lufo - Filler famels for narrow opening door	
	(44 19" W X 91 Z5"H) FOR GVSDI BODY WITH	
	BLOCK FOAM AND 3/6 PLYWOOD INIERIOR LINER	
	INCLUDED IN PREVIOUS LIEM.	
3C	XX	ì
	ENGINEERING SPECIAL ITEM	•
	SC06002854 - CETLING SUPPORTS FOR A CUSTOMER	
	SUPPLIED / CUSTOMER INSTALLED AIR CONDITIONER	
	WITH ELECTRIC HEAT STRIPS REP: DRAWING	
	PA69401C FOR LOCATION OF CEILING SUPPORTS	
	REFERENCE ONLY MISCO4064	
30	ZX	1
	ENGINEERING SPECIAL TIEM	
	madual - 16" PEAK WITH GLASSBOARD LINER AND	
	POLYSTYRENE BLOCK FORM SIDES AND FRONT	
	Chaosis Daca	
Make:	Serial#: # of Rear	lwina. 1
Model:	Type: CONV Hgt. Rest:	ric: 000
Wheelbase.	Color: Outomer 6	
Frame Width: 34.0	Vert Exhaust: N Date Available. The	
Pick up of Chassis:	Certification: F	

QUANTITY

ALUMINUM UNDERBODY STORAGE BOXES INSTALLED
IN 3" CHANNEL BOXES TO BE 24"x60"x24"

ALUMINUM UNDERBODY STORAGE BOX INSTALLED
IN 3" CHANNEL BOX TO BE 24"x30"x24"

7500-WATT DIESEL GENERATOR WITH ENCLOSED MOUNTING PRAME WELDED TO UNDERSIDE OF BODY.

ENG. NOTE: CHASSIS FRAME SHOULD BE 26' 3-5/8" FROM BACK OF CAB TO END OF FRAME

ON DELIVERY

ESTIMATED TIME OF DELIVERY PROM DATE OF RECEIPT OF CHASSIS * WEEKS