



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
LSH70145

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
ROBERTA WAGNER
304-558-0067

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

Wards Inc
PO Box 179
Anmoore, WV 26323

SHIP TO

HEALTH AND HUMAN RESOURCES
LAKIN HOSPITAL

1 BATEMAN CIRCLE
LAKIN, WV
25287

304-675-0860

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/30/2007				

BID OPENING DATE: **05/31/2007** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	120	EA		370-99		\$45,009.00
TO PROVIDE DINNERWARE AND DISPENSING EQUIPMENT FOR LAKIN HOSPITAL. TURBURY INSULATED DOME DINNERWARE SIZED TO FIT 9" PLATE. DOME MUST BE POLYPROPYLENE, DOUBLE WALL CONSTRUCTION WITH OZONE-SAFE URETHANE FOAM INSULATION. DOME MUST BE ONE PIECE CONSTRUCTION. NOTE: ALL ITEMS ARE DINEX INTERNATIONAL OR EQUAL. BRAND NAME IS USED TO IDENTIFY A QUALITY LEVEL. ALL ITEMS ARE TO BE USED IN A HOSPITAL ENVIRONMENT.						
0002	120	EA		370-99		
INSULATED BASE, SIZED TO FIT A 9" PLATE. BASE MUST BE SINGLE-WALL CONSTRUCTION WITH WAX BASE UNDERLINER.						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: *Gayle R. Ford* TELEPHONE: **(304) 623-6646** DATE: **5/24/07**
 TITLE: *Sales Mgr* FEIN: **55-0579928** ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

012

WV-36 (Rev. 01/01/07)

STATE OF WEST VIRGINIA

PURCHASE CONTINUATION SHEET

Page 1 of 3 Pages

Requisition / P.O. No.:
LSH70145File:
RW22Acct. No.:
5156/2007-2842-335-034

Vendor: _____ P O Date: _____

Spending Unit:
DHHR - LAKIN HOSPITAL

Item No.	Quantity	Description	Unit Price	Amount
		REQUEST TO PURCHASE THE FOLLOWING DINNERWARE:		
1.	120 EA.	INSULATED DOME DINNERWARE SIZED TO FIT A 9" PLATE - DOME MUST BE POLYPROPYLENE, DOUBLE-WALL CONSTRUCTION WITH OZONE-SAFE URETHANE FOAM INSULATION. DOME MUST BE ONE PIECE CONSTRUCTION FOR A 90 MINUTE TRAY SYSTEM.	13 ⁰⁰	1,560 ⁰⁰
2.	120 EA.	INSULATED BASE SIZED TO FIT A 9" PLATE. BASE MUST BE SINGLE-WALL CONSTRUCTION WITH WAX BASE UNDERLINER.	10 ⁰⁰	1,200 ⁰⁰
3.	120 EA.	9" CHINA DINNER PLATE DESIGNED TO HOLD HEAT.	3 ⁶⁸	441 ⁶⁰
4.	24 EA.	9" DIVIDED (3 COMPARTMENTS) PLATE DESIGNED TO HOLD HEAT. "SEE ATTACHMENT"	4 ⁵⁰	108 ⁰⁰
5.	144 EA.	8 OZ. INSULATED MUG - MUST BE POLYPROPYLENE WITH PEDESTAL BASE AND CHINA LIKE APPEARANCE	1 ⁴⁵	208 ⁸⁰
6.	144 EA.	9 OZ. INSULATED BOWL - MUST BE POLYPROPYLENE WITH CHINA LIKE APPEARANCE.	1 ⁴⁵	208 ⁸⁰
7.	144 EA.	5 OZ. INSULATED BOWL - MUST BE POLYPROPYLENE WITH CHINA LIKE APPEARANCE.	1 ⁴⁵	208 ⁸⁰
8.	120 EA.	15" X 20" LOW PROFILE TRAYS - MUST BE COMPRESSION MOLDED, STEEL BAND REINFORCED; IVORY COLOR TO MATCH ANY COLOR DOME AND BASE BID ON REMAINING ITEMS ON THIS REQUEST.	13 ⁶⁰	1,632 ⁰⁰
9.	1 EA.	HEATED PLATE AND BASE DISPENSING CABINET FOR PLATES 9 1/8"; 114 PLATE CAPACITY. MOBILE CABINET MUST BE STAINLESS STEEL CONSTRUCTION WITH CORNER BUMPERS. CABINET BOTTOM MUST HAVE CENTER CLEAN OUT HOLE. CASTERS MUST BE EXTRA LOAD SWIVEL (TWO WITH LOCKING BRAKES). DISPENSER TUBES MUST BE OF WELDED STAINLESS STEEL CONSTRUCTION AND MUST DROP INTO MOBILE CABINET TOP OPENINGS. DISPENSER MUST HANG FROM CABINET OPENING BY A NOT GREATER THAN 22 GAUGE FLANGE RING AND FEATURE THREE EACH NOT GREATER THAN 22 GAUGE VERTICAL SIDE SUPPORTS WELDED TO A NOT GREATER THAN 22 GAUGE BOTTOM PLATE. SELF LEVELING DISH CARRIAGE MUST BE OF WELDED STAINLESS STEEL CONSTRUCTION AND MUST TRAVEL VERTICALLY IN DISPENSER TUBE WITH NYLON GUIDES FOR SMOOTH OPERATION. CARRIAGE MUST HAVE A NOT GREATER THAN 22 GAUGE REMOVABLE DISH PLATFORM. DISPENSERS MUST FEATURE FLANGE MOUNTED PERIMETER EXTENSION SPRINGS WHICH ARE DETACHABLE FROM THE DISH CARRIAGE, TO PROVIDE ADJUSTMENT WITHOUT TOOLS FOR DIFFERENT WEIGHT DISHES. HEATING UNIT MUST BE 120 VAC 60 HZ AND MUST HAVE A 6' POWER CORD. CABINET MUST HAVE INTERIOR	4,321 ⁰⁰	4,321 ⁰⁰

STATE OF WEST VIRGINIA
PURCHASE CONTINUATION SHEET

Vendor: _____ P.O. Date: _____

Spending Unit:
DHHR - LAKIN HOSPITAL

Item No.	Quantity	Description	Unit Price	Amount
9. CONT.		MOUNTED ELECTRICAL JUNCTION BOX WITH TWIST LOCK RECEPTACLES FOR INDIVIDUAL POWER TO EACH DISPENSER. DISPENSER TUBES MUST BE FULLY ENCLOSED IN NOT GREATER THAN 22 GAUGE STAINLESS STEEL AND HAVE A CIRCULAR BOTTOM MOUNTED 300 OR 450 WATT HEATER ELEMENT TO PROVIDE CONVECTION HEAT. HEATING SYSTEM MUST FEATURE THERMOSTATIC CONTROL IN A TAMPER PROTECTIVE LOCATION WITH SAFE HIGH END SHUT OFF. CONTROL MUST HAVE INFINITE SETTINGS BETWEEN LOW AND HIGH TEMPERATURE CUT OFFS. THERMOSTAT MUST BE FIELD ADJUSTABLE FOR AVERAGE INTERIOR AIR TEMPERATURE BETWEEN 100 DEGREES F. AND 175 DEGREES F. AT MIDDLE ADJUSTABLE THERMOSTATIC SETTING. ON/OFF SWITCH AND POWER INDICATOR LIGHT MUST BE MOUNTED ON TOP FLANGE OF DISPENSER. AVERAGE DISH TEMPERATURE RISE OF 40 DEGREES F. ABOVE AMBIENT MUST BE ACHIEVED WITHIN ONE HOUR OF INITIAL HEATING CYCLE AT MIDDLE ADJUSTABLE THERMOSTATIC SETTING. CABINET AND DISPENSER TUBES MUST BE UL LISTED.		
10.	2 EA.	DOME AND BASE DRYING AND STORAGE RACK/CART; 80/160 DOME LID/BASE CAPACITY. CART FRAME (MUST BE CONSTRUCTED OF NOT GREATER THAN 22 GAUGE STAINLESS STEEL UPRIGHT FRAME; 1" DIAMETER. CRADLE SUPPORTS MUST BE NOT GREATER THAN 22 GAUGE WELDED AND POLISHED STAINLESS STEEL ANGLE BARS AND 1" STAINLESS STEEL CENTER SUPPORTS TO HOLD REMOVABLE CRADLE INSERTS. CRADLES MUST BE UNCOATED STAINLESS STEEL AND MUST NOT CHIP SPLIT OR CORRODE. MUST HAVE SWIVEL CASTERS WITH TWO LOCKING BRAKES. APPROXIMATE DIMENSIONS: 40" LONG, 20 1/4" DEEP AND UP TO 65" HIGH WITH CRADLES.	1,567 ⁰⁰	3,134 ⁰⁰
11	1 EA.	TRAY & FLATWARE CART; 114 TRAY CAPACITY. ORGANIZES TRAYS AND ACCESSORIES IN ONE COMPACT UNIT. TRAYS STORE IN BOTTOM OF CART, DIVIDED COMPARTMENTS ON TOP MUST HOLD FLATWARE., NAPKINS AND CONDIMENTS. CART MUST BE MADE OF SINGLE-MOLDED SEAMLESS, DOUBLE WALL, HIGH DENSITY POLYETHYLENE CONSTRUCTION THAT MUST BE IMPACT RESISTENT AND WON'T RUST, PEEL CRACK OR DENT. MUST HAVE FOUR EACH SWIVEL CASTERS (TWO MUST HAVE BRAKES) MUST INCLUDE VINYL COVER FOR ADDED PROTECTION AND SANITARY STORAGE.	1,858 ⁰⁰	1,858 ⁰⁰
12.	8 EA.	STAINLESS STEEL LOW PROFILE DELIVERY CARTS WITH VENTED SIDE FOR INSULATED WAX BASE WITH DOME LID. CART TO ACCOMMODATE TWO TRAYS PER SLIDE. LENGTH 51 1/4" X DEPTH 33 1/2" X NO HIGHER THAN 49 1/4" WITH A CAPACITY OF 24 TRAYS. MUST HAVE POLYETHYLENE HEAVY DUTY WRAP AROUND BUMPERS THAT MUST BE MOUNTED ON EACH CORNER. MUST HAVE VENTS ON	3,766 ⁰⁰	30,128 ⁰⁰

014

WV-36 (Rev 01/01/07)

STATE OF WEST VIRGINIA
PURCHASE CONTINUATION SHEET

Page 3 of 3 Pages

Requisition / P.O. No.:
LSH70145

File: RW22 Acct. No.: 5156/2007/2842/335/034

Spending Unit:
DHHR - LAKIN HOSPITAL

Vendor: _____ P.O. Date: _____

Item No.	Quantity	Description	Unit Price	Amount
12 CONT.		<p>THREE SIDES. CART DOORS MUST BE DOUBLE WALLED AND INSULATED WITH FULL LENGTH DOOR HANDLES. THE FREE FLOATING DOOR MUST HAVE A FULL 270 DEGREE DOOR SWING. CLOSURE MUST BE BY GRAVITY LOCK DEVICE. MUST HAVE ADJUSTABLE NOT GREATER THAN 22 GAUGE STAINLESS STEEL TRAY SLIDES POSITIONED AT SPECIFIC VERTICAL SPACING AND REMOVABLE FOR CLEANING. SLIDES MUST BE FIELD ADJUSTABLE TO ACCOMODATE 15" X 20" TRAYS. MUST HAVE FOUR CASTERS; TWO CASTERS MUST SWIVEL WITH BRAKES AND TWO MUST BE FIXED WITH ALL CASTERS BEING WITH PRECISION SEALED BALL BEARINGS. CASTERS MUST BE PLATE MOUNTED AND BOLTED TO THE BASE.</p> <p>VENDOR MUST MAKE DELIVERY FOR ALL ITEMS LISTED WITHIN 90 DAYS AFTER RECEIPT OF THE APPROVED PURCHASE ORDER (ARO).</p> <p>NOTE: ALL ITEMS ARE DINEX INTERNATIONAL OR EQUAL. BRAND NAME IS USED TO IDENTIFY A QUALITY LEVEL ONLY. ALL ITEMS ARE TO BE USED IN A HOSPITAL ENVIRONMENT.</p>		
<i>TOTAL</i>				<i>*45,009⁰⁰</i>

STATE OF WEST VIRGINIA
Purchasing Division015**PURCHASING AFFIDAVIT**

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: WARRS Inc.Authorized Signature: Jay R. HillDate: 5/29/07

PURCHASING CONTINUATION SHEET

Buyer:	Page	Req. or P.O. No.:
RW-#22	3	LSH70145
Spending Unit:		

Vendor:

Requisition No.: LSH70145

ADDENDUM ACKNOWLEDGEMENT

I hereby acknowledge receipt of the following checked addendum(s) and have made the necessary revisions to my proposal, plans and/or specifications, etc.

Addendum No.'s:

- No. 1 ✓
- No. 2 _____
- No. 3 _____
- No. 4 _____
- No. 5 _____

I understand that failure to confirm the receipt of the addendum(s) may be cause for rejection of bids.

Ray R. Witt
 Signature
NAKRS Inc
 Company
5/29/07
 Date

Ward's Inc.
P O Box 179--State Route 58
Anmoore, WV 26323
304-623-6646 fax 304-623-6647

State Of West Virginia - Dept Of Administration
Purchasing Division
2019 Washington Street East
PO Box 50130
Charleston, WV 25305-0130

State Of West Virginia - Dept Of Administration
Purchasing Division
2019 Washington Street East
PO Box 50130
Charleston, WV 25305-0130


5/24/2007

		Discount %	
ea	Special		X
ea	Special		X
ea	Special		X

REF : RQF Number LSH70145


ITEM # 4 Dinex Does Not Offer A
Compartment Plate Therefore I am Offer ing
GET Enterprises As An Alternate-SEE
ATTACHED SHEET !

Salesperson: Gary R. Hitt



\$0 00
\$0 00
\$0.00
\$0.00
\$0 00
\$0 00

INFO




G·E·I Enterprises, Inc.

Quality Commercial Food Service Products

- ▼ Home
- ▼ Newsletter
- ▼ New Products
- ▼ Info & Policy
- ▼ Contact Us
- ▼ Search Products

C-O-M-P-A-R-T-M-E-N-T P-L-A-T-E-S

Products



POLYCARBONATE COMPARTMENT PLATES

These plates are designed for prisons, hospitals, schools, high-maintenance long-term care facilities, and anywhere an unbreakable plate is essential!

Item No.	Item Description	UPC Code	Standard Pack
P-1530-T	9" Deep, 3 Comp-Plate (PC) - Tan	015845153040	1 dz
P-1530-M	9" Deep, 3 Comp-Plate (PC) - Mauve	015845153026	1 dz
P-1530-W	9" Deep, 3 Comp-Plate (PC) - White	015845153057	1 dz
P-1530-BW	9" Deep, 3 Comp-Plate (PC) - Ivory	015845153019	1 dz
P-1530-SB	9" Deep, 3 Comp-Plate (PC) - Slate Blue	015845153033	1 dz
CO-90	Plate Cover for P-1530 & CL-530 - Clear Only	015845100914	1 dz

Don't forget the covers!



G·E·T Enterprises, Inc.

Quality Commercial Food Service Products

▼ Home ▼ Newsletter ▼ New Products ▼ Info & Policy ▼ Contact Us ▼ Search Products

INFO & POLICY

Care & Use Instructions

- Handle Melamine dinnerware like any quality dinnerware.
- Use only plastic pads or plastic type bristle to remove dried food.
- Pre-soak Melamine products, if necessary, in a high quality pre-soak dishwashing detergent. Consult with your chemical supplier for the best solution to use.
- **DO NOT** use Melamine products in an oven.
- **DO NOT** use Melamine products in a microwave.
- **DO NOT** use harsh or abrasive cleaners, steel wool, or metal scouring pads.
- **DO NOT** use chlorine bleach!
- Heat Rating up to 200°F.

Products

