

VEXDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

SHIP

ŏ

MOC17199

PAGE 1

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN ABBOTT 304-558-2544

*506115049 724-837-5411 CONTROL SCREENING LLC 35 WEST PITTSBURGH STREET 3RD FLOOR GREENSBURG PA 15601-5142

DIVISION OF CORRECTIONS
MOUNT OLIVE CORRECTIONAL
CENTER
ONE MOUNTAINSIDE WAY
MT. OLIVE, WV
25185 304-442-7216

DATE PRIN	IED	· · · · · · · · · · · · · · · · · · ·	RMS OF SAL		SHIP	/IA		F.O.B.		FREIGHT TERMS
05/09/2007										
BID OPENING DATE: 05/24/2007 BID							OPENIN	G TIME	01	:30PM
LINE	QUAN	ITITY	UOP	CAT NO.	ITEM NUI	MBER	Ĺ	JNIT PRICE		AMOUNT
	MT. OL: MOBILE	IVE CO X-RAY	RRECT MACH	IONAL INE	N IS SOLI CENTER T	O PROVI	DE A C	OMPACT	rene e decer	
		DE	LIVER 1. S	Y SHA	LL BE MAD ICATIONS					
0001	COMPAC	1	LS LE X-I		035-95 ACHINE		#27	; 7 <i>58.</i>	00	# 27,758.ºº
	PREFERE	ENCE I	N AND N ACC	APPL ORDAN	EFERENCE ICATION* CE WITH W Y TO CONS	IS HERE EST VIR	BY MADI Ginia (CODE,		
	A. APF REASON			S MAD	E FOR 2.5	% PREFE	RENCE I	FOR THE		TOTIVED.
	HAS RES	SIDED ARS IM	CONTI MEDIA	งบอบร	IVIDUAL R LY IN WES PRECEDING	T VIRGI	NIA FOR	R FOUR	PURE	HASING LIFTING STATE OF WV
	TION RE QUARTER	SIDEN S OR	T VENI PRINC	OOR AI EPAL F FOUR	NERSHIP, ND HAS MA PLACE OF (4) YEAR	INTAINE BUSINES S IMMED	D ITS P S CONTI IATELY	HEAD- Inuousl	Y IN	
SIGNATURE / //a	• /	<u> </u>	_h_	SEE REV	ERSE SIDE FOR T	TELEPHONE		10.1	DATE	5/21/07
Llen	nu C		7.0			724-0	¥37 - 5	4 //		7/8//0/
S PLES DI	RECTUR)FE	™ <i>a</i> a.	296	4823		A	DDRESS CH	ANGES	TO BE NOTED ABOVE



VENDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

MOC17199

PAGE

2

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN ABBOTT 304-558-2544

*506115049 724-837-5411 CONTROL SCREENING LLC 35 WEST PITTSBURGH STREET 3RD FLOOR GREENSBURG PA 15601-5142

DIVISION OF CORRECTIONS
MOUNT OLIVE CORRECTIONAL
CENTER
ONE MOUNTAINSIDE WAY
MT. OLIVE, WV
25185 304-442-7216

DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. FREIGHT TERMS 05/09/2007 BID OPENING DATE: 05/24/2007 BID OPENING TIME 01:30PM LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT THE DATE OF THIS CERTIFICATION; OR 80% OF THE OWNERSHIP INTEREST OF BIDDER IS HELD BY ANOTHER INDIVIDUAL, PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR WHO HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION: OR BIDDER IS A CORPORATION NONRESIDENT VENDOR WHICH HAS AN AFFILIATE OR SUBSIDIARY WHICH EMPLOYS A MINIMUM OF ONE HUNDRED STATE RESIDENTS AND WHICH HAS MAINTAINED ITS HEAQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA CONTINUOUSLY FOR THE FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED: BIDDER IS A RESIDENT VENDOR WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES WORKING ON THE PROJECT BEING BID ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID; BIDDER IS A NONRESIDENT VENDOR EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS OR IS A NONRESIDENT VENDOR WITH AN AFFILIATE OR SUBSIDIARY WHICH MAINTAINS ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES OR BIDDERS' AFFILIATE'S OR SUBSIDIARY'S EMPLOYEES ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO EE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE LUE TELEPHONE 724-837-5411 TITLE SPIES DIRECTOR 22-2964823 ADDRESS CHANGES TO BE NOTED ABOVE



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

MOC17199

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN ABBOTT 304-558-2544

VENDOR

*506115049 724-837-5411 CONTROL SCREENING LLC 35 WEST PITTSBURGH STREET 3RD FLOOR GREENSBURG PA 15601-5142

DIVISION OF CORRECTIONS
MOUNT OLIVE CORRECTIONAL
CENTER
ONE MOUNTAINSIDE WAY
MT. OLIVE, WV

25185

Ţ

304-442-7216

DATE PRINT	ΓED	TER	MS OF SAL	E	SHIP \	/IA	F.O.B.		FREIGHT TERMS
05/09/	2007								
OPENING DATE:		05/24/	2007			BID	OPENING TI	ME 01	:30PM
LINE	QUA	NTITY	UOP	CAT	ITEM NUI		UNIT PR		AMOUNT
				NO					<u> </u>
	VE 4 D 0	THMEDI				WT00T0U	05 TUIO B	T.D.	
	YEARS	TWWFDT	AIELY	PREC	EDING SOR	MISSIUN	OF THIS B	ID.	
	BIDDER	NDER	CIAND	STF	THE SECRE	TARY OF	TAX & REV	FNUF	
	l		!	1			FERENCE HA		
	l		i 1	1			MENTS FOR		
	ı			1			E DIRECTOR		
,	,			Į.			CT OR PURC		
	ł				i				
1			_		ł .		AGAINST SU		
					1		F THE BID		
							THE CONTRA		
						AID BAL	ANCE ON TH	E	
	CONTRA	ACT OR	PURCH	ASE O	RDER.				
	DV CHD	мтесто	N OF	THIC	CERTIFICA	TC	DED ACRES	TO	
				1			DER AGREES		
							RMATION TO		
I					1		DEPARTMEN	I UF	
					CLOSE TO			_	
			i				IFYING THA		
							TAXES, PRO		
							THE AMOUN		
							EEMED BY T	HE TAX	
	COMMIS	SSIONER	то в	E CON	FIDENTIAL	•			
	IINDED	DENALT	v ne	I A LJ E	OD EALCE	CHEADIN	G (WEST VI	DOTNIA	
							THAT THIS	KOINIA	
l l		1					L RESPECTS	. AND	
								•	
			3				AND IF AN		
			1				GES DURING		
I							FY THE PUR	CHASING	
i	DIAIZI	ON TH	MKTIT	NG IM	MEDIATELY	•			
					4 =				
				RIDDE	D. CONIR	oL > c	REENING L	((<	
			ľ	שטטנע					
			j		m /-	1			
			la	DATE:	5/2/	107			
				PHIE	-	, = 			
				SEE REV	ERSE SIDE FOR TE				
TURE	nne	C'		fram	 -	TELEPHONE Y	4-837-54	4/ DATE	5/21/07
PALES DI		FE	iN		4823	, - 1 /	1		TO BE NOTED ABOVE



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

MOC17199

ADDRESS CORRESPONDENCE TO ATTENTION OF:

304-442-7216

ADDRESS CHANGES TO BE NOTED ABOVE

JOHN ABBOTT 304-558-2544

25185

***506115049** 724-837-5411 CONTROL SCREENING LLC 35 WEST PITTSBURGH STREET 3RD FLOOR GREENSBURG PA 15601-5142

DIVISION OF CORRECTIONS MOUNT OLIVE CORRECTIONAL CENTER ONE MOUNTAINSIDE WAY MT. OLIVE, WV

DATE PRINTED F.O.B. FREIGHT TERMS TERMS OF SALE SHIP VIA 05/09/2007 BID OPENING DATE: 05/24/2007 **BID OPENING TIME** 01:30PM LINE QUANTITY UOP UNIT PRICE AMOUNT ITEM NUMBER SIGNED: SALES DINECTOR * CHECK ANY COMBINATION OF PREFERENCE CONSIDERATION(S) IN EITHER "A" OR "B", OR BOTH "A" AND "B" WHICH YOU ARE ENTITLED TO RECEIVE. YOU MAY REQUEST UP TO THE MAXIMUM 5% PREFERENCE FOR BOTH "A" AND "B". (REV. 12/00) NOTICE A SIGNED BID MUST BE SUBMITTED TO: DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130 THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED: SEALED BID BUYER: JOHN ABBOTT----RFQ. NO.: BID OPENING DATE: 5/24/2007--SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE 724-837-5411

22-2964823



State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

MOC17199

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JOHN ABBOTT 304-558-2544

***506115049** 724-837-5411 CONTROL SCREENING LLC 35 WEST PITTSBURGH STREET 3RD FLOOR GREENSBURG PA 15601-5142

DIVISION OF CORRECTIONS MOUNT OLIVE CORRECTIONAL CENTER ONE MOUNTAINSIDE WAY MT. OLIVE, WV

25185 304-442-7216

DATE PRINTED FREIGHT TERMS TERMS OF SALE SHIP VIA F.O.B. 05/09/2007 BID OPENING DATE: 05/24/2007 BID OPENING TIME LINE QUANTITY UOP UNIT PRICE AMOUNT ITEM NUMBER BID OPENING TIME: 1:30 PM-----PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: 724-837- 5425 CONTACT PERSON (PLEASE PRINT CLEARLY): DENNIS CUNNINGHAM ***** THIS IS THE END OF RFQ MOC17199 ***** TOTAL: SEE REVERSE SIDE FOR TERMS AND CONDITIONS ADDRESS CHANGES TO BE NOTED ABOVE 22-2964823 PLES DIRECTOR

MOC17199 - COMPACT MOBILE X-RAY MACHINE SPECIFICATIONS

The X-Ray machine (hereinafter refereed to as "machine") shall be a high capacity parcel model Autoclear 6848M, or equal. Machine will be used in a maximum security prison. Should an equal be bid, any literature, colored brochures, and/or specification sheets shall be provided. The machine shall have the minimum specifications as stated:

- 68. 0 CM Wide X 48.0 CM high; or 26.8" Wide X 18.9" high tunnel opening
- High capacity; High penetration; Heavy duty, conveyor-type x-ray scanner designed to inspect carry-on bags, briefcases, mail trays, and parcels.
- Must fit in elevators, 36" doorways and other tight spaces
- Conveyor end must fold up for transport to be used in other high critical areas in a timely situation
- Multi-energy color option with organic/in-organic stripping
- Tip, training, and image archiving must be supplied
- Option highlights suspect materials using atomic number & density
- Bid price must include shipping and a minimum one (1) year parts and labor warranty
- Delivery must be made by 7/1/2007 so long as the purchase order has been received by the vendor from the State of West Virginia by 6/1/2007.
 The number of days after 6/1/2007 will the number of days the vendor will have to deliver the machine
- Notes to remember: Please complete the attached "Purchasing Affidavit", sign the bid, and provide the requested information on the Request for Quotation. If the vendor is not registered with the Division of Purchasing, please contact Jeanne Barnhart at (304) 558-2311 to become registered; so should an award be made, the delivery will not become an issue. Vendors may also call Ms. Barnhart to determine if they are current with the Purchasing Division.

Control Screening

Manufacturers of autoClear* • Scintrex Trace* CheckGate* • Federal Labs* • Dynavision*

May 21, 2007

Division of Corrections Mount Olive Correctional Center One Mountainside Way Mt. Olive, WV 25185

Ref: RFQ # MOC17199

Gentlemen:

Please find enclosed our complete response for the compact, portable X-ray machine that is specified in the referenced RFQ. We are providing the AUTOCLEAR Model 6848-M. The total price that we have bid includes all of the following listed items and conditions:

- 68.0 CM wide x 48.0 CM high; or 26.8 wide x 18.9" high tunnel opening
- High capacity; high penetration; heavy duty, conveyor-type X-ray scanner designed to inspect carry-on bags, briefcases, mail trays and parcels
- Overall width 34.7", so the unit fits in elevators, 36" doorways and other tight spaces
- Conveyor end folds up for transport to be used in other high critical areas in a timely situation
- Multi-energy color option with organic/inorganic stripping
- Tip, training and image archiving is supplied
- AutoMatalert highlights suspect materials using atomic number & density and is supplied
- Bid price ncludes shipping and a minimum one (1) year parts and labor warranty
- Delivery will be made by 7/1/2007 so long as the purchase order has been received by Control Screening from the State of West Virginia by 6/1/2007. The number of days after 6/1/2007 will be the number of days the vendor will have to deliver the machine.

We look forward to serving your facility's need for this important piece of security equipment.

If you have any questions or need more information, please do not hesitate to contact us at 1-800-343-9727 or email dcunningham@controlscreening.com.

Best regards,

Control Screening / AUTOCLEAR


BY: Dennis Cunningham

Sales Diractow. Pittsburgh St., P.O. Box 1142, Greensburg, PA 15601-2323

Tel: (724) 837 - 5411 Fax: (724) 837 - 5425 email: pa@controlscreening.com


AUT(>>>) C L E A R 6848

High Capacity Parcel X-ray for Explosives, Weapons & Narcotics





RealClear* reveals components of a gun, knife and bomb in real time, without lags and delays autoScale® displays contents at Pentium 4 resolution automatically and without distortion.



User-friendly, ergonomic and fully-featured operator control panel

Control Screening is the leading worldwide producer of fast, reliable and sophisticated X-ray, Metal and Trace Detection screening systems. Visit us at www controlscreening.com Ask about our mobile and cargo systems. Our advanced systems and options are often integrated, leased or rented

The AUTOCLEAR* 6848 (featuring a 68 0 cm wide x 48 0 cm high or 26 8" wide x 18 9" high tunnel opening) is a high capacity, high penetration, heavy-duty, conveyorized X-ray scanner designed to inspect carry-on bags, briefcases mail trays and parcels. Ideal for use at:

Airports • Seaports • Courts **Customs • Corporate Facilities** Government Buildings . Postal Checkpoints . Loading Docks Mailrooms . Corrections Facilities Nuclear · Access Control Special Events . Hospitals Rail or Bus Stations Police Stations • Military Bases

Features

- never needs adjustment, lowering operating
- autoSensing* eliminates the need for troublesome photosensors or footpad switch Assures 100% screening of thin blades or plastique in magazines or courier envelopes, or of bag already in tunnel at start-up
- Parcel contents are displayed at normal scale, wherever located, automatically and without distortion (autoScale*) RealClear* function reveals components of dense items in realtime without lags or delays.
- → Narrower footprint enhances security and conveniently fits in elevators, 36" doorways and tight spaces; conveyor end folds up for transport

- ⇒ autoTracking* guided conveyor belt system
 ⇒ Features Pentium 4, 17" monitor RealClear*, autoScale*, autoDensalert*, autoOutline*, autoSensing®, autoCal®, 64X Smart Zoom, Lighten, Help, DensityScan, and Low Density Stripping, among other features
 - Compact version (above) or airport version with extended conveyor(s)
 - Multi-Energy Color option with Organic/ Inorganic Stripping is popular TIP, Training and Image Archiving also available, auto-Matalert², option highlights suspect materials using atomic number and density
 - Interactive training and highly responsive local service. Engineered, made and rigorously tested in the USA to ISO 9001 and regulatory standards

Celebrating 70 years of excellence in design & support



Scintrex* • Federal Labs* • CheckGate* • CPAD • Control Screening Canada France Spain Dubai Latin America Singapore

Model 6848 X-ray Specifications

Overall Dimensions: Inspection Capabilities 185 4 cm (73 0') L x 88 1 cm (34 7) W x 132 7 cm (52.3") H

Tunnel Size:

26 8" wide (68 cm) 18.9" high (48 cm)

L-shaped detector for 100% package screening

Material Penetration: Contrast Sensitivity:

28-29 mm steel Over 2 million color tones standard

Resolution:

40 AWG wire

Processing:

32-bit adaptive image processing with minimum 128 Mbytes

memory; 800 MHz or 2.4 GHz processor.

Conveyor Speed:

48 feet per minute; 24 cm per second. Standard conveyor pictured on reverse. Extended conveyor length, Model 6040E (variable length

entrance and exit bed) Fully reversible

Pulling Weight: autoTracking": Film Safety:

150 kg (331 lbs) (Higher pulling weights available)

Belt guaranteed to autoTrack for life

Guaranteed for high-speed films up to ISO 1600 (33 DIN)

Full autoSensing without photosensors, moving parts, or footpad.

Reduces downtime and assures all magazines, envelopes or items are scanned, no matter how thin, or of bag already in tunnel at start-up. Enhances radiation safety.

X-ray Generator

X-ray tube head: High voltage rating: Duty cycle: Beam orientation: Dose rate per exam:

Self-contained, shielded tank 160 kV, 140 kV Operating Voltage 100% with sealed oil bath cooling Diagonal

0.1 mR Lower doses available

X-ray Detectors

Surface mounted, multilayer, fully integrated, high frequency solid state detectors using high speed processors, and Pentium 4 image processing with Single Energy or optional Multi-Energy (M) Color.

Video

Standard with color 17" SVGA monitor. High resolution, flicker-free. 21 dot pitch, low rad. monitor, 1280 x 1024 video card Single energy color is based on object density Multi-Energy color option available with available second monitor or flat screen or larger monitor(s), displays organics in orange and inorganics in blue, both overlapping in green and very dense objects in black, and includes Organic and Inorganic Stripping

Standard Features

- RealClear*
- autoDensalert*
- · autoTracking
- autoSensing
- autoOutline*
- · autoScale!

- autoCal
- Dark & Light enhance
- DensityScan
- Color; Reverse B/W
- High/Low Density & Stripping

· CE marking or UK approved

Power conditioner, or UPS

Table or locking monitor hood

Locking metal keypad cover

kV, mA meter or item counter

LCD, dual or larger monitor(s)

Variable height keypad mount

Footpad or optical on/off

- · High density
- Help
- Fast (25 second) initial warm-up
- Fully functional, robust, low profile

48 A

Distributor:

- · Reversible conveyor direction
- Clear Lexan conveyor guard
- Remote, printer or VCR cable Built-in Training
- autoNet

Rentals or leases

TipNet

www.autoclearus.com

World Headquarters Plant

2 Gardner Road

Fairfield, NJ 07004-2206 USA

Tel: + 1 (973) 276-6161 Fax: + 1 (973) 276-6162 leads@autoclearus.com

Western U.S.

nw@autoclearus com sw@autoclearus com

Continental Europe France

Tet: + 33 2 38 61 97 00 Fax: + 33 2 38 61 97 01 eu@autoclearus.com

Spain, Italy, Mediterranean

Tel/Fax: +34 91 650 89 86 Ighedina@autoclearus.com

Canada

Scintrex Trace Plant

300 Parkdale Ave . Ottawa Ontario, Canada K1Y 1G2 Tel: + 1 (613) 224-1061 Fax: + 1 (613) 224-2603 info@autoclearus.com

Asia

Singapore

asia@autoclearus com

Latina/América Central

Dominican Replublic latina@autoclearus com

Middle East

Dubai, UAE

ME@autoclearus com

Options

- Multi-Energy organic and inorganic color & stripping autoMatalert*
- Threat Image Projection (TIP) · Rollerbed(s) or conveyor
- extensions
- Tropical Humidity Kit
- Image Archiving

Physical Details Dimensions: See drawing Weight:

890 lbs (403 kg)

1150 lbs (517 kg) crated

Construction: Unibody heavy gauge epoxy painted steel construction with stainless steel

and aluminum trim and accessories Non-marring casters and leveling jackscrews. Corrosion-resistant command center keypad mounted on side or on available table

Environmental Conditions:

Electrical Power

Requirements:

Humidity 20% - 95%, non-condensing Storage to 65°C (149°F)

200, 220, 240, 250 volts AC ± 10% (<3 amps) All at 50 or 60 Hz

Temperature range: 32°-104°F, (0°-40°C)

Consumption: < .6 kVA, 120 voits AC ± 10% (-6 amps)

Dimensions are in centimeters

ISO 9001-2000 registered

www.autoclearus.com www.tracedetection.com www.fed-labs.com

Celebrating 70 years of excellence in design & support

Scintrex* ** Federal Labs* ** CheckGate* * CPAD * Control Screening

U.S. Canada France Spain Dubai Latin America Singapore

© AUTOCLEAR LLC

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit **www.state.wv.us/admin/purchase/privacy** for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name:	CONTROL	SCREENING	LLC		
Authorized Signa	ture: <u>Le</u>	mi Cu	yhan!	Date: 5/21/07	

Purchasing Affidavit (Revised 04/15/07)