

August 8, 2006

Ms. Krista Ferrell West Virginia Division of Purchasing 2019 Washington St., E. Charleston, WV 25305

Re: Request for Quotation, PTR07003 for UHF Mobile Radios

Dear Ms. Ferrell,

Motorola, Inc., through its Government and Commercial Markets Division, is pleased to offer this response to your Request for Quotation PTR07003 for new mobile radios for the WV Division of Public Transit. All mobile radios offered are state of the art and have passed Motorola's tests for ruggedness and long term reliability. These units contain "FlashPort Upgradibility" which allows the WV Division of Public Transit to add additional features to the radio units as new requirements may arise. In order to take advantage of the many options that are available with the XTL2500 mobile radio, Motorola has attached several options pages (5) that greatly enhance the flexibility of the requested radio.

Motorola is compliant with all equipment technical specifications contained in the RFQ. Pricing for the equipment does not include installation. Installation costs vary by location, vehicle types, building variance and variable labor rates based on geographic location. Therefore, Motorola is unable to provide one install quote that fits all situations. Motorola proposes to provide installation pricing on a case by case basis using the closest mutually agreed to local service center at the prevailing rates. Delivery charges are: Prepay and allow (no cost to customer).

Motorola submits the following additional information with regard to Section entitled Audit and Inspection on page 14 of the Request for Quotation: According to these provisions, authorized representatives of the Transit Authority, the United States Department of Transportation and the Comptroller General of the United States have the right to inspect and audit books and records directly pertinent to the contract. Motorola will allow access to such records as required by the solicitation or contract.

Our goal is to work with the WV Division of Public Transit personnel to provide them with the most rugged, reliable and system flexible radios in the industry today. It is Motorola's goal to provide total customer satisfaction and we pride ourselves in servicing the public safety industry for the past 75 years.

Reference: Addendum No. 1: Motorola extends our offering to other State agencies and local governmental bodies per the addendum request.

Ms. Krista Ferrell West Virginia Division of Purchasing August 8, 2006 Page Two

We appreciate the opportunity to continue to work with you, and we look forward to fulfilling your communications system requirements. Should you have any questions, please contact your Motorola Account Manager, Richard Culicerto at (304) 253-0086.

Sincerely,

MOTOROLA, INC.

spiste Ky

Kristie King

MCEI Distribution Controller

Government and Commercial Markets Division

Networks and Enterprise

0001



*709024003 02

101 BLUFF ROAD

BECKLEY WV

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

MOTOROLA COMMUNICATIONS & ELEC

25801

EA

36-1115800

1

TRUNK MOUNT

304-253-0086

Request for Quotation

REQ NUMBER PTR07003

7/4	PAG	Ε
		1

KRISTA FERRELL 304-558-2596

SHIP

DIVISION OF PUBLIC TRANSIT

ADDRESS CORRESPONDENCE TO ATTENTION OF:

BUILDING 5, ROOM 830 1900 KANAWHA BOULEVARD, EAST CHARLESTON, WV 25305-0432

NDOR 304-558-0428 TERMS OF SALE DATE PRINTED F.O.B. FREIGHT TERMS 08/03/2006 01:30PM OPENING TIME BID BID OPENING DATE: 08/10/2006 LINE OUANTITY ITEM NUMBER UNIT PRICE AMOUNT UQP ADDENDUM NO. 1 THIS ADDENDUM IS ISSUED TO INCLUDE THE FOLLOWING LANGUAGE: EXHIBIT 4 UNLESS THE VENDOR INDICATES LOCAL GOVERNMENT BODIES: IN THE BID HIS REFUSAL TO EXTEND THE PRICES, TERMS, AN CONDITIONS FO THE BID TO COUNTY, SCHOOL, MUNICIPAL AND OTHER LOCAL GOVERNMENT BODIES, THE BID SHALL EXTEND TO POLITICAL SUBDIVISIONS OF THE STATE OF WEST IF THE VENDOR DOES NOT WISH TO EXTEND THE VIRGINIA. PRICES, TERMS, AND CONDITIONS OF THE BID TO ALL POLITICAL SUBDIVISIONS OF THE STATE, THE VENDOR MUST CLEARLY INDICATE SUCH REFUSAL IN HIS/HER BID. SUCE REFUSAL SHALL NOT PREJUDICE THE AWARD OF THIS CONTRACT IN ANY MANNER. REV. 3/88 BID OPENING DATE REMAINS: 08/10/2006 BID OPENING TIME REMAINS: 1:30 PM END ADDENDUM NO. 1 * **

SEE REVERSE SIDE FOR TERMS AND CONDITIONS 304-253-0086 8-8-06 ADDRESS CHANGES TO BE NOTED ABOVE

725-74

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

MOBILE RAJIOS, SPEAKERS, MICROPHONES



VENDOR

*709024003 02

101 BLUFF ROAD

BECKLEY WV

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

MOTOROLA COMMUNICATIONS & ELEC

25801

304-253-0086

Request for E Quotation

SH-P

REQ NUMBER PTR07003 PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL

304-558-2596

DIVISION OF PUBLIC TRANSIT

BUILDING 5, ROOM 830 1900 KANAWHA BOULEVARD, EAST CHARLESTON, WV 25305-0432

304-558-0428

DATE PRIN	11.1 1000 (1000)		MS OF SAL	**************	SHIP	/IA		FC	18.		FREIGHT TERMS
07/26/		Net 30	days	NYOICE							
BID OPENING DATE:	15 107 oo 5 600 co	<u>08/10/</u>	2006		300000000000000000000000000000000000000	$_{ m BID}$	OPEN	IING	TIME	01	:30PM
LINE	QUAN	mty	UOP	CAT NO	ITEM NU	MBER		UNIT	PRICE		AMOUNT
0001	THE WE	1	EA GINIA	DIVI	725-74 SION OF E	PUBLIC T	RANS	SIT I	S		
	VIRGIN QUOTAT RADIOS 40 WAT LOCAL SPECIF	ST VIR IA DIV IONS F WITH T UHF ANTENN ICATIO	GINIA ISION OR 11 SPEAK DESK A AND	PURC OF P O WAT ER, M TOP M	R QUOTATI HASING DI UBLIC TRA T UHF TRU ICROPHONE OUNT CONT	VISION ANSIT IS INK MOUN E, 5DB A	SOL T MC NTEN TION	ICIT BILE NA A WIT	'ING ND A H A)	
	YEAR O NECESS ORIGIN NOT EX TIME"	F CONT WARD A R UNTI ARY TO AL CON CEED T THE VE	ND EX L SUC OBTA TRACT WELVE NDOR GIVIN	TENDS H "RE IN A . TH (12) MAY T	IS CONTRAFOR A PERSONABLE NEW CONTRE "REASON MONTHS. ERMINATE DIRECTOR	RIOD OF TIME" T ACT OR IABLE TI DURING THIS CO	ONE HERE RENE ME" THI NTRA	(1) CAFTE W TH PERI S "R	R AS I E OD SHA EASONA OR ANY	S LL BLE	
	IN THI PRICIN CONTRA	S CONT G SET CT.	RACT HEREI	DOCUM N ARE	IONS ARE ENT, THE FIRM FOR	TERMS, THE LI	COND FE O	OITIC OF TH	NS AND E		
	RENEWA	L: THI	S CON		MAY BE R				MUTUA	L	
OLONATURE				SEERE	VERSE SIDE FOR T					367C	
SIGNATURE, WILL	Ku		ib			TELEPHONE 30Y-25.	3-00	86	ľ	DATE	8-8-06
UMD MCEI	Distribu	tion Contro	₩36-	11158	200				RESS CHAI	NGES	TO BE NOTED ABOVE

WHÊN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



VENDOR

State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

P

AFO NUMBER PTR07003 PAGE 2

ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL <u> 304-558-2596</u>

304-253-0086 *709024003 02 MOTOROLA COMMUNICATIONS & ELEC 101 BLUFF ROAD

BECKLEY WV 25801 DIVISION OF PUBLIC TRANSIT

BUILDING 5, ROOM 830 1900 KANAWHA BOULEVARD, EAST CHARLESTON, WV

25305-0432 304-558-0428

DATE PRINT		RMS OF SALE	SHIP VIA		FOB		FREIGHTTERMS
07/26/		/2006	· · · · · · · · · · · · · · · · · · ·	RTD (OPENING TIME	01:	30PM
LINE	QUANTITY	LIOP CAT NO.	ITEM NUMB		UNIT PRICE		AMOUNT
	DAYS PRIOR T	THE DIRECT OTHE EXPINANCE WITH	TOR OF PUR RATION DAT THE TERMS	CHASING E. SUC AND COL	ND VENDOR, THIRTY (30) CH RENEWAL SE NDITIONS OF T TO TWO (2) C	HE HE	
	RIGHT TO CAN NOTICE TO THE SUPPLIED ARE	CEL THIS C E VENDOR I OF AN INF	ONTRACT IM F THE COMM ERIOR QUAL	MEDIATE ODITIES ITY OR	NG RESERVES T ELY UPON WRIT E AND/OR SERV DO NOT CONFO ONTRACT HEREI	TEN ICES RM	
	AUTHORIZE A MARKET, WITH ESTIMATE, IT IMMEDIATE DH CAUSES (INCI	SPENDING U OUT THE FI EMS SPECIF LIVERY IN UDING BUT	NIT TO PUR LING OF A IED ON THI EMERGENCIE NOT LIMITE	CHASE (CREQUIS) S CONTES S DUE (CREATE TO DE	ITION OR COST	r rs-	
	APPROXIMATION THE STATE SINTHAT THE CONTRIBUTION	NS ONLY, BENDING UNI TRACT SHAL DELIVERY D	ASED ON ES T. IT IS L COVER TH URING THE	TIMATES UNDERS E QUAN TERM O	EQUISITION AF S SUPPLIED BY FOOD AND AGRE FITIES ACTUAL F THE CONTRAC ES SHOWN.	LY	
·	FOR BANKRUP	CY PROTECT	ION, THIS	CONTRA	ONTRACTOR FIL CT IS AUTOMAT WITHOUT FURT	'I-	
	THE TERMS AI SHALL SUPERS	EDE ANY AN	D ALL SUBS	EQUENT			
SIGNATURE.		SEE RE	VERSE SIDE FOR TER	ELEDUONE	, e va e e constante de la constante de constante de la consta	DATE 🕜	2 0/
SENIEW KUL	stie Kis	CINT		304.25			-8-06
Band once		36-111580			ADDRESS CH N SPACE ABOVE L		BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

AFO NUMBER PTR07003

PA	GE	3	
		3	

ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL 304-558-2596

304-253-0086

MOTOROLA COMMUNICATIONS & ELEC

101 BLUFF ROAD

*709024003 02

BECKLEY WV 25801 DIVISION OF PUBLIC TRANSIT

BUILDING 5, ROOM 830 1900 KANAWHA BOULEVARD, EAST CHARLESTON, WV

25305-0432 304-558-0428

SHIP VIA FREIGHT TERMS DATE PRINTED TERMS OF SALE FOB 07/26/2006 BID OPENING TIME BID OPENING DATE: 01:30PM 08/10/2006 CAT LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT: CONDITIONS WHICH MAY APPEAR ON ANY ATTACHED PRINTED DOCUMENTS SUCH AS PRICE LISTS, ORDER FORMS, SALES AGREEMENTS OR MAINTENANCE AGREEMENTS, INCLUDING ANY ELECTRONIC MEDIUM SUCH AS CD-ROM. REV. 04/11/2001 THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY VENDORS WHO ARE BIDDING PARTICULAR BRAND OR VENDOR. ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS. VENDOR PREFERENCE CERTIFICATE CERTIFICATION AND APPLICATION* IS HEREBY MADE FOR PREFERENCE IN ACCORDANCE WITH WEST VIRGINIA CODE, 5A-3-37 (DOES NOT APPLY TO CONSTRUCTION CONTRACTS). APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED: BIDDER IS AN INDIVIDUAL RESIDENT VENDOR AND HAS RESIDED CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR PARTNERSHIP, ASSOCIATION OR CORPORA-BIDDER IS A SEE REVERSE SIDE FOR TERMS AND CONDITIONS DATE 8-8-06 304.2530086 MCEI Distribution Cortoll 36-111 5800 ADDRESS CHANGES TO BE NOTED ABOVE WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



VENDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

T

SFO NUMBER PTR07003 4

ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL 304-558-2596

DIVISION OF PUBLIC TRANSIT

BUILDING 5, ROOM 830 1900 KANAWHA BOULEVARD, EAST CHARLESTON, WV 25305-0432 304-558-0428

*709024003 02 304-253-0086 MOTOROLA COMMUNICATIONS & ELEC 101 BLUFF ROAD

BECKLEY WV 25801

DATE PRINTED TI	ERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
07/26/2006				
	/2006		PENING TIME 0	1:30PM
LINE QUANTITY	UOP CAT ITE	MINUMBER	UNIT PRICE	AMOUNT
			and for the extension of the state of the entire of the en	
TTON RESTDE	INT VENDOR AND HAS	MAINTAINED	ITS HEAD-	
	PRINCIPAL PLACE			nd l
WEST VIRGIN	IIA FOR FOUR (4) Y	EARS IMMEDIA	ATELY PRECEDING	
THE DATE OF	THIS CERTIFICATION	ON; OR 80% C	OF THE OWNERSHI	P
INTEREST OF	BIDDER IS HELD B	Y ANOTHER IN	NDIVIDUAL,	
PARTNERSHIP	ASSOCIATION OR	CORPORATION	RESIDENT VENDO	
WHO HAS MAI	NTAINED ITS HEADQ	UARTERS OR F	PRINCIPAL PLACE	4
	CONTINUOUSLY IN			
	DIATELY PRECEDING	THE DATE OF	THIS	
CERTIFICATI	ON; OR			
	R IS A CORPORATION	N NONRESTDEN	IT VENDOR	
	N AFFILIATE OR SU			
	F ONE HUNDRED STA			
	NED ITS HEAQUARTE			
	THIN WEST VIRGINI.			
	ARS IMMEDIATELY P	RECEDING THE	E DATE OF THIS	1
CERTIFICATI	ON.			
D 7 DT T (7)	ITION IS MADE FOR	2 C	7N/CC C/C TUF	
B. APPLICA REASON CHEC		2.5% PREFERE	SNCE FOR THE	
KEASON CITIC				
() BIDDE	R IS A RESIDENT V	ENDOR WHO CE	ERTIFIES THAT,	
	LIFE OF THE CONTR			
	EMPLOYEES WORKING			
	TIS OF WEST VIRGIN			
	ONTINUOUSLY FOR T		S IMMEDIATELY	
	CUBMISSION OF THIS	RID;		
OR () BIDDE	R IS A NONRESIDEN	T VENDOR FIME	PIOVING A	
	ONE HUNDRED STATE			
	VENDOR WITH AN A			
אטדרט אזדאיז	AINS ITS HEADQUAR			
of Business	WITHIN WEST VIRG	INIA EMPLOYI	ING A MINIMUM	
	RED STATE RESIDEN			
DURING THE	LIFE OF THE CONTR.	ACT, ON AVER	RAGE AT LEAST	
	SEE REVERSE SIDE !	OR TERMS AND CONDIT		_
SIGNATURE KNOTLEKIE	anamanaman ke kedi dubi kan ke ke ke mereke ke bilan den ke ke dubi kan ke ke den ke de de de de de de de de d	TELEPHONE 304-25	3-008L DATE	8-8-06
THE WITH THE PARTY OF THE PARTY	FEIN 36-/// 5800			S TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR' eastalle



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

PTR07003

PAGE 5

ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL 304-558-2596

DTVTGTON

ō

DIVISION OF PUBLIC TRANSIT

BUILDING 5, ROOM 830 1900 KANAWHA BOULEVARD, EAST CHARLESTON, WV 25305-0432 304-558-0428

*709024003 02 304-253-0086 MOTOROLA COMMUNICATIONS & ELEC 101 BLUFF ROAD

BECKLEY WV 25801

DATE PRINTED TERMS OF SALE SHIP VIA FOB. FREIGHT TERMS 07/26/2006 **BID OPENING DATE** BID OPENING TIME 01:30PM 08/10/2006 CAT, LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT 75% OF THE EMPLOYEES OR BIDDERS' AFFILIATE'S OR SUBSIDIARY'S EMPLOYEES ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID. BIDDER UNDERSTANDS IF THE SECRETARY OF TAX & REVENUE DETERMINES THAT A BIDDER RECEIVING PREFERENCE HAS FÄILED TO CONTINUE TO MEET THE REQUIREMENTS FOR SUCH PREFERENCE, THE SECRETARY MAY ORDER THE DIRECTOR OF PURCHASING TO: (A) RESCIND THE CONTRACT OR PURCHASE ORDER ISSUED; OR (B) ASSESS A PENALTY AGAINST SUCH BIDDER IN AN AMOUNT NOT TO EXCEED 5% OF THE BID AMOUNT AND THAT SUCH PENALTY WILL BE PAID TO THE CONTRACTING AGENCY OR DEDUCTED FROM ANY UNPAID BALANCE ON THE CONTRACT OR PURCHASE ORDER. BY SUBMISSION OF THIS CERTIFICATE, BIDDER AGREES TO DISCLOSE ANY REASONABLY REQUESTED INFORMATION TO THE PURCHASING DIVISION AND AUTHORIZES THE DEPARTMENT OF TAX AND REVENUE TO DISCLOSE TO THE DIRECTOR OF PURCHASING APPROPRIATE INFORMATION VERIFYING THAT BIDDER HAS PAID THE REQUIRED BUSINESS TAXES, PROVIDED THAT SUCH INFORMATION DOES NOT CONTAIN THE AMOUNTS OF TAXES PAID NOR ANY OTHER INFORMATION DEEMED BY THE TAX COMMISSIONER TO BE CONFIDENTIAL. UNDER PENALTY OF LAW FOR FALSE SWEARING (WEST VIRGINIA CODE 61-5-3), BIDDER HEREBY CERTIFIES THAT THIS CERTIFICATE IS TRUE AND ACCURATE IN ALL RESPECTS; AND THAT IF A CONTRACT IS ISSUED TO BIDDER AND IF ANYTHING CONTAINED WITHIN THIS CERTIFICATE CHANGES DURING THE CONTRACT, BIDDER WILL NOTIFY THE PURCHASING TERM OF THE DIVISION IN WRITING IMMEDIATELY. Motorola, Inc. BIDDER: SEE REVERSE SIDE FOR TERMS AND CONDITIONS TELEPHONE 304-253-0086 8-8-06 FEIN 36-111 5800 stribetion Contalle ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



BECKLEY WV

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

REO NUMBER PTR07003

PAC	SE
	6

ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL 304-558-2596

*709024003 02 304-253-0086 MOTOROLA COMMUNICATIONS & ELEC 101 BLUFF ROAD

DIVISION OF PUBLIC TRANSIT

25801

BUILDING 5, ROOM 830 1900 KANAWHA BOULEVARD, EAST CHARLESTON, WV

25305-0432 304-558-0428

07/26/		ERMS OF SALI		SHIP VIA	FQ.B	FREIGHT TERMS
BID OPENING DATE:	08/1)/2006	andranananana	BID	OPENING TIME	01:30PM
LINE	QUANTITY	uop	CAT. NO	ITEM NUMBER	UNIT PRICE	AMOUNT
		1	OATE:	8 8 0 D: Krustie . MCEI Dis	6	
	i va		SIGNE	D: Krustie	King Cont	-
	_		FITLE	: MCEL 1219	Tribution will	
	IN EITHER 'ENTITLED TO	'A" OR ' O RECEIV ICE FOR	"Β", ⁄Ε.	N OF PREFERENCE OR BOTH "A" AND YOU MAY REQUEST ."A" AND "B".	"B" WHICH YOU A	R
			NOT	ICE		
	A SIGNED B	D MUST	BE S	UBMITTED TO:		
	PURCHA BUILD: 2019 V	ASING DI ING 15 VASHINGI	IVISI TON S	INISTRATION ON TREET, EAST 5305-0130		
	THE ENVELO			THIS INFORMATIO D MAY NOT BE CON		· ·
SAND #	SEALED BID					
SIGNATURE	•		SEE RE	VERSE SIDE FOR TERMS AND CON TELEPHONE 30Y-25		8-8-06
ITXILLO JOTE RA	tributión Contr	FEIN 34	11158	<u> </u>		ES TO BE NOTED ABOVE
IVICE - UIS	1 x 1 ~~~ (((((((((((((((((411		,	1	



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

PTR07003

PA	GE
	7

ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL 304-558-2596

*709024003 02 304-253-0086 MOTOROLA COMMUNICATIONS & ELEC 101 BLUFF ROAD

BECKLEY WV 25801

DIVISION OF PUBLIC TRANSIT

BUILDING 5, ROOM 830 1900 KANAWHA BOULEVARD, EAST CHARLESTON, WV 25305-0432 304-558-0428

SHIP VIA DATE PRINTED TERMS OF SALE FOB FREIGHT TERMS 07/26/2006 BID OPENING DATE: 08/10/2006 BID OPENING TIME 01:30PM QUANTITY ITEM NUMBER UNIT PRICE AMOUNT LINE UOP 21 BUYER: PTR07003 RFQ. NO.: 08/10/2006 BID OPENING DATE: BID OPENING TIME: 1:30 PM PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: Culicaro - 304- 252-0427 CONTACT PERSON (PLEASE PRINT CLEARLY): Kich CulicERTO THIS IS THE END OF REQ PTR07003 ***** TOTAL: SEE REVERSE SIDE FOR TERMS AND CONDITIONS TELEPHONE 304-253-0086 36-1115800 ADDRESS CHANGES TO BE NOTED ABOVE stributionControlle

Buyer KF-21 Page 008 PO#PTR07003 Spending Unit: Division of Public Transit Department of Transportation

Technical Specifications For The Procurement Of 110 watt UHF Mobile Radios and Base Station

SCOPE:

The technical specifications establish requirements for 110 watt UHF trunk mount mobile radios, speakers, microphones, 5db antennas and a 40 watt UHF desk top mount control station with a local antenna and transmission line.

The vendor shall comply with all applicable federal and state regulations in the manufacturing of the mobile radio units and the attached federal terms and conditions.

All units or parts not specified shall be manufacturer's best quality and shall conform in material, design or workmanship to the best practice known. All parts shall be new. No parts will be accepted if used, reconditioned or obsolete.

The price for each mobile radio and control station shall be submitted in whole dollars only including the shipping and handling and installation cost at the transit system's location.

One copy of the bid shall be sent to the West Virginia Division of Purchasing prior to the deadline of the bid opening.

GENERAL SPECIFICATIONS:

Motorola XTL2500 110 watt Mobile Radio and 40 watt desk top mount control station or approved equal to be bid. The bidder is requested to submit description, warranty information and complete literature information of the product with bid.

MODEL FEATURES: Minimum Features

Frequency Band:

380-470MHz

Power Level:

25-110 Watt

Channels (Standard):

512

Modulation:

C4FM

Dual mode operation

9600 and 3600 Baud capable

Project 25 capability on Conventional and Trunking systems

Type II Trunking Only

Project 25 compliance interoperable voice signaling features

Integrated voice and data capable

Bandwidth Receiver

12.5/25 kHz (analog) - 380-470 MHz

12.5 kHz bandwidth receiver (digital)

5 Programmable buttons x4 deep in menu functions

14 digit character display

Tri-color backlit LCD display

Emergency button

Multi level DIM button

Remote mount

003

Buyer KF-21 Page PO#PTR07003
Spending Unit: Division of Public Transit
Department of Transportation

Meets Military Specs 810 (C,D, E and F)
Utilizes Windows-based customer programming
Built in FLASHport support
Optional Keypad microphone
External Speaker
USB/RS232 connectivity
Optional Siren PA
Optional DEK
Upgradeable

Encryption Capable:

- Algorithms supported
- Advanced Digital Privacy (ADP)

Reuse of most ASTRO/MCS accessories

GENERAL PERFORMANCE SPECIFICATIONS:

Frequency range

-380-470MHz

Protocol

-Project 25-CAI 4.4 kbps IMBE, 2.8 kbs Error Correction Coding, 2.4 kbps, Embedded Signaling

Channel Bandwidth

-Analog 12.5/25 kHz (380-470 MHz and 450-520 MHz)

Digital 12.5 kHz

VOICE CODER:

Voice Coding Method IMBE (CAI): Improved Multi Band Excitation

Voice Truncation: None

Frame Re-sync Interval: 180 mSec (Clear Digital Mode)

Forward Error Correction: Golay code Error Mitigation Project 25-CAI (IMBE)

Dual Level Level 1: Extrapolates and replaces 20 mSec voice frames that exceed

the error correction algorithm tolerance.

Level 2: Progressive muting of 20 mSec voice frames that are too severely damaged for

Level 1 replacement.

Code Book Structure: APCO Project 25 (IMBE): No code book

SIGNALLING:

Signalling Rate: 9.6 kbps

Digital ID Capacity: 10,000,000 Conventional / 48,000 Trunking Digital Network Access Codes: 4,096 network site addresses Digital User Group Addresses: 4,096 network site addresses

Project 25 - CAI Digital User Group Addresses: 65,000 Conventional / 4,094 Trunking

Error Correction Techniques: Golay, BCH, Reed-Solomon codes

Data Access Control: Slotted CSMA: Utilizes infrastructure-sourced data status bits

embedded in both voice and data transmissions.

Buyer KF-21 Page O10 PO#PTR07003
Spending Unit: Division of Public Transit
Department of Transportation

· SPEAKER:

Dimensions: 5.5" x 5.5" x 2.5" (139.7 x 139.7 x 63.5 mm) (Excluding mounting bracket)

Weight: 1.5 lbs (0.68 kg)

MOBILE:

Control Head: 2.35" x 7.1" x 2.5" (59.7 x 180.3 x 63.5 mm)

High Power Transceiver: 2.765" x 8.08" x 12.31" (70.2 x 205.2 x 312.7 mm)

Weight High Power Radio Transceiver with Handle: 8.8 lbs (3.99 kg) (136MHz and 380-

470 MHz)

TRANSMITTER:

Frequency: 380-470 MHz RF Power: 25-110W

Max Freq Separation: Ref Above Bandsplit

Freq Stability Operating Freq Accuracy (-30C to +60C;+25C Ref) - 700/800 & UHF

(+/- 2ppm (-30C to +60C) - VHF 2 ppm

Modulation Limiting 25/20 kHz, 25 kHz, 25/30 kHz channel ±5 kHz

12.5 kHz channel ±2.5 kHz

Modulation Fidelity (C4FM) 12.5 kHz digital channel ±2.8 kHz

Channel Spacing: Analog12.5/25 kHz

FM Hum and Noise 20/25 kHz, 25 kHz, 20/25 kHz 45 dB

12.5 kHz 40 dB

Emissions: Conducted Radiated -85 dBc -20 dBc

Audio Response (6db/Ocatave Pre-emphasis from 300 to 300 0Hz) +1, -3 dB (EIA)

Audio Distortion per EIA: 2%

POWER AND BATTERY DRAIN:

Model Type: 380-470MHz

Minimum RF Power Output: 25-110 Watt (380-470 MHz)

Operation: 12V DC Negative Ground

Standby at 13.8V: 380-470 MHz 0.65A-0.85A

Receive at Rate Audio at 13.8V: 380-470 MHz 1.5A-3.2A Transmit at Rated Power: 380-470 MHz 5.7A-13.7A

FCC TYPE ACCEPTANCE ID:

Transmitter Power: 380-470 MHz- 25-110 W - AZ492FT4870

ENVIRONMENTAL SPECIFICATIONS:

Operating Temperature: -30°C / +60°C Storage Temperature: -55°C / +85°C International Protection: IP54 certified

Buyer KF-21 Page PO#PTR07003
Spending Unit: Division of Public Transit
Department of Transportation

RECEIVER:

Frequency: UHF

Channel Spacing: 12.5/ 25 kHz

Maximum Frequency Separation: Full Bandsplit Analog Sensitivity: 20 db Quieting 0.25 μ V 0.40 μ V

12 db SINAD per EIA: . $0.20 \,\mu\text{V}$ $0.30 \,\mu\text{V}$

Digital Sensitivity: 1% BER (12.5 kHz channel) 0.25 μV 0.40 μV

5% BER (12.5 kHz channel) 0.20 μ V 0.30 μ V

Intermodulation: 80 dB 85

Spurious Response Rejection: 90 dB 90 dB

Audio Output Power at 3% distortion: 7.5 W (ext. speaker)

(External/ Internal Speaker) 3 W (int. speaker)

Adjacent Channel Rejection Selectivity: 75 dB 82 dB

MILITARY STANDARDS 810 C, D, E, & F:

	MIL-STD 810 Method Proc./Cat.	MIL-STD 810D Method Proc./Cat.	MIL-STD 810E Method Proc./Cat.	MIL-STD 810F Method Proc./Cat.
		metriod ; 100.70dt.	Wethout foc./oat.	method Floc./Gat.
Low Pressure	500.11	500.2 11	500.3 11	500.4 11
High Temp. Storage	501.1 I	501.2 I/A1	501.3 I/A1	501.4 I/Hot
High Temp. Storage	501.1 11	501.2 II/A1	501.3 II/A1	501.4 I/Hot
Low Temp. Storage	502.1 I	502.2 I/C3	502.3 I/C3	502.4 I/C3
Low Temp. Operation	nal 502.11	502.2 II/C1	502.3 II/C1	502.4 II/C1
Temperature Shock	503.1 -	503.2 I/A1-C3	503.3 I/A1-C3	503.4 I/Hot-C3
Solar Radiation	505.1 II	505.21	505.3 I	505.4 I
Rain Blowing	506.1 I	506.2 1	506.3 I	506.4 1
Rain Steady	506.1 II	506.2 II	506.3 II	506.4 111
Humidity	507.1 II	507.2	507.3 II	507.4 -
Salt Fog	509.1 -	509.2 -	509.3 -	509.4 -
Blowing Dust	510.1 I	510.2 I	510.3 l	510.4 l
Blowing Sand		510.2 II	510.3 II	510.4 11
Vibration Min. Integrit	y 514.2 VIII/FCu	rve-W 514.3 I/10	514.4 1/10	514.5 I/24
Vibration Loose Carg	0	514.3 11/3	514.4 11/3	514.5 11/5
Shock Functional	516.2 l	516.3 I	516.4 I	516.5 l
Shock Crash Hazard	516.2 111	516.3 V	516.4 V	516.5 V
Shock Bench Handlin	g 516.2 V	516.3 VI	516.4 VI	516.5 VI

IDEENTIFICATION NUMBER:

Each mobile radio and control station shall have an I.D. Number securely attached in the manner that it can not be removed for the purpose of inventory and record keeping.

WARRANTY:

Each mobile radio and control station shall have a minimum of a written one-year warranty against all defects of the product. The vendor is requested to supply the warranty information and local service centers with the bid.

Buyer KF-21 Page PO#PTR07003
Spending Unit: Division of Public Transit
Department of Transportation

· MANUALS:

The vendor shall supply an operations and maintenance manual for each mobile radio and control station ordered. The vendor is requested to supply a copy with bid.

TRAINING:

The vendor shall have at its own expense one or more qualified instructor(s) who shall be available at the Recipient Agency(ies) property for a single day training session to conduct a complete training session on the usage of the complete system. The training shall be conducted within 3 days of complete installation of the equipment.

PO#PTR07003 Buyer KF-21 Page PO#PTI Spending Unit: Division of Public Transit Department of Transportation

PRICE SHEET PTR07003

Extended Price	\$ 117,450.00	\$ 106,500.00	\$ 223,950.00
Estimated Number of Units	50	50	
	each	each	
;	\$ 2,349.00	\$ 2,130.00	
	1. 110 Watt Mobile Radio	2. 40 Watt Desk Top Console Station	TOTAL FOR BID EVALUATION:

Note: Unit pricing above must be firm and will be used for when awarding the contract for these items.

These quantities are used for bid evaluation purposes only. Actual quantities may differ. Quantities will be given to the successful vendor upon the placement of each order. (opened)

Title and risk of loss to equipment or parts will pass to Customer upon shipment. Title to software will not pass to Customer at any time.

Pricing does not include installation cost. Delivery charges are: Prepay and allow.

Buyer KF-21 Page PO#PTR07003
Spending Unit: Division of Public Transit
Department of Transportation

No Federal Government Obligations to Third Parties

- (1) The WV Division of Public Transit and Vendor acknowledge and agree that, notwithstanding any concurrence by the Federal Government in or approval of the solicitation or award of the underlying contract, absent the express written consent by the Federal Government, the Federal Government is not a party to this contract and shall not be subject to any obligations or liabilities to the WV Division of Public Transit, Vendor, or any other party (whether or not a party to that contract) pertaining to any matter resulting from the underlying contract.
- (2) The Vendor agrees to include the above clause in each subcontract financed in whole or in part with Federal assistance provided by the Federal Transit Administration. It is further agreed that the clause shall not be modified, except to identify the subcontractor who will be subject to its provisions.

Program Fraud and False or Fraudulent Statements or Related Acts

- (1) The Vendor acknowledges that the provisions of the Program Fraud Civil Remedies Act of 1986, as amended, 31 U.S.C. §§3801 et seg. and U.S. DOT regulations, "Program Fraud Civil Remedies," 49 C.F.R. Part 31, apply to its actions pertaining to this Project. Upon execution of the underlying contract, the Vendor certifies or affirms the truthfulness and accuracy of any statement it has made, it makes, it may make, or causes to be made, pertaining to the underlying contract or the Federal Transit Administration (FTA) assisted project for which this contract work is being performed. In addition to other penalties that may be applicable, the Vendor further acknowledges that if it makes, or causes to be made, a false, fictitious, or fraudulent claim, statement, submission, or certification, the Federal Government reserves the right to impose the penalties of the Program Fraud Civil Remedies Act of 1986 on the Vendor to the extent the Federal Government deems appropriate.
- (2) The Vendor also acknowledges that if it makes, or causes to be made, a false, fictitious, or fraudulent claim, statement, submission, or certification to the Federal Government under a contract connected with a project that is financed in whole or in part with Federal assistance originally awarded by FTA under the authority of 49 U.S.C. § 5307, the Government reserves the right to impose the penalties of 18 U.S.C. § 1001 and 49 U.S.C. § 5307(n)(1) on the Vendor, to the extent the Federal Government deems appropriate.
- (3) The Vendor agrees to include the above two clauses in each subcontract financed in whole or in part with Federal assistance provided by FTA. It is further agreed that the clauses shall not be modified, except to identify the subcontractor who will be subject to the provisions.

Exclusionary or Discriminatory Specifications

The Vendor agrees that it will comply with the requirements of 49 U.S.C. § 5323(h)(2) by refraining from using any Federal assistance awarded by the WV Division of Public Transit to support procurements using exclusionary or discriminatory specifications.

Geographic Restrictions

The Vendor agrees to refrain from using state or local geographic preferences, except those expressly mandated or encouraged by Federal statute, and as permitted by FTA.

Audit and Inspection

The Vendor agrees to permit the WV Division of Public Transit, the Secretary of the United States Department of Transportation and the Comptroller General of the United States, or their authorized representatives, to inspect all Contract work, materials, payrolls, and other data and records with regard to the Contract. The Vendor also agrees to permit an audit of the books, records, and accounts of the Vendor and its subcontractors.

Disadvantaged Business Enterprise (DBE)

The Vendor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this Contract. The requirements of 49 C.F.R. Part 26 and the WV Department of Transportation's (WVDOT) U.S. Department of Transportation (USDOT) approved Disadvantaged Business Enterprise (DBE) Program are incorporated in the Contract by reference. The Vendor agrees to take all necessary and reasonable steps under the requirements of 49 C.F.R. Part 26 and the USDOT approved Disadvantaged Business Enterprise (DBE) Program (where required) to ensure that eligible DBEs have the maximum feasible opportunity to participate in USDOT approved Contracts. Failure by the Vendor to carry out these requirements is a material breach of the Contract, which may result in the termination of this Contract or such other remedy as the WV Division of Public Transit deems appropriate.

Civil Rights

The following requirements apply to the underlying contract:

(1) Nondiscrimination. In accordance with Title VI of the Civil Rights Act, as amended, 42 U.S.C. § 2000d, Section 303 of the Age Discrimination Act of 1975, as amended, 42 U.S.C. § 6102, Section 202 of the Americans With Disabilities Act of 1990, 42 U.S.C. § 12132, and Federal transit law at 49 U.S.C. § 5332, the Vendor agrees that it will not discriminate against any employee or applicant for employment because of race, color, creed, national origin, sex, age, or disability. In addition, the Vendor agrees to comply with applicable Federal implementing regulations and other implementing requirements FTA may issue.

- (2) Equal Employment Opportunity. The following equal employment opportunity requirements apply to the underlying contract:
- (a) Race, Color, Creed, National Origin, Sex. In accordance with Title VII of the Civil Rights Act, as amended, 42 U.S.C. § 2000e, and Federal transit laws at 49 U.S.C. § 5332, the Vendor agrees to comply with all applicable equal employment opportunity requirements of U.S. Department of Labor (U.S. DOL) regulations, "Office of Federal Contract Compliance Programs, Equal Employment Opportunity, Department of Labor," 41 C.F.R. Parts 60 et seg., (which implement Executive Order No. 11246, "Equal Employment Opportunity," as amended by Executive Order No. 11375, "Amending Executive Order 11246 Relating to Equal Employment Opportunity," 42 U.S.C. § 2000e note), and with any applicable Federal statutes, executive orders, regulations, and Federal policies that may in the future affect construction activities undertaken in the course of the Project. The Vendor agrees to take affirmative action to ensure that applicants are employed, and that employees are treated during employment, without regard to their race, color, creed, national origin, sex, or age. Such action shall include, but not be limited to, the following: employment, upgrading, demotion or transfer, recruitment or recruitment advertising, layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. In addition, the Vendor agrees to comply with any implementing requirements FTA may issue.
- (b) Age. In accordance with the Age Discrimination Act of 1975, as amended, 29 U.S.C. §§ 6101 et seq. and implementing regulations, the Vendor agrees to refrain from discrimination against present and prospective employees for reason of age. In addition, the Vendor agrees to comply with any implementing requirements FTA may issue.
- (c) <u>Disabilities</u>. In accordance with Section 102 of the Americans With Disabilities Act, as amended, 42 U.S.C. § 12112, the Vendor agrees that it will comply with the requirements of U.S. Equal Employment Opportunity Commission, "Regulations to Implement the Equal Employment Provisions of the Americans With Disabilities Act," 29 C.F.R. Part 1630, pertaining to employment of persons with disabilities. In addition, the Vendor agrees to comply with any implementing requirements FTA may issue.
- (3) The Vendor also agrees to include these requirements in each subcontract financed in whole or in part with Federal assistance provided by FTA, modified only if necessary to identify the affected parties.

Energy Conservation

The Vendor agrees to comply with, and obtain the compliance of its subcontractors, with mandatory standards and policies relating to energy efficiency contained in applicable state energy conservation plans issued in compliance with the Energy Policy and Conservation Act, 42 U.S.C. §§ 6321 et seq.

Clean Air & Clean Water Requirements

- (1) The Vendor agrees to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act, as amended, 42 U.S.C. § 7414 and other applicable provisions of the Clean Air Act, as amended, 42 U.S.C. §§ 7401 et seg. and Section 308 of the Federal Water Pollution Control Act, as amended, 33 U.S.C. § 1318, and other provisions of the Federal Water Pollution Control Act, as amended, 33 U.S.C. §§ 1251 et seg. The Vendor agrees to report each violation to the WV Division of Public Transit and understands and agrees that the WV Division of Public Transit will, in turn, report each violation as required to assure notification to FTA and the appropriate EPA Regional Office.
- (2) The Vendor also agrees to include these requirements in each subcontract exceeding \$100,000 financed in whole or in part with Federal assistance provided from FTA.

Application of Federal, State and Local Laws and Regulations

To achieve compliance with changing federal, state and local requirements, the Vendor shall note that federal, state and local requirements may change and the changed requirements will apply to this Contract as required.

Labor Provisions

The Vendor shall comply with Section 102 of the Contract Work Hours and Safety Standards Act (40 U.S.C. §§ 3701 et seq., esp. § 3702 & 3704) as supplemented by Department of Labor Regulations (29 CFR, § 5 & 29 CFR § 1926) as they involve the employment of mechanics and laborers.

Overtime Requirements. No Vendor or subcontractor for any part of the contract work which may require or involve the employment of laborers or mechanics shall require or permit any such laborer or mechanic in any workweek in which he or she is employed on such work to work in excess of forty hours in such workweek unless such laborer or mechanic receives compensation at a rate not less than one and one-half times the basic rate of pay for all hours worked in excess of forty hours in such workweek.

<u>Violation; Liability for Unpaid Wages; Liquidated Damages</u>. In the event of any violation of the clause set forth in paragraph (2) of this section, the Vendor and any subcontractor responsible therefore shall be liable for the unpaid wages. In addition, such Vendor and subcontractor shall be liable to the United States for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer or mechanic, including watchmen and guards, employed in violation of the clause set forth in paragraph (2) of this section, in the sum of \$10 for each calendar day on which such individual was required or permitted to work in excess of the standard workweek of forty hours without payment of the overtime wages required by the clause set forth in paragraph (2) of this section.

Withholding for Unpaid Wages and Liquidated Damages. The WV Division of Public Transit shall upon its own action or upon written request of an authorized representative of the Department of Labor withhold or cause to be withheld, from any moneys payable on account of work performed by the Vendor or subcontractor under any such contract or any other Federal contract with the same prime Vendor, or any other federally-assisted contract subject to the Contract Work Hours and Safety Standards Act,

which is held by the same prime Vendor, such sums as may be determined to be necessary to satisfy any liabilities of such Vendor or subcontractor for unpaid wages and liquidated damages as provided in the clause set forth in paragraph (3) of this section.

<u>Subcontracts</u>. The Vendor or subcontractor shall insert in any subcontracts the clauses set forth in this section and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime Vendor shall be responsible for compliance by any subcontractor or lower tier subcontractor with the clauses set forth in this section.

Payrolls and Basic Records. Payrolls and basic records relating thereto shall be maintained by the Vendor during the course of the work and preserved for a period of three years thereafter for all laborers and mechanics working at the site of the work (or under the United States Housing Act of 1937, or under the Housing Act of 1949, in the construction or development of the project). Such records shall contain the name, address, and social security number of each such worker, his or her correct classification, hourly rates of wages paid (including rates of contributions or costs anticipated for bona fide fringe benefits or cash equivalents thereof of the types described in Section 1(b)(2)(B) of the Davis-Bacon Act), daily and weekly number of hours worked, deductions made and actual wages paid. Whenever the Secretary of Labor has found under 29 CFR .5(a)(1)(iv) that the wages of any laborer or mechanic include the amount of any costs reasonably anticipated in providing benefits under a plan or program described in Section 1(b)(2)(B) of the Davis-Bacon Act, the Vendor shall maintain records which show that the commitment to provide such benefits is enforceable, that the plan or program is financially responsible, and that the plan or program has been communicated in writing to the laborers or mechanics affected, and records which show the costs anticipated or the actual cost incurred in providing such benefits.

Vendors employing apprentices or trainees under approved programs shall maintain written evidence of the registration of apprenticeship programs and certification of trainee programs, the registration of the apprentices and trainees, and the ratios and wage rates prescribed in the applicable programs.

Termination

(a) Termination for Convenience

The WV Division of Public Transit may terminate this contract, in whole or in part, at any time by written notice to the Vendor when it is in the Government's best interest. The Vendor shall be paid its costs, including contract close-out costs, and profit on work performed up to the time of termination. The Vendor shall promptly submit its termination claim to the WV Division of Public Transit to be paid to the Vendor. If the Vendor has any property in its possession belonging to the WV Division of Public Transit, the Vendor will account for the same, and dispose of it in the manner the WV Division of Public Transit directs.

(b) Termination for Default (Breach or Cause)

If the Vendor does not deliver supplies in accordance with the contract delivery schedule, or, if the contract is for services, the Vendor fails to perform in the manner called for in the contract, or if the Vendor fails to comply with any other provisions of the contract, the WV Division of Public Transit may terminate this contract for default. Termination shall be effected by serving a notice of termination on the contractor setting forth the manner in which the Vendor is in default. The Vendor will only be paid the contract price for supplies delivered and accepted, or services performed in accordance with the manner of performance set forth in the contract.

If it is later determined by the WV Division of Public Transit that the Vendor had an excusable reason for not performing, such as a strike, fire, or flood, events which are not the fault of or are beyond the control of the Vendor, the WV Division of Public Transit, after setting up a new delivery of performance schedule, may allow the Vendor to continue work, or treat the termination as a termination for convenience.

(c) Opportunity to Cure

The WV Division of Public Transit in its sole discretion may, in the case of a termination for breach or default, allow the Vendor an appropriately short period of time in which to cure the defect. In such case, the notice of termination will state the time period in which cure is permitted and other appropriate conditions.

If Vendor fails to remedy to the WV Division of Public Transit's satisfaction the breach or default or any of the terms, covenants, or conditions of this Contract within ten (10) days after receipt by Vendor or written notice from the WV Division of Public Transit setting forth the nature of said breach or default, the WV Division of Public Transit shall have the right to terminate the Contract without any further obligation to Vendor. Any such termination for default shall not in any way operate to preclude the WV Division of Public Transit from also pursuing all available remedies against Vendor and its sureties for said breach or default.

(d) Waiver of Remedies for Any Breach

In the event that the WV Division of Public Transit elects to waive its remedies for any breach by Vendor of any covenant, term or condition of this Contract, such waiver by the WV Division of Public Transit's remedies for any succeeding breach of that or of any other term, covenant, or condition of this Contract.

Bankruptcy

Upon entering of a judgment of bankruptcy or insolvency by or against a Vendor, the WV Division of Public Transit may terminate this Contract for cause.

FTA Role in Bid Protests

Under the Federal Transit Administration's Circular 4220.1E, the Federal Transit Administration's (FTA's) review of any protest will be limited to:

- (a) Failure of the WV Division of Public Transit to have or adhere to its written bid protest procedures, or failure of the WV Division of Public Transit to review a complaint or protest.
- (b) Alleged violations on other grounds are under the jurisdiction of the appropriate State or local administrative authorities.
- (c) Alleged violations of a specific Federal Law or regulation that provides an applicable complaint procedure shall be submitted and processed in accordance with that Federal Law or regulation. See, e.g., Buy America Requirements, 49 C.F.R. Part 661 (Section 661.15); Participation by Minority Business Enterprise in Department of Transportation Programs, 49 C.F.R. Section 26.89.
- (d) The Federal Transit Administration will only review protests submitted by an actual or prospective bidder whose direct economic interest would be affected by the award of the Contract or by failure to award the Contract. The Federal Transit Administration reserves the right not to participate in the funding of any Contract awarded pending resolution of a protest to them.
- (e) An appeal to the Federal Transit Administration must be received by the cognizant FTA regional or Headquarters Office within five (5) working days of the date the protester learned or should have learned of an adverse decision by the WV Division of Public Transit or other basis of appeal to FTA.

Prohibited Interest

No employee, officer, board member, agent or their family members of the WV Division of Public Transit may participate in the selection, award, or administration of a Contract supported by Federal funds if a real or apparent conflict of interest is involved. Such a conflict could arise when any of the parties mentioned above have a financial or other interest in the Vendor selected for the Contract.

Preference for Recycled Products

The Vendor agrees to comply with all the requirements of Section 6002 of the Resource Conservation and Recovery Act, as amended (42 U.S.C. 6962), including but not limited to the regulatory provisions of 40 CFR Part 247, and Executive Order 12873, as they apply to the procurement of the items designated in Subpart B of 40 CFR Part 247.

Metric System

As required by U.S. DOT or FTA, the Vendor agrees to use the metric system of measurement in its Project activities, as may be required by Metric Conversion Act, as amended by the Omnibus Trade and Competitiveness Act, 15 U.S.C. §§ 205a et. seq.; Executive Order No. 12770, "Metric Usage in Federal Government Programs, "15 U.S.C. § 205a note; and other regulations, guidelines, and policies issued by U.S. DOT or FTA.

Hold Harmless

The Vendor agrees to protect, defend, indemnify and hold the WV Division of Public Transit, its officers, employees and agents free and harmless from and against any and all losses, penalties, damages, settlements, costs, charges, professional fees or other expenses or liabilities of every kind and character arising out of or relating to any and all claims, liens, demands, obligations, actions, proceedings or causes of action of every kind and character in connection with or arising directly or indirectly out of this Contract and/or the performance hereof. Without limiting the generality of the foregoing, any and all such claims, etc. relating to personal injury, infringement of any patent, trademark, copyright (or application for any thereof) or of any other tangible or intangible personal or property right, or actual or alleged violation of any other tangible or intangible personal or property rights, or actual or alleged violation of any applicable statute, ordinance, administrative order, rule or regulation, or decrees of any court, shall be included in the indemnity hereunder. The Vendor further agrees to investigate, handle, respond to, provide defense for and defend any such claims, etc., at his/her sole expense and agrees to bear all other costs and expenses related thereto, even if such claim is groundless, false or fraudulent.

Licensing and Permits

The Vendor shall be appropriately licensed for the work required as a result of the Contract. The cost for any required licenses or permits shall be the responsibility of the Vendor. The Vendor is liable for any and all taxes due as a result of the Contract.

Compliance with Laws and Permits

The Vendor shall give all notices and comply with all existing and future federal, state and municipal laws, ordinances, rules, Regulations, and orders of any public authority bearing on the performance of the Contract, including, but not limited to, the laws referred to in these provisions of the Contract and the other Contract documents. If the Contract documents are at variance therewith in any respect, any necessary changes shall be incorporated by appropriate modification. Upon request, the Vendor shall furnish to the WV Division of Public Transit certificates of compliance with all such laws, orders, and regulations.

Buyer KF-21 Page______PO#PTR07003
Spending Unit: Division of Public Transit
Department of Transportation

Cargo Preference

The Vendor agrees:

To utilize privately owned United States--Flag commercial vessels to ship at least 50 percent of the gross tonnage (computed separately for dry bulk carriers, dry cargo liners, and tankers) involved, whenever shipping any equipment, material, or commodities pursuant to this contract, to the extent such vessels are available at fair and reasonable rates for United States--Flag commercial vessels:

To furnish within twenty (20) working days following the date of loading for shipments originating within the United States or within 30 working days following the date of leading for shipments originating outside the United States, a legible copy of a rated, "on board" commercial ocean bill of lading in English for each shipment of cargo described in the paragraph above to the Division of National Cargo, Office of Market Development, Maritime Administration, Washington, DC 20590 and to the Division of Public Transit (through the Vendor in the case of a subcontractor's bill of lading.)

To include these requirements in all subcontracts issued pursuant to this contract when the subcontract may involve the transport of equipment, material, or commodities by ocean vessel.

Federal Regulation Changes

Vendor shall at all times comply with all applicable FTA regulations, policies, procedures and directives, including without limitation those listed directly or by reference in the Master Agreement (Form FTA MA(12) dated October 1, 2005) between the WV Department of Transportation, Division of Public Transit and FTA, as they may be amended or promulgated from time to time during the term of this Contract. Vendor's failure to so comply shall constitute a material breach of this contract.

Severability

In the event any provision of the Contract is declared or determined to be unlawful, invalid or unconstitutional, such declaration shall not affect, in any manner, the legality of the remaining provisions of the Contract and each provision of the Contract will be and is deemed to be separate and severable from each other provision.

Debarment and Suspension

This contract is a covered transaction for purposes of 49 CFR Part 29. As such, the contractor is required to verify that none of the contractor, its principals, as defined at 49 CFR 29.995, or affiliates, as defined at 49 CFR 29.905, are excluded or disqualified as defined at 49 CFR 29.940 and 29.945.

The contractor is required to comply with 49 CFR 29, Subpart C and must include the requirement to comply with 49 CFR 29, Subpart C in any lower tier covered transaction it enters into. By signing and submitting its bid or proposal, the bidder certifies as follows:

The certification in this clause is a material representation of fact relied upon by the WV Division of Public Transit. If it is later determined that the bidder knowingly rendered an erroneous certification, in addition to remedies available to the WV Division of Public Transit, the Federal Government may pursue available remedies, including but not limited to suspension and/or debarment. The bidder agrees to comply with the requirements of 49 CFR 29, Subpart C while this offer is valid and throughout the period of any contract that may arise from this offer. The bidder further agrees to include a provision requiring such compliance in its lower tier covered transactions.

FTA Terms

The preceding provisions include, in part, certain Standard Terms and Conditions required by DOT, whether or not expressly set forth in the preceding contract provision. All contractual provisions required by DOT, as set forth in FTA Circular 4220.1E, dated June 19, 2003, are hereby incorporated by reference. Anything to the contrary herein notwithstanding, all FTA mandated terms shall be deemed to control in the event of a conflict with other provisions contained in this Contract. The Vendor shall not perform any act, fail to perform any act, or refuse to comply with any WV Division of Public Transit requests that would cause the WV Division of Public Transit to be in violation of the FTA terms and conditions.

12/15/05

RFQ	No.	PTR0700	3

019

AFFIDAVIT

West Virginia Code §5A-3-10a states:

No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions.

"Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION:

The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING:

The vendor must be licensed in accordance with any and all state requirements to do business with the state of West Virginia.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name:	Motorola, Inc.		***************************************	
Authorized Signatu	re: Kustie Kun	MCEI Distribution Control Bate:	8-8-06	
	SVIEW GNAS			

WV-96

Rev. 5/94

ACCEPTED BY

AGREEMENT ADDENDUM

In the event of conflict between this addeedum and the agreement, this addendum shall control:

- 1. ARRITRATION Any references to arbitration contained in the agreement are hereby deleted. Disputes arising out of the agreement shall be presented to the West Virginia Court of Claims.
- 2. HOLD HARMLESS Any clause requiring the Agency to indemnify or hold barmless any party is hereby deleted in its entirety.
- 3. GOVERNING LAW The agreement shall be governed by the laws of the State of West Virginia. This provision replaces any references to any other State's governing law.
- 4. TAXES Provisions in the agreement requiring the Agency to pay taxes are deleted. As a State entity, the Agency is exempt from Federal, State, and local taxes and will not pay taxes for any Vendor including individuals, nor will the Agency file any tax returns or reports on behalf of Vendor or any other party.
- 5. PAYMENT Any references to prepayment are deleted. Payment will be in aircars.
- 6. INTEREST Should the agreement include a provision for interest on late payments, the Agency agrees to pay the maximum legal rate under West Virginia law, All other references to interest or late charges are deleted.
- 7. RECOUPMENT Any language in the agreement waiving the Agency's right to set-off, counterclaim, recoupment, or other defense is hereby deleted.
- 8. FISCAL YEAR FUNDING. Service performed under the agreement may be continued in succeeding fiscal years for the term of the agreement, contingent upon funds being appropriated by the Legislature or otherwise being available for this service. In the event funds are not appropriated or otherwise available for this service, the agreement shall terminate without peakly on June 30. After that date, the agreement becomes of no effect and is null and void. However, the Agency agrees to use its best efforts to have the amounts contemplated under the agreement included in its budget. Non-appropriation or non-funding shall not be considered an event of default.
- STATUTE OF LIMITATION Any clauses limiting the time in which the Agency may bring suit against the Vendor, lesson, individual, or any other party are deleted.
- 10. SIMILAR SERVICES Any provisions limiting the Agency's right to obtain similar services or equipment in the event of default or non-funding during the term of the agreement are hereby deleted.
- 11. ATTORNEY FEES The Agency recognizes an obligation to pay anomey's fees or costs only when assessed by a court of competent jurisdiction. Any other provision is juvalid and considered null and void.
- 12. ASSIGNMENT Notwithstanding any clause to the conpary, the Agency reserves the right to assign the agreement to another State of West Virginia agency, board or commission upon thirty (30) days written notice to the Vender and Vender shall obtain the written consent of Agency prior to assigning the agreement.
- 13. LIMITATION OF LIABILITY. The Agency, as a State entry, cannot agree to assume the potential liability of a Vendor. Accordingly, any provision limiting the Vendor's liability for direct damages or limiting the Vendor's liability under a warranty to a certain dollar amount or to the smount of the agreement is hereby deleted. In addition, any limitation is null and void to the extent that it precludes any action for injury to persons or for damages to personal property.
- 14. RIGHT TO TERMINATE Agency shall have the right to terminate the agreement upon thirty (30) days written notice to Vendor.
- 15. TERMINATION CHARGES Any provision requiring the Agency to pay a fixed amount or liquidated damages upon termination of the agreement is hereby deleted. The Agency may only agree to reimburse a Vendor for actual costs incurred or losses sustained during the current fiscal year one to wrongful termination by the Agency prior to the end of any current agreement term.
- 16. RENEWAL Any reference to automatic renewal is hereby descred. The agreement may be renewed only upon mutual written agreement of the panies.
- 17. INSURANCE Any provision requiring the Agency to insure equipment or property of any kind and name the Vendor as beneficiary or as an additional insured is hereby deleted.
- 18. <u>RIGHT TO NOTICE</u> Any provision for repossession of equipment without notice is hereby deleted. However, the Agency does recognize a right of repussession with notice.
- 19. ACCELERATION Any reference to acceleration of payments in the event of default or non-funding is hereby defend.
- 20. AMENDMENTS All amendments, modifications, alterations or changes to the agreement shall be in writing and signed by both parties. No amendment, modification, alteration or change may be made to this addendum without the express written approval of the Purchasing Division and the Artomey General.

STATE OF WEST VIRGINIA	YENDOR
Spesding Unit:	Company Name: Motorda
Signed:	Signed: Kriestie King
Title:	Title: MCEI Distribution Controller
Date:	Date: 8/8/06 REVIS
	The state of the s

Agreement Addendum to WV-96

The vendor and the agency agree to delete Paragraph 13 of the WV-96 Agreement Addendum and insert in lieu thereof the following:

"Vendor agrees to indemnify Agency for the negligent acts of its officers, employees, servants and agent in connection with the performance of this Agreement. Except for personal injury, death, third party claims, damages to personal property, and claims for patent, trademark or copyright infringement, Vendor's total liability shall be limited to its warranty and the contract value. In no event shall Vendor be liable for special consequential or incidental damages.

ACCEPTED BY:	
STATE OF WEST VIRIGINIA	MOTOROLA
Spending Unit: Division of Public Transit	
Signed:	Signed: Kunti King OF NEW
Title:	Title: MCEI Distribution Controlle 3 Man Contr
Date:	Date: 818106

RADIO OPTIONS (5 pages included) ASTRO® Digital XTL 2500 Mobile UHF 380-470 MHz Band

1: Main Model (Must Select)

	1: Main Model (Must Select)	
<u>Nomenclature</u>	Description	<u>Price</u>
M21QTM9PW1 N M21QSM9PW1 N	XTL 2500 UHF R1 380-470 MHZ 100 WATT XTL 2500 UHF R1 380-470MHZ, 10-40 W	\$1,538.00 \$1,152.00
G241	2: Operation Mode (Must Select One) ENH: SOFTWARE ASTRO READY ANALOG OPERATION	\$0.00
	NOT COMPATIBLE with Encryption Algorithm W969, W793, W797, G625, G298, G851, or G843 when combined with a Trunking Software Option.	
G806	ENH: SOFTWARE ASTRO DIGITAL CAI OPERATION	\$396.00
G48	3: System Enhancement Software (Must Select One) ENH: CONVENTIONAL OPERATION	\$211.00
G51	ENH: SOFTWARE SMARTZONE/SINGLETONE	\$750.00
	4: Control Head Hardware (Must Select One)	
G442	ADD: XTL2500 CONTROL HEAD	\$224.00
G88	ADD: NO CONTROL HEAD NEEDED	\$0.00
G444	5: Control Head Software (Must Always Select G444) ADD: ADD: CONTROL HEAD SOFTWARE	\$0.00
	6: Mounting (Must Select One)	
If a remote mount cable other the	an 5 meters (17ft) is desired for the G67, please reference the "Remote Mount Cables" section below in Section	on C: Optional Features
G66	ADD: DASH MOUNT	\$96.00
G67	ADD: THUMB SCREW REMOTE MOUNT W/KEYLOCK	\$228.00
007	7: Antenna (Must Select One)	
G425	ADD: ANTENNA 1/4 WAVE WHIP 380-433 MHZ	\$20.00
	Not Compatible with Motorcycle	
	Corresponding kit: HAE6012.	
G426	ADD: ANTENNA 1/4 WAVE WHIP 450-470 MHZ	\$20.00
	Not Compatible with Motorcycle Corresponding kit: HAE4003.	
G427	ADD: ANTENNA 3.5DB 380-433 MHZ	\$43.00
4	Not Compatible with Motorcycle	
	Corresponding kit; HAE6010.	
G428	ADD: ANTENNA 3.5DB 450-470MHZ	\$39.00
	Not Compatible with Motorcycle	
	Corresponding kit: HAE4011,	
G429	ADD: ANTENNA 5.0 DB 380-433 MHZ	\$48.00
	Not Compatible with Motorcycle	
	Corresponding kit: HAE6011.	n
G430	ADD: ANTENNA 5.0 DB 450-470 MHZ	\$45.00
	Not Compatible with Motorcycle	
0.404	Corresponding kit: RAE4014ARB. ADD: ANTENNA WIDEBAND 380-470 MHZ	\$45.00
G431		\$10.00
	Not Compatible with Motorcycle Corresponding kit: HAE6013.	
G89	ADD: NO ANTENNA NEEDED	\$0.00
Gos	8: Microphones (Must Select One)	*****
G90	ADD: NO MICROPHONE NEEDED	\$0.00
	Select this option when ordering W3 Handheld Control Head (G92/G72)	
W22	ADD: PALM MICROPHONE	\$56.00
	Corresponding kit for W4, W5, W7: HMN1080	
	Corresponding kit for W9: HMN1081 Corresponding kit for O5 and XTL2500: HMN1090	
	Pg. 1 of 5	
	r g. 1 01 0	

<u>Nomenclature</u>	Description	<u>Price</u>
W20	ADD: KEYPAD MIC (GCAI)	\$139.00
	Corresponding kit: HMN4079	
G874	ADD; HANDSET/HANGUP GCAI	\$219.00
W382	ALT: CONTROL STATION PALM MICRO	\$130.00
	Dash Mount Required	
	Corresponding Kit: HMN1088	
	9: Speakers (Must Select One)	
	G142 NO SPEAKER Required for Control Station	
G142	DEL: OMIT SPEAKER	\$0.00
B18	ADD: AUXILARY SPEAKER 5 WATT	\$47.00
	Corresponding kit: HSN4031.	
W432	ENH; INCREASED AUDIO POWER 10W	\$82.00
	Corresponding kit: HSN4032.	
	NOT COMPATIBLE with W665 Control Station and Motorcycle Configuration.	

Section B: Control Station CONTROL STATION OPERATION

- 1. First, you must review your selection of the following options from "Section 1: Required Options".
 - Step 1 (Note: Main Model)
 - Step 2 (Note: All listed options are compliant)
 - Step 3 (Note: All listed options are compliant)
 - Step 4 (Note: XTL 2500 Control Head OR "No Control Head Needed" are compatible with Control Station Apl.- Must only select one).
 - Step 5 (Note: Must Select G444. The XTL 2500 Control Head Software is compatible with Control Station Application).
 - Step 6 (Note: Must Select G66. Control Station operation is only offered in Dash mount configuration)
 - Step 7 (Note: All listed options are compliant)
 - Step 8 (Note: Select desired microphone option and if no microphone is needed, G90 must be selected).
 - Step 9 (Note: Must Select G142 No Speaker Needed)
- 1. You Must Select ONE of the Following "Specific Control Station Options":

Corresponding kit: HLN6042

SPECIFIC CONTROL STATION OPTIONS

G91	ADD: CONTROL STATION POWER SUPPLY	\$207.00
	Corresponding kit: HPN4007	
W665	ADD: CONTROL STATION OPERATION	\$54.00
	For DASH MOUNT radios ONLY (G66)!!	
	Not compatible with W3, or W9 control head options. G665 includes a base tray and a speaker; therefore G142 has to be ordered to eliminate extra Speaker. Requires a Power Supply (G91 can be ordered as a Power Supply).	
	Requires one of the Microphone Options: G90, W22 or W382,	

1. Features listed in "Section C: Optional Features" are optional, if applicable. Please read the option's description to determine con

Section C: Optional Features

The following features are optional and will provide additional capabilities, if required.

System Enhancement Options

G114	ENH: ENHANCED DIGITAL ID DISPLAY	\$58.00
	8 numeric character unit to unit display. NOTE: ID display uses ASTRO signaling in digital model. Not available in Trunked analog modes.	
G170	ENH: RADIO TRACE	\$58.00
	Note: G170 option for Radio Trace/Remote Monitor is not compatible with W3 Control Head and G474 (Multi-Radio), G787 is required for Remote Monitor Functionality.	
G173	ENH: SMARTZONE OMNILINK	\$154.00
G361	Automatic Zoning Across Zones, Zone Registration, Trespass Protection, Over the Air Site Alias, 32 Preferred Sites, FastStart and AllStart Call Setup. ENH: ASTRO PROJECT 25 TRUNKING SOFTWARE	\$231.00
G301	When ordering this option G51 & G806 MUST be ordered, G173 is included at "NO CHARGE".	φ231.00
	When didening the option out a cook mout be district, onto is made at the or mice.	
G387	ADD: CONVENTIONAL VOTING SCAN ASTRO	\$154.00
	This feature allows for voting of the Conventional Channels ONLY.	
G683	ADD: TRUNKED ONE TOUCH BUTTON	\$116.00
	Pg. 2 of 5	

<u>Nomenclature</u>	<u>Description</u>	Price
0440	Algorithm Options	0000.00
G113	ADD: ADP ENCRYPTION REQUIRES G159. COMPATIBLE with: G361 P25 software package; and G48, G50, and G51 software packages when used with the G806 in the Digital Conventional mode ONLY. Includes 4 non-indexing encryption keys.	\$269.00
G159	ADD: ENCRYPTION UCM HW Not Compatible with G193	\$116.00
Nomenclature	Description	Price
G194	ADD; ADP WITH DES/DES-XL/DES-OFB	\$615.00
	REQUIRES G159. INCLUDES G969 Multi-key, COMPATIBLE with: G361 P25 software package; and G48, G50, and G51 software packages when used with the G806 in the Digital Conventional mode ONLY.	·
G336	ADD: KEY RETENTION 30 SECONDS	\$38.00
Cene	G159 REQUIRED	¢464.00
G625	ADD: DES/DES-XL/DES-OFB ENCRYPTION	\$461.00
0040	G159 is REQUIRED when ORDERING	8226 00
G843	ADD: AES ENCRYPTION G159 REQUIRED G843 is NOT compatible with G851. IMPORTANT UPDATE AES OTAR FIPS APPROVED: On December 16, 2003 NIST and CSE issued a joint statement accepting AES OTAR as a FIPS approved mode of operation. The AES OTAR option (G851 with G298 or G843 with G298) is now validated to FIPS 140-2 given that the current P25 AES OTAR standard has now been approved by NIST. Any order to Motorola for this option no longer needs a prior determination by the Government that the requirements of FIPS 140-2 are either not applicable or have been properly waived.	\$366.00
G193	ADD: ADP SOFTWARE DSP BASED CRYPTO	\$8.00
	REQUIRES: G808 Digital Operation	
	DOES NOT REQUIRE: G159 MULTIKEY or G77/G78 Encryption Warranty. Use standard warranty options if needed. COMPATIBLE with: G361 P25 software package; and G48, G50, and G51 software packages when used with the G806 in the Digital Conventional mode ONLY. Includes 4 non-indexing	
W969	encryption keys ADD: MULTIPLE KEY ENCRYPTION OPERATION	\$248.00
	REQUIRED when using more than one encryption algorithm or encryption key.	
W793	ADD: DVI-XL ENCRYPTION	\$400.00
	G159 is REQUIRED when ORDERING	
W797	ADD: DVP-XL ENCRYPTION	\$375.00
	G159 is REQUIRED when ORDERING	
	Software Encryption	
G193	ADD: ADP SOFTWARE DSP BASED CRYPTO	\$8.00
	REQUIRES: G806 Digital Operation DOES NOT REQUIRE; G159 MULTIKEY or G77/G78 Encryption Warranty. Use standard warranty options if needed.	
	COMPATIBLE with: G361 P25 software package; and G48, G50, and G51 software packages when used with the G806 in the Digital Conventional mode ONLY, .tncludes 4 non-indexing encryption keys	
	Remote Mount Cables ***The 5 meter (17 FT) Cable Ships Standard***	
G582 ⁻	ADD: REMOTE MOUNT CABLE 40 METERS (131 FT)	\$50.00
G607	ADD: REMOTE MOUNT CABLE ? 23 METERS (75 FT)	\$35.00
G609	ADD: REMOTE MOUNT CABLE ? 15 METERS (50 FT)	\$27.00
G610	ADD: REMOTE MOUNT CABLE ? 10 METERS (30 FT)	\$19.00
G879	ADD: REMOTE MOUNT CABLE ? 35 METERS (115 FT)	\$43.00
G618	ADD: REMOTE MOUNT CABLE ? 3 METERS (10 FT)	\$8,00
	DEK	
W355	ADD: STATUS MESSAGE 8 MESSAGES	\$366.00
	Messaging functionality is NOT supported on 9600cc Systems. NOT compatible with W3 or Motorcycle Control Heads.	
W374	ADD: DDE STATUS MESSAGES 16 Messaging functionality is NOT supported on 9600cc Systems, NOT compatible with W3 or Motorcycle Control Heads.	\$500,00

Nomenclature	Description	Price
W599	Direct Mode Entry ADD: 8 MODE DIRECT ENTRY	\$139.00
	ONLY compatible with Remote Mount configuration.	
Nomenclature	Description	Price
W614	ADD: 16 MODE DIRECT ENTRY	\$277.00
W615	ADD: 24 MODE DIRECT ENTRY	\$416.00
	NOT COMPATIBLE with W269 Siren/PA. 9600 Systems offer ONLY "Status" and not "Message".	
	Siren	0.400.00
W269	ADD: ELECTRONIC SIREN/PUBLIC ADDRESS	\$490.00
	Not compatible with W589. Include dedicated buttons to provide the necessary functions. Button is positioned in a supplemental housing that mounts directly above the control head and uses the same mounting bracket. REQUIRES REMOTE MOUNT OPTION G67 or G655. The 100 watt siren options provide Hi-Lo, Wail, Yelp and Airhom tones plus manually controlled tone. Includes external radio (ExRd) and 50 watt PA. One supplemental housing. Not compatible with MOTORCYCLE RADIOS	
W589	ADD: PUBLIC ADDRESS	\$408.00
	G67 REQUIRED Provides external radio (ExRd) and PA functions with a 50 watt amplifier. One supplemental housing. NOT compatible with W3 models and W269. Auxiliary Switches	
W591	ADD: AUXILIARY SWITCH PANEL	\$127.00
	Corresponding kit: HLN1196.	
	G67 REQUIRED. NOT compatible with W3 control head or motorcycle.	
W116	Alarm ADD: EXTERNAL ALARM RELAYS AND CABLE	\$58.00
VV ! ! O	For either HORN or LIGHTS. NOT both	400.00
	Emergency	
G235	ADD:EXTERNAL EMERGENCY FOOTSWITCH	\$0.00
W688	ADD: EXTERNAL EMERGENCY PUSHBUTTON	\$43.00
	Corresponding kit: HEN5131	
W844	Frequency and Squelch Codes ENH: FACTORY PROGRAMMING	\$0.00
*****	Packet Data Interface / Data Cables	·
G303	ADD: RS232 DATA INTFC CABLE-DASH	\$39.00
0004	Corresponding kit: HKN6160. ADD: RS232 DATA INTERFACE CABLE-TRUNK	\$39.00
G304	· · · · · · · · · · · · · · · · · · ·	\$39.00
	Corresponding kit; HKN6161.	
W947	ADD:RS232 PACKET DATA INTERFACE	\$154.00
	This option is ONLY Operational on Digital Trunking and Digital Conventional systems!! INCLUDES the DLM Application. This option does not include Cables. G303 or G304 should be ordered separately.	
G308	USB DATA INTFC CABLE-DASH	\$39.00
	RF Modem	
G319	***Supported for 9600 Trunking only*** ENH: ENABLE RF MODEM The XTL mobiles do not support Site Lens or System Watch. Therefore, the XTL RF Modem function does not support the legacy System Watch or Site Lens applications. The XTL RF Modem supports Conventional or 9600 Trunking only. ***The XTL5000 RF Modem is the only XTL mobile that supports Fireground.***	\$0.00
G24	Service Options ENH: TWO (2) YEAR EXPRESS SERVICE PLUS	\$102.00
	Provides for 2 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made only at the designated Motorola repair depot. Local services are not included. Motorola will pay the inbound shipping charges only with use of the Motorola designated delivery service. Motorola will pay for outbound shipping via Motorola's normal shipping methods. No discounts are allowed on this option.	4-0.00
G400	ENH: ONE (1) YEAR EXPRESS SERVICE PLUS	\$53.00
	Provides for 1 years of extended hardware repair coverage beginning after the standard warranty period. Repairs will be made only at the designated Motorola repair depot. Local services are not included. Motorola will pay the inbound shipping charges only with use of the Motorola designated delivery service. Motorola will pay for outbound shipping via Motorola's normal shipping methods. No discounts are allowed on this option. Pg. 4 of 5	
•	1 g, 7 vi V	

Nomenclature	<u>Description</u>	<u>Price</u>
G77	ENH: ONE (1) YEAR ENCRYPTED EXPRESS SERVICE PLUS	\$65.00
	Provides for 1 year of extended hardware repair coverage, including encryption, beginning after the standard warranty period. Repairs will be made only at the designated Motorola repair depot. Local services are not included. Motorola will pay the inbound shipping charges only with use of the Motorola designated delivery service. Motorola will pay for outbound shipping via Motorola's normal shipping methods. No discounts are allowed on this option.	
G78	ENH: TWO (2) YEAR ENCRYPTED EXPRESS SERVICE PLUS	\$126.00
	Provides for 2 years of extended hardware repair coverage, including encryption, beginning after the standard warranty period. Repairs will be made only at the designated Motorola repair depot. Local services are not included. Motorola will pay the inbound shipping charges only with use of the Motorola designated delivery service. Motorola will pay for outbound shipping via Motorola's normal shipping methods. No discounts are allowed on this option.	
	Test Results	
G799	ADD: PRINTED TEST RESULTS	\$0.00
	Amplifier	
	UHF and VHF Mid and High Power Radios Only	
W12	ADD: RF PRE-AMPLIFIER	\$51.00
	Miscellaneous	
W81	ADD: KEY LOCK MOUNT	\$25.00
	Customer Programming Software	
Nomenclature	Description	Price
RVN4185	SOFTWARE FOR ASTRO 25 MOBILE CD FORMAT; VERSION R01.00.00	\$250.00
	CD format. Software will program ASTRO Digital Spectra Plus and XTL5000 Mobile Radios. Provides 3yrs worth of support.	
RVN4186	SOFTWARE FOR ASTRO 25 PORTABLE/MOBILE 2 CD SET-3 YRS	\$375.00
	CD Format. Comes with 2 CDs containing RVN4185 & RVN4181. Provides 3yrs worth of support. To program XTL5000 O5 Mobile Radios HKN6183 cable is required. To program XTL5000 W3-W9 mobile radios HKN6155 cable is required. Emergency	
GLN7278	PUSH TO TALK FOOTSWITCH	\$56.00
HLN6188	PUSHBUTTON EXTERNAL EMERGENCY	\$56.00
	The state of the s	******

MOTOROLA SERVICE CENTERS AND LOCATIONS

Two Way Radio Beckley, WV Bluefield, WV

F & L Electronics Huntington, WV

Lloyds Electronics Millwood, WV Charleston, WV Jane Lew, WV Parkersburg, WV

Staley Communications
Wheeling, WV
Morgantown, WV

Hibbs Radio Philippi, WV

Valley Two Way Winchester, VA

MOTOROLA COMMERCIAL WARRANTY

General Information

I. WHAT THIS WARRANTY COVERS AND FOR HOW LONG:

Motorola Inc. or, if applicable, Motorola Canada Limited ("Motorola") warrants the Motorola manufactured radio communications product, including original equipment crystal devices and channel elements ("Product"), against material defects in material and workmanship under normal use and service for a period of One (1) Year from the date of shipment.

Motorola, at its option, will at no charge either repair the Product (with new or reconditioned parts), replace it with the same or equivalent Product (using new or reconditioned Product), or refund the purchase price of the Product during the warranty period provided purchaser notifies Motorola according to the terms of this warranty. Repaired or replaced Product is warranted for the balance of the original applicable warranty period. All replaced parts of the Product shall become the property of Motorola.

This express limited warranty is extended by Motorola to the original end user purchaser purchasing the Product for purposes of leasing or for commercial, industrial, or governmental use only, and is not assignable or transferable to any other party. This is the complete warranty for the Product manufactured by Motorola. Motorola assumes no obligations or liability for additions or modifications to this warranty unless made in writing and signed by an officer of Motorola. Unless made in a separate written agreement between Motorola and the original end user purchaser, Motorola does not warrant the installation, maintenance or service of the Product. Motorola cannot be responsible in any way for any ancillary equipment not furnished by Motorola which is attached to or used in connection with the Product, or for operation of the Product with any ancillary equipment, and all such equipment is expressly excluded from this warranty. Because each system which may use the Product is unique, Motorola disclaims liability for range, coverage, or operation of the system as a whole under this warranty.

II. GENERAL PROVISIONS:

This warranty sets forth the full extent of Motorola's responsibilities regarding the Product. Repair, replacement or refund of the purchase price, at Motorola's option, is the exclusive remedy. THIS WARRANTY IS GIVEN IN LIEU OF ALL OTHER EXPRESS WARRANTIES. MOTOROLA DISCLAIMS ALL OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. MOTOROLA'S TOTAL LIABILITY SHALL BE LIMITED TO THE APPLICABLE VALUE OF THE PRODUCTS PURCHASED. IN NO EVENT SHALL MOTOROLA BE LIABLE FOR DAMAGES IN EXCESS OF THE PURCHASE PRICE OF THE PRODUCT, FOR ANY LOSS OF USE, LOSS OF TIME, INCONVENIENCE, COMMERCIAL LOSS, LOST PROFITS OR SAVINGS OR OTHER INCIDENTAL, SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE SUCH PRODUCT, TO THE FULL EXTENT SUCH MAY BE DISCLAIMED BY LAW.

III. HOW TO GET WARRANTY SERVICE:

Purchaser must notify Motorola's representative or call Motorola's Customer Response Center at 1-800-247-2346 within the applicable warranty period for information regarding warranty service.

IV. WHAT THIS WARRANTY DOES NOT COVER:

- A) Defects or damage resulting from use of the Product in other than its normal and customary manner.
- B) Defects or damage from misuse, accident, water, or neglect.
- C) Defects or damage from improper testing, operation, maintenance, installation, alteration, modification, or adjustment.
- D) Breakage or damage to antennas unless caused directly by defects in material workmanship.
- E) A Product subjected to unauthorized Product modifications, disassemblies or repairs (including, without limitation, the addition to the Product of non-Motorola supplied equipment) which adversely affect performance of the Product or interfere with Motorola's normal warranty inspection and testing of the Product to verify any warranty claim.
- F) Product which has had the serial number removed or made illegible.
- G) Batteries (they carry their own separate limited warranty).
- H) Freight costs to the repair depot.
- I) A Product which, due to illegal or unauthorized alteration of the software/firmware in the Product, does not function in accordance with Motorola's published specifications or with the FCC type acceptance labeling in effect for the Product at the time the Product was initially distributed from Motorola.
- J) Scratches or other cosmetic damage to Product surfaces that does not affect the operation of the Product.
- K) That the software in the Product will meet the purchaser's requirements or that the operation of the software will be uninterrupted or error-free.
- L) Normal and customary wear and tear.
- M) Non-Motorola manufactured equipment unless bearing a Motorola Part

Number in the form of an alpha numeric number (i.e., TDE6030B).

V. GOVERNING LAW

In the case of a Product sold in the United States and Canada, this Warranty is governed by the laws of the State to which the Equipment is shipped and the Province of Ontario, respectively.

VI. PATENT AND SOFTWARE PROVISIONS:

Motorola will defend, at its own expense, any suit brought against the end user purchaser to the extent that it is based on a claim that the Product or its parts infringe a United States patent, and Motorola will pay those costs and damages finally awarded against the end user purchaser in any such suit which are attributable to any such claim, but such defense and payments are conditioned on the following: A) that Motorola will notified be promptly in writing by such purchaser of any notice of such B) that Motorola will have sole control of the defense of such suit and all negotiations for its settlement or compromise; and C) should the Product or its parts become, or in Motorola's opinion be likely to become, the subject of a claim of infringement of a United States patent, that such purchaser will permit Motorola, at its option and expense, either to procure for such purchaser the right to continue using the Product or its parts or to replace or modify the same so that it becomes non-infringing or to grant such purchaser a credit for the Product or its parts as depreciated and accept its return. The depreciation will be an equal amount per year over the lifetime of the Product or its parts as established by Motorola. Motorola will have no liability with respect to any claim of patent infringement which is based upon the combination of the Product or its parts furnished hereunder with software, apparatus or devices not furnished by Motorola, nor will Motorola have any liability for the use of ancillary equipment or software not furnished by Motorola which is attached to or used in connection with the Product. The foregoing states the entire liability of Motorola with respect to infringement of patents by the Product or any its parts thereof. Laws in the United States and other countries preserve for Motorola certain exclusive rights for copyrighted Motorola software such as the exclusive rights to reproduce in copies and distribute copies of such Motorola software. Motorola software may be used in only the Product in which the software was originally embodied and such software in such Product may not be replaced, copied, distributed, modified in any way, or used to produce any derivative thereof. No other use including, without limitation, alteration, modification, reproduction, distribution, or reverse engineering of such Motorola software or exercise of rights in such Motorola software is permitted. No license is granted by implication, estoppel or otherwise under Motorola patent rights or copyrights.



MODEL FEATURES

Frequency Bands

- 136-174 MHz
- 380-470MHz
- 450-520 MHz
- 764-870 MHz

Power Levels

- 10-50 Watt (136-174 MHz)
- 10-40 Watt (380-470 MHz)
- 10-45 Watt (450-520 MHz)
- 10-35 Watt (764-870 MHz)
- 25-110 Watt (136-174 MHz)
- 25-110 Watt (380-470 MHz)

512Channels (Standard)

Dual mode operation (ASTRO Digital and Analog)

9600 and 3600 Baud capable

Project 25 capability on Conventional and Trunking systems

Type II Trunking Only

Project 25 compliance interoperable voice signaling features

Integrated voice and data capable

Bandwidth Receiver

- 12.5/30 kHz (analog) 136-174 MHz
- 12.5/25 kHz (analog) 380-470 MHz and 450-520 MHz
- 12.5/20/25 kHz (analog) 764-870 MHz

5 Programmable buttons x4 deep in menu functions

14 digit character display

Tri-color backlit LCD display

Emergency button

Multi level DIM button

Dash/Remote mount

Meets Military Specs 810 (C,D, E and F)

Utilizes Windows®-based customer programming

Built in FLASHport™ support

Optional Keypad microphone

External Speaker

USB/RS232 connectivity

Optional Siren PA

Optional DEK

Upgradeable

Encryption Capable:

- Type III (optional)
- Allows for MultiKey for single algorithms ONLY
- Algorithms supported:
 - DVI-XL
 - DVP-XL
 - DES
 - DES-XL
 - DES-OFB
 - AES
 - Advanced Digital Privacy (ADP)

Reuse of most ASTRO/MCS accessories





Motorola's XTL 2500 Project 25 compliant mobile radio is tough and well suited for users in Police, Fire, EMS, State/Local/Federal Government agencies. Taking into consideration your work environment and various job responsibilities, this robust mobile radio will support the type of consistent, high quality communication you need.

The XTL 2500 digital mobile radio supports APCO Project 25 and is available in 136-174 MHz, 380-470MHz, 450-520 MHz 764-870 MHz frequency bands and supports the accessories common to the XTL 5000 mobile radio.

The XTL 2500 digital mobile radio is specifically designed to meet the needs of your organization. When you want high performance, quality, and reliability in your daily communications, the XTL 2500 digital mobile radio is the radio of choice.

GENERAL P	GENERAL PERFORMANCE SPECIFICATIONS				
Frequency ran	ge	136-174 MHz			
		380-470MHz			
		450-520 MHz			
nest in parameters in well and a text become a transmission		764-870 MHz			
Modulation C4FM of QPSK-C		C family	ra Urani umatura matarata, piagramina umani iniped tra logi drumona umo mataridogra fredio em mataridoda frederio um matarido de la constitución d		
(Compatible Quad			drature Phase Shift I	Keying)	
Protocol	Lucian (Assertance Indiana India	ine investment in the second i	and the little per half and an address of the second per personal resident for the second second second second	ondeld bloomed spring and lant to the transport had been been been been an another than the second and the second lant.	
Project 25-C	Al	4.4 kbps IMBE, :	2.8 kbs Error Correct	ion Coding, 2.4 kbps	
Embedded Signali		ling			
Channel Bandv	vidth		And the state of the safe factors and the state of the st	त्र भागमा स्थापना । विद्यान स्थापना स्थापना हिल्ला क्षेत्र स्थापना स्थापना स्थापना स्थापना स्थापना स्थापना स्थ	
Analog		12.5/30 kHz (136			
			-470 MHz and 450-5	20 MHz);	
**************************************	Heritania likaliaj lipopopopi piu limboro likalo ji likialgos jeograpopi primari nu	12.5/20/25 kHz (7	764-870 MHz)		
Digital		12.5 kHz			
VOICE CODE	R				
Voice Coding IV	lethod IMBE (CAI)	Improved Multi B	and Excitation		
Voice Truncation	Ţ	None	***************************************	and the second s	
Frame Re-sync	Interval	180 mSec (Clear	Digital Mode)		
Forward Error (Correction	Golay code	eri serretari de se se se presentante de la face de la	त्रा विकास का विकास का सम्बद्धा सम्बद्धा विकास का सम्बद्धा । विकास का विकास का विकास का विकास का सम्बद्धा विकास	
Error Mitigation	Project 25-CAI (IMBE)	***************************************	eres ses ses raturas sus fus suara mara susceptibilidades (es persona sesta suscess		
Dual Level	, , , , , , , , , , , , , , , , , , , ,		ites and replaces 20	mSec voice frames that exceed	
		Level 1: Extrapolates and replaces 20 mSec voice frames that exceed the error correction algorithm tolerance.			
		Level 2: Progressive muting of 20 mSec voice frames that are too severely damaged for Level 1 replacement.			
		(IMBE): No code boo			
SIGNALLING	(ASTRO MODE)				
Signalling Rate		9.6 kbps	da kali ilid kayang ujung yang yang kangga kanggang talah kalabaddi kalig log kay kayaya		
Digital ID Capac	ity	10,000,000 Conve	entional / 48,000 Trun	rking	
Digital Network	Access Codes	4,096 network sit	ork site addresses		
ASTRO Digital L	Jser Group Addresses	4,096 network sit	4,096 network site addresses		
Project 25 – CAI	Digital		A 14-41 11-41-41 11-41-41 11-41-41 11-41-41 11-41-41 11-41-41 11-41-41 11-41-41 11-41-41 1		
Jser Group Ado	fresses	65,000 Conventio	nal / 4,094 Trunking		
Fror Correction	Techniques	Golay, BCH, Reed	-Solomon codes	n mang prantaga top possible manar tapologi posses spantanaman trade posses passes posses posses posses passes posses posse	
Data Access Cor	ntrol	Slotted CSMA: U	tilizes infrastructure-	sourced data status hits embadded in	
		Slotted CSMA: Utilizes infrastructure-sourced data status bits embedded in both voice and data transmissions.			
PEAKER			MOBILE		
Dimensions	5.5" × 5.5" × 2.5"	anne et paper despetat Leatert (1877 me 1811 paper) is bessend in	Dimensions	Mid Power Radio Transceiver	
	(139.7 x 139.7 x 63	.5 mm)		2" × 7" × 7.8" (50.8 × 177.8 × 198.1 mm)	
	(Excluding mounting	g bracket)		Control Head	
Veight	1.5 lbs (0.68 kg)			2.35" x 7.1" x 2.5" (59.7 x 180.3 x 63.5 mm)	
				Mid Power Radio Transceiver and Control Head - Dash Mount	
				2.35" x 7.1" x 9.1" (59.7 x 180.3 x 231.1 mm)	
				High Power Transceiver 2.765" x 8.08" x 12.31" (70.2 x 205.2 x 312.7 mm)	
			Weight	Mid Power RadioTransceiver and Control Head	
				6.1 (bs (2.77 kg) (764-870 MHz and 136-174 MHz)	
				6.1 lbs (2.77 kg) (380-470 MHz and 450-520 MHz)	
				High Power Radio Transceiver with Handle	
				8.8 the /3.00 kg/ (136,174 MHz and 200,470 MHz)	

8.8 lbs (3.99 kg) (136-174 MHz and 380-470 MHz)

TRANSMITTER			THE RESIDENCE OF THE PROPERTY IN THE PROPERTY OF THE PROPERTY
Frequency	764-776 MHz	380-470 MHz	136-174 MHz
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	794-806 MHz	and	
	806-825 MHz	136-174 MHz	
	851-870 MHz		indialogisti mana lankisti siyri il littimista kojishi dalam pasata kiteli istri manasa.
RF Power	10-35W	25-110W	25-110W
Max Freq Separation	Full Bandsplit	Ref Above Bandsplit	Full Bandsplit
Freq Stability Operating Freq Accuracy	aladigan paga 11 18 li Lidge paraga 13 11 11 End Ambara 14 End Amba		
(-30C to +60C;+25C Ref) - 700/800 & UH	₽		0 #
(+/- 2ppm (-30C to +60C) - VHF	1.5 ppm	2 ppm	2.5 ppm
Modulation Limiting			P 1.4.5_
25/20 kHz, 25 kHz, 25/30 kHz channel	±5 kHz, +/-4 kHz (NPSPAQC)	±5 kHz	±5 kHz
12.5 kHz channel	±2.5 kHz	±2.5 kHz	±2.5 kHz
Modulation Fidelity (C4FM)			0.011-
12.5 kHz digital channel	±2.8 kHz	±2.8 kHz	±2.8 kHz
Channel Spacing Analog	12.5/20/25 kHz	12.5/25 kHz	12.5/30kHz
FM Hum and Noise	THE INTERNAL TO SEE STATE OF THE SECOND SECO		wa 10
20/25 kHz, 25 kHz, 20/25 kHz	40 dB	45 dB	50 dB
12.5 kHz	34 dB	40 dB	40 dB
Emissions	Conducted Radiated	Conducted Rediated	Conducted Radiated
	-70 dBc -85 dBc	-85 dBc -20 dBc	-85 dBc -85 dBc
Audio Response	Hamminda in prisoderpognica and a la bear in Jawa in Hammer Andrea		
(6db/Ocatave Pre-emphasis			. 1 a sp (EIA)
from 300 to 300 0Hz)	+1, -3 dB (EIA)	+1, -3 dB (EIA)	+1, -3 dB (EIA)
Audio Distortion per EIA	2%	2%	2%

POWER AND BATTERY DRAIN	
Model Type	136-174 MHz
	380-470MHz
	450-520 MHz
	764-870 MHz
Minimum RF Power Output	10-50 Watt (136-174 MHz)
	10-40 Watt (380-470 MHz)
	10-45 Watt (450-520 MHz)
	10-35 Watt (764-870 MHz)
	25-110 Watt (136-174 MHz)
	25-110 Watt (380-470 MHz)
Operation	12V DC Negative Ground
Standby at 13.8V	ом менен сеја ја ставан рассостјуве In respirit сесто најећ и теар рассостојант таки и теа и пови
136-174 MHz	0.5A-0.7A
380-470 MHz and 450-520 MHz	0.65A-0.85A
764-870 MHz	0.7A
Receive at Rate Audio at 13.8V	antiture pe presenten man merpa Arteriopen a banarranakan kepada man presenten a banarranakan kepada mengan men
136-174 MHz	1,3A-3.0A
380-470 MHz and 450-520 MHz	1.5A-3.2A
764-870 MHz	3.0A
Transmit at Rated Power	
136-174 MHz	7A-10A
380-470 MHz	5.7A-13.7A
450-520 MHz	13A (45W)
764-870 MHz	8A (15W), 13A (35W)

ann in yan asan ja kasa annan annan 11 maga 11	Transmitter Po	wer		
Band	Output	Number		
136-174 MHz	10-50 W	AZ492FT3806		
380-470MHz	10-40 W	AZ492FT4862		
450-520 MHz	10-45 W	AZ492FT4867		
764-870 MHz	10-35 W	AZ492FT5823		
136-174 MHz	25-110 W	AZ492FT3808		
380-470 MHz	25-110 W	AZ492FT4870		
ENVIRONME	NTAL SPECIFIC	ATIONS		
Operating Tempo	-30°C / +60°C			
Storage Tempera	-55°C / +85°C			

IP54 certified

International Protection

RECEIVER								
Frequency	700/800 MHz	12.5 / 25 kHz		VHF				
Channel Spacing	12.5 / 20 / 25 kHz			12.5 / 30	kHz			
Maximum Frequency Separation	Full Bandsplit			Full Band	İsplit			
Analog Sensitivity	alta reverse a del el manure de la manure della manure della manure de la manure de la manure de la manure della manure de	0.05 1/	0.40.37	0.25 µV	0.40.07			
20 db Quieting 12 db SINAD per EIA	.30 μV .25 μV	0.25 μV 0.20 μV	0.40 µV 0.30 µV		0.40 pV 0.30 pV			
Digital Sensitivity	anning the feet were delivered to the first for the feet of the fe	(Term Travarional Geometrical Int.	and the second s					
1% BER (12.5 kHz channel) 5% BER (12.5 kHz channel)	.30 μV .25 μV	0.25 μV 0.20 μV	0.40 µV 0.30 µV	0.25 μV 0.20 μV	0.40 μV 0.30 μV			
intermodulation	80 dB	80 dB	85 dB	85 dB	85 dB			
Spurious Response Rejection	80 dB	90 dB	90 dB	90 dB	90 dB			
Audio Output Power at 3% distortion (External/Internal Speaker)	75 W (ext. speaker) 3 W (int. speaker)	7.5 W (ext. speaker) 3 W (int. speaker)		-	xt. speaker) speaker)			
Adjacent Channel Rejection Selectivity (12.5 kHz/25 kHz)	65 dB 80 dB	75 dB	82 dB	85 dB 70 dB	85 dB 70 dB			

nataraturing turung arang tang manan indikan danggapan menjal intepropentian (manja teta	MIL-STD 810C		MIL-STD 810D		MILSTD 810E		MIL-STD 810F	
n sirvi in isi yoʻrd silasa polosi yoʻrbayri in rasioadasha palapa sila in 1816ado Maji oʻla isisini intoo	Method	Proc./Cat.	Method	Proc./Cat.	Method	Proc./Cat.	Method	Proc./Cat
ow Pressure	500.1	<u> </u>	500.2	11	500.3	1	500.4	11
ligh Temperature Storage	501.1		501.2	I/A1	501.3	I/A1	501.4	l/Hot
ligh Temperature Storage	501,1		501.2	II/A1	501.3	II/A1	501.4	I/Hot
ow Temperature Storage	502.1	A second	502.2	I/C3	502.3	1/C3	502.4	I/C3
owTemperature Operational	502.1		502.2	II/C1	502.3	II/C1	502.4	11/C1
Temperature Shock	503.1	est Annativa leissel jel pestatu terasiyas pel pel pel mengas m	503.2	I/A1-C3	503.3	I/A1-C3	503.4	I/Hot-C3
Solar Radiation	505.1	II	505.2		505.3		505.4	
Rain Blowing	506.1		506.2	at it faciliseds Springerack tartest followings (London Latenda)	506.3	*	506.4	•
Rain Steady	506.1	II	506.2		506.3	II	506.4	III
Humidity	507.1		507.2		507.3		507.4	-
Salt Fog	509.1		509.2	- Hercentral decisions physician menter dands-sold spectrum	509.3	w	509.4	*
Blowing Dust	510.1	1	510.2	 	510.3	A STATE OF THE PROPERTY OF THE	510.4	ı
Blowing Sand	.	naman menangan bahajan kepadan berhapatan di kepadan berhapatan ber	510.2	a na na ni na propogo possis pi a nazavej i koji posoj kali izva 	510.3	#1	510.4	11
Vibration Minimum Integrity	514.2	VIII/E Curve-W	514.3	I/10	514.4	I/10	514.5	1/24
rest statutures at the state of the second interpretation research periodic best bases at the contrast interpretations.	V 1-7-6	The state of the s	514.3	11/3	514.4	11/3	514.5	11/5
Vibration Loose Cargo	516.2		516.3		516.4	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	516.5	1
Shock Functional	516.2		516.3	V	516.4	V	516.5	V
Shock Crash Hazard	516.2	A HI	516.3	VI	516.4	VI	516.5	VI

