

Request for Quotation

667C0034

304-558-2402

PA	38000
	1

	ing the recognition of the property of the pro
JOHN	JOHNSTON

RFQ COPY
TYPE NAME/ADDRESS HERE
ENVIRONMENTAL Solutions INC.
10625 PATTERSON AND
RICHMOND, UA 13238
804-740-5605

SH-P TO

ODI LS TAS-21 MATERIALS FOR REPAIR & MAINTENANCE OF SILICONE, ASPHALT AND CONCRETE OPEN END CONTRACT TO FURNISH THE FOLLOWING MATERIALS OR "APPROVED EQUALS" FOR USE BY THE MEST VIRGINIA DIVISION OF HIGHWAYS IN THE REPAIR AND MAINTENANCE OF SILICONE, ASPHALT AND CONCRETE. EXHIBIT 3 LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO DETAIN A NEW CONTRACT OR REMEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" THEREWITH OR THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON SIVING THE DIRECTOR OF PURCHASING 30 DAYS WRITTEN NOTICE. UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE WINDS WINDS WINDS MATERIALS OF THE MEST OF THE LIFE OF THE OPEN END CONTRACT OF PURCHASING 30 DAYS WRITTEN NOTICE. SEE REVENUE SODE FOR TERMS AND CONDITIONS SEE REVENUE SODE FOR TERMS AND CONDITIONS WINDS MINISTER OF THE LIFE OF THE OPEN END CONTRACT DOCUMENT, THE TERMS, CONDITIONS AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE SET TO SEE THE PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE SET TO SEE THE PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE SET TO SET THE PROVISIONS AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE SET TO SET THE PROVISIONS AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE SET TO SET THE PROVISIONS AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE SET TO SET THE PROVISIONS AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE	07/25	/2007		INS OF SAL		SHIP YIA	FOR	FREIGHT TEAMS
MATERIALS FOR REPAIR & HAINTENANCE OF SILICONE, ASPHALT AND CONCRETE OPEN END CONTRACT TO FURNISH THE FOLLOWING MATERIALS OR "APPROVED EQUALS" FOR USE BY THE WEST VIRGINIA DIVISION OF HIGHWAYS IN THE REPAIR AND MAINTENANCE OF SILICONE, ASPHALT AND CONCRETE. SEE ATTACHED EXHIBIT 3 LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING 30 DAYS WRITTEN NOTICE. UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS AND WRITTEN NOTICE. WILLES SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT. THE TERMS, CONDITIONS AND WRITTEN NOTICE. SEEREVERSE SIDE FOR THE LIFE OF THE CONTRACT. SEEREVERSE SIDE FOR TERMS AND CONODITIONS AND SITE EEEM. SEEREVERSE SIDE FOR TERMS AND CONODITIONS AND SITE EEEM. SEEREVERSE SIDE FOR TERMS AND CONODITIONS AND SITE EEEM. SEEREVERSE SIDE FOR TERMS AND CONODITIONS AND SITE EEEM. SEEREVERSE SIDE FOR TERMS AND CONODITIONS AND SITE EEEM. SEEREVERSE SIDE FOR TERMS AND CONODITIONS AND SITE EEEM. SEEREVERSE SIDE FOR TERMS AND CONODITIONS AND SITE EEEM. SEEREVERSE SIDE FOR TERMS AND CONODITIONS AND SITE EEEM. SEEREVERSE SIDE FOR TERMS AND CONODITIONS AND SITE EEEM. SEEREVERSE SIDE FOR TERMS AND CONODITIONS AND SITE EEEM.	***************************************	D OPENING DATE: 08/15/2007		BID	OPENING TIME O	L:30PM		
MATERIALS FOR REPAIR & MAINTENANCE OF SILICONE, ASPHALT AND CONCRETE OPEN END CONTRACT TO FURNISH THE FOLLOWING MATERIALS OR "APPROVED EQUALS" FOR USE BY THE WEST VIRGINIA DIVISION OF HIGHWAYS IN THE REPAIR AND MAINTENANCE OF SILICONE, ASPHALT AND CONCRETE. SEE ATTACHED EXHIBIT 3 LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO DATAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED THELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING 30 DAYS WRITTEN NOTICE. UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS AND WRITTEN NOTICE. UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS AND WRITTEN NOTICE. UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT. DOCUMENT, THE TERMS, CONDITIONS AND WRITTEN NOTICE. WHILE A SEE REVERUE SIZE FOR THE LIFE OF THE CONTRACT. SEE REVERUE SIZE FOR THE LIFE OF THE CONTRACT. SIZE OF THE CONTRACT OF THE LIFE OF THE CONTRACT. SIZE OF THE CONTRACT OF THE LIFE OF THE CONTRACT. SIZE OF THE CONTRACT OF THE LIFE OF THE CONTRACT. SIZE OF THE CONTRACT OF TH	LINE	QUAI	VIIIY	UOP		TEMNUMBER	UNITPRICE	TRUOMA
ASPHALT AND CONCRETE OPEN END CONTRACT TO FURNISH THE FOLLOWING MATERIALS OR "APPROVED EQUALS" FOR USE BY THE WEST VIRGINIA DIVISION OF HIGHWAYS IN THE REPAIR AND MAINTENANCE OF SILICONE, ASPHALT AND CONCRETE. SEE ATTACHED EXHIBIT 3 LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON	0001	MATERI	1	Γ ⁻ Ι			STI TOME	
OPEN END CONTRACT TO FURNISH THE FOLLOWING MATERIALS OR "APPROVED EQUALS" FOR USE BY THE WEST VIRGINIA DIVISION OF HIGHWAYS IN THE REPAIR AND MAINTENANCE OF SILICONE, ASPHALT AND CONCRETE. SEE ATTACHED EXHIBIT 3 LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON						WINTERFAMOL OF	SILICONE,	
TO FURNISH THE FOLLOWING MATERIALS OR "APPROVED EQUALS" FOR USE BY THE WEST VIRGINIA DIVISION OF HIGHWAYS IN THE REPAIR AND MAINTENANCE OF SILICONE, ASPHALT AND CONCRETE. SEE ATTACHED EXHIBIT 3 LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON		ASPHAL	T AND	CONCR	ETE			
FOR USE BY THE WEST VIRGINIA DIVISION OF HIGHWAYS IN THE REPAIR AND MAINTENANCE OF SILICONE, ASPHALT AND CONCRETE. SEE ATTACHED EXHIBIT 3 LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON					OPE	N END CONTRACT		
LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON		FOR USI	E BY T Pair a	HE WE	ST VI	RGINIA DIVISION	OF HIGHWAYS IN	
LIFE OF CONTRACT:					S	EE ATTACHED		
YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING 30 DAYS WRITTEN NOTICE. UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT. SEE REVERSE SIDE FOR TERMS AND CONDITIONS TELEPHONE SELF- 740 - 560 DATE 8/7/07 ADDRESS CHANGES TO BE NOTED ABOVE		EXHIBIT	гз					ı
UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT. SEE REVERSE SIDE FOR TERMS AND CONDITIONS VATURE THE PHONE SET OF MIRKEN LAND CONDITIONS PAGE 18 10 10 10 10 10 10 10 10 10 10 10 10 10		YEAR OR NECESSA ORIGINA NOT EXC TIME" T	UNTI RY TO L CON EED TO HE VE	SUCH OBTAI TRACT. VELVE	ANI PREA NA THE (12) AY TE	DEXTENDS FOR A ASONABLE TIME" THE TOWN TOWN TOWN TOWN TOWN THE TOWN THE THE THE THE TOWN THE THE THE TOWN THE THE THE TOWN THE THE THE TOWN THE	PERIOD OF ONE (1) HEREAFTER AS IS RENEW THE ME" PERIOD SHALL THIS "REASONABLE NTRACT FOR ANY	
IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS AND 200 AUG -9 A 9 55 PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT. SEE REVERSE SIDE FOR TERMS AND CONDITIONS VATURE TELEPHONE TOUR SET BEING SUPPLY ADDRESS CHANGES TO BE NOTED ABOVE		REASON WRITTEN	UPON (E.	THE	DIRECTOR OF PUR		RECEIVED
SEE REVERSE SIDE FOR TERMS AND CONDITIONS VATURE March M		IN THIS Pricing	CONTR	RACT D	OCUME	NT, THE TERMS.	CONDITIONS AND ?	CHASING DIVISION
TELEPHONE TELEPHONE SCY 740-565 DATE 8/7/07 DATE ADDRESS CHANGES TO BE NOTED ABOVE								STATE OF WV
DECEC OF MIRKATO 6- 541-555-310 ADDRESS CHANGES TO BE NOTED ABOVE	BAATURE /			/	SEE REVE			8/7/07
	5 RECE	C of M	ARKATA	6-	54			/_/



HOOSE

TITLE

State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for ______ Quotation

667C0034

....ADDRESS.CORRESPONDENCESTO/ATTENTION:OF

NOTZNHOL NHOL 304-558-2402

BY ORDER

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED

ADDRESS CHANGES TO BE NOTED ABOVE

RFQ COPY TYPE NAME/ADDRESS HERE

TERMS OF SALE DATE PRINTED SHIP VIA FO.B. FREIGHT TERMS 07/25/2007 BID OPENING DATE: 08/15/2007 BID OPENING TIME 01:30PM 1 INF QUANTITY LICP ITEM NUMBER UNIT PRICE AMOUNT RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE DRIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS. CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM TO THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN. OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANS-PORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK.) QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIED BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF THE CONTRACT. WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN. ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN STATE CONTRACT ORDER (FORM NUMBER WV-39) TO THE VENDOR FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL COPY OF THE WV-39 SHALL BE MAILED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT, A SECOND COPY MAILED TO THE PURCHASING DIVISION, AND A THIRD COPY SEE REVERSE SIDE FOR TERMS AND CONDITIONS. SIGNATURE ELEPHONE DATE

FEIN



MODEMA

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

Request for BEONIMBER Quotation 6670034

SH P

Ŧ

DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. FREIGHT TERMS

667C0034

// / /	GE :
	3

\$\$10]D\$[#35\$\$660]\$]\$|#3]#6]\$[0]#4]6#46\$\$\$\$#4]\$\$[0]\$[6]#

JOHN JOHNSTON 304-558-2402

RFQ COPY TYPE NAME/ADDRESS HERE

07/25/2007				
BID OPENING DATE: 08/1	D OPENING DATE: 08/15/2007		OPENING TIME 01	L:30PM
LINE QUANTITY	UOP CAT	FTEM NUMBER	UNITPRICE	AMOUNT
RETAINED B	Y THE SPENDI	NG UNIT.		
		ENT THE VENDOR/C		
			WITHOUT FURTHER	
SHALL SUPE	RSEDE ANY AN	NS CONTAINED IN D ALL SUBSEQUENT PPEAR ON ANY ATT	TERMS AND	
DOCUMENTS S AGREEMENTS	SUCH AS PRIC Or maintena	E LISTS, ORDER F NCE AGREEMENTS,	ORMS, SALES	
ELECTRONIC REV. 04/11	MEDIUM SUCH	AS CD-ROM.		
		ANCE. THE CTATE	OF WEST VIDSINIA	
CURRENTLY I	JTILIZES A V	ISA PURCHASING C		
MUST ACCEPT	THE STATE	NK. THE SUCCESS OF WEST VIRGINIA L ORDERS PLACED	VISA PURCHASING	
•	CONDITION		BI ANT STATE	
	VENDOR PR	EFERENCE CERTIFI	CATE	
	1 1	ICATION* IS HERE CE WITH WEST VIR		
5A-3-37 (DC	ES NOT APPL	Y TO CONSTRUCTIO	N CONTRACTS).	
A. APPLICA REASON CHEC	1 1 1	E FOR 2.5% PREFE	RENCE FOR THE	
HAS RESIDEI	CONTINUOUS	IVIDUAL RESIDENT LY IN WEST VIRGI	NIA FOR FOUR	
(4) YEARS 1		PRECEDING THE DA		
SIGNATURE	SEE HEY	VERSE SIDE FOR TERMS AND CON TELEPHONE	DATE	
TIFLE	FEIN		ADDRESS CHANGES	TO BE NOTED ABOVE



MODEMA

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Guotation 667C0034

WIT-A TO

667C0034

	Tell - Create State Colonia	SATISFAX RESTOR BEAD	Continued by the second of the continued to
	MESS CURRI		E TO ATTENTION
A	A. CT. T. T. C. T. C. P. C. P. P.	**************************************	

JOHN JOHNSTON 304-558-2402

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

RFQ COPY TYPE NAME/ADDRESS HERE

DATE PRIN	TED	TEI	IMS OF SA	i P	SHIP	VIA	FOR		FREIGHT TEAMS
07/25/									
BID OPENING DATE:	0	8/15/	<u> 2007 </u>	***************************************		BID	OPENING TIME	01:	30PM
LINE	CHANT	ut y	UOP	CAT NO.	ITEM NU	MBER	UNITARICE		AMOUNT
	CERTIFI	CATIO	N. DD						
-	CLKIIII	CMITU	N, UK						
	() B	IDDER	IS A	PART	NERSHIP.	ASSOCIA	TION OR CORP	ORA-	
							D ITS HEAD-		
							S CONTINUOUS		
	WEST VI	RGINI	A FOR	FOUR	(4) YEAR	RS IMMED	IATELY PRECE	DING	
	THE DAT	E OF	THIS	CERTI	FICATION	OR 80%	OF THE OWNE	RSHIP	
	INTERES	TOF	BIDDE	R IS	HELD BY	NOTHER	INDIVIDUAL,		
	PAKINEK Uun uac	SHIP,	TATME	DIALL	UN UK CUM	CTURALIU	N RESIDENT V PRINCIPAL P	ENDOR	
	OF RUST	MEGG	CUNTI	MIIUIIG	TEAUGUAN	T VIDET	NIA FOR FOUR	LALE	
					EDING THE			(4)	
	CERTIFI								
			-						
							ENT VENDOR		
							HICH EMPLOYS		
							TS AND WHICH		
							CIPAL PLACE USLY FOR THE		
							HE DATE OF T		
	CERTIFI			ILDIA		EDING :	HE DATE OF I	113	
				l					
þ	B. APP	LICAT	ION I	S MAD	E FOR 2.5	% PREFE	RENCE FOR TH	E I	
ŀ	REASON	CHECK	ED:	-					
1						İ			
ľ							CERTIFIES TH		ļ
							RAGE AT LEAS		
							DJECT BEING DE RESIDED IN	RID	
							RS IMMEDIATE	v	
					THIS BI		(V IMBLUIM(E)	- '	
,)R			· · · T					
1							PLOYING A		
					STATE RE				
							SUBSIDIARY	_	
	MICH MA	AINTA	INS I	S HE	NDQUARTER	S OR PRI	INCIPAL PLACE	≣	
1			J	SEEREV	ERSE SIDE FOR T	RMS AND CON	DITIONS		
GNATURE						TELEPHONE		DATE	
ne	······································	FEI	N				ADDRESS	1	25 10752 12015
		1					ADDRESS C	IANGES TO	BE NOTED ABOVE



Request for REGNUMBER Quotation 667000

667C0034

PA	(e) 288
	5

304-558-2402

Additions and the factor of the following of the following of the factor JOHN JOHNSTON

RFQ COPY TYPE NAME/ADDRESS HERE

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOR	FREIGHT TERMS
07/25/2007				
BID OPENING DATE:	08/15/2007	BID O	PENING TIME O	1:30PM
LINE OL	HANTEY LOP CAT.	TEM NUMBER	UNITPRICE	AMOUNT
ne pu	CINECO UTTUTA UFA	T VIDGINIA FUDIO		
DE ON	C MINDDED GLATE E	T VIRGINIA EMPLOY ESIDENTS WHO CERT	ING A MINIMUM	
DIETM	S THE LITER OF THE	CONTRACT, ON AVE	TRIED [HA];	
75% D	F THE EMPLOYEES O	R BIDDERS' AFFILI	ATE'S OD	
SUBSI	DIARY'S EMPLOYEES	ARE RESIDENTS OF	WEST VIRGINIA	
		E STATE CONTINUOU		
YEARS	IMMEDIATELY PREC	EDING SUBMISSION	OF THIS BID.	
BIDDE	R UNDERSTANDS IF	THE SECRETARY OF	TAX & REVENUE	
DETER	MINES THAT A BIDD	ER RECEIVING PREF	ERENCE HAS	
FAILE	DIU CONILNUE TO	MEET THE REQUIREM	ENTS FOR SUCH	
PHOCH	RENCE, THE SECRE!	ARY MAY ORDER THE SCIND THE CONTRAC	DIRECTOR OF	
DENER	TSSUED: OD (R) A	SSESS A PENALTY A	I UK PUKCHASE	
		T TO EXCEED 5% OF		
AND T	HAT SUCH PENALTY	WILL BE PAID TO T	HE CONTRACTING	
AGENC	Y OR DEDUCTED FRO	M ANY UNPAID BALA	NCE ON THE	
CONTRA	ACT OR PURCHASE O	RDER.		
BY SU	BMISSION OF THIS	CERTIFICATE, BIDDI	ER AGREES TO	
DISCL	DSE ANY REASONABL	Y REQUESTED INFORI	MATION TO THE	
PURCHA	ASING DIVISION AN	D AUTHORIZES THE 1	DEPARTMENT OF	
DIIDCU	NU KEVENUE 18 DIS NSTNE ADDRODDIATE	CLOSE TO THE DIRECTION VERIE	CIOR OF	
BINDE	P HAS PAIN THE DE	TAFORMATION VERIL QUIRED BUSINESS TA	rying imal Avec Browther	
THAT S	SUCH INFORMATION	DOES NOT CONTAIN	THE AMOUNTS OF	
TAXES	PAID NOR ANY OTH	ER INFORMATION DE	EMED BY THE TAX	
COMMIS	SSIONER TO BE CON	FIDENTIAL.		
UNDER	PENALTY OF LAW F	DR FALSE SWEARING	(WEST VIRGINIA	
CODE	51-5-3), BIDDER H	EREBY CERTIFIES TH	HAT THIS	
		D ACCURATE IN ALL		
(IHAT)	LE A CUNIKACI IS	ISSUED TO BIDDER A	AND IF ANYTHING	
TCDM C	THE CONTRACT	CERTIFICATE CHANGE BIDDER WILL NOTIFY	S DURING THE	
PURCHA	SING DIVISION TH	MRITING IMMEDIATE	1 1 TC	
- WILOUT	TITO MET LIGHT LIN	MUTITUD THEEDINE	. L I •	
NAME AND THE	SEE REV	ERSE SIDE FOR TERMS AND CONDI		
SIGNATURE		TELEPHONE	DATE	
ITLE	FEN	,	ADDRESS CHANGES	TO BE NOTED ABOVE
WAS IT N DECOR	ANDRIO TO DEC MICES	MALE AND ADDRESS IN	ŧ	1



Request for Quotation 667C0034

GH P

ō

667C0034

P/A	ĢΕ	
	6	

OURESS CORRESPONDENCE TO ATTENTION OF

NOTZNHOL NHOL 304-558-2402

RFQ COPY TYPE NAME/ADDRESS HERE ENVIRONMENTAL Solutions INC. 10625 PATHERSON AME,

RICHHUND, UA 23238

8001-740-5605

DATE PRIN	(TED	TER	MS OF SAI		SHIP VIA		FOR	FREIGHT TERMS
07/25/ BID OPENING DATE		00/35/	2007					
LINE	1	08/15/ NULY	2007 UGP	CAT		D		L:30PM
511017	Cat A			CAT NO	ITEM NUMBER		UNIT PRICE	AMOUNT

						[1. 6. 1.	_
· .			,	BIDDE	B: ENGIROR	M	ntal Solution	S INC.
				DATE:	\ <u>\&</u> _{!	<u>0 </u>	.7	
					1		D M	
				SIGNE	1 ame	2	1 July	,
				:		Ì		
		1		TITLE	. DiRECtor	2	OF MARKetiNI	
			1					
	* CHEC	K ANY K	COMBI	NATIO	N OF PREFERENCI OR BOTH "A" ANI	- C	CONSIDERATION(S)	
	ARE EN	TITLED	TO R	ECEIV	E. YOU MAY RE	ĮUE	ST UP TO THE	
	MAXIMU		REFER	ENCE	FOR BOTH "A" AI	4D	mBm.	
	CKEV.	12/00)						
]	NOT	ICE			
;	A SIGN	ED BID	MUST	BE S	UBMITTED TO:			
		1		ŀ				
		EPARTME URCHAS]			INISTRATION			
		UILDING			JI I			
:					TREET, EAST	1		
	L.	HAKLESI	UN, N	4V 2	5305-0130			
		ł						
							ON THE FACE OF	
	THE EN	/ELOPE	OR TH	E BI	MAY NOT BE CO	NS	IDERED:	
	SEALED	BID		}			**************************************	- Annual Control of the Control of t
				SEEREV	ERSE SIDE FOR TERMS AND C	OND	FIONS	
IGNATURE (IMC	91/	Ten	1		TEI EDLICAIE		40-5605 DATE	8/7/07
TEXO E- 12	J OF A	IN 10 12			555-316		ADDRESS CHANGES	
WHE						3 IN	SPACE ABOVE LABELED	t e



Request for GONUMBER 667C0.034

DATE PRINTED TERMS OF SALE SHIP VIA: F.O.B. FREIGHT TERMS

667C0034

PA	GE⊗	8
	7	

************	DORESS CORRES	ZONDENGERIOZARIENHONOG
пни	NOTZNHOL	

304-558-2402

RFQ COPY TYPE NAME/ADDRESS HERE

07/25/	2007									
		08/15	5/2007		BID		OPENING TIME 0		1:30PM	
LINE	GUAN	MAA	UOP	CAT NO:	ITEM NL		UNITPRICE		AMGUNT	
	BUYER: RFQ. NO BID OPI	D.:	DATE		33 667C0034 Ime					
į	PLEASE TO CON	PROVI	DE A OU RE	FAX N Sardi	NG YOUR E	ID:	is necessar			
	CONTACT	F PERS	ON (P	LEASE	PRINT CL	EARLY):	GOREY	Terry mys symmet (dagett) daddyn (dag, n dag, n dag, n del n d		
	*****	THIS	IS T	HE EN	D OF RFQ	667C0	034 ***** TC	DTAL:		
				SEE REV	ERSESIDE FOR T	ERMS AND CON	DITIONS			
GNATURE				444000000000000000000000000000000000000		TELEPHONE		DATE		
TILE		FE	in .				ADDRESS CH	ANGES TO E	BE NOTED ABOVE	

1. SPECIFICATIONS

The following sections of the West Virginia Department of Transportation, Division of Highways Standard Specifications, Roads and Bridges, adopted 2000, as modified by the current Supplemental Specifications at time of bid opening shall apply to the administration of this contract: Sections 101, 102.4, 102.5, 105.1, 105.3, 105.4, 105.10, 105.11, 105.12, 105.13, 106.3, 106.4, 106.5, 106.6, 106.7, 106.9, 107.1, 107.2, 107.3, 107.14, 107.19, 107.20, 108.8, 109.1, 109.2 and 109.20.

The terms "Contractor and Vendor" used in the above specifications of this Contract are interchangeable. Contractor shall mean Vendor and Vendor shall mean Contractor.

West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, adopted 2000, and the current Supplemental Specifications at time of bid opening may be obtained from:

West Virginia Department of Transportation Division of Highways, Building 5, Room A729 1900 Kanawha Blvd., East Charleston, West Virginia 25305

2. CONCRETE PATCHING & REPAIR

2.1 SSI SILSPEC® FLEXPATCH POLYMER PATCHING MORTAR or "Approved Equal"
The polymer patching mortar shall be a three-component (polymer resin, curing agent, engineered blend of graded aggregates), 100 percent solids, high-strength, non-shrink, water-proof, abrasion resistant, non-conductive, semi-flexible patching material that adheres to concrete and steel, and requires no external application of heat for curing. The polymer patching mortar shall cure sufficiently to accept traffic within four (4) hours at a substrate temperature of 70° F. Minimum substrate temperature shall be 40° F. Shelf life of unopened material shall be one (1) year when stored between 50° F and 90° F. Polymer patching mortar shall meet the following physical requirements:

Compressive Strength: 1500 PSI min @ 4 hrs ASTM C 579 Method B 2400 PSI min @ 24 hrs ASTM C 579 Method B

Bond Shear Strength: 650 PSI min ASTM C 882 Linear Shrinkage 0.00 % ASTM C 531

Abrasion Resistance: 1.0 max ASTM C 501, Taber H22

Chloride Ion Perm: 1.0 max Coulombs AASHTO T-277
Resilience: 70 % min OK/OHD L6

Thermal Compatibility: Pass ASTM C 884

2.2 <u>WINTER GRADE SSI SILSPEC® FLEXPATCH POLYMER PATCHING MORTAR or "Approved Equal"</u>

Winter grade polymer patching mortar shall have the same physical properties as 1.1 above except for substrate temperature. Winter grade polymer patching mortar shall have a substrate temperature range between 10° F and 40° F. The polymer patching mortar shall cure sufficiently to accept traffic within four (4) hours at a substrate temperature of 20° F.

2.3 IMCO TECHNOLOGIES INC., MG-KRETE REGULAR AND FINE or "Approved Equal".

MG-Krete is a two component (Part A and B) high early strength structural repair material. Material can be used for all types of concrete repairs from patching deep holes to shallow feathering, poured in forms, trowel vertically and overhead. Material does not shrink on cure, self-priming and will bond to most construction materials (concrete, wood, steel, asphalt, etc.), cures rapidly with return to service in @ 30 min, is non-toxic and cleans up with water. MG-Krete has the following physical properties:

Water Absorption: waterproof

Compression Strength:

45 Min 2,610 psi 24 hrs 5,148 psi 7 days 5,815 psi 28 days 11,194 psi

Temp. Limits: 14° F (w/accelerator) to 100° F (w/retarder)

Initial Set Time @ 68° F 15 min.

2.4 IMCO TECHNOLOGIES INC., MG-KRETE WITH FLEX REGULAR AND FINE or "Approved Equal".

MG-Krete FLEX is similar to item 1.3 above, and can be used in areas where material may be subject to flexure.

2.5 IMCO TECHNOLOGIES INC., HIGH TEMPERATURE RETARDER or "Approved Equal".

High Temperature Retarder is a powder additive that may be added to the MG-KRETE to extend working time when temperature rises above 77° F to 113° F.

2.6 IMCO TECHNOLOGIES INC., LOW TEMPERATURE ACCELERATOR or "Approved Equal".

Low Temperature Accelerator is a powder additive that may be added to the MG-KRETE to accelerate cure when ambient temperature drops below 50° F. The accelerator may be used to help cure in temperatures as low as 15° F.

2.7 <u>CERATECH INC. PAVEMEND 5.0 VERY RAPID REPAIR MORTAR or "Approved Equal".</u>

Pavemend 5.0 is a cementitious very rapid setting, self-leveling structural repair mortar. It is a single component powder that is water activated. Material can be used for horizontal concrete repairs in a wide range of temperature. Pavemend 5.0 has the following physical properties:

Compression Strength:

1 hour 3,330 psi 24 hrs 5,060 psi 7 days 6,030 psi 28 days 6,100 psi

Temp. Limits: 0° F to 100°

Initial Set Time @ 72° F 2-4 min.

2.8 CERATECH INC. PAVEMEND 15.0 RAPID REPAIR MORTAR or "Approved Equal".

Pavemend 15.0 is a cementitious rapid setting, self-leveling structural repair mortar. It is a single component powder that is water activated. Material can be used for horizontal concrete repairs in a wide range of temperature. Pavemend 15.0 has the following physical properties:

Compression Strength:

2 hour 2,700 psi 3 hour 3.870 psl 24 hrs 4,230 psi 7 days 5,570 psi 28 days 6,300 psi Temp. Limits: 30° F to 110°

Initial Set Time @ 72° F 7-9 min.

2.9 CERATECH INC. PAVEMEND VR REPAIR MORTAR or "Approved Equal".

Pavemend VR is a cementitious rapid setting, one step structural repair mortar with parging mortar consistency. It is a single component powder that is water activated. Material can be used for vertical and overhead concrete repairs in a wide range of temperature. Pavemend VR has 25-30 min of working time plus an additional 10 to 15 minutes to shape and shave the repair to match existing contours. Material can be applied in a single lift from 1/16" to over 4" without bonding agents. Pavemend VR has the following physical properties:

Compression Strength:

3 hour 2,753 psi 24 hrs 4,298 psi 7 days 5.539 psi 28 days 8,960 psi

Bond Strenath:

24 hrs 2,067 psi Temp. Limits: 40° F to 100°

Initial Set Time @ 72° F 15-20 min.

CONCRETE SEALING AND WATERPROOFING 3.

3.1 SSI DECKSEAL POLYMER DECK SEALANT or "Approved Equal"

DECKSEAL is a two component polymer based sealing material designed for crack and surface sealing. Mix ratio is 1 part A to 1 part B. Typical coverage of 90 to 150 sq. ft./gal depending on porosity and surface profile of substrate. DECKSEAL contains U42 Fluorescent Tracer Dye, which illuminates under black light. This provides evidence of penetration. DECKSEAL has the following physical properties:

Chloride Ion Penetration: 0 % @ 90 Days Ponding **AASHTO T-259 Bond Strength:** 2,220 PSI 14 Days **ASTM C 882**

Brookfield Viscosity: <50 cps

ASTM C 881 Water Absorption: 0.74 %max 24 hrs. **ASTM C 570**

Tensile Strenath: 3.000 **ASTM D 638**

Elongation @ Break: 4 % min **ASTM D 638** V.O.C.: <250g/L

Shelf Life: 1 Year Unopened

3.2 SSI RE-DECK SKID-RESISTANT OVERLAY or "Approved Equal"

SSI RE-DECK is a solvent-free, moisture insensitive, 100% solids, low modulus, two component urethane-epoxy bonding agent. Mix ratio is 1:1. When broadcast with select aggregate forms a skid-resistant overlay. Typical coverage of 40 sq. ft./gal first course with 10 lbs/sq. yd. aggregate and 20 sq. ft./gal second course with 14 lbs/sq. yd. aggregate. RE-DECK has the following physical properties:

Compressive Modulus:	65,000 PSI	ASTM D 695
Tensile Strength	2,500 PSI	ASTM D 638
Tensile Elongation	50%	ASTM D 638
Bond Strength:	3,000 PSI 14 day cure	ASTM C 882
Linear Shrinkage	Negligile	ASTM C 883
Absorption:	0.20 %	ASTM D 570
Chloride Ion Perm:	0.9 Coulombs	AASHTO T-277
Shore D Hardness:	70	ASTM D 2240
Thermal Compatibility:	Pass	ASTM C 884
Brookfield Viscosity:	1,500 cps RV3 @ 20 rpm	ASTM C 881

3.3 KANSAS BLEND FLINT FOR RE-DECK OVERLAY or "Approved Equal

Flint aggregate for use with SSI RE-DECK shall be clean dry flint, free of dust or contaminates that would interfere with the bonding to the SSI RE-DECK material. Flint material shall be angular in shape and have the following gradation:

Sieve	% Passing
#4	100
#8	30-40
#16	0-5
#30	0-1

3.4 IMCO TECHNOLOGIES INC., D-TECH 470 SEALER or "Approved Equal".

D-TECH is a ready to use, clear, water-based penetrating sealer for application to the surface of concrete, above or below grade. D-TECH penetrates deeply into the capillary pores of the concrete and crystallizes, becoming part of the concrete itself. Sealer can be brushed, rolled or spayed on concrete for sealing, hardening, dust proofing, waterproofing and weatherproofing. D-TECH has the following characteristics:

- Increases concrete density and hardness
- · Prevents chemical corrosion and physical abrasion of treated surface
- Effective in reducing freeze-thaw spalling
- Treatment is permanent and does not require subsequent re-application
- Effective negative side waterproofing of hydrostatic head over 115 ft.
- Reduces or eliminates efflorescence and leaching in concrete
- Effective barrier of water-vapor emission (without loss of breathability)
- Solvent-free, odor-free. Non-toxic, and non-flammable
- Improves bonding of cementitious toppings
- Ultra-violet stability
- Does not change the appearance of the concrete
- Can be applied to green concrete and old concrete
- Two light coats 300-400 sq. ft./gal depending on porosity and surface profile of substrate

3.5 AQUAFIN INC., AQUAFIN-IC ADMIX or "Approved Equal".

AQUAFIN-IC ADMIX is a liquid water-proofing additive for concrete, consisting of a water based suspension of inorganic water-proofing agents. AQUAFIN-IC ADMIX can be added during the batching process or in a ready-mix truck at the job site. During concrete hardening AQUAFIN-IC ADMIX forms millions of fine crystalline fibers inside the capillary pores blocking the flow of water thus making the concrete permanently water-tight and increasing compressive strength by 25%. AQUAFIN-IC ADMIX has the following characteristics:

- Liquid for easier homogenous mixing and no clumping
- · Resists extreme head pressure 460 ft or 200 psi
- Seals hairline cracks up to 1/64"
- integral part of the concrete
- Allows concrete to breathe
- Max. water/cement ratio 0.55 before adding AQUAFIN-IC ADMIX
- Negligible effect on water reducers, plasticizers, slump, air entrainment
- 0 VOC & Non toxic
- Non-chloride, non-corrosive to steel
- Working temperature >40° F
- PH 10-12

ASPHALT REPAIR & PATCHING

4.1 IMCO TECHNOLOGIES INC., PERMANENT ASPHALT REPAIR 800 or "Approved Equal".

PERMANENT ASPHALT REPAIR has a unique formulation designed to achieve optimum performance all year long in any weather condition with one product. It permanently repairs any holes in asphalt or concrete, in all types of weather even wet, freezing or extreme heat conditions. Formulation is premixed and ready to use, no primer required. PERMANENT ASPHALT REPAIR has the following physical properties:

Asphalt Content:

5.2%

ASTM D2172-92

Static Stripping:

95-100%

ASTM D1664-80

Kinetic Stripping: 95%

OPSS 1153-02-01

Shelf Life:

1 Year

Coverage:

10 lbs/sf. @ 1" lift, 1.4 tons/cv

5. **JOINT SEALANT**

5.1 DOW CORNING® 888 SILICONE JOINT SEALANT or "Approved Equal".

DOW CORNING® 888 silicone joint sealant is a one-part, cold applied silicone that cures to a durable flexible, low-modulus silicone rubber joint sealant for new and remedial joint sealing applications in Portland cement concrete. DOW CORNING® 888 has the following physical properties:

Color:

Gray

Specific Gravity:

1.450-1.515

Skin-Over Time:

10 min. @ 77° F

Tack-Free Time:

60 min. @ 77° F

Cure Time:

7-24 days @ 77° F

Full Adhesion:

14-21 days

After 7 day cure @ 77° F & 50% RH

1200%

Elongation Minimum: Modulus @ 150%

+100/-50%, 10 Cycles: No Failure

Adhesion to Concrete

Minimum Elongation: +500%

5.2 DOW CORNING® 890-SL SILICONE JOINT SEALANT or "Approved Equal".

DOW CORNING® 890-SL Self-Leveling Silicone Joint Sealant is a one-part, cold applied, self-leveling silicone material that cures to an ultra-low-modulus silicone rubber upon exposure to atmospheric moisture. Sealant can be used for new and remedial joint sealing applications in Portland cement concrete and asphalt. DOW CORNING® 890-SL has the following physical properties:

Color:

Dark Gray

Flow, Sag. Slump: Self-Leveling

Percent Solids:

96% min 1.26-1.34

Specific Gravity: Skin-Over Time:

60 min. @ 77° F

Cure Time:

14 days @ 77° F

Full Adhesion:

14-21 days

After 21 day cure @ 77° F & 50% RH **Elongation Minimum:**

1400%

Modulus @ 50%

Elongation Maximum: 7 psi

Modulus @ 100%

Elongation Maximum: 8 psi

Modulus @ 150%

Elongation Maximum: 9 psi

Durometer Hardness

Shore A:

15-25 points

Joint Movement Capability

No Failure

+100/-50%, 10 Cycles: Adhesion to Concrete

Minimum Elongation:

+600%

Adhesion to Asphait

Minimum Elongation:

+600%

6. **CONTRACT REQUIREMENTS**

The purpose of this contract is to establish unit prices for Items 1 thru 17, which are to be used as the basis for requisition of materials for the repair and maintenance of silicone. asphalt, and concrete. All components bid as equal, must prove they are equal, through supporting research and analysis of composition to the satisfaction of the West Virginia Department of Transportation, Division of Highways. At the discretion of the West Virginia

Department of Transportation, Division of Highways, items bid as equal may be required to undergo a performance evaluation, under field conditions, to assure performance before being accepted as equal.

Bid price for Items 1 thru 17 shall be "F.O.B." Division of Highways storage sites as indicated on the Approved State Contract Purchase Order (SCO). Refer to bid schedule for a listing of the Division of Highways storage sites.

Vendor may bid any or all items on the bid schedule. However, the amount bid on any one item may be conditioned on the acceptance of the bid on any other item.

Any qualification of bids or modification of the specification or conditions governing the bid may be cause to reject bids.

Any vendor bidding on items in this contract shall supply technical support and on site instructional training in the proper use and application of their products. The vendor shall also provide on site evaluation of all products bid in the event of product failure or performance problems to ascertain the cause and recommend remedial action. The vendor shall provide this support to all Districts and Maintenance Division when requested, in a timely manner (within three working days) from time of request.

7. CONTRACT AWARD

Contract shall be awarded on any Individual Item basis.

In the event a Vendor fails to conform to the requirements of this contract document or the governing specifications the contract may be canceled and re-awarded to the next lowest bidder.

8. <u>DELIVERY</u>

Upon receipt of a State Contract Order (SCO) the requested item(s) shall be delivered or available for Division of Highways pick-up within fifteen (15) calendar days.

9. VENDOR'S INVOICE

Vendor's invoice must be submitted in original and one (1) copy and contain the following:

- a. Division of Highways' State Contract Order (SCO) Number and this contract number.
- b. Total quantity and unit price with the extended total cost of each item purchased.

Under no circumstances will the West Virginia Division of Highways accept, or pay for quantities in excess of the quantities stated on the State Contract Order.

Districts 1-10 & Maintenance Div.	ę	1.
SSI Flexpatch Polymer Patching or "Approved Equal"	NA per Unit	PIF per 30 Unit Lot
2. SSI Winter Grade <u>Flexpatch</u> Polymer Patching or "Approved Equal"	N A per Unit	Per 30 Unit Lot
SSI Deckseal Polymer Deck Sealant or "Approved Equal"	<u>V I</u> per 2 gal	NA per 10 gal
4. SSI RE-DECK Skid Resistant Overlay or "Approved Equal"	NA per 2 gal	per 12 Lot-10 gal ea
5. IMCO® MG-KRETE™ Regular & Fine or "Approved Equal"	NA per Kit	P Per 40 Kit Lot
6. IMCO® MG-KRETE™ Flex Regular & Fine or "Approved Equal"	<u>UIA</u> per Kit	Per 40 Kit Lot
7. IMCO® High Temp. Retarder Regular & Fine or "Approved Equal"	NA per gal	NA per 5 gal
8. IMCO® Low Temp. Accelerator Regular & Fine or "Approved Equal"	NA per gal	NA per 5 gal
9. IMCO® D-Tech 470 Sealer or "Approved Equal"	VA per 5 gal	NA per 12 Lot-5 gal ea
10. IMCO® Permanent Asphalt Repair 800 or "Approved Equal"	Per 50 lb bag	NA per 40 bag Lot
* *	\$48.89 per 5 gal	불 <u>1,760.01</u> per 36 Lot-5 gal ea
12. CERATECH Pavemend 15.0 S Rapid Repair Mortar or "Approved Equal"	418.89 per 5 gal	\$1,760.01per 36 Lot-5 gal ea

- Unit equals 1 cubic foot Kit equals 50lb (45lb Fine) bag Part A, 1 gal Part B

10. <u>BID SCHEDULE</u> (Continued)
Division of Highways Storage Sites
Districts 1-10 & Maintenance Div.

ITEM/UNIT PRICE

- 13. CERATECH Pavemend VR Repair Mortar or "Approved Equal"
- 14. AQUAFIN, INC. Aquafin-IC Admix or "Approved Equal"
- 15. Kansas Blend FLINT for SSI RE-DECK or "Approved Equal"
- 16. DOW CORNING® 888
 Silicone Joint Sealant
 or "Approved Equal"
- 17. DOW CORNING® 890 Silicone Joint Sealant or "Approved Equal"

48.89 per 5 gal

₽.

\$1,760.04per 36 Lot-5 gal ea

N/A per 6 ga

ΝΔ per 12 Lot-6 gal ea

N A per 80 lb bag

NA per 36 bag Lot

N | A per box (6-29 fl oz disposable cartridges)

N A per box (6-29 fl oz disposable cartridges)

Division of Highways Storage Sites

District One 1334 Smith Street Charleston, WV 25301

District Two P.O. Box 880 Huntington, WV 25712

District Three 624 Depot Street Parkersburg, WV 26101

District Four P. O. Box 4220 Clarksburg, WV 26302-4220

District Five P.O. Box 99 (US Route 50) Burlington, WV 26710

District Six
1 DOT Drive
Moundsville, WV 26041

District Seven P.O. Box 1228 Weston, WV 26452

District Eight US Route 219 North P.O. Box 1516 Elkins, WV 26241

District Nine 103 1/2 Church Street Lewisburg, WV 24901

District Ten 270 Hardwood Lane Princeton, WV 24740

Maintenance Division I-79 Exit 57 Coon Knob, WV 26601

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit **www.state.wv.us/admin/purchase/privacy** for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: <u>FN</u>	<u>JIRONMONTA</u>	L Solut	IONS	INC.	
Authorized Signature:	1 unes P	Maris.	_ Date:	8/7/07	
Purchasing Affidavit (Revised 04/	11510/1)			,	