

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

### Request for Quotation

708EC009

PAGE \_

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN

MICHAEL AUSTIN 304-558-2402

req copy type name/address here Henke Manufacturing Corp. 3070 Wilson Ave. Leavenwoth, KS 66048

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 304-4

01/16/ OPENING DATE		02/13/	2008			p T D	OPENING TIME	0.1	:30PM
LINE		<u>027 137</u> VIIIY	UOP	GAT. NO	ITEM:NUME		UNIT PRICE	01	AMOUNT
01		1	EA		765-61		\$7,532.	_	71,532.00
	SNOWPL		RAULI	c)		7 Britania			
					11 FOOT PO ER THE ATT		VERSIBLE SPECIFICATION	1S.	
	STATE ST. EAS	CAPITO ST. CH E TO A	L COM ARLES TTEND	PLEX, TON,	BUILDING	15, 20 T 10:0	ERENCE AT THE 19 WASHINGTON D AM ON 01/3] JLT IN BID	i	
!	CLOSE (	OF BUS	INESS	(5:0	PM EST.) PURCHASI ATTENTIO	ON MO NG DIVI N: MICH HINGTON	IAEL AUSTIN I STREET EAST	08.	
	E- F <i>I</i> IT IS 1	MAIL: XX: THE VE	MICH 304-5 NDORS	AEL.D 558-4 RES	.AUSTINOWV 115 PONIBILITY	.GOV TO VER	OR REGULAR MARIES THAT THE	IR /	
di mini di la mangrapa and mang	EXHIBIT	7 2						ĵ.	88 MMR - 4 A 10
	YEAR OR	UNTIL	SUCH	AND E	EXTENDS FOR	R A PER	S EFFECTIVE IOD OF ONE ( EREAFTER AS ENEW THE	1)	ROPASHIE OLYMI DIR VALUE VV
TURE MICH SILL SAL	uel n	uni5		SEE REV	ERSE SIDE FOR TERI TEL		oitions 3- <i>682 <b>4000</b></i>	DATE	2/5/08
side Sal	es Mai	/ FEI	N Z	48-11	31942	-71-	1	ANGES	TO BE NOTED ABOVE



NOOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Part Office Part Follow Post Office Box 50130 Charleston, WV 25305-0130

708EC009

DRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

RFQ COPY TYPE NAME/ADDRESS HERE

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 **BRUSHY FORK ROAD** BUCKHANNON, WV 26201

DATE PRIN	TEO	TER	IMS OF SAL	€	SHIF	VIA	F.O.B.		FREIGHTTERMS	
01/16/										
BID OPENING DATE:	4	02/13/	2008			BID	OPENING TI	ME 0.	:30PM	
LINE	QUAI	NTITY	UOP	CAT NO	ITEMN	JMBER	UNIT PR	CE	AMOUNT	
	NOT EX TIME" ANY RE	CEED T THE VE ASON U	WELVE NDOR PON G	(12) T YAY IVING	MONTHS. ERMINATE	DURING THIS CO ECTOR OF	ME" PERIOD THIS "REA NTRACT FOR PURCHASIN	SONABLE		
	CONTRA	CT DOC	UMENT,	, THE	TERMS,	CONDITIO	TED IN THI NS, AND PR E CONTRACT	ICING		
	WRITTE SUBMIT DAYS PI BE IN	N CONS TED TO RIOR T ACCORD AL CON	ENT OF THE D THE ANCE W TRACT	THE DIREC EXPIN	SPENDING FOR OF PI RATION DA FHE TERMS	S UNIT A JRCHASIN ATE. SU S AND CO	UPON THE ND VENDOR, G THIRTY ( CH RENEWAL NDITIONS O TO TWO (2	30) SHALL F THE		
F 1	RIGHT T NOTICE SUPPLIE	TO CAN TO THE ED ARE	CEL TH E VEND OF AN	IS CO OR IF	NTRACT : THE CON RIOR QUA	MMEDIAT	ING RESERVELY UPON WES AND/OR SEDO NOT CONTRACT	RITTEN ERVICES NFORM	,	
, M E E	AUTHORI MARKET, ESTIMAT DIATE I (INCLUI	IZE A S , WITHOUTE, ITE DELIVER DING BL	SPENDI DUT TH EMS SP RY IN IT NOT	NG UN E FIL ECIFI EMERG	IIT TO PL ING OF A ED ON TH ENCIES I TED TO I	RCHASE ( REQUIS IS CONTI OUE TO U ELAYS I	JRCHASING I ON THE OPEI ITION OR CI RACT FOR II IFORESEEN ( I TRANSPOR LUME OF WOI	N DST MME- Causes Fation		
G A S	QUANTIT APPROXI STATE S THE CON	TIES: MATION SPENDIN	QUANT IS ONL IG UNI SHALL	ITIES Y, BA T. I COVE	LISTED SED ON E	IN THE F STIMATES ERSTOOD ANTITIES ERMS AND CON	REQUISITION SUPPLIES AND AGREEN ACTUALLY	V ARE BY THE D THAT		
GNATURE MC	MALL	MAN	>			TELEPHOTIS	-602-400	DATE (	41408	
TUGAR C	Jalous 1	May FEIN	UG	-113	19UZ	<u> </u>	ADDRESS	CHANGES	TO BE NOTED ABOVE	



VENDOR

RFO COPY

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

### Request for Quotation 708EC009

708EC009

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

TYPE NAME/ADDRESS HERE

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

DATE PRINTED TERMS OF SALE SHIP VIA	FOB.	FREIGHT TERMS
01/16/2008		
BID OPENING DATE: 02/13/2008 BID 0	PENING TIME 0	1:30PM
LINE QUANTITY UOP CAT. ITEM NUMBER	UNIT PRICE	AMOUNT
ORDERED FOR DELIVERY DURING THE TERM OF		
WHETHER MORE OR LESS THAN THE QUANTITIE	S SHOWN.	
ORDERING PROCEDURE: SPENDING UNIT(S) S	PUALL TOCUE A	-
WRITTEN EQUIPMENT CONTRACT ORDER (FORM		
FOR COMMODITIES COVERED BY THIS CONTRACT		
WV-35 MUST BE SENT TO THE PURCHASING DI		
· · · · · · · · · · · · · · · · · · ·	FTER APPROVAL	
AND ENCUMBRANCE, ONE COPY OF THE PURCHA		1
BE RETURNED TO THE SPENDING UNIT AND ON		
WARDED TO THE VENDOR AS AUTHORIZATION F		
NO ORDER IS VALID UNLESS APPROVED AND E	NCUMBERED	
BY THE PURCHASING DIVISION.		,
		}
BANKRUPTCY: IN THE EVENT THE VENDOR/CD		
FOR BANKRUPTCY PROTECTION, THIS CONTRAC		
CALLY NULL AND VOID, AND IS TERMINATED	WITHOUT FURTHER	
ORDER.		
DEM 0.000		
REV. 9/98	•	
EXHIBIT 6		Diegra A.L.
PRICE ADJUSTMENT PROVISION:		
THE STATE OF WEST VIRGINIA WILL CONSIDER	R BIDS THAT	
CONTAIN PROVISIONS FOR PRICE ADJUSTMENTS	S PRIOR TO THE	
ORIGINAL EXPIRATION OF THE CONTRACT, PRO	OVIDED THAT	]
SUCH PRICE ADJUSTMENT COVERS BOTH UPWARD		
MOVEMENT OF THE COMMODITY PRICE, AND THA		
IS BASED ON THE "PASS THROUGH" INCREASE		
RAW MATERIALS AND/OR LABOR, WHICH MAKE (		
SUBSTANTIAL PART OF A PRODUCT. ADJUSTME		
BASED UPON AN ACTUAL DOLLAR FIGURE, NOT ALL PRICE ADJUSTMENT REQUESTS MUST BE SU		
A MANNER ACCEPTABLE TO THE DIRECTOR PURC		
SEE REVERSE SIDE FOR TERMS AND COND.		
	6829000 DATE	2112108
Phoideballs Mar FEIN 48-1131942	ADDRESS CHANGES	TO BE NOTED ABOVE



NOUZE

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

### Request for Quotation

708EC009

DRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN

304-558-2402

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

DATE PRINT		TE	RMS OF S	ALE		HIP VIA	F	0.8		FREIGHT TEAMS	
01/16/2 OPENING DATE:	2008	00/17	/2000			BIB	ODENTHO	7745	07.13	7.004	
	***************************************	02/13/	\$0.000 W	CAT	100000000000000000000000000000000000000		OPENING		01:3		88338
LINE	QUA	NTITY	UOP	NO:	ITE)	ANUMBER	UNI	TPRICE	****	AMOUNT	
; ; ; ; ; ; ;	PUBLIS SHOULE PURCHA DATE O PRICE ACCEPT ACCORE	SHED PROPERTY OF THE ADJUST	ICE CEIVI T LE INCRI MENT RICE OR RI	LISTS. ED IN AST 30 EASE. THE ADJUS	SUCH WRITING DAYS 1 ANY TI PURCHAS TMENT A	IERAL MARK REQUESTS BY THE D IN ADVANCE ME THE VE SING DIVIS AND AMEND	FOR AND IRECTOR OF THE NDOR REC ION MAY THE CONT	INCREAS OF EFFECTI UESTS A EITHER TRACT	VE		
E	EXHIBI	T 10		The state of the s	REQ	UISITION	NO.: 70	8ECO	09		
A	ADDEND	UM ACK	NOWLE	DGEME	NT						
Δ	ADDEND	UM(S)	AND F	AVE M	ADE THE	OF THE FO NECESSAR ICATION,	Y REVISI				
A	DDEND	UM ND.	'S:								
N	10. 1	ye.	?.								
N	10. 2	. N V.	• •								
N	10. 3		• •				•				
N	10. 4	• • • • •		The second secon						•	
N	10.5		• •	tarvamentamentamentamentamentamentamentament							
						CONFIRM T			HE		
ATURE A	clan f	Q W	کی ک	SEE REV	ERSE SIDE FO	R TERMS AND CON	DITIONS	ADDA DAT	 E //	นาเส	
						TELEPHONE	3'08 V	טעעד	U	W M O B	
Wordle	CALLAC	· May FE	eN.	48 - 1	131941	The same of the sa	ADDI	RESS CHANG	ES TO	BE NOTED ABOVE	



ABNOOR.

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

MIC

708EC009

RESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

RFQ COPY TYPE NAME/ADDRESS HERE

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

DATE PRINTE	D	TE	MS OF SAI	Ē	SHIP	VIA	F.O.	В	FREIGHTTERMS
01/16/2	800			****					
BID OPENING DATE:	Section in the section	02/13/	2008	housektee		BID	OPENING T	<u> TIME O</u>	1:30PM
LINE	QUAN	ITITY	UOP	CAT.	ITEM NU	Wer	UNIT	PRICE	AMOUNT
g a	-11505	MUGT	5. 545		DEDOTAND	THAT AN	V VEDBAL		
			3		DERSTAND ASSUMED		<b>S</b>	IC ANV	
					ETWEEN VE				
					L IS NOT				
					WRITING A				
					FFICIAL A			ING.	
						_	0.	**	
						whal	( Manis	5	
					••••	ет	GNATURE		*
					ı ı	I/a M	In Cam		·
					N.E.	nuc in	M. UV	,	united the second secon
						1	MPANY		***
						alal	A		Standards 47
			. •				<b>73</b>		***
						DĂ	TE		
RE	EV. 13	L/96		•		ļ			444
			VEND	DR PR	EFERENCE	CERTIFI	CATE		
				4001	TO 1 TT 0 11 11	TA 11505	DU MADE E	OD	
					ICATION*				la constitue de la constitue d
					CE WITH W Y TO CONS				
24	4-5-51	CDOE	S NOI	AFFL	T ID CONS	IKUCIIU	N CONTRAC	.13).	
Α.	ADE	T T CAT	TON T	CAM S	E FOR 2.5	% PREFE	RENCE FOR	THE	
1 -		CHECK	í	יואט כ	_ 1 01 2.43	~4 1 14 E-1 fm			
100		OII ZOI			-				
C	) E	IDDER	IS A	N IND	IVIDUAL R	ESIDENT	VENDOR A	.ND	PART AND
_	_				LY IN WES				
					PRECEDING				
		CATIO				į			
						1			
(					NERSHIP,				
TI	ION RE	SIDEN	T VEN	ODR A	ND HAS MA	INTAINE	D ITS HEA	D-	
	333333333333	************		SEEDE	ERSE SIDE FORT	ERMS AND CON	DITIONS		
IGNATURE IIA . A	<i>a 10</i> t	time					13-682	DATE DATE	2/12/08
TUGILLE	sec /	ywru.	<i>y</i>	<i>fr</i> **		9	•	<u> </u>	
Tucill Ca	IOC 1	Mar FE	$^{\text{\tiny IN}}$ $U$	V-11	71942		ADDRI	ESS CHANGES	S TO BE NOTED ABOVE



VENDOR

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

### Request for RECOURTER TO BECOURT

708EC009

ADDRESS CORRESPONDENCE TO ATTENTION OF:

MICHAEL AUSTIN 304-558-2402

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 **BRUSHY FORK ROAD** BUCKHANNON, WV

26201

DATE PRINT	ŒĎ	TEF	MS OF SAL	É	SHIP	VIA	FOR	FREIGHT TERMS	
01/16/	2008								
BID OPENING DATE:		02/13/	2008			BID	OPENING TIME	01:30PM	
LINE	QUA	NTITY	UOP	CAT NO.	ITEMNU	MBER	UNIT PRICE	AMOUNT	
;			1 1		L .		S CONTINUOUSLY	1	
							IATELY PRECEDI		
							OF THE OWNERS	SHIP	
i i			<del>}</del>				INDIVIDUAL,	unan	
1		-					N RESIDENT VEN	•	l
			!				PRINCIPAL PLA	1	
							NIA FOR FOUR (	(4)	
, ,		ICATIO		,	EDING THE	DAIL	L IUTS	a role and a second	
	CERITE	TCAITU	N, UK						
	( )	פשחחדם	TC A	CORP	NEATTON N	ONDECTO	ENT VENDOR		}
1 1				,			HICH EMPLOYS	f	ł
1							TS AND WHICH		
1 1		•	h		,		CIPAL PLACE OF	<u> </u>	
1				,			USLY FOR THE	***	
; ,			3				HE DATE OF THI	rs	
		ICATIO							İ
	J_1( 1 1 )	±0A.120		-					
	B. AP	PI TCAT	ION IS	S MAD	FOR 2.5	% PREFE	RENCE FOR THE		1
		CHECK	1						
				1					
	( )	BIDDER	IS A	RESI	DENT VEND	OR WHO	CERTIFIES THAT	٠ و ٦	
1	DURING	THE L	IFE OF	THE	CONTRACT	, ON AV	ERAGE AT LEAST	r	
1	75% OF	THE E	MPLOY	EES W	ORKING ON	THE PR	OJECT BEING BI	ID	
1	ARE RE	SIDENT	s of	VEST	VIRGINIA	WHO HAV	E RESIDED IN		
·	THE ST.	ATE CO	NTINUC	JUSLY	FOR THE	TWO YEA	RS IMMEDIATELY	<b>/</b>	
F	PRECED	ING SU	BMISS	EON OF	THIS BI	D;	•		
	3R	Ī	ĺ			•			}
3		i i	1	1		L	MPLOYING A		
					STATE RE				******
							R SUBSIDIARY		-
							INCIPAL PLACE		1
							YING A MINIMUM		
							TIFIES THAT,		ŀ
							ERAGE AT LEAST		1
7	75% OF	THE E	1PLOYE	ES OF	R BIDDERS	· AFFIL	IATE'S OR		
	A			SEE REV	ERSE SIDE FOR TO				
SIGNATURE MYO	MUL	wow	<b>&gt;</b>			TELEPHONE /	3682 9000	DATE 2/12/08	
Tysilla	rees 1	An FE	H	8-11-	31992		ADDRESS CHAN	NGES TO BE NOTED ABOVE	



MODS/

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia

Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Roy 50120 Post Office Box 50130 Charleston, WV 25305-0130

708EC009

MICHAEL AUSTIN 304-558-2402

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV

26201

304-472-1750

ADDRESS CORRESPONDENCE TO ATTENJION OF:

DATE PRINTE	D	TERA	MS OF SALE	SHIP VIA	FOB.	FREIGHT TERMS
01/16/2	·····					
BID OPENING DATE:	*************	2/13/2		BID	OPENING TIME	01:30PM
LINE	QUAN	TITY	UCP CAT	ITEM NUMBER	UNITPRICE	AMOUNT
c	HESTO	ADVIC	EMPLOVEES	ARE RESIDENTS O	E WEST VIRGINIA	
! }		1		E STATE CONTINUO	t .	!
1 5		- 1		EDING SUBMISSION	ł .	
		.				
В	IDDER	UNDERS	STANDS IF	THE SECRETARY OF	TAX & REVENUE	
		3		ER RECEIVING PRE	<b>)</b>	
1				MEET THE REQUIRE		
· · · · · · · · · · · · · · · · · · ·		_		ARY MAY ORDER TH		
F		ING TO		SCIND THE CONTRA	f .	
		<b>1</b>		SSESS A PENALTY T TO EXCEED 5% O		<b>.</b>
				WILL BE PAID TO		
1			1	M ANY UNPAID BAL	!	
1		1	URCHASE C	3		
B	Y SUBM	ISSION	OF THIS	CERTIFICATE, BID	DER AGREES TO	
				Y REQUESTED INFO		
				D AUTHORIZES THE		
1			3	CLOSE TO THE DIR		
			4	INFORMATION VER		The same of the sa
				QUIRED BUSINESS DOES NOT CONTAIN		
				ER INFORMATION D		
				FIDENTIAL.	CCHED D: INC (A)	
0	5.11.200				•	nah
u	NDER P	ENALTY	OF LAW F	OR FALSE SWEARIN	G (WEST VIRGINIA	1
C	ODE 61	-5-3),	BIDDER H	EREBY CERTIFIES	THAT THIS	, and a second
				D ACCURATE IN AL		
,			1	ISSUED TO BIDDER		}
E E		1	1	CERTIFICATE CHAN		
				BIDDER WILL NOTI		West
P	URCHAS	ING DI	ATZTON IN	WRITING IMMEDIA		
			į .	MAICHALL	1 Morris .	For
			BIDDE	R:		·-  .
					HOMEVA MA	nulaeturing corp
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	30.200.000		tense olde ean strowne and		Male
GIGNATURE MICH	nel	MUNI	SEERE	VERSE SIDE FOR TERMS AND COM TELEPHON	3682 GOV DATE	2/12/08
TENE BAL	401	An FEN	110-1	131942		S TO BE MOTED ABOVE
MUIL 7	ree/s	THE THE	(0 '	7117	AUDHESS CHANG	ES TO BE NOTED ABOVE



と日本日の氏

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

### Request for Quotation 708FC009

708EC009

DORESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN

304-558-2402

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

DATE PRIN	TED	TE	RMS OF SA	LE	SHIP VIA	FOB.	FREIGHT-TERMS
01/16/							
BID OPENING DATE	:	02/13/	2008	40.000.000	BID	OPENING TIME O	1:30PM
UNE	QUA	NTHY	UOP	CAT NO	ITEM NUMBER	UNITPRICE	AMOUNT
			1		_		
					polala		
				DATE:	2 100	Monis Sales Mgr.	
			}	DAIL.	1 1 - 1	14. 50	
		•			VANCAMAX	MM S	
				SIGNE	D:		-
			ļ		1 110/	CAROC MAL.	
					mial	ances ingy.	
				TITLE	: <u>-</u>		-
					N OF PREFERENCE		
					OR BOTH "A" AND E. YOU MAY REQU		
					FOR BOTH "A" AND		
	(REV.		3	CHCE	ruk bula a and	<b>B</b> •	
	CKLV.	12/00/					va de constante de
			·	NOT	ICE		
	A SIGN	ED BID	MUST	BE S	UBMITTED TO:		
					,		
	D	EPARTM	ENT O	F ADM	INISTRATION		
	P	URCHAS	ING D	IVISI	אס		
	1	UILDIN					
					TREET, EAST		
	C	HARLES	TON,	WV 2	5305-0130		The state of the s
	TUE BY	D 011011			THIS THEODISTIC	u ou the eace of	The second secon
					THIS INFORMATIO D MAY NOT BE CON		
	IHE EN	VELUPE	ו אט	UE 91	D MAT NOT BE CON	SINEKED:	na exercise
	SEALED	RTN					3
ļ		222	-		THE COLUMN TO TH	•	
					***************************************	•	
	BUYER:				33		
ļ			,				
	RFQ. N	0.:		j	708EC00 <del>9</del>		
	BID OP	ENING	DATE:		02/13/20	08.	
		************		 	/ERSE SIDE FOR TERMS AND COM	DITIONS	
SIGNATURE MICE	ta d	111m	, (		TELEPHON <b>S//</b>		2/12/18
- WULU		yvviy y	<u> </u>	100 -	may	7600	MINION
MONAL CA	us i	MY:	H.A.	48-	117177	ADDRESS CHANGE	S TO BE NOTED ABOVE



VENCOR

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

### Request for REQUIMBER 708EC00

708EC009

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

DATE PRIN	TED	TER	MS OF SA	E	S	HIP VIA		0.8	FREIGHT TERMS
01/16/ BID OPENING DATE:									
	Incres consecution	02/13/		CAT	100000000000000000000000000000000000000	BID	OPENING		01:30PM
LINE	QUAR	TITY	UOP	NO	ITEM	NUMBER	UN	ITPRICE	AMOUNT
	BID OP	ENING	TIME:			1:30 PM			
	PLEASE TO CON	PROVI TACT Y	DE A OU RE	FAX N GARDI	NG YOUR	N CASE IT BID: -682-0	1	ESSARY ,	
	CONTAC	r pers	ON (P	LEASE <b>Nì</b>	PRINT ACL V	clearly): MoviS			
	****	THIS	IS T	HE EN	D OF RF	Q 708EC	009 ***	←** TOTAL	· \$7,532.0
-	·		Litan-ophila ya miyayida yaga u mayay mayayana kaba a sa						
				And The Control of th					
		-							
COMMITTIES 13 -	· ela c al	) - Mass		SEE REV	ERSE SIDE FOI	R TERMS AND CON		DATE	2/2/2
IGNATURE MI	wyex	IVV))	<u> </u>	. 80	112 15	117	36829	000	PIIRIVO
Middle "	rales	my "	 !4	46-	113199	42	ADE	RESS CHANGE	S TO BE NOTED ABOVE



2000

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130

Charleston, WV 25305-0130

WV PURCHASING ACA SECT Fax 304-558-4115 **Hequest for**BEON Quotation

Feb 12 2008 09:16am P001/002

708EC009

**\*623134258** 913-682-9000 HENKE MANUFACTURING CORPORATIO 3070 WILSON AVE

LEAVENWORTH KS 66048

ADDRESS CORRESPONDENCE TO ATTENTION OF: MICHAEL AUSTIN 304-558-2402

DIVISION OF HIGHWAYS SHIP **EQUIPMENT DIVISION** ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV

DATE PRIN	TED	i tér	MS OF SAI	E STATE	SHI	⊃ <b>1/1</b> Δ	1 1 1 1 1 1 1 1 1 1 1 1 1	O'B	EBEIGHTTERMS
02/11/	2008				3.0	<u> </u>			FORIOR SERMS
BID OPENING DATE:		02/13/	2008		<u>i</u>	DID	OPENING	TIME 0	1.7004
LINE	QUA	NTITY	UOP	CAT. NO.	ITEM N	UMBER	1 Table 1 1 Table 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TPAICE	1:30PM
			A	DDEND	UM NO. 1		and a state of the		
***************************************	BID OF	ENING	DATE	AND T	IME CHAN	GED			
	FROM:	02/13	/08 A	T 1:3	0 P.M.				
	<b>T</b> O:	POSTP	ONE U	NTIL	FURTHER	NOTICE			And the colors are
	NO OTH	ER CHA	NGES						
0001		1	EA		765-61				
	SNOWPL	OW(HYD	RAULI	2)					
The state of the s	****	THIS	IS T	HE EN	ð ÓF RFQ	708 <b>E</b> C	009 ***	** TOTAL	<u> </u>
		A Carlo	distribution of the state of th		ı				
				·					
		The second secon							
SIGNATURE MICH	mel 1	Monis	7	SEE REVE	RSE SIDE FOR T	ERMS AND CON		7000 DATE	2/12/08
Inside Gu	unm	Ir FEI		18-11	31942				TO BE NOTED ABOVE



State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

708EC009

MICHAEL AUSTIN 304-558-2402

913-682-9000 \*623134258 HENKE MANUFACTURING CORPORATIO 3070 WILSON AVE

LEAVENWORTH KS 66048

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 304-472-1750 26201

SHIP VIA ROJB. PREIGHT TERMS DATE PRINTED TERMS OF SALE 02/25/2008 01:30PM BID OPENING TIME BID OPENING DATE: 03/05/2008 AMOUNT: CAT, UNIT PRICE ITEM NUMBER LOF QUANTITY LINE ADDENDUM NO. 2 CHANGES TO THE SPECIFICATIONS PER THE ATTACHED. BID OPENING DATE AND TIME CHANGED POSTPONE UNTIL FURTHER NOTICE FROM: 03/05/08 AT 1:30 P.M. TO: NO OTHER CHANGES. 765-61 EΑ 0001 SNOWPLOW (HYDRAULIC) 708EC009 \*\*\*\*\* TOTAL: THIS IS THE END OF REQ \*\*\*\* SEE REVERSE SIDE FOR TERMS AND CONDITIONS ADDRESS CHANGES TO BE NOTED ABOVE 48-1131942

### ADDENDUM #2

#### 708EC009

#### OPEN END CONTRACT

### 10 FOOT OR 11 FOOT POWER REVERSIBLE SNOWPLOW (HYDRAULIC)

### CHANGES TO SPECIFICATIONS:

### FROM:

MANDATORY SPECIFICATIONS (1st Paragraph 1st Sentence Only-Rest Remains The 3.2 All specifications preceded by "shall and/or must" or are stated as a "minimum and/or maximum" are mandatory.

TO:

MANDATORY SPECIFICATIONS (1st Paragraph 1st Sentence Only-Rest Remains The 3.2 Same) All specifications preceded by "shall, will, and/or must" or are stated as a "minimum and/or maximum" are mandatory.

FROM:

DELIVERY: (2<sup>nd</sup> Paragraph 2<sup>nd</sup> Sentence Only – Rest Remains The Same) 4.2 Delivery is preferred within 135 days after receipt of purchase agreement.

TO:

DELIVERY: (2nd Paragraph 2nd Sentence Only - Rest Remains The Same) 4.2 Delivery is preferred within 135 days to 150 maximum days after receipt of purchase agreement.

ADD:

TRAINING (Add to End of 1st Paragraph) 6.3 NOTE: Training does not apply to these snowplows FROM:

SPECIFICATIONS OF THE QUOTED UNIT AS FOLLOWS: (4th Paragraph Only -7.0 Rest Remains the Same) The snowplow to be a Valk RV1142 Reversible Snowplow or equal

TO: SPECIFICATIONS OF THE QUOTED UNIT AS FOLLOWS: (4th Paragraph Only-7.0 Rest Remains the Same) The snowplow to be a Valk RV1142 11 Foot or RV1042 10 Foot Reversible Snowplow or equal

FROM:

7.1.7 Vertical Ribs: Minimum of six (6) vertical ribs, 1/2" by 3" formed steel with two (2) ribs at each binge point.

TO: 7.1.7 Vertical Ribs: Minimum of six (6) vertical ribs, 1/2" by 3" formed steel with two (2) ribs at each hinge point OR will accept one (1) full height rib and one (1) short rib that doubles the thickness at the hinge point as long as we have six (6) full height vertical ribs

FROM:

7.3.3 Tripping mechanism shall be equipped with external cushion spring for absorbing shock when moldboard returns to normal plowing position.

TO:

Tripping mechanism shall be equipped with external cushion spring for absorbing 7.3.3 shock when moldboard returns to normal plowing position OR will accept dual compression trip design spring assemblies

FROM:

Hydraulic power reverse mechanism shall include a dual cross-over relief 7.4.4.3 cushion valve rated at a minimum of 40 G.P.M.

TO:

Hydraulic power reverse mechanism shall include a dual cross-over relief 7.4.4.3 cushion valve rated at a minimum of 30 G.P.M. to be mounted on the push frame assembly and not on the hitch.

### FROM:

Paint: The entire unit to be painted in accordance with West Virginia Division of 7.10 Highways requirements as follows:

TO:

Paint: The entire unit to be painted or powder coated in accordance with West Virginia of 7.10 Highways requirements as follows:

### FROM:

All loose hardware to be in a separate container for each plow and shipped with each 7.12 plow.

TO:

All loose hardware to be in separate water tight containers, attached to and shipped with 7.12 each plow.

### ADDENDUM #2

### 708EC009

### OPEN END CONTRACT

### 10 FOOT OR 11 FOOT POWER REVERSIBLE SNOWPLOW (HYDRAULIC)

CHAN	GES TO BIDDER'S EVALUATION REPORT:
X3.2	NO CHANGE REQUIRED
DELIV X4.2.2	VERY: NO CHANGE REQUIRED
DELET X6.3	TE: TRAINING (1 <sup>st</sup> , 2 <sup>nd</sup> , 3 <sup>rd</sup> , 4 <sup>th</sup> Paragraphs – Paragraph 5 Remains) NOTE: Training does not apply to snowplows
FROM X7.0	SPECIFICATIONS OF THE QUOTED UNIT: (Change to Paragraph 8 Only – Rest `Remains the Same)  Manufacturer: Model:
TO: X7.0	SPECIFICATIONS OF THE QUOTED UNIT; (Change to Paragraph 8 Only – Rest `Remains the Same)
	10 Foot Manufacturer: Henke Model: 41R10IS WVOY
	10 Foot Manufacturer: Henke Model: 41R10IS WV08  11 Foot Manufacturer: Henke Model: 41R11IS WV08
FROM X7.1.7	

TO:	Number of vertical ribs 6 Formed steel 1/2 x 4 + tapered
X7.1.7	How many ribs at each hinge point?
	OR
	full height rib and short rib that doubles the thickness at the hinge point as long as we have six (6) full height vertical ribs
FROM:	Is tripping mechanism equipped with external cushion spring for absorbing
X7.3.3	shock? YESNO
TO: <b>X7.3.3</b>	Is tripping mechanism equipped with external cushion spring for absorbing
2274040	shock?NO OR
	Is it dual compression trip design spring assemblyYESNO
FROM:	Does hydraulic power reverse mechanism include a dual cross-over relief
X7.4.4.3	cushion valve? YES NO Rated at GPM
TO: X7,4,4.3	Does hydraulic power reverse mechanism include a dual cross-over relief
22,777	cushion valve? YES NO
	Rated atGPM Mounted on the push frame assembly and not on hitchYESNO
X7.10 Pain	t: NO CHANGE REQUIRED
FROM: X7.12 Will	all loose hardware be in separate containers for each plow and be shipped with each
plov	v? YES NO
	l all loose hardware be in separate water tight containers attached to and shipped with
each	plow? YESNO

### WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS EQUIPMENT DIVISION

### BIDDER'S EVALUATION REPORT

### PROCUREMENT SPECIFICATIONS NO. 021-2-C

### OPEN END CONTRACT 10 FOOT OR 11 FOOT POWER REVERSIBLE SNOWPLOW (HYDRAULIC)

NOTE TO BIDDER: Procurement Specification No. 021-2-C, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. Addendums in order, along with a summary of exception as a separate attachment, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISOUALIFICATION.

TAKEN ANG

	Reference Requisition No.:	
	Bidder's Name: Henke Manufacturing Corp.	
	Address: 3010 Wilson Ave. Ceavenwith, KS 66048	
	Telephone Number: 988-662-9010 xu2	
	Years Bidder has been registered to do business with the State of West Virginia: YR	S.
	Years Company has been an authorized dealer for proposed unit:  Via factory YRS	S.
X3.2	Have you complied with all mandatory specifications? YESNO	
X4.2 <b>X4.2.1</b>	DELIVERY:  Delivery date of completed representative unit:    160 - 180   Calendar Days After   Receipt of Purchase Agreement	
	2 Delivery date of balance of completed units: Calendar Days After Receipt of Purchase Agreemen	ıt

### X5.0 AWARD CRITERIA;

OPTION #1 – 10 FOOT  X5.1 Prices for plows in quantities of	1-10 11-20 21-30 31-40 41-50 51 and over	7,532. per unit 7,381. per unit 7,233. per unit 7,089. per unit 6,947. per unit 6,808. per unit
OPTION #2 - 11 FOOT  X5.1 Prices for plows in quantities of	1-10 11-20 21-30 31-40 41-50 51 and over	7,532. — per unit 7,381. — per unit 7,381. — per unit 7,384. — per unit 7,384. — per unit 8,447. — per unit per unit per unit

X6.0 SPECIFICATIONS - GENERAL

X6.1	Manufacturer.	. model	, series,	and o	date of	manuf	acture o	f propos	ed uni	t:
------	---------------	---------	-----------	-------	---------	-------	----------	----------	--------	----

	Is descriptive literature, fully describing proposed unit attached to your bid? YES
	If not, why?
2	Will the required number of service manuals, and complete parts list be delivered to the Equipment Division at Buckhannon upon completion of delivery of total units?  YES  No.

### EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH.

DESCRIPT	none snow	1 Plow		M	ake: Ten	le
М	ODEL: 4101	JIS WVUE		PU	IRCHASE AMOUN	te 7,532.0°
ENGINE:	MAKE:		MODEL:			
	HORSEPOWER:	****	CYLINDER: _	EN	IGINE SERIAL:	
	COOLING SYST	EM CAPACITY: _				
BELTS:	DESCRIPTION:			PART NUM		
GVW:		AXLE CAPAC	CITY: FRONT:			REAR:
TIRES:	FRONT MAKE &	z SIZE:				
	REAR MAKE &	SIZE:			······································	
DIMENSIO						LENGTH:
VENDOR O	CONTACT PERSO	N:			PHONE:	
PARTS:					~	
BATTERY	MAKE:		MODEL:		CCA:	
TOP OR SI	DE POST:		DIMENSIONS:	LENGTH	WIDTH	HEIGHT
SPARK PLI	UGS OR FUEL INJ	ECTORS MAKE:		PART#		
FUEL PUM	P OR INJECTION FOR MAKE: MAKE:	PUMP MAKE:		MODEL:		····
ALTERNA'	TOR MAKE:			PART#:		
STARTER I	MAKE:			PART#:		
TURBO CH	AKGER MAKE:	MODE	75	PAK! #:	ATTTC:/AAATTTA	T .
IKANS, MA	AKE:	MODE	M.:	MODEL	_ AUTO/MANUA	L:
HYDKAUL	IC PUMP MAKE:			MODEL:		
FILTERS	MAKE	PART NO.	LUBRI	CANT	MANUFACTU	RER TYPE
OIL			ENGIN	E		
AIR OUTER	₹ .			R STEERING		
UEL PRIM	R LARY			A T TT T (*)		
UEL SECO	IARY NDARY		DIFFE			
COOLANT			BRAKI	FLUID		·
IYDRAUL]			COOLA	NT		
OTHER			OTHER			

X6.3	TRAINING:
	Will training seminar be conducted on Preventive Maintenance, Operator and Mechanic Training  VESNO
	Will you conduct training with each purchase order against this open end contract?  YESNO
	Will training be conducted within 2 working days from the delivery of the pilot unit on the individual purchase order?  YESNO
	If NO, explain time frame
	Will an Operator's Manual be furnished directly to Training Academy prior to the delivery of the pilot?  YESNO
X6.4	If you are the successful vendor, will you furnish all training aids, i.e., videos, projectors, required in conducting the training?  YESNO
X6.4.1	Will all manuals, booklets, etc. explaining preventive maintenance, operator procedures, and service schedule be delivered with each unit?  YESNO  If NO, explain
X6.5	WARRANTY AND SERVICE POLICY
	Will the warranty and service you provide comply with all areas as stated in Section 6.5 of specifications YESNO
	Is warranty literature attached?YESNO
	Is a minimum two (2) year bumper to bumper basic parts and labor warranty included? YESNO
	Describe:
	Have you completed and submitted "Warranty and Service Policy Questionnaire" with your bid? YESNO

## THIS FORM MUST BE COMPLETED IN ITS ENTIRETY AND SUBMITTED WITH YOUR BID. (If additional lines are needed, make copies of form.)

1. De	fine the terms of the sta	ndard warranty. Atlached	If not offered, so	state. (Attach co	рру)	
2. De	fine warranty service to a facturer's representative L.H. Jona Morgan to	facility List na	DOH facilities a ame and location with 6000000000000000000000000000000000000	and warranty servior of manufacturer's	ce to be perfo s representativ	rmed at ve.
3. Lis know	t locations for parts invent.  L. H. Jo  Morgan Fo	nes agra		of West Virginia.	Also, list ava	ilability levels, if
	ring the term of warrant r will sell the parts to ov		tee discount to n	nanufacturer's pub	olished list pri	ce for parts that
А. В <i>.</i> С.	Terms: Net 60	Manufacturer's	published list pri published list pri published list pri	ce less:	% discount % discount % discount	
5. Du Highv	ring the term of warrant vays?	y, will all manuf		eering improveme		ted to Division of
6. Du	ring the term of warrant	y, list the guaran	teed rates charge	d for repair to the	unit.	
Α.	Shop Rate	\$	per mecha	nic hour		
В.	Travel Time Charge (Specify if one-way)	\$	per mecha ; port to port			see
C.	Mileage Charge (Specify if one-way	\$	per vehicle ; port to port			arranty statement
D.	Field Mechanic Rate	\$	per mechan	nic hour	/ U	a tatemen
E.	Specify period of time	that prices are in	n effect:			Dire
F	Surcharge for miscella	neous items:		% .		

X6.6	EVALUATION COMMITTEE REQUIREMENTS		
	Is all component specifications, product literature, component models p Committee bid determination?	orovided YES	for Evaluation NO
X6.7	Will all parts, equipment, accessories, material, design and perform specified herein, but which are necessary to provide a complete uni and conform in strength, quality of material, and quality of workm advertised and provided to the market in general by the unit indust	t, be fu anship try?	rnished with the unit
X6.7.1	Are all parts and accessories adequate and regularly supplied as stathose which may be duplications of specifications herein, and excepto be furnished?	andard t these YES	to be included except by specification are notNO
X6.7.2	Are all standard safety features that are required by Federal and S YES		
X7.0	SPECIFICATIONS OF THE QUOTED UNIT The bidder should complete the following schedule in order for the Divinit to the specifications. Should the bidder except a requirement, then the basis that such feature is not offered by the manufacturer. The Divindiscretion as to whether the bidder's substitution meets the requirements by the manufacturer. The Division will have the sole discretion as to will meet the requirements of the specifications.	such ex sion will s of the	sception may be only on labeled the sole specifications.
	Is the snowplow designed for mounting on a single axle or tandem dum YES	p truck	NO
	Is the snowplow capable of plowing to the right or left at and angle appright or left  YES	roximat	ely 35° discharging to the NO
	Does it have a center mounted trip spring leaving the plow area outside close to the pushing vehicle YES	the reve	ersing arc free for nesting NO
	Is it a straight blade type with an integral type snow shield YES		NO
	Will you supply the hose and fittings to connect both systems to the bumper  YES	valve l	ocated under the front NO
	Is the blade section type, made up of three (3) and four (4) foot sections having a tungsten carbide inserted cutting edge  YES	to total	10 feet or 11 feet wide, NO
	Manufacturer: Henke Model: 41R10	<u>I</u> S	Wod

_	•	20
X7.1 N	Moldboard:	
X7.1.1	Overall Width:	
X7.1.1.1	OPTION #1 – 10 Foot	
X7.1.1.2	OPTION #1 – 10 Foot YES NO OPTION #2 – 11 Foot YES NO	
X7.1.2	Overall height: inches	
X7.1.3	Moldboard construction:U.S. Gauge	
X7.1.4	Travel arc: ° each way; total °	
X7.1.5	Radius from leading edge to deepest part of moldboard face(8 inches deep.	
	Cutting edge angle from vertical 21 degrees	
X7.1.6	Weight of plow: 10 foot 1892 Lbs. 11 foot 1963 Lbs.	
X7.1.7	Number of vertical ribs 8 Formed steel 12x4 tapered	
	Weight of plow: 10 foot 1892 Lbs. 11 foot 1963 Lbs.  Number of vertical ribs 8 Formed steel 12x4 tapered  How many ribs at each hinge point? (1) 1" reinforced	
X7.1.8		
	Is an additional rubber snow shield provided?YESNO Size of belting	
	Mounted so it won't add to overall height? YESNO	
X7.1.9	Reinforcement constructed of steel and spaced per manufacturer's heavy duty design?	
	Number of vertical ribs: 8 Number of horizontal ribs: 3×3" angle reinfor	cerat
X7.1.10	Painforced at top and hottom edges?	
	Top of moldboard reinforced with integrally formed channel?  YESNO	rvale
	Bottom back up anglexxy angle gusseted.	, —
X7.2 Ct	utting Edge:	
X7.2.1	Sectioned, standard AASHO punched, in three (3) foot and four (4) foot lengths?  YES NO	

X7.2.2	Blade Sections:
X7.2.2.1	insert of approximately 88 Rockwell A scale hardness?  YES NO
X7.2.2.2	Insert silver soldered on all sides of a milled slot near the center of the working edge?  YESNO
X7.2.2.3	Braze joint transverse rupture strength: PSI
X7.2.2.4	Blade section identifiable by manufacturer, name and part number stamped on the reverse side of each section?  YESNO
X7.2.2.5	Will wrap around curb guards be mounted on right and left side of plow YES NO
X7.2.2.6	5k L a
X7.3 Sa X7.3.1	afety Trip Mechanism:  Tripping mechanism attached to trunnion on semi-circle YES NO and fully enclosed?  YES NO
X7.3.2	Are springs dual enclosed cylinder type trip springs? YESNO
X7.3.3	Is tripping mechanism equipped with external cushion spring for absorbing shock?  YESNO
X7.3.4	Does the trip mechanism hold the plow rigid in plowing position and trip automatically when cutting edge comes in contact with an obstruction then returns to normal plowing position?  YESNO
	sh Frame: All welded construction designed per manufacturer's heavy duty specifications?  YESNO
X7.4.2	Number of hinges in moldboard to push frame connection? (4)
X7.4.3	Equipped with an oscillating feature to permit plow to follow uneven road surfaces?  YESNO
X7.4.3.1	Is push frame equipped with a quick hitch connection system? YESNO

X7.4.4 Hyd X7.4.4.1	raulic Power Reversing Mechanism:  Consist of two (2) double acting positive locking power reversing hydraulic cylinders fitted with the fixed base end in the center of the push frame?YES NO
X7.4.4.2	Cylinders four (4) inches inside diameter and piped to utilize power of both cylinders on every turn?  YESNO
X7.4.4.3	Does hydraulic power reverse mechanism include a dual cross-over relief cushion valve?  YES NO  Rated at GPM
X7.4.5 Sk X7.4.5.1	• • • • • • • • • • • • • • • • • • •
	One on each side YESNO
X7.4.5.2	Manufacturer's standard adjusting mechanism included? YES NO
	iversal heavy duty type designed to carry plows of weight specified when mounted on a 32,000 and class truck minimum?  YESNO
	mper to axle type universally adaptable to any conventional truck and to accommodate a tilt out end on the carrier?  YESNO
X7.5.2.1	Is hitch manufacturers quick hitch connection system for easy hook and unhook from plow push frame?  YESNO
X7.5.2.2	Does hitch include a lift systemYESNO
	Designed at a rated capacity of 8K+ lbs.
X7.5.3 Hit	ch to Bumper Attachment:
X7.5.3.1	Size of steel angle bolted to the channel bumper?  42 x 2/2 x 6 x 45
X7.5.3.2	Size of vertical flange on front of bumper? Inches
	Size of flange resting on top Inches
X7.5.3.3	Ears or lugs welded to the vertical plane of the angle to facilitate attachment of the main body of the hitch?  YESNO
X7.5.3.4	Axle end of hitch attached to the front axle by means of clamping arrangement?  YES NO

X7.5.3	.5 Axle clamp allows longitudinal motion but not vertical and horizontal motion?  YES NO
X7.5.4	Are the horizontal and vertical frames constructed of four (4) inch structural steel "H" beams or equal and properly gusseted and welded? YESNO
X7.6	Hydraulic System: Will you supply the following hydraulic componentsYESNO
X7.6.1	Provide one (1) 3" lift cylinder with 10" stroke double-acting hydraulic lift cylinder, clevis pinned to and bottom?  YESNO
X7.6.2	Provide two (2) four (4) inch double acting hydraulic reversing cylinders?  YESNO
X7.6.3	approximately ten (10) feet long? YESNO
	Is each hose equipped with the following YESNO
X7.6.3.	Each hose equipped with one (1) quick coupler at plow end with dust cap?  Manufacturer/Model:  Park  YES NO
X7.6.3.	Each hose equipped with two (2) crimp-type fittings with male JIC 370 threads (one (1) to mate with swivel and the other to mate with quick coupler? YESNO
X7.6 <b>.</b> 3.	Each hose equipped with one (1) JIC 370 - swivel - 90°elbow/male JIC 370?  YES NO
X7.6.3.	Each hose equipped with one (1) adaptor to mate bank valve port to JIC swivel?  YESNO
	Other Standard Features: List other standard features offered and not addressed above:
X7.8	Does the proposed unit meet or exceed the OSHA of 1970 and/or subsequent changes?  YESNO
X7.9	Is push frame and/or hitch assembly designed with regard to overall distance of truck to front of plow which would jeopardize truck balance?  YESNO

λ/.10 Paint:
X7.10.1 – X7.10.4 Describe proposed method of painting the unit:
Shot blast, prime, paint
Will unit be sandblasted prior to painting? YESNO
X7.10.5 Paint and undercoat for push frame and hitch Shut blast prime, paint
Will push frame and hitch be completely coveredYESNO
X7.11 Does the unit conform to the advertising guidelines?
X7.12 Will all loose hardware be in separate containers for each plow and be shipped with each plow?

<b>RFQ</b>	No.	708EC009

### STATE OF WEST VIRGINIA Purchasing Division

### **PURCHASING AFFIDAVIT**

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate

#### **DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name:	Henke manufacturin	g Com.		
Authorized Signature:	Middle Monis	Date:	2/7/08	

Purchasing Affidavit (Revised 06/15/07)

### **Henke Standard Warranty Policy**

Henke Manufacturing Corporation (HMC) warrants its products against defects in material and workmanship for a period of 24 months from date of delivery.

HMC, at its option will repair or replace any parts or components found to be defective in materials or workmanship.

Defects will be determined through photos provided by dealer or user, or through physical inspection of returned parts. Parts are to be returned freight prepaid when requested to HMC, labeled with a returned goods authorization number.

Authorization for warranty repair will be faxed to the reporting dealer, and will include labor hours that HMC agrees to credit the dealer, and the Return Goods Authorization Number, if applicable. Credit amounts for agreed labor hours will not exceed 70% of dealer shop selling rate. Mileage, travel time, overtime, or any incidental costs will not be included in warranty consideration. Credits will apply to current or future business with HMC.

This warranty does not include normal wear items such as cutting edges, wear guards, scarifier teeth, etc. Repairs required as a result of misapplication, accidental damage, improper maintenance, improper installation, or negligence are also not covered by warranty.

HMC warranty for any purchased components, such as hydraulic cylinders will be superceded by, and equal to the component manufacturer warranty.


SELLER IS NOT, UNDER ANY CIRCUMSTANCE, LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES. SELLER EXPRESSLY DISCLAIMS AND EXCLUDES ALL IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.


# HENKE


Henke Manufacturing Corporation


Made in the U

# "Por" Reversible TUCA Mounted SIDUPIONS










"i Plow" Dual External Compression Spring Trip



- Multiple Trip, Hitch, and Running Gear Options Available

Available in a Wide Range of Sizes and Configurations

- "Integral Snow Shield" Prevents Snow from Blowing Over Top of Plow Moldboard
- Double Acting Dual Reversing Hydraulic Cylinders
- Serviceable Chevron Style V-Gland Packed Cylinders
- Cutting Edge Conforms to AASTHO Punch Pattern

### Product Features:

- Available Lengths: 10, 11, 12
- Moldboard Heights: 36",41",48"
- ³/₁₀" Rolled Plate Steel
  - 31/2" x 31/2" x 1/2" Steel Circle Frame w/Positive Stops


lt Tough - Built to Last!

3070 Wilson • Leavenworth, KS 66048 • (913) 682-9000 • Fax (913) 682-0300 www.henkemfg.com • Toll Free 888-682-9010




Henke Manufacturing Corporation


# Henre Truck Hitches




闡闡 – Universal Quick Hitch ▲




**QGP** – Low Profile QCP Loop 🛦




DIN HIICH – Low Profile Bumper Hitch 🛕





**QL-LP** – Quick Link Low Profile A




**UM-IP-T** – Universal Hitch Low Profile w/ Tilt ▲









Additional Truck Hitch options available for custom installations.

3070 Wilson • Leavenworth, KS 66048 • (913) 682-9000 • Fax (913) 682-0300 • www.henkemfg.com

### Henke Reversible Snowplow Specifications

#### 41R11IS Moldboard

Moldboard shall be composed of smooth rolled 3/16" x 55" x 11ft steel plate welded to a minimum of (6) ½" x 4" curved vertical ribs. The ribs shall be plasma cut and tapered, with the top end welded to a 2" x 3" x 3/8" moldboard top angle, and the bottom end welded to a 1" thick steel bottom rib pivot reinforcement. This pivot reinforcement is to be welded to a 4" x 4" x 5/8" bottom angle. The bottom angle shall be reinforced with gussets between the cutting edge mount holes. The moldboard shall have an integral shield, which will constitute the moldboard face extending to approximately 19" forward of the cutting edge at a consistent radius. Moldboard height shall be 41" with an 8" cutting edge and full moldboard trip.

#### Circle Pushframe

The pushframe shall consist of a circle frame and pushbeam. The circle frame shall consist of a  $3\frac{1}{2}$ " x  $3\frac{1}{2}$ " x  $3\frac{1}{2}$ " steel angle rolled in an arc spanning 66", with two support legs each of  $3\frac{1}{2}$ " x  $3\frac{1}{2}$ " x  $3\frac{1}{2}$ " and the pushbeam. The pushbeam shall be composed of 4" x 4" x 3/8" square steel tube,  $85\frac{1}{2}$ " long. Eight ears of  $\frac{1}{2}$ " thick steel will be welded to the pushbeam for attaching to the moldboard at four of the bottom rib pivot reinforcements. The ears will be drilled to accept  $1\frac{1}{4}$ " pivot pins.

#### A-Frame

The A-frame will be constructed of 4" ship channel, welded to a 1" x 5" backplate. A 5/8" x  $3\frac{1}{2}$ " x 25" top plate welded to the A-frame serves as the circle frame hold down. The A-frame attaches to the circle assembly with a  $1\frac{1}{4}$ " grade 5 bolt installed through (2)  $\frac{1}{2}$ " thick ears welded to the A-frame.

#### Moldboard Trip

Moldboard Trip shall be an enclosed spring trip type. The enclosed spring trip consists of an outer housing, (2) inner compression springs, inner guide tube, inner shaft, rebound spring and trunion mount. The (outside) inner compression spring shall be 5 3/8" in diameter, 19 7/8" long, of ¾" wire, rated at 3,275lbs maximum compression. The (inside) inner compression spring shall be 3 3/8" in diameter, 19 5/8" long of 5/8" wire, rated at 3,300lbs maximum compression. Both springs shall be pre-stressed to approximately 1,100lbs. The inner shaft shall be 1 3/8" CR steel. The shaft end will be drilled to accept a 1" diameter moldboard connecting bolt. The rebound spring (located between the shaft end and the inner tube on the inner shaft) shall be 2 7/8" in diameter, 2 5/8" long, of ¾" wire, rated at 9,280lbs maximum compression. The enclosed spring trip assembly shall require a force of 6,600lbs to fully compress both inner springs.

### Paint

The plow shall be sand blasted according to commercial blast cleaning (SSPC-SP 6) to a white metal surface prior to priming and painting.