



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

|            |
|------------|
| RFQ NUMBER |
| 708EC015   |

|      |
|------|
| PAGE |
| 1    |

|  |
|--|
| ADDRESS CORRESPONDENCE TO ATTENTION OF |
| MICHAEL AUSTIN<br>304-558-2402         |

VENDOR

\*709051756 304-346-5301  
 WV TRACTOR COMPANY  
 PO BOX 473  
 CHARLESTON WV 25322

SHIP TO

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750

|              |               |          |            |               |
|--------------|---------------|----------|------------|---------------|
| DATE PRINTED | TERMS OF SALE | SHIP VIA | F.O.B.     | FREIGHT TERMS |
| 06/09/2008   | Net 30 Days   | Truck    | Buckhannon | Prepaid       |

BID OPENING DATE: 07/09/2008 BID OPENING TIME 01:30PM

| LINE  | QUANTITY | UOP | CAT NO | ITEM NUMBER | UNIT PRICE | AMOUNT |
|---|----------|-----|--------|-------------|------------|--------|
| 0001  | 1        | EA  |        | 765-59      |            |        |
| ADJUSTABLE ONE-WAY SNOWPLOW<br>AMERICAN ROAD MACHINERY 716<br>OPEN END CONTRACT<br>TO PROVIDE ADJUSTABLE ONE - WAY SNOWPLOW. PER THE ATTACHED SPECIFICATIONS.<br>THERE WILL BE A MANDATORY PRE-BID CONFERENCE AT THE STATE CAPITOL COMPLEX, BUILDING 15, CONFERENCE ROOM, AT 10:00 AM ON 06/25/08. FAILURE TO ATTEND THE PRE- BID CONFERENCE WILL RESULT IN BID DISQUALIFICATION.<br>QUESTIONS: MUST BE RECEIVED BY CLOSE OF BUSINESS ON THURSDAY 06/19/08 (5:00 PM EST) NO FURTHER QUESTIONS WILL BE ACCEPTED AFTER THE DATE STATED.<br>SEND YOUR QUESTIONS TO: PURCHASING DIVISION<br>ATTENTION MICHAEL AUSTIN<br>2019 WASHINGTON ST. E.<br>CHARLESTON, WV. 25305<br>QUESTIONS MAY BE SENT VIA FAX, EMAIL, OR REGULAR MAIL<br>EMAIL: MICHAEL.D.AUSTIN@WV.GOV<br>FAX: 304-558-4115<br>IT IS THE VENDORS RESPONSIBILITY TO VERIFY THAT THEIR QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402.<br>EXHIBIT 2<br>LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON |          |     |        |             |            |        |

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

|                 |                    |                                   |
|-----------------|--------------------|-----------------------------------|
| SIGNATURE       | TELEPHONE 346-5301 | DATE 8/5/08                       |
| TITLE President | FEIN 550621655     | ADDRESS CHANGES TO BE NOTED ABOVE |

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

|            |
|------------|
| RFQ NUMBER |
| 708EC015   |

|      |
|------|
| PAGE |
| 1    |

|  |
|--|
| ADDRESS CORRESPONDENCE TO ATTENTION OF |
| MICHAEL AUSTIN                         |
| 304-558-2402                           |

\*709051756                      304-346-5301

VENDOR

WV TRACTOR COMPANY  
 PO BOX 473  
 CHARLESTON WV 25322

SHIP TO

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201                      304-472-1750

|                                 |                              |                   |                      |                          |
|---------------------------------|------------------------------|-------------------|----------------------|--------------------------|
| DATE PRINTED<br>07/03/2008      | TERMS OF SALE<br>Net 30 Days | SHIP VIA<br>Truck | F.O.B.<br>Buckhannon | FREIGHT TERMS<br>Prepaid |
| BID OPENING DATE:<br>07/23/2008 | BID OPENING TIME             |                   |                      | 01:30PM                  |

| LINE   | QUANTITY | UOP | CAT. NO. | ITEM NUMBER | UNIT PRICE | AMOUNT |
|--|----------|-----|----------|-------------|------------|--------|
| ADDENDUM NO. 1   |          |     |          |             |            |        |
| BID OPENING DATE AND TIME CHANGED                        |          |     |          |             |            |        |
| FROM: 07/09/08 AT 1:30 P.M.                              |          |     |          |             |            |        |
| TO: 07/23/08 AT 1:30 P.M.                                |          |     |          |             |            |        |
| NO OTHER CHANGES   |          |     |          |             |            |        |
| 0001   | 1        | EA  |          | 765-59      |            |        |
| ADJUSTABLE ONE-WAY SNOWPLOW                              |          |     |          |             |            |        |
| ***** THIS IS THE END OF RFQ 708EC015 ***** TOTAL: _____ |          |     |          |             |            |        |

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

|                                  |                       |                                   |
|----------------------------------|-----------------------|-----------------------------------|
| SIGNATURE<br><i>Paul W. Gray</i> | TELEPHONE<br>346-5301 | DATE<br>8/5/08                    |
| TITLE<br>President               | FEIN<br>530621655     | ADDRESS CHANGES TO BE NOTED ABOVE |

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

|            |
|------------|
| RFQ NUMBER |
| 708EC015   |

|      |
|------|
| PAGE |
| 1    |

|   |
|---|
| ADDRESS CORRESPONDENCE TO ATTENTION OF: |
| MICHAEL AUSTIN<br>304-558-2402          |

\*709051756      304-346-5301

WV TRACTOR COMPANY  
 PO BOX 473

CHARLESTON WV 25322

VENDOR

SHIP TO

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201      304-472-1750

|                              |                              |                          |                      |                          |
|------------------------------|------------------------------|--------------------------|----------------------|--------------------------|
| DATE PRINTED<br>07/14/2008   | TERMS OF SALE<br>Net 30 Days | SHIP VIA<br>Truck        | F.O.B.<br>Buckhannon | FREIGHT TERMS<br>Prepaid |
| BID OPENING DATE: 07/23/2008 |                              | BID OPENING TIME 01:30PM |                      |                          |

| LINE   | QUANTITY | UOP | CAT. NO. | ITEM NUMBER | UNIT PRICE | AMOUNT |
|--|----------|-----|----------|-------------|------------|--------|
| ADDENDUM NO. 2   |          |     |          |             |            |        |
| CHANGES TO THE SPECIFICATIONS PER THE ATTACHED.        |          |     |          |             |            |        |
| BID OPENING DATE AND TIME REMAINS 07/23/08 @ 1:30 P.M. |          |     |          |             |            |        |
| NO OTHER CHANGES.                                      |          |     |          |             |            |        |
| 0001   | 1        | EA  |          | 765-59      |            |        |
| ADJUSTABLE ONE-WAY SNOWPLOW                            |          |     |          |             |            |        |
| ***** THIS IS THE END OF RFQ 708EC015 ***** TOTAL:     |          |     |          |             |            |        |

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

|                                  |                       |                                   |
|----------------------------------|-----------------------|-----------------------------------|
| SIGNATURE<br><i>Carlye Grady</i> | TELEPHONE<br>346-5301 | DATE<br>8/5/08                    |
| TITLE<br>President               | FAX<br>550621655      | ADDRESS CHANGES TO BE NOTED ABOVE |

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**708EC015**

PAGE  
**1**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
**MICHAEL AUSTIN  
 304-558-2402**

RFQ COPY  
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

**DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750**

| DATE PRINTED | TERMS OF SALE | SHIP VIA | FOB        | FREIGHT TERMS |
|--------------|---------------|----------|------------|---------------|
| 07/21/2008   | Net 30 Days   | Truck    | Buckhannon | Prepaid       |

BID OPENING DATE: **07/30/2008** BID OPENING TIME **01:30PM**

| LINE  | QUANTITY | UOP | CAT NO | ITEM NUMBER | UNIT PRICE | AMOUNT |
|---|----------|-----|--------|-------------|------------|--------|
| <b>ADDENDUM NO. 3</b>                                     |          |     |        |             |            |        |
| <b>BID OPENING DATE AND TIME CHANGED</b>                  |          |     |        |             |            |        |
| <b>FROM: 07/23/08 @1:30 P.M.</b>                          |          |     |        |             |            |        |
| <b>TO: 07/30/08 @1:30 P.M.</b>                            |          |     |        |             |            |        |
| <b>NO OTHER CHANGES</b>                                   |          |     |        |             |            |        |
| 0001  | 1        | EA  |        | 765-59      |            |        |
| <b>ADJUSTABLE ONE-WAY SNOWPLOW</b>                        |          |     |        |             |            |        |
| <b>***** THIS IS THE END OF RFQ 708EC015 ***** TOTAL:</b> |          |     |        |             |            |        |

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

|                                 |                       |                                   |
|---------------------------------|-----------------------|-----------------------------------|
| SIGNATURE<br><i>Steve Grady</i> | TELEPHONE<br>346-5301 | DATE<br>8/5/08                    |
| TITLE<br>Pres.                  | FEIN<br>550621655     | ADDRESS CHANGES TO BE NOTED ABOVE |

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER:  
**708EC015**

PAGE:  
**1**

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
**MICHAEL AUSTIN**  
**304-558-2402**

RFQ COPY  
 TYPE NAME/ADDRESS HERE

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750

| DATE PRINTED | TERMS OF SALE | SHIP VIA | FOB        | FREIGHT TERMS |
|--------------|---------------|----------|------------|---------------|
| 07/24/2008   | Net 30 Days   | Truck    | Buckhannon | Prepaid       |

BID OPENING DATE: **07/30/2008** BID OPENING TIME **01:30PM**

| LINE   | QUANTITY | UOP | CAT NO | ITEM NUMBER | UNIT PRICE | AMOUNT |
|--|----------|-----|--------|-------------|------------|--------|
| ADDENDUM NO. 4   |          |     |        |             |            |        |
| ADDENDUM NO. 2, ITEM 7.7 ADD: PICTURES AND SCHEMATIC ATTACHED. |          |     |        |             |            |        |
| BID OPENING DATE AND TIME REMAINS 07/30/08 @1:30 P.M.          |          |     |        |             |            |        |
| NO OTHER CHANGES.  |          |     |        |             |            |        |
| 0001   | 1        | EA  |        | 765-59      |            |        |
| ADJUSTABLE ONE-WAY SNOWPLOW                                    |          |     |        |             |            |        |
| ***** THIS IS THE END OF RFQ 708EC015 ***** TOTAL: _____       |          |     |        |             |            |        |

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

|                                |                       |                                   |
|--------------------------------|-----------------------|-----------------------------------|
| SIGNATURE<br><i>Gayle Gray</i> | TELEPHONE<br>346-5301 | DATE<br>8/5/08                    |
| TITLE<br>Pres.                 | FEIN<br>550621655     | ADDRESS CHANGES TO BE NOTED ABOVE |

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
 708EC015

PAGE  
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF  
 MICHAEL AUSTIN  
 304-558-2402

RFQ COPY  
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750

| DATE PRINTED                                       | TERMS OF SALE | SHIP VIA                 | FOB        | FREIGHT TERMS                     |                    |             |
|--|---------------|--------------------------|------------|-----------------------------------|--------------------|-------------|
| 07/25/2008   | Net 30 Days   | Truck                    | Buckhannon | Prepaid                           |                    |             |
| BID OPENING DATE: 08/06/2008                       |               | BID OPENING TIME 01:30PM |            |                                   |                    |             |
| LINE   | QUANTITY      | UOP                      | CAT. NO.   | ITEM NUMBER                       | UNIT PRICE         | AMOUNT      |
|  |               |                          |            | ADDENDUM NO. 5                    |                    |             |
|  |               |                          |            | BID OPENING DATE AND TIME CHANGED |                    |             |
|  |               |                          |            | FROM: 07/30/08 AT 1:30 P.M.       |                    |             |
|  |               |                          |            | TO: 08/06/08 AT 1:30 P.M.         |                    |             |
|  |               |                          |            | NO OTHER CHANGES                  |                    |             |
| 0001   |               | EA                       |            | 765-59                            |                    |             |
|  | 1             |                          |            | ADJUSTABLE ONE-WAY SNOWPLOW       |                    |             |
| ***** THIS IS THE END OF RFQ 708EC015 ***** TOTAL: |               |                          |            |                                   |                    |             |
| SIGNATURE <i>[Signature]</i>                       |               |                          |            |                                   | TELEPHONE 346-5301 | DATE 8/5/08 |
| TITLE Pres.  |               | FEIN 550821655           |            | ADDRESS CHANGES TO BE NOTED ABOVE |                    |             |

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**708EC015**

PAGE  
**1**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
**MICHAEL AUSTIN  
 304-558-2402**

RFQ COPY  
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

**DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750**

|                                   |                                     |                          |                          |                                 |
|-----------------------------------|-------------------------------------|--------------------------|--------------------------|---------------------------------|
| DATE PRINTED<br><b>07/28/2008</b> | TERMS OF SALE<br><b>Net 30 Days</b> | SHIP VIA<br><b>Truck</b> | FOB<br><b>Buckhannon</b> | FREIGHT TERMS<br><b>Prepaid</b> |
|-----------------------------------|-------------------------------------|--------------------------|--------------------------|---------------------------------|

BID OPENING DATE: **08/06/2008** BID OPENING TIME **01:30PM**

| LINE   | QUANTITY | UOF | CAT NO | ITEM NUMBER | UNIT PRICE | AMOUNT |
|--|----------|-----|--------|-------------|------------|--------|
| 0001   | 1        | EA  |        | 765-59      |            |        |
| ADDENDUM NO. 6<br>TO PROVIDE CORRECTED SCHEMATIC DRAWINGS ORIGINALLY PROVIDED ON ADDENDUM NO. 4<br>ADJUSTABLE ONE-WAY SNOWPLOW |          |     |        |             |            |        |
| ***** THIS IS THE END OF RFQ 708EC015 ***** TOTAL: _____   |          |     |        |             |            |        |

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

|                                    |                              |                                   |
|------------------------------------|------------------------------|-----------------------------------|
| SIGNATURE<br><i>Michael Austin</i> | TELEPHONE<br><b>346-5301</b> | DATE<br><b>8/5/08</b>             |
| TITLE<br><b>Pres.</b>              | FEIN<br><b>550621655</b>     | ADDRESS CHANGES TO BE NOTED ABOVE |

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**708EC015**

PAGE  
**2**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
**MICHAEL AUSTIN  
 304-558-2402**

**\*709051756 304-346-5301**  
**WV TRACTOR COMPANY**  
**PO BOX 473**  
  
**CHARLESTON WV 25322**

**DIVISION OF HIGHWAYS**  
**EQUIPMENT DIVISION**  
**ROUTE 33**  
**BRUSHY FORK ROAD**  
**BUCKHANNON, WV**  
**26201 304-472-1750**

| DATE PRINTED | TERMS OF SALE | SHIP VIA | FOB | FREIGHT TERMS |
|--------------|---------------|----------|-----|---------------|
| 06/09/2008   |               |          |     |               |

BID OPENING DATE: **07/09/2008** BID OPENING TIME **01:30PM**

| LINE  | QUANTITY | UOP | CAT. NO. | ITEM NUMBER | UNIT PRICE | AMOUNT |
|---|----------|-----|----------|-------------|------------|--------|
|   |          |     |          |             |            |        |
| <p>..... AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING THIRTY (30) DAYS WRITTEN NOTICE.</p> <p>UNLESS SPECIFIC PROVISIONS ARE STIPULATED IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS, AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.</p> <p>RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICE SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p>OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK).</p> <p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE</p> |          |     |          |             |            |        |

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

|           |           |                                   |
|-----------|-----------|-----------------------------------|
| SIGNATURE | TELEPHONE | DATE                              |
| TITLE     | FEIN      | ADDRESS CHANGES TO BE NOTED ABOVE |

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'





State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

|            |
|------------|
| RFQ NUMBER |
| 708EC015   |

|      |
|------|
| PAGE |
| 3    |

|  |
|--|
| ADDRESS CORRESPONDENCE TO ATTENTION OF |
| MICHAEL AUSTIN<br>304-558-2402         |

VENDOR

\*709051756      304-346-5301  
 WV TRACTOR COMPANY  
 PO BOX 473  
 CHARLESTON WV 25322

SHIP TO

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201      304-472-1750

|              |               |          |     |               |
|--------------|---------------|----------|-----|---------------|
| DATE PRINTED | TERMS OF SALE | SHIP VIA | FOB | FREIGHT TERMS |
| 06/09/2008   |               |          |     |               |

BID OPENING DATE: **07/09/2008**      BID OPENING TIME **01:30PM**

| LINE   | QUANTITY | UOP | CAT NO | ITEMNUMBER | UNIT PRICE | AMOUNT |
|--|----------|-----|--------|------------|------------|--------|
| <p>APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIES BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p> <p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN EQUIPMENT CONTRACT ORDER (FORM NUMBER WV-35) FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL WV-35 MUST BE SENT TO THE PURCHASING DIVISION OF THE DEPARTMENT OF ADMINISTRATION. AFTER APPROVAL AND ENCUMBRANCE, ONE COPY OF THE PURCHASE ORDER WILL BE RETURNED TO THE SPENDING UNIT AND ONE COPY FORWARDED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT. NO ORDER IS VALID UNLESS APPROVED AND ENCUMBERED BY THE PURCHASING DIVISION.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATICALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER.</p> <p>REV. 9/98</p> <p>EXHIBIT 10</p> <p>708EC015</p> <p>REQUISITION NO.: .....</p> <p>ADDENDUM ACKNOWLEDGEMENT</p> <p>I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.</p> <p>ADDENDUM NO.'S:</p> |          |     |        |            |            |        |

|   |           |                                   |
|---|-----------|-----------------------------------|
| SEE REVERSE SIDE FOR TERMS AND CONDITIONS |           |                                   |
| SIGNATURE                                 | TELEPHONE | DATE                              |
| TITLE                                     | FEIN      | ADDRESS CHANGES TO BE NOTED ABOVE |

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**708EC015**

PAGE  
**4**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
**MICHAEL AUSTIN  
 304-558-2402**

VENDOR

\*709051756      304-346-5301  
 WV TRACTOR COMPANY  
 PO BOX 473  
  
 CHARLESTON WV 25322

SHIP TO

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201      304-472-1750

|                                   |               |          |        |               |
|-----------------------------------|---------------|----------|--------|---------------|
| DATE PRINTED<br><b>06/09/2008</b> | TERMS OF SALE | SHIP VIA | F.O.B. | FREIGHT TERMS |
|-----------------------------------|---------------|----------|--------|---------------|

BID OPENING DATE: **07/09/2008**      BID OPENING TIME **01:30PM**

| LINE   | QUANTITY    | UOP | CAT. NO. | ITEM NUMBER | UNIT PRICE | AMOUNT |
|--|-------------|-----|----------|-------------|------------|--------|
|  | NO. 1 ..... | X   |          | NO: 6 ..... |            |        |
|  | NO. 2 ..... | X   |          |             |            |        |
|  | NO. 3 ..... | X   |          |             |            |        |
|  | NO. 4 ..... | X   |          |             |            |        |
|  | NO. 5 ..... | X   |          |             |            |        |
| <p>I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF TH<br/>           ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.</p> <p>VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL<br/>           REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY<br/>           ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES<br/>           AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE<br/>           INFORMATION ISSUED IN WRITING AND ADDED TO THE<br/>           SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.</p> <p style="text-align: center;"><i>Gayle Gray</i><br/>           .....<br/>           SIGNATURE</p> <p style="text-align: center;">West Virginia Tractor Company<br/>           .....<br/>           COMPANY</p> <p style="text-align: center;">8/5/08<br/>           .....<br/>           DATE</p> |             |     |          |             |            |        |
| REV. 11/96   |             |     |          |             |            |        |
| <b>VENDOR PREFERENCE CERTIFICATE</b>   |             |     |          |             |            |        |

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

|           |           |      |
|-----------|-----------|------|
| SIGNATURE | TELEPHONE | DATE |
|-----------|-----------|------|

|       |      |                                   |
|-------|------|-----------------------------------|
| TITLE | FEIN | ADDRESS CHANGES TO BE NOTED ABOVE |
|-------|------|-----------------------------------|

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**708EC015**

PAGE  
**5**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
**MICHAEL AUSTIN  
 304-558-2402**

**\*709051756 304-346-5301**  
**WV TRACTOR COMPANY**  
**PO BOX 473**  
**CHARLESTON WV 25322**

**DIVISION OF HIGHWAYS**  
**EQUIPMENT DIVISION**  
**ROUTE 33**  
**BRUSHY FORK ROAD**  
**BUCKHANNON, WV**  
**26201 304-472-1750**

|                                   |               |          |        |               |
|-----------------------------------|---------------|----------|--------|---------------|
| DATE PRINTED<br><b>06/09/2008</b> | TERMS OF SALE | SHIP VIA | F.O.B. | FREIGHT TERMS |
|-----------------------------------|---------------|----------|--------|---------------|

BID OPENING DATE: **07/09/2008** BID OPENING TIME **01:30PM**

| LINE   | QUANTITY | UOP | CAT NO | ITEM NUMBER | UNIT PRICE | AMOUNT |
|--|----------|-----|--------|-------------|------------|--------|
| <p>CERTIFICATION AND APPLICATION* IS HEREBY MADE FOR PREFERENCE IN ACCORDANCE WITH WEST VIRGINIA CODE, 5A-3-37 (DOES NOT APPLY TO CONSTRUCTION CONTRACTS).</p> <p>A. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p> <p>( ) BIDDER IS AN INDIVIDUAL RESIDENT VENDOR AND HAS RESIDED CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR</p> <p>(xxx) BIDDER IS A PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR AND HAS MAINTAINED ITS HEAD-QUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR 80% OF THE OWNERSHIP INTEREST OF BIDDER IS HELD BY ANOTHER INDIVIDUAL, PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDOR WHO HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR</p> <p>( ) BIDDER IS A CORPORATION NONRESIDENT VENDOR WHICH HAS AN AFFILIATE OR SUBSIDIARY WHICH EMPLOYS A MINIMUM OF ONE HUNDRED STATE RESIDENTS AND WHICH HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA CONTINUOUSLY FOR THE FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION.</p> <p>B. APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED:</p> |          |     |        |             |            |        |

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

|           |           |                                   |
|-----------|-----------|-----------------------------------|
| SIGNATURE | TELEPHONE | DATE                              |
| TITLE     | FEIN      | ADDRESS CHANGES TO BE NOTED ABOVE |

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

|            |
|------------|
| RFQ NUMBER |
| 708EC015   |

|      |
|------|
| PAGE |
| 6    |

|  |
|--|
| ADDRESS CORRESPONDENCE TO ATTENTION OF |
| MICHAEL AUSTIN<br>304-558-2402         |

VENDOR

\*709051756      304-346-5301  
 WV TRACTOR COMPANY  
 PO BOX 473  
  
 CHARLESTON WV 25322

SHIP TO

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201      304-472-1750

|              |               |          |        |               |
|--------------|---------------|----------|--------|---------------|
| DATE PRINTED | TERMS OF SALE | SHIP VIA | F.O.B. | FREIGHT TERMS |
| 06/09/2008   |               |          |        |               |

BID OPENING DATE: **07/09/2008**      BID OPENING TIME **01:30PM**

| LINE  | QUANTITY | UOP | CAT NO | ITEM NUMBER | UNIT PRICE | AMOUNT |
|---|----------|-----|--------|-------------|------------|--------|
|   |          |     |        |             |            |        |
| <p>(XX) BIDDER IS A RESIDENT VENDOR WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES WORKING ON THE PROJECT BEING BID ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID;</p> <p>OR</p> <p>( ) BIDDER IS A NONRESIDENT VENDOR EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS OR IS A NONRESIDENT VENDOR WITH AN AFFILIATE OR SUBSIDIARY WHICH MAINTAINS ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA EMPLOYING A MINIMUM OF ONE HUNDRED STATE RESIDENTS WHO CERTIFIES THAT, DURING THE LIFE OF THE CONTRACT, ON AVERAGE AT LEAST 75% OF THE EMPLOYEES OR BIDDERS' AFFILIATE'S OR SUBSIDIARY'S EMPLOYEES ARE RESIDENTS OF WEST VIRGINIA WHO HAVE RESIDED IN THE STATE CONTINUOUSLY FOR THE TWO YEARS IMMEDIATELY PRECEDING SUBMISSION OF THIS BID.</p> <p>BIDDER UNDERSTANDS IF THE SECRETARY OF TAX &amp; REVENUE DETERMINES THAT A BIDDER RECEIVING PREFERENCE HAS FAILED TO CONTINUE TO MEET THE REQUIREMENTS FOR SUCH PREFERENCE, THE SECRETARY MAY ORDER THE DIRECTOR OF PURCHASING TO: (A) RESCIND THE CONTRACT OR PURCHASE ORDER ISSUED; OR (B) ASSESS A PENALTY AGAINST SUCH BIDDER IN AN AMOUNT NOT TO EXCEED 5% OF THE BID AMOUNT AND THAT SUCH PENALTY WILL BE PAID TO THE CONTRACTING AGENCY OR DEDUCTED FROM ANY UNPAID BALANCE ON THE CONTRACT OR PURCHASE ORDER.</p> <p>BY SUBMISSION OF THIS CERTIFICATE, BIDDER AGREES TO DISCLOSE ANY REASONABLY REQUESTED INFORMATION TO THE PURCHASING DIVISION AND AUTHORIZES THE DEPARTMENT OF TAX AND REVENUE TO DISCLOSE TO THE DIRECTOR OF PURCHASING APPROPRIATE INFORMATION VERIFYING THAT BIDDER HAS PAID THE REQUIRED BUSINESS TAXES, PROVIDED</p> |          |     |        |             |            |        |

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

|           |           |      |
|-----------|-----------|------|
| SIGNATURE | TELEPHONE | DATE |
|-----------|-----------|------|

|       |      |                                   |
|-------|------|-----------------------------------|
| TITLE | FEIN | ADDRESS CHANGES TO BE NOTED ABOVE |
|-------|------|-----------------------------------|

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

|            |
|------------|
| RFQ NUMBER |
| 708EC015   |

|      |
|------|
| PAGE |
| 7    |

|   |
|---|
| ADDRESS CORRESPONDENCE TO ATTENTION OF: |
| MICHAEL AUSTIN<br>304-558-2402          |

**VENDOR**

\*709051756      304-346-5301  
 WV TRACTOR COMPANY  
 PO BOX 473  
 CHARLESTON WV 25322

**SHIP TO**

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201      304-472-1750

| DATE PRINTED | TERMS OF SALE | SHIP VIA | F.O.B. | FREIGHT TERMS |
|--------------|---------------|----------|--------|---------------|
| 06/09/2008   |               |          |        |               |

BID OPENING DATE: **07/09/2008**      BID OPENING TIME **01:30PM**

| LINE  | QUANTITY | UOP | CAT NO. | ITEM NUMBER | UNIT PRICE | AMOUNT |
|---|----------|-----|---------|-------------|------------|--------|
| <p>THAT SUCH INFORMATION DOES NOT CONTAIN THE AMOUNTS OF TAXES PAID NOR ANY OTHER INFORMATION DEEMED BY THE TAX COMMISSIONER TO BE CONFIDENTIAL.</p> <p>UNDER PENALTY OF LAW FOR FALSE SWEARING (WEST VIRGINIA CODE 61-5-3), BIDDER HEREBY CERTIFIES THAT THIS CERTIFICATE IS TRUE AND ACCURATE IN ALL RESPECTS; AND THAT IF A CONTRACT IS ISSUED TO BIDDER AND IF ANYTHING CONTAINED WITHIN THIS CERTIFICATE CHANGES DURING THE TERM OF THE CONTRACT, BIDDER WILL NOTIFY THE PURCHASING DIVISION IN WRITING IMMEDIATELY.</p> <p>BIDDER: West Virginia Tractor Company</p> <p>DATE: 8/5/08</p> <p>SIGNED: <i>Garrett Gray</i></p> <p>TITLE: President</p> <p>* CHECK ANY COMBINATION OF PREFERENCE CONSIDERATION(S) IN EITHER "A" OR "B", OR BOTH "A" AND "B" WHICH YOU ARE ENTITLED TO RECEIVE. YOU MAY REQUEST UP TO THE MAXIMUM 5% PREFERENCE FOR BOTH "A" AND "B". (REV. 12/00)</p> <p>NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p>DEPARTMENT OF ADMINISTRATION<br/>PURCHASING DIVISION</p> |          |     |         |             |            |        |

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

|           |           |                                   |
|-----------|-----------|-----------------------------------|
| SIGNATURE | TELEPHONE | DATE                              |
| TITLE     | FEIN      | ADDRESS CHANGES TO BE NOTED ABOVE |

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'





State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

|            |
|------------|
| RFQ NUMBER |
| 708EC015   |

|      |
|------|
| PAGE |
| 9    |

|  |
|--|
| ADDRESS CORRESPONDENCE TO ATTENTION OF |
| MICHAEL AUSTIN<br>304-558-2402         |

VENDOR

\*709051756      304-346-5301  
 WV TRACTOR COMPANY  
 PO BOX 473  
 CHARLESTON WV 25322

SHIP TO

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201      304-472-1750

|              |               |          |        |               |
|--------------|---------------|----------|--------|---------------|
| DATE PRINTED | TERMS OF SALE | SHIP VIA | F.O.B. | FREIGHT TERMS |
| 06/09/2008   |               |          |        |               |

BID OPENING DATE: **07/09/2008**      BID OPENING TIME **01:30PM**

| LINE   | QUANTITY | UOP | CAT NO | ITEM NUMBER | UNIT PRICE | AMOUNT |
|--|----------|-----|--------|-------------|------------|--------|
| ***** THIS IS THE END OF RFQ 708EC015 ***** TOTAL: |          |     |        |             |            |        |

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

|           |           |                                   |
|-----------|-----------|-----------------------------------|
| SIGNATURE | TELEPHONE | DATE                              |
| TITLE     | FEIN      | ADDRESS CHANGES TO BE NOTED ABOVE |

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS  
EQUIPMENT DIVISION

BIDDER'S EVALUATION REPORT

PROCUREMENT SPECIFICATIONS FOR OPEN END CONTRACT  
NO. 020-1-M

OPEN END CONTRACT  
ADJUSTABLE ON-WAY SNOWPLOW

NOTE TO BIDDER: Procurement Specification No. 020-1-M, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. Addendums in order, along with a summary of exception as a separate attachment, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

Reference Requisition No.: 708EC015

Bidder's Name: West Virginia Tractor Company

Address: P.O. Box 473 Charleston, WV 25322

Telephone Number: 346-5301

Years Bidder has been registered to do business with the State of West Virginia: 26 YRS.

Years Company has been an authorized dealer for proposed unit: 10 YRS.

X3.2 Have you complied with all mandatory specifications?  YES  NO

X4.2 DELIVERY:

X4.2.1 Delivery date of completed representative unit: 15 Calendar Days After  
Receipt of Purchase Agreement

X4.2.2 Delivery date of balance of completed units: 110 Calendar Days After Receipt of  
Purchase Agreement



X5.0 AWARD CRITERIA;

X5.1 Prices for units:

|             |            |       |          |
|-------------|------------|-------|----------|
| 1-10        | \$7,000.00 | _____ | per unit |
| 11-20       | \$7,000.00 | _____ | per unit |
| 21-30       | \$7,000.00 | _____ | per unit |
| 31-40       | \$7,000.00 | _____ | per unit |
| 41-50       | \$7,000.00 | _____ | per unit |
| 51 and over | \$7,000.00 | _____ | per unit |

X6.0 SPECIFICATIONS - GENERAL

X6.1 Manufacturer, model, series, and date of manufacture of proposed unit:

Heavy Duty One Way Trip Snow Plow 716

Is descriptive literature, fully describing proposed unit attached to your bid?  YES  NO

If not, why? \_\_\_\_\_

X6.2 Will the required number of service manuals, and complete parts list be delivered to the Equipment Division at Buckhannon upon completion of delivery of total units?

YES  NO

Will the required Equipment Preventive Maintenance Form (Section X6.2 of Bidders Evaluation Report) be provided upon inspection of the pilot unit?  YES  NO

X6.2  
2-10-00

**EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE**

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOT.

DESCRIPTION: Heavy Duty One Way Trip Snow Plow 716 MAKE: ARM 716  
MODEL: 716 YEAR: 2008 PURCHASE AMOUNT: \_\_\_\_\_

ENGINE: MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_ FUEL TYPE: \_\_\_\_\_  
HORSEPOWER: \_\_\_\_\_ CYLINDER: \_\_\_\_\_ ENGINE SERIAL: \_\_\_\_\_  
COOLING SYSTEM CAPACITY: \_\_\_\_\_

BELTS: DESCRIPTION: \_\_\_\_\_ PART NUMBERS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

GVW: \_\_\_\_\_ AXLE CAPACITY: FRONT: \_\_\_\_\_ REAR: \_\_\_\_\_

TIRES: FRONT MAKE & SIZE: \_\_\_\_\_  
REAR MAKE & SIZE: \_\_\_\_\_

DIMENSIONS OF UNIT: LENGTH: \_\_\_\_\_ WIDTH: \_\_\_\_\_ LENGTH: \_\_\_\_\_

VENDOR CONTACT PERSON: \_\_\_\_\_ PHONE: \_\_\_\_\_

**PARTS:**

BATTERY MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_ CCA: \_\_\_\_\_  
TOP OR SIDE POST: \_\_\_\_\_ DIMENSIONS: LENGTH \_\_\_\_\_ WIDTH \_\_\_\_\_ HEIGHT \_\_\_\_\_  
SPARK PLUGS OR FUEL INJECTORS MAKE: \_\_\_\_\_ PART # \_\_\_\_\_  
FUEL PUMP OR INJECTION PUMP MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_  
ALTERNATOR MAKE: \_\_\_\_\_ PART #: \_\_\_\_\_  
STARTER MAKE: \_\_\_\_\_ PART #: \_\_\_\_\_  
TURBO CHARGER MAKE: \_\_\_\_\_ PART #: \_\_\_\_\_  
TRANS. MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_ AUTO/MANUAL: \_\_\_\_\_  
HYDRAULIC PUMP MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_

| FILTERS        | MAKE  | PART NO. | LUBRICANT      | MANUFACTURER TYPE |
|----------------|-------|----------|----------------|-------------------|
| OIL            | _____ | _____    | ENGINE         | _____             |
| AIR INNER      | _____ | _____    | TRANSMISSION   | _____             |
| AIR OUTER      | _____ | _____    | POWER STEERING | _____             |
| FUEL PRIMARY   | _____ | _____    | HYDRAULIC      | _____             |
| FUEL SECONDARY | _____ | _____    | DIFFERENTIALS  | _____             |
| COOLANT        | _____ | _____    | BRAKE FLUID    | _____             |
| HYDRAULIC      | _____ | _____    | COOLANT        | _____             |
| OTHER          | _____ | _____    | OTHER          | _____             |

X6.3 TRAINING:

Will training seminar be conducted on Preventive Maintenance, Operator and Mechanic Training  
 YES  NO

See addendum

**Will you conduct training with each purchase order against this open end contract?**  
 YES  NO

See addendum

Will training be conducted within 2 working days from the delivery of the pilot unit on the individual purchase order?  
 YES  NO

See addendum

If NO, explain time frame \_\_\_\_\_

**Will an Operator's Manual be furnished directly to Training Academy prior to the delivery of the pilot?**  
 YES  NO

X6.4 If you are the successful vendor, will you furnish all training aids, i.e., videos, projectors, required in conducting the training?  YES  NO See addendum

X6.4.1 Will all manuals, booklets, etc. explaining preventive maintenance, operator procedures, and service schedule be delivered with each unit?  YES  NO  
If NO, explain \_\_\_\_\_

X6.5 WARRANTY AND SERVICE POLICY

Will the warranty and service you provide comply with all areas as stated in Section 6.5 of specifications  
 YES  NO

Is warranty literature attached?  YES  NO

**Is a minimum two (2) year bumper to bumper basic parts and labor warranty excluding abuse and normal wear items included?**  YES  NO

Describe:

See Attached Warranty information \_\_\_ Two year parts and labor on complete unit \_\_\_\_\_

---

**X6.5 WARRANTY AND SERVICE POLICY QUESTIONNAIRE**

**THIS FORM MUST BE COMPLETED IN ITS ENTIRETY AND SUBMITTED WITH YOUR BID.**

(If additional lines are needed, make copies of form.)

1. Define the terms of the standard warranty. If not offered, so state. (Attach copy)

See Attached Copy Two years parts and labor

2. Define warranty service to be performed at DOH facilities and warranty service to be performed at manufacturer's representative facility. List name and location of manufacturer's representative.

Work under warranty to be performed at West Virginia Tractor in Charleston

3. List locations for parts inventories that are within the State of West Virginia. Also, list availability levels, if known.

Parts for this product to be supplied by West Virginia Tractor Company in Charleston

4. During the term of warranty, list the guarantee discount to manufacturer's published list price for parts that bidder will sell the parts to owner.

A. Terms: Net 30 Manufacturer's published list price less: \_\_\_ - \_\_\_ % discount

B. Terms: Net 60 Manufacturer's published list price less: \_\_\_ - \_\_\_ % discount

C. Terms: Net 90 Manufacturer's published list price less: \_\_\_ - \_\_\_ % discount

5. During the term of warranty, will all manufacturers or engineering improvements be submitted to Division of Highways?   x   YES        NO

6. During the term of warranty, list the guaranteed rates charged for repair to the unit.

A. Shop Rate \$   60.00   per mechanic hour

B. Travel Time Charge \$   60.00   per mechanic hour  
(Specify if one-way)                   ; port to port   x  

C. Mileage Charge \$   1.50   per vehicle mile  
(Specify if one-way)                   ; port to port   x  

D. Field Mechanic Rate \$                    per mechanic hour

E. Specify period of time that prices are in effect:   One year  

F. Surcharge for miscellaneous items: Holidays and overtime 150    %

X6.6 EVALUATION COMMITTEE REQUIREMENTS

Is all component specifications, product literature, component models provided for Evaluation Committee bid determination?  YES  NO

X6.7 Will all parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, be furnished with the unit and conform in strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry?  YES  NO

X6.7.1 Are all parts and accessories adequate and regularly supplied as standard to be included except those which may be duplications of specifications herein, and except these by specification are not to be furnished?  YES  NO

X6.7.2 Are all standard safety features that are required by Federal and State statutes of law included?  YES  NO

X7.0 SPECIFICATIONS OF THE QUOTED UNIT

The bidder should complete the following schedule in order for the Division to compare the actual bid unit to the specifications. Should the bidder except a requirement, then such exception may be only on the basis that such feature is not offered by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specifications.

Manufacturer: American Road Machinery, Inc. Model: ARM 716 \_\_\_\_\_

X7.1 Moldboard:

X7.1.1 Overall width:

X7.1.1.1  12 feet  4 inches with cutting edge

X7.1.1.2  12 feet  8 inches with the nose piece section

X7.1.2 Overall height including cutting edge:

X7.1.2.1  27 inches high at the low end

X7.1.2.2  47 inches high at the discharge end (less the snow deflector)

X7.1.3 Moldboard Construction:  10 US Ga. Steel and rolled to give the snow a free rolling action  YES  NO

X7.1.4 Plow widths:

0 degrees at 12 feet 4 inches

28 degrees at 9 feet 10 inches

35 degrees at 9 feet 2 inches

42 degrees at 8 feet 7 inches

X7.1.5 Is moldboard braced with six (6) vertical ribs of 1/2 inch x 3 inches X YES \_\_\_\_\_ NO

X7.1.6 Does unit have double ribs at three (3) attaching points X YES \_\_\_\_\_ NO

X7.1.7 Are cast steel moldboard hinges supplied at each pin point allowing for variable pitch of moldboard X YES \_\_\_\_\_ NO

X7.1.8 Are the two (2) ends reinforced by 1/4 inch end plate at the low end and a 1/2 inch diameter reinforcing band on the discharge end X YES \_\_\_\_\_ NO  
A 7<sup>th</sup> vertical rib reinforces the discharge end.

X7.1.9 Is unit adequately braced horizontally by two (2) rows of 1/4 inch x 2 inch rib X YES \_\_\_\_\_ NO

Horizontally Braced by two (2) rows of 1/2 inch x 3 inch rib.

X7.1.10 Is bottom member or support formed 3/8 inch gusset angle and boxed for reinforcement X YES \_\_\_\_\_ NO

X7.2 Top channel form is \_\_\_\_\_ inches in order to attach an 8 inch (of \_\_\_\_\_ gauge steel) and spring hinged at three (3) connecting points \_\_\_\_\_ YES X NO

X7.3 A heavy skid shoe 4 inch x 12 inch is attached to the extreme right hand underside at the cutting edge reinforcement to support the outer end of moldboard X YES \_\_\_\_\_ NO

X7.4 Cutting Edge:

X7.4.1 Full length high carbon steel 1/2 inch x 6 inch and has 11/16 inch square holds punched with standard punching X YES \_\_\_\_\_ NO

X7.4.2 Edge is replaceable and fastened by 5/8 inch Grade 5 carriage bolts X YES \_\_\_\_\_ NO

X7.5 Semi-Circle:

X7.5.1 Construction is 3-1/2 inch x 3-1/2 inch X 1/2 inch angle with the radius angle terminating behind two (2) of the four (4) hinge points X YES \_\_\_\_\_ NO

X7.5.2 Reinforcing plates 1/4 inch welded to the radius and main angle to accommodate housing for the adjustable caster wheels X YES \_\_\_\_\_ NO

- X7.5.3 Semi-circle has  3  hinge points with outside centers of  84  inches providing  4  plowing angles
- X7.5.4 For lifting semi-circle a lift chain assembly of  3/8  inch angles proof coil chain with cast steel chain black is provided  X  YES   NO
- X7.6 Trip Spring:
- X7.6.1 Fully automatic trip device is mounted on the semi-circle assembly with heavy duty trunnion plates having eight (8) 7/8 inch hardened bolts Grade 5  X  YES   NO
- X7.6.2 Trunnion support sockets have alemite grease fittings  X  YES   NO
- X7.6.3 Is trip device adjustable and fully enclosed, and consists of two (2) fully enclosed trip springs  X  YES   NO
- X7.6.4 Trip spring is  5-3/8  outer,  3-3/8  inner   inch diameter contained in an eight (8) inch OD  10  gauge tubular housing  X  YES   NO
- X7.6.5 Is trip spring connected to the moldboard by a 7/8 inch diameter bolt, Grade 5  X  YES   NO
- X7.6.6 Are recoil springs provided on the spring rod to cushion the return action of the moldboard  X  YES   NO
- X7.6.7 When encountering a solid object, does the moldboard tilt forward and return automatically to the plowing position  X  YES   NO
- X7.7 Push Frame: If used, will it be adaptable to WVDOH's quick hitch system  X  YES   NO
- X7.8 Skid Shoes:
- X7.8.1 Are two (2) heavy duty full swiveling spring loaded adjustable, self locking cater assemblies provided  X  YES   NO
- X7.8.2 Shoes have a surface of  60  square inches
- X7.8.3 Is shoe assembly mounted inside of the semi-circle assembly  X  YES   NO
- X7.9 Are other features considered as standard equipment but not addressed included in the unit  X  YES   NO
- X7.10 Does unit comply with Occupational Safety and Health Act of 1970 and subsequent amendments  X  YES   NO

**X7.11 – X7.11.4 – Paint:**

**Describe paint and method of painting: 2 coats of standard dupont orange and black color paint sprayed over 2 coats of primer.**\_\_\_\_\_

**X7.12 Does unit conform to advertising guidelines**  **YES**  **NO**

**X7.13 Is all loose hardware in a separate container for each plow and shipped with each plow**  
 **YES**  **NO**



ADJUSTABLE ONE-WAY SNOWPLOW

708EC015  
PRE-BID ADDENDUM #2

BID OPENING DATE: No Change Required

CHANGES TO BIDDER'S EVALUATION REPORT:

FROM:

X6.3 TRAINING:

Will training seminar be conducted on Preventive Maintenance, Operator and Mechanic Training  YES  NO

Will you conduct training with each purchase order against this open end contract?  YES  NO

Will training be conducted within 2 working days from the delivery of the pilot unit on the individual purchase order?  YES  NO

If NO, explain time frame \_\_\_\_\_

Will an Operator's Manual be furnished directly to Training Academy prior to the delivery of the pilot?  YES  NO

TO:

X6.3 TRAINING

Will an Operator's Manual be furnished directly to Training Academy prior to the delivery of the pilot?  YES  NO

LEAVE AS WRITTEN:

X7.1.1.1 Overall width: 12 feet 4 inches with cutting edge

LEAVE AS WRITTEN:

X7.1.1.2 Overall width: 12 feet 4 inches with the nose piece section

708EC015

LEAVE AS WRITTEN:

X7.1.4 Plow widths:

0 degrees at 12 feet 4 inches28 degrees at 9 feet 10 inches35 degrees at 9 feet 2 inches42 degrees at 8 feet 7 inches

FROM:

X7.1.6 Does unit have double ribs at three (3) attaching points  YES  NO

TO:

X7.1.6 Does unit have double ribs at three (3) attaching points  YES  NO ORIs it of the design as in the format of the specifications call for Root TRP11.07 design or equal  YES  NO

FROM:

X7.1.7 Are cast steel moldboard hinges supplied at each pin point allowing for variable pitch of moldboard  YES  NO

TO:

X7.1.7 Are cast steel moldboard hinges supplied at each pin point allowing for variable pitch of moldboard  YES  NO ORAre they L.H. Jones or Middletown Tractor fabricated hinges  YES  NO

708EC015

FROM:

X7.5.1 Construction is \_\_\_\_\_ inch x \_\_\_\_\_ inch x \_\_\_\_\_ inch angle with the radius angle terminating behind two (2) of the four (4) hinge points \_\_\_\_\_ YES \_\_\_\_\_ NO

TO:

X7.5.1 Construction is 3-1/2 inch x 3-1/2 inch x 1/2 inch angle with the radius angle terminating behind two (2) of the four (4) hinge points x YES \_\_\_\_\_ NO OR

Is it W. Va. Tractor's 4 inch square tube in lieu of 3 1/2 inch angle  
 \_\_\_\_\_ YES x NO

FROM:

X7.5.2 Reinforcing plates \_\_\_\_\_ inch welded to the radius and main angle to accommodate housing for the adjustable caster wheels \_\_\_\_\_ YES \_\_\_\_\_ NO

TO:

X7.5.2 Reinforcing plates 1/4 inch welded to the radius and main angle to accommodate housing for the adjustable skid shoe x YES \_\_\_\_\_ NO

FROM:

X7.5.3 Semi-circle has \_\_\_\_\_ hinge points with outside centers of \_\_\_\_\_ inches providing \_\_\_\_\_ plowing angles

TO:

X7.5.3 Semi-circle has 3 hinge points with outside centers of 84 inches for the adjustable one-way snowplow providing 4 plowing angles x YES \_\_\_\_\_ NO

FROM:

X7.5.4 For lifting semi-circle a lift chain assembly of \_\_\_\_\_ inch angles proof coil chain with cast steel chain block is provided \_\_\_\_\_ YES \_\_\_\_\_ NO

TO:

X7.5.4 For lifting semi-circle, a lift chain assembly of 3y8 inch angles proof coil chain with cast steel chain block is provided x YES \_\_\_\_\_ NO

708EC015

FROM:

**X7.6.1 Fully automatic trip device is mounted on the semi-circle assembly with heavy duty trunnion plates having eight (8) 7/8 inch hardened bolts Grade 5**

YES  NO

TO:

**X7.6.1 Fully automatic trip device is mounted on the semi-circle assembly with heavy duty trunnion plates, having eight (8) 7/8 inch hardened bolts Grade 5**

YES  NO

FROM:

**X7.6.3 Is trip device adjustable and fully enclosed, and consists of two (2) fully enclosed trip springs**

YES  NO

TO:

**X7.6.3 Is trip device adjustable and fully enclosed, and consists of two (2) fully enclosed trip springs**

YES  NO OR

**Is it L.H. Jones dual heavy duty compressions**

YES  NO

FROM:

**X7.6.4 Trip spring is  $5\frac{3}{8}$  inch diameter contained in an eight (8) inch OD  $10$  gauge tubular housing**

YES  NO

TO:

**X7.6.4 Trip spring is  $5\frac{3}{8}$  inch diameter contained in an eight (8) inch OD  $10$  gauge tubular housing**

YES  NO OR

**Is it L.H. Jones dual heavy duty compression**

YES  NO

FROM:

**X7.6.5 Is trip spring connected to the moldboard by a 7/8 inch diameter bolt, Grade 5**

YES  NO

TO:

**X7.6.5 Is trip spring connected to the moldboard by a 7/8 inch diameter bolt, Grade 5**

YES  NO OR

**Is it L.H. Jones dual heavy duty compression**

YES  NO

708EC015

NO CHANGE REQUIRED:

**X7.7 Push Frame: If used, will it be adaptable to WVDOH's quick hitch system**  
 YES  NO

FROM:

**X7.8.3 Is shoe assembly mounted inside of the semi-circle assembly**  YES  NO

TO:

**X7.8.3 Is skid shoe assembly mounted inside  or outside  of the semi-circle assembly**  
 YES  NO

NO CHANGE REQUIRED

**X7.11 – X7.11.4 Paint:**

**Describe paint and method of painting:** See original bid paper.

---

WEST VIRGINIA TRACTOR COMPANY  
AMERICAN ROAD MACHINERY

708EC015 Exceptions to Specifications

- 7.2 The top is a formed top moldboard, not channel.
- 7.5.3 Three hinge points.



## American Road Machinery, Inc.

### Snow Plow Warranty

Standard warranty extended to 24 months

American Road Machinery, Inc. warrants our line of Snow Plows, Hitches and related equipment to be free from defects in material and workmanship, under proper use and following recommended maintenance for a period of 1 year from the date of delivery. We will repair or replace at our option any parts or components that are returned by the buyer to our facility in Minerva, Ohio, transportation prepaid and found to be defective under normal use or service due to defects in material or workmanship.

American Road Machinery, Inc. is not responsible for any damage to any part of the plow unit, hitch, plowing vehicle or loss of use incurred by the striking of movable or immovable objects while plowing or removing snow.

Charges for field service, labor, mileage or other expenses incurred by the user or charged by a third party service organization or authorized dealer will not be accepted unless previously approved by American Road Machinery, Inc. in writing with all claims accompanied by a valid Return Authorization Number.

Any repairs or modifications made to a Snow Plow or accessories that are not authorized or performed by the factory will void this warranty. The use of non factory original replacement parts will void this warranty.

The user is required to adhere to all recommended service intervals and to replace normal wear items as specified in the operator and service manuals. Failure to do so will void this Warranty.

In no event shall American Road Machinery, Inc. be liable in damages for delay caused by equipment failure, for incidental, consequential or punitive damages, or for any charge or expense of any nature incurred without express written consent from American Road Machinery, Inc.

**THERE SHALL BE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS OR ANY OTHER OBLIGATION ON THE PART OF MANUFACTURER WITH RESPECT TO ANY OF THE PRODUCTS EXCEPT AS SET FORTH AND EXTENDED HEREIN.**

Effective July 2008

# MODEL 715 AND 716 ONE WAY SNOW PLOWS



- HEAVY DUTY ONE-WAY SAFETY TRIP
- 3 CAST STEEL MOLDBOARD CONNECTING HINGES
- DESIGNED TO ELIMINATE CONNECTING PIN SHEARING
- STRUCTURAL CHANNEL PUSH FRAME DESIGN
- CAST STEEL EYE BAR & LATCH PIN BOTH SWIVEL
- 1½" THICK ATTACHING SHACKLES

AMERICAN ROAD MACHINERY, INC.

MINERVA, OHIO 44657


VACUUM CATCH BASIN CLEANERS  
LEAF & LITTER COLLECTORS



SNOW PLOWS AND HITCHES  
ASPHALT SPREADERS      SALT & CHIP SPREADERS



# model 715 & 716 SNOW PLOW, ONE WAY



The Models 715 and 716 are for use with heavier and more powerful trucks with capacity ratings of three tons and up. The durability of American Road Machinery snow plows is an unquestioned fact, and the Models 715 and 716 are typical of this durability. Having strength far beyond the power of the propelling unit to break or destroy it under the most severe conditions, the Models 715 and 716 reversible snow plow will serve the owner indefinitely. Due to the improved method of stiffening the moldboard, both vertically and horizontally, greater strength, at minimum weight, is added to this important unit. The wider arc of the heavy duty semicircle distributes the thrust evenly over the entire length of the blade through three adjustable hinge connections. The proper adjustment of these hinged connections, when made in conjunction with similar adjustments where the trip spring mechanism connects, alter the vertical pitch of the moldboard to increase its effectiveness when moving wet or dry snow. This variable adjustment in the pitch of the moldboard is an important feature of American Road Machinery plows. An equally strong and extremely rigid pushframe properly crossbraced, and made of heavy structural steel channel, is provided. The pushframe incorporates front and rear cast steel, machined, swivelling connections that allow free oscillation of the plow to conform to road contour. The safety trip moldboard is a standard on all Models 715 and 716 snow plows. This feature prolongs the life of both the plow and truck, and permits a speedier, safer operation.

## DATA AND DIMENSIONS ON MODELS 715 & 716

|   |                                 |        |
|---|---------------------------------|--------|
| <b>Moldboard:</b>   | 715                             | 716    |
| Length .....  | 11' 4"                          | 12' 4" |
| Height, including Edge, Less Snow Shield                                |                                 |        |
| Nose .....  | 28"                             | 27"    |
| Discharge .....   | 46"                             | 47"    |
| Number of Vertical Ribs .....   | 7                               | 7      |
| Size of Vertical Ribs .....   | 1/2" x 3"                       |        |
| Two Ribs at Each Hinge Connection.                                      |                                 |        |
| Horizontal Stiffeners .....   | 9                               | 9      |
| Edge Reinforcing .....  | .5" x 3 1/2" x 3/8" Boxed Angle |        |
| Integrally Formed Channel Top Full Length.                              |                                 |        |
| Moldboard Smooth Rolled — Thickness .....                               | .10ga                           |        |
| Hinge Point Centers .....   | .84"                            |        |
| Variable Adjustments for Tilting Moldboard.                             |                                 |        |
| Cast Steel Hinges Attach at Each Hinge Point, with Two 3/4" Cap Screws. |                                 |        |
| Cutting Edge — 1/2" x 6" High Carbon Steel.                             |                                 |        |
| <b>Plowing Width:</b>   |                                 |        |
| Cutting Width Straight .....  | 10' 3"                          | 11' 3" |
| Cutting Width at 35° .....  | 8' 2"                           | 9' 2"  |
| Cutting Width at 42° .....  | 7' 7"                           | 8' 7"  |
| <b>Semicircle:</b>  |                                 |        |
| Three Pivot Points 84" Outside Centers                                  |                                 |        |
| 3 1/2" x 3 1/2" x 1/2" Radius Angle                                     |                                 |        |
| 4" x 4" x 1/2" Connecting Angle.  |                                 |        |
| 1/4" Formed Triangular Gussets Weld at Radius.                          |                                 |        |
| Cast Steel Hinges bolted to Semicircle.                                 |                                 |        |
| Heavy Tubular Steel Caster Housing welded to Semicircle.                |                                 |        |

Machined O.D. Caster Stems, Spring Cushioned.  
Wheels 10" Diameter with 3" Face Running on Tapered Roller Bearings, Optional.  
Steel Shoes, Optional.

**Trip Spring:**  
Single, Fully Enclosed, Dual Telescopic Springs Fully Lubricated.  
Adjustable Trunnion Mounted.  
Spring Cushioned Return Shock Absorber.  
Each Spring Enclosed in a Separate Tube.

**Push Frame:**  
All Welded Steel Construction.  
6" @ 12# Structural Channel.  
6" @ 12# Structural Channel Cross Brace.  
Machined Cast Steel Swivelling Latch Pin Mechanism.  
Machine Cast Steel Swivelling Front and Rear Push Point.  
Attaching Shackles 1 1/2" Material with 2 Holes on 21" Centers.

**Lift Chain:**  
3/4" Plated with Adjustable Steel Chain Block.  
Spring Loaded Lift Chain, Optional.

|                                |        |       |
|--------------------------------|--------|-------|
| <b>Weight:</b>                 | 715    | 716   |
| Plow Assembly .....            | .1785# | 1885# |
| Plow Assembly with Hitch ..... | .2195# | 2295# |

DISTRIBUTED BY

**AMERICAN ROAD MACHINERY, INC.**



401 BRIDGE STREET  
MINERVA, OHIO 44657  
TELEPHONE: (330) 868-7724  
FAX: (330) 868-3386

Printed in U.S.A.

## Model 716 One Way Snow Plow

- General:** It is the intent of these specifications to describe an adjustable, one way, heavy duty snow plow to be used under extreme conditions. The discharge end shall be 47" and the nose end shall be 27" and the moldboard shall be constructed of 10 gauge steel. There shall be an automatic safety trip device which will allow the moldboard to trip forward when coming in contact with a road obstruction, then returning the moldboard to plowing position immediately after passing over it. The pushframe shall provide 21" centers to connect with the push and lift assembly. The moldboard shall be connected to the semicircle on 84" centers at three points with cast steel hinges to prevent shearing.
- Moldboard:** The moldboard cutting widths shall be as follows: Straight 11'3"; 35 degree is 9'2"; 42" is 8'7"; and the overall width shall be 12'4" and the height at nose ((less snow shield) shall be 27" and the height at discharge end (less snow shield) shall be 47". The thickness of the moldboard shall be no less than 10 gauge steel. There shall be no less than four horizontal braces, with the top brace being an integrally formed channel. The bottom brace shall consist of a 3/8"x8" bar welded to an angle 5" x 3-1/2" x 3/8", the full length at the bottom of the moldboard, fully gusseted. The two center horizontal braces shall be 1/4"x 2". There shall be no less than seven 1/2" x 3" vertical braces. The ribs shall be so arranged as to provide two at each of the three hinge points. The outside hinge point centers shall be 84" wide and one extra rib shall be at the discharge end. There shall be a cast steel hinge at each attaching point connected by two 3/4" diameter bolts. The moldboard shall be equipped with a steel wear shoe on the discharge end to minimize wear. The cutting edge shall be 1/2" x 6" x 134-3/3/4" edge stock with a mitred edge.
- Semicircle:** The semi-circle shall be constructed of at least 3-1/2" x 3-1/2" x 1/2" angle with the legs attaching directly behind the outside hinge points to not less than a 4" x 4" x 1/2" connecting angle. It shall be reinforced by not less than four 1/4" steel plates formed into triangle gussets. The semi-circle shall provide five plow position adjustments zero degrees, 35 degrees and 42 degrees right or left. There shall be three cast steel hinges to connect the semi-circle to the moldboard bolted to the connection angle. Grade five bolts shall be used. The socket hinge connections shall be so designed that shearing of the connection pins is not possible. As an option, the semi-circle shall be provided with two heavy duty adjustable caster housings. They shall be constructed of 5" x 1/2" steel plate. It shall be bolted to the semi-circle and supported by a 3/8" steel plate gusset. The caster stems shall be so designed to accept either heavy duty 10" steel wheels with two tapered roller bearings or wear shoes, either shall be height adjustable, spring loaded to reduce shock, and shall be constructed of 3-7/8 O.D. x 7/16 wall tubing, welded to 1/2" thick caster side plates.

- Push Frame:** The push frame shall be of welded steel construction. It shall have side channels and cross braces of 6" at 12# Structural channel. It shall have not less than ¼" steel brace plates and gussets with not less than ½" steel plate eye bar and latch pin swivel housing supports. The eye bar housing shall be of 3" O.D. x 3/8" wall heavy duty steel wall heavy duty steel tubing. The two attaching shackles shall be of not less 1-1/2" steel plate with two holes in each for height adjustment. The shackles shall be welded to the push frame on 21" centers. The push frame shall incorporate machined cast steel swiveling eye bar, latch pin swivel (to allow the plow to follow the contour of the road without strain on the plow or truck), and a 1" diameter formed latch pin with a pointed end.
- Trip Spring** The trip spring shall be a fully enclosed dual telescopic type; fully lubricated, adjustable trunnion mounted, so designed to pivot from the center of the trip spring. Each spring shall be fully enclosed in separate tubes. It shall have a spring cushioned shock absorbing device to absorb the shock of the returning moldboard after it has been tripped.
- Lift Chain:** The lift chain shall be of 3/8" proof coil and the chain block shall be fabricated. It shall be so designed for direct attachment to the hitch lift arm or to a lift arm chain.
- Options:** The following options shall be available; curb bumpers (straight), curb bumpers (wrap around), lift chain springs, nose reinforcement, paint other than standard, adjustable caster (shoes or wheels), snow shield, and electric hydraulic hose and cylinder.

STATE OF WEST VIRGINIA  
Purchasing Division

# PURCHASING AFFIDAVIT

**West Virginia Code §5A-3-10a states:** No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate

**DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.


"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

**EXCEPTION:** The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

**LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

**CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit [www.state.wv.us/admin/purchase/privacy](http://www.state.wv.us/admin/purchase/privacy) for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: West Virginia Tractor Company  
Authorized Signature:  Date: 8/5/08