



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

| |
|------------|
| RFQ NUMBER |
| 709EC004 |

| |
|------|
| PAGE |
| 1 |

| |
|--|
| ADDRESS CORRESPONDENCE TO ATTENTION OF |
| MICHAEL AUSTIN 304-558-2402 |

*709051756 304-346-5301
 WV TRACTOR COMPANY
 PO BOX 473
 CHARLESTON WV 25322

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

| | | | |
|------------------------------|---------------|------------------|------------|
| DATE PRINTED | TERMS OF SALE | SHIP VIA | FOB |
| 09/15/2008 | Net 30 Days | Truck | Buckhannon |
| BID OPENING DATE: 10/16/2008 | | BID OPENING TIME | |

| LINE | QUANTITY | UOP | CAT NO. | ITEM NUMBER | UNIT PRICE |
|--|----------|-----|---------|------------------------|------------|
| 0001 | 1 | EA | | 755-60 MILLER MC650 | |
| <p>SELF-PROPELLED CURB MACHINE</p> <p>OPEN END CONTRACT</p> <p>TO PROVIDE SELF-PROPELLED CURB MACHINE WITH POINTER AND EQUIPMENT TRAILER FOR THE WEST VIRGINIA DIVISION OF HIGHWAYS PER THE ATTACHED SPECIFICATIONS.</p> <p>THERE WILL BE A MANDATORY PRE-BID CONFERENCE AT THE EQUIPMENT DIVISION IN BUCKHANNON, WV 26201 AT 10:00 AM ON 10/02/2008. FAILURE TO ATTEND THE PRE-BID WILL RESULT IN BID DISQUALIFICATION.</p> <p>QUESTIONS: WRITTEN QUESTIONS MUST BE RECEIVED BY CLOSE OF BUSINESS (5:00 PM EST) ON MONDAY 09/29/08. SEND YOUR QUESTIONS TO: PURCHASING DIVISION ATTENTION MICHAEL AUSTIN 2019 WASHINGTON ST. EAST CHARLESTON, WV 25305</p> <p>QUESTIONS MAY BE SENT VIA FAX, EMAIL OR REGULAR MAIL EMAIL: MICHAEL.D.AUSTIN@WV.GOV FAX: 304-558-4115</p> <p>IT IS THE VENDORS RESPONSIBILITY TO VERIFY THAT THEIR QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402.</p> <p>EXHIBIT 2</p> | | | | | |

RECEIVED
 2008 NOV 19 A 8:15
 PURCHASING DIVISION
 STATE OF WV

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

| | | |
|-----------------------|-----------|-----------------------------------|
| SIGNATURE | TELEPHONE | DATE |
| <i>Paul W. Mad...</i> | 346-5301 | 11-4-08 |
| TITLE | FEIN | ADDRESS CHANGES TO BE NOTED ABOVE |
| President | 550621655 | |

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
14. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
15. **WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT:** If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in case of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 709EC004

PAGE
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF
 MICHAEL AUSTIN
 304-558-2402

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

| DATE PRINTED | TERMS OF SALE | SHIP VIA | FOB | FREIGHT TERMS |
|--------------|---------------|----------|------------|---------------|
| 10/27/2008 | Net 30 Days | Truck | Buckhannon | Prepaid |

BID OPENING DATE: 11/12/2008 BID OPENING TIME 01:30PM

| LINE | QUANTITY | UOP | CAT NO | ITEM NUMBER | UNIT PRICE | AMOUNT |
|--|----------|-----|--------|-------------|------------|--------|
| ADDENDUM NO. 2 | | | | | | |
| CHANGES TO THE SPECIFICATIONS ATTACHED | | | | | | |
| BID OPENING DATE AND TIME CHANGED | | | | | | |
| FROM: 11/05/08 AT 1:30 P.M. | | | | | | |
| TO: 11/12/08 AT 1:30 P.M. | | | | | | |
| NO OTHER CHANGES | | | | | | |
| 0001 | 1 | EA | | 755-60 | | |
| SELF-PROPELLED CURB MACHINE | | | | | | |
| ***** THIS IS THE END OF RFQ 709EC004 ***** TOTAL: | | | | | | |

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

| | | |
|-------------------------------|-----------------------|-----------------------------------|
| SIGNATURE <i>Paul Gray</i> | TELEPHONE 346-5301 | DATE 11-4-08 |
| TITLE President | FEIN 550621655 | ADDRESS CHANGES TO BE NOTED ABOVE |

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFO NUMBER
709EC004

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
**MICHAEL AUSTIN
 304-558-2402**

VENDOR

*709051756 304-346-5301
 WV TRACTOR COMPANY
 PO BOX 473

 CHARLESTON WV 25322

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

| DATE PRINTED | TERMS OF SALE | SHIP VIA | F.O.B. | FREIGHT TERMS |
|--------------|---------------|----------|------------|---------------|
| 10/27/2008 | Net 30 Days | Truck | Buckhannon | Prepaid |

BID OPENING DATE: **11/12/2008** BID OPENING TIME **01:30PM**

| LINE | QUANTITY | UOP | CAT NO. | ITEM NUMBER | UNIT PRICE | AMOUNT |
|--|----------|-----|---------|-------------|------------|--------|
| ADDENDUM NO. 3 | | | | | | |
| ADDENDUM NO. 2 CANCELLED IN ITS ENTIRETY. | | | | | | |
| NO OTHER CHANGES | | | | | | |
| 0001 | 1 | EA | | 755-60 | | |
| SELF-PROPELLED CURB MACHINE | | | | | | |
| ***** THIS IS THE END OF RFQ 709EC004 ***** TOTAL: _____ | | | | | | |

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

| | | |
|----------------------------------|-----------------------|-----------------------------------|
| SIGNATURE <i>Ray W. Brady</i> | TELEPHONE 346-5301 | DATE 11-4-08 |
| TITLE President | FEIN 550621655 | ADDRESS CHANGES TO BE NOTED ABOVE |

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

| |
|------------|
| RFQ NUMBER |
| 709EC004 |

| |
|------|
| PAGE |
| 2 |

| |
|--|
| ADDRESS CORRESPONDENCE TO ATTENTION OF |
| MICHAEL AUSTIN 304-558-2402 |

PURCHASING

*709051756 304-346-5301
 WV TRACTOR COMPANY
 PO BOX 473
 CHARLESTON WV 25322

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

| | | | | |
|--------------|---------------|----------|--------|---------------|
| DATE PRINTED | TERMS OF SALE | SHIP VIA | F.O.B. | FREIGHT TERMS |
| 09/15/2008 | | | | |

BID OPENING DATE: 10/16/2008 BID OPENING TIME 01:30PM

| LINE | QUANTITY | UOP | CAT NO | ITEM NUMBER | UNIT PRICE | AMOUNT |
|---|----------|-----|--------|-------------|------------|--------|
| <p>LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING THIRTY (30) DAYS WRITTEN NOTICE.</p> <p>UNLESS SPECIFIC PROVISIONS ARE STIPULATED IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS, AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.</p> <p>RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p>OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK).</p> | | | | | | |

| | | | |
|---|-----------|-----------------------------------|--|
| SEE REVERSE SIDE FOR TERMS AND CONDITIONS | | | |
| SIGNATURE | TELEPHONE | DATE | |
| TITLE | FEIN | ADDRESS CHANGES TO BE NOTED ABOVE | |

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
709EC004

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN
304-558-2402

VENDOR

*709051756 304-346-5301
WV TRACTOR COMPANY
PO BOX 473

CHARLESTON WV 25322

SHIP TO

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 **304-472-1750**

| | | | | |
|-----------------------------------|---------------|----------|--------|---------------|
| DATE PRINTED 09/15/2008 | TERMS OF SALE | SHIP VIA | F.O.B. | FREIGHT TERMS |
|-----------------------------------|---------------|----------|--------|---------------|

BID OPENING DATE: **10/16/2008** BID OPENING TIME **01:30PM**

| LINE | QUANTITY | UOP | CAT NO | ITEM NUMBER | UNIT PRICE | AMOUNT |
|--|----------|-----|--------|-------------|------------|--------|
| <p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIES BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p> <p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN EQUIPMENT CONTRACT ORDER (FORM NUMBER WV-35) FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL WV-35 MUST BE SENT TO THE PURCHASING DIVISION OF THE DEPARTMENT OF ADMINISTRATION. AFTER APPROVAL AND ENCUMBRANCE, ONE COPY OF THE PURCHASE ORDER WILL BE RETURNED TO THE SPENDING UNIT AND ONE COPY FORWARDED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT. NO ORDER IS VALID UNLESS APPROVED AND ENCUMBERED BY THE PURCHASING DIVISION.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATICALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER.</p> <p>REV. 9/98</p> <p>EXHIBIT 4</p> <p>LOCAL GOVERNMENT BODIES: UNLESS THE VENDOR INDICATES IN THE BID HIS REFUSAL TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO COUNTY, SCHOOL, MUNICIPAL AND OTHER LOCAL GOVERNMENT BODIES, THE BID SHALL EXTEND TO POLITICAL SUBDIVISIONS OF THE STATE OF WEST VIRGINIA. IF THE VENDOR DOES NOT WISH TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO ALL POLITICAL SUBDIVISIONS OF THE STATE, THE VENDOR MUST</p> | | | | | | |

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

| | | |
|-----------|-----------|-----------------------------------|
| SIGNATURE | TELEPHONE | DATE |
| TITLE | FEIN | ADDRESS CHANGES TO BE NOTED ABOVE |

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
709EC004

PAGE
5


ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN
304-558-2402

***709051756** **304-346-5301**
WV TRACTOR COMPANY
PO BOX 473
CHARLESTON WV 25322

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 **304-472-1750**

| DATE PRINTED | TERMS OF SALE | SHIP VIA | F.O.B. | FREIGHT TERMS |
|--------------|---------------|----------|--------|---------------|
| 09/15/2008 | | | | |

BID OPENING DATE: **10/16/2008** BID OPENING TIME **01:30PM**

| LINE | QUANTITY | UOP | CAT NO | ITEM NUMBER | UNIT PRICE | AMOUNT |
|--|----------|-----|--------|-------------|------------|--------|
| <p>ADDENDUM ACKNOWLEDGEMENT</p> <p>I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.</p> <p>ADDENDUM NO.'S:</p> <p>NO. 1 X</p> <p>NO. 2 X</p> <p>NO. 3 X</p> <p>NO. 4</p> <p>NO. 5</p> <p>I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.</p> <p>VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.</p> <p style="text-align: center;">  SIGNATURE West Virginia Tractor Company COMPANY </p> | | | | | | |

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

| | | |
|-----------|-----------|-----------------------------------|
| SIGNATURE | TELEPHONE | DATE |
| TITLE | FEIN | ADDRESS CHANGES TO BE NOTED ABOVE |

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
709EC004

PAGE
7

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN
304-558-2402

***709051756 304-346-5301**
WV TRACTOR COMPANY
PO BOX 473
CHARLESTON WV 25322

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 304-472-1750

| DATE PRINTED | TERMS OF SALE | SHIP VIA | F.O.B. | FREIGHT TERMS |
|-------------------|---------------|----------|--------|---------------|
| 09/15/2008 | | | | |

BID OPENING DATE: **10/16/2008** BID OPENING TIME **01:30PM**

| LINE | QUANTITY | UOP | CAT NO | ITEM NUMBER | UNIT PRICE | AMOUNT |
|--|----------|-----|--------|-------------|------------|--------|
| | | | | 346-5305 | | |
| | | | | ----- | | |
| CONTACT PERSON (PLEASE PRINT CLEARLY): | | | | Gary Grady | | |
| | | | | ----- | | |
| ***** THIS IS THE END OF RFQ 709EC004 ***** TOTAL: | | | | | | _____ |

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

| | | | | |
|-----------|------|-----------------------------------|--|------|
| SIGNATURE | | TELEPHONE | | DATE |
| TITLE | FEIN | ADDRESS CHANGES TO BE NOTED ABOVE | | |

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
EQUIPMENT DIVISION

16

BIDDER'S EVALUATION REPORT

PROCUREMENT SPECIFICATIONS FOR OPEN END CONTRACT
NO. 505-1-A

SELF-PROPELLED CURB MACHINE WITH POINTER
AND EQUIPMENT TRAILER

NOTE TO BIDDER: Procurement Specification No. 505-1-A, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. Addendums in order, along with a summary of exception as a separate attachment, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

Reference Requisition No.: 709EC004

Bidder's Name: West Virginia Tractor Company

Address: P.O. Box 473 Charleston, WV 25322

Telephone Number: 346-5301

Years Bidder has been registered to do business with the State of West Virginia: 26 YRS.

Years Company has been an authorized dealer for proposed unit: -1 YRS.

X3.2 Have you complied with all mandatory specifications? YES NO

X4.2 DELIVERY:

X4.2.1 Delivery date of completed representative unit: 30 Calendar Days After
Receipt of Purchase Agreement

X4.2.2 Delivery date of balance of completed units: 45 Calendar Days After Receipt of
Purchase Agreement

**Bidder's Evaluation Report available for download on Purchasing's Web site at
www.state.wv.us/admin/purchase**

X5.0 AWARD CRITERIA;

X5.1 Prices for units:

1-10 \$20,000 per unit11 and over \$20,000 per unit

X6.0 SPECIFICATIONS - GENERAL

X6.1 Manufacturer, model, series, and date of manufacture of proposed unit:

Miller MC 650 and Tramp Trailer Series A 2009 and later

Is descriptive literature, fully describing proposed unit attached to your bid? YES NO

If not, why? _____

X6.2 Will the required number of service manuals, and complete parts list be delivered to the Equipment Division at Buckhannon upon completion of delivery of total units?

 YES NOWill the required Equipment Preventive Maintenance Form (Section X6.2 of Bidders Evaluation Report) be provided upon inspection of the pilot unit? YES NO

X6.2
2-10-00

EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH.

DESCRIPTION: _____ MAKE: _____

MODEL: _____ YEAR: _____ PURCHASE AMOUNT: _____

ENGINE: MAKE: _____ MODEL: _____ FUEL TYPE: _____

HORSEPOWER: _____ CYLINDER: _____ ENGINE SERIAL: _____

COOLING SYSTEM CAPACITY: _____

| | | |
|--------|--------------|---------------|
| BELTS: | DESCRIPTION: | PART NUMBERS: |
| | _____ | _____ |
| | _____ | _____ |

GVW: _____ AXLE CAPACITY: FRONT: _____ REAR: _____

TIRES: FRONT MAKE & SIZE: _____

REAR MAKE & SIZE: _____

DIMENSIONS OF UNIT: LENGTH: _____ WIDTH: _____ LENGTH: _____

VENDOR CONTACT PERSON: _____ PHONE: _____

PARTS:

BATTERY MAKE: _____ MODEL: _____ CCA: _____

TOP OR SIDE POST: _____ DIMENSIONS: LENGTH _____ WIDTH _____ HEIGHT _____

SPARK PLUGS OR FUEL INJECTORS MAKE: _____ PART # _____

FUEL PUMP OR INJECTION PUMP MAKE: _____ MODEL: _____

ALTERNATOR MAKE: _____ PART #: _____

STARTER MAKE: _____ PART #: _____

TURBO CHARGER MAKE: _____ PART #: _____

TRANS. MAKE: _____ MODEL: _____ AUTO/MANUAL: _____

HYDRAULIC PUMP MAKE: _____ MODEL: _____

| FILTERS | MAKE | PART NO. | LUBRICANT | MANUFACTURER TYPE |
|----------------|-------|----------|----------------|-------------------|
| OIL | _____ | _____ | ENGINE | _____ |
| AIR INNER | _____ | _____ | TRANSMISSION | _____ |
| AIR OUTER | _____ | _____ | POWER STEERING | _____ |
| FUEL PRIMARY | _____ | _____ | HYDRAULIC | _____ |
| FUEL SECONDARY | _____ | _____ | DIFFERENTIALS | _____ |
| COOLANT | _____ | _____ | BRAKE FLUID | _____ |
| HYDRAULIC | _____ | _____ | COOLANT | _____ |
| OTHER | _____ | _____ | OTHER | _____ |

X6.3 TRAINING:

Will training seminar be conducted on Preventive Maintenance, Operator and Mechanic Training
 YES NO

Will you conduct training with each purchase order against this open end contract?
 YES NO

Will training be conducted within 2 working days from the delivery of the pilot unit on the individual purchase order?
 YES NO

If NO, explain time frame _____

Will an Operator's Manual be furnished directly to Training Academy prior to the delivery of the pilot?
 YES NO

X6.4 If you are the successful vendor, will you furnish all training aids, i.e., videos, projectors, required in conducting the training?
 YES NO

X6.4.1 Will all manuals, booklets, etc. explaining preventive maintenance, operator procedures, and service schedule be delivered with each unit?
 YES NO
If NO, explain _____

X6.5 WARRANTY AND SERVICE POLICY

Will the warranty and service you provide comply with all areas as stated in Section 6.5 of specifications
 YES NO

Is warranty literature attached?
 YES NO

Is a minimum two (2) year bumper to bumper basic parts and labor warranty excluding abuse and normal wear items included?
 YES NO

Describe:
Two years parts and labor bumper to bumper

X6.6 EVALUATION COMMITTEE REQUIREMENTS

Is all component specifications, product literature, component models provided for Evaluation Committee bid determination? YES NO

X6.7 Will all parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, be furnished with the unit and conform in strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry?

YES NO

X6.7.1 Are all parts and accessories adequate and regularly supplied as standard to be included except those which may be duplications of specifications herein, and except these by specification are not to be furnished?

YES NO

X6.7.2 Are all standard safety features that are required by Federal and State statutes of law included?

YES NO

X7.0 SPECIFICATIONS OF THE QUOTED UNIT

The bidder should complete the following schedule in order for the Division to compare the actual bid unit to the specifications. Should the bidder except a requirement, then such exception may be only on the basis that such feature is not offered by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specifications.

Self-propelled curb machine with pointer follows popline and equipment trailer designed to be simple and efficient and provides the most economical method of placing free standing, high-density extended curb from either concrete or asphalt

YES NO

Manufacturer: Miller

Model: MC650

X7.1 Exhaust: Is it routed to assist in clearing work are YES NO

X7.2 Engine: 13 HP Make: Honda electric start YES NO

X7.3 Fuel Tank: 7.4 Quarts

X7.4 Wheels: 8 inch x 2 inch hard rubber telescoping adjustable YES NO

X7.5 Turning Radius: 3 feet to 4 feet

X7.6 Drive: Automatic (heavy duty) centrifugal clutch to enclosed 8:1 gear reducer, final drive chain and sprocket YES NO

X7.7 Speed: Up to 24 F.P.M.

- X7.8 Hopper Capacity: 6.1 cubic feet
- X7.9 Hand Cranks: Front vertically or horizontal mounted
- X7.10 Brake: Friction pad on steering wheel YES NO
- X7.11 Steering: Tie rod 40 inch steering handle YES NO
- X7.12 Height: 34½ inches
- X7.13 Length: 72 inches with fork
- X7.14 Width: 30 inches
- X7.15 Weight: 805 lbs.
- X7.16 Auger: Interchangeable bolt on mold solid YES NO

Cast iron YES NO

- X7.17 Does unit have means of automatic disengage machine drive in case of overload YES NO

- X7.18 Extrusion: Does unit have right or left hand extrusion capability

Is it reversible YES NO

X8.0 CUSTOM CURBING EQUIPMENT TRAILER

Is trailer fully enclosed with side ramp door for curb machine, and rear ramp door for all other equipment, etc., heavy duty, all steel/aluminum designed to carry all equipment and enough material for up to 300 linear feet of edging YES NO

Manufacturer: Tramp Trailer Model: Series A

- X8.1 Load Capacity: 14,000 lbs.
- X8.2 Length: 16 feet
- X8.3 Axle: Double axle YES NO
- X8.4 Brakes: Electric on all wheels YES NO
- X8.5 Suspension and Tires: Heavy duty for application YES NO
- X8.6 Construction: Diamond Plate with aluminum box YES NO
- X8.7 Lights: Recessed safety lights YES NO
- X8.8 Coupling: Heavy duty for secure transport YES NO

X8.8.1 Does unit have leveling jack with steel wheel for ease of movement when unhooked from prime mover. YES NO

X8.9 Paint: Powder coat baked enamel finish

X8.10 Does unit offered meet or exceed "Occupational Safety and Health Act of 1970" YES NO

X8.11 Does unit conform to the advertising guidelines YES NO

X8.12 Preventive Maintenance

X8.12.1 Will a preventative maintenance and operator's training seminar be provided YES NO

X8.12.2 Will booklets and pamphlets be furnished to be used by the operators YES NO

X8.12.3 Will you furnish all training aids; i.e. videos, projectors, etc. required in conducting the training YES NO

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

West Virginia Code §21-1D-5 provides that: Any solicitation for a public improvement construction contract shall require each vendor that submits a bid for the work to submit at the same time an affidavit that the vendor has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code. A public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the West Virginia Code may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:


Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and is in compliance with the requirements as stated.

Vendor's Name: West Virginia Tractor Company

Authorized Signature:  Date: 11-4-08

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). West Virginia Code, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the West Virginia Code. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

- 1. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, X Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or, 2. Application is made for 2.5% resident vendor preference for the reason checked: X Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or, 3. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or, 4. Application is made for 5% resident vendor preference for the reason checked: X Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or, 5. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or, 6. X Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.


By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: West Virginia Tractor Company Signed: [Signature]
Date: 11-4-08 Title: President

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

Miller MC 550/650 Curbilder™ (extruded curb machines)



MC Series Curbilder™

Miller MC Curbilders™ have offered unequaled performance and versatility for over 40 years. These simple and efficient machines continue to provide the most economical method available of placing free standing, high-density extruded curb from either concrete or asphalt.


Miller's exclusive, interchangeable extrusion auger assemblies give each Curbilder the capability to extrude more shapes and sizes than any other machine, from a 3" high speed bump to an 18" barrier curb. Features like fully adjustable wheel assemblies and tie rod steering minimize site condition problems. Other features reduce the skill level required to produce high quality curb. Included are an

Standard Features

- ◆ 5", 6", 8" and 10" interchangeable auger assemblies
- ◆ Automatic centrifugal clutch driving 8:1 speed reducer
- ◆ Safety torque arm protects against damage to engine, clutch and speed reducer
- ◆ 6.1 CU FT hopper with adjustable opening
- ◆ Telescoping adjustable wheel assemblies
- ◆ Extrudes either concrete or asphalt
- ◆ 40" steering handle with brake
- ◆ Right or left-hand extrusion
- ◆ Places curb to within one inch of obstacle

automatic centrifugal clutch, which guarantees smooth starts and proper auger RPM for optimum compaction, and a unique torque-sensing system that automatically disengages the machine's drive in case of overload. Maintenance and clean-up are simplified through easy access and removal of all extrusion components -hopper, auger, housing and compaction tube.

A wide variety of optional equipment gives these machines the capability to meet the toughest specification work, including extruding reinforcing rod in the curb, extruding over pins, and extruding under existing guard rail. (Requires MC-655)



Sample Curbforms

Use the following chart as a guide to determine the correct auger. Consult factory for curb form and auger size recommendations.

| Auger Size | Curbform Area | | Height | | Width | |
|------------|---------------|-------------|--------|-----|-------|-----|
| | Min | Max | Min | Max | Min | Max |
| 5" | 18 sq. in. | 32 sq. in. | 3.5" | 6" | 5" | 9" |
| 6" | 33 sq. in. | 55 sq. in. | 4" | 10" | 6" | 14" |
| 8" | 56 sq. in. | 119 sq. in. | 6" | 18" | 8" | 18" |
| 10" | 120 sq. in. | 220 sq. in. | 8" | 18" | 10" | 18" |



MC 550/650 Specifications

| | |
|---------------|--|
| Engine | 13HP Honda or 15 HP Kohler MC550/650/655 18HP Honda MC850 |
| Wheels | (9) 8" x 2" hard rubber or (6) 10" x 3" pneumatic |
| Hopper | 6.1 cubic feet |

| | |
|-----------------|---|
| Brake | Friction pad on steering wheel |
| Drive | Automatic centrifugal clutch to enclosed gear reducer, final drive chain and sprocket |
| Steering | tie rod; 40" handle |


| | |
|---------------|--|
| Height | 34½" |
| Length | 72" with form MC550/650/655 77" with form MC850 |
| Width | 30" MC550/650/850 41" MC655 |

The Miller Advantage



MC655 under guard rail curber with offset auger housing

- ◆ Extra large capacity 6.1 cu ft hopper
- ◆ Reinforced tie rod steering assembly provides a tighter turning radius
- ◆ Interchangeable bolt on 5", 6", 8" and 10" auger assemblies provide the largest range of curb sizes available on any extrusion machine
- ◆ Backed by Miller's exclusive 6-year warranty
- ◆ The engine cover, easily removable, protects the engine and the clutch from spillage
- ◆ Over 1400 different curbform designs
- ◆ Two-piece 5" and 6" cast augers provide four wear ends, doubling the useful life of the auger
- ◆ Heavy-duty clutch and gearbox for years of dependable service



Steering handle, brake, tie rod and pointer arm

MC Series Curbilder™ Models

| | MC-550 | MC-650 | MC-655 | MC-850 |
|------------------|--|---|--|--|
| Engine | 15HP Kohler or 13HP Honda recoil start | 15HP Kohler or 13HP Honda electric start | 15HP Kohler or 13HP Honda electric start | 18HP Honda electric start |
| Available Augers | 6" solid or hollow | 5", 6" or 8" solid or hollow | 6" solid | 5", 6" or 8" solid or hollow 10" solid only |
| Wheels | (9) 8" x 2" hard rubber | (9) 8" x 2" hard rubber or (6) 10" x 3" pneumatic | (9) 8" x 2" hard rubber | (6) 10" x 3" pneumatic |
| Weight | 760 lb. | 805 lb. | 880 lb. | 940 lb. |

5" and 6" augers are cast white iron

8" and 10" augers are hard-faced steel

Call 1-800-377-4565 for Sales and Customer Service

MILLER CURBILDER MC 550/650
SPECIFICATIONS

1. PHYSICAL DIMENSIONS

Length --- 77" with 19 1/2" form
Width --- 30"
Height --- 34 1/2"
Weight --- MC-550 -- 745#
 MC-650 -- 845#

2. WHEEL CONFIGURATION

MC 550 - nine (9) 8" diameter hard rubber tires, each molded on a 6 1/2" diameter cast wheel with zerk fitting.

MC650 – choice of either (6) 8" diameter hard rubber tires, each molded on a 6 1/2" diameter cast wheel with zerk fitting or six (6) 10" x 3" pneumatic tires mounted on a steel rim.

3. ENGINE

MC550: choice of either a 13HP Honda recoil start or 15HP Kohler recoil start engine.

MC650: choice of either a 13HP Honda electric start or 15HP Kohler electric start engine.

Both machines come standard with a hinged, removable engine cover.

4. FUEL TANK CAPACITY

1.72 gallons-Honda (approx.)
1.25 gallons-Kohler (approx.)

5. DRIVE

Automatic centrifugal clutch mounted on engine stub shaft with double section "B" V-belts covered with guard, driving 8:1 ratio speed reducer, mounted over output shaft. Roller chain and sprockets connect the speed reducer output shaft to the extrusion auger.

6. CLUTCH

Automatic centrifugal clutch with 1" dia. bore and 1/4" standard keyway.
Throw-in speed 1900 R.P.M.
Throw-out speed 1850 R.P.M.
Horsepower range 6.4 to 20HP
Clutch face dia. 5-5/8"
Pulley 5" O.D., "B" section double V-belt groove, ball bearing construction.

7. SPEED REDUCER

All machined steel gears, run in oil. Ball bearings on all shafts. Heavy cast iron housing. Oil capacity, 1 pint. Torque drive mounted. Input shaft 1.000" dia. with 1/4" keyway. Output sleeve 1.250" I.D. with 1/4" standard keyway. Ratio 8:1.

8. SAFETY TORQUE ARM THROW OUT ASSEMBLY

Provides protection against overload to engine, clutch, and speed reducer, as well as other working parts.

9. FRAME

All steel welded constructed of heavy 2" bar channel side rails and cross bars solidly braced with gussets. A 2" extra strong pipe cross member supports rear wheel assembly. Motor support is bolted in place at front providing extra strength and easy servicing of drive assembly.

10. WHEEL ASSEMBLIES

Telescoping adjustable wheel assemblies located at front and rear of Curbilder facilitates independent, easy and fast leveling, elevating and lowering of each wheel on uneven paved surfaces. Adjustment is provided for positioning of wheel assembly's right or left of Curbilder to avoid tracking in asphalt tack coat. Position of frame can be forward, backward, at center, right, left, vertical or horizontal, to permit the use of wider base forms, extrude and lay better curves, and to keep wheels free of tack coat.

11. STEERING/BRAKE

40" long steering handle with built-in brake hinged at front wheel forks. Steering handle may be positioned at either the right or left side of front wheels, to facilitate a clear view at all times of the extruding operation.

12. HOPPER

Rugged hopper with 6.1 cu. ft. (0.22 cu. yd.) struck capacity. Constructed of No. 12 Ga. sheet steel, insures steady flow of material to auger, and is interchangeable from left to right side of Curbilder. Hopper is adjustable for use with 5", 6", or 8" auger assemblies.

13. EXTRUSION AUGER

MC-550/650 -- one (1) 6" extrusion auger

CAST IRON AUGER (Not rebuildable) - Auger consists of two (2) cast reversible pieces with four (4) wearing surfaces. 5 7/8" dia. spiral flights with 4 1/4" pitch, 2" O.D. tube section by 9" overall length per section. 1 5/16" I.D. of tube section facilitates sliding auger over a auger shaft mounted at drive end in two flange block bearings. A 3/8" dia. heat treated alloy steel cap screw secures each cast auger half to the auger shaft. The auger castings are white iron with a hardness throughout of 550 to 600 brinell.

14. AUGER HOUSING

One (1) 6" I.D. heavy wall tubular steel housing with bolting flanges at each end. 6 1/8" x 11 9/16" flanged opening over auger provides nestling of hopper nozzle. A auger shaft is positioned and supported at the front end by two (2) flange block bearings mounted on two vertical flanges spaced 6" apart. Assembly is secured to frame by bolts and is interchangeable between the right and left side of the curbilder.

15. COMPACTION TUBE

One (1) 6" I.D. heavy wall steel tube with bolting flanges at each end. One end secured to auger housing by four bolts, the opposite end is mounted to the curb form. The compaction tube is easily replaced and is an integral part of the auger housing, and also interchangeable between the right and left side of the Curbilder.

16. CURB FORM – Sold Separately

One (1) curb form of the customer's choice with a square inch area between 33 and 55 for use with the 6" auger assembly. Machine design employs off-set curb extrusion. This permits placing of curb at extreme edge of pavement, right or left side of machine, or along side of any obstacle. This avoids loss of material and permits curbing up to and within 1" of any edge or obstruction with most curb form designs (Note: some curb form shapes require greater clearance from obstructions -- consult factory). Curber extrudes concrete or asphalt. Refer to Curb Form Auger chart. Curb form and auger size will determine curbing speed.

17. OPTIONAL AUGER ASSEMBLIES - in lieu of (instead of) std 6" auger assembly.

MC550 - 6" Hollow Cast Auger Assembly for extruding 3/8" dia. rebar.

MC650 - 5" Solid Cast Auger Assembly; 5" Hollow Cast Auger Assembly for extruding 3/8" dia. Rebar; 8" Solid Steel Auger Assembly; 8" Hollow Steel Auger Assembly for extruding 3/8" dia. rebar.

Each auger assembly includes the following:

One (1) auger, One (1) auger shaft, One (1) auger housing, One (1) compaction tube, Two (2) flange mount ball bearings, One (1) sprocket, One (1) key, One/Two (1/2) shear bolt(s)

The following chart is a GENERAL GUIDE to choose the correct auger size for your curb form requirements. Always consult the factory for curb form and auger size recommendations.

Some curb form shapes may require deviation from this chart.

| Auger Size | Min Sq. In. Area | Max Sq. In. Area | Min Height | Max Height | Min Width | Max Width |
|-------------------|-------------------------|-------------------------|-------------------|-------------------|------------------|------------------|
| 5" | 18" | 32" | 3-1/2" | 6" | 5" | 9" |
| 6" | 33" | 55" | 4" | 10" | 6" | 14" |
| 8" | 56" | 119" | 6" | 18" | 8" | 18" |

Additional auger assembly sizes and configurations are available. Refer to auger/curb form size chart below and Consult Factory.

Warranty

Limited Warranty Policy for Equipment

The Miller Spreader Company guarantees to the original consumer purchaser the frame and metal components of the equipment manufactured by Miller Spreader Company to be free from defects in material and workmanship for six (6) years from date of original shipment from Miller Spreader Company.

This warranty excludes all equipment, parts, components and accessories not manufactured by Miller, including, but not limited to: engines, transmissions, pumps, cylinders, batteries, tires, bearings, belts, etc. Such products are warranted by their respective manufacturer, whose warranty will be the governing warranty for that particular product. Individual manufacturers' warranties are available upon request.

This is a LIMITED WARRANTY. This warranty is expressly in lieu of all other warranties, express or implied, including the warranties of merchantability and fitness for use and all other obligations or liabilities on our part. And we neither assume nor authorize any other to assume for us, any other liability in connection with the sale of any Miller Spreader Company

The obligation of the Miller Spreader Company under this warranty shall be limited to the repair or replacement of any product or parts thereof which may prove to be defective in material or workmanship, to the satisfaction of Miller upon inspection, under normal use and service. This warranty shall not apply to any product or part of said product, that in the judgment of the Miller Spreader Company, was not operated, or maintained correctly, in every respect, as outlined in the manual or information which accompanies each product. This warranty does not apply to failure occurring as a result of abuse, misuse, negligent repairs, corrosion, erosion, normal wear and tear, alterations or modifications made to the product without the express written consent of the Miller Spreader Company.

The total liability of Miller Spreader Company with respect to their sale of products or services furnished hereunder, in connection with the performance or breach thereof, or from the sale, delivery, installation, repair or technical direction covered by or furnished under the sale, whether based on contract, warranty, negligence, indemnity, strict liability, or otherwise shall not exceed the purchase price of the unit of product upon which such liability is based.

Since Miller Spreader Company has no means of controlling the final use of its

products by the consumer or user, it is the responsibility of the immediate seller(s) to inform the user of each product of the purposes and conditions for which the product may be fit and suitable, including the precautionary measures which must be taken in order to insure the safety of the user and of third persons and property. Both the seller and the manufacturer shall be held free and harmless from any liability from injury to any person(s), loss or damage to any property, direct, incidental, consequential, or otherwise, resulting from the accidental, negligent, altered, abused or misused operation of the machine. Before using, the user shall determine the suitability of the product for the intended use, and the user assumes all risk and liability whatsoever in connection with such use. Any product built to customer design shall be warranted as above only with respect to materials and workmanship. The Miller Spreader Company shall be held harmless from any injury or damage resulting from such custom design, or functional dissatisfaction of such product.

Miller Spreader Company reserves the right to modify, alter and improve any part or parts without incurring any obligation to replace any part or parts previously sold without such modified, altered or improved part or parts.

Authorization from the Miller Spreader Company is required prior to any warranty

products. There are no warranties which extend beyond the description on the face hereof.

To validate this warranty for equipment the registration form which accompanies each machine must be completed and returned to the factory by the customer within two (2) weeks after the purchase of the machine.

Limited Warranty Policy for Ritecut Diamond Blades and Bits

The Miller Spreader Company guarantees to the original consumer purchaser that if the laser weld or braze between the segment and the core or barrel fails within the first .050" of segment wear, during correct and normal use, the blade or bit will be repaired or replaced free of charge.

Limited Warranty for Hand Tools

The Miller Spreader Company guarantees to the original consumer purchaser the hand tools manufactured by Miller Spreader Company to be free from defects in material and workmanship for ninety days from the date of purchase.

work being performed. Any warranty work authorized by the Miller Spreader Company will be performed only at the location(s) authorized and by the person(s) authorized. When warranty repairs require specific procedures, repairs will be performed as instructed by the Miller Spreader Company.

Authorization from the Miller Spreader Company is required prior to any products or parts of products being returned to the factory for warranty consideration. All returns must be shipped prepaid and are subject to inspection.

This warranty does not obligate the Miller Spreader Company to bear the cost of service, labor, mileage, delivery charges, or other expenses that have not been previously authorized by the Miller Spreader Company.


In the event that new parts are shipped to a dealer/user to replace alleged defective parts, prior to Miller Spreader Company receiving the alleged defective parts, and prior to Miller Spreader Company determining that parts are defective and covered under warranty, the new parts will be shipped and invoiced as a normal parts order. The dealer/user invoiced under these conditions is liable for payment of the parts invoice. At such time that the returned parts are determined to be defective, and covered under warranty, a credit to account will be issued for the warranted amount.

Call 1-800-377-4565 for Sales and Customer Service

Single axle enclosed cargo concession trailers available at low internet prices

Toll Free: 800-841-1102 SAVANNAH, Ga is our only sales and shipping point. We do not ship out of the USA but welcome sales from Canada for pickup.

- Home
- About Us
- Towing Safety
- User's Guide
- Resources
- Dealer Signup
- Contact Us




Home » Series A

Series A

- Single Axle Cargo Trailer
- Tandem Axle Cargo Trailer
- Tramp Concession Trailer
- Tramp Car Haulers
- Tramp Dump Trailer
- Single Axle Utility Trailer
- Econoline Trailers **NEW!**
- Tandem Axle Utility Trailer
- Trailer Accessories

Series A



Call Toll Free 800-841-1102 or
» Request A Quote «

Note: If you are interested in any other color, specify that in the request form, we will try and make it for you!

Standard Features

This is the best built trailer that you can buy at any price. The trailer is made with American pride and with American parts such as quality Dexter axles.

The trailer is available with the round top that gives you 7 inches of extra height making the trailer at 6 foot 7 inches interior height.

The exterior walls are constructed with 030 metal instead of 019 like so many manufacturers use. We do not cut corners.

The unit is available in A number of sizes or built to your specifications at A low price that you will not believe.

- On top of all these quality features we back these units with A.
- 6 year warranty.**
- 5 year undercoating warranty.**
- 2 year Dexter Roadside axle warranty.**

This is A trailer that you will be proud to own ask our many satisfied customers.

Tramp Trailers
are manufactured
in Douglas, Ga.
and distributed
from our lots in
Savannah, Ga. We
sell as far as
Texas and not the
other half of
United States.

Delivery Info

Delivery is **\$2.00** per mile from Savannah, Ga.31405 This is per loaded mile one way , the you may mapquest from 31405 to your zipcode to get delivery charges. The rate applies to one trailer or up to A 50 foot load of trailers going to one location.

We deliver cars and trailers in some parts of the Southeast. Call **800 841-1102** for more information.

SAVANNAH, Ga is our only sales and shipping point. We do not ship out of the USA but welcome sales from Canada for

pickup.



Roy Newsome Enterprises is truly an old-fashioned business with reliable, quality service. I am more than satisfied and will "spread the word" about such quality and kindness and value.



W. Al Robbins, Jr.
Senior Pastor
Berwick, ME

[more testimonials](#)



[Our Other Sites](#)





Trailers
Hitches
Part





only at




The trailer has the latest design in round top engineering for the best towing millage.





The trailer has A 32 inch side door that comes with both A flush lock and A bar lock for added security.





There is 3/8 plywood on 16 centers, and 3/4 plywood on the floor.





The units with spring assisted ramps also come with the flap for easy extension.





The inside ceiling has A roof vent and A light and light switch.





You have A selection of colors both in barn doors and in ramps.



We use the best axles Dexter made in the USA, all our units have drop axles that lowers the trailer about four inches to the ground for easy loading.



Our units have A 24 inch rockguard on the front.



All units come with 15 inch tires with bearing buddies.

[» Request A Quote «](#)

Several options available. Have questions? Call Toll Free **800-841-1102** or email us at: tramptrailers@aol.com

SAVANNAH, Ga is our only sales and shipping point. We do not ship out of the USA but welcome sales from Canada for pickup.

Bid, buy/sell trailers, cars, motorcycles, boats, parts & accessories at our sister site www.Auctions4Wheels.com. **Absolutely FREE Auctions!** No Charges - no listing fees, no end of auction fees. Also visit our other sites for more great deal on great trailers. www.unclerroys.com , www.trailersrltess.com

Disclaimer

Due to the high volatility of the current market conditions prices are subject to change without notice.



[Home](#) | [About Us](#) | [Towing Safety](#) | [User's Guide](#) | [Dealer Signup](#) | [Resources](#)
[Suggest a Link](#) | [Site Map](#) | [Contact Us](#) | [Credit Application](#) | [Employment Application](#)

Copyright © Roy Newsome Enterprises

[Professional Web design](#) by Pulse.