



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER
709EC009

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN 304-558-2402

VENDOR

RFQ COPY  
 CALLISON RENTALS  
 PO BOX 420  
 BRIDGEPORT WV 26330

SHIP TO

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/02/2008				

BID OPENING DATE: 01/07/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		765-77	26,932.00	26,932.00
SELF PROPELLED POWER BROOM  OPEN END CONTRACT  TO PROVIDE SELF PROPELLED POWER BROOM FOR THE WEST VIRGINIA DIVISION OF HIGHWAYS PER THE ATTACHED SPECIFICATIONS.  A MANDATORY PRE-BID CONFERENCE WILL BE HELD ON 12/15/08 AT 10:00 AM, AT THE EQUIPMENT DIVISION, BUCKHANNON, WEST VIRGINIA. FAILURE TO ATTEND PRE-BID WILL RESULT IN BID DISQUALIFICATION.  QUESTION: WRITTEN QUESTIONS WILL BE ACCEPTED THROUGH CLOSE OF BUSINESS (5:00 PM EST.) ON THURSDAY 12/11/08. SEND YOUR QUESTIONS TO: PURCHASING DIVISION ATTENTION MICHAEL AUSTIN 2019 WASHINGTON ST., EAST CHARLESTON, WV 25305  QUESTIONS MAY BE SENT VIA FAX, E-MAIL, OR REGULAR MAIL. E-MAIL: MICHAEL.D.AUSTIN@WV.GOV FAX: 304-558-4115  IT IS THE VENDORS RESPONSIBILITY TO VERIFY THAT THEIR QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402.  EXHIBIT 2  LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON						

RECEIVED  
 2009 JAN -7 PM 1:05  
 WV PURCHASING DIVISION

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
<i>William Callison</i>	304-842-2900	January 7, 2009	
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	
Owner	55-0755994		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS  
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
14. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
15. **WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT:** If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

---

**INSTRUCTIONS TO BIDDERS**

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in case of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**709EC009**

PAGE  
**2**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
**MICHAEL AUSTIN  
 304-558-2402**

RFQ COPY  
 TYPE NAME/ADDRESS HERE

**CALLISON'S RENT-EL'S  
 P.O. Box 420  
 Bridgeport, WV 26330**

**DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750**

DATE PRINTED <b>12/02/2008</b>	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
-----------------------------------	---------------	----------	--------	---------------

BID OPENING DATE: **01/07/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>..... AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING THIRTY (30) DAYS WRITTEN NOTICE.</p> <p>UNLESS SPECIFIC PROVISIONS ARE STIPULATED IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS, AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.</p> <p>RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICE SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p>OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK).</p> <p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>William Callison</i> W.C.C.	TELEPHONE <b>304-842-2900</b>	DATE <b>January 7, 2009</b>
TITLE <b>Owner</b>	FEIN <b>55-0755994</b>	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**709EC009**

PAGE  
**3**

ADDRESS-CORRESPONDENCE TO ATTENTION OF:  
**MICHAEL AUSTIN**  
**304-558-2402**

RFQ COPY  
 TYPE NAME/ADDRESS HERE

VENDOR

**CALLISON'S RENT-EL'S**  
 P.O. Box 420  
 Bridgeport, WV 26330

SHIP TO

**DIVISION OF HIGHWAYS**  
**EQUIPMENT DIVISION**  
 ROUTE 333  
**BRUSHY FORK ROAD**  
**BUCKHANNON, WV**  
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/02/2008				

BID OPENING DATE: **01/07/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIES BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p> <p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN EQUIPMENT CONTRACT ORDER (FORM NUMBER WV-35) FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL WV-35 MUST BE SENT TO THE PURCHASING DIVISION OF THE DEPARTMENT OF ADMINISTRATION. AFTER APPROVAL AND ENCUMBRANCE, ONE COPY OF THE PURCHASE ORDER WILL BE RETURNED TO THE SPENDING UNIT AND ONE COPY FORWARDED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT. NO ORDER IS VALID UNLESS APPROVED AND ENCUMBERED BY THE PURCHASING DIVISION.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATICALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER.</p> <p>EXHIBIT 4</p> <p>LOCAL GOVERNMENT BODIES: UNLESS THE VENDOR INDICATES IN THE BID HIS REFUSAL TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO COUNTY, SCHOOL, MUNICIPAL AND OTHER LOCAL GOVERNMENT BODIES, THE BID SHALL EXTEND TO POLITICAL SUBDIVISIONS OF THE STATE OF WEST VIRGINIA. IF THE VENDOR DOES NOT WISH TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO ALL POLITICAL SUBDIVISIONS OF THE STATE, THE VENDOR MUST CLEARLY INDICATE SUCH REFUSAL IN HIS BID. SUCH REFUSAL SHALL NOT PREJUDICE THE AWARD OF THIS CONTRACT IN ANY MANNER.</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>William Callison</i> W.C.	TELEPHONE <b>304-842-2900</b>	DATE <b>January 7, 2009</b>
TITLE <b>Owner</b>	FEIN <b>55-0755994</b>	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'





State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**709EC009**

PAGE  
**5**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
**MICHAEL AUSTIN  
 304-558-2402**

RFQ COPY  
 TYPE NAME/ADDRESS HERE

**CALLISON'S RENT-EL'S**  
 P.O. Box 420  
 Bridgeport, WV 26330

**DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/02/2008				

BID OPENING DATE: **01/07/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.</p> <p>ADDENDUM NO.'S:</p> <p>NO. 1 .....</p> <p>NO. 2 .....</p> <p>NO. 3 .....</p> <p>NO. 4 .....</p> <p>NO. 5 .....</p> <p>I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.</p> <p>VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.</p> <p><i>William Callison</i> .....            SIGNATURE  <i>Callison's Rent-El's / Rentals</i> .....            COMPANY  <i>January 7, 2009</i> .....            DATE</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>William Callison</i> wcc	TELEPHONE <i>304-842-2900</i>	DATE <i>January 7, 2009</i>
TITLE <i>Owner</i>	FEIN <i>55-0755994</i>	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'





State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**709EC009**

PAGE  
**7**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
**MICHAEL AUSTIN  
 304-558-2402**

RFQ COPY  
 TYPE NAME/ADDRESS HERE

**CALLISON'S RENT-EL'S  
 P.O. Box 420  
 Bridgeport, WV 26330**

**DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/02/2008				

BID OPENING DATE: **01/07/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
***** THIS IS THE END OF RFQ 709EC009 ***** TOTAL:						<u>\$26,932.00</u>

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE William Callison w.c. TELEPHONE 304-842-2900 DATE January 7, 2009

TITLE Dwer FEIN 55-0755994 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS  
EQUIPMENT DIVISION

PROCUREMENT SPECIFICATIONS  
NO. 043-1-D

SELF PROPELLED POWER BROOM

1.0 PURPOSE

It is the purpose of these specifications to describe a Self Propelled Power Broom (hereinafter referred to as a "broom" or a "unit") to be purchased for use by the West Virginia Division of Highways (DOH) on an Open End Contract basis.

2.0 BIDDING PROCEDURES

**The current purchasing procedures regarding bidding as established by the Department of Administration, Purchasing Division, shall apply.** Failure to submit the "Request for Quotation" forms, complete in its entirety and according to directions indicated, may subject the bidder to disqualification. **Each bid submitted shall also be accompanied by a Bidder's Evaluation Report completed in detail.** Addendums in order, along with exception sheets, should be with Bidder's Evaluation Report. **FAILURE TO SUBMIT THE BIDDER'S EVALUATION REPORT, COMPLETE IN ITS ENTIRETY, MAY RESULT IN AUTOMATIC DISQUALIFICATION.**

3.0 SPECIFICATIONS

The specifications named herein, mandatory and non-mandatory, establish the acceptable level of quality only and are not intended to reflect a preference or favor any particular brand or vendor.

3.1 EXCEPTIONS TO NON-MANDATORY SPECIFICATIONS

Exception to a non-mandatory unit specification may be made by the bidder, providing the exception is not available from the manufacturer. **Any such exception must be noted on the bidder's evaluation report and should be accompanied by supporting documentation/literature from the manufacturer. Any exception must be indicated on a separate attachment to the bidder's evaluation report and labeled as "Exception to Specifications".** The state reserves the right to determine whether the stated exception does or does not reduce the quality and performance of the unit. Failure to provide information for any exceptions may be grounds for rejection of the bid. The state reserves the right to waive minor irregularities in bids or specifications in accordance with §148-1-4(f) of the WV Legislative Rules and Regulations.

### 3.2 MANDATORY SPECIFICATIONS

**All specifications preceded by "shall, will, and/or must" or are stated as a "minimum and/or maximum" are mandatory as stated in Purchasing Divisions Policies and Procedures. Any bid failing to meet any mandatory item shall be immediately disqualified.** Failure to respond in the appropriate evaluation section may also be grounds for immediate disqualification at the discretion of the State.

A mandatory pre-bid conference is scheduled for this equipment purchase as stated in the RFQ. Vendors having products with variations or exceptions in specified mandatory items are expected to address any such variations or exceptions during the pre-bid conference. **The State shall review and consider any such variation or exception, and may at its sole discretion, issue an addendum to change mandatory specifications deemed to be in the State's best interest. Bids from any vendor failing to attend the mandatory pre-bid shall be disqualified. Bids containing any variation or exception to a mandatory specification that was not addressed during the pre-bid conference and accepted by the issuance of an Addendum shall be disqualified.**

### 4.0 REPRESENTATIVE UNIT FOR TEST

**The successful vendor must (if specified) provide DOH one (1) completed representative unit to be observed and evaluated on each order to insure compliance with specification. If requested, the time period for testing and evaluation shall be seven (7) working days following receipt of the unit. DOH will incur no obligation for deterioration of surfaces, finishes, seals, and mechanical or electrical parts on the unit resulting from operation and testing within the limits of these specifications; nor will DOH incur obligation for damage to the unit resulting from failure to meet specifications when due care and attention is given by DOH and testing is done within the limits of these specifications. Failure of the pilot unit to satisfactorily meet specifications as bid shall be cause for cancellation of the purchase order, and return of the delivered unit along with all associated equipment to the vendor at the vendor's expense.**

### 4.1 CONDITION OF UNIT(S) UPON DELIVERY

**All units must arrive at the prescribed delivery point having been completely preserviced with oil, lubricants, and coolant.** All prescribed precautions pertaining to first operations and break-in of the unit are to be posted conspicuously on the unit for ready observance by the operator.

### 4.2 DELIVERY

Delivery point of the completely assembled representative unit will be the DOH, Equipment Division, Route 33 at Brushy Fork Road, Buckhannon, West Virginia (26201).

The vendor is responsible for guaranteeing delivery of the completed units within the time specified and agreed to by the State. Delivery is preferred within 120 days after receipt of purchase agreement. The vendor is responsible for establishing and coordinating delivery terms with allied manufacturers or suppliers. **Delivery terms shall be stated in the bid and the State reserves the right to accept or negotiate such terms.** Failure to reach an agreement may result in rejection of the bid. **The successful**

**bidder shall provide their manufacturer's confirmation of the order to the WVDOH contact person within seven (7) working days after receiving the approved purchase order.**

**A completed pilot model for inspection must be provided within 90 calendar days after receipt of the purchase agreement by the successful vendor.**

Delivery is an integral part of this specification and failure to comply will be cause to initiate a D.O.T. Administrative Form WV-82, Vendor Performance Form. The WV-82 Form will provide a means of officially notifying the Purchasing Division and the vendor of unsatisfactory performance; such as late deliveries, poor service, inadequate parts supplies, etc.

The decision to initiate subject Form will be at the sole discretion of the D.O.H. Commissioner's established Equipment Review Board.

Issuance of the WV-82 Vendor Complaint Form on unsatisfactory delivery against any vendor will be cause to refuse to consider similar items from those vendors on future Request For Quotations.

(NOTE: Delivery time could be altered due to labor strikes, severe inclement weather conditions, etc.)

## 5.0 AWARD CRITERIA

- ✓5.1 DOH will recommend the award in accordance with the RFQ evaluation criteria described in the requisition. **The award shall be made to the lowest unit cost vendor that meets or exceeds the specifications.**

**Prices for the units shall be in quantities of 1-10, and 11 and over.** However, for evaluation purposes, we will use quantities 1-10. DOH reserves the right to place multiple orders in any quantity.

## 6.0 SPECIFICATIONS AND GUIDELINES - GENERAL

### 6.1 IDENTIFICATION OF THE UNIT BEING PROPOSED

**The bidder must identify the unit by manufacturer, model, series, and year of manufacture, in the bid to enable identification by DOH in the manufacturer's specifications of the proposed unit.** The bidder will submit complete descriptive literature of the proposed unit, to establish that the bid is the manufacturer's most current model, including latest engineering improvements, which have been, or will imminently be, regularly advertised and sold on the open market. The unit specified herein and offered to be manufactured after January 1, 2008 and be clearly identified and marked with date of manufacture.

### ✓6.2 OPERATING AND SERVICE MANUALS AND PARTS LISTS

**An operator's manual must be included with each unit upon delivery. A "line sheet" (if applicable) and Equipment Preventative Maintenance Questionnaire (as shown in X6.2 of the Bidder's Evaluation Report) must be with pilot unit upon delivery. In addition, there must be 12 service, shop, or maintenance manuals; ten**

(10) to be distributed to the Districts and two (2) for the Equipment Division. Also, there must be 14 parts manuals; ten (10) to be distributed to the Districts and four (4) for Equipment Division use. CD ROM is preferred in lieu of parts or service manuals.

2 - CD ROMS

\* **NOTE: MANUALS SHALL BE DELIVERED UPON COMPLETION OF DELIVERY OF TOTAL UNITS. FAILURE TO DO SO WILL DELAY PAYMENT.**

### 6.3 TRAINING:

Manufacturers and/or dealers will be required to stage a thorough seminar on the subjects of Preventative Maintenance, Operator and Mechanic Training. **In order to keep the operators and mechanics updated, the successful vendor shall conduct training with each purchase order against this open end contract.** Training is preferred within 2 working days after delivery of the pilot unit on the individual purchase order.

**Manufacturers and/or dealers shall be required to furnish the Training Academy with one (1) Operator's Manual to be shipped direct to WVDOH Training Academy, Post Office Box 610, Buckhannon, West Virginia 26201 prior to delivery of the pilot.**

The seminar to be held at the W. Va. Division of Highways, Equipment Division, Buckhannon, West Virginia.

### 6.4 PREVENTIVE MAINTENANCE AND OPERATOR PROCEDURES:

**Manufacturers and/or dealers will be required to submit to the Equipment Division, in addition to the operating and service manuals, booklets and pamphlets explaining the Preventive Maintenance and Operator Procedures to be used by the operators of this equipment, and must include such things as daily prestart inspection procedure, service schedule, and routine maintenance required, safety precautions, etc.**

**The successful vendor shall furnish all training aids; i.e., videos, projectors, etc. required in conducting the training.**

### 6.5 WARRANTY AND SERVICE POLICY

The Manufacturers warranty or service policy is to apply to the unit. Such warranty or service policy is to be recognized at any authorized unit dealer, representing manufacturer of proposed unit throughout the State of West Virginia. The applicable warranty or service policy will not be contingent upon obtaining routine service, lubrication, and servicing of the unit from factory authorized agencies. It will be the responsibility of the bidder to have available labor to repair or replace any defective replacement parts, components and materials, and to have available those replacement parts, components, and/or materials found to be defective during the terms of the warranty period. The bidder should state the labor rates, locations where parts will be stocked, availability of parts, and discounts offered for parts, when terms of the warranty offer a pro-rated cost for parts and labor. In addition, the successful bidder should offer field work to repair or replace defective parts, components, and materials found to be defective during the terms of the warranty and should provide mechanic's travel rates,

mileage charges, field mechanic rates, and any surcharge for miscellaneous items, if applicable, for field work during the warranty period. Submit to Division of Highways any technical or engineering improvements during the term of the warranty. **The unit must be accompanied upon delivery by the unit's manufacturer's executed warranty or service policy.**

- ★ A mandatory minimum two (2) year bumper to bumper basic parts and labor warranty excluding abuse and normal wear items is required for this unit.

**THE "WARRANTY AND SERVICE POLICY QUESTIONNAIRE" ATTACHED IN THE BIDDER'S EVALUATION REPORT MUST BE COMPLETED IN ITS ENTIRETY BY THE SUCCESSFUL BIDDER OR MANUFACTURER PRIOR TO DELIVERY OF THE PILOT MODEL. (SEE SECTION X6.5 OF BIDDER'S EVALUATION REPORT).**

#### 6.6 EVALUATION COMMITTEE REQUIREMENTS

Detailed component specifications, product literature, component models, required for specification compliance determination by the Evaluation Committee should be provided with each bid. Any information supplied that is contrary to/or conflicting with the specifications and/or attached Bidders Evaluation Report may be sufficient cause for rejection of bid.

#### 6.7 UNSPECIFIED ACCESSORIES & FEATURES

**All parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, must be furnished with each unit and required to conform to strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry.**

**All parts and accessories advertised and regularly supplied as standard shall be included, except those which would represent duplication of these specified, and except those which, by specification, are not to be furnished. All standard safety features, required by Federal and State Law, shall be included.**

#### 7.0 SPECIFICATIONS OF THE QUOTED UNIT ARE AS FOLLOWS:

It is the intent to describe a self-propelled road sweeper Terramite TSS48 or equal in sufficient detail. **All parts not specifically mentioned which are necessary to provide a complete sweeper shall be included.** *HBT*

#### 7.1 Engine:

- 7.1.1 Engine to be rear mounted for better visibility.

- ✕7.1.2 **Engine shall be diesel type 33 horsepower minimum.**
- ✕7.1.3 **Engine air filtration system shall be Manufacturer's heaviest duty system offered.**
- 7.1.4 Unit to have a Manufacturers heaviest duty 12 volt electrical system.
- ✕7.1.5 **Engine must be completely covered with a hinged solid metal cover and be lockable.**
- 7.2 Transmission:
  - 7.2.1 Transmission to be fully hydrostatic with speeds infinitely variable from 0 to approximately 7 MPH when sweeping.
  - 7.2.2 Foot control to be provided for forward and reverse, spring loaded to return to neutral position.
  - 7.2.3 Transmission to have two speeds with a neutral position for towing or rear hub locked. *Not MA*
- 7.3 Steering:
  - 7.3.1 Unit to have power steering
- 7.4 Brakes:
  - ✕7.4.1 **The braking system shall include an operators pedal (service brake) for better operator control and safety**
  - ✕7.4.2 **The braking system shall also include a parking brake for additional safety**
- 7.5 Towing:
  - 7.5.1 Machine is to be towed with no disassembly of any part.
- 7.6 Brush:
  - 7.6.1 Brush to have a heavy duty shock absorber for balance to take bounce out while sweeping.
  - 7.6.2 Brush to be powered by hydraulic motor, independent of travel speed with direct drive motor located inside brush core.
  - 7.6.3 Unit to be capable of sweeping angles from 40 degrees left to 40 degrees right.
  - 7.6.4 Brush control to be conveniently located and to include stop, rotation, raise, lower, float and lock in any desired position.

- ✕ 7.6.5 **Brush to be a minimum of 8 feet in length and approximately 24 inches diameter with poly/steel sections.**
- 7.6.6 A cover to be provided approximately 140 degrees over brush with a rubber apron for rock protection.
- 7.6.7 Brush to be mid-mounted on unit under cab.
- 7.6.8 Brush to have a lock position for towing.
- 7.6.9 A governing device to be provided in hydraulic system to control broom speed independently of carriage speed.
- 7.7. Hydraulic System:
- ✕ 7.7.1 **Unit shall be provided with hydraulic oil cooler.**
- 7.7.2 System to have sufficient oil capacity to operate at maximum efficiency within Manufacturer's recommended operating temperature.
- ✕ 7.7.3 **A minimum of two (2) 10 micron filters to be provided at suction and return sections of system.**
- 7.7.4 Shut-off valves to be provided for changing of filters if needed.
- 7.7.5 A sight glass to be incorporated in system for visual inspection of hydraulic oil.
- 7.8 Cab and Accessories:
- ✕ 7.8.1 Cab to be ROPS enclosed with sound deadening feature.
- 7.8.2 Cab to have lockable doors right and left side (keyed alike).
- 7.8.3 Tinted safety glass to be provided.
- 7.8.4 Front and rear wipers and washers to be provided.
- 7.8.5 Deluxe suspension seat with arm rest to be provided.
- 7.8.6 Unit to have right, left, and inside rear view mirrors.
- ★ 7.8.7 Cab to be equipped with pressurized air conditioner and heater with filter system.
- 7.8.8 A mini light bar (Whelen PT#C200A000 or equal) to be provided and mounted on unit cab.
- 7.8.9 Unit to have work lights front and rear and with stop/tail and turn signals.
- 7.8.10 Fenders to be provided over all four wheels.

- 15 7.9 Gauges to be provided:
- 7.9.1 Voltmeter/Ammeter
  - 7.9.2 Engine oil pressure
  - 7.9.3 Engine water temperature
  - 7.9.4 Hydraulic oil temperature
  - 7.9.5 Hourmeter
- 7.10 Tilt and telescoping steering wheel to be provided.
- 7.11 Unit to be equipped with Manufacturers vandalism protection.
- 7.12 Same wheel and tire to fit all four wheels.
- 7.13 Sprinkler System:
- 7.13.1 Sweeper to have approximately 100 gallon water reservoir.
  - χ 7.13.2 Galvanized or rust proof piping to be provided with a **minimum of eight (8) nozzles on spray bar.**
  - 7.13.3 An electric pump to be incorporated in system.
  - 7.13.4 A 100 mesh strainer to be provided in water system.
  - 7.13.5 Tank to be polyethylene with vented filler cap.
  - 7.13.6 A back-flow valve to be provided to prevent drainage when not in use.
  - 7.13.7 Drain plug to be provided on tank.
- χ 7.14 **Unit shall be delivered to WV DOH with all Manufacturers recommended safety related decals and safety features intact.**
- 7.15 Paint:
- 7.15.1 The entire unit to be painted manufacturers standard color(s)
  - χ 7.15.2 **The entire unit shall be thoroughly cleaned and free from grease, rust, and scale.**
- χ 7.16 **Vendor must certify that unit offered will meet or exceed the "Occupational Safety and Health Act of 1970" and subsequent amendments.**
- 7.17 Advertising: No visible decals or name plates or painted on names other than Manufacturer or model number or trademark should appear on the exterior surface of the unit. Such logos created through the stamping or casting process of Manufacture are accepted.



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS  
EQUIPMENT DIVISION

BIDDER'S EVALUATION REPORT

PROCUREMENT SPECIFICATIONS FOR OPEN END CONTRACT  
NO. 043-1-D

SELF PROPELLED POWER BROOM

NOTE TO BIDDER: Procurement Specification No. 043-1-D, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. Addendums in order, along with a summary of exception as a separate attachment, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

Reference Requisition No.: 709EC009  
Bidder's Name: Callison's Rent-El's / Rentals  
Address: P.O. Box 420 Bridgeport, WV 26330  
Telephone Number: 304-842-2900

Years Bidder has been registered to do business with the State of West Virginia: 14 YRS.

Years Company has been an authorized dealer for proposed unit: 10 YRS.

X3.2 Have you complied with all mandatory specifications?  YES  NO

X4.2 DELIVERY:

X4.2.1 Delivery date of completed representative unit: 30 days Calendar Days After  
Receipt of Purchase Agreement

X4.2.2 Delivery date of balance of completed units: 120 days Calendar Days After Receipt of  
Purchase Agreement

The "Bidder's Evaluation Report" is available for download on Purchasing's Web site at  
[www.state.wv.us/admin/purchase](http://www.state.wv.us/admin/purchase)

X5.0 AWARD CRITERIA;

X5.1 Prices for units:

1-10 \$26,932.00 per unit  
 11 and over \$26,932.00 per unit

X6.0 SPECIFICATIONS - GENERAL

X6.1 Manufacturer, model, series, and date of manufacture of proposed unit:

Terramite, TSS48 - Sweeper - 2009

Is descriptive literature, fully describing proposed unit attached to your bid?  YES  NO

If not, why? \_\_\_\_\_

X6.2 Will the required number of service manuals, and complete parts list be delivered to the Equipment Division at Buckhannon upon completion of delivery of total units?

YES  NO

Will the required Equipment Preventive Maintenance Form (Section X6.2 of Bidders Evaluation Report) be provided upon inspection of the pilot unit?

YES  NO

X6.2  
2-10-00

EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH.

DESCRIPTION: \_\_\_\_\_ MAKE: \_\_\_\_\_

MODEL: \_\_\_\_\_ YEAR: \_\_\_\_\_ PURCHASE AMOUNT: \_\_\_\_\_

ENGINE: MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_ FUEL TYPE: \_\_\_\_\_

HORSEPOWER: \_\_\_\_\_ CYLINDER: \_\_\_\_\_ ENGINE SERIAL: \_\_\_\_\_

COOLING SYSTEM CAPACITY: \_\_\_\_\_

BELTS: DESCRIPTION: \_\_\_\_\_ PART NUMBERS: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_

GVW: \_\_\_\_\_ AXLE CAPACITY: FRONT: \_\_\_\_\_ REAR: \_\_\_\_\_

TIRES: FRONT MAKE & SIZE: \_\_\_\_\_

REAR MAKE & SIZE: \_\_\_\_\_

DIMENSIONS OF UNIT: LENGTH: \_\_\_\_\_ WIDTH: \_\_\_\_\_ LENGTH: \_\_\_\_\_

VENDOR CONTACT PERSON: \_\_\_\_\_ PHONE: \_\_\_\_\_

PARTS:

BATTERY MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_ CCA: \_\_\_\_\_

TOP OR SIDE POST: \_\_\_\_\_ DIMENSIONS: LENGTH \_\_\_\_\_ WIDTH \_\_\_\_\_ HEIGHT \_\_\_\_\_

SPARK PLUGS OR FUEL INJECTORS MAKE: \_\_\_\_\_ PART #: \_\_\_\_\_

FUEL PUMP OR INJECTION PUMP MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_

ALTERNATOR MAKE: \_\_\_\_\_ PART #: \_\_\_\_\_

STARTER MAKE: \_\_\_\_\_ PART #: \_\_\_\_\_

TURBO CHARGER MAKE: \_\_\_\_\_ PART #: \_\_\_\_\_

TRANS. MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_ AUTO/MANUAL: \_\_\_\_\_

HYDRAULIC PUMP MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_

FILTERS	MAKE	PART NO.	LUBRICANT	MANUFACTURER TYPE
OIL	_____	_____	ENGINE	_____
AIR INNER	_____	_____	TRANSMISSION	_____
AIR OUTER	_____	_____	POWER STEERING	_____
FUEL PRIMARY	_____	_____	HYDRAULIC	_____
FUEL SECONDARY	_____	_____	DIFFERENTIALS	_____
COOLANT	_____	_____	BRAKE FLUID	_____
HYDRAULIC	_____	_____	COOLANT	_____
OTHER	_____	_____	OTHER	_____

X6.3 TRAINING:

Will training seminar be conducted on Preventive Maintenance, Operator and Mechanic Training  YES \_\_\_ NO

Will you conduct training with each purchase order against this open end contract?  YES \_\_\_ NO

Will training be conducted within 2 working days from the delivery of the pilot unit on the individual purchase order?  YES \_\_\_ NO

If NO, explain time frame \_\_\_\_\_

Will an Operator's Manual be furnished directly to Training Academy prior to the delivery of the pilot?  YES \_\_\_ NO

X6.4 If you are the successful vendor, will you furnish all training aids, i.e., videos, projectors, required in conducting the training?  YES \_\_\_ NO

X6.4.1 Will all manuals, booklets, etc. explaining preventive maintenance, operator procedures, and service schedule be delivered with each unit?  YES \_\_\_ NO  
If NO, explain \_\_\_\_\_

X6.5 WARRANTY AND SERVICE POLICY

Will the warranty and service you provide comply with all areas as stated in Section 6.5 of specifications  YES \_\_\_ NO

Is warranty literature attached?  YES \_\_\_ NO

Is a minimum two (2) year bumper to bumper basic parts and labor warranty excluding abuse and normal wear items included?  YES \_\_\_ NO

Describe: See attached Warranty policy

**X6.5 WARRANTY AND SERVICE POLICY QUESTIONNAIRE**

**THIS FORM MUST BE COMPLETED IN ITS ENTIRETY AND SUBMITTED WITH YOUR BID.**

(If additional lines are needed, make copies of form.)

1. Define the terms of the standard warranty. If not offered, so state. (Attach copy)

See attachment copy of warranty

2. Define warranty service to be performed at DOH facilities and warranty service to be performed at manufacturer's representative facility. List name and location of manufacturer's representative.

Callison's Rent-El's/Rentals P.O. Box 420 Bridgeport, WV 26330.

3. List locations for parts inventories that are within the State of West Virginia. Also, list availability levels, if known.

TerraQuip Construction Parts 600 Goff Mtn Rd CrossLanes, WV 25313  
Parts are inventoried at TerraQuip location.

4. During the term of warranty, list the guarantee discount to manufacturer's published list price for parts that bidder will sell the parts to owner.

- A. Terms: Net 30                      Manufacturer's published list price less: 12 % discount
- B. Terms: Net 60                     Manufacturer's published list price less: 12 % discount
- C. Terms: Net 90                     Manufacturer's published list price less: 12 % discount

5. During the term of warranty, will all manufacturers or engineering improvements be submitted to Division of Highways?  YES  NO

6. During the term of warranty, list the guaranteed rates charged for repair to the unit.

A. Shop Rate                            \$ 40.00 per mechanic hour

B. Travel Time Charge                \$ 0 per mechanic hour  
(Specify if one-way)                    0; port to port 0

C. Mileage Charge                      \$ 0 per vehicle mile  
(Specify if one-way)                    0; port to port 0

D. Field Mechanic Rate                \$ 40.00 per mechanic hour

E. Specify period of time that prices are in effect: 12 months

F. Surcharge for miscellaneous items: 0 %

## X6.6 EVALUATION COMMITTEE REQUIREMENTS

Is all component specifications, product literature, component models provided for Evaluation Committee bid determination?  YES \_\_\_ NO

X6.7 Will all parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, be furnished with the unit and conform in strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry?

YES \_\_\_ NO

X6.7.1 Are all parts and accessories adequate and regularly supplied as standard to be included except those which may be duplications of specifications herein, and except these by specification are not to be furnished?

YES \_\_\_ NO

X6.7.2 Are all standard safety features that are required by Federal and State statutes of law included?

YES \_\_\_ NO

## X7.0 SPECIFICATIONS OF THE QUOTED UNIT:

The bidder should complete the following schedule in order for the Division to compare the actual bid unit to the specifications. Should the bidder except a requirement, then such exception may be only on the basis that such feature is not offered by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specification.

Manufacturer: Terramite Model: TSS48

It is the intent to describe a self-propelled road sweeper in sufficient detail. Are all parts not specifically mentioned which are necessary to provide a complete sweeper included.  YES \_\_\_ NO

## X7.1 Engine:

X7.1.1 Is engine rear mounted?  YES \_\_\_ NO

X7.1.2 Is engine diesel type?  YES \_\_\_ NO  
Specify engine horsepower 33Hp

X7.1.3 Is engine air filtration system Manufacturer's heaviest duty system offered?  YES \_\_\_ NO

X7.1.4 Will unit have manufacturers heaviest duty 12 volt electrical system?  YES \_\_\_ NO

X7.1.5 Is engine completely covered with hinged solid metal cover and lockable?  YES \_\_\_ NO

X7.2 Transmission:

- X7.2.1 Will transmission be fully hydrostatic?  YES \_\_\_ NO  
Speeds infinitely variable from 0 to 7 MPH
- X7.2.2 Will foot control provided be forward and reverse, spring loaded to return to neutral position?  YES \_\_\_ NO
- X7.2.3 Is transmission 2 speed with a neutral position for towing or rear hub locked? \_\_\_ YES  NO  
If not specify single speed

X7.3 Steering:

- X7.3.1 Will unit be power steering  YES \_\_\_ NO

X7.4 Brakes:

- X7.4.1 Does braking system include an operators pedal (service brake) for better operator control and safety  YES \_\_\_ NO
- X7.4.2 Does braking system include a parking brake for additional safety  YES \_\_\_ NO

X7.5 Towing:

- X7.5.1 Can machine be towed without disassembly of any parts?  YES \_\_\_ NO

X7.6 Brush:

- X7.6.1 Does brush have heavy duty shock absorber for balance to take bounce out while sweeping? Heavy duty spring \_\_\_ YES  NO
- X7.6.2 Will brush be powered by hydraulic motor independent of travel speed with direct drive motor located inside brush core?  YES \_\_\_ NO
- X7.6.3 Is unit capable of sweeping angles?  YES \_\_\_ NO  
Specify 40° degrees left 40° degrees right
- X7.6.4 Will brush control be conveniently located to include stop, rotation, raise, lower, float/lock in any desired position?  YES \_\_\_ NO
- X7.6.5 Does brush have poly/steel sections?  YES \_\_\_ NO  
Length: 8 ft. Diameter: 24 inches
- X7.6.6 Will a cover over brush be provided w/a rubber apron for rock protection?  YES \_\_\_ NO  
160° degrees brush coverage
- X7.6.7 Will brush be mid-mounted on unit under cab?  YES \_\_\_ NO

- X7.6.8 Does brush have a lock position for towing?  YES  NO
- X7.6.9 Will a governing device be provided in hydraulic system to control broom speed independently of carriage speed?  YES  NO
- X7.7. Hydraulic System:
- X7.7.1 Does unit have a hydraulic oil cooler?  YES  NO
- X7.7.2 Does hydraulic system have sufficient oil capacity to operate at maximum efficiency within manufacturer's recommended operating temperature?  YES  NO
- X7.7.3 Will minimum of two (2) 10 micron filters be provided at suction and return sections of system?  YES  NO
- X7.7.4 Will shut-off valves be provided for changing of filters if needed?  YES  NO
- X7.7.5 Is a sight glass incorporated in system for visual inspection of hydraulic oil?  YES  NO
- X7.8 Cab and Accessories:
- X7.8.1 Will cab be ROPS enclosed with sound deadening feature?  YES  NO
- X7.8.2 Does cab have right and left side lockable doors (keyed alike)?  YES  NO
- X7.8.3 Will tinted safety glass be provided?  YES  NO
- X7.8.4 Will front and rear wipers and washers be provided?  YES  NO
- X7.8.5 Does unit have a deluxe suspension seat with armrest?  YES  NO
- X7.8.6 Does unit have right, left and inside rear view mirrors?  YES  NO
- X7.8.7 Will cab be equipped with pressurized AC and heater with filter system?  YES  NO
- X7.8.8 Does unit have a mini light bar (Whelen PT#C200A000 or equal) mounted on cab?  YES  NO
- X7.8.9 Will unit have work lights front and rear with stop/tail and turn signals?  YES  NO
- X7.8.10 Will fenders be provided over all four (4) wheels?  YES  NO
- X7.9 Gauges to be provided:
- X7.9.1 Will unit have Voltmeter/Ammeter?  YES  NO
- X7.9.2 Will unit have engine oil pressure gauge?  YES  NO



- X7.9.3 Will unit have engine water temperature gauge?  YES  NO
- X7.9.4 Will unit have Hydraulic Oil temperature gauge?  YES  NO
- X7.9.5 Will unit have hourmeter?  YES  NO
- X7.10 Will unit have tilt and telescoping steering wheel?  YES  NO
- X7.11 Will unit be equipped with manufacturers vandalism protection?  YES  NO
- X7.12. Will same wheel and tire fit all four (4) wheels?  YES  NO
- X7.13 Sprinkler System:
- X7.13.1 Will sweeper have a water reservoir?  
Specify 100 U.S. gallons  YES  NO
- X7.13.2 Will galvanized  or rust proof piping  be provided Rubber Hose  YES  NO  
Number of nozzles on spray bar: 8
- X7.13.3 Will an electric pump be incorporated in system?  YES  NO
- X7.13.4 Will a 100 mesh strainer be provided in water system?  YES  NO
- X7.13.5 Will tank be polyethylene with vented filler cap?  YES  NO
- X7.13.6 Does unit have a back-flow valve preventing drainage when not in use?  YES  NO
- X7.13.7 Will a drain plug be provided on tank?  YES  NO
- X7.14 Will unit be provided with all manufacturers recommend safety related decals and safety features intact?**  YES  NO
- X7.15 Paint:
- X7.15.1 Will entire unit be painted manufacturers standard color(s)?  YES  NO
- X7.15.2 Will entire unit be thoroughly cleaned/free from grease, rust and scale?**  YES  NO
- X7.16 Will unit meet all OSHA and subsequent amendments requirement?**  YES  NO
- X7.17 Will advertising meet requirements as specified?  YES  NO

VENDOR PREFERENCE CERTIFICATE

Certification and application\* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). West Virginia Code, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the West Virginia Code. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

- 1. Application is made for 2.5% resident vendor preference for the reason checked: [checked] Bidder is an individual resident vendor... [ ] Bidder is a partnership... [ ] Bidder is a nonresident vendor...
2. Application is made for 2.5% resident vendor preference for the reason checked: [checked] Bidder is a resident vendor who certifies that...
3. Application is made for 2.5% resident vendor preference for the reason checked: [ ] Bidder is a nonresident vendor...
4. Application is made for 5% resident vendor preference for the reason checked: [ ] Bidder meets either the requirement...
5. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: [ ] Bidder is an individual resident vendor...
6. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: [ ] Bidder is a resident vendor who is a veteran...

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: Callison's Rent-El's / Rentals Signed: William Callison W.C.C.
Date: January 7, 2009 Title: Owner

\*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

STATE OF WEST VIRGINIA  
Purchasing Division**PURCHASING AFFIDAVIT****VENDOR OWING A DEBT TO THE STATE:**

*West Virginia Code* §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

**PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:**

*West Virginia Code* §21-1D-5 provides that: Any solicitation for a public improvement construction contract shall require each vendor that submits a bid for the work to submit at the same time an affidavit that the vendor has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code. A public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the West Virginia Code may take place before their work on the public improvement is begun.

**ANTITRUST:**

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

**LICENSING:**

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

**CONFIDENTIALITY:**

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit [www.state.wv.us/admin/purchase/privacy](http://www.state.wv.us/admin/purchase/privacy) for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and is in compliance with the requirements as stated.

Vendor's Name: Callison's Rent-El's/Rentals  
 Authorized Signature: William Callison <sup>w.c.e.</sup> Date: January 7, 2009



### LIMITED NEW PRODUCT WARRANTY

WE WARRANTY TO THE ORIGINAL CONSUMER/PURCHASER THAT EACH NEW PRODUCT SOLD BY US WILL BE FREE FROM MANUFACTURING DEFECTS IN NORMAL SERVICE USE FOR A PERIOD OF ~~ONE (1)~~ <sup>TWO</sup> YEAR FROM DATE OF PURCHASE.

Our obligation under this warranty is expressly limited, solely at our option, to the replacement or repair at the premises of Terramite Corporation, 600 Goff Mountain Road, Cross Lanes, West Virginia 25313, or at a service facility designated by us, of such part or parts as inspection shall disclose to have been defective. This warranty does not apply to defects caused by casualty or unreasonable use (including faulty repairs by others and failure to provide reasonable and necessary maintenance) nor to ordinary wear and tear, while in the possession of the consumer/purchaser.

This warranty is for replacement or repair of defective parts only, and does not provide for replacement of complete products due to a defective part or parts nor does it cover any charges of whatever nature in connection with the replacement of any such defective parts.

We shall not be responsible for special, indirect, incidental or consequential damages of any kind including, but not limited to, labor costs or transportation charges in connection with the replacement or repair of defective parts.

Components such as engines, pumps and batteries which are supplied by other manufacturers, are warranted by the manufacturer's nearest "Factory Service Center" for repair or replacement of those items. However, when necessary, the manufacturer will act as your agent to secure adjustment.

To obtain warranty service, purchaser must bring the product to an authorized Terramite Service facility. For the facility nearest you, contact Terramite Corporation, P.O. Box 7146, Charleston, WV 25356 or telephone (304) 776-4231.

This warranty gives you specific rights and you may have other rights which vary from state to state. This warranty is in lieu of any other warranty, whether written, verbal, expressed or implied and may not be modified or changed by Terramite Distributors or Dealers. This warranty shall be null and void unless the section below has been filled in and the manufacturer's copy of this document is returned to Terramite Corporation, P.O. Box 7146, Charleston, WV 25356 within ten (10) days of the date of purchase by the original owner.

~~MODEL# \_\_\_\_\_ SERIAL# \_\_\_\_\_ ENGINE# \_\_\_\_\_~~

~~PURCHASED FROM \_\_\_\_\_~~

~~NAME OF PURCHASER \_\_\_\_\_~~

~~ADDRESS \_\_\_\_\_~~

~~PHONE (\_\_\_\_) \_\_\_\_\_ PERSON TO CONTACT \_\_\_\_\_~~

~~TYPE OF BUSINESS \_\_\_\_\_~~

~~IS THIS YOUR FIRST TERRAMITE? \_\_\_\_\_ NUMBER OWNED: \_\_\_\_\_~~

~~WHAT KIND OF SIMILAR EQUIPMENT DO YOU OWN? \_\_\_\_\_~~

~~\_\_\_\_\_~~

~~\_\_\_\_\_~~


~~OPTIONS \_\_\_\_\_~~

~~\_\_\_\_\_~~

~~DATE OF PURCHASE \_\_\_\_\_ SIGNATURE \_\_\_\_\_~~  
(ORIGINAL PURCHSER)

# New for 2007

# TSS38 & TSS48



Triple Engine Filtration

Full Deluxe Instrumentation

Steel Engine Compartment

Variable Broom Speed Control

Enclosed Steering Motor

Hub Disengagement Warming System

Hydraulic Rated Return Hoses

Independent Hydraulic Power Steering

100 gal Water Supply

Lockout Hubs

Foot Braking System

Dual Drive Motors

Heavy Duty Flipover Hitch

Rugged Dual Wheel System

External Greaseable Bearings



Our customers have asked us to build a more price competitive towable street sweeper. Without sacrificing the features, performance and durability of the Terramite TSS38, we have incorporated their suggested ideas for 2007. You spoke, we listened! Check out the new Terramite TSS48 and see the difference.

1.800.428.3772

TERRAMITE CORPORATION P. O. Box 7146  
Int'l: 1.304.776.4231

Charleston, West Virginia USA 25356-7146  
Fax: 1.304.776.4845

www.terramite.com

# SPECIFICATIONS

Specifications subject to change without notice. Rev. Oct. 2006

## Engine

Make	Isuzu 33 hp Diesel
Fuel Tank	9.5 Gallons
Fuel Consumption	1.2 Gallons/Hr

## Operation

Alternator	12 volt @ 60 AMP
Oil Filter	Spin on Element
Governed RPM Max	Isuzu - 2800
Battery	735 to 750cc AMP
Starter	12 volt

## Dimensions & Capacities

Length	146"
Wheel Base	109"
Max Height	95"
Max Weight	3375 lbs.
Steering	60° each way
Hydraulic Tank	20 Gallons
Water Tanks (2)	50 Gallons each - 100 Total

## Main Frame

The R.O.P.S. main frame, fuel tank, and hydraulic tank are all integrally fabricated from 1/4" thick tubular steel and up to 1/2" plate.

## Wafer (fillers)

Material	Poly & Wire Wafer
Wafer Diameter	6 3/8" ID x 24" OD
Type	Convuluted Design

## Broom Dimensions

### 6' Head

Overall width	81"	8' Head	101"
Sweep Angle	40° Each Way		40° Each Way
Inside Sweeping Radius	2 1/2'		2'
Max Sweeping Width	72"		96"
Min Sweeping Width	52"		76"
Angle Operation	Double Acting Hydraulic Cylinder on both 6' & 8'		
Lift Operation	Double Acting Hydraulic Cylinder w/Float on both 6' & 8'		

## Key Features of the 2007 Terramite TSS48 and TSS46 Sweeper

- A new towing system allows you to tow the unit on all 4 wheels or fold up the hitch easily for alternate transport.
- 2 Front wheels provide better towing and sweeping stability.
- 2 Front wheels provide a built in spare that can be used on the rear of the machine in an emergency.
- A heavy duty tow bar for safety and control during towing. The tow bar folds away for trailer transport.
- A new standard alarm system that alerts the operator to disengage the hubs before towing. This includes a very robust audible alarm and flashing light.
- A 3 stage air filter system to protect your engine with an external bowl cleaner.
- An Isuzu 33 HP Diesel for lower operating cost, performance and reliability.
- A new gauge package that gives the operator a complete picture of how the machine and engine are operating.
- Dual broom drive motors to give the broom 4X the motor life of single drive motors. The dual drive motors also provide equal torque to the brush for longer life.
- Variable broom speed, independent from engine speed allows the operator to slow the brush speed in confined and traffic areas reducing cast off and better safety.
- The broom cylinder is a single acting cylinder which floats the head system to extend brush life.
- Tighter inside turning radius allows more operator control and complete clean up.
- Tandem pump system allows the broom to always sweep and not stop when steering to the left or right.
- The braking system includes an operator pedal service brake for better operator control and safety.
- The FOPS canopy is built to allow better entry to operators without injury to their head.
- A 100 gallon water supply allows for less refills and more productivity.
- The heavy duty frame design gives the broom longer service life and less downtime.
- A safety chain system prevents the broom from falling while in tow. This can also be used to keep the brush from over penetration.
- The steering gear and consol hosing are enclosed for operator safety.
- All hydraulic system hoses are hydraulic rated including return hoses.



Distributed By:

*"Backed by a World of Experience"*

P.O. Box 7146


Charleston, WV 25356-7146

1-800-428-3772


Int'l: 1-304-776-4231

Fax: 1-304-776-4845

[www.terramite.com](http://www.terramite.com)



# Product Specifications




**5C**

- 20 HP Kohler
- 8' 4" Dig Depth
- Highest ROI

Shown with optional  
landscape bucket


**Finance Programs  
Available**



**7**

- 26 HP Kubota Diesel
- 8' 8" Dig Depth
- Heavy Duty


**Finance Programs  
Available**



**7A**

- 33 HP Isuzu Diesel
- 10' Dig Depth
- Strong Workhorse

**Finance Programs  
Available**



**753 & 753A**

- 6' or 8' Sweeper
- 33 HP Isuzu Diesel
- 100 gallon water tank

**Finance Programs  
Available**



# SPECIFICATIONS

<b>Engine</b>	Kohler Command 20 HP	<b>Forces</b>	2800 LBS
Make	7 Gallons	Dipstick	3100 LBS
<b>Fuel Tank</b>		Bucket Curl	750 LBS
<b>Operation</b>		Backhoe Lift	2200 LBS
Drive Motor	HD Gerotor Type	Front Curl	1700 LBS
Transmission	HD Hydrastatic	Loader Lift	
Lubrication	Pressurized with Filter	<b>Capacities</b>	
Front Axle	HD 1" x 5" Crossbeam	<b>BUCKETS</b>	
Rear Axle	Dana 44, Limited Slip	8"	90 cu. ft.
Front Spindle	1.75" Diameter	12"	1.35 cu. ft.
Steering	Power	16"	1.80 cu. ft.
Front Tires	23" x 8.5" x 12" Skid Steer	20"	2.20 cu. ft.
Rear Tires	9.5" x 16" 6 Ply Super Sure Grip	24"	2.40 cu. ft.
<b>Hydraulic System</b>		36"	3.10 cu. ft.
Hydraulic Tank			.25 Yard
Pump	7 Gallons	<b>LOADER:</b>	
Flow	7 GPM @ 3600 RPM	Loader Dump Height	81"
Pressure	2400 PSI	Digging Depth	100"
Loader Valve	2 Spool	Backhoe Reach	132"
Backhoe Valve	6 Spool	R. Bucket Dump Height	76"
Cylinders	2", 2.5"	Front Tire to Front Bucket	51"
Weight	3100 LBS	WheelBase	48"
		Overall Width	58"
		Overall Height	82"



# SPECIFICATIONS

<b>Engine</b>	Kubota Diesel 26 HP	<b>Forces</b>	2800 LBS
Make	9.5 Gallons	Bucket Curl	3100 LBS
<b>Fuel Tank</b>		Backhoe Lift	750 LBS
<b>Operation</b>		Front Curl	4400 LBS
Drive Motor	HD Gerotor Type	Loader Lift	1700 LBS
Transmission	HD Hydrastatic	<b>BUCKETS</b>	
Lubrication	Pressurized with Filter	8"	.90 cu. ft.
Front Axle	HD 1" x 5" Crossbeam	12"	1.35 cu. ft.
Rear Axle	Dana 44, Limited Slip	16"	1.80 cu. ft.
Front Spindle	1.75" Diameter	20"	2.20 cu. ft.
Steering	Power	24"	2.40 cu. ft.
Front Tires	23" x 10.5" x 12" Super Terra	36"	3.10 cu. ft.
Grip	31" x 15.5" x 15" Super Terra	<b>LOADER:</b>	
Rear Tires		Loader Dump Height	96"
Grip		Digging Depth	104"
<b>Hydraulic System</b>		Backhoe Reach	154"
Hydraulic Tank		R. Bucket Dump Height	89"
Pump	9.5 Gallons	Front Tire to Front Bucket	60"
Flow	8 GPM @ 3600 RPM	WheelBase	58"
Pressure	2400 PSI	Overall Height	58"
Loader Valve	2 Spool	Transport Length	177"
Backhoe Valve	6 Spool	Rear Bucket Rotation	180°
Cylinders	2", 2.5"	Front Bucket Rollback	35°
Weight	4180 LBS	Boom Rotation	180°



# SPECIFICATIONS

<b>Engine</b>	Isuzu 33 hp Diesel	<b>Forces</b>	3010 LBS
Make	9.5 Gallons	Bucket Curl	5200 LBS
<b>Fuel Tank</b>		Backhoe Lift	1000 LBS
<b>Operation</b>		Front Curl	6100 LBS
Drive Motor	HD Gerotor Type	Loader Lift	2300 LBS
Transmission	HD Hydrastatic	<b>Capacities</b>	
Lubrication	Pressurized with Filter	<b>BUCKETS</b>	
Front Axle	HD 1" x 5" Crossbeam	8"	90 cu. ft.
Rear Axle	Dana 44 Limited Slip	12"	1.35 cu. ft.
Front Spindle	1.75" Diameter	16"	1.80 cu. ft.
Steering	Power	20"	2.20 cu. ft.
Front Tires	23" x 10.5" x 12" Super Terra Grip	24"	2.40 cu. ft.
Rear Tires	31" x 15.5" x 15" Super Terra Grip	36"	3.10 cu. ft.
Option: 4 Wheel Drive		<b>LOADER:</b>	
<b>Hydraulic System</b>		Loader Dump Height	102"
Hydraulic Tank		Backhoe Reach	156"
Pump	9.5 Gallons	R. Bucket Dump Height	102"
Flow	10 GPM @ 2800 RPM	Front Tire to Front Bucket	57"
Pressure	2500 PSI	WheelBase	61"
Loader Valve	2 Spool	Overall Width	60"
Backhoe Valve	6 Spool	Overall Height	82"
Cylinders	2", 2.5" & 3" Diameter	Transport Length	180"
Weight	2WD - 4795 LBS	Rear Bucket Rotation	180°
	4WD - 4960 LBS	Front Bucket Rollback	35°
		Boom Rotation	180°



# SPECIFICATIONS

<b>Engine</b>	Isuzu 33 hp Diesel	<b>Main Frame</b>	The R.O.P.S. main frame, fuel tank, and hydraulic tank are all integrally fabricated from 1/4" thick tubular steel and up to 1/2" plate.
Make	9.5 Gallons	<b>Water (fillers)</b>	Poly & Wire Wafer
<b>Fuel Tank</b>		Water Diameter	6 3/8" ID x 24" OD
<b>Fuel Consumption</b>	1.2 Gallons/ Hr	Type	Convuluted Design
<b>Operation</b>		<b>Broom Dimensions</b>	<b>6' Head</b>
Alternator	12 volt @ 60 AMP	Overall width	81"
Oil Filter	Spin on Element	Sweep Angle	40 Each Way
Governed RPM Max	Isuzu - 2800	Inside Sweeping Radius	2 1/2'
Battery	735 to 750cc AMP	Max Sweeping Width	72"
Starter	12 volt	Min Sweeping Width	52"
<b>Dimensions &amp; Capacities</b>		Angle Operation	Double Acting Hydraulic
Length	153"	Lift Operation	Cylinder on both 6' & 8'
Wheel Base	109"		Cylinder w/Float on both 6' & 8'
Max Height	95"		
Max Weight	3375 lbs.		
Steering	60 each way		
Hydraulic Tank	20 Gallons		
Water Tanks (2)	50 Gallons each -		
	100 Total		

## Finance Programs Available

1 800.428.3772

Int'l: 1 304.776.4231

### TERRAMITE CORPORATION

P. O. Box 7146

Charleston, West Virginia USA 25356-7146

www.terramite.com

Fax: 1.304.776.4845