



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**Request for
 Quotation**

RFQ NUMBER
DNR209037

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
**FRANK WHITTAKER
 304-558-2316**

RFQ COPY
TYPE NAME/ADDRESS HERE
 SERVICE SUPPLY LTD., INC.
 1524 S HAMILTON RD
 COLUMBUS, OH 43227

SHIP TO
 DIVISION OF NATURAL RESOURCES
 BLUESTONE STATE PARK
 ATTN: PARK SUPERINTENDENT
 HC78, BOX 3
 HINTON, WV
 25951 466-1922

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/10/2008				
BID OPENING DATE: 10/09/2008		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		650-38		
<p>PLAYGROUND EQUIPMENT (NOT OTHERWISE CLASSIFIED)</p> <p>REQUEST FOR QUOTATION</p> <p>THE WEST VIRGINIA STATE PURCHASING DIVISION FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF NATURAL RESOURCES, IS SOLICITING BIDS TO PROVIDE THE AGENCY WITH LABOR AND MATERIALS FOR PLAYGROUND EQUIPMENT FOR BLUESTONE STATE PARK PER THE ATTACHED SPECIFICATIONS.</p> <p>THE AGENCY WILL HOLD A WALK THROUGH ON WEDNESDAY, SEPTEMBER 24, 2008 AT 10:00 AM FOR INTERESTED PARTIES. ALL VENDORS ARE RESPONSIBLE FOR BEING FAMILIAR WITH THE SITE.</p> <p>TECHNICAL QUESTIONS CONCERNING THIS PROJECT MUST BE SUBMITTED IN WRITING TO FRANK WHITTAKER IN THE WEST VIRGINIA PURCHASING DIVISION VIA FAX AT 304-558-4115 OR VIA EMAIL AT FRANK.M.WHITTAKER@WV.GOV. DEADLINE FOR ALL TECHNICAL QUESTIONS IS SEPTEMBER 26, 2008 AT THE CLOSE OF BUSINESS. ALL TECHNICAL QUESTIONS RECEIVED, IF ANY, WILL BE ANSWERED BY ADDENDUM AFTER THE DEADLINE.</p> <p>QUESTIONS CONCERNING THE ACTUAL PROCESS BY WHICH A VENDOR MAY SUBMIT A BID TO THE STATE OF WEST VIRGINIA ARE NOT CONSIDERED TO BE TECHNICAL QUESTIONS AND MAY BE SUBMITTED AT ANY TIME PRIOR TO THE BID OPENING AND IN ANY FORMAT.</p>						

RECEIVED
 2008 OCT -9 A 10:13
 PURCHASING DIVISION
 STATE OF WV

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: *Janet Klelecka* TELEPHONE: 800-848-7556 DATE: SEPTEMBER 24, 2008

TITLE: JANET KLELECKA BOARD MEMBER FEIN: 31-1262459 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
14. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
15. **WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT:** If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in case of discrepancy.
5. All quotations are considered FOB destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P O Box 50130, Charleston, WV 25305-0130.



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER:
DNR209037

PAGE:
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
**FRANK WHITTAKER
 304-558-2316**

RFQ COPY
 TYPE NAME/ADDRESS HERE

SERVICE SUPPLY LTD., INC.
 1524 S HAMILTON RD
 COLUMBUS, OH 43227

DIVISION OF NATURAL RESOURCES
 BLUESTONE STATE PARK
 ATTN: PARK SUPERINTENDENT
 HC78, BOX 3
 HINTON, WV 25951
 466-1922

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/10/2008				

BID OPENING DATE: **10/09/2008** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>EXHIBIT 5</p> <p>NOTICE TO PROCEED: THIS CONTRACT IS TO BE PERFORMED WITHIN 90 CALENDAR DAYS AFTER THE NOTICE TO PROCEED IS RECEIVED. UNLESS OTHERWISE SPECIFIED, THE FULLY EXECUTED PURCHASE ORDER WILL BE CONSIDERED NOTICE TO PROCEED.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE MATERIALS OR WORKMANSHIP SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HERE IN.</p> <p>WAGE RATES: THE CONTRACTOR OR SUBCONTRACTOR SHALL PAY THE HIGHER OF THE U.S. DEPARTMENT OF LABOR MINIMUM WAG RATES AS ESTABLISHED FOR SUMMERS COUNTY, PURSUANT TO WEST VIRGINIA CODE 21-5A, ET, SEQ. (PREVAILING WAGE RATES APPLY TO THIS PROJECT)</p> <p>ARBITRATION: ANY REFERENCES MADE TO ARBITRATION OR INTEREST FOR PAYMENTS DUE (EXCEPT FOR ANY INTEREST REQUIRED BY STATE LAW) CONTAINED IN THIS CONTRACT OR IN ANY AMERICAN INSTITUTE OF ARCHITECTS DOCUMENTS PERTAINING TO THIS CONTRACT ARE HEREBY DELETED.</p> <p>WORKERS' COMPENSATION: VENDOR IS REQUIRED TO PROVIDE A CERTIFICATE FROM WORKERS' COMPENSATION IF SUCCESSFUL</p> <p>ALL OF THE ITEMS CHECKED BELOW WILL BE A REQUIREMENT OF THIS CONTRACT:</p> <p>(XX) INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF OF COMMERCIAL GENERAL LIABILITY INSURANCE PRIOR TO</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Janet Klecka</i>	TELEPHONE 800-848-7556	DATE SEPTEMBER 24, 2008
TITLE JANET KLECKA BOARD MEMBER	FEIN 31-1262459	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR209037

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
FRANK WHITTAKER
304-558-2316

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SERVICE SUPPLY LTD., INC.
 1524 S HAMILTON RD
 COLUMBUS, OH 43227

SHIP TO

DIVISION OF NATURAL RESOURCES
 BLUESTONE STATE PARK
 ATTN: PARK SUPERINTENDENT
 HC78, BOX 3
 HINTON, WV 25951
 466-1922

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/10/2008				

BID OPENING DATE: **10/09/2008** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>ISSUANCE OF CONTRACT. UNLESS OTHERWISE SPECIFIED IN THE BID DOCUMENTS, THE MINIMUM AMOUNT OF INSURANCE COVERAGE REQUIRED IS \$250,000.</p> <p>() BUILDERS RISK INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF OF BUILDERS RISK - ALL RISK INSURANCE IN AN AMOUNT EQUAL TO 100% OF THE AMOUNT OF THE CONTRACT.</p> <p>(XX) BONDS: FIVE PERCENT (5%) OF THE TOTAL AMOUNT OF THE BID PAYABLE TO THE STATE OF WEST VIRGINIA, SHALL BE SUBMITTED WITH EACH BID AS A BID BOND. THE SUCCESSFUL BIDDER SHALL ALSO FURNISH A PERFORMANCE BOND AND LABOR MATERIAL BOND FOR 100% OF THE AMOUNT OF THE CONTRACT. BONDS MAY BE PROVIDED IN THE FORM OF A CERTIFIED CHECK, IRREVOCABLE LETTER OF CREDIT, OR BOND FURNISHED BY A SOLVENT SURETY COMPANY AUTHORIZED TO DO BUSINESS IN THE STATE OF WEST VIRGINIA. A LETTER OF CREDIT SUBMITTED IN LIEU OF A BOND WILL ONLY BE ALLOWED FOR PROJECTS UNDER \$100,000. PERSONAL OR BUSINESS CHECKS ARE NOT ACCEPTABLE IN LIEU OF THE 5% BID BOND, PERFORMANCE BOND, OR LABOR AND MATERIAL BOND.</p> <p>() MAINTENANCE BOND: A TWO (2) YEAR MAINTENANCE BOND COVERING THE ROOFING SYSTEM WILL BE A REQUIREMENT OF THE SUCCESSFUL VENDOR.</p> <p>REV. 11/00</p> <p>EXHIBIT 7</p> <p>DOMESTIC ALUMINUM, GLASS & STEEL IN PUBLIC WORKS PROJECTS</p> <p>IN ACCORDANCE WITH WEST VIRGINIA CODE 5-19-1 ET., SEQ., EVERY CONTRACT FOR CONSTRUCTION, RECONSTRUCTION,</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Janet Klecka</i>	TELEPHONE 800-848-7556	DATE SEPTEMBER 24, 2008
TITLE JANET KLECKA BOARD MEMBER	FEIN 31-1262459	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**Request for
 Quotation**

RFQ NUMBER
DNR209037

PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF:
**FRANK WHITTAKER
 304-558-2316**

**RFQ COPY
 TYPE NAME/ADDRESS HERE**

SERVICE SUPPLY LTD., INC.
 1524 S HAMILTON RD
 COLUMBUS, OH 43227

**DIVISION OF NATURAL RESOURCES
 BLUESTONE STATE PARK
 ATTN: PARK SUPERINTENDENT
 HC78, BOX 3
 HINTON, WV
 25951 466-1922**

DATE PRINTED 09/10/2008	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
-----------------------------------	---------------	----------	--------	---------------

BID OPENING DATE: **10/09/2008** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>ALTERATION, REPAIR, IMPROVEMENT OR MAINTENANCE OF PUBLIC WORKS, WHERE THE COST IS MORE THAN \$50,000 AND, IN THE CASE OF STEEL ONLY, WHERE THE COST OF STEEL IS MORE THAN \$50,000 OR WHERE MORE THAN 10,000 POUNDS OF STEEL ARE REQUIRED, THE STATE WILL ACCEPT ONLY ALUMINUM GLASS, OR STEEL PRODUCTS PRODUCED IN THE UNITED STATES IN ADDITION, ITEMS OF MACHINERY OR EQUIPMENT PURCHASED FOR USE AT THE SITE OF PUBLIC WORKS SHALL BE MADE OF DOMESTIC ALUMINUM, GLASS OR STEEL, UNLESS THE COST OF THE PRODUCT IS LESS THAN \$50,000 OR LESS THAN 10,000 POUNDS OF STEEL ARE USED IN PUBLIC WORKS PROJECTS.</p> <p>FOREIGN MADE ALUMINUM, GLASS OR STEEL PRODUCTS MAY BE ACCEPTED ONLY IF THE COST OF DOMESTIC PRODUCTS IS FOUND TO BE UNREASONABLE. SUCH COST IS UNREASONABLE IF IT IS 20% OR MORE HIGHER THAN THE BID PRICE FOR FOREIGN MADE PRODUCTS. IF THE DOMESTIC ALUMINUM, GLASS OR STEEL PRODUCTS TO BE SUPPLIED OR PRODUCED IN A "SUBSTANTIAL LABOR SURPLUS AREA", AS DEFINED BY THE UNITED STATES DEPARTMENT OF LABOR, FOREIGN PRODUCTS MAY BE SUPPLIED ONLY IF DOMESTIC PRODUCTS ARE 30% OR MORE HIGHER IN PRICE THAN THE FOREIGN MADE PRODUCTS.</p> <p>IF, PRIOR TO THE AWARD OF A CONTRACT UNDER THE ABOVE PROVISIONS, THE SPENDING OFFICER OF THE SPENDING UNIT DETERMINES THAT THERE EXISTS A BID FOR LIKE FOREIGN ALUMINUM, GLASS OR STEEL THAT IS REASONABLE AND LOWER THAN THE LOWEST BID DOMESTIC PRODUCTS, THE SPENDING OFFICE MAY REQUEST, IN WRITING, A REEVALUATION AND REDUCTION IN THE LOWEST BID FOR SUCH DOMESTIC PRODUCTS ALL VENDORS MUST INDICATE IN THEIR BID IF THEY ARE SUPPLYING FOREIGN ALUMINUM, GLASS OR STEEL.</p> <p>REV. 3/88</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Janet Kletecka</i>	TELEPHONE 800-848-7556	DATE SEPTEMBER 24, 2008
TITLE JANET KLETECKA BOARD MEMBER	FEIN 31-1262459	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**Request for
 Quotation**

RFQ NUMBER
DNR209037

PAGE
6

ADDRESS CORRESPONDENCE TO ATTENTION OF:
**FRANK WHITTAKER
 304-558-2316**

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE
 SERVICE SUPPLY LTD., INC.
 1524 S HAMILTON RD
 COLUMBUS, OH 43227

SHIP TO

DIVISION OF NATURAL RESOURCES
 BLUESTONE STATE PARK
 ATTN: PARK SUPERINTENDENT
 HC78, BOX 3
 HINTON, WV 25951
 466-1922

DATE PRINTED 09/10/2008	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
-----------------------------------	---------------	----------	--------	---------------

BID OPENING DATE: **10/09/2008** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>ADDENDUM ACKNOWLEDGEMENT</p> <p>I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.</p> <p>ADDENDUM NOS.:</p> <p>NO. 1 XX</p> <p>NO. 2</p> <p>NO. 3</p> <p>NO. 4</p> <p>NO. 5</p> <p>I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF THE BIDS.</p> <p>VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.</p> <p><i>Janet Kletecka</i> SIGNATURE JANET KLETECKA, BOARD MEMBER SERVICE SUPPLY LTD., INC. COMPANY</p> <p>SEPTEMBER 24, 2008 DATE</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Janet Kletecka</i>	TELEPHONE 800-848-7556	DATE SEPTEMBER 24, 2008
TITLE JANET KLETECKA BOARD MEMBER	FEIN 31-1262459	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR209037

PAGE
8

ADDRESS CORRESPONDENCE TO ATTENTION OF:
**FRANK WHITTAKER
 304-558-2316**

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SERVICE SUPPLY LTD., INC.
 1524 S HAMILTON RD
 COLUMBUS, OH 43227

SHIP TO

DIVISION OF NATURAL RESOURCES
 BLUESTONE STATE PARK
 ATTN: PARK SUPERINTENDENT
 HC78, BOX 3
 HINTON, WV 25951
 466-1922

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/10/2008				

BID OPENING DATE: **10/09/2008** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>ANY INFORMATION PROVIDED IN SPECIFICATION MANUALS, OR ANY OTHER SOURCE, VERBAL OR WRITTEN, WHICH CONTRADICTS OR ALTERS THE INFORMATION PROVIDED FROM THE SOURCES AS DESCRIBED IN THE ABOVE PARAGRAPH IS VOID AND OF NO EFFECT.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATICALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER.</p> <p>REV. 1/2005</p> <p style="text-align: center;">NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p style="text-align: center;">DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER: FRANK WHITTAKER-FILE 44</p> <p>REQ. NO.: DNR209037</p> <p>BID OPENING DATE: OCTOBER 9, 2008</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Janet Klelecka</i>	TELEPHONE 800-848-7556	DATE SEPTEMBER 24, 2008
TITLE JANET KLELECKA BOARD MEMBER	FEIN 31-1262459	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR209037

PAGE
9

ADDRESS CORRESPONDENCE TO ATTENTION OF
**FRANK WHITTAKER
 304-558-2316**

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE
 SERVICE SUPPLY LTD., INC.
 1524 S HAMILTON RD
 COLUMBUS, OH 43227

SHIP TO

DIVISION OF NATURAL RESOURCES
 BLUESTONE STATE PARK
 ATTN: PARK SUPERINTENDENT
 HC78, BOX 3
 HINTON, WV 25951 466-1922

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/10/2008				

BID OPENING DATE: **10/09/2008** BID OPENING TIME: **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
BID OPENING TIME: 1:30 PM PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: 304-742-3250 ----- PLEASE PRINT OR TYPE NAME OF PERSON TO CONTACT CONCERNING THIS QUOTE: PAM MELTON -----						
***** THIS IS THE END OF RFQ DNR209037 ***** TOTAL:						\$51,060.00

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Janet Kebeck</i>	TELEPHONE 800-848-7556	DATE SEPTEMBER 24, 2008
TITLE JANET KEBECKA BOARD MEMBER	FEIN 31-1262459	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

BLUESTONE STATE PARK PLAYGROUND SPECIFICATIONS – CONTD.

All playground equipment and engineered wood fiber must meet the following requirements:

- Compliance with U.S. Consumer Product Safety Commission, Handbook for Public Playground Safety.
- Compliance with ASTM Standard F 1487.
- Compliance with Architectural and Transportation Barriers Compliance Board, Americans with Disabilities Act (ADA) Accessibility Guidelines for Buildings and Facilities; Play Areas.

Vendors must submit the following attachments:

- Complete manufacturer's parts specifications and warranties.
- Layout drawing to scale of the proposed play structure or equipment.
- ASTM and CPSC Statement of Compliance

Warranties:

- All equipment and engineered wood fiber must be guaranteed to be free of defects in workmanship and material for a minimum of one year from date of acceptance. However, if manufacturer warranty periods are longer than the required minimum one year warranty, those warranties shall apply.

The award may be split if it is in the best interest of the West Virginia Division of Natural Resources.

Vendors must have a familiarity with the proposed areas for which the playground equipment is to be purchased and installed. Owner will conduct a site walk through on September 24, 2008, at 10:00 a.m. for interested parties.

Item No	Quantity	Description	Unit Price	Amount
		<p>To supply and install playground equipment to offer play activities for children ages 5 to 12 at Bluestone State Park, Hinton, West Virginia. There will be a total of two separate playground areas for which playground equipment is to be supplied and installed. Additionally, the Request For Quotation includes the purchase a surface material for a volleyball court. Park personnel will install surface material for volleyball court and engineered wood fiber.</p>		
1	1	<p>CABIN AREA PLAYGROUND</p> <p>PrimeTime play structure, Model #G11812 modified, or equal. Modification: replace 4' crawl tube with spy holes with a mini arch bridge, and exclude talk tubes; uprights must be galvanized metal a minimum of 3 ½" diameter; and color scheme must be green plastic, brown uprights, beige metal, and brown decks.</p>		
2	1	<p>PrimeTime swing, Model #12583, or equal. Swing must be a minimum of 8' in height; uprights and top rail must be approximately 3 ½" galvanized steel; color must be green; and must accommodate a minimum of 2 swing packages.</p>		
3	1	<p>PrimeTime add-a-bay, Model #12584, or equal. Add-a-bay must be minimum of 8' in height; the uprights and top rail must be approximately 3 ½" galvanized steel; must accommodate a minimum of 2 swing packages; and color must be green.</p>		
4	2	<p>GameTime enclosed tot swing package, Model, #1470 or equal. Seat packages must be with standard S-Hook enclosures; must include all galvanized chain and hardware for a minimum of 8' high swing and approximately 3 ½" top rail; and color must be black.</p>		

Item No	Quantity	Description	Unit Price	Amount
5	2	GameTime belt seat packages, Model #1483, or equal. Seat packages must be with standard S-Hook enclosures; must include all galvanized chain and hardware for a minimum of 8' high swing and approximately 3 1/2" top rail; and the color must be black.		
6	2	GameTime aluminum animal saddle-mate bodies or equal: one (1) each of Model #391 (Stallion) and Model #359 (Frog), or equal. Saddle-mate bodies must mount to coil spring in-ground style mount packages.		
7	2	GameTime coil spring in-ground mount packages, Model #4891, or equal. The coil springs must mount to saddle-mate bodies.		
8	1	GameTime Geotextile 2,250 Sq. Ft. or equal.		
9	50	GameTime 8" high PlayCurb, Model #4850, or equal. PlayCurb must include galvanized stakes and must be black in color.		
10	1	GameTime , 8" high accessible PlayCurb, Model #4854, or equal. PlayCurb must adapt to 8" high PlayCurb and be black in color.		
11	1	F.O.B. Destination. Freight and or delivery charges are to be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.	TO INCLUDE ITEMS #1-7 & 9-11 MATERIAL DELIVERED	\$25,943.00
12	1	Installation of items 1, 2, 3, 6 and 7. Heavy prevailing wage rates are to be paid for Summers County, West Virginia /www.wvsos.com/adlaw/wagerates/heavyhighway/heavyhighway07/allhh.pdf . Installation must be complete within ninety (90) days of purchase order award.	BY DYNAMIC INSTALLATIONS OF CARROLL, OH	\$10,158.00

Item No	Quantity	Description	Unit Price	Amount
		POOL AREA PLAYGROUND		
13	1	PrimeTime swing, Model #12583, or equal. Swing must be a minimum of 8' in height, the uprights and top rail must be approximately 3 ½" galvanized steel; must accommodate a minimum of 2 swing packages; and color must be green.		
14	1	PrimeTime add-a-bay, Model #12584, or equal. Add-a-bay must be a minimum of 8' in height; uprights and top rail must be approximately 3 ½" galvanized steel; must accommodate a minimum of 2 swing packages; and color must be green.		
15	2	GameTime enclosed tot swing package, Model #1470, or equal. Seat packages must be with standard S-Hook enclosures; must include all galvanized chain and hardware for a minimum of 8' high swing and approximately 3 1/2 top rail; and color must be black.		
16	2	GameTime belt seat packages, Model #1483, or equal. Seat packages must be with standard S-Hook enclosures; must include all galvanized chain and hardware for a minimum of 8' high swing and approximately 3 ½" top rail; and color must be black.		
17	2	Aluminum Animal Saddle-Mate bodies: one (1) each of GameTime stallion, Model #391, and frog, Model #359 (Frog), or equal. Saddle-Mate bodies must mount to coil spring in-ground style mount packages.		
18	2	GameTime coil spring in-ground mount packages, Model #4891, or equal. Coil springs must mount to saddle-mate bodies.		
19	1	GameTime Geotextile 2,250 Sq. Ft. or equal.		
20	45	GameTime, 8" high PlayCurb, Model #4850, or equal. PlayCurb must include galvanized stakes and be black in color.		

Item No	Quantity	Description	Unit Price	Amount
21	1	GameTime, 8" high accessible PlayCurb, Model #4854, or equal. PlayCurb must adapt to 8" high PlayCurb and must be black in color.		
22	1	F.O.B. Destination. Freight and or delivery charges are to be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.	TO INCLUDE ITEMS #13-18 & 20-22 MATERIAL DELIVERED	\$5,700.00
23	1	Installation of items 13, 14, 17 and 18. Prevailing wage rates are to be paid for Summers County, West Virginia (http://www.wvsos.com/adlaw/wagerates/heavyhighway/heavyhighway07/allhh.pdf). Installation must be complete within ninety (90) days of purchase order award.	BY DYNAMIC INSTALLATIONS OF CARROLL, OH	\$2,159.00
24	1	VOLLEYBALL COURT GameTime GeoTextile 1,800 Sq. Ft., or equal.		
25	1	F.O.B. Destination. Freight and or delivery charges are to be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.		
26	2,400 Sq Ft	ALL AREAS GameTime Engineered Wood Fiber @ 8" compacted depth, or equal (not installed)	TO INCLUDE ITEMS #8, 19, 24-27	
27	1	F.O.B. Destination. Freight and or delivery charges are to be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.		\$7,100.00
			TOTAL	\$51,060.00

BLUESTONE PLAYGROUND QUALIFY:

-SERVICE SUPPLY LTD., INC. AND DYNAMIC INSTALLATIONS ARE TWO SEPARATE ENTITIES AND WILL REQUIRE SEPARATE CONTRACTS AND PAYMENTS.

SERVICE SUPPLY LTD., INC.

1524 S. HAMILTON RD
COLUMBUS, OH 43227

PAM MELTON
304-743-5260

DYNAMIC INSTALLATIONS
4699 CARROLL-CEMETARY RD
CARROLL, OH 43112
TONY SHADWICK
614-206-4288

-INSTALLATION COSTS ASSUMES NORMAL DIGGING CONDITIONS

-INSTALLATION TO BE SCHEDULED BETWEEN OWNER AND DYNAMIC INSTALLATIONS

-OWNER TO CHOOSE FROM STANDARD LANDSCAPE STRUCTURES, INC. COLOR OPTIONS

-PRICE DOES NOT INCLUDE SITE PREP

-PRICES DO NOT INCLUDE COST OF VOLLEYBALL POSTS, NETS, OR EQUIPMENT

CNA SURETY

BID BOND

KNOW ALL MEN BY THESE PRESENTS, That we, SERVICE SUPPLY LTD INC, Principal,
1524 S HAMILTON RD, COLUMBUS OH 43227, Surety, are held and firmly bound onto
and WESTERN SURETY COMPANY, State of West Virginia, Division of Natural Resources, 2019 Washington St East, Charleston, WV, Obligee,
25305
in the sum of 5% of the accompanying bid Dollars 5% of bid)
for the payment of which we bind ourselves, our legal representatives, successors and assigns,
jointly and severally, firmly by these presents.

WHEREAS, principal has submitted or is about to submit a proposal to obligee on a contract
Playground Equipment at Bluestone State Park

NOW, THEREFORE, if the said contract be awarded to Principal and Principal shall, within
such time as may be specified, enter into the contract in writing and give such bonds or bonds as
may be specified in the bidding or contract documents with surety acceptable to Obligee; or if
Principal shall fail to do so, pay to Obligee the damages which Obligee may suffer by reason of
such failure not exceeding the penalty of this bond, then this obligation shall be void; otherwise to
remain in full force and effect.


Signed, sealed and dated
October 9, 2008

SERVICE SUPPLY LTD INC
(Principal)

by  (Seal)
JANET KLETECKA, BOARD MEMBER

Countersigned _____
Licensed West Virginia Resident Agent

WESTERN SURETY COMPANY
(Surety)

By  Attorney-In-Fact
Tamara J. Mohr

Western Surety Company

POWER OF ATTORNEY APPOINTING INDIVIDUAL ATTORNEY-IN-FACT

Know All Men By These Presents, That WESTERN SURETY COMPANY, a South Dakota corporation, is a duly organized and existing corporation having its principal office in the City of Sioux Falls, and State of South Dakota. and that it does by virtue of the signature and seal herein affixed hereby make constitute and appoint

Edward M. Schinnerer, Helen M Bickel, Donna E Fitzpatrick, Karen S Ergang, Tamara J Mohr, Bryan L Formsma, Individually

of Byron Center, MI. its true and lawful Attorney(s)-in-Fact with full power and authority hereby conferred to sign, seal and execute for and on its behalf bonds, undertakings and other obligatory instruments of similar nature

- In Unlimited Amounts -

and to bind it thereby as fully and to the same extent as if such instruments were signed by a duly authorized officer of the corporation and all the acts of said Attorney, pursuant to the authority hereby given, are hereby ratified and confirmed.

This Power of Attorney is made and executed pursuant to and by authority of the By-Law printed on the reverse hereof, duly adopted, as indicated, by the shareholders of the corporation.

In Witness Whereof, WESTERN SURETY COMPANY has caused these presents to be signed by its Senior Vice President and its corporate seal to be hereto affixed on this 26th day of June, 2008.




WESTERN SURETY COMPANY

Paul T. Bruffat, Senior Vice President

State of South Dakota }
County of Minnehaha } ss

On this 26th day of June, 2008, before me personally came Paul T Bruffat to me known who, being by me duly sworn, did depose and say: that he resides in the City of Sioux Falls, State of South Dakota; that he is the Senior Vice President of WESTERN SURETY COMPANY described in and which executed the above instrument; that he knows the seal of said corporation; that the seal affixed to the said instrument is such corporate seal; that it was so affixed pursuant to authority given by the Board of Directors of said corporation and that he signed his name thereto pursuant to like authority, and acknowledges same to be the act and deed of said corporation

My commission expires
November 30, 2012



D. Krell, Notary Public

CERTIFICATE

I, L. Nelson, Assistant Secretary of WESTERN SURETY COMPANY do hereby certify that the Power of Attorney hereinabove set forth is still in force, and further certify that the By-Law of the corporation printed on the reverse hereof is still in force. In testimony whereof I have hereunto subscribed my name and affixed the seal of the said corporation this 9th day of October, 2008.



WESTERN SURETY COMPANY

L. Nelson, Assistant Secretary

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

West Virginia Code §21-1D-5 provides that: Any solicitation for a public improvement construction contract shall require each vendor that submits a bid for the work to submit at the same time an affidavit that the vendor has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code. A public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the West Virginia Code may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and is in compliance with the requirements as stated.

Vendor's Name: SERVICE SUPPLY LTD., INC.

Authorized Signature:  Date: SEPTEMBER 24, 2008

Purchasing Affidavit (Revised 07/07/08)
JANET KLETECKA, BOARD MEMBER

Purchasing Affidavit must be submitted with your bid for this project.

CONTRACTOR LICENSE

Authorized by the

West Virginia Contractor Licensing Board

Number: WV013333

Classification:

SPECIALTY

SERVICE SUPPLY LTD INC
1524 S HAMILTON RD
COLUMBUS, OH 43227-2493

Date Issued

JANUARY 24, 2008

Expiration Date

JANUARY 24, 2009



Authorized Company Signature



Chair, West Virginia Contractor
Licensing Board

**WEST VIRGINIA
CONTRACTOR
LICENSING
BOARD**

This license, or a copy thereof, must be posted in a conspicuous place at every construction site where work is being performed. This license number must appear in all advertisements, on all bid submissions and on all fully executed and binding contracts. This license cannot be assigned or transferred by licensee. Issued under provisions of West Virginia Code, Chapter 21, Article 11.

CONTRACTOR LICENSE

Authorized by the

West Virginia Contractor Licensing Board

Number: WV040115

Classification:

GENERAL BUILDING

DYNAMIC INSTALLATIONS INC
10093 ALSPACH RD
CANAL WINCHESTER, OH 43110

Date Issued

JANUARY 30, 2008

Expiration Date

JANUARY 30, 2009

Authorized Company Signature

Michael A. Carl
Chair, West Virginia Contractor
Licensing Board

**WEST VIRGINIA
CONTRACTOR
LICENSING
BOARD**

This license, or a copy thereof, must be posted in a conspicuous place at every construction site where work is being performed. This license number must appear in all advertisements, on all bid submissions and on all fully executed and binding contracts. This license cannot be assigned or transferred by licensee. Issued under provisions of West Virginia Code, Chapter 21, Article 11.

ACORDTM CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
12/12/2007

PRODUCER Phone: 6168783351 Fax: 8008473129
The Campbell Group
325 84th Street SW
Byron Center MI 49315-

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

INSURED
Service Supply Ltd Inc
1524 S Hamilton Road
Columbus OH 43227

INSURERS AFFORDING COVERAGE	NAIC #
INSURER A: Continental Casualty Co	
INSURER B: Transcontinental Insurance Co	
INSURER C: American Casualty Co of Read	
INSURER D:	
INSURER E:	

COVERAGES

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR ADD'L LTR INSRD	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS
C	GENERAL LIABILITY <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input checked="" type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC	2088184534	12/10/2007	12/10/2008	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$100,000 MED EXP (Any one person) \$ 5,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000
A	AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS	2088184498	12/10/2007	12/10/2008	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
	GARAGE LIABILITY <input type="checkbox"/> ANY AUTO				AUTO ONLY - EA ACCIDENT \$ OTHER THAN AUTO ONLY: EA ACC \$ AGG \$
B	EXCESS/UMBRELLA LIABILITY <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS MADE <input type="checkbox"/> DEDUCTIBLE <input checked="" type="checkbox"/> RETENTION \$10,000	2088184453	12/10/2007	12/10/2008	EACH OCCURRENCE \$ 2,000,000 AGGREGATE \$ 2,000,000 \$ \$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? If yes, describe under SPECIAL PROVISIONS below				WC STATU-TORY LIMITS <input type="checkbox"/> OTH-ER <input type="checkbox"/> E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$
	OTHER				

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES / EXCLUSIONS ADDED BY ENDORSEMENT / SPECIAL PROVISIONS

CERTIFICATE HOLDER

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING INSURER WILL ENDEAVOR TO MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO DO SO SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE

Wanda Fitzpatrick

IMPORTANT

If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

DISCLAIMER

The Certificate of Insurance on the reverse side of this form does not constitute a contract between the issuing insurer(s), authorized representative or producer, and the certificate holder, nor does it affirmatively or negatively amend, extend or alter the coverage afforded by the policies listed thereon.

STATE OF OHIO
BUREAU OF WORKERS' COMPENSATION
COLUMBUS, OHIO 43215-2256
CERTIFICATE OF PREMIUM PAYMENT

This certifies that the employer listed below has paid into the State Insurance Fund as required by law. Therefore, the employer is entitled to the rights and benefits of the fund for the period specified. For more information, call 1-800-OHIOBWC

THIS CERTIFICATE MUST BE CONSPICUOUSLY POSTED.

POLICY NO. AND EMPLOYER

PERIOD SPECIFIED BELOW

406937

07/01/2008 THRU 02/28/2009

SERVICE SUPPLY LTD., INC.
1524 S HAMILTON RD
COLUMBUS, OH 43227-2429

ohiobwc.com


Administrator

THIS CERTIFICATE MAY BE REPRODUCED AS NEEDED

OHIO BUREAU OF WORKERS' COMPENSATION

REQUIRED POSTING

Effective October 13, 2004, Section 4123.54 of the Ohio Revised Code requires notice of rebuttable presumption. Rebuttable presumption means that an employee may dispute or prove untrue the presumption (or belief) that alcohol or a controlled substance not prescribed by the employee's physician is the proximate cause (main reason) of the work-related injury.

The burden of proof is on the employee to prove that the presence of alcohol or a controlled substance was not the proximate cause of the work-related injury. An employee who tests positive or refuses to submit to chemical testing may be disqualified for compensation and benefits under the Workers' Compensation Act.

THIS LANGUAGE MUST BE POSTED WITH THE CERTIFICATE OF COVERAGE



**WORKERS COMPENSATION
AND
EMPLOYERS LIABILITY POLICY**

INFORMATION PAGE WC 00 00 01 (A)

RENEWAL OF POLICY NUMBER: WC10102907-03
POLICY NUMBER: WC10102907-04

INSURER: BRICKSTREET MUTUAL INSURANCE COMPANY

- 1. INSURED:**
SERVICE SUPPLY LTD INC
1524 SOUTH HAMILTON ROAD
COLUMBUS, OH 43227
- PRODUCER:**
BRICKSTREET MUTUAL INSURANCE COMPANY
400 QUARRIER STREET
CHARLESTON, WV 25301-2010
- Insured is a(n) CORPORATION
- Other work places and identification numbers are shown in the schedule(s) attached.
- 2.** The policy period is from 11/30/2007 to 11/30/2008 12:01 A.M. at the insured's mailing address.
- 3. A. WORKERS COMPENSATION INSURANCE:** Part One of the policy applies to the Workers Compensation Law of the state(s) listed here:

WEST VIRGINIA
- B. EMPLOYERS LIABILITY INSURANCE:** Part Two of the policy applies to work in each state listed in item 3.A. The limits of our liability under Part Two are:
- | | | |
|-----------------------------|-----------|---------------|
| BODILY INJURY BY ACCIDENT : | \$100,000 | EACH ACCIDENT |
| BODILY INJURY BY DISEASE : | \$500,000 | POLICY LIMIT |
| BODILY INJURY BY DISEASE : | \$100,000 | EACH EMPLOYEE |
- C. OTHER STATES INSURANCE:** Part Three of the policy applies to the states, if any, listed here:

See West Virginia Limited Other States Insurance Endorsement WC 99 03 05
- D.** This policy includes these endorsements and schedules:

SEE LIST OF ENDORSEMENTS - EXTENSION OF INFORMATION PAGE
- 4.** The premium for this policy will be determined by our Manuals of Rules, Classifications, Rates and Rating Plans. All required information is subject to verification and change by audit to be made in accordance with Part Five of the Policy.

DATE OF ISSUE: 12/17/2007
ISSUING OFFICE: Charleston, WV
PRODUCER: BRICKSTREET MUTUAL INSURANCE COMPANY

[Home](#) | [Injured Workers](#) | [Ohio Employers](#) | [Medical Providers](#) | [BWC Library](#) | [Contact Us](#)



Ohio Bureau of Workers' Compensation

Governor, Ted Strickland
Administrator/CEO Marsha P. Ryan

Focus on
Ohio Employers

- [Accident/Injury Info »](#)
- [Claim Info »](#)
- [Claim Payment »](#)
- [Claim Reference Info »](#)
- [Coverage look-up](#)
- [Employer Services »](#)
- [Quick Pay](#)
- [Safety Services »](#)
- [Self-Insured »](#)
- [Forms](#)
- [Section Map](#)

Live support available
Monday through Friday
7:30 a.m. - 5:30 p.m.
[Click here to get help!](#)

log on

[?](#) help [print](#) [search](#) [glossary](#) [cc](#)

Service: State construction contractor search results

Policy number: 406937-0
Company name: SERVICE SUPPLY LTD., INC.
Construction contractor status: APPROVED
Construction contractor status date: 5/4/2007 12:00:00 AM

[search again](#)

Note: BWC has designed this database for those responsible for ensuring that a construction contractor or subcontractor has a drug-free program that complies with the governor's executive order requiring a drug-free workplace. A contractor or subcontractor in an APPROVED status has agreed to implement a drug-free workplace program which makes the company compliant with the governor's executive order. Therefore, you can print this page for your records.

Click the Help tab in the upper-right hand corner for more status definitions



[Help](#) | [Contact Us](#) | [Site Map](#) | [Search](#) | [Your Privacy](#) | [PI](#)

STATE OF OHIO

BUREAU OF WORKERS' COMPENSATION

COLUMBUS OHIO 43215-2256

CERTIFICATE OF PREMIUM PAYMENT

This certifies that the employer listed below has paid into the State Insurance Fund as required by law. Therefore, the employer is entitled to the rights and benefits of the fund for the period specified. For more information, call 1-800-OHIOBWC.

THIS CERTIFICATE MUST BE CONSPICUOUSLY POSTED.

POLICY NO. AND EMPLOYER

PERIOD SPECIFIED BELOW

1208203

1/1/2008 THRU 8/31/2008

DYNAMIC INSTALLATIONS INC
PO BOX 349
CARROLL, OH 43112-0349

ohiobwc.com

Masha P. Ryan
Administrator

THIS CERTIFICATE MAY BE REPRODUCED AS NEEDED

OHIO BUREAU OF WORKERS' COMPENSATION

REQUIRED POSTING

Effective October 13, 2004, Section 4123.54 of the Ohio Revised Code requires notice of rebuttable presumption. Rebuttable presumption means that an employee may dispute or prove untrue the presumption (or belief) that alcohol or a controlled substance not prescribed by the employee's physician is the proximate cause (main reason) of the work-related injury.

The burden of proof is on the employee to prove that the presence of alcohol or a controlled substance was not the proximate cause of the work-related injury. An employee who tests positive or refuses to submit to chemical testing may be disqualified for compensation and benefits under the Workers' Compensation Act.

THIS LANGUAGE MUST BE POSTED WITH THE CERTIFICATE OF COVERAGE



Ohio Bureau of Workers' Compensation

Governor, Bob Taft
Administrator/CEO, William E. Mabe

Focus on Ohio Employers

- Employer Services »
- Coverage look-up
- Self-Insured »
- Claim Info »
- Claim Payment »
- Safety Services »
- Forms
- Quick Pay
- Section Map

Live Support available
Monday through Friday
7:30 am - 5:30 pm
[Click here to get help!](#)

log on

? help print search glossary cc

Service: State construction contractor search results

Policy number: 1208203-0

Company name: DYNAMIC INSTALLATIONS INC

Construction contractor status: APPROVED

Construction contractor status date: 4/17/2003

[search again](#)

Note: BWC has designed this database for those responsible for ensuring that a construction contractor or subcontractor has a drug-free program that complies with the governor's executive order requiring a drug-free workplace. A contractor or subcontractor in an APPROVED status has agreed to implement a drug-free workplace program which makes the company compliant with the governor's executive order. Therefore, you can print this page for your records.

Click the Help tab in the upper-right hand corner for more status definitions.



SERVICE SUPPLY LTD., INC.

ACTION BY UNANIMOUS WRITTEN CONSENT OF THE BOARD OF DIRECTORS

December 12, 1988

Pursuant to Section 1701.54 of the Ohio Revised Code, the undersigned, being all of the members of the Board of Directors of SERVICE SUPPLY LTD., INC. (the "Corporation"), do hereby take and adopt the following actions by this unanimous written consent:

RESOLVED: That the following persons be, and they hereby are, elected to the offices of the Corporation set opposite their respective names, each to serve in such capacity until his or her successor is duly elected and qualified:

Mary G. Groves	President
Jerry L. Groves	Vice President
Oscar B. Groves	Secretary/Treasurer
Alan Kletecka	Sales Manager

RESOLVED: That the officers of the Corporation select a bank to be the official depository of the Corporation and that the corporate resolutions required by such institution be, and they same hereby are, adopted by the Corporation as part of this resolution and that any one of the officers be, and they hereby are, authorized to execute, acknowledge, and deliver in the name and on behalf of the Corporation, any and all agreements, documents and certificates, and to do and perform all such acts and things as may be deemed by them necessary or appropriate to effectuate the purpose of this resolution;

RESOLVED
FURTHER: That said bank be, and it hereby is, authorized to pay out the funds of the Corporation on deposit with it from time to time upon checks, drafts or other withdrawal orders drawn upon it and signed in the name of the Corporation by any one of the following persons:

Oscar B. Groves
Mary G. Groves

whether the checks, drafts or other withdrawal orders are payable to cash, bearer, the orders of any third party, the order of the signing officers or employees of the Corporation, or to the order

of any other officer or employee of the Corporation in either his or her individual or official capacity; and


RESOLVED FURTHER: That the Secretary of the Corporation be, and hereby is, authorized to furnish to said institution a certified copy of this resolution and that this resolution remain in full force and effect until a certified copy of a resolution amending, modifying, replacing, or rescinding this resolution has been furnished to the bank; and


RESOLVED FURTHER: That any one of the officers be, and they hereby are, authorized to execute and deliver any and all notes, agreements, documents or papers of any type or nature whatsoever to consummate the purpose of the foregoing resolution.

RESOLVED: That any one of the officers be, and they hereby are, authorized to pay all fees and expenses incident to and necessary for the organization of the Corporation.

RESOLVED: That any of the officers of the Corporation be, and they hereby are, authorized, directed and empowered to file or cause to be filed a Notification of Exemption on Form 3-O with the Ohio Division of Securities within sixty (60) days from the date of the original subscription to the shares of the Corporation.


Oscar B. Groves


Mary G. Groves


Jerry Groves


Janet Kletecka

"Directors"

SERVICE SUPPLY LTD., INC.


ACTION BY UNANIMOUS WRITTEN CONSENT
OF THE BOARD OF DIRECTORS

January 2, 1989


Pursuant to Section 1701.54 of the Ohio Revised Code, the undersigned, being all of the members of the Board of Directors of SERVICE SUPPLY LTD., INC. (the "Corporation"), do hereby take and adopt the following action by this unanimous written consent:

RESOLVED: That the following persons are authorized to sign any bids on behalf of the Corporation:


Oscar B. Groves
Mary G. Groves
Alan Kletecka
Jerry L. Groves
Janet Kletecka




Oscar B. Groves



Mary G. Groves




Janet Kletecka



Jerry L. Groves

"Directors"

SERVICE SUPPLY LTD., INC.



1524 SOUTH HAMILTON ROAD ~ COLUMBUS, OHIO 43227 ~ TELEPHONE 614 / 861 - 3681
FAX 614/863-0113

June 1, 2005

Service Supply Ltd., Inc. - founded in 1959 in Columbus, Ohio. We originally had offices in the Bryson Building in Columbus, Ohio, and have been in our present facilities, 1524 South Hamilton Road, Columbus, Ohio since 1967.

Ralph Groves, my brother, founded Service Supply Ltd., Inc. and was president until his death in 1973.

Our employees at this time are:

Mary G. Groves (wife) President (1960)
Jerry Groves (son) Vice President (1969)
Janet Kletecka (daughter) Board of Directors (1974)
Alan Kletecka (son-in law) Sales Manager (1973)
Ben Groves (husband) Secretary-Treasurer (1961)
Donna Hetzner - Secretary (1999)
Linda Groves (daughter-in-law) Secretary (1977)
Linda Kroonemeyer - Secretary (1986)
Medrith Mollenkamp - Secretary (1988)
Connie Triplett - Secretary (2003)

We have five (5) sales persons located in various areas of Ohio, Indiana and West Virginia that are on straight commission basis. Some of these sales persons also offer other lines that are related to the same market that we service. This gives us a total of seven (7) sales persons on the road.

Service Supply Ltd., Inc. originally sold items pertaining to Traffic and Highway Safety such as paint stripers, traffic paint, signs, and sign posts We expanded into the park and recreation market and then into the school market which includes all grade 1-12 and colleges. We also call on the private sector where our site amenities, signs, and play structures are popular. Our early childcare play equipment is designed for institutional and corporate facilities that have become involved in day care centers.

A partial list of our suppliers and their principals, addresses, phone numbers, and products to follow:

- Landscape Structures, Inc., Barb and Steve King, Route #3, 601 7th Street, South, Delano, MN 55328
612-479-2546 PLAYGROUND EQUIPMENT
- Wabash Valley Manufacturing, Inc., Jerry Shilling, P. O. Box 5, Silver Lake, IN 46982
219-352-2102 SITE AMENITIES (expanded metal)
- DuMor, Inc., Steve Richard, P. O. Box 142, Mifflintown, PA 17059
717-436-2106 SITE AMENITIES (wood)
- American Aluminum Seating, Inc., Bob Palmer, P. O. Box 1468, Marshalltown, IA 50158
515-753-5366 PORTABLE BLEACHERS, STADIUM GRANDSTANDS
- Interkal LLC, Richard Patterson, P. O. Box 2107, Kalamazoo, MI 49003
616-349-1521 TELESCOPIC GYM BLEACHERS

We are listed in D&B; any late payments that may be listed on these reports are the result of problems in delivery of total order, which in turn holds up payment to the manufacturer. This would only appear if it were a very large order, which would involve telescopic bleachers.

Our bank, which we have been with since 1959, is National City Bank, Bexley Office, 2594 East Main Street, Bexley, OH 43209- phone 614-238-7100.

Our accountant is Schwartz, Adleman, Kellerman & Marks, (Mr. Sam Schwartz) 145 North Reynoldsburg-New Albany Road, Blacklick, OH 43004-9701. Phone number is 614-866-1600.

Our legal counsel is the firm of Kahn, Kleinman, Yanowitz & Arnson (contact for Service Supply is Mr. Neil Kurit, The Tower at Erievue, Suite 2600, 1301 East Ninth Street, Cleveland, OH 44114-1824. Neil Kurit's phone number is 216-736-3452.

**Should you have any questions, please feel free to call me Toll Free -
in Ohio call 800-282-1900 - Indiana and West Virginia call 800-848-7556.**

Very truly yours,

SERVICE SUPPLY LTD., INC.

Jerry Groves

**Jerry Groves
Vice President**

JG/dlh



2008 Play Equipment Warranty

You have our word.

• **100-Year Limited Warranty** for all stainless steel fasteners, aluminum posts, clamps, beams and caps, against structural failure due to corrosion/natural deterioration or manufacturing defects. This warranty does not include any cosmetic issues or wear and tear from normal use.

• **15-Year Limited Warranty** for all plastic and steel components, including TuffTimbers™, against structural failure due to corrosion/natural deterioration or manufacturing defects. TenderTuff™ coating against structural failure due to natural deterioration or manufacturing defects. (Except Wiggle Ladders, Chain Ladders and Swing Chain). TuffTurf® against material or manufacturing defects when properly installed. Corocord® cable on Spacenet™ climbers against breakage.

• **10-Year Limited Warranty** for all CoolToppers™ structural steel frames and Mobius climbers™ against structural failure due to natural deterioration or manufacturing defects.

• **5-Year Limited Warranty** for Corocord cables on Spacenet climbers and CoolToppers® fabric against natural deterioration or manufacturing defects. This warranty is limited to the design loads as stated in the specifications found in the technical information. The Natural Elements™ climbers exterior GFRC material, against structural failure due to natural deterioration or manufacturing defects.

• **3-Year Limited Warranty** for all other parts, ie: CableCore™ products, Swing seats and hangers, Mobius climber handholds, Wiggle Ladders, Chain Ladders and Swing Chain, Track Ride trolleys and bumpers, all rocking equipment including Sway Fun™, PVC belting material, Seesaws, Wiggle Ring Bridge, etc. against failure due to corrosion/natural deterioration or manufacturing defects.

This warranty does not include any cosmetic issues or wear and tear from normal use.

Landscape Structures Inc. warrants that all playstructures and/or equipment sold will conform in kind and in quality to the specifications manual for the products identified in the Acknowledgment of Order and will be free of defects in manufacturing and material. Seller further warrants:

All the warranties commence on date of Seller's invoice. Should any failure to conform to the above express warranties appear within the applicable warranty period, Seller shall, upon being notified in writing promptly after discovery of the defect and within the applicable warranty period, correct such nonconformity either by repairing any defective part or parts, or by making available a replacement part within 60 days of written notification. Seller shall deliver the repaired or replacement part or parts to the site free of charge, but will not be responsible for providing labor or the cost of labor for the removal of the defective part or parts and the installation of any replacement part or parts. Replacement parts will be warranted for the balance of the original warranty.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE.

The remedies hereby provided shall be the exclusive and sole remedies of the purchaser. Seller shall not be liable for any direct, indirect, special, incidental or consequential damages.

Seller neither assumes nor authorizes any employee, representative or any other person to assume for Seller any other liability in connection with the sale or use of the structures sold, and there are no oral agreements or warranties collateral to or affecting this agreement. The warranty stated above is valid only if the structures and or equipment are erected in conformance with Landscape Structures' installation instructions and maintained according to the maintenance procedures furnished by Landscape Structures Inc.; have been subjected to normal use for the purpose for which the goods were designed; have not been subject to misuse, negligence, vandalism, or accident; have not been subjected to addition or substitution of parts; and have not been modified, altered, or repaired by persons other than Seller or Seller's designees in any respect which, in the judgement of Seller, affects the condition or operation of the structures. To make a claim, send your written statement of claim, along with the original job number or invoice number to: Landscape Structures Inc. 601 7th Street South, Delano, Minnesota, 55328-0198

Signed:

Chairman

Date: 01/03/08

Material Specifications

Quote: 29693-1-1.QSd

10/6/2008

General Specifications: Material: All materials shall be structurally sound and suitable for safe play. Durability shall be ensured on all steel parts by the use of time-tested coatings such as zinc plating, galvanizing, ProShield finish, TenderTuff coating, etc. Colors shall be specified.

Fasteners: Fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F879 unless otherwise indicated (see specific product installation/specifications). All primary fasteners shall include a locking patch-type material that will meet the minimum torque requirements of IFI-125. Manufacturer to provide special tools for pinned tamperproof fasteners.

TenderTuff Coating: All metal components to be TenderTuff-coated shall be thoroughly cleaned in a hot phosphatizing pressure washer, then primed with a water-based thermosetting solution. Primed parts shall be preheated prior to dipping in UV-stabilized, liquid polyvinyl chloride (PVC), then salt cured at approximately 400 degrees. The finished coating shall be approximately .080" thick

at an 85 durometer hardness and have a matte finish. Four standard colors are available (brown only for HealthBeat). Not applicable for Evos.

ProShield Finish: All metal components shall be thoroughly cleaned and phosphatized through a five-stage power washer. Parts are then thoroughly dried, preheated and processed through a set of automatic powder spray guns where an epoxy primer is applied. The parts are allowed to cool and then pass through a second set of automatic powder spray guns. A minimum .002" of architectural-grade Super-Durable polyester TGIC powder is applied. The parts are oven-cured at 400 degrees F metal temperature for 10-minutes. The average ProShield film thickness is .006".

ProShield is formulated and tested per the following ASTM standards. Each color must meet or exceed the ratings listed below:

Hardness (D3363) rating 2H

Impact (D2794) rating minimum 80 inch-pounds

Salt Fog Resistance (B117 and D1654) 4,000 hours and rating 7 or greater

UV Exposure (G154, 340 bulb) 3,000 hours, rating delta E of 2, and
90 percent gloss retention

Adhesion (D3359, Method B) rating 5B

The Paint Line shall employ a "checkered" adhesion test daily

Eighteen standard colors are available.

Decks: All Tenderdecks shall be of modular design and have 5/16" diameter holes on the standing surface. There shall be a minimum of (4) slots in each face to accommodate face mounting of components. Tenderdecks shall be manufactured from a single piece of low carbon 12 GA (.105") sheet steel conforming to ASTM specification A-569. The sheet shall be perforated then flanged formed and reinforced as necessary to ensure structural integrity. The unit shall then be TenderTuff-coated brown only. Tenderdecks shall be designed so that all sides are flush with the outside edge of the supporting posts.

Not applicable for Evos or HealthBeat.

Rotationally Molded Poly Parts: These parts shall be molded using prime compounded linear low-density polyethylene with a tensile strength of 2500 psi per ASTM D638 and with color and UV-stabilizing additives. Wall thickness varies by product from .187" (3/16") to .312" (5/16"). Five standard colors are available (black only for HealthBeat).

Permalene Parts: These parts shall be manufactured from 3/4" thick high-density polyethylene that has been specially formulated for optimum UV stability and color retention. Products shall meet or exceed density of .960 G/cc per ASTM D1505, tensile strength of 2400 PSI per ASTM D638. Five standard solid colors are available. Some Permalene parts are available in a two-color product with (2) .070" thick exterior layers over a .610" interior core of a contrasting color. Eight standard two-color options are available.
Not applicable for Evos or HealthBeat.

Footings: Unless otherwise specified, the bury on all footings shall be 34" below Finished Grade (FG) on all in-ground play events/posts. Other types of anchoring are available upon request.

(PB) General Specifications: Posts: Post length shall vary depending upon the intended use and shall be a minimum of 42" above the deck height. All posts shall be powdercoated to specified color. All posts shall have a "finished grade marker" positioned on the post identifying the 34" bury line required for correct installation and the top of the loose fill protective surfacing. Top caps for posts shall be aluminum die cast from 369.1 alloy and powdercoated to match the post color. All caps shall be factory installed and secured in place with (3) self sealing rivets. A molded low-density polyethylene cap, with drain holes, shall be pressed onto the bottom end of the post to increase the footing area.

Steel Posts: All steel PlayBooster posts are manufactured from 5" O.D. tubing with a wall thickness of .120" and shall be galvanized after rolling and shall have both the I.D. and the cut ends sprayed with a corrosion resistant coating.

Steel Post Mechanical Properties:

Yield Strength (min): 50,000 PSI
Tensile Strength (min): 55,000 PSI
% Elongation in 2 inches: 25
Modulus of Elasticity: 29.5 x 1,000,000 PSI

Aluminum Posts: All aluminum PlayBooster posts are manufactured from 6005-T5 extruded tubing conforming to ASTM B-221. Posts shall have a 5" outside diameter with a .125" wall thickness.

Aluminum Post Mechanical Properties:

Yield Strength (min): 35,000 PSI
Tensile Strength (min): 38,000 PSI
% Elongation in 2 inches: 10
Modulus of Elasticity: 10 x 1,000,000 PSI

Arch Posts: Aluminum arch posts shall be manufactured from 6005-T5 alloy. The arch shall be formed to a 21" center line radius to complement the 42" center to center module. The arch shall be of one continuous piece construction. There shall be no welds or additional pieces mechanically fastened to manufacture the arch. Each arch shall be designed to provide a minimum of 90 1/2" clear span

from the deck to the inside of the arch at the radius peak. Arches shall be powdercoated to a specified color.

Clamps: All clamps, unless otherwise noted, shall be die cast using a 369.1 aluminum alloy and have the following mechanical properties:

Ultimate Tensile: 47,000 PSI
Yield Strength: 28,000 PSI
Elongation: 7% in 2 inches
Shear Strength: 29,000 PSI
Endurance Limit: 20,000 PSI

Each functional clamp assembly shall have an appropriate number of half clamps and shall be fastened to mating parts with (2) 3/8" x 1 1/8" pinned button head cap screws (SST) and (2) stainless steel (SST) recessed "T" nuts. A 1/4" aluminum drive rivet w/stainless steel pin is used to ensure a secure fit to the post.

PlayBooster clamps have three functional applications and shall be named as follows:

- 1.) Offset hanger clamp assembly.
- 2.) Deck hanger clamp assembly.
- 3.) Hanger clamp assembly.

Material Specifications:

111404E

Posts For Decks 116"/40" Deck

Post: See PlayBooster (PB) General Specifications.

111403A

Posts For Roofs 182"/72" Deck

Post: See PlayBooster (PB) General Specifications.

152911B

Transfer Modules, Brown Deck Only To 40" Deck, Curved, Right or Left Step

Deck: Flange formed from 12 GA (.105") sheet steel conforming to ASTM A569. Standing surface is perforated with 5/16" diameter holes and measures 29" per (2) sides. Finish: TenderTuff, brown in color.

Step Sections/Top Step Section: Formed from 12 GA (.105") sheet steel conforming to ASTM A569. Standing surface is 24 3/8" wide x 14" deep and is perforated with 5/16" diameter holes. Finish: TenderTuff, brown in color.

Spacer Tube: Made from 6061-T6 aluminum 7/8" O.D. x 1 11/16". Finish: Powdercoat, color specified.

Panels: Solid color Permalene, color specified.

Deck Support: Weldment comprised of 3 1/2" O.D. RS-20 (.125") galvanized steel tubing and 3/8" O.D. x 5" long CRS rod. Finish: Powdercoat, brown in color.

Step Support: Weldment comprised of 1.660" O.D. RS-20 (.080" - .095") and 1 3/4" x 1 3/4" x 1/8" HR angle. Finish: Powdercoat, brown in color.

Clamps: Cast aluminum. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Railings: Weldment comprised of 1.125" O.D. x 11 GA. (.120") steel tubing with 203 or 303 stainless steel 3/8" threaded inserts. Finish: TenderTuff, color specified.

121948A

Kick Plate 8" Rise

Kick Plate: Fabricated from 11 GA (.120") HR flat steel. Finish: TenderTuff, brown in color.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

111228A

Decks Square Tenderdeck, Brown Only

Square Deck: Flange formed from 12 GA (.105") sheet steel conforming to ASTM A569. Standing surface is perforated with 5/16" diameter holes. Deck face has (4) slotted holes for face mounting components. The finished size measures 2 5/8" x 47" x 47". Finish: TenderTuff, brown in color.

Deck Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

111231A

Decks Triangular Tenderdeck, Brown Only

Triangular Deck: Flange formed from 12 GA (.105") sheet steel conforming to ASTM A569. Standing surface is perforated with 5/16" diameter holes. Deck face has (4) slotted holes for face mounting components. The finished size measures 2 5/8" x 37 3/4". Finish: TenderTuff, brown in color.

Deck Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

118110A

Square Poly Roof w/Logo Panels*

Poly Roof: Rotationally molded from U.V. stabilized linear low density polyethylene, color specified.

Roof Logo: Two color roof logo measures 41" wide x 5 1/8" high, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Roof Sleeve: Cast from 319 almag.

123331B

Double Poly Slide 40"- 48" Deck

Slide: Rotationally molded from U.V. stabilized linear low density polyethylene, color specified.

Hood: Rotationally molded from U.V. stabilized linear low density polyethylene, color specified.

Rail Spacer: Fabricated from 1.3125" O.D. x 16 GA (.065") steel tubing. Finish: Powdercoat, color specified.

Rail: Extruded from 1.125" O.D. x .312" W. 6061-T6 aluminum. Finish: Powdercoat, color specified.

Exit Support: Weldment comprised of 2.375" O.D. RS-20 (.095" - .105") galvanized steel tubing and 1/4" x 3" mounting plate. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Offset Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color

specified.

122033B

SpyroSlides 72" Slide, w/Hanger Bracket, 64" Deck, Brown Bracket Only

Slide, Hood & Barriers: Rotationally molded from U.V. stabilized linear low-density polyethylene, color specified.

Entrance Deck: Flange formed from 12 GA (.105") sheet steel conforming to ASTM A569. Standing surface is perforated with 5/16" diameter holes and measures 31 3/4" wide x 36 27/32" long. Finish: TenderTuff, brown in color.

Center Column: Fabricated from 3.500" O.D. RS-20 (.120" - .130") galvanized steel tubing. Finish: Powdercoat, color specified.

Barrier Plates: Fabricated from 1/4" x 1 1/2" zinc plated HR flat steel. Finish: Powdercoat, color specified.

Exit Support: Weldment comprised of 2.375" O.D. RS-20 (.095" - .105") galvanized steel tubing and 1/4" thick zinc plated HR flat steel. Finish: Powdercoat, color specified.

Handbar: Formed from 7/8" O.D. x 11 GA (.120") black steel tubing. Finish: TenderTuff, brown in color.

Hanger Bracket: Formed from 11 GA (.120") HRPO low carbon sheet steel. Finish: TenderTuff, brown in color.

Rail: 1 1/8" O.D. 6061-T6 aluminum extrusion with 5/16" walls. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Offset Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

Deck Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

143194A

Clatterbridges, Corocord Cable Support System 84" Module, Brown Planks Only, w/Handrails For 24" - 48" Decks

PLANK: Weldment comprised from 12 GA. (.105") HRPO plate with 5/16" diameter perforated holes and threaded stainless steel inserts, plank measures 11 7/16" x 46 7/8" long. Finish: TenderTuff, brown in color.

ATTACHMENT BRACKET: Fabricated from 11 GA. (.120") HRPO plate. Finish: TenderTuff, brown in color.

MOUNTING BRACKET: Weldment comprised from 1/2" HRPO sheet steel, (2) 1/4" x 1 3/4" steel half clamps and 7/8" diameter 304L stainless steel tube. Finish: Powdercoat, brown in color.

COVER PLATE: Fabricated from 12 GA. (.105") HRPO plate. Finish: Powdercoat brown.

CABLE: Cable completely made of six-stranded and tempered Corocord-rope. The steel wire cores of the six strands are heated and coated with polyamide; edge ropes are reinforced with additional steel wire core. Corocord-membrane reinforced with 4 textile layers (2340).

GUARDRAIL: Weldment comprised of 1.900" O.D. RS-20 (.090"- .100") galvanized steel tubing beam, 1.315" O.D. RS-20 (.080"- .090") galvanized steel tubing and 1/4" x 3 1/4" steel half clamps. Finish: Powdercoat, color specified.

Clamps: Cast aluminum. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

148432B

Corkscrews 56" - 72" Deck

Handhold Panel: Solid color Permalene, color specified.

Spacer Tube: Fabricated from 6061-T6 aluminum 1 1/8" O.D. x 1 1/4". Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Offset Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

143199B

Conical Climbers 40" Deck

Center Loop: Weldment comprised of 1.315" O.D. RS-20 (.080" - .090") galvanized steel tubing, 1/4" x 1 1/4" HR flat steel and 1/4" x 2 3/4" HR flat steel. Finish: Powdercoat, color specified.

Rails: Weldment comprised of 1.315" O.D. RS-20 (.080" - .090") galvanized steel tubing, and 1/4" x 1 1/4" HR flat steel. Finish: Powdercoat, color specified.

Footer: Fabricated from 1.125" O.D. x 11 GA (.120") galvanized steel tubing. Finish: Powdercoat, color specified.

Mounting Plate: Fabricated from 1/8" HR flat steel. Finish: Powdercoat, green

in color.

Hand Grip: Made from Polyester Resin. Hand Grips measure 5 3/4" long x 2 1/2" wide x 1 3/4" high.

Handhold Panel: Solid color Permalene, color specified.

Belt: PVC belting, 5/16" thick, 300 PIW tension rating.

Spacer Tube: Made from 6061-T6 aluminum 7/8" O.D. x 1 11/16". Finish: Powdercoat, color specified.

Offset Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

122914A

Loop Arches 40"-48" Deck

Loop Arch: Weldment comprised of 1.660" O.D. RS-20 (.085" - .095") galvanized steel tubing, 1.315" O.D. RS-20 (.080" - .090") galvanized steel tubing and 1/4" flat steel. Finish: Powdercoat, color specified.

Handhold Panel: Solid color Permalene, color specified.

Spacer Tube: Made from 6061-T6 aluminum 7/8" O.D. x 1 11/16". Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Offset Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

120902A

Handhold/Leg Lift, TenderTuff-coated Brown

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Half Clamp: Cast aluminum. Finish: Powdercoat, color specified.

Hand Hold: Weldment comprised of formed 7/8" O.D. x 11 GA (.120") and 1/4" x 1 3/4" steel half clamps. Finish: TenderTuff, brown in color.

129042A

Offset Crawl Tunnel, 24" Deck Height Difference

Permalene Panels: Solid color panel measures 35 5/8" wide x 41" high, & 35 5/8" wide x 47 7/8" high, color specified.

Foot Strip: Solid color Permalene, green in color.

Tunnel Section: Rotationally molded from U.V. stabilized linear low-density polyethylene, color specified.

Attachment Blocks: U.V. stabilized high-density polyethylene, color specified.

Angled Panel Bracket: Weldment comprised of .190" thick 5052 aluminum formed angle with (2) 6061-T6 aluminum threaded tubes 1 1/8" O.D. x 1 1/2" long.
Finish: Powdercoat, color specified.

Spacer Tube: Made from 6061-T6 aluminum 7/8" O.D. x 1 11/16". Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Offset Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

135536B

Whimsy Riders* Dolphin, Direct Bury

Spring: Fabricated from 5 5/8" diameter 13/16" tempered alloy steel coil, with cast aluminum wedges A356 alloy placed in each end of spring. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Whimsy Rider: Cast Aluminum. Finish: Base color powdercoat, then hand painted with polyurethane enamel.

Footer: Weldment comprised of 1/4" x 10" diameter flat steel and 3.500" O.D. RS20 (.125" wall) galvanized steel tube. Finish: Powdercoat, brown in color.

135535B

Whimsy Riders* Sea Horse, Direct Bury

Spring: Fabricated from 5 5/8" diameter 13/16" tempered alloy steel coil, with cast aluminum wedges A356 alloy placed in each end of spring. Finish:

Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Whimsy Rider: Cast Aluminum. Finish: Base color powdercoat, then hand painted with polyurethane enamel.

Footer: Weldment comprised of 1/4" x 10" diameter flat steel and 3.500" O.D. RS20 (.125" wall) galvanized steel tube. Finish: Powdercoat, brown in color.

122837A

Single Post Swings 2-Place, Uncoated Chain

Post: See PlayBooster (PB) General Specifications.

Beam: Weldment comprised of 2.375" O.D. RS-40 (.130" - .140") galvanized steel tubing, 3" wide zinc-plated steel clamps and 1 1/4" housings w/bronze bushings. Finish: Powdercoat, color specified.

Half Clamp: Cast aluminum. Finish: Powdercoat, color specified.

Chain Spacer: Made from white nylon measuring .080" x .785" O.D..

Chain: Steel 3/16" straight link chain, 800 lb. working load limit. Finish: Hot galvanized.

Belt Seat: Molded from UV stabilized black EPDM rubber encapsulating a weldment comprised of a 22 GA (.029") spring stainless steel sheet and (4) .105 thick stainless steel washers. The belt seat elliptical shape measures 7" wide x 26" long x .700" thick.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

122838A

Single Post Swings Additional 2-Place Bay, Uncoated Chain

Post: See PlayBooster (PB) General Specifications.

Beam: Weldment comprised of 2.375" O.D. RS-40 (.130" - .140") galvanized steel tubing, 3" wide zinc-plated steel clamps and 1 1/4" housings w/bronze bushings. Finish: Powdercoat, color specified.

Half Clamp: Cast aluminum. Finish: Powdercoat, color specified.

Chain Spacer: Made from white nylon measuring .080" x .785" O.D..

Chain: Steel 3/16" straight link chain, 800 lb. working load limit. Finish: Hot

galvanized.

Belt Seat: Molded from UV stabilized black EPDM rubber encapsulating a weldment comprised of a 22 GA (.029") spring stainless steel sheet and (4) .105 thick stainless steel washers. The belt seat elliptical shape measures 7" wide x 26" long x .700" thick.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

100626A

TuffTimber Edgers 30" Galvanized Stake

Stake: Made from 3/4" diameter x 30" long shaft. Finish: Dacromet.

119214A

TuffTimber Edgers TuffTimber, 4' Length, Black Only

TuffTimber: Blow-molded from U.V. stabilized 25% recycled/reclaimed linear high-density polyethylene. Walls are minimum .080" thick x 4" wide x 12" high x 4'-4" long, black in color.

Stake: Made from 3/4" diameter x 30" long shaft. Finish: Dacromet.

130799A

TuffTimber Edgers TuffTimber Access Wedge, Black Only

Access Ramp: Rotationally molded from U.V. stabilized linear low density polyethylene, black in color. Stakes are 4' cc (same as a TuffTimber). Access Ramp slope is 1:8.

Warranty: You have our word.

Landscape Structures Inc. warrants that all playstructures and/or equipment sold will conform in kind and in quality to the specifications manual for the products identified in the Acknowledgement of Order and will be free of defects in manufacturing and material. Seller further warrants:

100-Year Limited Warranty for all stainless steel fasteners, aluminum posts, clamps, beams and caps, against structural failure due to corrosion/natural deterioration or manufacturing defects. This warranty does not include any cosmetic issues or wear and tear from normal use.

15-Year Limited Warranty for all plastic and steel components, including TuffTimbers™, against structural failure due to corrosion/natural deterioration

or manufacturing defects. TenderTuffR-coating against structural failure due to natural deterioration or manufacturing defects. (Except Wiggle Ladders, Chain Ladders and Swing Chain). TuffTurfR against material or manufacturing defects when properly installed. CorocordR cable on Spacenet climbers against breakage.

10-Year Limited Warranty for all CoolToppersR structural steel frames and Mobius climbers against structural failure due to natural deterioration or manufacturing defects.

5-Year Limited Warranty for Corocord cables on Spacenet climbers and CoolToppersR fabric against natural deterioration or manufacturing defects. This warranty is limited to the design loads as stated in the specifications found in the technical information. The Natural ElementsTM climbers exterior GFRC material, against structural failure due to natural deterioration or manufacturing defects.

3-Year Limited Warranty for all other parts, ie: CableCoreTM Products, Swing seats and hangers, Mobius climber handholds, Wiggle Ladders, Chain Ladders and Swing Chain, Track Ride trolleys and bumpers, all rocking equipment including Sway FunTM, PVC belting material, Seesaws, Wiggle Ring Bridge, etc. against failure due to corrosion/natural deterioration or manufacturing defects.

This warranty does not include any cosmetic issues or wear and tear from normal use.

The warranty stated above is valid only if the structures and/or equipment are erected in conformance with Landscape Structures' installation instructions and maintained according to the maintenance procedures furnished by Landscape Structures Inc. For a full text of the warranty, contact your local sales representative.

Material Specifications

Quote: 29693-2-1.QSd

9/30/2008

General Specifications: Material: All materials shall be structurally sound and suitable for safe play. Durability shall be ensured on all steel parts by the use of time-tested coatings such as zinc plating, galvanizing, ProShield finish, TenderTuff coating, etc. Colors shall be specified.

Fasteners: Fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F879 unless otherwise indicated (see specific product installation/specifications). All primary fasteners shall include a locking patch-type material that will meet the minimum torque requirements of IFI-125. Manufacturer to provide special tools for pinned tamperproof fasteners.

TenderTuff Coating: All metal components to be TenderTuff-coated shall be thoroughly cleaned in a hot phosphatizing pressure washer, then primed with a water-based thermosetting solution. Primed parts shall be preheated prior to dipping in UV-stabilized, liquid polyvinyl chloride (PVC), then salt cured at approximately 400 degrees. The finished coating shall be approximately .080" thick

at an 85 durometer hardness and have a matte finish. Four standard colors are available (brown only for HealthBeat). Not applicable for Evos.

ProShield Finish: All metal components shall be thoroughly cleaned and phosphatized through a five-stage power washer. Parts are then thoroughly dried, preheated and processed through a set of automatic powder spray guns where an epoxy primer is applied. The parts are allowed to cool and then pass through a second set of automatic powder spray guns. A minimum .002" of architectural-grade Super-Durable polyester TGIC powder is applied. The parts are oven-cured at 400 degrees F metal temperature for 10-minutes. The average ProShield film thickness is .006".

ProShield is formulated and tested per the following ASTM standards. Each color must meet or exceed the ratings listed below:

- Hardness (D3363) rating 2H
- Impact (D2794) rating minimum 80 inch-pounds
- Salt Fog Resistance (B117 and D1654) 4,000 hours and rating 7 or greater
- UV Exposure (G154, 340 bulb) 3,000 hours, rating delta E of 2, and 90 percent gloss retention
- Adhesion (D3359, Method B) rating 5B

The Paint Line shall employ a "checkered" adhesion test daily

Eighteen standard colors are available.

Decks: All Tenderdecks shall be of modular design and have 5/16" diameter holes on the standing surface. There shall be a minimum of (4) slots in each face to accommodate face mounting of components. Tenderdecks shall be manufactured from a single piece of low carbon 12 GA (.105") sheet steel conforming to ASTM specification A-569. The sheet shall be perforated then flanged formed and reinforced as necessary to ensure structural integrity. The unit shall then be TenderTuff-coated brown only. Tenderdecks shall be designed so that all sides are flush with the outside edge of the supporting posts.

Not applicable for Evos or HealthBeat.

Rotationally Molded Poly Parts: These parts shall be molded using prime compounded linear low-density polyethylene with a tensile strength of 2500 psi per ASTM D638 and with color and UV-stabilizing additives. Wall thickness varies by product from .187" (3/16") to .312" (5/16"). Five standard colors are available (black only for HealthBeat).

Permalene Parts: These parts shall be manufactured from 3/4" thick high-density polyethylene that has been specially formulated for optimum UV stability and color retention. Products shall meet or exceed density of .960 G/cc per ASTM D1505, tensile strength of 2400 PSI per ASTM D638. Five standard solid colors are available. Some Permalene parts are available in a two-color product with (2) .070" thick exterior layers over a .610" interior core of a contrasting color. Eight standard two-color options are available.
Not applicable for Evos or HealthBeat.

Footings: Unless otherwise specified, the bury on all footings shall be 34" below Finished Grade (FG) on all in-ground play events/posts. Other types of anchoring are available upon request.

Material Specifications:

135536B

Whimsy Riders* Dolphin, Direct Bury

Spring: Fabricated from 5 5/8" diameter 13/16" tempered alloy steel coil, with cast aluminum wedges A356 alloy placed in each end of spring. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Whimsy Rider: Cast Aluminum. Finish: Base color powdercoat, then hand painted with polyurethane enamel.

Footer: Weldment comprised of 1/4" x 10" diameter flat steel and 3.500" O.D. RS20 (.125" wall) galvanized steel tube. Finish: Powdercoat, brown in color.

135535B

Whimsy Riders* Sea Horse, Direct Bury

Spring: Fabricated from 5 5/8" diameter 13/16" tempered alloy steel coil, with cast aluminum wedges A356 alloy placed in each end of spring. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Whimsy Rider: Cast Aluminum. Finish: Base color powdercoat, then hand painted with polyurethane enamel.

Footer: Weldment comprised of 1/4" x 10" diameter flat steel and 3.500" O.D. RS20 (.125" wall) galvanized steel tube. Finish: Powdercoat, brown in color.

122837A

Single Post Swings 2-Place, Uncoated Chain

Post: See PlayBooster (PB) General Specifications.

Beam: Weldment comprised of 2.375" O.D. RS-40 (.130" - .140") galvanized steel tubing, 3" wide zinc-plated steel clamps and 1 1/4" housings w/bronze bushings. Finish: Powdercoat, color specified.

Half Clamp: Cast aluminum. Finish: Powdercoat, color specified.

Chain Spacer: Made from white nylon measuring .080" x .785" O.D..

Chain: Steel 3/16" straight link chain, 800 lb. working load limit. Finish: Hot galvanized.

Belt Seat: Molded from UV stabilized black EPDM rubber encapsulating a weldment comprised of a 22 GA (.029") spring stainless steel sheet and (4) .105 thick stainless steel washers. The belt seat elliptical shape measures 7" wide x 26" long x .700" thick.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

122838A

Single Post Swings Additional 2-Place Bay, Uncoated Chain

Post: See PlayBooster (PB) General Specifications.

Beam: Weldment comprised of 2.375" O.D. RS-40 (.130" - .140") galvanized steel tubing, 3" wide zinc-plated steel clamps and 1 1/4" housings w/bronze bushings. Finish: Powdercoat, color specified.

Half Clamp: Cast aluminum. Finish: Powdercoat, color specified.

Chain Spacer: Made from white nylon measuring .080" x .785" O.D..

Chain: Steel 3/16" straight link chain, 800 lb. working load limit. Finish: Hot galvanized.

Belt Seat: Molded from UV stabilized black EPDM rubber encapsulating a weldment comprised of a 22 GA (.029") spring stainless steel sheet and (4) .105 thick stainless steel washers. The belt seat elliptical shape measures 7" wide x 26" long x .700" thick.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

100626A

TuffTimber Edgers 30" Galvanized Stake

Stake: Made from 3/4" diameter x 30" long shaft. Finish: Dacromet.

119214A

TuffTimber Edgers TuffTimber, 4' Length, Black Only

TuffTimber: Blow-molded from U.V. stabilized 25% recycled/reclaimed linear high-density polyethylene. Walls are minimum .080" thick x 4" wide x 12" high x 4'-4" long, black in color.

Stake: Made from 3/4" diameter x 30" long shaft. Finish: Dacromet.

130799A

TuffTimber Edgers TuffTimber Access Wedge, Black Only

Access Ramp: Rotationally molded from U.V. stabilized linear low density polyethylene, black in color. Stakes are 4' cc (same as a TuffTimber). Access Ramp slope is 1:8.

Warranty: You have our word.

Landscape Structures Inc. warrants that all playstructures and/or equipment sold will conform in kind and in quality to the specifications manual for the products identified in the Acknowledgement of Order and will be free of defects in manufacturing and material. Seller further warrants:

100-Year Limited Warranty for all stainless steel fasteners, aluminum posts, clamps, beams and caps, against structural failure due to corrosion/natural deterioration or manufacturing defects. This warranty does not include any cosmetic issues or wear and tear from normal use.

15-Year Limited Warranty for all plastic and steel components, including TuffTimbers™, against structural failure due to corrosion/natural deterioration or manufacturing defects. TenderTuffR-coating against structural failure due to natural deterioration or manufacturing defects. (Except Wiggle Ladders, Chain Ladders and Swing Chain). TuffTurfR against material or manufacturing defects when properly installed. CorocordR cable on Spacenet climbers against breakage.


10-Year Limited Warranty for all CoolToppersR structural steel frames and Mobius climbers against structural failure due to natural deterioration or manufacturing defects.

5-Year Limited Warranty for Corocord cables on Spacenet climbers and CoolToppersR fabric against natural deterioration or manufacturing defects. This warranty is limited to the design loads as stated in the specifications found in the technical information. The Natural ElementsTM climbers exterior GFRC material, against structural failure due to natural deterioration or manufacturing defects.

3-Year Limited Warranty for all other parts, ie: CableCoreTM Products, Swing seats and hangers, Mobius climber handholds, Wiggle Ladders, Chain Ladders and Swing Chain, Track Ride trolleys and bumpers, all rocking equipment including Sway FunTM, PVC belting material, Seesaws, Wiggle Ring Bridge, etc. against failure due to corrosion/natural deterioration or manufacturing defects.

This warranty does not include any cosmetic issues or wear and tear from normal use.

The warranty stated above is valid only if the structures and/or equipment are erected in conformance with Landscape Structures' installation instructions and maintained according to the maintenance procedures furnished by Landscape Structures Inc. For a full text of the warranty, contact your local sales representative.




BLUESTONE STATE PARK


HINTON, WV

17429693-1-1

9/29/2008



Service Supply
landscape
structures



BLUESTONE STATE PARK

HINTON, WV


17429693-1-1

9/29/2008

FENCE SUPPLY LTD. INC



landscape structures



TOTAL ELEVATED PLAY COMPONENTS 8
 TOTAL ELEVATED COMPONENTS ACCESSIBLE BY RAMP 0
 TOTAL ELEVATED COMPONENTS ACCESSIBLE BY TRANSFER 8
 TOTAL ACCESSIBLE GROUND LEVEL COMPONENTS SHOWN 7
 TOTAL DIFFERENT TYPES OF GROUND LEVEL COMPONENTS 3

REQUIRED 0
 REQUIRED 4
 REQUIRED 4
 REQUIRED 3
 REQUIRED 3



BLUESTONE
 STATE PARK
 HINTON, WV

SERVICE SUPPLY
 LTD
 PAM WILLIAMSON

SERIAL TYPE:
 PLAYBOOSTER
 DRAWING #
 29693-1-1


THIS IS A PLAN & ELEVATION OF
 DESIGNED FOR USE IN ACCORDANCE WITH
 THE AMERICAN NATIONAL STANDARD FOR
 SAFETY OF PLAY EQUIPMENT (ASTM F1487)
 IF THE MANUFACTURER OPINION THAT
 THE PLAY AREA DOES COMPLY TO
 THE AMERICAN NATIONAL STANDARD FOR
 SAFETY OF PLAY EQUIPMENT (ASTM F1487)
 THE MANUFACTURER'S OPINION IS
 BASED ON THE FOLLOWING INFORMATION:
 1. THE PLAY AREA WAS DESIGNED TO
 COMPLY WITH THE AMERICAN NATIONAL
 STANDARD FOR SAFETY OF PLAY EQUIPMENT
 (ASTM F1487) AND THE MANUFACTURER'S
 OPINION IS BASED ON THE FOLLOWING
 INFORMATION:
 2. THE PLAY AREA WAS DESIGNED TO
 COMPLY WITH THE AMERICAN NATIONAL
 STANDARD FOR SAFETY OF PLAY EQUIPMENT
 (ASTM F1487) AND THE MANUFACTURER'S
 OPINION IS BASED ON THE FOLLOWING
 INFORMATION:
 3. THE PLAY AREA WAS DESIGNED TO
 COMPLY WITH THE AMERICAN NATIONAL
 STANDARD FOR SAFETY OF PLAY EQUIPMENT
 (ASTM F1487) AND THE MANUFACTURER'S
 OPINION IS BASED ON THE FOLLOWING
 INFORMATION:
 4. THE PLAY AREA WAS DESIGNED TO
 COMPLY WITH THE AMERICAN NATIONAL
 STANDARD FOR SAFETY OF PLAY EQUIPMENT
 (ASTM F1487) AND THE MANUFACTURER'S
 OPINION IS BASED ON THE FOLLOWING
 INFORMATION:
 5. THE PLAY AREA WAS DESIGNED TO
 COMPLY WITH THE AMERICAN NATIONAL
 STANDARD FOR SAFETY OF PLAY EQUIPMENT
 (ASTM F1487) AND THE MANUFACTURER'S
 OPINION IS BASED ON THE FOLLOWING
 INFORMATION:
 6. THE PLAY AREA WAS DESIGNED TO
 COMPLY WITH THE AMERICAN NATIONAL
 STANDARD FOR SAFETY OF PLAY EQUIPMENT
 (ASTM F1487) AND THE MANUFACTURER'S
 OPINION IS BASED ON THE FOLLOWING
 INFORMATION:
 7. THE PLAY AREA WAS DESIGNED TO
 COMPLY WITH THE AMERICAN NATIONAL
 STANDARD FOR SAFETY OF PLAY EQUIPMENT
 (ASTM F1487) AND THE MANUFACTURER'S
 OPINION IS BASED ON THE FOLLOWING
 INFORMATION:
 8. THE PLAY AREA WAS DESIGNED TO
 COMPLY WITH THE AMERICAN NATIONAL
 STANDARD FOR SAFETY OF PLAY EQUIPMENT
 (ASTM F1487) AND THE MANUFACTURER'S
 OPINION IS BASED ON THE FOLLOWING
 INFORMATION:
 9. THE PLAY AREA WAS DESIGNED TO
 COMPLY WITH THE AMERICAN NATIONAL
 STANDARD FOR SAFETY OF PLAY EQUIPMENT
 (ASTM F1487) AND THE MANUFACTURER'S
 OPINION IS BASED ON THE FOLLOWING
 INFORMATION:
 10. THE PLAY AREA WAS DESIGNED TO
 COMPLY WITH THE AMERICAN NATIONAL
 STANDARD FOR SAFETY OF PLAY EQUIPMENT
 (ASTM F1487) AND THE MANUFACTURER'S
 OPINION IS BASED ON THE FOLLOWING
 INFORMATION:

DESIGNED BY:
 G.H.
 ARCHITECTURAL DESIGN
 1000 W. 10TH STREET, SUITE 100
 HINTON, WV 25931
 PHONE: 304-833-1111
 FAX: 304-833-1112
 WWW: WWW.AGHP.COM

IPEMA
 CERTIFIED
 PLAY EQUIPMENT


Wm
 Landscape
 Structures





TOTAL ELEVATED PLAY COMPONENTS 8
 TOTAL ELEVATED COMPONENTS ACCESSIBLE BY RAMP 0
 TOTAL ELEVATED COMPONENTS ACCESSIBLE BY TRANSFER 8
 TOTAL ACCESSIBLE GROUND LEVEL COMPONENTS SHOWN 7
 TOTAL DIFFERENT TYPES OF GROUND LEVEL COMPONENTS 3

REQUIRED 0
 REQUIRED 4
 REQUIRED 3
 REQUIRED 3



BLUESTONE
 STATE PARK
 HINTON, WV

SERVICE SUPPLY
 LTD
 PAM WILLIAMSON

SERIAL TYPE:
 PLAYBOOSTER
 DRAWING #:
 29893-1-1



The Play component is manufactured by Wm. W. Landscape Structures, Inc. and is designed to meet the requirements of ASTM F1487.

THIS DRAWING IS A REPRESENTATION OF THE PLAY AREA AS DESCRIBED FOR ASES 5-11 YEARS. IT IS THE MANUFACTURER'S OBLIGATION THAT THE PLAY AREA BE CONSTRUCTED TO THE ASSURANCE OF ACCESSIBLE PLAYING, OR OTHERWISE AS PROVIDED AS INDICATED, OR WITHIN THE SPECIFIC USE CODE.


THE MANUFACTURER ASSUMES NO LIABILITY FOR DAMAGE TO PERSONS OR PROPERTY, INCLUDING DEATH OR BODILY INJURY, ARISING FROM THE USE OF THIS PLAY AREA. THE MANUFACTURER ASSUMES NO LIABILITY FOR DAMAGE TO PERSONS OR PROPERTY, INCLUDING DEATH OR BODILY INJURY, ARISING FROM THE USE OF THIS PLAY AREA.

CHOOSE A FINISHING SYSTEM FOR ALL METAL PARTS OF THE PLAY AREA. FINISHING SYSTEMS SHOULD BE CORROSION RESISTANT AND MEET THE REQUIREMENTS OF ASTM A955. FINISHING SYSTEMS SHOULD BE APPLIED TO ALL EXPOSED METAL SURFACES AND TO ALL EXPOSED WOOD SURFACES.

DESIGNED BY:

DATE: 10/15/03
 DRAWN BY: J. W. WILSON
 CHECKED BY: J. W. WILSON
 APPROVED BY: J. W. WILSON





BLUESTONE STATE PARK

HINTON, WV


17429693-2-1

9/29/2008

FENCE SUPPLY LTD. INC



landscape structures



BLUESTONE STATE PARK

HINTON, WV


17429693-2-1

9/29/2008



MS
landscape
structures

55'-10"



AREA WITHIN
TUFTTIMBERS
1597 SQ.FT.


TOTAL ELEVATED PLAY COMPONENTS ACCESSIBLE BY RAMP	0	REQUIRED	0
TOTAL ELEVATED COMPONENTS ACCESSIBLE BY TRANSFER	0	REQUIRED	0
TOTAL ACCESSIBLE GROUND LEVEL COMPONENTS SHOWN	6	REQUIRED	0
TOTAL DIFFERENT TYPES OF GROUND LEVEL COMPONENTS	2	REQUIRED	2



BLUESTONE
STATE PARK
HINTON, WV

SERVICE SUPPLY
LTD
PAL WILLIAMSON

SIGNAL TYPE
NO STRUCTURE
DRAWING #:
290933-2-1



The IPSE M.A. certification is awarded to the manufacturer of play equipment that has been designed and manufactured in accordance with the requirements of ASTM F-1487.

THIS PLAY AREA IS DESIGNED TO BE USED BY CHILDREN AGED 5-12 YEARS UNLESS OTHERWISE NOTED ON PLAN.


IF IN THE MANUFACTURING CAPABILITY THAT THE MANUFACTURER HAS DECLARED TO BE CAPABLE OF MANUFACTURING THE EQUIPMENT, THE MANUFACTURER HAS DECLARED TO BE CAPABLE OF MANUFACTURING THE EQUIPMENT TO THE MANUFACTURING CAPABILITY OF THE MANUFACTURER. THE MANUFACTURER HAS DECLARED TO BE CAPABLE OF MANUFACTURING THE EQUIPMENT TO THE MANUFACTURING CAPABILITY OF THE MANUFACTURER. THE MANUFACTURER HAS DECLARED TO BE CAPABLE OF MANUFACTURING THE EQUIPMENT TO THE MANUFACTURING CAPABILITY OF THE MANUFACTURER.

DESIGNED BY:
C.H.I.
Landscape Structures, Inc.
141-1-400-270-0000 FAX 1-770-270-0001

Client	Project Name	Project Location	Project Start	Project End



55'-10"



AREA WITHIN
TUFTIMBERS
1597 SQ.FT.


12287
2 PLAC
SINGLE (NO CHAM)
2 BOLT SEAS

12288
SINGLE (NO CHAM)
(W/TL 2-PLAC BR)
2 ROL SEAS

12285
W/TL 2-PLAC BR
2 ROL SEAS

12286
W/TL 2-PLAC BR
2 ROL SEAS

TOTAL ELEVATED PLAY COMPONENTS	0	REQUIRED	0
TOTAL ELEVATED COMPONENTS ACCESSIBLE BY RAMP	0	REQUIRED	0
TOTAL ELEVATED COMPONENTS ACCESSIBLE BY TRANSFER	0	REQUIRED	0
TOTAL ACCESSIBLE GROUND LEVEL COMPONENTS SHOWN	6	REQUIRED	0
TOTAL DIFFERENT TYPES OF GROUND LEVEL COMPONENTS	2	REQUIRED	2



BLUESTONE
STATE PARK
HINTON, WV

SERVICE SUPPLY
LTD
PAM WILLIAMSON

SYSTEM TYPE:
NO STRUCTURE
DRAWING #:
28893-2-1



IPEMA
CERTIFIED
IPEMA
INTERNATIONAL
PLAY EQUIPMENT MANUFACTURERS ASSOCIATION

The IPEMA certification is awarded to the manufacturer of the play equipment that meets the requirements of the IPEMA standards. The IPEMA standards are based on the requirements of ASTM F1487.

THIS SET OF PLANS & EQUIPMENT IS DESIGNED FOR USE BY CHILDREN UNDER THE AGE OF 12 YEARS UNLESS OTHERWISE NOTED ON PLAN. IT IS THE MANUFACTURER'S OPINION THAT THE PLAY AREA DOES CONFORM TO THE APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS AS APPLICABLE REGULATIONS OR STANDARDS ARE ADOPTED BY THE STATE OR LOCAL GOVERNMENT. THE MANUFACTURER DOES NOT WARRANT THE FITNESS OF THE EQUIPMENT FOR USE IN ANY OTHER APPLICATION, INCLUDING BUT NOT LIMITED TO, RECREATION, COMMERCIAL USE, OR USE IN AREAS WHERE THE EQUIPMENT IS SUBJECT TO UNUSUAL STRESSORS OR LOADS. THE MANUFACTURER DOES NOT WARRANT THE FITNESS OF THE EQUIPMENT FOR USE IN AREAS WHERE THE EQUIPMENT IS SUBJECT TO UNUSUAL STRESSORS OR LOADS. THE MANUFACTURER DOES NOT WARRANT THE FITNESS OF THE EQUIPMENT FOR USE IN AREAS WHERE THE EQUIPMENT IS SUBJECT TO UNUSUAL STRESSORS OR LOADS.

DESIGNED BY:
CLH
ARCHITECTURE
1000 W. MARKET STREET, SUITE 200
FAYETTEVILLE, WV 25740
PH: 304-792-2222 FAX: 304-792-2221
WWW.CLHARCHITECTURE.COM

DATE	REVISED DRAWING #	BY

