



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
 DNR209040

PAGE  
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF  
 FRANK WHITTAKER  
 304-558-2316

RFQ COPY

TYPE NAME/ADDRESS HERE

SERVICE SUPPLY LTD., INC.  
 1524 S HAMILTON RD  
 COLUMBUS, OH 43227

DIVISION OF NATURAL RESOURCES  
 MONCOVE LAKE STATE PARK  
 ATTN: PARK SUPERINTENDENT  
 POST OFFICE BOX 224  
 GAP MILLS, WV  
 24941 304-772-3450

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
09/19/2008				

BID OPENING DATE: 10/09/2008 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		650-38		
<p>PLAYGROUND EQUIPMENT</p> <p>REQUEST FOR QUOTATION</p> <p>THE WEST VIRGINIA STATE PURCHASING DIVISION, FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF NATURAL RESOURCES, IS SOLICITING BIDS TO PROVIDE THE AGENCY WITH LABOR AND MATERIALS TO PROVIDE PLAYGROUND EQUIPMENT FOR MONCOVE LAKE STATE PARK PER THE ATTACHED SPECIFICATIONS.</p> <p>A WALK THROUGH OF THE SITE WILL BE HELD ON MONDAY, SEPTEMBER 29, 2008 AT 2:00 PM. VENDORS ARE RESPONSIBLE FOR BEING FAMILIAR WITH THE SITE AND NECESSARY REQUIREMENTS OF THIS PROJECT.</p> <p>TECHNICAL QUESTIONS CONCERNING THIS PROJECT MUST BE SUBMITTED IN WRITING TO FRANK WHITTAKER IN THE WEST VIRGINIA PURCHASING DIVISION VIA FAX AT 304-558-4115 OR VIA EMAIL AT FRANK.M.WHITTAKER@WV.GOV. DEADLINE FOR ALL TECHNICAL QUESTIONS IS OCTOBER 2, 2008 AT THE CLOSE OF BUSINESS. ALL TECHNICAL QUESTIONS IF ANY, WILL BE ADDRESSED BY ADDENDUM AFTER THE DEADLINE.</p> <p>QUESTIONS CONCERNING THE ACTUAL PROCESS BY WHICH A VENDOR MAY SUBMIT A BID TO THE STATE OF WEST VIRGINIA ARE NOT CONSIDERED TO BE TECHNICAL QUESTIONS AND MAY BE SUBMITTED AT ANY TIME PRIOR TO THE BID OPENING AND IN ANY FORMAT.</p>						

RECEIVED

2008 OCT -9 A 10:13

REC'D AS NO DIVISION STATE OF WV

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Janet Kletecka</i>	TELEPHONE 800-848-7556	DATE OCTOBER 7, 2008
TITLE JANET KLETECKA BOARD MEMBER	FAX 31-1262459	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS  
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
14. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
15. **WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT:** If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

---

**INSTRUCTIONS TO BIDDERS**

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in case of discrepancy.
5. All quotations are considered FOB destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P O Box 50130, Charleston, WV 25305-0130.



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

**Request for  
 Quotation**

RFQ NUMBER  
 DNR209040

PAGE  
 2

ADDRESS CORRESPONDENCE TO ATTENTION OF  
 FRANK WHITTAKER  
 304-558-2316

RFQ COPY

TYPE NAME/ADDRESS HERE

SERVICE SUPPLY LTD., INC.  
 1524 S HAMILTON RD  
 COLUMBUS, OH 43227

DIVISION OF NATURAL RESOURCES  
 MONCOVE LAKE STATE PARK  
 ATTN: PARK SUPERINTENDENT  
 POST OFFICE BOX 224  
 GAP MILLS, WV  
 24941 304-772-3450

DATE PRINTED 09/19/2008	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
BID OPENING DATE: 10/09/2008		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>EXHIBIT 5</p> <p>NOTICE TO PROCEED: THIS CONTRACT IS TO BE PERFORMED WITHIN 90 CALENDAR DAYS AFTER THE NOTICE TO PROCEED IS RECEIVED. UNLESS OTHERWISE SPECIFIED, THE FULLY EXECUTED PURCHASE ORDER WILL BE CONSIDERED NOTICE TO PROCEED.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE MATERIALS OR WORKMANSHIP SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HERE IN.</p> <p>WAGE RATES: THE CONTRACTOR OR SUBCONTRACTOR SHALL PAY THE HIGHER OF THE U.S. DEPARTMENT OF LABOR MINIMUM WAGE RATES AS ESTABLISHED FOR MONROE COUNTY, PURSUANT TO WEST VIRGINIA CODE 21-5A, ET, SEQ. (PREVAILING WAGE RATES APPLY TO THIS PROJECT)</p> <p>ARBITRATION: ANY REFERENCES MADE TO ARBITRATION OR INTEREST FOR PAYMENTS DUE (EXCEPT FOR ANY INTEREST REQUIRED BY STATE LAW) CONTAINED IN THIS CONTRACT OR IN ANY AMERICAN INSTITUTE OF ARCHITECTS DOCUMENTS PERTAINING TO THIS CONTRACT ARE HEREBY DELETED.</p> <p>WORKERS' COMPENSATION: VENDOR IS REQUIRED TO PROVIDE A CERTIFICATE FROM WORKERS' COMPENSATION IF SUCCESSFUL.</p> <p>ALL OF THE ITEMS CHECKED BELOW WILL BE A REQUIREMENT OF THIS CONTRACT:</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Janet Kletecka</i>	TELEPHONE 800-848-7556	DATE OCTOBER 7, 2008
TITLE JANET KLETECKA BOARD MEMBER	FERN 31-1262459	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER:  
 DNR209040

PAGE:  
 3

ADDRESS CORRESPONDENCE TO ATTENTION DR:  
 FRANK WHITTAKER  
 304-558-2316

POSTIVITY

RFQ COPY  
 TYPE NAME/ADDRESS HERE  
 SERVICE SUPPLY LTD., INC.  
 1524 S HAMILTON RD  
 COLUMBUS, OH 43227

SHIP TO

DIVISION OF NATURAL RESOURCES  
 MONCOVE LAKE STATE PARK  
 ATTN: PARK SUPERINTENDENT  
 POST OFFICE BOX 224  
 GAP MILLS, WV  
 24941 304-772-3450

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
09/19/2008				

BID OPENING DATE: 10/09/2008 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>(XX) INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF OF COMMERCIAL GENERAL LIABILITY INSURANCE PRIOR TO ISSUANCE OF CONTRACT. UNLESS OTHERWISE SPECIFIED IN THE BID DOCUMENTS, THE MINIMUM AMOUNT OF INSURANCE COVERAGE REQUIRED IS \$250,000.</p> <p>( ) BUILDERS RISK INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF OF BUILDERS RISK - ALL RISK INSURANCE IN AN AMOUNT EQUAL TO 100% OF THE AMOUNT OF THE CONTRACT.</p> <p>(XX) BONDS: FIVE PERCENT (5%) OF THE TOTAL AMOUNT OF THE BID PAYABLE TO THE STATE OF WEST VIRGINIA, SHALL BE SUBMITTED WITH EACH BID AS A BID BOND. THE SUCCESSFUL BIDDER SHALL ALSO FURNISH A PERFORMANCE BOND AND LABOR/MATERIAL BOND FOR 100% OF THE AMOUNT OF THE CONTRACT. BONDS MAY BE PROVIDED IN THE FORM OF A CERTIFIED CHECK, IRREVOCABLE LETTER OF CREDIT, OR BOND FURNISHED BY A SOLVENT SURETY COMPANY AUTHORIZED TO DO BUSINESS IN THE STATE OF WEST VIRGINIA. A LETTER OF CREDIT SUBMITTED IN LIEU OF A BOND WILL ONLY BE ALLOWED FOR PROJECTS UNDER \$100,000. PERSONAL OR BUSINESS CHECKS ARE NOT ACCEPTABLE IN LIEU OF THE 5% BID BOND, PERFORMANCE BOND, OR LABOR AND MATERIAL BOND.</p> <p>( ) MAINTENANCE BOND: A TWO (2) YEAR MAINTENANCE BOND COVERING THE ROOFING SYSTEM WILL BE A REQUIREMENT OF THE SUCCESSFUL VENDOR.</p> <p>REV. 11/00</p> <p>EXHIBIT 7</p> <p>DOMESTIC ALUMINUM, GLASS &amp; STEEL IN PUBLIC WORKS PROJECTS</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Jane Kletecka</i>	TELEPHONE 800-848-7556	DATE OCTOBER 7, 2008
TITLE JANE KLETECKA BOARD MEMBER	FEIN 31-1262459	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

### Request for Quotation

RFQ NUMBER  
 DNR209040

PAGE  
 4

ADDRESS CORRESPONDENCE TO ATTENTION OF  
 FRANK WHITTAKER  
 304-558-2316

RFQ COPY  
 TYPE NAME/ADDRESS HERE  
 SERVICE SUPPLY LTD., INC.  
 1524 S HAMILTON RD  
 COLUMBUS, OH 43227

DIVISION OF NATURAL RESOURCES  
 MONCOVE LAKE STATE PARK  
 ATTN: PARK SUPERINTENDENT  
 POST OFFICE BOX 224  
 GAP MILLS, WV  
 24941 304-772-3450

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/19/2008				

BID OPENING DATE: 10/09/2008 BID OPENING TIME 01:30PM

LINE	QUANTITY	UQP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>IN ACCORDANCE WITH WEST VIRGINIA CODE 5-19-1 ET., SEQ., EVERY CONTRACT FOR CONSTRUCTION, RECONSTRUCTION, ALTERATION, REPAIR, IMPROVEMENT OR MAINTENANCE OF PUBLIC WORKS, WHERE THE COST IS MORE THAN \$50,000 AND, IN THE CASE OF STEEL ONLY, WHERE THE COST OF STEEL IS MORE THAN \$50,000 OR WHERE MORE THAN 10,000 POUNDS OF STEEL ARE REQUIRED, THE STATE WILL ACCEPT ONLY ALUMINUM GLASS, OR STEEL PRODUCTS PRODUCED IN THE UNITED STATES. IN ADDITION, ITEMS OF MACHINERY OR EQUIPMENT PURCHASED FOR USE AT THE SITE OF PUBLIC WORKS SHALL BE MADE OF DOMESTIC ALUMINUM, GLASS OR STEEL, UNLESS THE COST OF THE PRODUCT IS LESS THAN \$50,000 OR LESS THAN 10,000 POUNDS OF STEEL ARE USED IN PUBLIC WORKS PROJECTS.</p> <p>FOREIGN MADE ALUMINUM, GLASS OR STEEL PRODUCTS MAY BE ACCEPTED ONLY IF THE COST OF DOMESTIC PRODUCTS IS FOUND TO BE UNREASONABLE. SUCH COST IS UNREASONABLE IF IT IS 20% OR MORE HIGHER THAN THE BID PRICE FOR FOREIGN MADE PRODUCTS. IF THE DOMESTIC ALUMINUM, GLASS OR STEEL PRODUCTS TO BE SUPPLIED OR PRODUCED IN A "SUBSTANTIAL LABOR SURPLUS AREA", AS DEFINED BY THE UNITED STATES DEPARTMENT OF LABOR, FOREIGN PRODUCTS MAY BE SUPPLIED ONLY IF DOMESTIC PRODUCTS ARE 30% OR MORE HIGHER IN PRICE THAN THE FOREIGN MADE PRODUCTS.</p> <p>IF, PRIOR TO THE AWARD OF A CONTRACT UNDER THE ABOVE PROVISIONS, THE SPENDING OFFICER OF THE SPENDING UNIT DETERMINES THAT THERE EXISTS A BID FOR LIKE FOREIGN ALUMINUM, GLASS OR STEEL THAT IS REASONABLE AND LOWER THAN THE LOWEST BID DOMESTIC PRODUCTS, THE SPENDING OFFICE MAY REQUEST, IN WRITING, A REEVALUATION AND REDUCTION IN THE LOWEST BID FOR SUCH DOMESTIC PRODUCTS. ALL VENDORS MUST INDICATE IN THEIR BID IF THEY ARE SUPPLYING FOREIGN ALUMINUM, GLASS OR STEEL.</p> <p>REV. 3/88</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Janet Kletecka</i>	TELEPHONE 800-848-7556	DATE OCTOBER 7, 2008
TITLE JANET KLETECKA BOARD MEMBER	FEIN 31-1262459	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
 DNR209040

PAGE  
 5

ADDRESS CORRESPONDENCE TO ATTENTION OF  
 FRANK WHITTAKER  
 304-558-2316

RFQ COPY

TYPE NAME/ADDRESS HERE

SERVICE SUPPLY LTD., INC.  
 1524 S HAMILTON RD  
 COLUMBUS, OH 43227

DIVISION OF NATURAL RESOURCES  
 MONCOVE LAKE STATE PARK  
 ATTN: PARK SUPERINTENDENT  
 POST OFFICE BOX 224  
 GAP MILLS, WV  
 24941 304-772-3450

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
09/19/2008				

BID OPENING DATE: 10/09/2008 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>EXHIBIT 9</p> <p>NOTICE FOR ISSUANCE &amp; ACKNOWLEDGEMENT OF CONSTRUCTION PROJECT ADDENDA</p> <p>THE ARCHITECT/ENGINEER AND/OR AGENCY SHALL BE REQUIRED TO ABIDE BY THE FOLLOWING SCHEDULE IN ISSUING CONSTRUCTION PROJECT ADDENDA FOR STATE AGENCIES:</p> <p>(1) THE ARCHITECT/ENGINEER SHALL PREPARE THE ADDENDUM AND A LIST OF ALL PARTIES THAT HAVE PROCURED DRAWINGS AND SPECIFICATIONS FOR THE PROJECT. THE ADDENDUM AND LIST SHALL BE FORWARDED TO THE BUYER IN THE STATE PURCHASING DIVISION. THE ARCHITECT/ENGINEER SHALL ALSO SEND A COPY OF THE ADDENDUM TO THE STATE AGENCY FOR WHICH THE CONTRACT IS ISSUED.</p> <p>(2) THE BUYER SHALL SEND THE ADDENDUM TO ALL INTERESTED PARTIES AND, IF NECESSARY, EXTEND THE BID OPENING DATE. ANY ADDENDUM SHOULD BE RECEIVED BY THE BUYER WITHIN FOURTEEN (14) DAYS PRIOR TO THE BID OPENING DATE.</p> <p>(3) ALL ADDENDA SHOULD BE FORMALLY ACKNOWLEDGED BY ALL BIDDERS AND SUBMITTED TO THE STATE PURCHASING DIVISION. THE SAME RULES AND REGULATIONS THAT APPLY TO THE ORIGINAL BIDDING DOCUMENT SHALL ALSO APPLY TO AN ADDENDUM DOCUMENT. THE ONLY EXCEPTION MAY BE FOR AN ADDENDUM THAT IS ISSUED FOR THE SOLE PURPOSE OF CHANGING A BID OPENING TIME AND/OR DATE.</p> <p>REV. 11/96</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Janet Klelecka</i>	TELEPHONE 800-848-7556	DATE OCTOBER 7, 2008
TITLE JANET KLELECKA BOARD MEMBER	FEN 31-1262459	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

**Request for  
 Quotation**

RFQ NUMBER:  
 DNR209040

PAGE:  
 6

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
 FRANK WHITTAKER  
 304-558-2316

RFQ COPY

TYPE NAME/ADDRESS HERE

SERVICE SUPPLY LTD., INC.  
 1524 S HAMILTON RD  
 COLUMBUS, OH 43227

DIVISION OF NATURAL RESOURCES  
 MONCOVE LAKE STATE PARK  
 ATTN: PARK SUPERINTENDENT  
 POST OFFICE BOX 224  
 GAP MILLS, WV  
 24941 304-772-3450

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/19/2008				

BID OPENING DATE: 10/09/2008 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
EXHIBIT 10						
ADDENDUM ACKNOWLEDGEMENT						
I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC. .						
ADDENDUM NOS. :						
NO. 1		XX				
NO. 2						
NO. 3						
NO. 4						
NO. 5						
I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF THE BIDS.						
VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.						
<i>Janet Klecka</i>					SIGNATURE	
.....					COMPANY	

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Janet Klecka</i>	TELEPHONE 800-848-7556	DATE OCTOBER 7, 2008
TITLE JANET KLETECKA BOARD MEMBER	FERN 31-1262459	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'







State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
 DNR209040

PAGE  
 8

ADDRESS CORRESPONDENCE TO ATTENTION TO:  
 FRANK WHITTAKER  
 304-558-2316

RFQ COPY

TYPE NAME/ADDRESS HERE

SERVICE SUPPLY LTD., INC.  
 1524 S HAMILTON RD  
 COLUMBUS, OH 43227

DIVISION OF NATURAL RESOURCES  
 MONCOVE LAKE STATE PARK  
 ATTN: PARK SUPERINTENDENT  
 POST OFFICE BOX 224  
 GAP MILLS, WV  
 24941 304-772-3450

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
09/19/2008				

BID OPENING DATE: 10/09/2008 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>PROCUREMENT.</p> <p>ANY INFORMATION PROVIDED IN SPECIFICATION MANUALS, OR ANY OTHER SOURCE, VERBAL OR WRITTEN, WHICH CONTRADICTS OR ALTERS THE INFORMATION PROVIDED FROM THE SOURCES AS DESCRIBED IN THE ABOVE PARAGRAPH IS VOID AND OF NO EFFECT.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATICALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER.</p> <p>REV. 1/2005</p> <p style="text-align: center;">NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p style="text-align: center;">DEPARTMENT OF ADMINISTRATION          PURCHASING DIVISION          BUILDING 15          2019 WASHINGTON STREET, EAST          CHARLESTON, WV 25305-0130</p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER: FRANK WHITTAKER-FILE 44</p> <p>REQ. NO.: DNR209040</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Janet Kletecka</i>	TELEPHONE 800-848-7556	DATE OCTOBER 7, 2008
TITLE JANET KLETECKA BOARD MEMBER	FAX 31-1262459	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
 DNR209040

PAGE  
 9

ADDRESS CORRESPONDENCE TO ATTENTION OF  
 FRANK WHITTAKER  
 304-558-2316

RFQ COPY

TYPE NAME/ADDRESS HERE

SERVICE SUPPLY LTD., INC.  
 1524 S HAMILTON RD  
 COLUMBUS, OH 43227

DIVISION OF NATURAL RESOURCES  
 MONCOVE LAKE STATE PARK  
 ATTN: PARK SUPERINTENDENT  
 POST OFFICE BOX 224  
 GAP MILLS, WV 24941 304-772-3450

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
09/19/2008				

BID OPENING DATE: 10/09/2008 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
BID OPENING DATE: OCTOBER 9, 2008 BID OPENING TIME: 1:30 PM PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: 304-743-3250 ----- PLEASE PRINT OR TYPE NAME OF PERSON TO CONTACT CONCERNING THIS QUOTE: PAM MELTON -----						
***** THIS IS THE END OF RFQ DNR209040 ***** TOTAL:						\$41,923.00

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Janet Kletecka</i>	TELEPHONE 800-848-7556	DATE OCTOBER 7, 2008
TITLE JANET KLETECKA BOARD MEMBER	FERN 31-1262459	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

## **MONCOVE LAKE STATE PARK PLAYGROUND SPECIFICATIONS – CONTD.**

All playground equipment and engineered wood fiber must meet the following requirements:

- Compliance with U.S. Consumer Product Safety Commission, Handbook for Public Playground Safety.
- Compliance with ASTM Standard F 1487.
- Compliance with Architectural and Transportation Barriers Compliance Board, Americans with Disabilities Act (ADA) Accessibility Guidelines for Buildings and Facilities; Play Areas.

Vendors must submit the following attachments:

- Complete manufacturer's parts specifications and warranties.
- Layout drawing to scale of the proposed play structure or equipment.
- ASTM and CPSC Statement of Compliance

Additionally, all playground equipment must meet the following requirements:

- Decks must be one piece steel and powder coated.
- Connectors must be direct-bolt and bolt locations should be pre-drilled
- Color scheme for all equipment must be green plastic, brown uprights, beige metal and brown decks.

Warranties:

- All equipment and engineered wood fiber must be guaranteed to be free of defects in workmanship and material for a minimum of one year from date of acceptance. However, if manufacturer warranty periods are longer than the required minimum one year warranty, those warranties shall apply.

The award may be split if it is in the best interest of the West Virginia Division of Natural Resources.

Vendors must have a familiarity with the proposed areas for which the playground equipment is to be purchased. Owner will conduct site walk through on September 29, 2008, at 1:00 p.m. for interested parties.

Item No.	Quantity	Description	Unit Price	Amount
		<p>To supply playground equipment to offer play activities for children ages five (5) to twelve (12) at Moncove Lake State Park, Gap Mills, West Virginia. There will be a total of two separate playground areas for which playground equipment is to be supplied. Park personnel will install all playground equipment.</p>		
1	1	<p><b>PICNIC AREA PLAYGROUND</b></p> <p>GameTime PrimeTime playground structure and components, Model #11817 (modified Straight Arrow), or equal. Uprights must be constructed of powder-coated aluminum with a minimum OD of 3 1/2". Equipment must have a ASTM Minimum Use Zone of 49'9" x 31'3". The equipment must include the following components:</p> <p>GameTime transfer point with accessible attachment or equal.</p> <p>GameTime curved molded slide. Slide must be approximately 3' in length.</p> <p>GameTime spiral molded slide with hood or equal. Slide must be approximately 6' in length.</p> <p>GameTime double molded slide, or equal. Slide must be approximately 5' in length.</p> <p>GameTime vertical climbing wall or equal. Wall must be approximately 6' in height.</p> <p>GameTime rock wall climber with molded in handholds or equal. Wall must be approximately 5' in height.</p> <p>GameTime DNA vertical climber. Climber must be steel construction and must be approximately 6' in height.</p>		

Item No.	Quantity	Description	Unit Price	Amount
		<p>GameTime rung ladder or equal. Ladder must be steel construction and must be approximately 5' in height.</p> <p>GameTime funnel bridge or equal.</p> <p>GameTime single seat or equal.</p> <p>GameTime cosmix climber or similar sideways climber or equal. Climber must be approximately 5' in height.</p> <p>GameTime straight horizontal loop ladder with D-ring style or equal.</p> <p>GameTime therapeutic rings or equal.</p> <p>GameTime turning bar or equal.</p> <p>GameTime crunch bar or equal.</p> <p>GameTime shingle style molded roof for one 36" deck or equal.</p>		
2	1	<p>GameTime, Primetime arch swing frame, Model #12583, or equal. Swing must have a minimum 3 1/2" OD.</p>		
3	1	<p>GameTime, Primetime arch swing add-a-bay, Model #12584, or equal. Bay must have a minimum 3 1/2" OD and an ASTM minimum use zone of 37'2" x 32'1". Equipment must include the following components:</p> <p>Minimum of two belt seat swings with stainless steel chain and attachments;</p> <p>Minimum of two enclosed toddler seats with stainless steel chain and attachments; and</p> <p>Minimum of 3-1/2" OD galvanized steel uprights and top rail.</p>		

Item No.	Quantity	Description	Unit Price	Amount
4	1	F.O.B. Destination. Freight and/or delivery charges are to be included in the price of the goods Delivery must be made within ninety (90) days of purchase order award.	TO INCLUDE ITEMS #1-4 MATERIAL DELIVERED	\$25,244.00
		<b>SHELTER #1 PLAYGROUND AREA</b>		
5	1	GameTime, wave zip slide F/S, Model #18395, or equal. Slide must be approximately 6' in length and have a minimum ASTM use zone of 27'2" x 15'4".		
6	1	GameTime, sky runner (F/S), Model #6200, or equal. Runner must have a minimum ASTM zone of 18'2" diameter.		
7	1	GameTime, Primetime swing frame, Model #12583, or equal. Frame must have a minimum of 3 1/2" OD.		
8	1	GameTime, Primetime Swing Add-A-Bay, Model #12584, or equal. Bay must have a minimum 3 1/2" OD and an ASTM minimum use zone of 37'2" x 32'1". Equipment must include the following components:  Minimum of four belt seat swings with stainless steel chain and attachments; and  Minimum 3-1/2" OD galvanized steel uprights and top rail.		
9	107	GameTime playcurb, Model #4850, or equal. PlayCurb must be a minimum of 8" and must be black in color.		
10	2	Game Time , accessible playcurb, Model #4854, or equal. Playcurb must be black.	TO INCLUDE ITEMS #5-10 MATERIAL DELIVERED	\$12,929.00
11	4,900 Sq. Ft.	Engineered wood fiber. Or equal. Fiber must be compacted at 8" in depth.		
12	1 Roll	Geo-Textile fabric 1,125 Sq Ft Roll or equal.	TO INCLUDE ITEMS #11-13	
13	1 Roll	Geo-Textile fabric 2,250 Sq Ft Roll or equal.		\$3,750.00

Item No.	Quantity	Description	Unit Price	Amount
14	1	F.O.B. Destination. Freight and/or delivery charges are to be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.		INCLUDED
			TOTAL	\$41,923.00

**MONCOVE LAKE PLAYGROUND QUALIFY:**

-SERVICE SUPPLY LTD., INC. AND DYNAMIC INSTALLATIONS ARE TWO SEPARATE ENTITIES AND WILL REQUIRE SEPARATE CONTRACTS AND PAYMENTS.

SERVICE SUPPLY LTD., INC.

1524 S. HAMILTON RD  
COLUMBUS, OH 43227

PAM MELTON  
304-743-5260

DYNAMIC INSTALLATIONS

4699 CARROLL-CEMETARY RD  
CARROLL, OH 43112

TONY SHADWICK  
614-206-4288

-INSTALLATION COST ASSUMES NORMAL DIGGING CONDITIONS

-INSTALLATION TO BE SCHEDULED BETWEEN OWNER AND DYNAMIC INSTALLATIONS

-OWNER TO CHOOSE FROM STANDARD LANDSCAPE STRUCTURES, INC. COLOR OPTIONS

-PRICE DOES NOT INCLUDE SITE PREP

-GAMETIME SKY RUNNER EQUALED WITH LANDSCAPE STRUCTURES, INC. DOUBLE ORBITER



**CNA SURETY**

---

**BID BOND**


KNOW ALL MEN BY THESE PRESENTS, That we, SERVICE SUPPLY LTD INC, Principal,  
1524 S HAMILTON RD, COLUMBUS OH 43227, Surety, are held and firmly bound onto  
and WESTERN SURETY COMPANY, State of West Virginia, Division of Natural Resources, 2019 Washington St East, Charleston, WV, Obligee,  
25305  
in the sum of 5% of the accompanying bid Dollars 5% of bid )  
for the payment of which we bind ourselves, our legal representatives, successors and assigns,  
jointly and severally, firmly by these presents.

WHEREAS, principal has submitted or is about to submit a proposal to obligee on a contract  
Playground Equipment at Moncove Lake State Park

NOW, THEREFORE, if the said contract be awarded to Principal and Principal shall, within  
such time as may be specified, enter into the contract in writing and give such bonds or bonds as  
may be specified in the bidding or contract documents with surety acceptable to Obligee; or if  
Principal shall fail to do so, pay to Obligee the damages which Obligee may suffer by reason of  
such failure not exceeding the penalty of this bond, then this obligation shall be void; otherwise to  
remain in full force and effect.


Signed, sealed and dated  
October 9, 2008

SERVICE SUPPLY LTD INC  
\_\_\_\_\_  
(Principal)

by  (Seal)  
\_\_\_\_\_  
JANET KLETECKA, BOARD MEMBER

Countersigned \_\_\_\_\_  
Licensed West Virginia Resident Agent

WESTERN SURETY COMPANY  
\_\_\_\_\_  
(Surety)

By  Attorney-in-Fact  
\_\_\_\_\_  
Tamara J. Mohr

# Western Surety Company

## POWER OF ATTORNEY APPOINTING INDIVIDUAL ATTORNEY-IN-FACT

Know All Men By These Presents, That WESTERN SURETY COMPANY, a South Dakota corporation, is a duly organized and existing corporation having its principal office in the City of Sioux Falls, and State of South Dakota, and that it does by virtue of the signature and seal herein affixed hereby make, constitute and appoint

**Edward M. Schinnerer, Helen M Bickel, Donna E Fitzpatrick, Karen S Ergang, Tamara J Mohr, Bryan L Formsma, Individually**

of Byron Center, MI, its true and lawful Attorney(s)-in-Fact with full power and authority hereby conferred to sign, seal and execute for and on its behalf bonds, undertakings and other obligatory instruments of similar nature

**- In Unlimited Amounts -**

and to bind it thereby as fully and to the same extent as if such instruments were signed by a duly authorized officer of the corporation and all the acts of said Attorney pursuant to the authority hereby given, are hereby ratified and confirmed

This Power of Attorney is made and executed pursuant to and by authority of the By-Law printed on the reverse hereof, duly adopted, as indicated, by the shareholders of the corporation

In Witness Whereof, WESTERN SURETY COMPANY has caused these presents to be signed by its Senior Vice President and its corporate seal to be hereto affixed on this 26th day of June, 2008



WESTERN SURETY COMPANY

Paul I. Bruflat, Senior Vice President

State of South Dakota }  
County of Minnehaha } ss

On this 26th day of June, 2008, before me personally came Paul I Bruflat, to me known, who, being by me duly sworn, did depose and say: that he resides in the City of Sioux Falls, State of South Dakota; that he is the Senior Vice President of WESTERN SURETY COMPANY described in and which executed the above instrument; that he knows the seal of said corporation; that the seal affixed to the said instrument is such corporate seal; that it was so affixed pursuant to authority given by the Board of Directors of said corporation and that he signed his name thereto pursuant to like authority, and acknowledges same to be the act and deed of said corporation.

My commission expires  
November 30, 2012



D. Krell, Notary Public

### CERTIFICATE

I, L. Nelson Assistant Secretary of WESTERN SURETY COMPANY do hereby certify that the Power of Attorney hereinabove set forth is still in force, and further certify that the By-Law of the corporation printed on the reverse hereof is still in force. In testimony whereof I have hereunto subscribed my name and affixed the seal of the said corporation this 9th day of October, 2008.



WESTERN SURETY COMPANY

L. Nelson, Assistant Secretary

RFQ No DN209040

STATE OF WEST VIRGINIA  
Purchasing Division

## PURCHASING AFFIDAVIT

### VENDOR OWING A DEBT TO THE STATE:

*West Virginia Code* §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

### PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

*West Virginia Code* §21-1D-5 provides that: Any solicitation for a public improvement construction contract shall require each vendor that submits a bid for the work to submit at the same time an affidavit that the vendor has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code. A public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the West Virginia Code may take place before their work on the public improvement is begun.

### ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

### LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

### CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit [www.state.wv.us/admin/purchase/privacy](http://www.state.wv.us/admin/purchase/privacy) for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (*West Virginia Code* §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and is in compliance with the requirements as stated.

Vendor's Name: SERVICE SUPPLY LTD., INC.

Authorized Signature:   
JANET KLEBECKA, BOARD MEMBER

Date: OCTOBER 7, 2008

# CONTRACTOR LICENSE

Authorized by the

**West Virginia Contractor Licensing Board**

**Number:** WV013333

**Classification:**

SPECIALTY

SERVICE SUPPLY LTD INC  
1524 S HAMILTON RD  
COLUMBUS, OH 43227-2493

**Date Issued**

JANUARY 24, 2008

**Expiration Date**

JANUARY 24, 2009



Authorized Company Signature



Chair, West Virginia Contractor  
Licensing Board



**WEST VIRGINIA  
CONTRACTOR  
LICENSING  
BOARD**

This license, or a copy thereof, must be posted in a conspicuous place at every construction site where work is being performed. This license number must appear in all advertisements, on all bid submissions and on all fully executed and binding contracts. This license cannot be assigned or transferred by licensee. Issued under provisions of West Virginia Code, Chapter 21, Article 11.

# CONTRACTOR LICENSE

Authorized by the

## West Virginia Contractor Licensing Board

**Number:** WV040115

**Classification:**

GENERAL BUILDING

DYNAMIC INSTALLATIONS INC  
10093 ALSPACH RD  
CANAL WINCHESTER, OH 43110

**Date Issued**

JANUARY 30, 2008

**Expiration Date**

JANUARY 30, 2009

Authorized Company Signature



Chair, West Virginia Contractor  
Licensing Board

### WEST VIRGINIA CONTRACTOR LICENSING BOARD

This license, or a copy thereof, must be posted in a conspicuous place at every construction site where work is being performed. This license number must appear in all advertisements, on all bid submissions and on all fully executed and binding contracts. This license cannot be assigned or transferred by licensee. Issued under provisions of West Virginia Code, Chapter 21, Article 11.

# ACORD™ CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

12/12/2007

PRODUCER Phone: 6168783351 Fax: 8008473129

 The Campbell Group  
 325 84th Street SW  
 Byron Center MI 49315-

**THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.**
**INSURERS AFFORDING COVERAGE**
**NAIC #**

 INSURED  
 Service Supply Ltd Inc  
 1524 S Hamilton Road  
 Columbus OH 43227

 INSURER A: Continental Casualty Co  
 INSURER B: Transcontinental Insurance Co  
 INSURER C: American Casualty Co of Read  
 INSURER D:  
 INSURER E:

**COVERAGES**

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.


INSR ADD'L LTR INSRD	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS
C	<b>GENERAL LIABILITY</b> <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR  GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input checked="" type="checkbox"/> PROJECT <input type="checkbox"/> LOC	2088184534	12/10/2007	12/10/2008	EACH OCCURRENCE \$1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$100,000 MED EXP (Any one person) \$5,000 PERSONAL & ADV INJURY \$1,000,000 GENERAL AGGREGATE \$2,000,000 PRODUCTS - COMP/OP AGG \$2,000,000
A	<b>AUTOMOBILE LIABILITY</b> <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS	2088184498	12/10/2007	12/10/2008	COMBINED SINGLE LIMIT (Ea accident) \$1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ GARAGE LIABILITY <input type="checkbox"/> ANY AUTO AUTO ONLY - EA ACCIDENT \$ OTHER THAN EA ACC AGG \$
B	<b>EXCESS/UMBRELLA LIABILITY</b> <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS MADE  <input type="checkbox"/> DEDUCTIBLE <input checked="" type="checkbox"/> RETENTION \$10,000	2088184453	12/10/2007	12/10/2008	EACH OCCURRENCE \$2,000,000 AGGREGATE \$2,000,000 \$ \$ \$
	<b>WORKERS COMPENSATION AND EMPLOYERS' LIABILITY</b> ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? If yes, describe under SPECIAL PROVISIONS below OTHER				WC STATUTORY LIMITS OTH-ER E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES / EXCLUSIONS ADDED BY ENDORSEMENT / SPECIAL PROVISIONS

**CERTIFICATE HOLDER**
**CANCELLATION**

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING INSURER WILL ENDEAVOR TO MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO DO SO SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE



## **IMPORTANT**

If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

## **DISCLAIMER**

The Certificate of Insurance on the reverse side of this form does not constitute a contract between the issuing insurer(s), authorized representative or producer, and the certificate holder, nor does it affirmatively or negatively amend, extend or alter the coverage afforded by the policies listed thereon.

**STATE OF OHIO**  
**BUREAU OF WORKERS' COMPENSATION**  
 COLUMBUS, OHIO 43215-2256  
**CERTIFICATE OF PREMIUM PAYMENT**

This certifies that the employer listed below has paid into the State Insurance Fund as required by law. Therefore, the employer is entitled to the rights and benefits of the fund for the period specified. For more information, call 1-800-OHIOBWC.

**THIS CERTIFICATE MUST BE CONSPICUOUSLY POSTED.**

POLICY NO. AND EMPLOYER

PERIOD SPECIFIED BELOW

406937

07/01/2008 THRU 02/28/2009

SERVICE SUPPLY LTD., INC.  
 1524 S HAMILTON RD  
 COLUMBUS, OH 43227-2429

ohiobwc.com

*Marsha P. Ryan*  
 Administrator

THIS CERTIFICATE MAY BE REPRODUCED AS NEEDED

**OHIO BUREAU OF WORKERS' COMPENSATION**

**REQUIRED POSTING**

Effective October 13, 2004, Section 4123.54 of the Ohio Revised Code requires notice of rebuttable presumption. Rebuttable presumption means that an employee may dispute or prove untrue the presumption (or belief) that alcohol or a controlled substance not prescribed by the employee's physician is the proximate cause (main reason) of the work-related injury.

The burden of proof is on the employee to prove that the presence of alcohol or a controlled substance was not the proximate cause of the work-related injury. An employee who tests positive or refuses to submit to chemical testing may be disqualified for compensation and benefits under the Workers' Compensation Act.

THIS LANGUAGE MUST BE POSTED WITH THE CERTIFICATE OF COVERAGE



[Home](#) | [Injured Workers](#) | [Ohio Employers](#) | [Medical Providers](#) | [BWC Library](#) | [Contact Us](#)



## Ohio Bureau of Workers' Compensation

Governor, Ted Strickland  
Administrator/CEO Marsha P. Ryan

Focus on  
Ohio Employers

- Accident/Injury Info »
- Claim Info »
- Claim Payment »
- Claim Reference Info »
- Coverage look-up
- Employer Services »
- Quick Pay
- Safety Services »
- Self-Insured »
- Forms
- Section Map

Live support available  
Monday through Friday  
7:30 a.m. - 5:30 p.m.  
[Click here to get help!](#)

log on

[?](#) help   [print](#)   [search](#)   [glossary](#)   [cc](#)

**Service:** State construction contractor search results

Policy number: 406937-0  
Company name: SERVICE SUPPLY LTD , INC  
Construction contractor status: APPROVED  
Construction contractor status date: 5/4/2007 12:00:00 AM

[search again](#)

**Note:** BWC has designed this database for those responsible for ensuring that a construction contractor or subcontractor has a drug-free program that complies with the governor's executive order requiring a drug-free workplace. A contractor or subcontractor in an APPROVED status has agreed to implement a drug-free workplace program which makes the company compliant with the governor's executive order. Therefore, you can print this page for your records.

Click the Help tab in the upper-right hand corner for more status definitions.

[Help](#) | [Contact Us](#) | [Site Map](#) | [Search](#) | [Your Privacy](#) | [PI](#)





**WORKERS COMPENSATION  
AND  
EMPLOYERS LIABILITY POLICY**

**INFORMATION PAGE WC 00 00 01 (A)**

**RENEWAL OF POLICY NUMBER:** WC10102907-03  
**POLICY NUMBER:** WC10102907-04

**INSURER:** BRICKSTREET MUTUAL INSURANCE COMPANY

- 1. INSURED:**  
SERVICE SUPPLY LTD INC  
1524 SOUTH HAMILTON ROAD  
COLUMBUS, OH 43227
- PRODUCER:**  
BRICKSTREET MUTUAL INSURANCE COMPANY  
400 QUARRIER STREET  
CHARLESTON, WV 25301-2010
- Insured is a(n) CORPORATION
- Other work places and identification numbers are shown in the schedule(s) attached.
- 2.** The policy period is from 11/30/2007 to 11/30/2008 12:01 A.M. at the insured's mailing address.
- 3. A. WORKERS COMPENSATION INSURANCE:** Part One of the policy applies to the Workers Compensation Law of the state(s) listed here:  
  
WEST VIRGINIA
- B. EMPLOYERS LIABILITY INSURANCE:** Part Two of the policy applies to work in each state listed in item 3 A. The limits of our liability under Part Two are:
- |                             |           |               |
|-----------------------------|-----------|---------------|
| BODILY INJURY BY ACCIDENT : | \$100,000 | EACH ACCIDENT |
| BODILY INJURY BY DISEASE :  | \$500,000 | POLICY LIMIT  |
| BODILY INJURY BY DISEASE :  | \$100,000 | EACH EMPLOYEE |
- C. OTHER STATES INSURANCE:** Part Three of the policy applies to the states, if any, listed here:  
  
See West Virginia Limited Other States Insurance Endorsement WC 99 03 05
- D.** This policy includes these endorsements and schedules:  
  
SEE LIST OF ENDORSEMENTS - EXTENSION OF INFORMATION PAGE
- 4.** The premium for this policy will be determined by our Manuals of Rules, Classifications, Rates and Rating Plans. All required information is subject to verification and change by audit to be made in accordance with Part Five of the Policy.

**DATE OF ISSUE:** 12/17/2007  
**ISSUING OFFICE:** Charleston, WV  
**PRODUCER:** BRICKSTREET MUTUAL INSURANCE COMPANY

**STATE OF OHIO**  
**BUREAU OF WORKERS' COMPENSATION**  
 COLUMBUS, OHIO 43215-2256

**CERTIFICATE OF PREMIUM PAYMENT**

This certifies that the employer listed below has paid into the State Insurance Fund as required by law. Therefore, the employer is entitled to the rights and benefits of the fund for the period specified. For more information, call 1-800-OHIOBWC.

**THIS CERTIFICATE MUST BE CONSPICUOUSLY POSTED.**

POLICY NO. AND EMPLOYER

PERIOD SPECIFIED BELOW

1208203

1/1/2008 THRU 8/31/2008

**DYNAMIC INSTALLATIONS INC**  
 PO BOX 349  
 CARROLL, OH 43112-0349

ohiobw.com

*Masha P. Ryan*  
 Administrator

THIS CERTIFICATE MAY BE REPRODUCED AS NEEDED

**OHIO BUREAU OF WORKERS' COMPENSATION**

**REQUIRED POSTING**

Effective October 13, 2004, Section 4123.54 of the Ohio Revised Code requires notice of rebuttable presumption. Rebuttable presumption means that an employee may dispute or prove untrue the presumption (or belief) that alcohol or a controlled substance not prescribed by the employee's physician is the proximate cause (main reason) of the work-related injury.

The burden of proof is on the employee to prove that the presence of alcohol or a controlled substance was not the proximate cause of the work-related injury. An employee who tests positive or refuses to submit to chemical testing may be disqualified for compensation and benefits under the Workers' Compensation Act.

THIS LANGUAGE MUST BE POSTED WITH THE CERTIFICATE OF COVERAGE

Home Injured Workers Ohio Employers Medical Providers BWC Library Contact Us



# Ohio Bureau of Workers' Compensation

Governor, Bob Taft  
Administrator/CEO, William E. Mabe

Focus on  
Ohio Employers

- Employer Services »
- Coverage look-up
- Self-insured »
- Claim Info »
- Claim Payment »
- Safety Services »
- Forms
- Quick Pay
- Section Map

Live Support available  
Monday through Friday  
7:30 am - 5:30 pm  
[Click here to get help!](#)

log on

? help print search glossary cc

Service: State construction contractor search results

Policy number: 1208203-0  
 Company name: DYNAMIC INSTALLATIONS INC  
 Construction contractor status: APPROVED  
 Construction contractor status date: 4/17/2003

[search again](#)

**Note:** BWC has designed this database for those responsible for ensuring that a construction contractor or subcontractor has a drug-free program that complies with the governor's executive order requiring a drug-free workplace. A contractor or subcontractor in an APPROVED status has agreed to implement a drug-free workplace program which makes the company compliant with the governor's executive order. Therefore, you can print this page for your records

Click the Help tab in the upper-right hand corner for more status definitions.



[Help](#) | [Contact Us](#) | [Site Map](#) | [Search](#) | [Your Privacy](#) | [PL](#)

SERVICE SUPPLY LTD., INC.

ACTION BY UNANIMOUS WRITTEN CONSENT OF THE BOARD OF DIRECTORS

December 12, 1988

Pursuant to Section 1701.54 of the Ohio Revised Code, the undersigned, being all of the members of the Board of Directors of SERVICE SUPPLY LTD., INC. (the "Corporation"), do hereby take and adopt the following actions by this unanimous written consent:

RESOLVED: That the following persons be, and they hereby are, elected to the offices of the Corporation set opposite their respective names, each to serve in such capacity until his or her successor is duly elected and qualified:

Mary G. Groves	President
Jerry L. Groves	Vice President
Oscar B. Groves	Secretary/Treasurer
Alan Kletecka	Sales Manager

RESOLVED: That the officers of the Corporation select a bank to be the official depository of the Corporation and that the corporate resolutions required by such institution be, and they same hereby are, adopted by the Corporation as part of this resolution and that any one of the officers be, and they hereby are, authorized to execute, acknowledge, and deliver in the name and on behalf of the Corporation, any and all agreements, documents and certificates, and to do and perform all such acts and things as may be deemed by them necessary or appropriate to effectuate the purpose of this resolution;

RESOLVED FURTHER: That said bank be, and it hereby is, authorized to pay out the funds of the Corporation on deposit with it from time to time upon checks, drafts or other withdrawal orders drawn upon it and signed in the name of the Corporation by any one of the following persons:

Oscar B. Groves  
Mary G. Groves

whether the checks, drafts or other withdrawal orders are payable to cash, bearer, the orders of any third party, the order of the signing officers or employees of the Corporation, or to the order

of any other officer or employee of the Corporation in either his or her individual or official capacity; and

RESOLVED That the Secretary of the Corporation be, and  
FURTHER: hereby is, authorized to furnish to said  
institution a certified copy of this resolution  
and that this resolution remain in full force and  
effect until a certified copy of a resolution  
amending, modifying, replacing, or rescinding this  
resolution has been furnished to the bank; and

RESOLVED That any one of the officers be, and they hereby  
FURTHER: are, authorized to execute and deliver any and all  
notes, agreements, documents or papers of any type  
or nature whatsoever to consummate the purpose of  
the foregoing resolution.

RESOLVED: That any one of the officers be, and they hereby  
are, authorized to pay all fees and expenses inci-  
dent to and necessary for the organization of the  
Corporation.

RESOLVED: That any of the officers of the Corporation be,  
and they hereby are, authorized, directed and  
empowered to file or cause to be filed a Notifi-  
cation of Exemption on Form 3-0 with the Ohio  
Division of Securities within sixty (60) days from  
the date of the original subscription to the  
shares of the Corporation.

  
\_\_\_\_\_  
Oscar B. Groves

  
\_\_\_\_\_  
Mary G. Groves

  
\_\_\_\_\_  
Jerry Groves

  
\_\_\_\_\_  
Janet Kletecka

"Directors"

SERVICE SUPPLY LTD., INC.


ACTION BY UNANIMOUS WRITTEN CONSENT  
OF THE BOARD OF DIRECTORS


January 2, 1989


Pursuant to Section 1701.54 of the Ohio Revised Code, the undersigned, being all of the members of the Board of Directors of SERVICE SUPPLY LTD., INC. (the "Corporation"), do hereby take and adopt the following action by this unanimous written consent:


RESOLVED: That the following persons are authorized to sign any bids on behalf of the Corporation:

Oscar B. Groves  
Mary G. Groves  
Alan Kletecka  
Jerry L. Groves  
Janet Kletecka

  
\_\_\_\_\_  
Oscar B. Groves

  
\_\_\_\_\_  
Mary G. Groves

  
\_\_\_\_\_  
Janet Kletecka

  
\_\_\_\_\_  
Jerry L. Groves

"Directors"

# SERVICE SUPPLY LTD., INC.



1524 SOUTH HAMILTON ROAD - COLUMBUS, OHIO 43227 - TELEPHONE 614 / 861 - 3681  
FAX 614/863-0113

June 1, 2005

**Service Supply Ltd., Inc. - founded in 1959 in Columbus, Ohio. We originally had offices in the Bryson Building in Columbus, Ohio, and have been in our present facilities, 1524 South Hamilton Road, Columbus, Ohio since 1967.**

**Ralph Groves, my brother, founded Service Supply Ltd., Inc. and was president until his death in 1973.**

**Our employees at this time are:**

**Mary G. Groves (wife) President (1960)**  
**Jerry Groves (son) Vice President (1969)**  
**Janet Kletecka (daughter) Board of Directors (1974)**  
**Alan Kletecka (son-in law) Sales Manager (1973)**  
**Ben Groves (husband) Secretary-Treasurer (1961)**  
**Donna Hetzner - Secretary (1999)**  
**Linda Groves (daughter-in-law) Secretary (1977)**  
**Linda Kroonemeyer - Secretary (1986)**  
**Medrith Mollenkamp - Secretary (1988)**  
**Connie Triplett - Secretary (2003)**

**We have five (5) sales persons located in various areas of Ohio, Indiana and West Virginia that are on straight commission basis. Some of these sales persons also offer other lines that are related to the same market that we service. This gives us a total of seven (7) sales persons on the road.**

**Service Supply Ltd., Inc. originally sold items pertaining to Traffic and Highway Safety such as paint stripers, traffic paint, signs, and sign posts We expanded into the park and recreation market and then into the school market which includes all grade 1-12 and colleges. We also call on the private sector where our site amenities, signs, and play structures are popular. Our early childcare play equipment is designed for institutional and corporate facilities that have become involved in day care centers.**



**A partial list of our suppliers and their principals, addresses, phone numbers, and products to follow:**

- **Landscape Structures, Inc.**, Barb and Steve King, Route #3, 601 7<sup>th</sup> Street, South, Delano, MN 55328  
612-479-2546 **PLAYGROUND EQUIPMENT**
- **Wabash Valley Manufacturing, Inc.**, Jerry Shilling, P. O. Box 5, Silver Lake, IN 46982  
219-352-2102 **SITE AMENITIES** (expanded metal)
- **DuMor, Inc.**, Steve Richard, P. O. Box 142, Mifflintown, PA 17059  
717-436-2106 **SITE AMENITIES** (wood)
- **American Aluminum Seating, Inc.**, Bob Palmer, P. O. Box 1468, Marshalltown, IA 50158  
515-753-5366 **PORTABLE BLEACHERS, STADIUM GRANDSTANDS**
- **Interkal LLC**, Richard Patterson, P. O. Box 2107, Kalamazoo, MI 49003  
616-349-1521 **TELESCOPIC GYM BLEACHERS**

**We are listed in D&B; any late payments that may be listed on these reports are the result of problems in delivery of total order, which in turn holds up payment to the manufacturer. This would only appear if it were a very large order, which would involve telescopic bleachers.**

**Our bank, which we have been with since 1959, is National City Bank, Bexley Office, 2594 East Main Street, Bexley, OH 43209- phone 614-238-7100.**

**Our accountant is Schwartz, Adleman, Kellerman & Marks, (Mr. Sam Schwartz) 145 North Reynoldsburg-New Albany Road, Blacklick, OH 43004-9701. Phone number is 614-866-1600.**

**Our legal counsel is the firm of Kahn, Kleinman, Yanowitz & Arnson (contact for Service Supply is Mr. Neil Kurit, The Tower at Erieview, Suite 2600, 1301 East Ninth Street, Cleveland, OH 44114-1824. Neil Kurit's phone number is 216-736-3452.**

**Should you have any questions, please feel free to call me Toll Free -  
in Ohio call 800-282-1900 - Indiana and West Virginia call 800-848-7556.**

**Very truly yours,**

**SERVICE SUPPLY LTD., INC.**

*Jerry Groves*

**Jerry Groves  
Vice President**

**JG/dlh**



# 2008 Play Equipment Warranty

You have our word.

• **100-Year Limited Warranty** for all stainless steel fasteners, aluminum posts, clamps, beams and caps, against structural failure due to corrosion/natural deterioration or manufacturing defects. This warranty does not include any cosmetic issues or wear and tear from normal use.

• **15-Year Limited Warranty** for all plastic and steel components, including TuffTimbers™, against structural failure due to corrosion/natural deterioration or manufacturing defects. TenderTuff™-coating against structural failure due to natural deterioration or manufacturing defects. (Except Wiggle Ladders, Chain Ladders and Swing Chain). TuffTurf® against material or manufacturing defects when properly installed. Corocord® cable on Spacenet™ climbers against breakage.

• **10-Year Limited Warranty** for all CoolToppers™ structural steel frames and Mobius climbers™ against structural failure due to natural deterioration or manufacturing defects.

• **5-Year Limited Warranty** for Corocord cables on Spacenet climbers and CoolToppers® fabric against natural deterioration or manufacturing defects. This warranty is limited to the design loads as stated in the specifications found in the technical information. The Natural Elements™ climbers exterior GFRC material, against structural failure due to natural deterioration or manufacturing defects.

• **3-Year Limited Warranty** for all other parts, ie: CableCore™ products, Swing seats and hangers, Mobius climber handholds, Wiggle Ladders, Chain Ladders and Swing Chain, Track Ride trolleys and bumpers, all rocking equipment including Sway Fun™, PVC belting material, Seesaws, Wiggle Ring Bridge, etc. against failure due to corrosion/natural deterioration or manufacturing defects.

**This warranty does not include any cosmetic issues or wear and tear from normal use.**

Landscape Structures Inc. warrants that all playstructures and/or equipment sold will conform in kind and in quality to the specifications manual for the products identified in the Acknowledgment of Order and will be free of defects in manufacturing and material. Seller further warrants:

All the warranties commence on date of Seller's invoice. Should any failure to conform to the above express warranties appear within the applicable warranty period, Seller shall, upon being notified in writing promptly after discovery of the defect and within the applicable warranty period, correct such nonconformity either by repairing any defective part or parts, or by making available a replacement part within 60 days of written notification. Seller shall deliver the repaired or replacement part or parts to the site free of charge, but will not be responsible for providing labor or the cost of labor for the removal of the defective part or parts and the installation of any replacement part or parts. Replacement parts will be warranted for the balance of the original warranty.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE.

The remedies hereby provided shall be the exclusive and sole remedies of the purchaser. Seller shall not be liable for any direct, indirect, special, incidental or consequential damages.

Seller neither assumes nor authorizes any employee, representative or any other person to assume for Seller any other liability in connection with the sale or use of the structures sold, and there are no oral agreements or warranties collateral to or affecting this agreement. The warranty stated above is valid only if the structures and or equipment are erected in conformance with Landscape Structures' installation instructions and maintained according to the maintenance procedures furnished by Landscape Structures Inc.; have been subjected to normal use for the purpose for which the goods were designed; have not been subject to misuse, negligence, vandalism, or accident; have not been subjected to addition or substitution of parts; and have not been modified, altered, or repaired by persons other than Seller or Seller's designees in any respect which, in the judgement of Seller, affects the condition or operation of the structures. To make a claim, send your written statement of claim, along with the original job number or invoice number to: Landscape Structures Inc. 601 7th Street South, Delano, Minnesota, 55328-0198

Signed:

Chairman

Date: 01/03/08

Material Specifications

Quote: 29725-1-1.QSd

9/30/2008

General Specifications: Material: All materials shall be structurally sound and suitable for safe play. Durability shall be ensured on all steel parts by the use of time-tested coatings such as zinc plating, galvanizing, ProShield finish, TenderTuff coating, etc. Colors shall be specified.

Fasteners: Fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F879 unless otherwise indicated (see specific product installation/specifications). All primary fasteners shall include a locking patch-type material that will meet the minimum torque requirements of IFI-125. Manufacturer to provide special tools for pinned tamperproof fasteners.

TenderTuff Coating: All metal components to be TenderTuff-coated shall be thoroughly cleaned in a hot phosphatizing pressure washer, then primed with a water-based thermosetting solution. Primed parts shall be preheated prior to dipping in UV-stabilized, liquid polyvinyl chloride (PVC), then salt cured at approximately 400 degrees. The finished coating shall be approximately .080" thick

at an 85 durometer hardness and have a matte finish. Four standard colors are available (brown only for HealthBeat). Not applicable for Evos.

ProShield Finish: All metal components shall be thoroughly cleaned and phosphatized through a five-stage power washer. Parts are then thoroughly dried, preheated and processed through a set of automatic powder spray guns where an epoxy primer is applied. The parts are allowed to cool and then pass through a second set of automatic powder spray guns. A minimum .002" of architectural-grade Super-Durable polyester TGIC powder is applied. The parts are oven-cured at 400 degrees F metal temperature for 10-minutes. The average ProShield film thickness is .006".

ProShield is formulated and tested per the following ASTM standards. Each color must meet or exceed the ratings listed below:

Hardness (D3363) rating 2H

Impact (D2794) rating minimum 80 inch-pounds

Salt Fog Resistance (B117 and D1654) 4,000 hours and rating 7 or greater

UV Exposure (G154, 340 bulb) 3,000 hours, rating delta E of 2, and  
90 percent gloss retention

Adhesion (D3359, Method B) rating 5B

The Paint Line shall employ a "checkered" adhesion test daily.

Eighteen standard colors are available.

Decks: All Tenderdecks shall be of modular design and have 5/16" diameter holes on the standing surface. There shall be a minimum of (4) slots in each face to accommodate face mounting of components. Tenderdecks shall be manufactured from a single piece of low carbon 12 GA (.105") sheet steel conforming to ASTM specification A-569. The sheet shall be perforated then flanged formed and reinforced as necessary to ensure structural integrity. The unit shall then be TenderTuff-coated brown only. Tenderdecks shall be designed so that all sides are flush with the outside edge of the supporting posts.

Not applicable for Evos or HealthBeat.

Rotationally Molded Poly Parts: These parts shall be molded using prime compounded linear low-density polyethylene with a tensile strength of 2500 psi per ASTM D638 and with color and UV-stabilizing additives. Wall thickness varies by product from .187" (3/16") to .312" (5/16"). Five standard colors are available (black only for HealthBeat).

Permalene Parts: These parts shall be manufactured from 3/4" thick high-density polyethylene that has been specially formulated for optimum UV stability and color retention. Products shall meet or exceed density of .960 G/cc per ASTM D1505, tensile strength of 2400 PSI per ASTM D638. Five standard solid colors are available. Some Permalene parts are available in a two-color product with (2) .070" thick exterior layers over a .610" interior core of a contrasting color. Eight standard two-color options are available.  
Not applicable for Evos or HealthBeat.

Footings: Unless otherwise specified, the bury on all footings shall be 34" below Finished Grade (FG) on all in-ground play events/posts. Other types of anchoring are available upon request.

(PB) General Specifications: Posts: Post length shall vary depending upon the intended use and shall be a minimum of 42" above the deck height. All posts shall be powdercoated to specified color. All posts shall have a "finished grade marker" positioned on the post identifying the 34" bury line required for correct installation and the top of the loose fill protective surfacing. Top caps for posts shall be aluminum die cast from 369.1 alloy and powdercoated to match the post color. All caps shall be factory installed and secured in place with (3) self sealing rivets. A molded low-density polyethylene cap, with drain holes, shall be pressed onto the bottom end of the post to increase the footing area.

Steel Posts: All steel PlayBooster posts are manufactured from 5" O.D. tubing with a wall thickness of .120" and shall be galvanized after rolling and shall have both the I.D. and the cut ends sprayed with a corrosion resistant coating.

Steel Post Mechanical Properties:

Yield Strength (min): 50,000 PSI  
Tensile Strength (min): 55,000 PSI  
% Elongation in 2 inches: 25  
Modulus of Elasticity: 29.5 x 1,000,000 PSI

Aluminum Posts: All aluminum PlayBooster posts are manufactured from 6005-T5 extruded tubing conforming to ASTM B-221. Posts shall have a 5" outside diameter with a .125" wall thickness.

Aluminum Post Mechanical Properties:

Yield Strength (min): 35,000 PSI  
Tensile Strength (min): 38,000 PSI  
% Elongation in 2 inches: 10  
Modulus of Elasticity: 10 x 1,000,000 PSI

Arch Posts: Aluminum arch posts shall be manufactured from 6005-T5 alloy. The arch shall be formed to a 21" center line radius to complement the 42" center to center module. The arch shall be of one continuous piece construction. There shall be no welds or additional pieces mechanically fastened to manufacture the arch. Each arch shall be designed to provide a minimum of 90 1/2" clear span

from the deck to the inside of the arch at the radius peak. Arches shall be powdercoated to a specified color.

Clamps: All clamps, unless otherwise noted, shall be die cast using a 369.1 aluminum alloy and have the following mechanical properties:

Ultimate Tensile: 47,000 PSI  
Yield Strength: 28,000 PSI  
Elongation: 7% in 2 inches  
Shear Strength: 29,000 PSI  
Endurance Limit: 20,000 PSI

Each functional clamp assembly shall have an appropriate number of half clamps and shall be fastened to mating parts with (2) 3/8" x 1 1/8" pinned button head cap screws (SST) and (2) stainless steel (SST) recessed "T" nuts. A 1/4" aluminum drive rivet w/stainless steel pin is used to ensure a secure fit to the post.

PlayBooster clamps have three functional applications and shall be named as follows:

- 1.) Offset hanger clamp assembly.
- 2.) Deck hanger clamp assembly.
- 3.) Hanger clamp assembly.

Material Specifications:

-----  
111404B

Posts For Decks 140"/64" Deck

Post: See PlayBooster (PB) General Specifications.

-----  
111404C

Posts For Decks 132"/56" Deck

Post: See PlayBooster (PB) General Specifications.

-----  
111404E

Posts For Decks 116"/40" Deck

Post: See PlayBooster (PB) General Specifications.

-----  
111404F

Posts For Decks 108"/32" Deck

Post: See PlayBooster (PB) General Specifications.

-----  
111403A

Posts For Roofs 182"/72" Deck

Post: See PlayBooster (PB) General Specifications.

-----  
152911A

Transfer Modules, Brown Deck Only To 32" Deck, Curved, Right or Left Step

Deck: Flange formed from 12 GA (.105") sheet steel conforming to ASTM A569. Standing surface is perforated with 5/16" diameter holes and measures 29" per (2) sides. Finish: TenderTuff, brown in color.

Step Sections/Top Step Section: Formed from 12 GA (.105") sheet steel conforming to ASTM A569. Standing surface is 24 3/8" wide x 14" deep and is perforated with 5/16" diameter holes. Finish: TenderTuff, brown in color.

Spacer Tube: Made from 6061-T6 aluminum 7/8" O.D. x 1 11/16". Finish: Powdercoat, color specified.

Panels: Solid color Permalene, color specified.

Deck Support: Weldment comprised of 3 1/2" O.D. RS-20 (.125") galvanized steel tubing and 3/8" O.D. x 5" long CRS rod. Finish: Powdercoat, brown in color.

Clamps: Cast aluminum. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Step Support: Weldment comprised of 1.660" O.D. RS-20 (.080" - .095") and 1 3/4" x 1 3/4" x 1/8" HR angle. Finish: Powdercoat, brown in color.

Railings: Weldment comprised of 1.125" O.D. x 11 GA. (.120") steel tubing with 203 or 303 stainless steel 3/8" threaded inserts. Finish: TenderTuff, color specified.

-----  
111228A

Decks Square Tenderdeck, Brown Only

Square Deck: Flange formed from 12 GA (.105") sheet steel conforming to ASTM A569. Standing surface is perforated with 5/16" diameter holes. Deck face has (4) slotted holes for face mounting components. The finished size measures 2 5/8" x 47" x 47". Finish: TenderTuff, brown in color.

Deck Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

-----  
118110B

Square Poly Roof, No Logo Panels (Not Shown)

Poly Roof: Rotationally molded from U.V. stabilized linear low density polyethylene, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Roof Sleeve: Cast from 319 almag.

-----  
124863A

SlideWinder2 32" Deck

Slide Sections: Rotationally molded from U.V. stabilized linear low density polyethylene, color specified.

Rail: 1 1/8" O.D. 6061-T6 aluminum extrusion with 5/16" walls. Finish: Powdercoat, color specified.

Mid-Support: Weldment comprised of 1.900" O.D. RS-20 (.090" - .100") galvanized steel tubing and 3/16" x 1 1/4" zinc plated steel strap. Finish: Powdercoat, color specified.

Support Base (SM): Weldment comprised of 1.660" O.D. RS-20 (.085" - .095") galvanized steel tubing and 1/4" x 3" x 8" mounting plate. Finish: Powdercoat, color specified.

Exit Footer: Weldment comprised of 2.375" O.D. RS-20 (.095" - .105") galvanized steel tubing and 1/4" x 3" x 7 1/2" mounting plate. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Offset Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

-----  
124863D

SlideWinder2 56" Deck



Slide Sections: Rotationally molded from U.V. stabilized linear low density polyethylene, color specified.

Rail: 1 1/8" O.D. 6061-T6 aluminum extrusion with 5/16" walls. Finish: Powdercoat, color specified.

Mid-Support: Weldment comprised of 1.900" O.D. RS-20 (.090" - .100") galvanized steel tubing and 3/16" x 1 1/4" zinc plated steel strap. Finish: Powdercoat, color specified.

Support Base (SM): Weldment comprised of 1.660" O.D. RS-20 (.085" - .095") galvanized steel tubing and 1/4" x 3" x 8" mounting plate. Finish: Powdercoat, color specified.

Exit Footer: Weldment comprised of 2.375" O.D. RS-20 (.095" - .105") galvanized steel tubing and 1/4" x 3" x 7 1/2" mounting plate. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Offset Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

-----  
130800D

Gemini SlideWinder2 56" Deck

Slide Sections: Rotationally molded from U.V. stabilized linear low density polyethylene, color specified.

Mid-Support: Weldment comprised of 1.900" O.D. RS-20 (.090" - .100") galvanized steel tubing and 3/16" x 1 1/4" zinc plated steel strap. Finish: Powdercoat, color specified.

Exit Footer: Weldment comprised of 2.375" RS-20 (.095" - .105") galvanized steel tubing and 1/4" x 4" x 11 3/4" mounting plate. Finish: Powdercoat, color specified.

Support Base (SM): Weldment comprised of 1.660" O.D. RS-20 (.085" - .095") galvanized steel tubing and 1/4" x 3" x 8" mounting plate. Finish: Powdercoat, color specified.

Rail: 1 1/8" O.D. 6061-T6 aluminum extrusion with 5/16" walls. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Offset Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

-----  
147424A

Clatterbridges, Corocord Cable Support System 84" Module, Brown Planks Only, w/Barrier for 24"-72" Decks

PLANK: Weldment comprised from 12 GA. (.105") HRPO plate with 5/16" diameter perforated holes and threaded stainless steel inserts, plank measures 11 7/16" x 46 7/8" long. Finish: TenderTuff, brown in color.

ATTACHMENT BRACKET: Fabricated from 11 GA. (.120") HRPO plate. Finish: TenderTuff, brown in color.

MOUNTING BRACKET: Weldment comprised from 1/2" HRPO sheet steel, (2) 1/4" x 1 3/4" steel half clamps and 7/8" diameter 304L stainless steel tube. Finish: Powdercoat, brown in color.

COVER PLATE: Fabricated from 12 GA. (.105") HRPO plate. Finish: Powdercoat brown.

CABLE: Cable completely made of six-stranded and tempered Corocord-rope. The steel wire cores of the six strands are heated and coated with polyamide; edge ropes are reinforced with additional steel wire core. Corocord-membrane reinforced with 4 textile layers (2340).

Barrier: Weldment comprised of 1.900" O.D. RS-20 (.090" - .100") galvanized steel tubing beam, 1.029" O.D. RS-20 (.070" - .080") galvanized steel tubing and 7 GA. (.179") HRPO sheet steel. Finish: Powdercoat, color specified.

Clamps: Cast aluminum. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

-----  
122570B

Cliff Climber 56" Deck

Climber Plank: Flange formed from 11 GA (.120") sheet steel conforming to ASTM A569. Standing surface is perforated with 5/16" diameter holes. Finish: TenderTuff, brown in color.

Climber Bracket: Fabricated from formed 3/16" x 2" HR flat steel. Finish: Powdercoat, brown in color.

Climber Steps/Panels: Solid color Permalene, color specified.

Chain: 3/16" Chain zinc plated. Finish: TenderTuff, brown in color.

Footer: Weldment comprised of 1.660" O.D. RS-20 (.085" - .095") galvanized steel tubing and 3/16" x 2" HR flat steel. Finish: Powdercoat, brown in color.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in

design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Upper Bracket: Weldment comprised of formed 1.660" O.D. RS-20 (.085" - .095") galvanized steel tubing and 1/4" x 1 3/4" wide steel half clamps. Finish: Powdercoat, color specified.

Offset Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

-----  
150975A

Cascade Climbers 48" - 56" Deck, (Available for Direct Bury Only)

Panels: Solid color Permalene, color specified.

Barrier: Weldment comprised of 1.125" O.D. x 11 GA (.120") steel tube per ASTM A513 with 203 or 303 stainless steel welded inserts with 5/8" internal threads and 1/4" tabs. Finish: TenderTuff, color specified.

Support Pipe: Weldment comprised of 2.375" O.D. RS40 (.130"-.140" wall) galvanized steel tube, 1/4" x 1 1/4" HR flat steel and 12 Ga. (.105") sheet HRPO steel. Finish: Powdercoat, color specified.

Clamps: Cast aluminum. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

-----  
148432B

Corkscrews 56" - 72" Deck

Handhold Panel: Solid color Permalene, color specified.

Spacer Tube: Fabricated from 6061-T6 aluminum 1 1/8" O.D. x 1 1/4". Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Offset Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

-----  
148434B

Loop Poles 56" - 72" Deck

Loop Pole: Weldment comprised of 1.900" O.D. RS-20 (.090"-.100") galvanized

steel tubing, and 1.315" O.D. RS-20 (.080"-.090") galvanized steel tubing.  
Finish: Powdercoat, color specified.

Handhold Panel: Solid color Permalene, color specified.

Spacer Tube: Fabricated from 6061-T6 aluminum 1 1/8" O.D. x 1 1/4". Finish:  
Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in  
design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see  
specific product installation/specifications).

Offset Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color  
specified.

-----  
111357A

Chinning Bar, (1) Aluminum Post

Rail: Weldment comprised of 1.125" O.D. x 11 GA (.120") steel tubing with 203  
or 303 stainless steel 5/8" threaded inserts. Finish: TenderTuff, color  
specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in  
design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see  
specific product installation/specifications).

Post: See PlayBooster (PB) General Specifications.

Offset Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color  
specified.

-----  
120902A

Handhold/Leg Lift, TenderTuff-coated Brown

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in  
design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see  
specific product installation/specifications).

Half Clamp: Cast aluminum. Finish: Powdercoat, color specified.

Hand Hold: Weldment comprised of formed 7/8" O.D. x 11 GA (.120") and 1/4" x 1  
3/4" steel half clamps. Finish: TenderTuff, brown in color.

-----  
119805A

Single Beam Loop Horizontal Ladder, 84" Module, Max. 32" Decks

Ladder: Weldment comprised of 2.375" O.D. RS-40 (.130" - .140") galvanized  
steel tubing, 1.125" O.D. x 11 GA (.120") zinc plated steel and 1/4" HRPO flat

steel. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Half Clamp: Cast aluminum. Finish: Powdercoat, color specified.

-----  
129042A

Offset Crawl Tunnel, 24" Deck Height Difference

Permalene Panels: Solid color panel measures 35 5/8" wide x 41" high, & 35 5/8" wide x 47 7/8" high, color specified.

Foot Strip: Solid color Permalene, green in color.

Tunnel Section: Rotationally molded from U.V. stabilized linear low-density polyethylene, color specified.

Attachment Blocks: U.V. stabilized high-density polyethylene, color specified.

Angled Panel Bracket: Weldment comprised of .190" thick 5052 aluminum formed angle with (2) 6061-T6 aluminum threaded tubes 1 1/8" O.D. x 1 1/2" long. Finish: Powdercoat, color specified.

Spacer Tube: Made from 6061-T6 aluminum 7/8" O.D. x 1 11/16". Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Offset Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

-----  
152908A

Deck Links 1-Step, w/Handrail

Panels: Solid color Permalene, color specified.

Handrail: Weldment comprised of 1.125" O.D. x 11 GA (.120") steel tubing with 203 or 303 stainless steel welded inserts with 3/8" internal threads. Finish: TenderTuff, color specified.

Step Section: Formed from 12 GA (.105") sheet steel conforming to ASTM A569. Standing surface is 24 1/4" wide x 14" deep and is perforated with 5/16" diameter holes. Finish: TenderTuff, brown in color.

Spacer Tube: Fabricated from 6061-T6 aluminum 1 1/8" O.D. x 1 1/4". Finish: Powdercoat, color specified.

Clamps: Cast aluminum. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

-----  
111273A

End Vertical Ladders 116" Aluminum Posts

Vertical Ladder: Weldment comprised of 1.125" O.D. x 11 GA (.120") steel tubing, 1.029" O.D. RS-20 (.070" - .080") and 3/16" x 2" wide steel flat plates. Finish: TenderTuff, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Post: See PlayBooster (PB) General Specifications.

Offset Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

-----  
130873A

Ring Pull, Brown Rings Only, Intended For Wheelchair Users -

"D" Ring: Cast from 333 aluminum alloy with a cast in place 360 brass alloy bushing. Finish: TenderTuff, brown in color.

Chain Assembly: 5/16" Low carbon steel straight link galvanized chain, with bolt link made from grade 316 stainless steel. Finish: TenderTuff-coated, brown in color.

Double Clevis: Stainless Steel

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Ring Pull Beam: Weldment comprised of 1.660" O.D. RS-20 (.085" - .095") galvanized steel tubing and 1/4" x 1 3/4" HRS clamps. Housings for double clevis are 1 1/4" O.D. x .312" wall steel tubing. SAE 841 dry bronze bushings are pressed into housings at factory. Finish: Powdercoat, color specified.

Half Clamp: Cast aluminum. Finish: Powdercoat, color specified.

-----  
120711A

Pod Climbers 16", One Pod Only

Disc: Rotationally molded from U.V. stabilized linear low density polyethylene, disc measures 14" in diameter x 7" high, color specified.

Support: Weldment comprised of 1.900" O.D. RS-20 (.090" - .100"), 1.315" O.D. RS-20 (.080" - .090") and 3/16" x 5" diameter plate. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

-----  
122837A

Single Post Swings 2-Place, Uncoated Chain

Post: See PlayBooster (PB) General Specifications.

Beam: Weldment comprised of 2.375" O.D. RS-40 (.130" - .140") galvanized steel tubing, 3" wide zinc-plated steel clamps and 1 1/4" housings w/bronze bushings. Finish: Powdercoat, color specified.

Half Clamp: Cast aluminum. Finish: Powdercoat, color specified.

Chain Spacer: Made from white nylon measuring .080" x .785" O.D..

Chain: Steel 3/16" straight link chain, 800 lb. working load limit. Finish: Hot galvanized.

Belt Seat: Molded from UV stabilized black EPDM rubber encapsulating a weldment comprised of a 22 GA (.029") spring stainless steel sheet and (4) .105 thick stainless steel washers. The belt seat elliptical shape measures 7" wide x 26" long x .700" thick.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

-----  
122838A

Single Post Swings Additional 2-Place Bay, Uncoated Chain

Post: See PlayBooster (PB) General Specifications.

Beam: Weldment comprised of 2.375" O.D. RS-40 (.130" - .140") galvanized steel tubing, 3" wide zinc-plated steel clamps and 1 1/4" housings w/bronze bushings. Finish: Powdercoat, color specified.

Half Clamp: Cast aluminum. Finish: Powdercoat, color specified.

Chain Spacer: Made from white nylon measuring .080" x .785" O.D..

Chain: Steel 3/16" straight link chain, 800 lb. working load limit. Finish: Hot galvanized.

Belt Seat: Molded from UV stabilized black EPDM rubber encapsulating a weldment comprised of a 22 GA (.029") spring stainless steel sheet and (4) .105 thick stainless steel washers. The belt seat elliptical shape measures 7" wide x 26" long x .700" thick.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Warranty: You have our word.

Landscape Structures Inc. warrants that all playstructures and/or equipment sold will conform in kind and in quality to the specifications manual for the products identified in the Acknowledgement of Order and will be free of defects in manufacturing and material. Seller further warrants:

100-Year Limited Warranty for all stainless steel fasteners, aluminum posts, clamps, beams and caps, against structural failure due to corrosion/natural deterioration or manufacturing defects. This warranty does not include any cosmetic issues or wear and tear from normal use.

15-Year Limited Warranty for all plastic and steel components, including TuffTimber<sup>TM</sup>, against structural failure due to corrosion/natural deterioration or manufacturing defects. TenderTuffR-coating against structural failure due to natural deterioration or manufacturing defects. (Except Wiggle Ladders, Chain Ladders and Swing Chain). TuffTurfR against material or manufacturing defects when properly installed. CorocordR cable on Spacenet climbers against breakage.

10-Year Limited Warranty for all CoolToppersR structural steel frames and Mobius climbers against structural failure due to natural deterioration or manufacturing defects.

5-Year Limited Warranty for Corocord cables on Spacenet climbers and CoolToppersR fabric against natural deterioration or manufacturing defects. This warranty is limited to the design loads as stated in the specifications found in the technical information. The Natural Elements<sup>TM</sup> climbers exterior GFRC material, against structural failure due to natural deterioration or manufacturing defects.

3-Year Limited Warranty for all other parts, ie: CableCore<sup>TM</sup> Products, Swing seats and hangers, Mobius climber handholds, Wiggle Ladders, Chain Ladders and Swing Chain, Track Ride trolleys and bumpers, all rocking equipment including Sway Fun<sup>TM</sup>, PVC belting material, Seesaws, Wiggle Ring Bridge, etc. against failure due to corrosion/natural deterioration or manufacturing defects.

This warranty does not include any cosmetic issues or wear and tear from normal use.

The warranty stated above is valid only if the structures and/or



equipment are erected in conformance with Landscape Structures' installation instructions and maintained according to the maintenance procedures furnished by Landscape Structures Inc. For a full text of the warranty, contact your local sales representative.

Material Specifications

Quote: 29725-2-1.QSd

10/8/2008

General Specifications: Material: All materials shall be structurally sound and suitable for safe play. Durability shall be ensured on all steel parts by the use of time-tested coatings such as zinc plating, galvanizing, ProShield finish, TenderTuff coating, etc. Colors shall be specified.

Fasteners: Fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F879 unless otherwise indicated (see specific product installation/specifications). All primary fasteners shall include a locking patch-type material that will meet the minimum torque requirements of IFI-125. Manufacturer to provide special tools for pinned tamperproof fasteners.

TenderTuff Coating: All metal components to be TenderTuff-coated shall be thoroughly cleaned in a hot phosphatizing pressure washer, then primed with a water-based thermosetting solution. Primed parts shall be preheated prior to dipping in UV-stabilized, liquid polyvinyl chloride (PVC), then salt cured at approximately 400 degrees. The finished coating shall be approximately .080" thick

at an 85 durometer hardness and have a matte finish. Four standard colors are available (brown only for HealthBeat). Not applicable for Evos.

ProShield Finish: All metal components shall be thoroughly cleaned and phosphatized through a five-stage power washer. Parts are then thoroughly dried, preheated and processed through a set of automatic powder spray guns where an epoxy primer is applied. The parts are allowed to cool and then pass through a second set of automatic powder spray guns. A minimum .002" of architectural-grade Super-Durable polyester TGIC powder is applied. The parts are oven-cured at 400 degrees F metal temperature for 10-minutes. The average ProShield film thickness is .006".

ProShield is formulated and tested per the following ASTM standards. Each color must meet or exceed the ratings listed below:

Hardness (D3363) rating 2H  
Impact (D2794) rating minimum 80 inch-pounds  
Salt Fog Resistance (B117 and D1654) 4,000 hours and rating 7 or greater  
UV Exposure (G154, 340 bulb) 3,000 hours, rating delta E of 2, and  
90 percent gloss retention  
Adhesion (D3359, Method B) rating 5B

The Paint Line shall employ a "checkered" adhesion test daily.

Eighteen standard colors are available.

Decks: All Tenderdecks shall be of modular design and have 5/16" diameter holes on the standing surface. There shall be a minimum of (4) slots in each face to accommodate face mounting of components. Tenderdecks shall be manufactured from a single piece of low carbon 12 GA (.105") sheet steel conforming to ASTM specification A-569. The sheet shall be perforated then flanged formed and reinforced as necessary to ensure structural integrity. The unit shall then be TenderTuff-coated brown only. Tenderdecks shall be designed so that all sides are flush with the outside edge of the supporting posts.

Not applicable for Evos or HealthBeat.

Rotationally Molded Poly Parts: These parts shall be molded using prime compounded linear low-density polyethylene with a tensile strength of 2500 psi per ASTM D638 and with color and UV-stabilizing additives. Wall thickness varies by product from .187" (3/16") to .312" (5/16"). Five standard colors are available (black only for HealthBeat).

Permalene Parts: These parts shall be manufactured from 3/4" thick high-density polyethylene that has been specially formulated for optimum UV stability and color retention. Products shall meet or exceed density of .960 G/cc per ASTM D1505, tensile strength of 2400 PSI per ASTM D638. Five standard solid colors are available. Some Permalene parts are available in a two-color product with (2) .070" thick exterior layers over a .610" interior core of a contrasting color. Eight standard two-color options are available.  
Not applicable for Evos or HealthBeat.

Footings: Unless otherwise specified, the bury on all footings shall be 34" below Finished Grade (FG) on all in-ground play events/posts. Other types of anchoring are available upon request.

Material Specifications:

-----

154358A

Orbiter2 Spinner, Steel Post, (Available for Direct Bury Only)

Spinner Assembled Top: (Upper Assembly) Weldment comprised of 1/4" x 3" HRPO flat steel, 1.900" O.D. RS40 (.120"-.130" wall) galvanized steel tube, 3.500" O.D. RS20 (.125" wall) galvanized steel tube, and 1.125" O.D. steel shaft. Finish: Powdercoat, color specified. (Sleeve/Plate) Weldment comprised of 1/4" sheet HRPO steel and 2.875" O.D. schedule 80 steel tubing. Finish: Powdercoat, color specified.

Standing Post Assy:(Spinner Post) Weldment comprised of 2.875" O.D. RS40 (.160"-.170" wall) galvanized steel tubing, 1.125" O.D. steel shaft, 12 Ga. (.105") HR flat steel and 1141 or 1144 steel collar. Finish: Powdercoat, color specified.  
(Sleeve/Plate) Weldment comprised of 1/4" sheet HRPO steel and 2.875" O.D. schedule 80 steel tubing. Finish: Powdercoat, color specified.

Rubber Gasket: Made from 50 durometer neoprene.

Spinner Platform: Comprised of 7 GA. (.179") HRPO flat steel and 3/8"-16 x 1" weld studs.  
Standing surface is perforated with 3/8" diameter holes. Finish: TenderTuff, color specified.

Spinner Wheel: Weldment comprised of 1.029" O.D. RS20 (.070"-.080" wall) galvanized steel tube, 1/4" HRPO flat steel and 3/8" flange weld nuts. Finish: TenderTuff, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in

design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

-----  
100046C

Poly Slides Wave, 72'' Deck

Deck: Fabricated from 14 GA (.075") diamond plate. Finish: TenderTuff, brown in color.

Frames: Weldment comprised of 2.375" O.D. RS-20 (.095" - .105") galvanized steel tubing, 5/8" diameter solid steel zinc plated vertical pickets and 3/8" x 2" flat steel. Finish: Powdercoat, color specified.

Handrails: Fabricated from formed 1.125" O.D. 11 GA. (.120") steel tubing. Finish: TenderTuff, color specified.

Safety Bar: Weldment comprised of 1" x 2" x 21 1/8" 14 GA (.075") rectangular tubing, 1/8" x 4" steel hanger bracket and 3/8" standard hex nuts. Finish: Powdercoat, color specified.

Step Ladder: Fabricated and formed from 14 GA (.075") HRPO sheet steel with 5/16" perforated holes for steps and welded 12 GA (.105") HRPO sheet steel for sides. Finish: TenderTuff, brown in color.

Step Support: Weldment comprised of 1.660" O.D. RS-20 (.085" - .095") galvanized steel tubing and 1/4" x 2" zinc plated steel strap. Finish: Powdercoat, brown in color.

Slide: Rotationally molded from U.V. stabilized linear low density polyethylene, color specified.

Mid-Support: Weldment comprised of 2.375" O.D. RS-20 (.095" - .105") galvanized steel tubing and 1/4" x 3" zinc plated flat steel. Finish: Powdercoat, color specified.

Exit Support: Weldment comprised of 2.375" O.D. RS-20 (.095" - .105") galvanized steel tubing and 1/4" x 3" mounting plate. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

-----  
122837A

Single Post Swings 2-Place, Uncoated Chain

Post: See PlayBooster (PB) General Specifications.

Beam: Weldment comprised of 2.375" O.D. RS-40 (.130" - .140") galvanized steel tubing, 3" wide zinc-plated steel clamps and 1 1/4" housings w/bronze bushings. Finish: Powdercoat, color specified.

Half Clamp: Cast aluminum. Finish: Powdercoat, color specified.

Chain Spacer: Made from white nylon measuring .080" x .785" O.D..

Chain: Steel 3/16" straight link chain, 800 lb. working load limit. Finish: Hot galvanized.

Belt Seat: Molded from UV stabilized black EPDM rubber encapsulating a weldment comprised of a 22 GA (.029") spring stainless steel sheet and (4) .105 thick stainless steel washers. The belt seat elliptical shape measures 7" wide x 26" long x .700" thick.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

-----

122838A

Single Post Swings Additional 2-Place Bay, Uncoated Chain

Post: See PlayBooster (PB) General Specifications.

Beam: Weldment comprised of 2.375" O.D. RS-40 (.130" - .140") galvanized steel tubing, 3" wide zinc-plated steel clamps and 1 1/4" housings w/bronze bushings. Finish: Powdercoat, color specified.

Half Clamp: Cast aluminum. Finish: Powdercoat, color specified.

Chain Spacer: Made from white nylon measuring .080" x .785" O.D..

Chain: Steel 3/16" straight link chain, 800 lb. working load limit. Finish: Hot galvanized.

Belt Seat: Molded from UV stabilized black EPDM rubber encapsulating a weldment comprised of a 22 GA (.029") spring stainless steel sheet and (4) .105 thick stainless steel washers. The belt seat elliptical shape measures 7" wide x 26" long x .700" thick.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

-----

100626A

TuffTimber Edgers 30" Galvanized Stake

Stake: Made from 3/4" diameter x 30" long shaft. Finish: Dacromet.

-----

119214A

TuffTimber Edgers TuffTimber, 4' Length, Black Only

TuffTimber: Blow-molded from U.V. stabilized 25% recycled/reclaimed linear high-density polyethylene. Walls are minimum .080" thick x 4" wide x 12" high x 4'-4" long, black in color.

Stake: Made from 3/4" diameter x 30" long shaft. Finish: Dacromet.

-----  
130799A

TuffTimber Edgers TuffTimber Access Wedge, Black Only

Access Ramp: Rotationally molded from U.V. stabilized linear low density polyethylene, black in color. Stakes are 4' cc (same as a TuffTimber). Access Ramp slope is 1:8.

Warranty: You have our word.

Landscape Structures Inc. warrants that all playstructures and/or equipment sold will conform in kind and in quality to the specifications manual for the products identified in the Acknowledgement of Order and will be free of defects in manufacturing and material. Seller further warrants:

100-Year Limited Warranty for all stainless steel fasteners, aluminum posts, clamps, beams and caps, against structural failure due to corrosion/natural deterioration or manufacturing defects. This warranty does not include any cosmetic issues or wear and tear from normal use.

15-Year Limited Warranty for all plastic and steel components, including TuffTimbers™, against structural failure due to corrosion/natural deterioration or manufacturing defects. TenderTuffR-coating against structural failure due to natural deterioration or manufacturing defects. (Except Wiggle Ladders, Chain Ladders and Swing Chain). TuffTurfR against material or manufacturing defects when properly installed. CorocordR cable on Spacenet climbers against breakage.

10-Year Limited Warranty for all CoolToppersR structural steel frames and Mobius climbers against structural failure due to natural deterioration or manufacturing defects.


5-Year Limited Warranty for Corocord cables on Spacenet climbers and CoolToppersR fabric against natural deterioration or manufacturing defects. This warranty is limited to the design loads as stated in the specifications found in the technical information. The Natural Elements™ climbers exterior GFRC material, against structural failure due to natural deterioration or manufacturing defects.

3-Year Limited Warranty for all other parts, ie: CableCore™ Products, Swing seats and hangers, Mobius climber handholds, Wiggle Ladders, Chain Ladders and Swing

Chain, Track Ride trolleys and bumpers, all rocking equipment including Sway FunTM, PVC belting material, Seesaws, Wiggle Ring Bridge, etc. against failure due to corrosion/natural deterioration or manufacturing defects.

This warranty does not include any cosmetic issues or wear and tear from normal use.

The warranty stated above is valid only if the structures and/or equipment are erected in conformance with Landscape Structures' installation instructions and maintained according to the maintenance procedures furnished by Landscape Structures Inc. For a full text of the warranty, contact your local sales representative.



REVERSE VIEW



MONCOVE LAKE STATE PARK

GAP MILLS, WV

17429725-1-1


9/30/2008

FENCE SUPPLY, INC.



*SLR*  
landscape structures™





REVERSE VIEW

MONCOVE LAKE STATE PARK


GAP MILLS, WV

17429725-1-1

9/30/2008



*SR*  
landscape  
structures



TOTAL ELEVATED PLAY COMPONENTS 11

TOTAL ELEVATED COMPONENTS ACCESSIBLE BY RAMP 0

TOTAL ACCESSIBLE GROUND LEVEL COMPONENTS SHOWN 7

TOTAL DIFFERENT TYPES OF GROUND LEVEL COMPONENTS 4

REQUIRED 0

REQUIRED 11

REQUIRED 6

REQUIRED 4

REQUIRED 4

MONCOVE LAKE  
STATE PARK  
GAP MILLS, WV

SERVICE SUPPLY  
LTD., INC.  
PAM WILLIAMSON

SYSTEM TYPE:  
PLAYBOOSTER  
DRAWING #:  
29726-1-1

DESIGNED BY:  
CSA  
APPROVED BY:  
LAWRENCE W. WILSON, INC.  
200 W. MARKET STREET - 4TH FLOOR  
ANN ARBOR, MI 48106-1000  
PH: 1-800-368-3888 FAX: 1-734-769-8871

ORDER A FURTHER SURVEY INSTRUMENT, AT THE TIME OF THE ORDER, FROM THE ACCESSIBLE HAND/RAIL, RAMP, OR THE PROTECTIVE SAFETY COUPLER (SEE QUESTIONS, SECTION ON SPRINGING). ACCESSIBLE/PROTECTIVE COUPLER (SHOWN) WOOD FIBER (SHOWN) 2005 ISO 9001




The IPEMA certification is awarded to the manufacturer of the equipment. The IPEMA certification is based on the requirements of ASTM F1487.

Wm  
landscape  
structures

THIS SET OF PLANS & SPECIFICATIONS IS DESIGNED FOR USE BY THE USER. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE LOCAL GOVERNMENT. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE LOCAL GOVERNMENT. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE LOCAL GOVERNMENT.





MONCOVE LAKE STATE PARK

GAP MILLS, WV


17429725-2-1

10/7/2008



*W*  
landscape  
structures






MONCOVE LAKE STATE PARK

GAP MILLS, WV

17429725-2-1

10/7/2008

Service Supply, Inc. Inc.



landscape structures




The Play components identified on this plan are special certified. The use and layout of these components shall conform to the requirements of ASTM F-1487.

THE PLAY AREA IS EXEMPT FROM THE REQUIREMENTS OF THE VIRGINIA CHILDREN'S PROTECTIVE ACT. IF IN THE MAINTENANCE OPINION THAT THE PLAY AREA DOES COMPLY TO THE ADA, ACCESSIBILITY CERTIFIED COMPONENTS SHOULD BE IDENTIFIED ON THE ENTIRE USE ZONE.

THIS CONCEPTUAL PLAN WAS DESIGNED BY THE ARCHITECT AND ENGINEER AND IS NOT TO BE CONSIDERED A FINAL DESIGN. THE ARCHITECT AND ENGINEER HAS CONDUCTED VISUAL GENERAL VERIFICATION OF THE SITE CONDITIONS AND LOCATION OF THE PROPOSED PLAY STRUCTURE. THE ARCHITECT AND ENGINEER HAS CONDUCTED VISUAL GENERAL VERIFICATION OF THE SITE CONDITIONS AND LOCATION OF THE PROPOSED PLAY STRUCTURE. THE ARCHITECT AND ENGINEER HAS CONDUCTED VISUAL GENERAL VERIFICATION OF THE SITE CONDITIONS AND LOCATION OF THE PROPOSED PLAY STRUCTURE.

DESIGNED BY:  
GUY  
CORPORATION 10-2-04  
10000  
10000  
10000

DATE	PROVISIONS	REVISIONS




TOTAL ELEVATED PLAY COMPONENTS	0	REQUIRED	0
TOTAL ELEVATED COMPONENTS ACCESSIBLE BY RAMP	0	REQUIRED	0
TOTAL ELEVATED COMPONENTS ACCESSIBLE BY TRANSFER	0	REQUIRED	0
TOTAL ACCESSIBLE GROUND LEVEL COMPONENTS SHOWN	6	REQUIRED	0
TOTAL DIFFERENT TYPES OF GROUND LEVEL COMPONENTS	2	REQUIRED	3

MONTCOVE LAKE  
STATE PARK  
GAP MILLS, WV

SERVICE SUPPLY  
LTD., INC.  
PALM WILLIAMSON

SERIAL TYPE  
NO STRUCTURE

DRAWING #:  
28726-8-1





The IPEMA components identified on this drawing are certified to meet or exceed the requirements of ASTM F-1487.

THIS DRAWING IS A REPRESENTATION OF THE DESIGN AND CONSTRUCTION OF THE STRUCTURE SHOWN HEREON. IT IS THE MANUFACTURER'S OBLIGATION TO THE ASSURE THAT THE STRUCTURE SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE DESIGN AND CONSTRUCTION SHOWN ON THIS DRAWING.


THE CONCEPTUAL PLAN HAS BEEN ON THE BASIS OF THE INFORMATION PROVIDED TO THE MANUFACTURER. THE MANUFACTURER SHALL BE RESPONSIBLE FOR THE DESIGN AND CONSTRUCTION OF THE STRUCTURE SHOWN ON THIS DRAWING. THE MANUFACTURER SHALL BE RESPONSIBLE FOR THE DESIGN AND CONSTRUCTION OF THE STRUCTURE SHOWN ON THIS DRAWING.

CHOOSE A FINISHING MATERIAL WHICH WILL BE AVAILABLE AT THE TIME OF THE ORDER. THE FINISHING MATERIAL SHALL BE THE RESPONSIBILITY OF THE CUSTOMER. THE FINISHING MATERIAL SHALL BE THE RESPONSIBILITY OF THE CUSTOMER.

DESIGNED BY:  
G.W.

DATE: 10-2-08  
BY: G.W.  
CHECKED BY: G.W.  
DATE: 10-2-08

Date	Revision	By	Checked



TOTAL ELEVATED PLAY COMPONENTS	0	REQUIRED	0
TOTAL ELEVATED COMPONENTS ACCESSIBLE BY RAMP	0	REQUIRED	0
TOTAL ELEVATED COMPONENTS ACCESSIBLE BY TRANSFER	0	REQUIRED	0
TOTAL ACCESSIBLE GROUND LEVEL COMPONENTS SHOWN	6	REQUIRED	0
TOTAL DIFFERENT TYPES OF GROUND LEVEL COMPONENTS	3	REQUIRED	3



MONCOVE LAKE  
STATE PARK  
GAP MILLS, WV

SERVICE SUPPLY  
LTD., INC.  
PAW WILLIAMSON

SERIAL TYPE  
NO STRUCTURE  
DRAWING #  
28725-2-1

