



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR209046

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
FRANK WHITTAKER
304-558-2316

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE
SERVICE SUPPLY LTD., INC.
1524 S HAMILTON RD
COLUMBUS, OH 43227

SHIP TO

DIVISION OF NATURAL RESOURCES
LOST RIVER STATE PARK
ATTN: PARK SUPERINTENDENT
ROUTE 2, BOX 24
MATHIAS, WV
26812 897-5372

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
10/09/2008				

BID OPENING DATE: **11/06/2008** BID OPENING TIME: **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		650-38		
<p>PLAYGROUND EQUIPMENT (NOT OTHERWISE CLASSIFIED)</p> <p>THE WEST VIRGINIA PURCHASING DIVISION, FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF NATURAL RESOURCES IS SOLICITING BIDS FOR NEW PLAYGROUND EQUIPMENT FOR LOST RIVER STATE PARK PER THE ATTACHED SPECIFICATIONS.</p> <p>A SITE WALK THROUGH WILL BE CONDUCTED ON 10/21/08 AT 11:00 AM. IT IS THE VENDOR'S RESPONSIBILITY TO BE FAMILIAR WITH THE PLAYGROUND SITES.</p> <p>TECHNICAL QUESTIONS MAY BE SUBMITTED IN WRITING TO FRANK WHITTAKER VIA EMAIL AT FRANK.M.WHITTAKER@WV.GOV OR VIA FAX 304-558-4115. DEADLINE FOR TECHNICAL QUESTIONS IS 10/24/08 AT 3:00 PM.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT MAY BE DEEMED NULL AND VOID, AND TERMINATED WITHOUT FURTHER ORDER.</p> <p>THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT</p>						

RECEIVED
 08 NOV -5 AM 9:53
 PURCHASING DIVISION
 STATE OF WV

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: *Jerry Groves* TELEPHONE: **800-848-7556** DATE: **OCTOBER 28, 2008**

TITLE: **JERRY GROVES** FEIN: **31-1262459** ADDRESS CHANGES TO BE NOTED ABOVE
VICE PRESIDENT

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

1. Awards will be made in the best interest of the State of West Virginia
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
14. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
15. **WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT:** If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form
4. Unit prices shall prevail in case of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 DNR209046

PAGE
 2

ADDRESS CORRESPONDENCE TO ATTENTION OF
 FRANK WHITTAKER
 804-558-2316

RFQ COPY

TYPE NAME/ADDRESS HERE

SERVICE SUPPLY LTD., INC.
 1524 S HAMILTON RD
 COLUMBUS, OH 43227

SHIP TO

DIVISION OF NATURAL RESOURCES
 LOST RIVER STATE PARK
 ATTN: PARK SUPERINTENDENT
 ROUTE 2, BOX 24
 MATHIAS, WV 26812
 897-5372

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
10/09/2008				

BID OPENING DATE: 11/06/2008 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4 (F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.</p> <p style="text-align: center;">NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p style="margin-left: 40px;">DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER: 44</p> <p>RFQ NO : DNR209046</p> <p>BID OPENING DATE: 11/06/2008</p> <p>BID OPENING TIME: 1:30 PM</p> <p>PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Jerry Groves</i>	TELEPHONE 800-848-7556	DATE OCTOBER 28, 2008
TITLE JERRY GROVES VICE PRESIDENT	FEIN 31-1262459	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 DNR209046

PAGE
 3

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 FRANK WHITTAKER
 304-558-2316

PROBATION

RFQ COPY
 TYPE NAME/ADDRESS HERE
SERVICE SUPPLY LTD., INC.
 1524 S HAMILTON RD
 COLUMBUS, OH 43227

S.H.P.T.O.

DIVISION OF NATURAL RESOURCES
 LOST RIVER STATE PARK
 ATTN: PARK SUPERINTENDENT
 ROUTE 2, BOX 24
 MATHIAS, WV
 26812 897-5372

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
10/09/2008				

BID OPENING DATE: 11/06/2008 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
				304-743-3250		
CONTACT PERSON (PLEASE PRINT CLEARLY):						
PAM MELTON						
***** THIS IS THE END OF RFQ DNR209046 ***** TOTAL:						\$21,878.00

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Jerry Groves</i>	TELEPHONE 800-848-7556	DATE OCTOBER 28, 2008
TITLE JERRY GROVES VICE PRESIDENT	FEIN 31-1262459	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

Item No	Quantity	Description	Unit Price	Amount
		<p>To supply playground equipment for two separate playground areas at Lost River State Park, Mathias, West Virginia. Additionally, the Request For Quotation includes the purchase of equipment for a family fitness trail. Park personnel will install the playground equipment. The award may be split if it is in the best interest of the West Virginia Division of Natural Resources.</p>		
1	1	<p>Recreation Building Playground</p> <p>This swing set will offer play activities for children ages eighteen (18) months to four (4) years.</p> <p>Henderson Recreation Equipment heavy duty swing, Model # SW320, or equal. Swing must be a minimum of 8 ft (2438) mm in height with a minimum of 3.5 inch (89) mm O D x 8 gauge (4mm) galvanized steel top bar; must have heavy duty swing bearings, swing chain and two slash-proof baby seats, Henderson Recreation Equipment, Model # SS042, or equal; infant seat must be fully enclosed and a minimum of 3/8 inch (10mm) EPDM rubber and polymer blend with a vandal-proof insert and heavy duty rust proof hardware; and color must be forest green and dark brown. F.O.B Destination. Freight or delivery charges are to be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.</p>		
		<p>Hillside across from Recreation Building</p> <p>This rock climber will offer play activities for children ages five (5) to twelve (12) years.</p>		
2	1	<p>Cre8play climbing rock-strato rock climber, Model # STRATO-1 or equal. Climber must be a minimum of 9' in height and dimensions must be a minimum of 11'6" x 14'6". F.O.B Destination. Freight and or delivery charges are to be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.</p>		

Item No	Quantity	Description	Unit Price	Amount
		<p>Game Hill Area The family fitness trail will provide exercise activities for children ages five (5) to twelve (12); children twelve years and older; and adults.</p>		
3	1	<p>Miracle log roll, Model #822, or equal Log roll must have a minimum of two posts with handholds supporting a horizontal textured cylinder upon which users may stand and cause to spin by walking or running Posts must be a minimum of 106" long (pipe length before end cap) and must be constructed of a minimum of 5" pipe with a minimum of 5" round end caps mechanically fastened at top end Handholds must be a minimum of 1" pipe and welded to the posts. Textured cylinder must have a minimum diameter of 48" by 16" and must be constructed of medium density polyethylene and a minimum axle of 1" pipe Assembly must contain Versalok Fasteners and Fastener style A hardware Posts and clamps must have a Mira-Cole finish. Colors must be forest green and dark brown and colors must be molded in the log roll. F.O.B. Destination. Freight and or delivery charges are to be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.</p>		

Item No	Quantity	Description	Unit Price	Amount
4	1	Miracle Power pedaler, Model #82, or equal. Ground space must be a minimum of 1'-0"x4'-5" and a 4'-0"x17'-0" protective area. Freestanding power pedalers are dynamic levers mounted between posts which users operate with arms, legs, or both. Arms operated lever must be constructed of a minimum of formed 1" tube and legs operated lever must be constructed of formed 1" pipe solid welded with 2" square tube and 12 gage end caps. Each lever must contain two hand or foot grips constructed of high density polyethylene mechanically fastened. Support weldment sleeves must be constructed of a minimum of 5" Sch 40 pipe with U-shaped rails of a minimum of 1" pipe, 12 gage and mounting plate of 7 gage galvanized sheet, all solid welded. Posts must be constructed of a minimum of 5" tube with a 5" round end cap pressed into its top end. Post length must be a minimum of 106" before cap. Assembly must contain Fastener Style A hardware. Lever rails, posts, and support weldments must be finished with Mira-Cote. Colors must be forest green and dark brown and hand or foot grips shall have color molded.		
5	1	Healthy Circuit Adult Sit Up, Model 161004, or equal. Sit up dimensions must be a minimum of 62-1/2"x 40-1/2" and color must be forest green and dark brown. F O B. Destination Freight and or delivery charges are to be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.		
6	1	Healthy Circuit Adult Health Walker, Model #161005, or equal. Walker dimensions must be a minimum of 39"x21" and color must be forest green and dark brown. F O B. Destination Freight and or delivery charges are to be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.		
			TOTAL	\$21,878.00

LOST RIVER STATE PARK QUALIFY:

-OWNER TO CHOOSE FROM STANDARD LANDSCAPE STRUCTURES, INC. COLOR OPTIONS
 -PRICE DOES NOT INCLUDE COST OF REMOVAL OF EXISTING EQUIPMENT, SITE PREP,
 UNLOADING OF EQUIPMENT, QUICKCRETE, SURFACING BORDER OR ASSEMBLY/INSTALLATION

LOST RIVER STATE PARK PLAYGROUND SPECIFICATIONS – CONTD.

All playground equipment must meet the following requirements:

- Compliance with U S Consumer Product Safety Commission, Handbook for Public Playground Safety
- Compliance with ASTM Standard F 1487
- Compliance with Architectural and Transportation Barriers Compliance Board, Americans with Disabilities Act (ADA) Accessibility Guidelines for Buildings and Facilities; Play Areas

Vendors must submit the following attachments:

- Complete manufacturer's parts specifications and warranties
- Layout drawing to scale of the proposed play structure or equipment
- ASTM and CPSC Statement of Compliance

Warranties:

- All equipment must be guaranteed to be free of defects in workmanship and material for a minimum of one year from date of acceptance. However, if manufacturer warranty periods are longer than the required minimum one year warranty, those warranties shall apply

The award may be split if it is in the best interest of the West Virginia Division of Natural Resources.

Vendors must have a familiarity with the proposed areas for which the playground equipment is to be purchased and installed. Owner will conduct site walk through on (date) at (time) for interested parties

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

West Virginia Code §21-1D-5 provides that: Any solicitation for a public improvement construction contract shall require each vendor that submits a bid for the work to submit at the same time an affidavit that the vendor has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code. A public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the West Virginia Code may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid


LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and is in compliance with the requirements as stated

Vendor's Name: SERVICE SUPPLY LTD., INC.
Authorized Signature:  Date: OCTOBER 28, 2009
JERRY GROVES, VICE PRESIDENT
Purchasing Affidavit (Revised 07/01/08)

CONTRACTOR LICENSE

Authorized by the

West Virginia Contractor Licensing Board

Number: WV013333

Classification:

SPECIALTY

SERVICE SUPPLY LTD INC
1524 S HAMILTON RD
COLUMBUS, OH 43227-2493


Date Issued

JANUARY 24, 2008

Expiration Date

JANUARY 24, 2009


Authorized Company Signature


Chair, West Virginia Contractor
Licensing Board

WEST VIRGINIA
CONTRACTOR
LICENSING
BOARD

This license, or a copy thereof, must be posted in a conspicuous place at every construction site where work is being performed. This license number must appear in all advertisements, on all bid submissions and on all fully executed and binding contracts. This license cannot be assigned or transferred by licensee. Issued under provisions of West Virginia Code, Chapter 21, Article 11.

ACORD CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
12/12/2007

PRODUCER Phone: 6168783351 Fax: 8008473129
The Campbell Group
325 84th Street SW
Byron Center MI 49315-

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

INSURED
Service Supply Ltd Inc
1524 S Hamilton Road
Columbus OH 43227

INSURERS AFFORDING COVERAGE	NAIC #
INSURER A: Continental Casualty Co	
INSURER B: Transcontinental Insurance Co	
INSURER C: American Casualty Co of Readi	
INSURER D:	
INSURER E:	

COVERAGES

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR ADD'L LTR INSRD	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS
C	GENERAL LIABILITY <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input checked="" type="checkbox"/> PROJECT <input type="checkbox"/> LOC	2088184534	12/10/2007	12/10/2008	EACH OCCURRENCE \$1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$100,000 MED EXP (Any one person) \$5,000 PERSONAL & ADV INJURY \$1,000,000 GENERAL AGGREGATE \$2,000,000 PRODUCTS - COM/POP AGG \$2,000,000
A	AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS	2088184498	12/10/2007	12/10/2008	COMBINED SINGLE LIMIT (Ea accident) \$1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ AUTO ONLY - EA ACCIDENT \$ OTHER THAN AUTO ONLY: EA ACC \$ AGG \$
B	EXCESS/UMBRELLA LIABILITY <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS MADE DEDUCTIBLE <input checked="" type="checkbox"/> RETENTION \$10,000	2088184453	12/10/2007	12/10/2008	EACH OCCURRENCE \$2,000,000 AGGREGATE \$2,000,000 \$ \$ \$ WC STATUTORY LIMITS OTH-ER E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? If yes, describe under SPECIAL PROVISIONS below OTHER				

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES / EXCLUSIONS ADDED BY ENDORSEMENT / SPECIAL PROVISIONS

CERTIFICATE HOLDER

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING INSURER WILL ENDEAVOR TO MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO DO SO SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE

Wanda Fitzpatrick

© ACORD CORPORATION 1988

IMPORTANT

If the certificate holder is an **ADDITIONAL INSURED**, the policy(ies) must be endorsed. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

If **SUBROGATION IS WAIVED**, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

DISCLAIMER

The Certificate of Insurance on the reverse side of this form does not constitute a contract between the issuing insurer(s), authorized representative or producer, and the certificate holder, nor does it affirmatively or negatively amend, extend or alter the coverage afforded by the policies listed thereon.

STATE OF OHIO
BUREAU OF WORKERS' COMPENSATION
 COLUMBUS, OHIO 43215-2256
CERTIFICATE OF PREMIUM PAYMENT

This certifies that the employer listed below has paid into the State Insurance Fund as required by law. Therefore, the employer is entitled to the rights and benefits of the fund for the period specified. For more information, call 1-800-OHIOBWC.

THIS CERTIFICATE MUST BE CONSPICUOUSLY POSTED.

POLICY NO. AND EMPLOYER

PERIOD SPECIFIED BELOW

406937

07/01/2008 THRU 02/28/2009

SERVICE SUPPLY LTD., INC.
 1524 S HAMILTON RD
 COLUMBUS, OH 43227-2429

ohiobwc.com

Masha P. Ryan
 Administrator

THIS CERTIFICATE MAY BE REPRODUCED AS NEEDED

OHIO BUREAU OF WORKERS' COMPENSATION
REQUIRED POSTING

Effective October 13, 2004, Section 4123.54 of the Ohio Revised Code requires notice of rebuttable presumption. Rebuttable presumption means that an employee may dispute or prove untrue the presumption (or belief) that alcohol or a controlled substance not prescribed by the employee's physician is the proximate cause (main reason) of the work-related injury.

The burden of proof is on the employee to prove that the presence of alcohol or a controlled substance was not the proximate cause of the work-related injury. An employee who tests positive or refuses to submit to chemical testing may be disqualified for compensation and benefits under the Workers' Compensation Act.

THIS LANGUAGE MUST BE POSTED WITH THE CERTIFICATE OF COVERAGE

[Home](#) [Injured Workers](#) [Ohio Employers](#) [Medical Providers](#) [BWC Library](#) [Contact Us](#)



Ohio Bureau of Workers' Compensation

Governor: Ted Strickland
Administrator/CEO: Marsha P. Ryan

Focus on
Ohio Employers

- [Accident/Injury Info »](#)
- [Claim Info »](#)
- [Claim Payment »](#)
- [Claim Reference Info »](#)
- [Coverage look-up](#)
- [Employer Services »](#)
- [Quick Pay](#)
- [Safety Services »](#)
- [Self-Insured »](#)
- [Forms](#)
- [Section Map](#)

Live support available
Monday through Friday
7:30 a.m. - 5:30 p.m.
[Click here to get help!](#)

log on

[?](#) help [print](#) [search](#) [glossary](#) [cc](#)

Service: State construction contractor search results

Policy number: 406937-0
Company name: SERVICE SUPPLY LTD , INC.
Construction contractor status: APPROVED
Construction contractor status date: 5/4/2007 12:00:00 AM

[search again](#)

Note: BWC has designed this database for those responsible for ensuring that a construction subcontractor has a drug-free program that complies with the governor's executive order requirement. A contractor or subcontractor in an APPROVED status has agreed to implement a drug-free workplace program which makes the company compliant with the governor's executive order. Therefore, you can print this page for your records.

Click the Help tab in the upper-right hand corner for more status definitions.

[Help](#) | [Contact Us](#) | [Site Map](#) | [Search](#) | [Your Privacy](#) | [PI](#)





**WORKERS COMPENSATION
AND
EMPLOYERS LIABILITY POLICY**

INFORMATION PAGE WC 00 00 01 (A)

RENEWAL OF POLICY NUMBER: WC10102907-03
POLICY NUMBER: WC10102907-04

INSURER: BRICKSTREET MUTUAL INSURANCE COMPANY

1. INSURED:
SERVICE SUPPLY LTD INC
1524 SOUTH HAMILTON ROAD
COLUMBUS, OH 43227

PRODUCER:
BRICKSTREET MUTUAL INSURANCE COMPANY
400 QUARRIER STREET
CHARLESTON, WV 25301-2010

Insured is a(n) CORPORATION

Other work places and identification numbers are shown in the schedule(s) attached.

2. The policy period is from 11/30/2007 to 11/30/2008 12:01 A.M. at the insured's mailing address.

3. A. WORKERS COMPENSATION INSURANCE: Part One of the policy applies to the Workers Compensation Law of the state(s) listed here:

WEST VIRGINIA

B. EMPLOYERS LIABILITY INSURANCE: Part Two of the policy applies to work in each state listed in item 3.A. The limits of our liability under Part Two are:

BODILY INJURY BY ACCIDENT :	\$100,000	EACH ACCIDENT
BODILY INJURY BY DISEASE :	\$500,000	POLICY LIMIT
BODILY INJURY BY DISEASE :	\$100,000	EACH EMPLOYEE

C. OTHER STATES INSURANCE: Part Three of the policy applies to the states, if any, listed here:

See West Virginia Limited Other States Insurance Endorsement WC 99 03 05

D. This policy includes these endorsements and schedules:

SEE LIST OF ENDORSEMENTS - EXTENSION OF INFORMATION PAGE

4. The premium for this policy will be determined by our Manuals of Rules, Classifications, Rates and Rating Plans. All required information is subject to verification and change by audit to be made in accordance with Part Five of the Policy.

DATE OF ISSUE: 12/17/2007
ISSUING OFFICE: Charleston, WV
PRODUCER: BRICKSTREET MUTUAL INSURANCE COMPANY

SERVICE SUPPLY LTD., INC.

ACTION BY UNANIMOUS WRITTEN CONSENT OF THE BOARD OF DIRECTORS

December 12, 1988

Pursuant to Section 1701.54 of the Ohio Revised Code, the undersigned, being all of the members of the Board of Directors of SERVICE SUPPLY LTD., INC. (the "Corporation"), do hereby take and adopt the following actions by this unanimous written consent:

RESOLVED: That the following persons be, and they hereby are, elected to the offices of the Corporation set opposite their respective names, each to serve in such capacity until his or her successor is duly elected and qualified:

Mary G. Groves	President
Jerry L. Groves	Vice President
Oscar B. Groves	Secretary/Treasurer
Alan Kletecka	Sales Manager

RESOLVED: That the officers of the Corporation select a bank to be the official depository of the Corporation and that the corporate resolutions required by such institution be, and they same hereby are, adopted by the Corporation as part of this resolution and that any one of the officers be, and they hereby are, authorized to execute, acknowledge, and deliver in the name and on behalf of the Corporation, any and all agreements, documents and certificates, and to do and perform all such acts and things as may be deemed by them necessary or appropriate to effectuate the purpose of this resolution;

RESOLVED FURTHER: That said bank be, and it hereby is, authorized to pay out the funds of the Corporation on deposit with it from time to time upon checks, drafts or other withdrawal orders drawn upon it and signed in the name of the Corporation by any one of the following persons:

Oscar B. Groves
Mary G. Groves

whether the checks, drafts or other withdrawal orders are payable to cash, bearer, the orders of any third party, the order of the signing officers or employees of the Corporation, or to the order

of any other officer or employee of the Corporation in either his or her individual or official capacity; and

RESOLVED FURTHER: That the Secretary of the Corporation be, and hereby is, authorized to furnish to said institution a certified copy of this resolution and that this resolution remain in full force and effect until a certified copy of a resolution amending, modifying, replacing, or rescinding this resolution has been furnished to the bank; and


RESOLVED FURTHER: That any one of the officers be, and they hereby are, authorized to execute and deliver any and all notes, agreements, documents or papers of any type or nature whatsoever to consummate the purpose of the foregoing resolution.

RESOLVED: That any one of the officers be, and they hereby are, authorized to pay all fees and expenses incident to and necessary for the organization of the Corporation.


RESOLVED: That any of the officers of the Corporation be, and they hereby are, authorized, directed and empowered to file or cause to be filed a Notification of Exemption on Form 3-0 with the Ohio Division of Securities within sixty (60) days from the date of the original subscription to the shares of the Corporation.




Oscar B. Groves



Mary G. Groves



Jerry Groves



Janet Kletecka

"Directors"

SERVICE SUPPLY LTD., INC.

ACTION BY UNANIMOUS WRITTEN CONSENT
OF THE BOARD OF DIRECTORS

January 2, 1989


Pursuant to Section 1701.54 of the Ohio Revised Code, the undersigned, being all of the members of the Board of Directors of SERVICE SUPPLY LTD., INC. (the "Corporation"), do hereby take and adopt the following action by this unanimous written consent:

RESOLVED: That the following persons are authorized to sign any bids on behalf of the Corporation:

Oscar B. Groves
Mary G. Groves
Alan Kletecka
Jerry L. Groves
Janet Kletecka

Oscar B. Groves
Oscar B. Groves
Mary G. Groves
Mary G. Groves
Janet Kletecka
Janet Kletecka
Jerry L. Groves
Jerry L. Groves
"Directors"

SERVICE SUPPLY LTD., INC.



1524 SOUTH HAMILTON ROAD - COLUMBUS, OHIO 43227 - TELEPHONE 614 / 861 - 3681
FAX 614/863-0113

June 1, 2005

Service Supply Ltd., Inc. - founded in 1959 in Columbus, Ohio. We originally had offices in the Bryson Building in Columbus, Ohio, and have been in our present facilities, 1524 South Hamilton Road, Columbus, Ohio since 1967.

Ralph Groves, my brother, founded Service Supply Ltd., Inc. and was president until his death in 1973.

Our employees at this time are:

- Mary G. Groves (wife) President (1960)
- Jerry Groves (son) Vice President (1969)
- Janet Kletecka (daughter) Board of Directors (1974)
- Alan Kletecka (son-in law) Sales Manager (1973)
- Ben Groves (husband) Secretary-Treasurer (1961)
- Donna Hetzner - Secretary (1999)
- Linda Groves (daughter-in-law) Secretary (1977)
- Linda Kroonemeyer - Secretary (1986)
- Medrith Mollenkamp - Secretary (1988)
- Connie Triplett - Secretary (2003)

We have five (5) sales persons located in various areas of Ohio, Indiana and West Virginia that are on straight commission basis. Some of these sales persons also offer other lines that are related to the same market that we service. This gives us a total of seven (7) sales persons on the road.

Service Supply Ltd., Inc. originally sold items pertaining to Traffic and Highway Safety such as paint stripers, traffic paint, signs, and sign posts. We expanded into the park and recreation market and then into the school market which includes all grade 1-12 and colleges. We also call on the private sector where our site amenities, signs, and play structures are popular. Our early childcare play equipment is designed for institutional and corporate facilities that have become involved in day care centers.

A partial list of our suppliers and their principals, addresses, phone numbers, and products to follow:

- Landscape Structures, Inc., Barb and Steve King, Route #3, 601 7th Street, South, Delano, MN 55328
612-479-2546 PLAYGROUND EQUIPMENT
- Wabash Valley Manufacturing, Inc., Jerry Shilling, P. O. Box 5, Silver Lake, IN 46982
219-352-2102 SITE AMENITIES (expanded metal)
- DuMor, Inc., Steve Richard, P. O. Box 142, Mifflintown, PA 17059
717-436-2106 SITE AMENITIES (wood)
- American Aluminum Seating, Inc., Bob Palmer, P. O. Box 1468, Marshalltown, IA 50158
515-753-5366 PORTABLE BLEACHERS, STADIUM GRANDSTANDS
- Interkal LLC, Richard Patterson, P. O. Box 2107, Kalamazoo, MI 49003
616-349-1521 TELESCOPIC GYM BLEACHERS

We are listed in D&B; any late payments that may be listed on these reports are the result of problems in delivery of total order, which in turn holds up payment to the manufacturer. This would only appear if it were a very large order, which would involve telescopic bleachers.

Our bank, which we have been with since 1959, is National City Bank, Bexley Office, 2594 East Main Street, Bexley, OH 43209- phone 614-238-7100.

Our accountant is Schwartz, Adleman, Kellerman & Marks, (Mr. Sam Schwartz) 145 North Reynoldsburg-New Albany Road, Blacklick, OH 43004-9701. Phone number is 614-866-1600.

Our legal counsel is the firm of Kahn, Kleinman, Yanowitz & Arnson (contact for Service Supply is Mr. Neil Kurit, The Tower at Erieview, Suite 2600, 1301 East Ninth Street, Cleveland, OH 44114-1824. Neil Kurit's phone number is 216-736-3452.

Should you have any questions, please feel free to call me Toll Free -
in Ohio call 800-282-1900 - Indiana and West Virginia call 800-848-7556.

Very truly yours,

SERVICE SUPPLY LTD., INC.

Jerry Groves

**Jerry Groves
Vice President**

JG/dlh



2008 Play Equipment Warranty

You have our word.

• **100-Year Limited Warranty** for all stainless steel fasteners, aluminum posts, clamps, beams and caps, against structural failure due to corrosion/natural deterioration or manufacturing defects. This warranty does not include any cosmetic issues or wear and tear from normal use.

• **15-Year Limited Warranty** for all plastic and steel components, including TuffTimbers™ against structural failure due to corrosion/natural deterioration or manufacturing defects. TenderTuff™-coating against structural failure due to natural deterioration or manufacturing defects. (Except Wiggle Ladders, Chain Ladders and Swing Chain). TuffTurf™ against material or manufacturing defects when properly installed. Corocord® cable on Spacenet™ climbers against breakage.

• **10-Year Limited Warranty** for all CoolToppers™ structural steel frames and Mobius climbers™ against structural failure due to natural deterioration or manufacturing defects.

• **5-Year Limited Warranty** for Corocord cables on Spacenet climbers and CoolToppers™ fabric against natural deterioration or manufacturing defects. This warranty is limited to the design loads as stated in the specifications found in the technical information. The Natural Elements™ climbers exterior GFRC material, against structural failure due to natural deterioration or manufacturing defects.

• **3-Year Limited Warranty** for all other parts, ie: CableCore™ products, Swing seats and hangers, Mobius climber handholds, Wiggle Ladders, Chain Ladders and Swing Chain, Track Ride trolleys and bumpers, all rocking equipment including Sway Fun™, PVC belting material, Seesaws, Wiggle Ring Bridge, etc. against failure due to corrosion/natural deterioration or manufacturing defects.

This warranty does not include any cosmetic issues or wear and tear from normal use.

Landscape Structures Inc. warrants that all playstructures and/or equipment sold will conform in kind and in quality to the specifications manual for the products identified in the Acknowledgment of Order and will be free of defects in manufacturing and material. Seller further warrants:

All the warranties commence on date of Seller's invoice. Should any failure to conform to the above express warranties appear within the applicable warranty period, Seller shall, upon being notified in writing promptly after discovery of the defect and within the applicable warranty period, correct such nonconformity either by repairing any defective part or parts, or by making available a replacement part within 60 days of written notification. Seller shall deliver the repaired or replacement part or parts to the site free of charge, but will not be responsible for providing labor or the cost of labor for the removal of the defective part or parts and the installation of any replacement part or parts. Replacement parts will be warranted for the balance of the original warranty.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE

The remedies hereby provided shall be the exclusive and sole remedies of the purchaser. Seller shall not be liable for any direct, indirect, special, incidental or consequential damages.

Seller neither assumes nor authorizes any employee, representative or any other person to assume for Seller any other liability in connection with the sale or use of the structures sold, and there are no oral agreements or warranties collateral to or affecting this agreement. The warranty stated above is valid only if the structures and or equipment are erected in conformance with Landscape Structures' installation instructions and maintained according to the maintenance procedures furnished by Landscape Structures Inc.; have been subjected to normal use for the purpose for which the goods were designed; have not been subject to misuse, negligence, vandalism, or accident; have not been subjected to addition or substitution of parts; and have not been modified, altered, or repaired by persons other than Seller or Seller's designees in any respect which, in the judgement of Seller, affects the condition or operation of the structures. To make a claim, send your written statement of claim, along with the original job number or invoice number to: Landscape Structures Inc. 601 7th Street South, Delano, Minnesota, 55328-0198

Signed:

Chairman

Date: 01/03/08

Material Specifications
Quote: 30307-1-1.QSD
11/4/2008

General Specifications: Material: All materials shall be structurally sound and suitable for safe play. Durability shall be ensured on all steel parts by the use of time-tested coatings such as zinc plating, galvanizing, ProShield finish, TenderTuff coating, etc. Colors shall be specified.

Fasteners: Fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F879 unless otherwise indicated (see specific product installation/specifications). All primary fasteners shall include a locking patch-type material that will meet the minimum torque requirements of IFI-125. Manufacturer to provide special tools for pinned tamperproof fasteners.

TenderTuff Coating: All metal components to be TenderTuff-coated shall be thoroughly cleaned in a hot phosphatizing pressure washer, then primed with a water-based thermosetting solution. Primed parts shall be preheated prior to dipping in UV-stabilized, liquid polyvinyl chloride (PVC), then salt cured at approximately 400 degrees. The finished coating shall be approximately .080" thick at an 85 durometer hardness and have a matte finish. Four standard colors are available (brown only for HealthBeat). Not applicable for Evos.

ProShield Finish: All metal components shall be thoroughly cleaned and phosphatized through a five-stage power washer. Parts are then thoroughly dried, preheated and processed through a set of automatic powder spray guns where an epoxy primer is applied. The parts are allowed to cool and then pass through a second set of automatic powder spray guns. A minimum .002" of architectural-grade Super-Durable polyester TGIC powder is applied. The parts are oven-cured at 400 degrees F metal temperature for 10-minutes. The average ProShield film thickness is .006".

ProShield is formulated and tested per the following ASTM standards. Each color must meet or exceed the ratings listed below:

Hardness (D3363) rating 2H
Impact (D2794) rating minimum 80 inch-pounds
Salt Fog Resistance (B117 and D1654) 4,000 hours and rating 7 or greater
UV Exposure (G154, 340 bulb) 3,000 hours, rating delta E of 2, and
90 percent gloss retention
Adhesion (D3359, Method B) rating 5B

The Paint Line shall employ a "checkered" adhesion test daily.

Eighteen standard colors are available.

Decks: All Tenderdecks shall be of modular design and have 5/16" diameter holes on the standing surface. There shall be a minimum of (4) slots in each face to accommodate face mounting of components. Tenderdecks shall be manufactured from a single piece of low carbon 12 GA (.105") sheet steel conforming to ASTM specification A-569. The sheet shall be perforated then flanged formed and reinforced as necessary to ensure structural integrity. The unit shall then be TenderTuff-coated brown only. Tenderdecks shall be designed so that all sides are flush with the outside edge of the supporting posts.

Not applicable for Evos or HealthBeat.

Rotationally Molded Poly Parts: These parts shall be molded using prime compounded linear low-density polyethylene with a tensile strength of 2500 psi per ASTM D638 and with color and UV-stabilizing additives. Wall thickness varies by product from .187" (3/16") to .312" (5/16"). Five standard colors are available (black only for HealthBeat).

Permalene Parts: These parts shall be manufactured from 3/4" thick high-density polyethylene that has been specially formulated for optimum UV stability and color retention. Products shall meet or exceed density of .960 G/cc per ASTM D1505, tensile strength of 2400 PSI per ASTM D638. Five standard solid colors are available. Some Permalene parts are available in a two-color product with (2) .070" thick exterior layers over a .610" interior core of a contrasting color. Eight standard two-color options are available.
Not applicable for Evos or HealthBeat.

Footings: Unless otherwise specified, the bury on all footings shall be 34" below Finished Grade (FG) on all in-ground play events/posts. Other types of anchoring are available upon request.

Material Specifications:

100027A

Log Roll, Tan Log Only, (2) Aluminum Posts

Log Roll: Rotationally molded from U.V. stabilized linear low density polyethylene, tan in color.

Bushing: Oil impregnated bronze.

Handloops: Weldment comprised of 1.125" O.D. x 11 GA (.120") steel tubing with 203 or 303 stainless steel welded inserts with 5/8" internal threads. Finish: Powdercoat, color specified.

Rail: 1 1/8" O.D. 6061-T6 aluminum extrusion with 5/16" walls. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

156065A

The Pinnacle

The Pinnacle Assy.: (Base) Weldment comprised of 3/16" (.188") sheet steel. Finish: Powdercoat. (Clips) Weldment comprised of 3" x 3" x 3/16" steel angle and 1/4" diameter steel rod. (Pinnacle-fully assembled) Castings are made from Glass Fiber Reinforced Concrete (GFRC). Glass fiber is Alkali Resistant (AR) type glass formulated for concrete. Nominal wall thickness of 1" and weighs about 11 1/2 lbs. per square foot. Castings have a strength of 1,500 lbs. per

square inch in tension and 5,000 lbs. per square inch in compression. Finish: Latex paint made for concrete, Natural in color.

Rock Pocket Cover: Fabricated from 13 Ga. (.090") HRPO flat steel conforming to ASTM A569. Finish: Zinc plate with yellow chromate finish.

117962B

Toddler Swings Toddler Swing, with (2) Full-Bucket Seats

Post: See PlayBooster (PB) General Specifications.

Swing Beam: Weldment comprised of 3.500" O.D. RS-20 (.120" - .130") galvanized steel tubing, 6" wide zinc plated steel clamp, 3.500" pipe cap, and 1 1/4" housings with bronze bushings. Finish: Powdercoat, color specified.

Chain Spacer: Made from white nylon measuring .080" x .785" O.D..

Chain: Steel 3/16" straight link chain, 800 lb. working load limit. Finish: Hot galvanized.

Full Bucket Seat: Made of U.V. stabilized high-quality black rubber encapsulating a 24 GA (.024") stainless steel reinforcement plate. Handles cast from 356-T6 aluminum alloy with a 60 durometer black neoprene grip placed over handles. Handles attach to seat with (3) 1/4" x 1 5/16" long stainless steel rivets. The full bucket measures 9" deep x 10 1/2" wide.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

161312A

HealthBeat Cardio Stepper (DB)

Stepper Arm: Weldment comprised of 1.660" O.D. RS20 (.085"-.095" wall) galvanized steel tube, 7 GA. (.179") HRPO sheet steel, 2.000" O.D. x 1.256" I.D. steel tube and 1/4" HRPO sheet steel. Finish: Powdercoat, color specified.

Stepper Pivot: Weldment comprised of 1.500" O.D. O.D. x .75" I.D. steel tube, 3/8" HR flat steel and stainless steel threaded stub. Finish: Powdercoat, color specified.

Foot Pad: Rotationally molded from U.V. stabilized linear low density polyethylene, black in color.

Stepper Frame: Weldment comprised of 1.660" O.D. RS20 (.085"-.095" wall) galvanized steel tube and 7 GA. (.179") HRPO sheet steel. Finish: Powdercoat, color specified.

Shroud Cover: Fabricated from 11 GA. (.120") HRPO sheet steel. Finish: Powdercoat, color specified.

Post Assembly: Weldment comprised of 1/4" HRPO steel plate, 1/4" stainless steel plate, and 10" O.D. x 12 GA. (.105" wall) steel tube zinc plated. Finish: Powdercoat, color specified. (Post Cap) Fabricated from A356 sand casted aluminum. Finish: Powdercoat, silver. (Sign) Image is photographically transferred to a .020" thick anodized aluminum plate, then chemically sealed to endure weathering.

Fitness Footer: Weldment comprised of 5.000" O.D. x 11 GA. galvanized steel tube and 1/4" HRPO steel plate.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Handbar: Weldment comprised of 1.660" O.D. RS20 (.085"-.095" wall) steel pipe and 7 GA. (.179") HRPO sheet steel. Finish: Powdercoat, color specified.

Cylinder: The cylinder features a 7/8" diameter shaft made of carbon steel with a hard, chrome-plated finish, and a 2 3/4" diameter housing. Oil-impregnated bronze bushings are featured on all wear-surfaces. Finish: Powdercoat, white in color.

Threaded Pivot Shaft: Fabricated from 1" diameter 2024 aluminum bar, threaded each end.

Stepper Stop: Fabricated from 1" O.D. cold rolled steel. Finish: TenderTuff, brown in color.

Cylinder Shaft: Fabricated from 3/8" stainless steel plate and 1/2" stainless steel round bar.

Stepper Bottom Shaft: Fabricated from 3/8" stainless steel plate and 1" stainless steel round bar.

Shaft Plate: Fabricated from 3/8" HRPO plate. Finish: Powdercoat, color specified.

Attachment Cover: Fabricated from A356 sand casted aluminum. Finish: Powdercoat, silver.

100058A

Fitness Stations Sit-Up/Push-Up, (Available for Direct Bury Only)

Bench: Flange formed from 12 GA (.105") sheet steel conforming to ASTM A569. Seating surface is perforated with 1/4" diameter holes. Finish: TenderTuff, color specified.

Toe Hold: Weldment comprised of formed 1.029" O.D. RS-20 (.070" - .080") galvanized steel tubing and 1/4" x 2" x 13 1/2" HR flat plate. Finish:

Powdercoat, color specified.

Support Leg: Weldment comprised of 1.900" O.D. RS-20 (.090" - .100") galvanized steel tubing and 3/8" x 2 1/2" mounting plate. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Warranty: You have our word.

Landscape Structures Inc. warrants that all playstructures and/or equipment sold will conform in kind and in quality to the specifications manual for the products identified in the Acknowledgement of Order and will be free of defects in manufacturing and material. Seller further warrants:

100-Year Limited Warranty for all stainless steel fasteners, aluminum posts, clamps, beams and caps, against structural failure due to corrosion/natural deterioration or manufacturing defects. This warranty does not include any cosmetic issues or wear and tear from normal use.

15-Year Limited Warranty for all plastic and steel components, including TuffTimber™, against structural failure due to corrosion/natural deterioration or manufacturing defects. TenderTuffR-coating against structural failure due to natural deterioration or manufacturing defects. (Except Wiggle Ladders, Chain Ladders and Swing Chain). TuffTurfR against material or manufacturing defects when properly installed. CorocordR cable on Spacenet climbers against breakage.

10-Year Limited Warranty for all CoolToppersR structural steel frames and Mobius climbers against structural failure due to natural deterioration or manufacturing defects.

5-Year Limited Warranty for Corocord cables on Spacenet climbers and CoolToppersR fabric against natural deterioration or manufacturing defects. This warranty is limited to the design loads as stated in the specifications found in the technical information. The Natural Elements™ climbers exterior GFRC material, against structural failure due to natural deterioration or manufacturing defects.

3-Year Limited Warranty for all other parts, ie: CableCore™ Products, Swing seats and hangers, Mobius climber handholds, Wiggle Ladders, Chain Ladders and Swing Chain, Track Ride trolleys and bumpers, all rocking equipment including Sway Fun™, PVC belting material, Seesaws, Wiggle Ring Bridge, etc. against failure due to corrosion/natural deterioration or manufacturing defects.

This warranty does not include any cosmetic issues or wear and tear from normal use.

The warranty stated above is valid only if the structures and/or

equipment are erected in conformance with Landscape Structures' installation instructions and maintained according to the maintenance procedures furnished by Landscape Structures Inc. For a full text of the warranty, contact your local sales representative.

Material Specifications
Quote: 30307-1-2.QSd
11/4/2008

General Specifications: Material: All materials shall be structurally sound and suitable for safe play. Durability shall be ensured on all steel parts by the use of time-tested coatings such as zinc plating, galvanizing, ProShield finish, TenderTuff coating, etc. Colors shall be specified.

Fasteners: Fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F879 unless otherwise indicated (see specific product installation/specifications). All primary fasteners shall include a locking patch-type material that will meet the minimum torque requirements of IFI-125. Manufacturer to provide special tools for pinned tamperproof fasteners.

TenderTuff Coating: All metal components to be TenderTuff-coated shall be thoroughly cleaned in a hot phosphatizing pressure washer, then primed with a water-based thermosetting solution. Primed parts shall be preheated prior to dipping in UV-stabilized, liquid polyvinyl chloride (PVC), then salt cured at approximately 400 degrees. The finished coating shall be approximately .080" thick at an 85 durometer hardness and have a matte finish. Four standard colors are available (brown only for HealthBeat). Not applicable for Evos.

ProShield Finish: All metal components shall be thoroughly cleaned and phosphatized through a five-stage power washer. Parts are then thoroughly dried, preheated and processed through a set of automatic powder spray guns where an epoxy primer is applied. The parts are allowed to cool and then pass through a second set of automatic powder spray guns. A minimum .002" of architectural-grade Super-Durable polyester TGIC powder is applied. The parts are oven-cured at 400 degrees F metal temperature for 10-minutes. The average ProShield film thickness is .006".

ProShield is formulated and tested per the following ASTM standards. Each color must meet or exceed the ratings listed below:

- Hardness (D3363) rating 2H
- Impact (D2794) rating minimum 80 inch-pounds
- Salt Fog Resistance (B117 and D1654) 4,000 hours and rating 7 or greater
- UV Exposure (G154, 340 bulb) 3,000 hours, rating delta E of 2, and 90 percent gloss retention
- Adhesion (D3359, Method B) rating 5B

The Paint Line shall employ a "checkered" adhesion test daily.

Eighteen standard colors are available.

Decks: All Tenderdecks shall be of modular design and have 5/16" diameter holes on the standing surface. There shall be a minimum of (4) slots in each face to accommodate face mounting of components. Tenderdecks shall be manufactured from a single piece of low carbon 12 GA (.105") sheet steel conforming to ASTM specification A-569. The sheet shall be perforated then flanged formed and reinforced as necessary to ensure structural integrity. The unit shall then be TenderTuff-coated brown only. Tenderdecks shall be designed so that all sides are flush with the outside edge of the supporting posts.

Not applicable for Evos or HealthBeat.

Rotationally Molded Poly Parts: These parts shall be molded using prime compounded linear low-density polyethylene with a tensile strength of 2500 psi per ASTM D638 and with color and UV-stabilizing additives. Wall thickness varies by product from .187" (3/16") to .312" (5/16"). Five standard colors are available (black only for HealthBeat).

Permalene Parts: These parts shall be manufactured from 3/4" thick high-density polyethylene that has been specially formulated for optimum UV stability and color retention. Products shall meet or exceed density of .960 G/cc per ASTM D1505, tensile strength of 2400 PSI per ASTM D638. Five standard solid colors are available. Some Permalene parts are available in a two-color product with (2) .070" thick exterior layers over a .610" interior core of a contrasting color. Eight standard two-color options are available.
Not applicable for Evos or HealthBeat.

Footings: Unless otherwise specified, the bury on all footings shall be 34" below Finished Grade (FG) on all in-ground play events/posts. Other types of anchoring are available upon request.

Material Specifications:

100027A

Log Roll, Tan Log Only, (2) Aluminum Posts

Log Roll: Rotationally molded from U.V. stabilized linear low density polyethylene, tan in color.

Bushing: Oil impregnated bronze.

Handloops: Weldment comprised of 1.125" O.D. x 11 GA (.120") steel tubing with 203 or 303 stainless steel welded inserts with 5/8" internal threads. Finish: Powdercoat, color specified.

Rail: 1 1/8" O.D. 6061-T6 aluminum extrusion with 5/16" walls. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

160055C

Stationary Cykler, Pedals & Handholds

Cyklar Bar: Weldment comprised of formed 1.25" O.D. x 12 GA. (.109" Wall) galvanized steel tubing, 12 GA. (.105") sheet HRPO and 1.00" 1018 steel. Finish: Powdercoat, color specified.

Handholds: High density polyethylene, black in color.

Clamps: Cast aluminum. Finish: Powdercoat, color specified.

Pedals: High density polyethylene, black in color.

Post: See PlayBooster (PB) General Specifications.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

156065A

The Pinnacle

The Pinnacle Assy.: (Base) Weldment comprised of 3/16" (.188") sheet steel. Finish: Powdercoat. (Clips) Weldment comprised of 3" x 3" x 3/16" steel angle and 1/4" diameter steel rod. (Pinnacle-fully assembled) Castings are made from Glass Fiber Reinforced Concrete (GFRC). Glass fiber is Alkali Resistant (AR) type glass formulated for concrete. Nominal wall thickness of 1" and weighs about 11 1/2 lbs. per square foot. Castings have a strength of 1,500 lbs. per square inch in tension and 5,000 lbs. per square inch in compression. Finish: Latex paint made for concrete, Natural in color.

Rock Pocket Cover: Fabricated from 13 Ga. (.090") HRPO flat steel conforming to ASTM A569. Finish: Zinc plate with yellow chromate finish.

117962B

Toddler Swings Toddler Swing, with (2) Full-Bucket Seats

Post: See PlayBooster (PB) General Specifications.

Swing Beam: Weldment comprised of 3.500" O.D. RS-20 (.120" - .130") galvanized steel tubing, 6" wide zinc plated steel clamp, 3.500" pipe cap, and 1 1/4" housings with bronze bushings. Finish: Powdercoat, color specified.

Chain Spacer: Made from white nylon measuring .080" x .785" O.D..

Chain: Steel 3/16" straight link chain, 800 lb. working load limit. Finish: Hot galvanized.

Full Bucket Seat: Made of U.V. stabilized high-quality black rubber encapsulating a 24 GA (.024") stainless steel reinforcement plate. Handles cast from 356-T6 aluminum alloy with a 60 durometer black neoprene grip placed over handles. Handles attach to seat with (3) 1/4" x 1 5/16" long stainless steel rivets. The full bucket measures 9" deep x 10 1/2" wide.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

161312A

HealthBeat Cardio Stepper (DB)

Stepper Arm: Weldment comprised of 1.660" O.D. RS20 (.085"-.095" wall) galvanized steel tube, 7 GA. (.179") HRPO sheet steel, 2.000" O.D. x 1.256" I.D. steel tube and 1/4" HRPO sheet steel. Finish: Powdercoat, color specified.

Stepper Pivot: Weldment comprised of 1.500" O.D. O.D. x 75" I.D. steel tube, 3/8" HR flat steel and stainless steel threaded stub. Finish: Powdercoat, color specified.

Foot Pad: Rotationally molded from U.V. stabilized linear low density polyethylene, black in color.

Stepper Frame: Weldment comprised of 1.660" O.D. RS20 (.085"-.095" wall) galvanized steel tube and 7 GA. (.179") HRPO sheet steel. Finish: Powdercoat, color specified.

Shroud Cover: Fabricated from 11 GA. (.120") HRPO sheet steel. Finish: Powdercoat, color specified.

Post Assembly: Weldment comprised of 1/4" HRPO steel plate, 1/4" stainless steel plate, and 10" O.D. x 12 GA. (.105" wall) steel tube zinc plated. Finish: Powdercoat, color specified. (Post Cap) Fabricated from A356 sand casted aluminum. Finish: Powdercoat, silver. (Sign) Image is photographically transferred to a .020" thick anodized aluminum plate, then chemically sealed to endure weathering.

Fitness Footer: Weldment comprised of 5.000" O.D. x 11 GA. galvanized steel tube and 1/4" HRPO steel plate.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Handbar: Weldment comprised of 1.660" O.D. RS20 (.085"-.095" wall) steel pipe and 7 GA. (.179") HRPO sheet steel. Finish: Powdercoat, color specified.

Cylinder: The cylinder features a 7/8" diameter shaft made of carbon steel with a hard, chrome-plated finish, and a 2 3/4" diameter housing. Oil-impregnated bronze bushings are featured on all wear-surfaces. Finish: Powdercoat, white in color.

Threaded Pivot Shaft: Fabricated from 1" diameter 2024 aluminum bar, threaded each end.

Stepper Stop: Fabricated from 1" O.D. cold rolled steel. Finish: TenderTuff, brown in color.

Cylinder Shaft: Fabricated from 3/8" stainless steel plate and 1/2" stainless steel round bar.

Stepper Bottom Shaft: Fabricated from 3/8" stainless steel plate and 1" stainless steel round bar.

Shaft Plate: Fabricated from 3/8" HRPO plate. Finish: Powdercoat, color specified.

Attachment Cover: Fabricated from A356 sand casted aluminum. Finish: Powdercoat, silver.

100058A

Fitness Stations Sit-Up/Push-Up, (Available for Direct Bury Only)

Bench: Flange formed from 12 GA (.105") sheet steel conforming to ASTM A569. Seating surface is perforated with 1/4" diameter holes. Finish: TenderTuff, color specified.

Toe Hold: Weldment comprised of formed 1.029" O.D. RS-20 (.070" - .080") galvanized steel tubing and 1/4" x 2" x 13 1/2" HR flat plate. Finish: Powdercoat, color specified.

Support Leg: Weldment comprised of 1.900" O.D. RS-20 (.090" - .100") galvanized steel tubing and 3/8" x 2 1/2" mounting plate. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Warranty: You have our word.

Landscape Structures Inc. warrants that all playstructures and/or equipment sold will conform in kind and in quality to the specifications manual for the products identified in the Acknowledgement of Order and will be free of defects in manufacturing and material. Seller further warrants:

100-Year Limited Warranty for all stainless steel fasteners, aluminum posts, clamps, beams and caps, against structural failure due to corrosion/natural deterioration or manufacturing defects. This warranty does not include any cosmetic issues or wear and tear from normal use.

15-Year Limited Warranty for all plastic and steel components, including TuffTimbers™, against structural failure due to corrosion/natural deterioration or manufacturing defects. TenderTuff®-coating against structural failure due to natural deterioration or manufacturing defects. (Except Wiggle Ladders, Chain Ladders and Swing Chain). TuffTurf® against material or manufacturing defects when properly installed. Corocord® cable on Spacenet climbers against breakage.

10-Year Limited Warranty for all CoolToppers® structural steel frames and Mobius climbers against structural failure due to natural deterioration or manufacturing

defects.


5-Year Limited Warranty for Corocord cables on Spacenet climbers and CoolToppersR fabric against natural deterioration or manufacturing defects. This warranty is limited to the design loads as stated in the specifications found in the technical information. The Natural Elements™ climbers exterior GFRC material, against structural failure due to natural deterioration or manufacturing defects.

3-Year Limited Warranty for all other parts, ie: CableCore™ Products, Swing seats and hangers, Mobius climber handholds, Wiggle Ladders, Chain Ladders and Swing Chain, Track Ride trolleys and bumpers, all rocking equipment including Sway Fun™, PVC belting material, Seesaws, Wiggle Ring Bridge, etc. against failure due to corrosion/natural deterioration or manufacturing defects.

This warranty does not include any cosmetic issues or wear and tear from normal use.

The warranty stated above is valid only if the structures and/or equipment are erected in conformance with Landscape Structures' installation instructions and maintained according to the maintenance procedures furnished by Landscape Structures Inc. For a full text of the warranty, contact your local sales representative.

LOST RIVER STATE PARK
MATHIAS, WV 17430307-1-1
10/29/2008



Mr
landscape
structures







The only comprehensive, standardized on-site inspection program in the landscape structure industry. The law and spirit of the International Building Code, International Code of Building Officials (IBCO), and the International Code of Building Officials (IBCO) are the basis of the program. The program is designed to ensure that all landscape structures are built to the highest standards of safety and quality.

THIS PLAN SET IS AN INSTRUMENT OF SERVICE. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE LOCAL JURISDICTION. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE LOCAL JURISDICTION. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE LOCAL JURISDICTION.

DESIGNED BY:
G.W.
DATE: 10-28-08
PROJECT: STATE PARK MATHIAS, WV
DRAWING #: 30307-1-1

Date	Revision	By



TOTAL ELEVATED PLAY COMPONENTS ACCESSIBLE BY RAMP	0	REQUIRED	0
TOTAL ELEVATED COMPONENTS ACCESSIBLE BY TRANSFER	0	REQUIRED	0
TOTAL ELEVATED GROUND LEVEL COMPONENTS SHOWN	6	REQUIRED	6
TOTAL DIFFERENT TYPES OF GROUND LEVEL COMPONENTS	5	REQUIRED	5




LOST RIVER
STATE PARK
MATHIAS, WV

SERVICE
SUPPLY
PAM WILLIAMSON

STRUC. TYPE:
NO STRUCTURE
DRAWING #:
30307-1-1





LOST RIVER STATE PARK

MATHIAS, WV




17430307-1-2

11/4/2008

FENCE SUPPLY LTD. INC.



landscape structures



TOTAL ELEVATED PLAY COMPONENTS ACCESSIBLE BY RAMP 0
 TOTAL ELEVATED COMPONENTS ACCESSIBLE BY TRANSFER 0
 TOTAL ACCESSIBLE GROUND LEVEL COMPONENTS SHOWN 7
 TOTAL DIFFERENT TYPES OF GROUND LEVEL COMPONENTS 6

REQUIRED 0
 REQUIRED 0
 REQUIRED 0
 REQUIRED 0
 REQUIRED 0
 REQUIRED 6



LOST RIVER
STATE PARK
MATHIAS, WV

SERVICE
SUPPLY
PAW WILLIAMSON

SYSTEM TYPE:
NO STRUCTURE
DRAWING #:
30307-1-2



The play components manufactured on (Name of equipment) meet the USA and Canada safety requirements of ASTM F1418.

PLEASE NOTE: THE LEVEL INDICATED ON THIS DRAWING IS THE FINISHED GRADE. THE USER OF THIS DRAWING SHALL BE RESPONSIBLE FOR VERIFYING THE ACTUAL GRADE AT THE TIME OF INSTALLATION. THE USER SHALL BE RESPONSIBLE FOR VERIFYING THE ACTUAL GRADE AT THE TIME OF INSTALLATION. THE USER SHALL BE RESPONSIBLE FOR VERIFYING THE ACTUAL GRADE AT THE TIME OF INSTALLATION.

IT IS THE MANUFACTURER'S OPINION THAT THE PLAY AREA DOES COMPLY TO THE REQUIREMENTS OF ASTM F1418, AND THAT THE MANUFACTURER'S WARRANTY IS LIMITED TO THE PLAY AREA ONLY. THE USER SHALL BE RESPONSIBLE FOR VERIFYING THE ACTUAL GRADE AT THE TIME OF INSTALLATION. THE USER SHALL BE RESPONSIBLE FOR VERIFYING THE ACTUAL GRADE AT THE TIME OF INSTALLATION.

DESIGNED BY:
GWS

DATE: 07/20/06
 DRAWING #:
30307-1-1
 SCALE:
AS SHOWN

