



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER:
 DNR209104

PAGE:
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 FRANK WHITTAKER
 304-558-2316

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

*Cole Chevrolet - GMC
 P.O. Box 688
 Bluefield, WV 24701*

SHIP TO

DIVISION OF NATURAL RESOURCES
 (IN CARE OF)
 SURPLUS PROPERTY
 2700 CHARLES AVENUE
 DUNBAR, WV
 25064 766-2626

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
02/27/2009				

BID OPENING DATE: 03/26/2009 BID OPENING TIME: 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		070-51	68,998. ⁰⁰ 68,384. ⁰⁰	\$137,382. ⁰⁰
<p>TRUCKS, OVER ONE TON CAPACITY <i>Gmc Topkick 8500</i></p> <p>THE WEST VIRGINIA PURCHASING DIVISION, FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF NATURAL RESOURCES, IS SOLICITING BIDS FROM RESPONSIBLE VENDORS TO PROVIDE THE AGENCY WITH TWO (2) GMC TOP-KICK 7500 TRUCKS OR EQUAL, PER THE ATTACHED SPECIFICATIONS.</p> <p>TECHNICAL QUESTIONS MAY BE SUBMITTED IN WRITING TO FRANK WHITTAKER IN THE WEST VIRGINIA PURCHASING DIVISION VIA FAX AT 304-558-4115 OR VIA EMAIL AT FRANK.M.WHITTAKER@WV.GOV. DEADLINE FOR TECHNICAL QUESTIONS IS 03/17/09. ALL TECHNICAL QUESTIONS WILL BE ADDRESSED BY ADDENDUM AFTER THE DEADLINE.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT MAY BE DEEMED NULL AND VOID, AND TERMINATED WITHOUT FURTHER ORDER.</p> <p>THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST</p>						

RECEIVED

2009 MAR 26 A 9:58

PURCHASING DIVISION
 STATE OF WV

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: *[Signature]* TELEPHONE: 304-327-8116 DATE: 3-25-09
 TITLE: Commercial Specialist FEIN: 55-0618453
 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
14. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
15. **WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT:** If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in case of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 DNR209104

PAGE
 2

ADDRESS CORRESPONDENCE TO ATTENTION OF
 FRANK WHITTAKER
 304-558-2316

PROPERTY

RFQ COPY
 TYPE NAME/ADDRESS HERE

Cole Chevrolet - GMC
 P.O. Box 688
 Bluefield, WV. 24701

SHIP TO

DIVISION OF NATURAL RESOURCES
 (IN CARE OF)
 SURPLUS PROPERTY
 2700 CHARLES AVENUE
 DUNBAR, WV
 25064 766-2626

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
02/27/2009				

BID OPENING DATE: 03/26/2009 BID OPENING TIME: 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>VIRGINIA LEGISLATIVE RULES AND REGULATIONS. NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p>DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER: 44</p> <p>RFQ. NO.: DNR209104</p> <p>BID OPENING DATE: 03/26/09</p> <p>BID OPENING TIME: 1:30 PM</p> <p>PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: ----- 304-327-5044 -----</p> <p>CONTACT PERSON (PLEASE PRINT CLEARLY):</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: *Kandice Neal* TELEPHONE: 304-327-8066 DATE: 3-25-09
 TITLE: Commercial Specialist FEIN: 55-0618453 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER:
DNR209104

PAGE:
3

ADDRESS CORRESPONDENCE TO ATTENTION OF:
**FRANK WHITTAKER
 804-558-2316**

RFQ COPY
 TYPE NAME/ADDRESS HERE
*Cole Chevrolet - GMC
 P.O. Box 688
 Bluefield, WV. 24701*

S H I P T O
 DIVISION OF NATURAL RESOURCES
 (IN CARE OF)
 SURPLUS PROPERTY
 2700 CHARLES AVENUE
 DUNBAR, WV
 25064 766-2626

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
02/27/2009				

BID OPENING DATE: **03/26/2009** BID OPENING TIME: **01:30PM**

LINE	QUANTITY	UCP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT

***** THIS IS THE END OF RFQ DNR209104 ***** TOTAL:						<u>137,382.00</u>

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: *[Signature]* TELEPHONE: **304-327-8116** DATE: **3-25-09**
 TITLE: *Commercial Specialist* FEIN: **55-0618453** ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

STATE OF WEST VIRGINIA
PURCHASING CONTINUATION SHEET

BUYER:	PAGE	Req. or PO#
		DNR209104

VENDOR Cole Chevrolet - GMC

Spending Unit:
DNR -

Item No:	Quantity	Description	Unit Price	Amount
	1	<p>New conventional cab truck with GVWR of 35,000 pounds Wheel base: 193 inches 80,000psi yield strength steel frame. Engine: Turbo charged diesel with a minimum of 250 horsepower and 800 ft lb. of torque. Also must have an engine or exhaust brake (Jacobs or equal) Transmission: Allison RDS 3500 or RDS 3000 (or equivalent) six speed automatic with provisions for power takeoff. Control pad to be dash mounted. Front Axle: 12,000 pound capacity with 12,000 pound capacity leaf springs and heavy duty shocks. Rear Axle: 23,000 pound capacity (Dana or equal), driver operated locking diferential. 23,000 pound capacity multi-leaf springs with 4,500 pound multi-leaf auxiliary springs. Brakes: Air, cam type anti-lock drum brakes with air compressor that has a minimum rating of 13 CFM. Must also have air dryer and moisture ejector systems. Dust shields on rear brakes. Automatic slack adjusters on front and rear brakes. Automatic limiting valves on front brakes. Batteries: Dual 12 volt with 1,850 CCA Alternator: 12 volt with a minimum of 160 amp output Wheels: Steel disc 10 hole, 22.5 x 8.25 front and rear Tires: Front: 11R22.5 G (14 ply) radial tubeless highway tread Rear: 11R22.5 G (14 ply) radial tubeless mud and snow tread Spare same as front Vehicle to have the following equipment: Reverse warning beeper Front tow hooks (2) Single horizontal exhaust system Pedestal mount dual trumpet air horn with weather shields AM/FM with CD radio with exterior mount antenna Circuit breakers Low oil pressure/high water temp indicator, with light and alarm Two speed intermittent wipers Deluxe cab interior Wrench to fit front and rear lugs Electric high idle switch Engine block heater Dual step fuel tanks with 50 gallon each capacity (mounted under cab) Factory tinted glass Cruise control Dual 7" x 16" heater exterior side mirrors English gauge cluster with electric speedometer Tachometer Electric hour meter mounted in cluster Cloth material high back air suspension drivers and passenger seats RH/LH 8" spot mirrors Integral air conditioning Auxillary driving/fog lights to be mounted in or on the bumper</p>	59,401.00	59,401.00
GMC Topkick 8500			TOTAL THIS PAGE \$ 59,401.00	

STATE OF WEST VIRGINIA
PURCHASING CONTINUATION SHEET

BUYER:	PAGE	Req. or PO#
		DNR 209109
Spending Unit:		
DNR -		

VENDOR

Cole Chevrolet - GMC

Item No:	Quantity	Description	Unit Price	Amount
		<p>Color: Dark forest green metallic or equal</p> <p>Bed Specs: Steel platform type with 15-ton single cylinder hydraulic scissor hoist. Air shift PTO control to be mounted on dash of cab. Hoist pump control lever cable type not acceptable, to be mounted in an easily accessible location to the outside rear of cab on driver's side. Platform is to be 17 feet long by 8 feet wide, constructed of 3/16 smooth steel to be welded to bed sills. Cross members shall extend to and be welded to side rails except where cross member may interfere with wheel clearance. Bed cross members to be 4" x 1/5", 11 gauge steel channel on 12 inch centers and welded to bed sills. Front and rear cross members and every one in between to be braced to bed sill with 1/4" steel plates, triangular in shape with 6" edges. One edge of plate to be welded to sill and the other edge welded to underside of cross member to extend 6" toward outside of bed. Side rails and ends to be 6" high and to be 12 gauge metal. Bed sills to be 7" construction channel, sufficient height to allow enough clearance for the use of tire chains on a fully loaded truck. Bed to be mounted 8" from rear of cab. Bed to have clearance and marker lights and mud flaps that comply with WV state law.</p> <p>Note: Manufacturer's standard warranty and service policy to be included and shall be honored by all the manufacturer's authorized dealers.</p>		
		<i>17' bed.</i>	TOTAL THIS PAGE	<i>\$9,597.⁰⁰</i>

STATE OF WEST VIRGINIA
PURCHASING CONTINUATION SHEET

BUYER:	PAGE	Req. or PO#
		DNR 209104

VENDOR

Cole Chevrolet - GMC

Spending Unit:
DNR -

Item No:	Quantity	Description	Unit Price	Amount
	1	<p>New conventional cab truck with GVWR of 35,000 pounds Wheel base: 188 inches 80,000psi yield strength steel frame. Engine: Turbo charged diesel with a minimum of 250 horsepower and 800 ft lb. of torque. Also must have an engine or exhaust brake (Jacobs or equal) Transmission: Allison RDS 3500 or RDS 3000 (or equivalent) six speed automatic with provisions for power takeoff. Control pad to be dash mounted. Front Axle: 12,000 pound capacity with 12,000 pound capacity leaf springs and heavy duty shocks. Rear Axle: 23,000 pound capacity (Dana or equal), driver operated locking differential. 23,000 pound capacity multi-leaf springs with 4,500 pound multi-leaf auxiliary springs. Brakes: Air, cam type anti-lock drum brakes with air compressor that has a minimum rating of 13 CFM. Must also have air dryer and moisture ejector systems. Dust shields on rear brakes. Automatic slack adjusters on front and rear brakes. Automatic limiting valves on front brakes. Batteries: Dual 12 volt with 1,850 CCA Alternator: 12 volt with a minimum of 160 amp output Wheels: Steel disc 10 hole, 22.5 x 8.25 front and rear Tires: Front: 11R22.5 G (14 ply) radial tubeless highway tread Rear: 11R22.5 G (14 ply) radial tubeless mud and snow tread Spare same as front Vehicle to have the following equipment: Reverse warning beeper Front tow hooks (2) Single horizontal exhaust system Pedestal mount dual trumpet air horn with weather shields AM/FM with CD radio with exterior mount antenna Circuit breakers Low oil pressure/high water temp indicator, with light and alarm Two speed intermittent wipers Deluxe cab interior Wrench to fit front and rear lugs Electric high idle switch Engine block heater Dual step fuel tanks with 50 gallon each capacity (mounted under cab) Factory tinted glass Cruise control Dual 7" x 16" heater exterior side mirrors English gauge cluster with electric speedometer Tachometer Electric hour meter mounted in cluster Cloth material high back air suspension drivers and passenger seats RH/LH 8" spot mirrors Integral air conditioning Auxilliary driving/fog lights to be mounted in or on the bumper</p>	59,401.00	59,401.00
		<i>Gmc Topkick 8500</i>	TOTAL THIS PAGE <i>59,401.00</i>	

STATE OF WEST VIRGINIA
PURCHASING CONTINUATION SHEET

BUYER:	PAGE	Req. or PO#
		DNR 209104

VENDOR Cole Chevrolet-GMC

Spending Unit:
DNR -

Item No:	Quantity	Description	Unit Price	Amount
		<p>Electric hour meter mounted in cluster Beverage Holders Cloth material high back air suspension drivers and passenger seats RH/LH 8" spot mirrors Integral air conditioning Dual padded sun visors Auxiliary 12 volt plug mounted on dash Auxiliary driving/fog lights to be mounted in or on the bumper Color: Dark forest green metallic or equal</p> <p>Bed Specs: Steel platform type with 15-ton single cylinder hydraulic scissor hoist. Air shift PTO control to be mounted on dash of cab. Hoist pump control lever cable type not acceptable, to be mounted in an easily accessible location to the outside rear of cab on driver's side. Platform is to be 14 feet long by 8 feet wide, constructed of 3/16 smooth steel to be welded to bed sills. Cross members shall extend to and be welded to side rails except where cross member may interfere with wheel clearance. Bed cross members to be 4" x 1/5", 11 gauge steel channel on 12 inch centers and welded to bed sills. Front and rear cross members and every one in between to be braced to bed sill with 1/4" steel plates, triangular in shape with 6" edges. One edge of plate to be welded to sill and the other edge welded to underside of cross member to extend 6" toward outside of bed. Side rails and ends to be 6" high and to be 12 gauge metal. Bed sills to be 7" construction channel, sufficient height to allow enough clearance for the use of tire chains on a fully loaded truck. Bed to be mounted 8" from rear of cab. Bed to have clearance and marker lights and mud flaps that comply with WV state law.</p> <p>Note: Manufacturer's standard warranty and service policy to be included and shall be honored by all the manufacturer's authorized dealers.</p>		
		<i>14' bed</i>	TOTAL THIS PAGE	<u>7 8983.⁰⁰</u>

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

If this is a solicitation for a public improvement construction contract, the vendor, by its signature below, affirms that it has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the *West Virginia Code*. The vendor **must** make said affirmation with its bid submission. Further, public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the *West Virginia Code* and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the *West Virginia Code* may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.

Under penalty of law for false swearing (*West Virginia Code* §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name: Cole Chevrolet - GMC
Authorized Signature: *David Stead* Date: 3-25-09

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). West Virginia Code, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the West Virginia Code. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

- 1. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4. Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: Cole Chevrolet - GMC Signed: [Signature]
Date: 3-25-09 Title: Commercial Specialist

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

2009 Retail GMC TC8500

WARRANTY INFORMATION

WARRANTY INFORMATION - 2009 Retail TC8C042 Regular Cab

WARRANTY

Basic:

2 Years/Unlimited Miles

Drivetrain:

Vortec 8.1L Engine - 2 Years/Unlimited Miles

Duramax 6.6L Engine - 5 Years/100,000 Miles

\$100 deductible after 36,000 Miles per event

Isuzu 6H Engine (Manufacturer Warranty Applies) - 3 Years/Unlimited Miles

Caterpillar C7 Diesel Engine (Manufacturer Warranty Applies)

3 Years/150,000 Miles or 3,600 Hours -Towing, for engine related failures, will be covered for the first 12 months. Parts and Labor the first 24 months; parts only for 36 months.

Manual Transmission - 2 Years/Unlimited Miles

Allison Transmission (Manufacturer Warranty and Partner ESC Applies)

1000HS, 2200HS, 2350HS, 2300HS, 2500HS, 2550HS, 4 Years/Unlimited Miles

1000RDS, 2200RDS, 2300RDS, 2350RDS, 2500RDS, 2550 RDS, 3000RDS, 3500RDS

3 Years/Unlimited Miles

1000MH, 2200MH, 2350MH - 5 Years/200,000 Miles

1000EVS, 2200EVS, 2350EVS, 2550EVS, 3000EVS, 3500EVS - 5 Years/Unlimited Miles

3000, 3500RDS - 3 Years/Unlimited Miles

1000PTS 3 Years/Unlimited Miles; 2200PTS 4 Years/Unlimited Miles

Rear axles - 2 Years/Unlimited Miles

Cab Corrosion-Perforation:

5 Years/Unlimited Miles

Frame Rails and Cross Members:

5 Years/Unlimited Miles

Emissions:

Gas Engine 5 Years/50,000 Miles

Diesel Engine 5 Years/100,000 Miles

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 148.1, Data updated 3/17/2009 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2009 Retail GMC TC8500

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2009 Retail TC8C042 Regular Cab

<u>Code</u>	<u>Description</u>
TC8C042	2009 GMC TC8500 Regular Cab

SELECTED VEHICLE COLORS - 2009 Retail TC8C042 Regular Cab

<u>Code</u>	<u>Description</u>
69C	Interior: Very Dark Pewter
47U	Exterior 1: Dark Green Metallic
47L	Exterior 2: Dark Green Metallic

SELECTED OPTIONS - 2009 Retail TC8C042 Regular Cab

CATEGORY

Description

PREFERRED EQUIPMENT GROUP
CUSTOM/BASE MODEL

VEHICLE APPLICATION
TRUCK APPLICATION

EMISSIONS (Must specify). Note vehicles with 2008 diesel engine vehicles require Idle Shutdown Timer to allow registration in specific States. YF5 emission codes is required in these States

FEDERAL EMISSIONS

DIESEL ENGINE
ISUZU DIESEL 6H 7.8L I6, 260 HP (194 KW) @ 2200 RPM, 835 LB-FT TORQUE
(1132 N-M) @ 1450 RPM-MAXIMUM ENGINE SPEED 2400 RPM

AIR CLEANER
DRY-TYPE STANDARD FILTER ELEMENT

EXHAUST BRAKE
ENGINE EXHAUST BRAKE AND RESTRICTOR

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 148.1, Data updated 3/17/2009 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2009 Retail GMC TC8500

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2009 Retail TC8C042 Regular Cab

CATEGORY

Description

EXHAUST BRAKE
ELECTRONIC EXHAUST RESTRICTOR (AUTOMATIC)

FUEL/WATER SEPARATOR
RACOR FRAME-MOUNTED SPIN-ON TYPE

ENGINE BLOCK HEATER
1250-WATT, 110V

ALTERNATOR
22SI, DELCO 160-AMP MAXIMUM

BATTERY
TRIPLE, 750 CCA, ACDELCO 12V

ALARM
AUTOMATIC ENGINE SHUTDOWN WITH ALARM

EXHAUST SYSTEM
SINGLE HORIZONTAL-DRIVER SIDE MOUNTED INSIDE FRAME RAIL

POWER TAKE OFF
ELECTRONIC ACTIVATION SWITCH, (ELECTRIC HAND THROTTLE), IP MOUNTED

AUTOMATIC TRANSMISSION
ALLISON 3500 RDS SERIES (WIDE RATIO) 6-SPEED

TRANSMISSION FLUID
TRANSYND SYNTHETIC AUTOMATIC TRANSMISSION FLUID

FRONT AXLE
12,000 LBS. (5443 KG) CAPACITY

FRONT SUSPENSION
TAPERED LEAF, 12,000 LBS. (5443 KG) CAPACITY

FRONT WHEEL
22.5" X 8.25" (58.9 CM X 21 CM), STEEL DISC

FRONT TIRE
11R22.5G-12,350 LBS. (5602 KG) CAPACITY

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 148.1, Data updated 3/17/2009 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2009 Retail GMC TC8500

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2009 Retail TC8C042 Regular Cab

CATEGORY

Description

FRONT TIRE BRAND
GOODYEAR

FRONT TIRE TREAD
PREMIUM, HIGHWAY

SINGLE SPEED REAR AXLE
DANA 23105D, 23,000 LBS. (10,430 KG) CAPACITY

AXLE RATIO
5.25:1

REAR SUSPENSION
MULTI-LEAF, 23,500 LBS. (10,660 KG) CAPACITY

REAR AUXILIARY SPRINGS
MULTI-LEAF, 4500 LBS. (2041 KG), CAPACITY

REAR STABILIZER BAR
REAR STABILIZER BAR

REAR WHEEL
22.5" X 8.25" (58.9 CM X 21 CM), STEEL DISC

REAR TIRE
11R22.5G-23,000 LBS. (10,430 KG) CAPACITY

REAR TIRE BRAND
GOODYEAR

REAR TIRE TREAD
HIGHWAY TRACTION BLOCK

SPARE WHEEL
FRONT

WHEELBASE
194" (492.8 CM)

FRAME RAIL
80,000 LBS. RAIL, PAINTED SEMI-GLOSS BLACK 8MM-80,000 PSI (551,600
KPA) YIELD STRENGTH,

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 148.1, Data updated 3/17/2009 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2009 Retail GMC TC8500

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2009 Retail TC8C042 Regular Cab

CATEGORY

Description

REINFORCEMENT

INVERTED "L"-80,000 PSI (551,600 KPA) YIELD

FUEL TANK

DUAL, 100-GALLON (380L) TOTAL FUEL CAPACITY,

BRAKE SYSTEM

AIR, ABS-4-CHANNEL BENDIX BRAKE SYSTEM 'S' CAM TYPE MERITOR,

BRAKE EQUIPMENT

REAR DUST SHIELDS

AIR COMPRESSOR

HALDEX 292 WATER-COOLED 12.9 CFM

AIR INTAKE COMPRESSOR,

TOWING DEVICES

FRONT TOW HOOKS, FRAME-MOUNTED

HORN

SINGLE, DUAL-TRUMPET AIR

POWER CONVENIENCE OPTIONS

POWER CONVENIENCE PACKAGE

DRIVER CONVENIENCE PACKAGES

DRIVER CONVENIENCE PACKAGE

MISCELLANEOUS CAB EQUIPMENT

ECCO BACK UP ALARM

TILT-WHEEL ADJUSTABLE STEERING

CRUISE CONTROL

INTERIOR BACK TRIM PANEL

AIR CONDITIONING

AIR CONDITIONING

AIRBAGS

SUPPLEMENTAL INFLATABLE RESTRAINTS NOT INCLUDED

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 148.1, Data updated 3/17/2009 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2009 Retail GMC TC8500

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2009 Retail TC8C042 Regular Cab

CATEGORY

Description

RADIO

DELCO AM-FM STEREO RADIO/CD

EXTERIOR MIRRORS

MANUAL, HEATED, 102" (259 CM) WIDE LOAD, INTEGRAL ARM, INTEGRAL CONVEX MIRROR

PAINT

SOLID METALLIC PAINT

DRIVER SEAT

DRIVER SEAT, AIR SUSPENSION, HIGH-BACK

PASSENGER SEAT

PASSENGER SEAT, FRONT WITH AIR SUSPENSION

INTERIOR TRIM

VERY DARK PEWTER

SEAT TRIM

CLOTH SEAT TRIM

OPTIONS TOTAL

*Spare Tire
Tire Wrench
Fog lamps*

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 148.1, Data updated 3/17/2009 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2009 Retail GMC TC8500

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2009 Retail TC8C042 Regular Cab

<u>Code</u>	<u>Description</u>
TC8C042	2009 GMC TC8500 Regular Cab

SELECTED VEHICLE COLORS - 2009 Retail TC8C042 Regular Cab

<u>Code</u>	<u>Description</u>
69C	Interior: Very Dark Pewter
47U	Exterior 1: Dark Green Metallic
47L	Exterior 2: Dark Green Metallic

SELECTED OPTIONS - 2009 Retail TC8C042 Regular Cab

CATEGORY

Description

PREFERRED EQUIPMENT GROUP
CUSTOM/BASE MODEL

VEHICLE APPLICATION
TRUCK APPLICATION

EMISSIONS (Must specify). Note vehicles with 2008 diesel engine vehicles require Idle Shutdown Timer to allow registration in specific States. YF5 emission codes is required in these States

FEDERAL EMISSIONS

DIESEL ENGINE
ISUZU DIESEL 6H 7.8L I6, 260 HP (194 KW) @ 2200 RPM, 835 LB-FT TORQUE
(1132 N-M) @ 1450 RPM-MAXIMUM ENGINE SPEED 2400 RPM

AIR CLEANER
DRY-TYPE STANDARD FILTER ELEMENT

EXHAUST BRAKE
ENGINE EXHAUST BRAKE AND RESTRICTOR

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 148.1, Data updated 3/17/2009 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2009 Retail GMC TC8500

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2009 Retail TC8C042 Regular Cab

CATEGORY

Description

EXHAUST BRAKE
ELECTRONIC EXHAUST RESTRICTOR (AUTOMATIC)

FUEL/WATER SEPARATOR
RACOR FRAME-MOUNTED SPIN-ON TYPE

ENGINE BLOCK HEATER
1250-WATT, 110V

ALTERNATOR
22SI, DELCO 160-AMP MAXIMUM

BATTERY
TRIPLE, 750 CCA, ACDELCO 12V

ALARM
AUTOMATIC ENGINE SHUTDOWN WITH ALARM

EXHAUST SYSTEM
SINGLE HORIZONTAL-DRIVER SIDE MOUNTED INSIDE FRAME RAIL

POWER TAKE OFF
ELECTRONIC ACTIVATION SWITCH, (ELECTRIC HAND THROTTLE), IP MOUNTED

AUTOMATIC TRANSMISSION
ALLISON 3500 RDS SERIES (WIDE RATIO) 6-SPEED

TRANSMISSION FLUID
TRANSYND SYNTHETIC AUTOMATIC TRANSMISSION FLUID

FRONT AXLE
12,000 LBS. (5443 KG) CAPACITY

FRONT SUSPENSION
TAPERED LEAF, 12,000 LBS. (5443 KG) CAPACITY

FRONT WHEEL
22.5" X 8.25" (58.9 CM X 21 CM), STEEL DISC

FRONT TIRE
11R22.5G-12,350 LBS. (5602 KG) CAPACITY

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 148.1, Data updated 3/17/2009 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2009 Retail GMC TC8500

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2009 Retail TC8C042 Regular Cab

CATEGORY

Description

FRONT TIRE BRAND
GOODYEAR

FRONT TIRE TREAD
PREMIUM, HIGHWAY

SINGLE SPEED REAR AXLE
DANA 23105D, 23,000 LBS. (10,430 KG) CAPACITY

AXLE RATIO
5.25:1

REAR SUSPENSION
MULTI-LEAF, 23,500 LBS. (10,660 KG) CAPACITY

REAR AUXILIARY SPRINGS
MULTI-LEAF, 4500 LBS. (2041 KG), CAPACITY

REAR STABILIZER BAR
REAR STABILIZER BAR

REAR WHEEL
22.5" X 8.25" (58.9 CM X 21 CM), STEEL DISC

REAR TIRE
11R22.5G-23,000 LBS. (10,430 KG) CAPACITY

REAR TIRE BRAND
GOODYEAR

REAR TIRE TREAD
HIGHWAY TRACTION BLOCK

SPARE WHEEL
FRONT

WHEELBASE
188" (477.5 CM)

FRAME RAIL
80,000 LBS. RAIL, PAINTED SEMI-GLOSS BLACK 8MM-80,000 PSI (551,600
KPA) YIELD STRENGTH,

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 148.1, Data updated 3/17/2009 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2009 Retail GMC TC8500

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2009 Retail TC8C042 Regular Cab

CATEGORY

Description

REINFORCEMENT

INVERTED "L"-80,000 PSI (551,600 KPA) YIELD

FUEL TANK

DUAL, 100-GALLON (380L) TOTAL FUEL CAPACITY,

BRAKE SYSTEM

AIR, ABS-4-CHANNEL BENDIX BRAKE SYSTEM 'S' CAM TYPE MERITOR,

BRAKE EQUIPMENT

REAR DUST SHIELDS

AIR COMPRESSOR

HALDEX 292 WATER-COOLED 12.9 CFM

AIR INTAKE COMPRESSOR,

TOWING DEVICES

FRONT TOW HOOKS, FRAME-MOUNTED

HORN

SINGLE, DUAL-TRUMPET AIR

POWER CONVENIENCE OPTIONS

POWER CONVENIENCE PACKAGE

DRIVER CONVENIENCE PACKAGES

DRIVER CONVENIENCE PACKAGE

MISCELLANEOUS CAB EQUIPMENT

ECCO BACK UP ALARM

TILT-WHEEL ADJUSTABLE STEERING

CRUISE CONTROL

INTERIOR BACK TRIM PANEL

AIR CONDITIONING

AIR CONDITIONING

AIRBAGS

SUPPLEMENTAL INFLATABLE RESTRAINTS NOT INCLUDED

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 148.1, Data updated 3/17/2009 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2009 Retail GMC TC8500

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2009 Retail TC8C042 Regular Cab

CATEGORY

Description

RADIO

DELCO AM-FM STEREO RADIO/CD

EXTERIOR MIRRORS

MANUAL, HEATED, 102" (259 CM) WIDE LOAD, INTEGRAL ARM, INTEGRAL CONVEX MIRROR

PAINT

SOLID METALLIC PAINT

DRIVER SEAT

DRIVER SEAT, AIR SUSPENSION, HIGH-BACK

PASSENGER SEAT

PASSENGER SEAT, FRONT WITH AIR SUSPENSION

INTERIOR TRIM

VERY DARK PEWTER

SEAT TRIM

CLOTH SEAT TRIM

OPTIONS TOTAL

*Spare Tire
Tire wrench
Fog lamps.*

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 148.1, Data updated 3/17/2009 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: