



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
 DNR209117


PAGE  
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF  
 FRANK WHITTAKER  
 304-558-2316

SHIP TO

DIVISION OF NATURAL RESOURCES  
 HOLLY RIVER STATE PARK  
 ATTN: PARK SUPERINTENDENT  
 POST OFFICE BOX 70  
 HACKER VALLEY, WV  
 26222 304-493-6353

Blue Ridge Outdoor Designs  
 PO Box 123  
 Blue Ridge VA 24064 USA  
 brokenground@verizon.net  
 540-797-2215



DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/21/2009				

BID OPENING DATE: 04/28/2009 BID OPENING TIME: 01:30PM

LINE	QUANTITY	UQP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 2						
THIS ADDENDUM IS ISSUED TO:						
REPLACE REPLACE THE PRICING SHEETS (PAGES 11 AND 12 OF ADDENDUM NO. 1) WITH THE ATTACHED REVISED PRICING PAGES WHICH CONTAINS CORRECTED QUANTITIES ON ITEMS 4, 5, 9, 10,						
BID OPENING DATE REMAINS: 04/28/2009						
BID OPENING TIME REMAINS: 1:30 PM						
***** END ADDENDUM NO. 2 *****						
0001	1	LS		650-38		
PLAYGROUND EQUIPMENT (NOT OTHERWISE CLASSIFIED)						<i>Playland international</i>
***** THIS IS THE END OF RFQ DNR209117 *****						TOTAL: <u>\$34,500</u>

2009 APR 28 AM 11:58

WV PURCHASING DIVISION

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE 	TELEPHONE 540-765-7586	DATE 4/27/09
TITLE President	FEIN 54-1732490	ADDRESS CHANGES TO BE NOTED ABOVE



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130


# Request for Quotation

RFO NUMBER
DNR209117

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
FRANK WHITTAKER 304-558-2316

Blue Ridge Outdoor Designs  
 PO Box 123  
 Blue Ridge VA 24064 USA  
 brokenground@verizon.net  
 540-797-2215



SHIP TO

DIVISION OF NATURAL RESOURCES  
 HOLLY RIVER STATE PARK  
 ATTN: PARK SUPERINTENDENT  
 POST OFFICE BOX 70  
 HACKER VALLEY, WV  
 26222 304-493-6353



DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/20/2009				

BID OPENING DATE: 04/28/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		650-38		
<p>PLAYGROUND EQUIPMENT (NOT OTHERWISE CLASSIFIED)</p> <p><i>Playland International</i></p> <p>THE WEST VIRGINIA PURCHASING DIVISION, FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF NATURAL RESOURCES IS SOLICITING BIDS FROM RESPONSIBLE VENDORS FOR NEW PLAYGROUND EQUIPMENT FOR HOLLY RIVER STATE PARK PER THE ATTACHED SPECIFICATIONS.</p> <p>TECHNICAL QUESTIONS MAY BE SUBMITTED IN WRITING TO FRANK WHITTAKER VIA FAX AT 304-558-4115 OR VIA EMAIL AT FRANK.M.WHITTAKER@WV.GOV. DEADLINE FOR TECHNICAL QUESTIONS IS 04/10/2009 AT 4:00 PM</p> <p>A MANDATORY PRE-BID MEETING WILL BE HELD ON 04/07/09 AT 1:00 PM AT HOLLY RIVER STATE PARK HEADQUARTERS. FAILURE TO ATTEND THE MANDATORY PRE-BID MEETING WILL RESULT IN BID DISQUALIFICATION. AN INDIVIDUAL MAY NOT REPRESENT MORE THAN ONE FIRM AT THE PRE-BID MEETING.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT MAY BE DEEMED NULL AND VOID, AND TERMINATED WITHOUT FURTHER ORDER.</p> <p>THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE 540-765-7586	DATE 4/27/09
TITLE Procurement Specialist	FEIN 54-1732490	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFO, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130


# Request for Quotation

RFQ NUMBER
DNR209117

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
FRANK WHITTAKER 304-558-2316

Blue Ridge Outdoor Designs  
 PO Box 123  
 Blue Ridge VA 24064 USA  
 brokenground@verizon.net  
 540-797-2215



S  
H  
I  
P  
T  
O

DIVISION OF NATURAL RESOURCES  
 HOLLY RIVER STATE PARK  
 ATTN: PARK SUPERINTENDENT  
 POST OFFICE BOX 70  
 HACKER VALLEY, WV  
 26222 304-493-6353



DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/20/2009				

BID OPENING DATE:	04/28/2009	BID OPENING TIME	01:30PM
-------------------	------------	------------------	---------

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.</p> <p>NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p>DEPARTMENT OF ADMINISTRATION            PURCHASING DIVISION            BUILDING 15            2019 WASHINGTON STREET, EAST            CHARLESTON, WV 25305-0130</p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER: 44</p> <p>RFQ. NO.: DNR209117</p> <p>BID OPENING DATE: 04/28/2009</p> <p>BID OPENING TIME: 1:30 PM</p> <p>PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
	540-765-7586	4/27/09	
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	
President	54-132490		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130


# Request for Quotation

RFQ NUMBER
DNR209117

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF:
FRANK WHITTAKER 304-558-2316

Blue Ridge Outdoor Designs  
 PO Box 123  
 Blue Ridge VA 24064 USA  
 brokenground@verizon.net  
 540-797-2215



SHIP TO

DIVISION OF NATURAL RESOURCES  
 HOLLY RIVER STATE PARK  
 ATTN: PARK SUPERINTENDENT  
 POST OFFICE BOX 70  
 HACKER VALLEY, WV  
 26222 304-493-6353



DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/20/2009				

BID OPENING DATE: 04/28/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
-----						
CONTACT PERSON (PLEASE PRINT CLEARLY):						
-----						
***** THIS IS THE END OF RFQ DNR209117 ***** TOTAL:						<u>34,500</u>

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE 540-7657586	DATE 4/27/09
TITLE President	FEIN SA-1732496	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFC NUMBER  
**DNR209117**


PAGE  
**1**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
**FRANK WHITTAKER  
 304-558-2316**

SHIP TO

**DIVISION OF NATURAL RESOURCES  
 HOLLY RIVER STATE PARK  
 ATTN: PARK SUPERINTENDENT  
 POST OFFICE BOX 70  
 HACKER VALLEY, WV  
 26222 304-493-6353**

Blue Ridge Outdoor Designs  
 PO Box 123  
 Blue Ridge VA 24064 USA  
 brokenground@verizon.net  
 540-797-2215



DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
04/13/2009				

BID OPENING DATE: **04/28/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
				ADDENDUM NO. 1		
				THIS ADDENDUM IS ISSUED TO:		
				1.) PROVIDE A COPY OF THE MANDATORY PRE-BID ATTENDEE LIST;		
				2.) REPLACE THE SPECIFICATIONS (PAGES 4-8 OF THE ORIGINAL SPECIFICATIONS,		
				3.) REPLACE THE PLAYGROUND EQUIPMENT SHEET (PAGE 12 AND 13 OF THE ORIGINAL SPECIFICATIONS), AND		
				4.) REPLACE THE PRICING SHEETS (PAGES 14 AND 15 OF THE ORIGINAL SPECIFICATIONS.		
				BID OPENING DATE REMAINS: 04/28/2009		
				BID OPENING TIME REMAINS: 1:30 PM		
				***** END ADDENDUM NO. 1 *****		
0001	1	LS		650-38		
				PLAYGROUND EQUIPMENT (NOT OTHERWISE CLASSIFIED)		

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE TELEPHONE **540 765 7586** DATE **4/27/09**

*Provided*

54-1732490

To supply playground equipment at Holly River State Park, Hacker Valley, West Virginia to offer play activities for children ages 2 to 12. Equipment will be supplied for three (3) separate areas. Park personnel will install all playground equipment. The award may be split if it is in the best interest of the West Virginia Division of Natural Resources.

## **AREA 4 PLAYGROUND**

GameTime freestanding wave zip slide, Model #18395 or equal. Slide must be a minimum of 6' in height with attached platform and access ladder and be constructed of a minimum of 3.5" OD tubing with oven cured powder coating and a minimum of 304 alloy stainless steel hardware. F.O.B. Destination. Freight or delivery charges must be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.

PrimeTime swing, Model #12583, or equal. Swing must be freestanding and a minimum of 8' in height. Must have top rail attachments for two (2) swings. Unit must be constructed of a minimum of 3.5" OD galvanized steel tubing with oven cured powder coating and minimum of 304 alloy stainless steel hardware. F.O.B. Destination. Freight or delivery charges must be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.

GameTime add-a-bay, Model #12584, or equal. Must have top rail attachments for two (2) swings. Unit must be a minimum of 8' in height. Unit must be constructed of a minimum of 3.5" OD galvanized steel tubing with powder coating and a minimum of 304 alloy stainless steel hardware. F.O.B. Destination. Freight or delivery charges must be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.

GameTime enclosed tot seat package with clevis attachment, Model # 8696, or equal. Must include galvanized chain and hardware for attachment to an 8' high, 3.5" top rail. F.O.B. Destination. Freight or delivery charges must be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.

GameTime belt seat package with clevis attachment, Model # 8910 or equal. Must include galvanized chain and hardware for attachment to an 8' high, 3.5" top rail. F.O.B. Destination. Freight or delivery charges must be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.

## **AREA 1 PLAYGROUND**

GameTime PowerScape carousel, Model #85113, or equal. Play set must be constructed of a minimum of 5" OD tubing with oven cured powder coating and a

minimum of 304 alloy stainless steel hardware. Play set components must include the following:

- One (1) GameTime wave zip slide or equal. Slide must be a minimum of 6' in height.
- One (1) GameTime zip slide or equal. Slide must be a minimum of 4' in height.
- One (1) GameTime wave climber or equal.
- One (1) GameTime zipper climber or equal.
- One (1) GameTime clover climber or equal.
- One (1) GameTime overhead tree climber or equal.
- One (1) GameTime crunch bar or equal.
- One (1) GameTime overhead ladder access package or equal.
- One (1) GameTime single level chinning bar or equal.
- One (1) GameTime talk tube or equal.
- One (1) GameTime transfer point with access step attachment or equal.
- One (1) GameTime stepped platform or equal.
- Seven (7) GameTime triangle decks or equal.
- One (1) GameTime central upright to support triangle decks.

F.O.B. Destination. Freight or delivery charges must be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.

PrimeTime swing, Model #12583, or equal. Swing must be freestanding and a minimum of 8' in height. Must have top rail attachments for two (2) swings. Unit must be constructed of a minimum of 3.5" OD galvanized steel tubing with oven cured powder coating and minimum of 304 alloy stainless steel hardware. F.O.B. Destination. Freight or delivery charges must be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.

GameTime add-a-bay, Model #12584, or equal. Must have top rail attachments for two (2) swings. Unit must be a minimum of 8' in height. Unit must be constructed of a minimum of 3.5" OD galvanized steel tubing with powder coating and a minimum of 304 alloy stainless steel hardware. F.O.B. Destination. Freight or delivery charges must be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.

GameTime enclosed tot seat package with clevis attachment, Model #8696, or equal. Must include galvanized chain and hardware for attachment to an 8' high, 3.5" top rail. F.O.B. Destination. Freight or delivery charges must be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.

GameTime belt seat package with clevis attachment, Model #8910 or equal. Must include galvanized chain and hardware for attachment to an 8' high, 3.5" top rail. F.O.B. Destination. Freight or delivery charges must be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.

GameTime tuffclad in-ground bench Model #28009, or equal. Bench must be a minimum of 6' in length and a minimum of 10" wide seat and minimum of 10" wide backrest. Must be constructed of galvanized steel with oven cured powder coating. F.O.B. Destination. Freight or delivery charges must be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.

## **GAME COURT/SWIMMING POOL AREA PLAYGROUND**

GameTime PowerScape step and slide, Model # 85107, or equal. Play set must be constructed of a minimum of 5" OD tubing with oven cured powder coating and a minimum of 304 alloy stainless steel hardware. Play set components must include:

- One (1) GameTime zip slide or equal. Slide must be a minimum of 5' in height.
- One (1) GameTime rock wall climber or equal. Climber must be a minimum of 5' in height.
- One (1) GameTime twister climber or equal. Climber must be a minimum of 5' in height.
- One (1) GameTime straight horizontal loop ladder or equal.
- One (1) GameTime crunch bar or equal.
- One (1) GameTime overhead ladder access package or equal.
- One (1) GameTime transfer point with access step attachment
- Three (3) GameTime triangle decks or equal.
- One (1) GameTime stepped platform or equal.
- One (1) GameTime-mini arch bridge with barrier rail or equal.
- One (1) GameTime tic-tac-toe panel or equal.

F.O.B. Destination. Freight or delivery charges must be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award

GameTime tuffclad in-ground bench Model #28009, or equal. Bench must be a minimum of 6' in length and a minimum of 10" wide seat and minimum of 10" wide backrest. Must be constructed of galvanized steel with oven cured powder coating. F.O.B. Destination. Freight or delivery charges must be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.

## **ITEMS FOR ALL THREE PLAYGROUNDS**

Engineered wood fiber at least 8" deep compacted or equal. F.O.B. Destination. Freight or delivery charges must be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.



Geo-textile fabric (rolled) or equal. F.O.B. Destination. Freight or delivery charges must be included in the price of the goods. Delivery must be made within ninety (90) days of purchase order award.

All playground equipment and engineered wood fiber must meet the following requirements:

- Compliance with U.S. Consumer Product Safety Commission, Handbook for Public Playground Safety.
- Compliance with ASTM Standard F 1487.
- Compliance with Architectural and Transportation Barriers Compliance Board, Americans with Disabilities Act (ADA) Accessibility Guidelines for Buildings and Facilities; Play Areas.

Vendors must submit the following attachments:

- Complete manufacturer's parts specifications and warranties.
- Layout drawing to scale of the proposed play structure or equipment.
- ASTM and CPSC Statement of Compliance

Warranties:


- All equipment and engineered wood fiber must be guaranteed to be free of defects in workmanship and material for a minimum of one year from date of acceptance. However, if manufacturer warranty periods are longer than the required minimum one year warranty, those warranties shall apply.

Color scheme of equipment must be coordinated with Holly River State Park. Color of items will be selected from manufacturer's standard colors.

A mandatory pre-bid conference will be held on April 7, 2009, at Holly River State Park Headquarters at 1:00 p.m. A failure to attend the mandatory pre-bid conference will result in bid disqualification. An individual may not represent more than one firm at the pre-bid conference.

WVDNR209117  
Holly River State Park  
**PLAYGROUND EQUIPMENT SHEET**

Please complete the below information concerning the brand(s) of equipment being bid in relation to this project. If bidding "or equal" brands, please attach manufacturer's literature documenting that it meets the mandatory requirements stated in the specifications. Vendors should note the areas of the provided manufacturer's literature that adheres to the mandatory requirements outlined in the Request For Proposal.

Item No.	Equipment	Manufacturer	Model
1	Area 4 Playground, GameTime freestanding wave zip slide, Model #18395, or equal.	Playland 	9000836
2	Area 4 Playground PrimeTime swing, Model #12583, or equal.		90015202
3	Area 4 Playground GameTime add-a-bay, Model #12584, or equal.		included above
4	Area 4 Playground GameTime enclosed tot seat package with clevis attachment, Model #8696, or equal.		90015130
5	Area 4 Playground GameTime belt seat package with clevis attachment, Model #8910, or equal.		90015108
6	Area 1 Playground GameTime PowerScape Carousel, Model #85113, or equal.		PSS-27AZ1
7	Area 1 Playground PrimeTime swing, Model #12583, or equal.		90015202
8	Area 1 Playground GameTime add-a-bay, Model #12584, or equal.		included
9	Area 1 Playground GameTime enclosed tot seat package with clevis attachment, Model #8696, or equal.		90015130
10	Area 1 Playground GameTime belt seat package with clevis attachment, Model #8910, or equal.		90015108
11	Area 1 Playground GameTime tuffclad in-ground bench, Model #28009, or equal.		WEB CORP

WVDNR209117  
 Holly River State Park  
**PLAYGROUND EQUIPMENT SHEET**

Item No.	Equipment	Manufacturer	Model
12	Game Court/Swimming Pool Area Playground, GameTime, PowerScape Step and Slide, Model # 85107 or equal.	Play Land	PSS - 27423
13	Game Court/Swimming Pool Area Playground GameTime tuffclad in-ground bench, Model #28009, or equal.	WEB COAT	8A10340
14	Area 4 Playground, Area 1 Playground, Game Court/Swimming Pool Area Playground engineered wood fiber at least 8" deep compacted or equal.	ZEAGER	Wood fiber
15	Area 4 Playground, Area 1 Playground, Game Court/Swimming Pool Area Playground geo-textile fabric (rolled) or equal.	ZEAGER	Geo text.

Holly River State Park Playground Equipment  
PRICING SHEET

Item No.	Quantity	Description	Unit Price	Amount
1	1	Area 4 Playground, GameTime freestanding wave zip slide, Model #18395, or equal.	\$2600	\$2600
2	1	Area 4 Playground PrimeTime swing, Model #12583, or equal.	\$1600	\$1600
3	1	Area 4 Playground GameTime add-a-bay, Model #12584, or equal.	included	included
4	2	Area 4 Playground GameTime enclosed tot seat package with clevis attachment, Model #8696, or equal.	\$200	\$200
5	2	Area 4 Playground GameTime belt seat package with clevis attachment, Model #8910, or equal.	\$100	\$100
6	1	Area 1 Playground GameTime PowerScape Carousel, Model #85113, or equal.	\$13,000	\$13,000
7	1	Area 1 Playground PrimeTime swing, Model #12583, or equal.	\$1600	\$1600
8	1	Area 1 Playground GameTime add-a-bay, Model #12584, or equal.	included	included
9	2	Area 1 Playground GameTime enclosed tot seat package with clevis attachment, Model #8696, or equal.	\$200	\$200
10	2	Area 1 Playground GameTime belt seat package with clevis attachment, Model #8910, or equal.	\$100	\$100
11	1	Area 1 Playground GameTime tuffclad in-ground bench, Model #28009, or equal.	\$325	\$325
12	1	Game Court/Swimming Pool Area Playground, GameTime, PowerScape Step and Slide, Model #	\$11,400	\$11,400


Holly River State Park Playground Equipment  
**PRICING SHEET**

Item No.	Quantity	Description	Unit Price	Amount
13	1	Game Court/Swimming Pool Area Playground GameTime tuffclad in-ground bench, Model #28009, or equal.	\$325	\$325
14	4,989 square feet	Area 4 Playground, Area 1 Playground, Game Court/Swimming Pool Area Playground engineered wood fiber at least 8" deep compacted or equal.	\$14.8484	\$2450
15	5,625 square feet	Area 4 Playground, Area 1 Playground, Game Court/Swimming Pool Area Playground geo-textile fabric (rolled) or equal.	\$120	\$600
			<b>TOTAL</b>	<b>\$34,500</b>



- Notes:**
- The play structure design will meet ADA Accessibility Guidelines for Buildings and Facilities, effective November 17, 2003 as published by the Architectural and Transportation Barriers Compliance Board with the addition of ground level play components of different types of play and when installed over accessible surfacing.
  - This site plan should be checked against the actual site area prior to the purchase or installation of equipment.
  - The unit of measure located in the center of the platform indicates the height above the protective surfacing level. The protective surfacing for this design must accommodate a fall height of at least 2 ft. unless otherwise noted.
  - The structure size for this unit is \_\_\_\_\_ requiring protective surfacing for an overall use area of 52' x 32'. The approximate surface area is \_\_\_\_\_ sq. ft. by ASTM F 1497-07 guidelines.
  - The structure is designed to accommodate \_\_\_\_\_ children from \_\_\_\_\_ years of age.
  - Supervises Children as they play.
  - To insure that accurate measurements are obtained from the site plan, print copies on 11 x 17 paper at full scale.
  - The customer responsibility is to check local soil conditions and drainage within the site. The site must also be surveyed for underground utilities prior to excavation.
  - Completely read your installation manual prior to beginning construction.
  - This design configuration is the property of this firm and Playland Inc. and may not be reproduced or used in any manner without the expressed written consent of this firm and Playland.
  - Perimeter Requires \_\_\_\_\_ Land Slope Timbers if long.

51' - 10"  
[15.8M]



Area A

SP042009-089

4/17/09

Beverly Smith

1 of 1



None

55'-2"  
[19.9M]

Bench

40'-9"  
[12.4M]

Arch



SP042009-081

4/17/09

Beverly Smith

1 of 1



1. The play structure design will meet ALL Accessibility Guidelines for Buildings and Facilities, effective November 17, 2009 as published by the Architectural and Transportation Barriers Compliance Board with the addition of \_\_\_\_\_ different types of ground level play components of \_\_\_\_\_ play and when installed over accessible surfacing.

2. This site plan should be checked against the actual site area prior to the purchase or installation of equipment.

3. The path of travel located in the center of the platform indicates the height above the protective surfacing level. The protective surfacing for this design must accommodate a full height of at least \_\_\_\_\_ ft. unless otherwise noted.

4. The structure size for this unit is \_\_\_\_\_ requiring protective surfacing for an overall size of \_\_\_\_\_ sq. ft. The approximate surface area is \_\_\_\_\_ sq. ft. by ASTM F 1487-07 guidelines.

5. The structure is designed to accommodate \_\_\_\_\_ children from \_\_\_\_\_ years of age.

6. Supervise Children as they play.

7. To ensure that accurate measurements are obtained from this site plan, print copies on 11 x 17 paper at full scale.

8. The customer's responsibility is to check local soil conditions and drainage within the site. The site must also be surveyed for underground utilities prior to construction.

9. Completely read your installation manual prior to beginning construction.

10. This design configuration is the property of this firm and is not to be reproduced or used in any manner without the expressed written consent of this firm and Playland.

11. Permittee Requires \_\_\_\_\_ land Slope Maximum \_\_\_\_\_ ft long.

None




PSS-27421

4/17/09

Beverly Smith

1 of 2

None



33'-1"  
[10.1M]

40'-9"  
[12.4M]



**Notes**


1. The play structure design will meet ADA accessibility guidelines for buildings and facilities effective November 19, 2001 as published by the International and Transportation Builders Compliance Board with the addition of \_\_\_\_\_ 0 \_\_\_\_\_ ground level play components of \_\_\_\_\_ 0 \_\_\_\_\_ different types of play and even installed over concrete surfacing.
2. This site plan should be checked against the actual site area prior to the purchase or installation of equipment.
3. The unit of measure located in the center of the platform indicates the height above the protective surfacing level. The protective surfacing for this design must accommodate a ball height of at least \_\_\_\_\_ 0 \_\_\_\_\_ ft. unless otherwise noted.
4. The structure size for this unit is 24' X 29' requiring protective surfacing for an overall use area of \_\_\_\_\_ 308' X 41' the approximate surface area is \_\_\_\_\_ 000' sq ft by ASTM F 1487-07 guidelines.
5. The structure is designed to accommodate \_\_\_\_\_ 20 children from 5-12 years of age.
6. Superior Children as they play.
7. To insure that accurate measurements are obtained from this site plan, print copies on 11 x 17 paper at full scale.
8. The customer responsibility is to check local soil conditions and drainage within the site. The site must also be surveyed for underground utilities prior to excavation.
9. Completely read your installation manual prior to beginning construction.
10. This design configuration is the property of this firm and original her and may not be reproduced or used in any manner without the expressed written consent of this firm and Playland.
11. Perimeter Requires \_\_\_\_\_ 30' land Slope Minimum 4 Long

# PLAYLAND

- Notes**
1. This play structure design will meet ADA Accessibility Guidelines for Buildings and Facilities, effective November 17, 2000 as published by the Architectural and Transportation Barriers Compliance Board with the addition of different types of ground level play components of play and when installed over accessible surfacing.
  2. This site plan should be checked against the actual site area prior to the purchase or installation of equipment.
  3. The unit of measure located in the center of the platform indicates the height above the protective surfacing level. The protective surfacing for this design must accommodate a fall height of at least 6 ft, unless otherwise noted.
  4. The structure size for this unit is requiring protective surfacing for an overall use zone of 41 X 23 ft. The approximate surface area is 41 ft by 23 ft, unless otherwise noted.
  5. The structure is designed to accommodate children from 5-12 years of age.
  6. Supervise Children as they play.
  7. To insure that accurate measurements are obtained from this site plan, print copies on 11 x 17 paper at full scale.
  8. The customer responsibility is to check local soil conditions and drainage within the site. The site must also be surveyed for underground utilities prior to excavation.
  9. Completely read your installation manual prior to beginning construction.
  10. This design configuration is the property of this firm and Playland Inc. and may not be reproduced or used in any manner without the expressed written consent of this firm and Playland Inc.
  11. Permittee Requires Land Scope Numbers 1 Long

40' - 7"  
[12.4M]

PSS-27423



28' - 5"  
[8.7M]

Bench

Pool

None

1 of 1


Beverly Smith

4/17/09

SP042009-083

# PLAYLAND

- Notes**
- This play structure design will meet ADA Accessibility Guidelines for Buildings and Facilities, effective November 17, 2000 as published by the Architectural and Transportation Barriers Compliance Board with the addition of 0 different types of ground level play components of 0 different types of play and was installed over accessible surfacing.
  - This site plan should be checked against the actual site area prior to the purchase or installation of equipment.
  - The unit of measure located in the center of the platform indicates the height above the protective surfacing level. The protective surfacing for this design must accommodate a fall height of at least 0 ft, unless otherwise noted.
  - The structure size for this unit is 28' X 17' requiring protective surfacing for an overall size of 28' X 28'. The approximate surface area is 610 sq. ft. by ASTM F 1497-07 guidelines.
  - The structure is designed to accommodate 23 children from 5-12 years of age.
  - Supervise Children as they play.
  - To ensure that accurate measurements are obtained from this site plan, print copies on 11 x 17 paper at full scale.
  - The customer's responsibility is to check local soil conditions and drainage within the site. The site must also be surveyed for underground utilities prior to excavation.
  - Completely read your installation manual prior to beginning construction.
  - This design configuration is the property of this firm and Playland Inc. and may not be reproduced or used in any manner without the expressed written consent of this firm and Playland.
  - Perimeter Requires 23 Load Scope Timbers 4 long.



None

1 of 2

Beverly Smith

4/17/09

PS5-27423