

NODZEK

\*709033753

PO BOX 240981

CHARLOTTE NC

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

28224

CUNNINGHAM ASSOCIATES INC

800-438-2780

#### Request for Quotation

RFQ NUMBER DNR209149

ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER 304-558-2316

DIVISION OF NATURAL RESOURCES CASS SCENIC RAILROAD ST PARK ATTN: PARK SUPERINTENDENT

BOX 107 CASS, WV

24927

456-4300

DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. FREIGHT TERMS 05/12/2009 BID OPENING DATE 06/17/2009 BID OPENING TIME 01.30PMCAT. LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT NO: 0001 LS 650-38 1 PLAYGROUND EQUIPMENT (NOT OTHERWISE CLASSIFIED) m THE WEST VIRGINIA PURCHASING DIVISION, FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF NATURAL RESOURCES IS \$OLICITING BIDS FOR PLAYGROUND EOUIPMENT FOR CASS \$CENIC RAILROAD STATE PARK PER THE ATTACHED SPECIFICATIONS. A MANDATORY PRE-BID MEETING WILL BE HELD MAY 21, 2009 AT 10:00 AM AT PARK HEADQUARTERS. FAILURE TO ATTEND THE MANDATORY MEETING WILL RESULT IN BID DISOUALIFICATION. AN INDIVIDUAL MAY NOT REPRESENT MORE THAN ONE VENDOR AT THE PRE-BID MEETING TECHNICAL QUESTIONS MUST BE SUBMITTED IN WRITING TO FRANK WHITTAKER IN THE PURCHASING DIVISION VIA FAX AT \$04-558-4115 OR VIA EMAIL AT FRANK.M.WHITTAKER@WV.GOV DEADLINE FOR TECHINCAL QUESTIONS IS 05/22/09 AT 3:00 PM RECEIVED ALL TECHNICAL QUESTIONS WILL BE RESPONDED TO BY ADDENDUM AFTER THE DEADLINE. 2009 JUN 16 A 10: 25 IN THE EVENT THE VENDOR/CONTRACTOR FILES BANKRUPTCY: TROBASING DIVISION FOR BANKRUPTCY PROTECTION, THIS CONTRACT MAY BE STATE OF WV DEEMED NULL AND VOID, AND TERMINATED WITHOUT FURTHER ΦRDER. THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT intended to reflect a preference or favor any PARTICULAR BRAND ØR VENDOR. VENDORS WHO ARE BIDDING SEE REVERSE SIDE FOR TERMS AND CONDITIONS. SIGNATURE 800-438-2780 6-11-09 Project Manager 57-0883979 ADDRESS CHANGES TO BE NOTED ABOVE



POOCE

\*709033753

PO BOX 240981

CHARLOTTE NC

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

28224

CUNNINGHAM ASSOCIATES INC

800-438-2780

#### Request for Quotation

DNR209149

PAGE 2

ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER

DIVISION OF NATURAL RESOURCES CASS SCENIC RAILROAD ST PARK ATTN: PARK SUPERINTENDENT

BOX 107 CASS, WV

24927

456-4300

DATE PRI	vere n	ERMS OF SALE	SHIPVIA		
05/12/		C. IVO OI SALL	STUT VIA	F.O.B	FREIGHT TERMS
BID OPENING DATE	* _	//2009	BTD	OPENING TIME 0	1:30PM
LINE	QUANTITY	UOP CAT.	ITEM NUMBER	UNIT PRICE	AMOUNT
	אז ייים אז איים פ	anout plan a	 TATE AND INCLUDE	Debetateate	
<u> </u>			CATIONS. FAILUR		
the control of the co			TERNATES MAY BE		
	1	F THE BID.	THE STATE RESER		
Salahan Araban Salahan		,	1	OR SPECIFICATION	S
		1 3	TION 148-1-4(F) ULES AND REGULAT	i	
		TON	ł .	# O14D •	
	A SIGNED BI	D MUST BE S	UBMITTED TO:	The state of the s	
	DEPART	MENT OF ADM	ENISTRATION		
	1	SING DIVISI			
	BUILDI	1			
600 mm and an		ASHINGTON S STON, WV 2	TREET, EAST	,	-
	CHARLE	SLOW, WV Z	D302-0T30		
			**************************************		
	<b>W</b>				
Part	THE BID SHO	III.D COMTATN	THIS INFORMATIO	 N ON THE FACE OF	
MINANANA ARIA (ARIA ARIA)			D MAY NOT BE CON		
***					
	SEALED BID				
	Terrorium .			NAME OF THE PARTY	
	BUYER:	44		WARRIED TO THE T	***************************************
	DEC NO		000140		
	RFQ. NO.:		R209149 		
	BID OPENING	DATE: 06	/17/09		
	BID OPENING	TIME: 1:	BO PM		
			***************************************		
SIGNATURE (	<i>[</i> ]	SEE RE	VERSE SIDE FOR TERMS AND CO TELEPHONE	NDITIONS <b>800-438-2780</b> DATE	Co-11-09
TITLE ()	000	FEIN		800 730-2180	0-17-0-1
Project	Manager	FEIN 54-0883	7 17	ADDRESS CHANGE	S TO BE NOTED ABOVE



MODZEK

\*709033753

PO BOX 240981

CHARLOTTE NC

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

28224

CUNNINGHAM ASSOCIATES INC

800-438-2780

#### Request for Quotation

RFQ NUMBER DNR209149

PAGE 3

ADDRESS CORRESPONDENCE TO ATTENTION OF

FRANK WHITTAKER 304-558-2316

DIVISION OF NATURAL RESOURCES CASS SCENIC RAILROAD ST PARK ATTN: PARK SUPERINTENDENT

BOX 107 CASS, WV

24927 456-4300

DATE PRINTED T		TER	IMS OF SA	LE	SHIP	VIA		F.O.B		FREIGHT TERMS
05/12/ BID OPENING DATE:	2009									
BID OPENING DATE:	<u> </u>	06/17/	2009	la consecuencia de la consecuencia		BID	OPEN	IING TIME	01	:30PM
LINE	QUAN	YTIT	UOP	CAT. NO.	ITEM NU	MBER		UNITPRICE		AMOUNT
					UMBER IN NG YOUR E	BID:	IS	NECESSARY		
	CONTAC:	r pers	ON (P	LEASE	PRINT CI	EARLY):	¢			
	****	THIS	IS T	HE EN	D OF RFQ	DNR209	149	***** TO	TAL:	142,081.69
SIGNATURE A				SEE REV	ERSE SIDE FOR T	ا <u>ما المناف بالزندان عام مي مي مي مي مي</u>	سنختش أتتحسن		10 10 10 10 10 10 10 10 10 10 10 10 10 1	
SIGNATURE ( )						TELEPHONE &	20-4	38-2780	DATE	6-11-09
TITLE Project 1	Nanager			08839					ANGES	TO BE NOTED ABOVE
LARL	CHIDEOD	AIDINIO "	TO DEO	MODE	TALABATT ARITS	ADDDECO	W 1 0 D	ACE ACOMELA	000	D. R. (ELIDODI

#### WVDNR209149

#### Cass Scenic Railroad State Park

To supply playground equipment to offer play activities for children ages two (2) to twelve (12) at Cass Scenic Railroad State Park, Cass, West Virginia. Playground equipment will be purchased for two separate areas in the park. Park personnel will install all playground equipment. The award may be split if it is in the best interest of the West Virginia Division of Natural Resources. All items must be F.O.B. Destination. Freight or delivery charges must be included in the price of the goods. Delivery must be made within sixty (60) days of purchase order award.

#### **AREA 1 - DEPOT AREA**

PrimeTime custom modular unit or equal. The structure must include the following components:

- Three (3) PrimeTime 3 ½" OD upright assembly, Model #12024, or equal. Upright must be a minimum of 9' in height and composed of aluminum.
- Seven (7) PrimeTime 3 ½" OD upright assembly, Model #12026, or equal. Uprights must be a minimum of 11' in height and constructed of aluminum.
- One PrimeTime D ring package, Model #12049, or equal.
- Four (4) PrimeTime 3 and ½" OD upright assembly, Model # 12077. Uprights must be a minimum of 15' in height and constructed of aluminum.
- One (1) PrimeTime dna climber, Model #2113, or equal. Climber must be a minimum of 5' in height.
- One (1) PrimeTime crunch bar, Model #12215, or equal. Bar must be constructed of metal.
- One (1) PrimeTime straight horizontal loop ladder attachment, Model #12219, or equal.
- One (1) PrimeTime rung access, Model #12615, or equal. Access must be a minimum of 5' 0"/6' 0" in height.
- One (1) PrimeTime therapeutic ring attachment, Model #12704, or equal.
- One (1) PrimeTime single seat P/T, Model #12728, or equal.
- One (1) PrimeTime Turning bar P/T, Model #12729, or equal.

- One (1) PrimeTime Rock Wall Climber, Model #12913, or equal. Climber must have a minimum 45 ½" deck.
- Two (2) square punched deck P/T 1.3125, Model 18200, or equal. Deck must be a minimum of 36".
- One (1) PrimeTime rectangular punched deck P/T, Model #18202, or equal.
- One (1) transfer point, Model #18251, or equal. Transfer point must be a minimum of 3' in height and a minimum of 36" in width.
- One (1) PrimeTime step link, Model #18259, or equal. Step link must be a minimum of 2' in height and with a deck a minimum of 36".
- One (1) PrimeTime access attachment, Model #18273, or equal. Attachment must be a maximum of 8" in height.
- One (1) PrimeTime suspension bridge, Model #18340, or equal. Bridge must be a minimum 36" in length.
- One (1) PrimeTime cosmix climber, Model #18361, or equal. Climber must be a minimum of 8' in height with a minimum of 36" deck.
- One (1) PrimeTime double zip slide, Model #18378, or equal. Slide must be a minimum of 5' in height.
- One (1) PrimeTime curved zip slide, Model #18387, or equal. Slide must be a minimum of 3' in height with a minimum 36" deck.
- One (1) PrimeTime shingle roof, Model #18671, or equal.
- One (1) PrimeTime 3 and 1/2" OD upright assembly, Model #G12026. Upright must be a minimum of 11' in height and must be constructed of galvanized steel.
- One (1) PrimeTime train whistle, Model #81695, or equal.
- One (1) GameTime owner's kit, Model #17849, or equal.

#### **AREA 2 - WHITTAKER AREA**

GameTime PowerScape plus modular unit or equal. Structure must be composed of the following components:

- Three (3) PowerScape punched steel deck, Model #80000, or equal. Deck must be a minimum of 49" in height or width?
- Four (4) PowerScape upright assembly, Model #80016, or equal. Upright must be a minimum of 9' in height and constructed of aluminum.
- Two (2) PowerScape upright assembly, Model #80017, or equal. Upright must be a minimum of 10' in height and constructed of aluminum.
- Seven (7) PowerScape upright assembly, Model #80018, or equal. Upright must be a minimum of 11' in height and constructed of aluminum.
- Four (4) upright assembly, Model #80019, or equal. Upright must be a minimum of 12' in height and constructed of aluminum.
- One (1) PowerScape perforated metal roof, Model #80104, or equal.
- One (1) PowerScape loop ladder, Model # 80311, or equal. Ladder must be a minimum of 5' in height.
- One (1) PowerScape leaning wall climber, Model #80395, or equal. Climber must be a minimum of 2' in height.
- One (1) PowerScape transfer point, Model #80653, or equal. Transfer point must be a minimum of 3' in height.
- One (1) PowerScape Access attachment, Model #80656, or equal. Attachment must be a minimum of 25 ½" wide x 14 %" deep x 8" high.
- One (1) PowerScape handhold/kick plate package, Model #80687, or equal.
- One (1) 80694-stepped platform, Model #80694, or equal. Platform must be a minimum of 12" in height.
- One (1) tunnel-up crawl tube, Model #80715, or equal. Tube must be a minimum of 8' in length.
- One (1) PowerScape choo panel, Model #80936, or equal.

- Two (2) PowerScape train cabin, Model # 80945, or equal.
- One (1) PowerScape funnel bridge, Model #81108, or equal. Bridge must be a minimum of 49" in length.
- One (1) PowerScape Giant wave climber link, Model #81143, or equal.
- One (1) PowerScape wildslide exit section, Model #81274, or equal.
- One (1) PowerScape wildslide 135 degree section, Model #81324, or equal.
- One (1) PowerScape wildslide entrance section, Model #81325, or equal.
- One (1) PowerScape double zipslide, Model #81344, or equal. Slide must be a minimum of 5' in height.
- One (1) PowerScape horizontal loop attachment, Model #81507, or equal. Attachment must be a minimum of 84" in height as measured from grasping device to protective surface and a minimum of 98" in length.
- One (1) PowerScape hand cycler, Model #81669, or equal.
- One (1) PowerScape train locomotive, Model # 81686, or equal.
- One (1) PowerScape single steering wheel, Model #81691, or equal.
- One (1) PowerScape upright assembly, Model #G80018, or equal. Upright must be a minimum of 11' in height and constructed of galvanized steel.
- One (1) PowerScape train whistle, Model #81695, or equal.

PrimeTime swing, Item #12583, or equal. Top rail and arch must have a minimum 3 ½ inch OD; arch must be a minimum of 11 gauge galvanized steel tubing; must include a minimum of 3 ½ inch O.D. galvanized steel sleeve; must be polyester powder coat; must be a minimum of 8 foot high with finished surface; and must accommodate two (2) free standing swings.

PrimeTime swing add-a-bay, Item #12584, or equal. Top rail and arch must have a minimum 3 ½ inch OD; arch must be a minimum of 11 gauge galvanized steel tubing; must include a minimum of 3 ½ inch O.D. galvanized steel sleeve; must be polyester powder coat; must be a minimum of 8 foot high with a finished surface; and must accommodate two (2) free standing swings.

PrimeTime swing belt seat package 3 %" OD, item #8910, or equal. Package must include all hardware necessary to attach to a minimum of a 3 % inch top rail.

One (1) GameTime owner's kit, Model #17849, or equal.

#### ITEMS FOR BOTH PLAYGROUND AREAS

Engineered wood fiber or equal @ 8" compacted depth. Material must be recently harvested and debarked; free of chemical treatments and additives; free of soil, twigs, leaves and other contaminates.

Geo-textile fabric, 2,250 square foot roll, or equal. Fabric must provide a water permeable separation between the earth and the wood fiber and at least 150 gallons per square foot per minute. Installation to be completed by park personnel

All playground equipment and engineered wood fiber must meet the following requirements:

- Compliance with U.S. Consumer Product Safety Commission, Handbook for Public Playground Safety.
- Compliance with ASTM Standard F 1487.
- Compliance with Architectural and Transportation Barriers Compliance Board, Americans with Disabilities Act (ADA) Accessibility Guidelines for Buildings and Facilities; Play Areas.

Vendors must submit the following attachments:

- Complete manufacturer's parts specifications and warranties.
- Layout drawing to scale of the proposed play structure or equipment.
- ASTM and CPSC Statement of Compliance

#### Warranties:

All equipment and engineered wood fiber must be guaranteed to be free of defects in workmanship and material for a minimum of one year from date of acceptance. However, if manufacturer warranty periods are longer than the required minimum one year warranty, those warranties shall apply.

Structural steel members and play surfaces must be treated for rust prevention and painted With a suitable powder coat finish. All molded plastics and vinyl coatings must have UV protection

Vendor must provide complete installation instructions, parts specifications, touch-up paint sufficient for initial installation, and warranties.

Color scheme of equipment must be coordinated with Cass Scenic Railroad State Park. Color of items will be selected from manufacturer's standard colors.

A mandatory pre-bid conference will be held on May 21, 2009, at Cass Scenic Railroad State Park at 10:00 a.m. at Park Headquarters. A failure to attend the mandatory pre-bid conference

will result in bid disqualification. An individual may not represent more than one firm at the pre-bid conference.

#155 P. 003/007


(8) z

B.

09/53/5008 15:62

1045257356

From: Cunningham and assoc.



Please complete the below information concerning the brand(s) of equipment being bid in relation to this project. If bidding inchor equal inch brands, please attach manufacturer's literature documenting that it meets the mandatory requirements stated in the specifications. Vendors should note the areas of the provided manufacturer's literature that adheres to the mandatory requirements outlined in the Request For Quotation.

Item No.	Equipment	uipment Manufacturer			
1	Depot Area Playground - PrimeTime custom modular unit, or equal. The structure must include the following components:		See attached		
	Depot Area Playground - Three (3) PrimeTime 3 ½" OD upright assembly, Model #12024, or equal.				
	Depot Area Playground - Seven (7) PrimeTime 3 ½" OD upright assembly, Model #12026, or equal.				
	Depot Area Playground - one (1) PrimeTime D ring package, Model #12049, or equal.				
	Depot Area Playground - four (4) PrimeTime 3 ½" OD upright assembly, Model # 12077.				
	Depot Area Playground - one (1) PrimeTime dna climber, Model #2113, or equal.				
	Depot Area Playground - one (1) PrimeTime crunch bar, Model #12215, or equal.				
	Depot Area Playground - one (1) PrimeTime straight horizontal loop ladder attachment, Model #12219, or equal.				

Item No.	Equipment	Manufacturer	Model
	Depot Area Playground - one		
	(1) PrimeTime rung access,		
	Model #12615, or equal.		See attached
	Danat Araa Blayarayad		
	Depot Area Playground - one (1) PrimeTime therapeutic ring		
	1, ,		·
ł	attachment, Model #12704, or		
	equal.  Depot Area Playground - one		
	(1) PrimeTime single seat p/t,		
'	Model #12728, or equal.		
	Wiodel #12726, or equal.		
	Depot Area Playground - one		
} !	(1) PrimeTime turning bar P/T,		
	Model #12729, or equal.		
1	,		
	Depot Area Playground - one		
	(1) PrimeTime rock wall		
	climber, Model #12913, or		
uning to the state of the state	egual.	.10	
	Depot Area Playground - two		
í	(2) square punched deck P/T		
T-L-S	1.3125, Model #18200, or		
	equal.		
	Depot Area Playground - one		
	(1) PrimeTime rectangular		
4	punched deck p.t, Model		
	#18202, or equal.		
·	Depot Area Playground - one		
1	(1) transfer point, Model	,	
1	#18251, or equal.	•	
	Depot Area Playground - one		
-	(1) PrimeTime step link, Model		
ŧ.	#18259, or equal.		
	Depot Area Playground - one		
	(1) PrimeTime 18273- 3' and 5'	,	
:	access attachment, Model		
	#18273, or equal.		V

Item No.	Equipment	Manufacturer	Model
	Depot Area Playground - one		
[	(1) PrimeTime suspension	·	
	bridge, Model #18340, or		See attached
	equal.		
1	Depot Area Playground - one		
ı	(1) PrimeTime cosmix climber,		
	Model #18361, or equal.		
<u></u>	Depot Area Playground - one		
	(1) PrimeTime double zip slide,		·
,	Model #18378, or equal.		
	Depot Area Playground - one		
	(1) PrimeTime curved zip slide,		
	Model #18387, or equal.		
<u>,</u>	Depot Area Playground - one		
	(1) PrimeTime shingle roof,		
	Model #18671, or equal.		
	Depot Area Playground - one		
	(1) PrimeTime 3 1/2"OD		
	upright assembly, Model		
1	#G12026.		
,	Depot Area Playground - one		
ua Antaria	(1) PrimeTime train whistle,		1 1
	Model #81695, or equal.		
2	Depot Area Playground - one		
	(1) GameTime owner's kit,		
	Model #17849, or equal.		
3	Whittaker Area Playground -		
	PowerScape plus modular unit,		
	or equal. Structure must be		
:	composed of the following		
	components:		
***************************************	Whittaker Area Playground -		
•	Three (3) PowerScape punched		
1	steel deck, Model #80000, or		
	equal.		4

Item No.	Equipment	Manufacturer	Model	
	Whittaker Area Playground -			
	four (4) PowerScape upright			
	assembly, Model #80016, or		See attached	
······································	egual.		300 000000	
	Whittaker Area Playground -			
	two (2) PowerScape upright	***************************************		
	assembly, Model #80017, or			
	equal.			
	Whittaker Area Playground -	·		
	Seven (7) PowerScape upright			
	assembly, Model #80018, or			
:	equal.			
	Whittaker Area Playground -			
	four (4) 80019- 12' upright			
	assembly, aluminum.			
	Whittaker Area Playground -			
	one (1) PowerScape perforated			
	metal roof, Model #80104, or		·	
	equal.			
	Whittaker Area Playground -			
	one (1) PowerScape loop			
	ladder, Model # 80311, or			
	equal.			
	Whittaker Area Playground -			
	one (1) PowerScape leaning			
	wall climber, Model #80395, or	,		
	equal.			
	Whittaker Area Playground -			
	one (1) PowerScape transfer			
	point, Model #80653, or equal.			
	M/histolica Ange Di			
	Whittaker Area Playground -			
	one (1) PowerScape Access			
!	attachment, Model #80656, or			
· · · · · · · · · · · · · · · · · · ·	equal. Whittaker Area Playeround			
	Whittaker Area Playground -			
:	one (1) PowerScape			
	handhold/kick plate package,		/	
	Model #80687, or equal.		I V	

Item No.	Equipment	Manufacturer	Model		
	Whittaker Area Playground -				
	one (1) PowerScape stepped				
	platform, Model # 80694, or		See attached		
	egual.		see arrached		
	Whittaker Area Playground -				
	one (1)PowerScape tunnel-up				
	crawl tube, Model # 80715 , or				
	Whittaker Area Playground -				
	one (1) PowerScape choo				
	panel, Model #80936, or equal.				
	Whittaker Area Playground -				
	two (2) PowerScape train				
:	cabin, Model # 80945, or				
	equal.				
	Whittaker Area Playground -				
	one (1)PowerScape funnel				
	bridge, Model #81108, or				
	Whittaker Area Playground -				
	one (1) PowerScape Giant				
	wave climber link, Model				
	#81143, or equal.				
	Whittaker Area Playground -				
	one (1) PowerScape wildslide				
	exit section, Model #81274, or				
	egual.				
	Whittaker Area Playground -				
	one (1) PowerScape wildslide				
	135 degree section, Model				
	Whittaker Area Playground -				
	one (1) PowerScape wildslide				
	entrance section, Model				
	#81325, or equal.				
	Whittaker Area Playground -				
	one (1) PowerScape double				
	zipslide, Model #81344, or				
	equal.		$oldsymbol{V}$		

Item No.	Equipment	Manufacturer	Model		
	Whittaker Area Playground - one (1) PowerScape horizontal loop attachment, Model #81507, or equal.		See attached		
	Whittaker Area Playground - one (1) PowerScape hand cycler, Model #81669, or equal.	·			
	Whittaker Area Playground - one (1) PowerScape train locomotive, Model # 81686, or equal.				
	Whittaker Area Playground - one (1) PowerScape single steering wheel, Model #81691, or equal.				
	Whittaker Area Playground - one (1) PowerScape upright assembly, Model #G80018, or equal.				
	Whittaker Area Playground - one (1) PowerScape train whistle, Model #81695, or equal.				
4	Whittaker Area Playground - one (1) PrimeTime 2 seat swing, Model #12583.				
5	Whittaker Area Playground - two (2) 2 seat Primetime swing add-a-bay, Model #12584, or equal.				
6	Whittaker Area Playground - PrimeTime 3 1/2" belt seat with galvanized chain, Model #8910, or equal.	·			
7	Whittaker Area Playground - one (1) GameTime owner's kit, Model #17849, or equal.				

Item No.	Equipment	Model			
8	Depot Area Playground (2,396 Square Feet) and Whittaker Area Playground (3,615) - engineered wood fiber or equal @ 8" compacted depth.		See attached		
9	Depot Area Playground Whittaker Area Playground geo textile fabric, 2,250 square foot roll, or equal.				

### WVDNR209149

### Cass Scenic Railroad Playground Equipment

#### PRICING SHEET

Item No.	Quantity	Description	<b>Unit Price</b>	Amount		
1	1	Depot Area Playground -				
		PrimeTime custom modular unit or	:	See attache		
		equal.				
2	1	Depot Area Playground - one (1)		Ì		
		GameTime owner's kit, Model				
		#17849, or equal.				
3	1	Whittaker Area Playground -				
		PowerScape plus modular unit, or				
		equal. Structure must be				
		composed of the following				
		components:				
4	1	Whittaker Area Playground - one				
		(1) PrimeTime 2 seat swing, Model				
		#12583.				
5	2	Whittaker Area Playground -				
		Primetime swing add-a-bay, Model				
		#12584, or equal.				
6	6	Whittaker Area Playground -				
•		PrimeTime 3 1/2" belt seat with				
		galvanized chain, Model #8910, or				
		equal.				
7	1	Whittaker Area Playground - one				
		(1) GameTime owner's kit, Model				
	:	#17849, or equal.				
8	6,011 Square	Depot Area Playground (2,396				
	Feet	Square Feet) and Whittaker Area				
		Playground (3,615) - engineered				
		wood fiber or equal @ 8"				
		compacted depth.				
9	3 Rolls	Depot Area Playground and				
		Whittaker Area Playground geo-				
		textile fabric, 2250 square foot roll,				
		or equal.		1 1		

#### State of West Virginia

#### VENDOR PREFERENCE CERTIFICATE

Certification and application\* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1.	Application is made for 2.5% resident vendor preference for the reason checked:  Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,					
	Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or.					
Substitute of Su	Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,					
2.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,					
3.	Application is made for 2.5% resident vendor preference for the reason checked:  Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,					
4.	Application is made for 5% resident vendor preference for the reason checked:  Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,					
5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,					
6.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.					
require	understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the ments for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency octed from any unpaid balance on the contract or purchase order.					
authorize the required deeme	mission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and zes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid uired business taxes, provided that such information does not contain the amounts of taxes paid nor any other information d by the Tax Commissioner to be confidential.					
and ac	Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.					
Bidder	Signed:					
Date:	Title:					
	any combination of preference consideration(s) indicated above, which you are entitled to receive.					

### STATE OF WEST VIRGINIA Purchasing Division

#### PURCHASING AFFIDAVIT

#### VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

#### PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

If this is a solicitation for a public improvement construction contract, the vendor, by its signature below, affirms that it has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the **West Virginia Code**. The vendor **must** make said affirmation with its bid submission. Further, public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the **West Virginia Code** and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the **West Virginia Code** may take place before their work on the public improvement is begun.

#### **ANTITRUST:**

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

#### LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

#### **CONFIDENTIALITY:**

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.

Under penalty of law for false swearing (**West Virginia Code** §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name:	Dane	11	ne	clo	(unni	ng han	Associates		
Authorized Signature	e:					•	Date: _	6-11-09	
Durahasina Affidavit (Davi	and 01/01/00	Įν	/						

#### **Cunningham Associates**

Drawing File Name: cass scenic whitaker revised 6-11-09.dwg

Project: Project not specified Location: Location not specified

Drawing Date: 6/15/2009

Operator: JC

Part #	Description	Quantity	<u>Weight</u>	<u>Price</u>
8910	Belt Seat 3 1/2"Od(8910)	6.00	96.00	\$1,128.00
12583	Primetime Swing Frame, 3 1/2" Od	1.00	286.00	1,104.00
12584	Primetime Swing Add-A-Bay, 3 1/2" Od	2.00	348.00	1,370.00
80000	49" Sq Punched Steel Deck	3.00	462.00	2,295.00
80016	9' Upright Assembly (alum)	4.00	92.00	960.00
80017	10' Upright Assembly (alum)	2.00	52.00	528.00
80018	11' Upright Assembly (alum)	7.00	203.00	2,016.00
80019	12' Upright Assembly (alum)	4.00	124.00	1,248.00
80104	Perf Metal Roof	1.00	246.00	1,536.00
80311	5'-0" Loop Ladder	1.00	119.00	989.00
80395	2'-0"Leaning Wall Climber	1.00	105.00	970.00
80653	3'-0"Transfer Point	1.00	252.00	1,649.00
80656	Access Attachment 3'& 4'	1.00	88.00	414.00
80687	Handhold/Kick Plate Pkg	1.00	18.00	283.00
80694	12"Stepped Platform	1.00	183.00	1,042.00
80715	8'Tunnel-Up	1.00	222.00	1,968.00
80936	Choo Panel	1.00	46.00	637.00
80945	Cabin	2.00	110.00	2,824.00
81108	Funnel Bridge-49"	1.00	208.00	1,953.00
81143	Giant Wave Climbe Link	1.00	192.00	2,027.00
81274	Wildslide Exit Section	1.00	77.00	593.00
81324	Wildslide 135 Deg Section	1.00	41.00	438.00
81325	Wildslide Entrance Section	1.00	92.00	750.00
81344	5' Double Zip Slide	1.00	244.00	1,671.00
81507	2'-0"Horiz Loop Attch 98"	1.00	102.00	831.00
81669	Hand Cycler	1.00	18.00	488.00
81686	Locomotive	1.00	817.00	8,826.00
81691	Single Steering Wheel	1.00	5.30	182.00
81695	Train Whistle	1.00	24.00	366.00
G80018	11' Upright Assembly (galv)	1.00	75.00	288.00
			4,947.30	\$41,374.00

Material Surcharge: \$0.00

Grand Total: \$41,374.00

#### **Cunningham Associates**

Drawing File Name: Cass Scenic Depot Area rev 6-11-09.dwg

Project: Project not specified Location: Location not specified

**Drawing Date: 6/15/2009** 

Operator: JC

Part #	Description	Quantity	<u>Weight</u>	Price
12024	3 1/2" Uprt Ass'Y Alum 9'	3.00	48.00	\$516.00
12026	3 1/2" Uprt Ass'Y Alum 11'	7.00	133.00	1,456.00
12049	D Ring Pkg Primetime	1.00	21.00	234.00
12077	3 1/2" Uprt Ass'y Alum 15'	4.00	100.00	1,120.00
12113	5'0" Dna Climber	1.00	87.00	892.00
12215	Crunch Bar Prime Time	1.00	2.00	65.00
12219	St Horiz Loop Ladder Atth	1.00	66.00	593.00
12615	5'-0"/6'-0" Rung Access	1.00	67.00	654.00
12704	Therapeutic Ring Attach	1.00	23.00	304.00
12728	Single Seat P/T	1.00	8.00	218.00
12729	Turning Bar P/T	1.00	13.00	148.00
12913	Rock Wall Climb-45 1\2"Dk	1.00	111.00	981.00
18200	36" Sq Punched Deck P/T 1.3125	2.00	96.00	956.00
18202	Rect Punched Deck P/T	1.00	61.00	604.00
18251	3'-0" Transfer Point 36" W	1.00	225.00	1,536.00
18259	2'-0" Step Link 36" Deck	1.00	145.00	1,547.00
18273	3' & 5' Access Attachment	1.00	88.00	414.00
18340	Suspension Bridge 36" Dk	1.00	305.00	2,856.00
18361	8'Cosmix Climber 36"Dk	1.00	140.00	1,172.00
18378	5' Double Zip Slide	1.00	242.00	1,670.00
18387	3' Curved Zip Slide, 36" Dk	1.00	141.00	921.00
18671	Shingle Roof	1.00	53.00	450.00
G12026	3 1/2" Uprt Ass'Y Galv 11'	1.00	41.00	174.00
			2,216.00	\$19,481.00

Material Surcharge:

\$0.00

**Grand Total:** 

\$19,481.00



#### Cass Scenic Railroad State Park Proposal (BID)

West Virginia State Parks

Attn: Dave Caplinger RR 66, Main Street

**PO Box 107** 

Cass, WV 24927-4300

Phone: 304-456-4300

QUOTE

6/15/2009

# 61537

Ship To Zip: 25305

Quantity	Part#	Description	Unit Price	Amount
2	12584	GameTime - Primetime Swing Add-A-Bay, 3 1/2" Od	\$363.05	\$726.10
6	8910	GameTime - Belt Seat 3 1/2"Od(8910)	\$99.64	\$597.84
6011	EWF	GT-Impax - Engineered Wood Fiber @ 8" Compacted Depth	\$0.90	\$5,409.90
3	161290	GameTime - Geo-Textile 2250 Sq Ft Roll	\$450.00	\$1,350.00
Site must b		of obstructions. Pricing does not include	SubTotal: Total Amount:	\$39,101.05 <b>\$42,081.69</b>

Pricing: Prices are firm for 30 days unless otherwise noted.

Shipment: Order shipped 30-45 day after receipt of order and acceptance of your purchase order, color selections, approved submittals, (if required) unless otherwise noted. It is the responsibility of the owner to offload and inventory equipment, unless other arrangements have been made. Missing or damaged equipment must be reported within 60 days of acceptance of delivery

Payment Terms: Net 30 days subject to approval by Credit Manager. A signed P.O. made out to Gametime C/O Cunningham Associates, Inc. or this signed quotation is required for all orders.

Acceptance of this proposal indicates your agreement to the terms and condition stated herein.





#### Cass Scenic Railroad State Park Proposal (BID)

West Virginia State Parks Attn: Dave Caplinger RR 66, Main Street PO Box 107

Cass, WV 24927-4300

Phone: 304-456-4300

QUOTE

6/15/2009

# 61537

Ship To Zip: 25305

Quantity	Part#	Description	Unit Price	Amount
		DEPOT AREA		
1	RDU	GameTime - PrimeTime Modular Unit (see attached drawings)	\$10,324.93	\$10,324.93
		The above item with a quantity of 1 consists of the follow	wing components.	
		(3) 12024 3 1/2" Uprt Ass'Y Alum 9'		
		(7) 12026 3 1/2" Uprt Ass'Y Alum 11'		
		(1) 12049 D Ring Pkg Primetime		
		(4) 12077 3 1/2" Uprt Ass'y Alum 15'		
		(1) 12113 5'0" Dna Climber		
		(1) 12215 Crunch Bar Prime Time		
		(1) 12219 St Horiz Loop Ladder Atth		
		(1) 12615 5'-0"/6'-0" Rung Access		
		(1) 12704 Therapeutic Ring Attach		
		(1) 12728 Single Seat P/T		
		(1) 12729 Turning Bar P/T		
		(1) 12913 Rock Wall Climb-45 1\2"Dk		
		(2) 18200 36" Sq Punched Deck P/T 1.3125		
		(1) 18202 Rect Punched Deck P/T		
		(1) 18251 3'-0" Transfer Point 36" W		
	•	(1) 18259 2'-0" Step Link 36" Deck		
		(1) 18273 3' & 5' Access Attachment		
		(1) 18340 Suspension Bridge 36" Dk		
		(1) 18361 8'Cosmix Climber 36"Dk		
		(1) 18378 5' Double Zip Slide		
		(1) 18387 3' Curved Zip Slide, 36" Dk		
		(1) 18671 Shingle Roof		
		(1) G12026 3 1/2" Uprt Ass'Y Galv 11'		
1	178749	GameTime - Owner's Kit	\$44.00	\$44.00
		WHITAKER STATION AREA		
1	RDU	GameTime - Powerscape Plus Modular Unit (see attached drawings)	\$20,019.16	\$20,019.16



Office: 704.525.5174 • 7

Toll Free: 800.438.2780

Fax: 704.525.7356



Cass Scenic Railroad State Park Proposal (BID)

West Virginia State Parks Attn: Dave Caplinger RR 66, Main Street PO Box 107

Cass, WV 24927-4300 Phone: 304-456-4300

QUOTE

6/15/2009

# 61537

Ship To Zip: 25305

Quantity	Stock ID	Description	Unit Price	Amount			
		The above item with a quantity of 1 consists of the follow	ing components.				
		(3) 80000 49" Sq Punched Steel Deck					
		(4) 80016 9' Upright Assembly (alum)					
		(2) 80017 10' Upright Assembly (alum)					
		(7) 80018 11' Upright Assembly (alum)					
		(4) 80019 12' Upright Assembly (alum)					
		(1) 80104 Perf Metal Roof					
		(1) 80311 5'-0" Loop Ladder					
		(1) 80395 2'-0"Leaning Wall Climber					
		(1) 80653 3'-0"Transfer Point					
		(1) 80656 Access Attachment 3'& 4'					
		(1) 80687 Handhold/Kick Plate Pkg					
		(1) 80694 12"Stepped Platform					
		(1) 80715 8'Tunnel-Up					
		(1) 80936 Choo Panel					
		(2) 80945 Cabin					
		(1) 81108 Funnel Bridge-49"					
		(1) 81143 Giant Wave Climbe Link					
		(1) 81274 Wildslide Exit Section					
		(1) 81324 Wildslide 135 Deg Section					
		(1) 81325 Wildslide Entrance Section					
		(1) 81344 5' Double Zip Slide					
		(1) 81507 2'-0"Horiz Loop Attch 98"					
		(1) 81669 Hand Cycler					
		(1) 81686 Locomotive					
		(1) 81691 Single Steering Wheel					
		(1) 81695 Train Whistle					
		(1) G80018 11' Upright Assembly (galv)					
1	178749	GameTime - Owner's Kit	\$44.00	\$44.00			
1	12583	GameTime - Primetime Swing Frame, 3 1/2" Od	\$585.12	\$585.12			



	MARSH		CERTIFIC			ATL-001038993-07				
ROD	MARSH 3475 PIEDMONT ROAD NE SUITE 1200		NO RIGHTS UP	ON THE CERTIFICATE	MATTER OF INFORMATION ON HOLDER OTHER THAN THOSE OT AMEND, EXTEND OR ALTER IBED HEREIN.	PROVIDED IN THE				
,	ATLANTA, GA 30305			COMPANI	S AFFORDING COVERA	\GE				
	Attn: Tami Rouse 404-995-34	30	COMPANY			the trees dispersion to become which as a source amount of the cost of the first				
5710	2-GL-pg-02-03			COMPANY  A STEADFAST INSURANCE COMPANY						
SUR	and desirable to the second of	and a second second was a second to the second seco	COMPANY	, , , , , , , , , , , , , , , , , , ,	(	ad and the base of a fine and described in Fig. 19 to Manufacture				
	Game Time a division of Playcore Wiscon	sin, Inc.	the second section of the second section of the sec	ATIONAL UNION	FIRE INSURANCE CO OF	PITTSBURGH				
	150 GameTime Drive Fort Payne, AL 35967		COMPANY C O	HIO CASUALTY II	NSURANCE CO					
			COMPANY <b>D</b> N/							
· OV	ERAGES This	certificate supersedes and repla	aces any provincisty iss	ued certificate for	the policy period noted be	low. 2				
1	HIS IS TO CERTIFY THAT POLICIES OF OTWITHSTANDING ANY REQUIREMENT, ERTAIN, THE INSURANCE AFFORDED BY MITS SHOWN MAY HAVE BEEN REDUCED	F INSURANCE DESCRIBED HEREIN F TERM OR CONDITION OF ANY CONTR THE POLICIES DESCRIBED HEREIN IS	HAVE BEEN ISSUED TO TH ACT OR OTHER DOCUMENT	HE INSURED NAMED WITH RESPECT TO W	HEREIN FOR THE POLICY PE HICH THE CERTIFICATE MAY B	RIOD INDICATED E ISSUED OR MAY				
O FR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIN	uts				
-	GENERAL LIABILITY				GENERAL AGGREGATE	\$ 5,000,000				
+	X COMMERCIAL GENERAL LIABILITY	SC05344512-01	02/26/06	08/01/07	PRODUCTS - COMP/OP AGG	\$ 2,000,000				
ŀ	CLAIMS MADE X OCCUR			}	PERSONAL & ADV INJURY	\$ 1,000,000				
ŀ	OWNER'S & CONTRACTOR'S PROT				EACH OCCURRENCE	\$ 1,000,000				
ŀ	X SIR \$150,000				FIRE DAMAGE (Any one fire)	\$ 50,000				
-	^ SIR \$150,000				MED EXP (Any one person)	\$ EXCLUDED				
+	AUTOMOBILE LIABILITY				COMBINED SINGLE LIMIT	\$				
	ANY AUTO ALL OWNED AUTOS				BODILY INJURY (Per person)	\$				
	SCHEOULED AUTOS				BODILY INJURY					
	HIRED AUTOS NON-OWNED AUTOS				(Per accident)	\$				
ļ					PROPERTY DAMAGE	\$				
$\exists$	GARAGE LIABILITY				AUTO ONLY - EA ACCIDENT	\$				
ſ	ANY AUTO				OTHER THAN AUTO ONLY:					
ĺ					EACH ACCIDENT	\$				
Ī	( Annual Commission Co				AGGREGATE	\$				
	EXCESS LIABILITY				EACH OCCURRENCE	\$ 25,000,000				
İ	X UMBRELLA FORM	BE 5190218	02/26/06	08/01/07	AGGREGATE	\$ 25,000,000				
l	OTHER THAN UMBRELLA FORM				SIR	\$ 10,000				
-	WORKERS COMPENSATION AND				WC STATU- OTH TORY LIMITS ER					
	EMPLOYERS' LIABILITY				EL EACH ACCIDENT	\$				
	THE PROPRIETORY INCL				EL DISEASE-POLICY LIMIT	\$				
	PARTNERS/EXECUTIVE OFFICERS ARE EXCL				EL DISEASE-EACH EMPLOYEE	S				
	OTHER	ECO (07) 53059239	02/26/06	08/01/07	25,000,000 Excess 25,000,000					
J		Į.			1					
ESC	RIPTION OF OPERATIONS/LOCATIONS/VE	 EHICLES/SPECIAL ITEMS								
		ENICLES/SPECIAL ITEMS	CANCELLA	ATION						
	RIPTION OF OPERATIONS/LOCATIONS/VE	ENICLES/SPECIAL ITEMS	CANCELLA SHOULD ANY OF T		HEREIN BE CANCELLED BEFORE TH	E EXPIRATION DATE THEREOF				
	TIFICATE HOLDER		SHOULD ANY OF T	HE POLICIES DESCRIBED	HEREIN BE CANCELLED BEFORE TH IL ENDEAVOR TO MAIL					
			SHOULD ANY OF T	HE POLICIES DESCRIBED FORDING COVERAGE WIL		YS WRITTEN NOTICE TO THE				
	TIFICATE HOLDER		SHOULD ANY OF T THE INSURER AFI CERTIFICATE HOLL	HE POLICIES DESCRIBED FORDING COVERAGE WIL DER NAMED HEREIN, BUT	L ENDEAVOR TO MAIL30 DA	lys written notice to the LL impose no obligation of				
	TIFICATE HOLDER		SHOULD ANY OF T THE INSURER AFI CERTIFICATE HOLL	HE POLICIES DESCRIBED FORDING COVERAGE WIL DER NAMED HEREIN, BUT IND UPON THE INSURER A	L ENDEAVOR TO MAIL	lys written notice to the LL impose no obligation of				
	TIFICATE HOLDER		SHOULD ANY OF T THE INSURER AFI CERTIFICATE HOLL LIABILITY OF ANY K	HE POLICIES DESCRIBED FORDING COVERAGE WIL DER NAMED HEREIN, BUT I KIND UPON THE INSURER A ERTIFICATE	L ENDEAVOR TO MAIL	lys written notice to the LL impose no obligation of				



### Compliance on a global scale

Industry standards set a minimum level that playground manufacturers must meet. We meet or exceed those standards, because we understand that the ultimate playground offers peace of mind as well as thrills. After all, we're parents too.



#### American Society for Testing and Materials (ASTM)

We don't just follow the rules; we help create them. Several key people at GameTime, including our Manager of Compliance and Standards, serve on the ASTM committee that sets the standards for the entire playground industry. GameTime products conform to that standard, ASTM F1487-01, the Standard Consumer Safety Performance Specification for Playground Equipment for Public Use.

#### **CPSC**

The Consumer Product Safety Commission is an independent agency within the United States Federal Government with the authority to inform the public of current product safety performance information and recommended practices. The CPSC first published their guidelines for public playgrounds in 1981 and have updated their publication since then. The current CPSC Handbook for Public Playground Safety, publication #325, is an excellent guide for owners and operators of public play environments.





#### **IPEMA Equipment Certification**

GameTime is one of the founding members of IPEMA, and several of our people serve as board members. committee members and chairpersons of the association. In the interest of public playground safety, IPEMA provides a 3rd party certification, to validate conformance to established standards. Our use of the IPEMA seal is your assurance that GameTime has received written validation from an independent lab that the products associated with the seal conform with the ASTM standard, as well as the Canadian CSA standard CAN Z-614. A list of our validated products may be found on the IPEMA website, www.ipema.org.



#### **IPEMA Surfacing Certification**

GameTime's GT Impax product provides you with the assurance that our surfacing has been certified as compliant to the appropriate ASTM standard. In the interest of public playground safety, IPEMA provides a third party certification to validate a manufacturer's conformance to the ASTM F-1292-99 Standard Specification for Impact Attenuation of Surface Systems Under And Around Playground Equipment.

The use of the IPEMA Certification Seal displayed above signifies that the manufacturer has received written validation from the independent laboratory that the product associated with the use of the seal conforms with the requirements of ASTM F1292-99. A complete list of our validated products may be found on the IPEMA website at www.ipema.com.



GameTime is the only manufacturer to have a lab partnership with an Institute for children with special needs, so that we can develop and test our accessible products for superiority before bringing them to market. GameTime is also the only manufacturer to meet accessibility guidelines on all of its pre-designed PowerScape Plus and PrimeTime playground plans. We also recommend accessible surfacing options. For more information, log on to www.accessboard.gov



#### ISO 9001:2000

GameTime is the first (and at this issue, the only) playground manufacturer to obtain the ISO9001:2000 standard. In order to obtain this certification, the company's manuals, policies, objectives and quality procedures are closely examined during a surveillance audit by ISO representatives. Strict attention is paid to policies and procedures in manufacturing, communication channels, system monitoring, customer relations and order processing, which are reviewed for consistency and standards. Companies who meet the standard are awarded the ISO designation.




An international organization that is a European Union Notified and Competent Body, providing testing and certification. Use of the TUV seal demonstrates that indicate that products have passed a comprehensive testing procedure based upon the European Harmonized Standard for Commercial Playground Equipment, and that the GameTime plant is regularly monitored by TUV.



### CERTIFICATE OF REGISTRATION





Having been audited in accordance with requirements of

ISO 9001:2000 - ANSI/ISO/ASQ Q9001-2000

SRI Quality System Registrar, Wexford, Pennsylvania, USA, hereby grants to:

## GameTime Division of Playcore

registration of the quality system at its location:

#### 150 GameTime Drive Fort Payne, Alabama, USA

The conditions for maintaining this certificate of registration are set forth in the SRI registration agreements R20.3 and R20.4. Further clarifications regarding the scope of this certificate and the applicability of ISO 9001:2000 requirements may be obtained by consulting the organization.

Scope of ISO 9001:2000 registration:

"Design, manufacture and supply of park and playground

equipment, site furnishings and rotational molded plastics."

Exclusions:

Control of Service Provision; Customer Property.

Initial registration date:

September 18, 1996.

Current registration period:

September 18, 2005 through September 17, 2008.

Signed for SRI:

Peter B. Lake, CEO

Date: September 2, 2005



## Our Warranty



GameTime offers you peace of mind with one of the best, most all encompassing warranties in the industry.

We want to assure you that we are part of your community playground long after the sales is made. Our quality is legendary, and we stand behind our products with one of the best warranties in the business. For complete Warranty information, consult your GameTime sales representative.

For the purpose of this warranty, "lifetime" encompasses no specific term of years, but rather that seller warrants to its original customer for as long as the original customer owns the product and uses the product for its intended purpose that the product and all its parts will be free from defects in material and manufacturing workmanship.

#### General warranty info

#### Lifetime Limited Warranty

PowerScape® Plus, PrimeTime™ and TotStuff™ uprights

All hardware

PowerScape PowerLocks™

#### 15 Year Limited Warranty

Rotationally molded products

Rotationally molded KidTime™ products

Metal decks

Pipes

Rungs

Rails

Loops

#### 10 Year Limited Warranty

PrimeTime bolt-through connections Parcourse® fitness equipment

5 Year Limited Warranty

Super Seats

3 Year Limited Warranty

Rubber or "C" springs used on SaddleMates®

1 Year Limited Warranty

All other GameTime products

#### **GameTime Order Check Sheet**

Please include all checked items ( $\checkmark$ ) with your order. ✓ Signed Proposal ✓ Signed Purchase Order made out to GameTime c/o Cunningham Associates, Inc. ✓ Signed GameTime Color Selection Form ✓ Billing Address: ✓ Contact Person: Phone: (\_\_\_\_\_\_\_ Fax: (\_\_\_\_\_\_\_ ✓ Shipping Address: ✓ Contact Person: ✓ Tax Exempt Number & Certificate (or tax will be added): \_\_\_\_\_ Please send everything back to the office by fax and/or mail. ⇒ Terms are Net 30 with approved Credit. No retainage allowed. ⇒ Shipment will be 30-45 days after factory receipt of all information checked above. ⇒ It is the responsibility of the owner to offload and inventory equipment, unless otherwise noted. Missing or damaged equipment must be reported within 60 days from acceptance of delivery. ⇒ It is the responsibility of the owner to provide installation, safety surfacing, borders, site preparation, drainage, or other costs, unless otherwise noted in the proposal.

Represented by: Cunningham Associates, Inc.
P.O. Box 240981 • Charlotte, NC 28224 • (800) 438-2780 • Fax (704) 525-7356

Order Entry/Delivery Questions Courtney (ext. 128) or Kerri (ext. 120)

Courtney (ext. 128) or Kerri (ext. 120)

If you have any questions please call: Design/Sales Questions

### **GameTime Color Selection Sheet**

Equipme	ent Type:	□ Xs	cape	☐ PowerSe	cape [	PrimeT	ime (Cho	ose Cust	om Colors or	a Play Palette
Custom Upright M		·								
Accent M	letal Color:		was commenced commenced by the same state of the	***************************************						
Deck Tuf	fClad Colo	r:		***************************************	***************************************					
Slide & P	anel Plasti	ic Colo	r:		***************************************					
Roof Plas	stic, Metal, stic Color:	or Tim	nber Co (Plas (Tub	olor: stic roof ma e may be c	y be on one-colo	e-color o	or multi-co	lor. Ple	ease list col	ors in order) order)
Net Climb	oer:									
SunBlox	Roof & Sha	ade Co	olor:							
			e from	list below)						
KidTime	Play Pale	<b>tte</b> : (ci	rcle on	ie) Natural	Prim	ary C	ontempor	ary		
Freestan	ding Play	Event	ts, Fitr	ness, Site I	Furnish	ings, SI	nade:	- Anna		········
Yellow Red Purple Teal Dark Greer Beige Metallic White	Green	 	i eai Brown Gray <u>Rock (</u>	s Red Blue Green Beige  Colors ne Granite	1-Color Red Y Blue B 2-Color Outside Red/Ye	<b>Poly Pan</b> ellow G	reen l <u>el</u> lor low/Red	Timber TuffCl Red E	<del>Décor</del> : Redv <u>ad</u> Brown Blue	wood or Cedar Dark Green Blue Green Black
SunBlox R White Re	toof & Shad d Royal Bl inflower Yelk	e Color ue La	<u>'s</u> :						Green Beige otta Arizona	
Play Palett Blueberry	Periwinkle Coast	Lemon Field	Sunris Brook	e Botanical Scenic		Forest Vista		Earth Candy	Navy Centennial	Dramatic Sunshine

Represented by: Cunningham Associates, Inc. P.O. Box 240981 • Charlotte, NC 28224 • (800) 438-2780 • Fax (704) 525-7356