



Townsend Specialties Inc.

Kawasaki of Hurricane

Mail - P.O. Box 146 Shipping - 919 Midland Trail
Hurricane, WV 25526

Phone 304-562-6335, 304-562-0500 Fax 304-562-0133

E-Mail kawofhurr@suddenlinkmail.com

FAX

Attn: SHELLY MURRAY

Date: 1-29-09

Subject: BID FOR KAWASAKI MULE

Fax Number: 304-558-3970

Number of Pages: 10

Note:

Did not receive 10 pages,
No prints ~ RP 1/29/09
checked w/ front desk -
This was all that
was received

RECEIVED
2009 JAN 29 A 11: 02
PURCHASING DIVISION
STATE OF WV



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DRS090622

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
SHELLY MURRAY
304-558-8801

RFQ COPY

TYPE NAME/ADDRESS HERE

*KAWASAKI of HURRICANE
919 MIDLAND TRAIL
HURRICANE WV 25526*

DIV OF REHABILITATION SERVICES
WV REHABILITATION CENTER
ATTENTION: RECEIVING
INSTITUTE, WV
25112 766-4621

DATE PRINTED 12/23/2008	TERMS OF SALE	SHIP VIA	COB	FREIGHT TERMS
BID OPENING DATE 01/28/2009	BID OPENING TIME 01:30PM			

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
001	1	LS		070-48-50-001		
<p>THE WV PURCHASING DIVISION, FOR THE AGENCY, THE WV DIVISION OF REHABILITATION SERVICES, IS SOLICITING BIDS FOR ONE SKID STEER LOADER WITH ATTACHMENTS AND THREE UTILITY VEHICLES PER THE ATTACHED SPECIFICATIONS.</p> <p>TECHNICAL QUESTIONS MUST BE SUBMITTED IN WRITING TO SHELLY MURRAY IN THE WV PURCHASING DIVISION VIA MAIL AT THE ADDRESS SHOWN AT THE TOP OF THIS RFQ, VIA FAX AT 304-558-4115, OR VIA EMAIL AT SHELLY.L.MURRAY@WV.GOV. DEADLINE FOR ALL TECHNICAL QUESTIONS IS 01/13/2009 AT THE CLOSE OF BUSINESS.</p> <p>ALL TECHNICAL QUESTIONS RECEIVED, IF ANY, WILL BE ANSWERED BY ADDENDUM AFTER THE DEADLINE.</p> <p>QUESTIONS CONCERNING THE ACTUAL PROCESS BY WHICH A VENDOR MAY SUBMIT A BID TO THE STATE OF WV ARE NOT CONSIDERED TO BE TECHNICAL QUESTIONS AND MAY BE SUBMITTED AT ANY TIME PRIOR TO THE RFQ OPENING DATE AND IN ANY FORMAT.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM TO THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p>						
SEE REVERSE SIDE FOR TERMS AND CONDITIONS						

SIGNATURE: *[Signature]* TELEPHONE: 304-562-0500 DATE: 1-28-09
TITLE: PMS FEIN: 55-065-5197 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

	Mule™ 4010 Trans4x4™ Diesel	Mule™ 4010 Trans4x4®	Mule™ 4010 4x4 Diesel	Mule™ 4010 4x4 / Mule™ 4000	Mule™
Engine type	Four-stroke, 3-cylinder liquid-cooled OHV Diesel	Four-stroke, liquid-cooled, OHV 90° V-twin	Four-stroke, 3-cylinder liquid-cooled OHV Diesel	Four-stroke, liquid-cooled, OHV 90° V-twin	Four-stroke
Displacement	953cc	617cc	953cc	617cc	617cc
Bore x stroke	72 x 78 mm	76 x 68 mm	72 x 78 mm	76 x 68 mm	62 x 76
Compression ratio	24.8:1	10.8:1	24.8:1	10.3:1	MULE™ MULE™
Carburetion	N/A	Digital Fuel Injection (DFI)	N/A	Digital Fuel Injection (DFI)	Nickel 61
Air filter	Snorkel-type with 2-stage dry replaceable element	Snorkel-type with 2-stage dry replaceable element	Snorkel-type with 2-stage dry replaceable element	Snorkel-type with 2-stage dry replaceable element	Snorkel dry rep.
Oil filter	Automotive-type spin-on canister	Automotive-type spin-on canister	Automotive-type spin-on canister	Automotive-type spin-on canister	Automotive
Ignition	Compression with glow plugs for starting	Digital electronic	Compression with glow plugs for starting	Digital electronic	Ignition
Electrical	12-volt DC, 52-amp hour battery, 40-amp alternator	12-volt DC, 18-amp hour battery, alternator	12-volt DC, 52-amp hour battery, 40-amp alternator	12-volt DC, 18-amp hour battery, alternator	12-volt
Drive train	Kawasaki Automatic Power Drive System (KAPS): dual-range forward, neutral, reverse	Kawasaki Automatic Power Drive System (KAPS): dual-range forward, neutral, reverse	Kawasaki Automatic Power Drive System (KAPS): Dual-range forward, neutral, reverse	MULE™ 4010: Kawasaki Automatic Power Drive System (KAPS): forward, neutral, reverse MULE™ 4000: Kawasaki Automatic Power Drive System (KAPS): forward, neutral, reverse	Kawasaki (KAPS)
Final drive	Shaft, selectable 4x4, Dual-Mode differential	Shaft, selectable 4x4, Dual-Mode differential	Shaft, Selectable 4x4, Dual-Mode differential	MULE™ 4010: Shaft, Dual-Mode differential MULE™ 4000: Shaft, Dual-Mode differential	MULE™ Dual-M MULE™
Exhaust	Muffler with USFS-approved spark arrestor	Muffler with USFS-approved spark arrestor	Muffler with USFS-approved spark arrestor	Muffler with USFS-approved spark arrestor	Muffler
Tires, front/rear	Tubeless, 23 x 11-10	Tubeless, 23 x 11-10	tubeless, 23 x 11-10	Tubeless, 23 x 11-10	MULE™ MULE™
Suspension, front	Independent, MacPherson strut-type	Independent, MacPherson strut-type	Independent, MacPherson strut-type	Independent, MacPherson strut-type	MacPh
Suspension, rear	Semi-independent De Dion axle with leaf/coil spring and hydraulic shocks	Semi-independent De Dion axle with leaf/coil spring and hydraulic shocks	Semi-independent, De Dion axle with leaf/coil springs and hydraulic shocks	Semi-independent, De Dion axle with leaf springs and shocks	Unibox
Wheel travel, front/rear	3.9/2.8 inches	3.9/2.8 inches	3.9/2.8 inches	3.9/2.8 inches	3.9/3-
Steering	Power assisted/Rack & pinion	Power assisted/Rack & pinion	Power assisted/Rack & pinion	MULE™ 4010: Power assisted/Rack & pinion MULE™ 4000: Rack & pinion	Rack & 8
Brakes	Four-wheel sealed hydraulic drum; self-adjusting	Four-wheel sealed hydraulic drum; self-adjusting	Four-wheel sealed hydraulic drum; self-adjusting	Four-wheel sealed hydraulic drum; self-adjusting	Four-w
Fuel capacity	6.4 gallons	6.2 gallons	6.4 gallons	6.2 gallons	4.1 ga
Curb weight	1,736.8 pounds*	1,562.6 pounds	1,597.9 pounds*	MULE™ 4010: 1,736.8 pounds MULE™ 4000: 1,312 pounds	MULE™ MULE™
Dimensions (LxWxH)	130.1 x 58.5 x 75.8 inches	130.1 x 58.5 x 5.8 inches	118.3 x 62.0 x 75.8 inches	118.3 x 62.0 x 75.8 inches	101.1
Wheelbase	85.2 inches	85.2 inches	73.6 inches	73.6 inches	70.0 in
Ground clearance	7.1 inches	7.1 inches	6.9 inches	MULE™ 4010: 7.1 inches MULE™ 4000: 7.5 inches	MULE™ MULE™
Cargo bed (LxWxH)	2-person: 30.4x47.7x11.3 inches (15.6 cu. ft.) 4-person: 30.3x47.7x11.3 inches (9.4 cu. ft.)	2-person: 50.4x47.7x11.3 inches (15.6 cu. ft.) 4 person: 30.3x47.7x11.3 inches (9.4 cu. ft.)	46.3 x 51.5 x 11.3 inches (15.6 cu. ft.)	46.3 x 51.6 x 11.3 inches (15.6 cu. ft.)	41.1 x (14.9
Vehicle load capacity	1,632 pounds	1,329 pounds	1,632 pounds	1,330 pounds	925 p
Cargo bed load capacity	400 pounds (4-person mode) 800 pounds (2-person mode)	400 pounds (4-person mode) 800 pounds (2-person mode)	1,100 pounds	800 pounds	400 p
Towing capacity	1,200 pounds	1,200 pounds	1,200 pounds	1,200 pounds	1,100
Turning radius (differential unlocked)	12.8 feet	12.5 feet	11.2 feet	11.2 feet	10.8 ft
Top speed	25 mph-governed	25 mph-governed	25 mph-governed	25 mph-governed	25 mph
Lights	(2) 35-watt, sealed-beam headlights with (2) 5/21-watt tail/stoplights	(2) 35-watt, sealed-beam headlights with (2) 5/21-watt tail/stoplights	(2) 30-watt, sealed-beam headlights with (2) 5/21-watt tail/stoplights	(2) 35-watt, sealed-beam headlights with (2) 5/21-watt tail/stoplights	(2) 35-watt tail/st



gas



diesel



4wd



2wd



4pass



2pass

You always give it your all. Your vehicle should too. When it comes to rock-solid performance, the MULE™ 4000 utility vehicle delivers with the muscle of the MULE 4010, but in an efficient, low-maintenance 2-wheel drive system. Additional features include a dual-mode rear differential and automotive-style dash.

Rev. 09/08

State of West Virginia
VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4. **Application is made for 5% resident vendor preference for the reason checked:**
Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (*West Virginia Code*, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: KAWASAKI OF HURRICANE Signed: [Signature]
Date: 1-28-09 Title: Pres

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

RFQ No. DRS090622

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

West Virginia Code §21-1D-5 provides that: Any solicitation for a public improvement construction contract shall require each vendor that submits a bid for the work to submit at the same time an affidavit that the vendor has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code. A public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the West Virginia Code may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and is in compliance with the requirements as stated.

Vendor's Name: KAWASAKI OF HUNTINGTON

Authorized Signature: [Signature] Date: 1-28-09