



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFO NUMBER
061000045

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
**MICHAEL AUSTIN
 304-558-2402**

VENDOR

*709042451 304-425-8955
 EASTERN VAULT COMPANY INC
 PO BOX 1134

 PRINCETON WV 24740

SHIP TO

DIVISION OF HIGHWAYS
 JOBSITE
 SEE SPECIFICATIONS

DATE PRINTED 09/16/2009	TERMS OF SALE NET 30	SHIP VIA OUR TRUCKS	F.O.B. JOBSITE	FREIGHT TERMS NET 30
-----------------------------------	--------------------------------	-------------------------------	--------------------------	--------------------------------

BID OPENING DATE: **10/07/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		210-16	\$ 105,500.00	\$ 105,500.00
PRESTRESSED CONCRETE BEAMS WITH ACCESSORIES TO PROVIDE DEEP PRESTRESSED CONCRETE BEAMS WITH ACCESSORIES FOR STATE PROJECT S352-82-0.28 AT BUFFALO RUN BRIDGE, IN WETZEL COUNTY PER THE ATTACHED SPECIFICATIONS. PLEASE CALL 24 HOURS BEFORE ANY DELIVERY @ 304-843-4032 EXHIBIT 10 REQUISITION NO.: ADDENDUM ACKNOWLEDGEMENT I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC. ADDENDUM NO.'S: NO. 1 NO. 2 NO. 3 NO. 4 NO. 5						

RECEIVED
 2009 OCT -6 A 9:42
 PURCHASING DIVISION
 STATE OF WV

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE 	BRIAN P. STRUBLE	TELEPHONE 304-425-8955	DATE 9-30-09
TITLE GENERAL MANAGER	FEIN 55-0520255	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
14. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
15. **WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT:** If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in case of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 061000045

PAGE
 2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 MICHAEL AUSTIN
 304-558-2402

VENDOR


*709042451 304-425-8955
 EASTERN VAULT COMPANY INC
 PO BOX 1134
 PRINCETON WV 24740

SHIP TO

DIVISION OF HIGHWAYS
 JOBSITE
 SEE SPECIFICATIONS

DATE PRINTED 09/16/2009	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
----------------------------	---------------	----------	--------	---------------

BID OPENING DATE: 10/07/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.</p> <p>VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.</p> <p style="text-align: right;">  SIGNATURE EASTERN VAULT Co., Inc. COMPANY 9-30-09 DATE </p> <p>REV. 11/96</p> <p style="text-align: center;">NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p style="text-align: center;"> DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130 </p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS		
SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
061000045

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN 304-558-2402

VENDOR

*709042451 304-425-8955
 EASTERN VAULT COMPANY INC
 PO BOX 1134
 PRINCETON WV 24740

SHIP TO

DIVISION OF HIGHWAYS
 JOBSITE
 SEE SPECIFICATIONS

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/16/2009				

BID OPENING DATE: 10/07/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED: SEALED BID BUYER: 33 RFQ. NO.: 061000045 BID OPENING DATE: ----- BID OPENING TIME: ----- PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: ----- 304-425-1171 ----- CONTACT PERSON (PLEASE PRINT CLEARLY): ----- BRIAN P. STRUBLE ----- ***** THIS IS THE END OF RFQ 061000045 ***** TOTAL: <u>\$105,500.00</u>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

1. DESCRIPTION

The beams shall be 33" deep X 36" wide X 67'-6" long.

Two (2) exterior beams and seven (7) interior beams are required.

In addition to the beams the fabricator shall also supply in accordance with the attached plans all associated items included but not limited to the following.

Guardrail Posts and Hardware attached to the exterior beams; Bearing Pads; Anchor Dowels; Post Tensioning Bars with Nuts and Bearing Plates and 2 extra nuts; Sponge Rubber Joint Filler, Washers, and Grout Stop.

2. ACCEPTANCE

Cracks developing in a beam may be cause for rejection of the beam. Cracks that are not detrimental to the structural integrity of the beam, as determined by the Division of Highways, may be accepted under the following conditions:

- 1) Cracks of 0.004 inch or less shall be treated with a second coat of a Division of Highways approved concrete sealer.
- 2) Cracks of greater than 0.004 inch shall be treated by a Division of Highways approved epoxy injection methods. All concrete sealer and epoxy injection required for acceptance shall be performed at no additional cost to the Division of Highways.

3. DELIVERY

ALL BEAMS AND ACCESSORIES SHALL BE DELIVERED TO THE PROJECT SITE DURING THE WEEK OF APRIL 13, 2010.

Upon receipt of a Purchase Order the Vendor shall submit shop drawings to the District Bridge Engineer within fifteen (15) calendar days. Shop drawings must be approved by the Division of Highways prior to the manufacture of any beam sections.

Should the Vendor fail to meet the above delivery schedule, liquidated damages will be assessed in accordance with Section 108.7 of the current Division of Highways Standard Specifications Roads and Bridges.

Sites for delivery of beam sections and accessories under this contract shall be accessible to equipment that is normally and customarily used for transportation of beam sections. Delivery will not be required where gross vehicle loaded weights will exceed the legal road or bridge load. Upon receipt of an approved Purchase Order, the Vendor must notify the District Bridge Engineer within ten (10) calendar days if delivery under the terms of this contract cannot be performed due to weight restrictions or roadway geometrics.

Prior to delivery, all Beams, Accessories and Optional Items shall be tested and accepted in accordance with Section 603 of the Division of Highways Standard Specifications Roads and Bridges adopted 1993, as modified by the July 1, 1998 Supplemental Specifications.


4. PARTIAL PAYMENT OF APPROVED BEAMS

Upon completion of manufacture and approval by the Division of Highways of all beams specified on Purchase Order, the vendor may invoice and the Division will pay for the cost of manufacturing the beams, not to exceed 65% of the total cost of the delivered beams. Partial payment for the beams shall be subject to the following conditions:

- a. The vendor must request partial payment and furnish an official invoice for the manufactured and approved beams.
- b. The partial payment invoice shall be accompanied by a surety bond equal to the invoiced amount guaranteeing delivery of all items specified on the Purchase Order.
- c. The vendor shall furnish a statement of approved beams condition and exact storage location.
- d. The vendor shall furnish a legal right-of-entry onto the storage site to Division of Highways' employees and/or agents for the purpose of inspecting, sampling, testing and removing any or all Beams.
- e. The vendor shall certify that the stored beams are suitably marked and identified as property of the Division of Highways and will not be for any purpose not designated by the Division.

STATE PROJECT NUMBER	ROUTE	COUNTY	SHEET NUMBER
03340-238	101	West	7
DATE	SCALE	PROJECT NUMBER	ROUTE

DATE	SCALE	PROJECT NUMBER	ROUTE



WATERPROOFING MEMBRANE PROPERTIES

BRAND	UNIFORM VALUE
MANUFACTURER	700 LB. (MIN.)
STRENGTH	100% (MIN.)
EXTENSIBILITY	200% (MIN.)
PERMEABILITY	0.10 (MAX.)
TEMPERATURE RANGE	-40 TO 140 (F)
ADHESION	100% (MIN.)
TEST METHOD	ASTM D 1064
TESTING AGENCY	UNIVERSITY OF VIRGINIA
TEST DATE	10/10/00
TESTER	J. W. HARRIS
APPROVED	
DATE	



THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
BUFAFD RVR BRIDGE

PROJECT NO. _____ DATE _____

DESIGNED BY _____ DRAWN BY _____

CHECKED BY _____

APPROVED BY _____

SCALE: 1" = 10'-0"

DATE	SCALE	PROJECT NUMBER	ROUTE





DATE	SCALE	PROJECT NUMBER	ROUTE

DATE	SCALE	PROJECT NUMBER	ROUTE

DATE	SCALE	PROJECT NUMBER	ROUTE

ITEM NO.	DESCRIPTION	UNITS	QUANTITY
1	CONCRETE	CU YD	10.00
2	STEEL REINFORCEMENT	TONS	1.50
3	FORMWORK	SQ YD	150.00
4	PAINT	TONS	0.50
5	LABOR	HOURS	1000.00
6	EQUIPMENT	HOURS	50.00
7	TRANSPORTATION	TON MILES	100.00
8	PROTECTION	SQ YD	200.00
9	TESTING	TESTS	10.00
10	MAINTENANCE	HOURS	50.00
11	INSURANCE	PERCENT	1.00
12	PROFIT	PERCENT	1.00
13	TOTAL		

ITEM NO.	DESCRIPTION	UNITS	QUANTITY
14	CONCRETE	CU YD	10.00
15	STEEL REINFORCEMENT	TONS	1.50
16	FORMWORK	SQ YD	150.00
17	PAINT	TONS	0.50
18	LABOR	HOURS	1000.00
19	EQUIPMENT	HOURS	50.00
20	TRANSPORTATION	TON MILES	100.00
21	PROTECTION	SQ YD	200.00
22	TESTING	TESTS	10.00
23	MAINTENANCE	HOURS	50.00
24	INSURANCE	PERCENT	1.00
25	PROFIT	PERCENT	1.00
26	TOTAL		



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
 DIVISION OF HIGHWAYS
 ENGINEERING DIVISION

BUFFALO RUN BRIDGE

PRESTRESSED CONCRETE BEAM
 DESIGN & ASSEMBLY NOTES

STANDARD SHEET BR-8101




DESIGN AND ASSEMBLY NOTES

1. THE BEAM SHALL BE CAST IN PLACE AND SHALL BE CURED FOR A MINIMUM OF 28 DAYS BEFORE THE BRIDGE IS OPENED TO TRAFFIC.

2. THE BEAM SHALL BE CAST IN PLACE AND SHALL BE CURED FOR A MINIMUM OF 28 DAYS BEFORE THE BRIDGE IS OPENED TO TRAFFIC.

3. THE BEAM SHALL BE CAST IN PLACE AND SHALL BE CURED FOR A MINIMUM OF 28 DAYS BEFORE THE BRIDGE IS OPENED TO TRAFFIC.

DATE	BY	CHKD	APP'D
12-25-57	W. J. L.	W. J. L.	W. J. L.



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
ENGINEERING DIVISION

BUFFALO RUN BRIDGE

PROJECT NO. BR-8102A

DATE: 12-25-57

BY: W. J. L.




CHKD: W. J. L.

APP'D: W. J. L.

SCALE: AS SHOWN

DESIGNED BY: W. J. L.

DRAWN BY: W. J. L.



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
ENGINEERING DIVISION

BUFFALO RUN BRIDGE

PROJECT NO. BR-8102A

DATE: 12-25-57

BY: W. J. L.




CHKD: W. J. L.

APP'D: W. J. L.

SCALE: AS SHOWN

DESIGNED BY: W. J. L.

DRAWN BY: W. J. L.



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
ENGINEERING DIVISION

BUFFALO RUN BRIDGE

PROJECT NO. BR-8102A

DATE: 12-25-57

BY: W. J. L.




CHKD: W. J. L.

APP'D: W. J. L.

SCALE: AS SHOWN

DESIGNED BY: W. J. L.

DRAWN BY: W. J. L.



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
ENGINEERING DIVISION

BUFFALO RUN BRIDGE

PROJECT NO. BR-8102A

DATE: 12-25-57

BY: W. J. L.




CHKD: W. J. L.

APP'D: W. J. L.

SCALE: AS SHOWN

DESIGNED BY: W. J. L.

DRAWN BY: W. J. L.



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
ENGINEERING DIVISION

BUFFALO RUN BRIDGE

PROJECT NO. BR-8102A

DATE: 12-25-57

BY: W. J. L.

CHKD: W. J. L.









APP'D: W. J. L.

SCALE: AS SHOWN

DESIGNED BY: W. J. L.

DRAWN BY: W. J. L.

DATE	PROJECT NUMBER	SHEET NUMBER	TOTAL SHEETS
1-25-62	10-1-62	10	24



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
ENGINEERING DIVISION

BUFFALO RUN BRIDGE

PRESTRESSED CONCRETE BEAM
ELASTOMERIC BEARING PAD DETAILS
MISC. DESIGN AND ASSEMBLY DETAILS

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
ENGINEERING DIVISION

BUFFALO RUN BRIDGE

PRESTRESSED CONCRETE BEAM
ELASTOMERIC BEARING PAD DETAILS
MISC. DESIGN AND ASSEMBLY DETAILS

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
ENGINEERING DIVISION

BUFFALO RUN BRIDGE

PRESTRESSED CONCRETE BEAM
ELASTOMERIC BEARING PAD DETAILS
MISC. DESIGN AND ASSEMBLY DETAILS

NOTES:

- ELASTOMERIC BEARING PADS ARE DESIGNED IN ACCORDANCE WITH DESIGN METHOD B CONTAINED IN SECTION 11 OF THE ASPHALT PAVED BRIDGE DESIGN SPECIFICATIONS. FABRICATION SHALL BE IN ACCORDANCE WITH SECTION 10 OF THE ASPHALT PAVED BRIDGE CONSTRUCTION SPECIFICATIONS.
- ALL BEARING PADS SHALL BE DESIGNED FOR A LOT TEMPERATURE RANGE OF 50°F TO 100°F. BEARING PADS SHALL HAVE A DIMENSION OF 1/2" TO 1" IN THICKNESS AND A DIMENSION OF 1/2" TO 1" IN WIDTH.
- BEARING PADS SHALL BE PLACED IN PLACE PRIOR TO THE PLACEMENT OF THE CONCRETE TO PROVIDE A BEARING SURFACE FOR THE BEAMS.
- DESIGNER, FABRICATOR AND ERECTOR SHALL BE AWARE THAT BEARING PADS SHALL BE PLACED IN PLACE PRIOR TO THE PLACEMENT OF THE CONCRETE TO PROVIDE A BEARING SURFACE FOR THE BEAMS.
- ELASTOMERIC BEARING PADS SHALL BE INCLUDED IN THE PRICE OF THE BEAMS.

END	LENGTH	WIDTH	HEIGHT	NO. SHIMS	SHIM SIZE	SPALL PAGES	UNARMED REINFORCING	ARMED REINFORCING
B1	48"	18"	18"	3	1/2" x 1/2"	40	78	1475
B2	48"	18"	18"	3	1/2" x 1/2"	40	78	1475
B3	48"	18"	18"	3	1/2" x 1/2"	40	78	1475
B4	48"	18"	18"	3	1/2" x 1/2"	40	78	1475
B5	48"	18"	18"	3	1/2" x 1/2"	40	78	1475

DATE PROJECT NUMBER SHEET NO. OF TOTAL SHEETS	DESIGNER CHECKER DATE	DRAWN PROJECT NUMBER SHEET NO. OF TOTAL SHEETS
--	-----------------------------	---

POST-TENSIONING BAR SPACING PLAN

NORMAL OR SHEET < 20"

DEVELOPMENT LENGTH SHALL BE AS SHOWN IN DETAIL 10A.

POST-TENSIONING BAR DETAILS

POST-TENSIONING BAR SPACING PLAN

NORMAL OR SHEET < 20"

POST-TENSIONING BAR SPACING PLAN

EXTERNAL BEAM & POCKETS ONLY

REINFORCING BAR DETAIL

REINFORCING BAR DETAIL
ALL BARS OF 60 - EPOXY COATED

POST-TENSIONING BAR SPACING PLAN

BEAMS WITH ACCESS POCKETS

POST-TENSIONING BAR SPACING PLAN

MID-SPAN BEAMS

POST-TENSIONING BAR SPACING PLAN

MID-SPAN BEAMS

POST-TENSIONING BAR SPACING PLAN

MID-SPAN BEAMS

POST-TENSIONING BAR SPACING PLAN

BEAMS WITH ACCESS POCKETS

POST-TENSIONING BAR SPACING PLAN

MID-SPAN BEAMS

POST-TENSIONING BAR SPACING PLAN

BEAMS WITH ACCESS POCKETS

POST-TENSIONING BAR SPACING PLAN

MID-SPAN BEAMS

DIMENSIONS	
ITEM	DESCRIPTION
1	BEAM DEPTH
2	BEAM WIDTH
3	POST-TENSIONING BAR CENTER TO CENTER
4	POST-TENSIONING BAR DIA.
5	POST-TENSIONING BAR LAPS
6	POST-TENSIONING BAR DEVELOPMENT LENGTH
7	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
8	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
9	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
10	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
11	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
12	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
13	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
14	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
15	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
16	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
17	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
18	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
19	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
20	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
21	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
22	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
23	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
24	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
25	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
26	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
27	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
28	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
29	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
30	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
31	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
32	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
33	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
34	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
35	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
36	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
37	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
38	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
39	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
40	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
41	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
42	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
43	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
44	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
45	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
46	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
47	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
48	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
49	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
50	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
51	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
52	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
53	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
54	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
55	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
56	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
57	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
58	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
59	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH
60	POST-TENSIONING BAR LAP DEVELOPMENT LENGTH

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). West Virginia Code, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the West Virginia Code. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

- 1. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4. Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: EASTERN VAULT Co., INC.

Signed: BRIAN P. STEUBLE

Date: 9-30-09

Title: GENERAL MANAGER

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

STATE OF WEST VIRGINIA
Purchasing Division**PURCHASING AFFIDAVIT****VENDOR OWING A DEBT TO THE STATE:**

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

If this is a solicitation for a public improvement construction contract, the vendor, by its signature below, affirms that it has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the *West Virginia Code*. The vendor **must** make said affirmation with its bid submission. Further, public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the *West Virginia Code* and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the *West Virginia Code* may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:


Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.

Under penalty of law for false swearing (*West Virginia Code* §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name: EASTERN VAULT CO., INC.

Authorized Signature:  Date: 9-30-09