

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

#### Request for Quotation

SH-P TO

RFO NUMBER 6610C007

PAG	ìΕ	
	1	

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

**\*709033507** 540-662-3431 STUART M PERRY INC 117 LIMESTONE LANE

WINCHESTER VA 22602 DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRIN	TED	TE	RMS OF SAL	E	SHIP	'IA	F.O.B.		FREIGHT	TERMS
10/08/										
BID OPENING DATE		10/21	/2009			BID	OPENING TIME	01:	30PM	
LINE	QU	ANTITY	UOP	CAT, NO.	ITEM NUM	/BER	UNITPRICE		AMO	UNT
			3 186232032031016	Mandal Mada						
0001			TN		750-56					
0001		1			750-56					
	STONE	AND A	GREGA	ΤE				<del></del>		
										•
-				OPE	N END CON	TRACT				
1						•				
0	TO PRI	OVIDE	المتنالا	ROR.	MATERIALS	. AND F	OUTPMENT			
							E TO THE WEST			
							T 1 THROUGH 1			
****	PER TI	HE ATT	CHED	SPECI	FICATION.	CONTRA	CT IS FOR 6 M	ONTH		
							PANYA PANIA			
	AND									
ļ	TO DDI	NTDE /		a n p	MATERIALS	ANDE	OUTOMENT			
							T VIRGINIA			
							3, 4, 6, AND	7.		
							ACT IS FOR	*		
	6 MON	THS.								
			-							
	DUDOU									
							OF WEST VIRG			
		SUED TI					FUL VENDOR	HICH		
							VISA PURCHAS	TNG	CONTRACTOR AND APPEARS A	5 4 11174 .
							BY ANY STATE	2110	AROU	VED
	AGENCY	/ AS A	CONDI	LION	OF AWARD.					
								2001	1 001 2n	A 10: 28
								- 0.0	· *** (4.1)	m 10. 28
	EXHIB	T Z						12.11		OWiemu
	LVIII	LIJ				•			STATE OF	- AA - Honora
	LIFE C	OF CONT	RACT:	TH	IS CONTRA	CT BECO	MES EFFECTIVE	ON		F1 ¥
						· <del>-</del>				
500500000000000000000000000000000000000	L /			dessino.	ERSE SIDE FOR TO	EDING AND GO	MATERIAL	***************************************	anianaja varini varini vari	exchalatelapproproproprop
SIGNATURE	1,01						0-662-3431	DATE		2000
TITLE T	<u>./.                                   </u>	Lecre		<del>15</del>		54			Oct 19,	
TITLE Vice Pres	1 ///			-05418	·		ADDRESS CH			
WH	HINFESF	PONDING	TO RFQ,	INSER	T NAME AND	ADDRESS	IN SPACE ABOVE L	ABELED	'VENDOR'	

### GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- **5.** All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- **11.** The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- **13. BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 14. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 15. WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT: If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

#### **INSTRUCTIONS TO BIDDERS**

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- 4. Unit prices shall prevail in case of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- **6. BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

SH-P TO

REQ NUMBER 66100007

PAGE		Š
-		
2	2	

ADDRESS CORRESPONDENCE TO ATTENTION OF:

MICHAEL AUSTIN

304-558-2402

VENDOR

\*709033507 540-662-3431 STUART M PERRY INC 117 LIMESTONE LANE

WINCHESTER VA 22602 DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRINTED TERMS OF SAL		₽	SHIP	VIA:		FOB		FREIGHTTERMS		
10/08/	***************************************									
BID OPENING DATE	:	10/21/	2009			BID	OPE	NING TIME	01	:30PM
LINE	QUAN	VTITY	UOP	CAT. NO	ITEM NU	MBER		UNIT PRICE		AMOUNT
	1 2000 1000 1000			NO 4676 ( S.)			10.32.530			
•				A 5.1	n eveenne			TOD OF OT		
	MONTHS	ואוו פח						IOD OF SIX EREAFTER AS		
	1				NEW CONTR				2 12	
								PERIOD SHA	Δ11	
								EASONABLE	· • • •	
								ACT FOR AN'	Y	
**************************************								SING 30 DA		
	WRITTE	N NOTI	CE.					÷		
								ELSEWHERE	_	
	1				•		ł	DITIONS AND	)	
	CONTRA		HEKEI	N ARE	FIRM FOR	HE LI	PE I	UP THE		
	CONTRA									
	RENEWA	L: THI	S CON	TRACT	MAY BE R	ENEWED	UPO	N THE MUTUA	AL	
`					SPENDING					
								HIRTY (30)		
	DAYS P	RIOR T	O THE	EXPI	RATION DA	TE. SU	CH I	RENEWAL SHA	ALL	
				j			1	TIONS OF TI		
****		3		i	SHALL BE	LIMITED	TO	TWO (2) S	ΙX	
-	(6) SI	х монт	H PER	iods.						
	CANCEL			DIDE	CTOD OF D	HDCHACT	L.C.	RESERVES TI		
	1	I		1				KESEKVES II "UPON WRIT		
		I		,			ı	ND/OR SERV		
*****								NOT CONFOR		
								RACT HEREIN		
			İ						• •	
								ASING MAY		
	AUTHOR	IZE A	SPEND	ING U	NIT TO PU	RCHASE	DN .	THE OPEN		
								ON OR COST		
					IED ON TH					
	1	1		ı			1	UNFORESEEN		
	1	3						YS IN TRANS THE VOLUME		
	OF WOR	1	AN U	AWMIT	CITATED I	NCKEASE	7.14	INE VOLUME	Ξ.	
				SEEREV	ERSE SIDE FOR T	<u>, den arten eran eran i tarten erak beneretik beneretik ben</u>	VOITION			
SIGNATURE						TELEPHONE			DATE	
TITLE		FE	IN					ADDRESS CHA	NGES	TO BE NOTED ABOVE
1871 1	ENIBERRA			INOED:	ENIGRAE AND	ADDDEGO		ACE ADOVE LA		



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

## Request for Guotation 6610C007

6610C007



ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

\*709033507 540-662-3431 STUART M PERRY INC 117 LIMESTONE LANE WINCHESTER VA 22602

GH-P TO

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRINTED		TERMS OF SALE			SHIPV	Α	FOB.	FREIGHTTERMS
10/08/	2009		,					
BID OPENING DATE:	······································	10/21/	2009			BID	OPENING TIME	01:30PM
LINE	QUAN	ITITY	UOP	CAT NO	ITEM NUN	BER	UNIT PRICE	AMOUNT
	APPROX THE ST THAT T ORDERE WHETHE ORDERI WRITTE THE OR VENDOR MAILED RETAIN BANKRU FOR BA CONTRA WITHOU THE TE SHALL CONDIT DOCUME AGREEM	IMATIO ATE CON HE CON D FOR R MO PRO N DOR STAT NDGIN AU TO BY: NCT FURT CT FURT T SUPER W NTS SU ENTS O ON 10 T 10 T 10	NS ON	LY, B G SHAL ERS T ERS SCT MODITO CHASI PERS SCT MOFIC CHASI PERS SCT MOFIC CHASI PERS SCT MODIT CHASI CHAS CHASI CHAS CHASI CHASI CHASI CHASI CHASI CHAS CHAS CHAS CHAS CHAS CHAS CHAS CHAS	ASED ON EST. IT IS L COVER TO URING THE HAN THE QU ENDING UN ORDER (FOT SHIELD OF SHIE	STIMATE UNDERS HE QUAN TERM O UANTITI IT (S) S DRM BY SHALL B PMENT, ON, AND ENDOR/C STATE M MINATE NEQUENT ANY ATT ORDER F MENTS, M. SITION	HALL ISSUE A BER WV-39) TO THIS CONTRACT. E MAILED TO THE A SECOND COPY A THIRD COPY  ONTRACTOR FILES AY DEEM THE SUCH CONTRACT TERMS AND ACHED PRINTED ORMS, SALES INCLUDING ANY	
SIGNATURE		<u> </u>				TELEPHONE	DAT	F
-, u1( v) 1=	•				***************************************	, , (	lon'	_
TITLE	······	FE	IN	·	1		ADDRESS CHANG	ES TO BE NOTED ABOVE



MODZEK

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

# Request for Quotation

SH-P

Ö

RFQ NUMBER
6610C007

PAC	àΕ	å
	4	

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

\*709033507 540-662-3431 STUART M PERRY INC 117 LIMESTONE LANE

WINCHESTER VA 22602

DATE PRINT	ED	JEF	RMS OF SAI	L <b>E</b>	SHIP	VIA	F.O.B		FREIGHT TERMS		
10/08/											
BID OPENING DATE:		10/21/	2009			BID	OPENING TIME	0 1	01:30PM		
LINE	QUAN	TITY	UOP	CAT NO	ITEM N	JMBER	UNIT PRICE		AMOUNT		
	I HERE: ADDENDO PROPOS. ADDENDO NO. 1 NO. 2 NO. 3 NO. 4 NO. 5 I UNDER ADDENDO VENDOR REPRESE DRAL DI AND ANY INFORMA	BY ACK UM(S) AL, PL UM NO.  RSTAND UM(S) MUST ENTATI USCUSS CONTRACTION	NOWLE AND H ANS A 'S: THAT MAY B CLEAR ON MA ION H E PER ISSUE	DGE RAVE MND/OR FAIL E CAU DE OR ELD B SONNE D IN	ECEIPT O ADE THE SPECIFI  URE TO CO SE FOR RO DERSTAND ASSUMED ASSUMED L IS NOT WRITING	THE FONECESSAR CATION,  ONFIRM TEJECTION  THAT AN TO BE MENDOR'S BINDING AND ADDE ADDE NOUM	LLOWING CHECKY REVISIONS ETC.  HE RECEIPT OF OF BIDS.  Y VERBAL ADE DURING AN REPRESENTATIVE ONLY THE D TO THE IS BINDING.	TO MY			
				SEEREV	ERSE SIDE FOR	TERMS AND CON	IDITIONS				
IGNATURE	<u>ann an aire aire an t-ite in t</u>		es estado en entre de la ciencia de Carlo			TELEPHONE		DATE			
	·····	······································				1			<u>.                                    </u>		
TLE		FE	IN				ADDRESS CH	IANGES	TO BE NOTED ABOVE		



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

OH-P FO

6610C007

- F	AG	E	
		- E	
·····	40	<u>(5)</u>	1

::ADDRESS:CORRESPONDENCE TO ATTENTION OF:

MICHAEL AUSTIN 304-558-2402

PODZEK

**\*709033507** 540-662-3431 STUART M PERRY INC 117 LIMESTONE LANE

WINCHESTER VA 22602

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRINT	ED	TER	MS OF SAL	E	SHIP	VIA		O.B	FREIGHT TERMS
10/08/	2009								
BID OPENING DATE:	onimano como como	10/21/	2009			BID	OPENING	TIME 0	1:30PM
LINE	QUA	NTITY	UOP	CAT NO	ITEM NO	JMBER	UN	ITPRICE	AMOUNT
		THIS A		UM AC	KNOWLEDG	EMENT SH	OULD BE	SUBMITTE	D
	REV. O	9/21/2	009	٠.					
Tagain Commission	EXHIBI	Т 4	:						
	IN THE AND CO AND OT TO POL VIRGIN PRICES POLITI CLEARL	NDITIO HER LO ITICAL IA. I , TERM CAL SU Y INDI NOT PR	IS RE NS OF CAL G SUBD F THE S, AN BDIVI CATE	FUSAL THE OVERN IVISI VEND D CON SIONS SUCH	TO EXTE	ND THE POUNTY, SIES, THE STATE NOT WISHOF THE BITATE, TIN HIS B	RICES, CHOOL, BID SH OF WES TO EXT ID TO A HE VEND ID. SU	MUNICIPAL ALL EXTEN T END THE LL OR MUST CH REFUSA	
			***************************************	пот	ICE				
	A SIGN	ED BID	MUST	BE S	UBMITTED	TO:			
	P B 2	URCHAS UILDIN	ING D G 15 SHING	IVISI TON S	INISTRAT: ON TREET, EA	\ST			
l l		II	I I	HE BI	D MAY NO	T BE CON	SIDERED	FACE OF	
SIGNATURE				SEE REV	ERSE SIDE FOR	TERMS AND CON	IDITIONS	inarr	
						CLEFHONE		DATE	
TITLE	N DEOÉ	FEI		1610	7 3 1 A 3 4 1 1 A 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		i		S TO BE NOTED ABOVE



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER 6610C007

PF	١G	E		ं
		6	,	

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

MODZEK

540-662-3431 \*709033507 STUART M PERRY INC 117 LIMESTONE LANE

WINCHESTER VA 22602

	DIV	IS	ΙO	N	0F	ΗI	GHW	IAYS			
S I	٧A	RΙ	οU	S	LOC	AL	ES	AS	IND	ICAT	ED
p	DIV VA BY	0	RD	ΕR							
Ţ											
0											

DATE PHIN	952,02000004.00000	- sassassast <b>i—r</b>	MS OF SAL		SHIP	V.IA		O:B		FREIGHTTERMS		
10/08/ BID OPENING DATE:	****	10/21/2009				DID	ODENTHO	~~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~				
58 Fut (\$1.84 \ X & \$1.00 \ X	Filosopologica			CAT.			OPENING		01:30	PM		
LINE	QUAI	VTITY	UOP	NO.	ITEM NU	MBER	UNI	TPRICE		AMOUNT		
	SEALED	BID										
	BUYER:				33							
	RFQ. N	0.:			661	00007						
	BID OP	ENING	DATE:									
	BID OP	ENING	TIME:	<b></b>	*** *** *** *** *** *** **** **** ****	. Old Old Und Und Und Says are			- ***			
	PLEASE TO CON	PROVI TACT Y	DE A OU RE	FAX N GARDI	UMBER IN NG YOUR E 540-722-9	ID:	IS NECE	SSARY				
	CONTAC -	T PERS	ON (P	LEASE	PRINT CL Steven C.			· 1000 MW MM Inpu	and the second s			
			198900	**************************************					100			
	*****	THIS	IS T	HE EN	D OF RFQ	6610C	007 ***	** TOTA	\L:			
1							•					
		<del>чесе серополька о па полемонным</del>								1		
	eagu rapheirig de dienerar	व्यवस्थात् इत्यवकारककेनियानका			rese sier exe							
SIGNATURE				SEE REV	ERSE SIDE FOR T	ERMS AND CON TELEPHONE	WUHONS	Ina	JE			
		1							- , ***			
TITLE		FE:	!N				ADD	RESS CHAN	GES TO BE	NOTED ABOVE		
14/14/	EN DECD	ALDINIO T	$\cap$ DEO	INICED	T NAME AND	ADDDECO	NI ODAOE AI	201/15 1 4 51		NDOD:		

#### 1. SPECIFICATIONS

The following sections of the West Virginia Department of Transportation, Division of Highways Standard Specifications, Roads and Bridges, adopted 2000, as modified by the current Supplemental Specifications, shall apply to the administration of this contract: Sections 101, 102.4, 102.5, 105.1, 105.3, 105.4, 105.10, 105.11, 105.12, 105.13, 106.3, 106.4, 106.5, 106.6, 106.7, 106.9, 107.1, 107.2, 107.3, 107.14, 107.19, 107.20, 108.8, 109.1, 109.2, and 401.9.3.

The requirements of the West Virginia Department of Transportation, Division of Highways, Standard Specifications, Roads and Bridges, Section 109.20, PRICE ADJUSTMENT FOR LOAD LIMIT VIOLATIONS shall apply to all material supplied under this contract. This will include material loaded by the vendor into Division of Highways owned and/or rented trucks.

The terms "Contractor" and "Vendor" used in the above specifications of this Contract are interchangeable. Contractor shall mean Vendor and Vendor shall mean Contractor.

West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, adopted 2000, and the current Supplemental Specifications may be obtained from:

West Virginia Division of Highways Engineering Division, Technical Section State Capitol Complex, Building 5, Room A-650 1900 Kanawha Boulevard, East, Building 5 Charleston, West Virginia 25305

#### **MATERIAL SPECIFICATIONS ARE AS FOLLOWS:**

	WVDOH STANDARD SPECIFICATION
MATERIAL (NOTE 1)	SECTION
Fine Aggregate	702 (Note 5)
Coarse Aggregate	703 (Note 5)
Riprap	704.2
Stone for Gabions	704.3
Shot Rock	704.8
Abrasives (Note 2)	Note 3
Aggregate for Base & Subbase	704.6 (Note 5)
#8 Modified and #9 Modified	Note 4

NOTE 1: Fine aggregate on the bid schedule shall be considered to be fine aggregate for portland cement concrete or mortar sand, the particular type to be specified in State Contract Purchase Orders (SCO'S). Coarse aggregate on the bid schedule is identified by an AASHTO standard size; e.g., AASHTO Size No. 1, AASHTO Size No. 467, etc. Aggregate for base and sub-base on the bid schedule is identified by class; e.g., Class 1, Class 2, and Class 9, etc.

#### NOTE 2: Abrasives shall conform to the following specifications:

#### A. Quality

- 1. Crushed sandstone shall not be used as an abrasive.
- 2. The liquid limit shall not exceed 25 and the plasticity index shall not exceed 6.
- Total deleterious substances including but not limited to metal, glass, clay, shale, and thin or elongated pieces shall not exceed 3% of the dry weight of the total sample. Deleterious content shall be determined on that fraction of material retained on the U.S. Standard #4 (4. 75 mm) sieve.
- 4. When gravel is used as an abrasive, the material retained on the #8, sieve shall have a majority of crushed particles.

#### B. Gradation

1. The material shall conform to the following gradation requirements determined in accordance with AASHTO T-27.

SIEVE SIZE	% PASSING BY WEIGHT		
	Standard	Modified	
1/2 inch	100	100	
3/8 inch	85 – 100	85 – 100	
#100	0 – 10	0 – 4	

- NOTE 3: In addition to meeting the gradation requirements of AASHTO #8 and #9 aggregate in table 703.4, Modified AASHTO #8 and Modified AASHTO #9 aggregate shall have a maximum of 2.5% passing the #200 sieve as determined by AASHTO T-11 and T-27. Modified AASHTO #8 and Modified AASHTO #9 aggregate shall meet all other requirements for AASHTO #8 and AASHTO #9 aggregate.
- NOTE 4: With exception of the following contract items, grading on all specified sieve sized for material furnished shall be determined by AASHTO T-27 (Dry Test Only) or by AASHTO T-27 with AASHTO T-11:

Item I, AASHTO #7
Item J, AASHTO #8
Item K, AASHTO #9
Item R, AASHTO #8 Modified
Item S, AASHTO #9 Modified

The grading for the above items shall be determined by AASHTO T-27 and AASHTO T-11.

NOTE 5: Cinders (Power Plant Slag) shall conform to the following specifications:

#### A. Definition

Cinders (Power Plant Slag) consists of Wet Bottom Boiler Slag (shiny, black, glassy material) formed when molten ash from the burning of coal drops into water and shatters at the bottom of the boiler, and/or Bottom Ash formed when ash particles from the burning of pulverized coal is allowed to air cool at the bottom of the furnace.

#### B. Quality

Total deleterious substances (including but not limited to metal, glass, clay, shale, and thin or elongated pieces) shall not exceed 3% of the dry weight of the total sample. Deleterious content shall be determined on that fraction of material retained on the US Standard #4 (4.75 mm) sieve.

#### C. Gradation

The material shall conform to the following gradation requirements determined in accordance with AASHTO T-27.

<u>Sieve Size</u>	% Passing by Weight
1/2 inch	100
3/8 inch	85-100
#100	0-20

NOTE 6: Number 11 Limestone for SRIC shall conform to the following specifications:

#### A. Quality

- 1. The liquid limit shall not exceed 25 and the plasticity index shall not exceed 6.
- 2. Total deleterious substances including but not limited to metal, glass, clay, shale, and thin or elongated pieces shall not exceed 1% of the dry weight of the total sample. Deleterious content shall be determined on that fraction of material retained on the U.S. Standard #8 (2.36 mm) sieve.

#### B. Gradation

1. The material shall conform to the following gradation requirements determined in accordance with AASHTO T-27.

Sieve Size	% Passing by Weight
3/8 inch	100
#4	40-90
#8	10-40
#100	0-5

#### 2. BIDDING INSTRUCTIONS

Vendors may bid any or all items on the bid schedule. Vendors <u>shall</u> provide the information requested in Subsection 12.1 & 12.2, paragraphs (a) and (b) on the bid schedule. Failure to provide required information will be sufficient grounds to invalidate the bid.

Any qualification of bids or any modification of the specifications or conditions governing the bids may be cause to reject bids.

The Division of Highways may purchase aggregate and stone F.O.B. Vendor's Storage Site. The bid price F.O.B. Vendor's Storage Site shall include the loading of Division of Highways' trucks by Vendor.

Vendor shall have the capacity to deliver a minimum quantity of 300 tons per day to any designated site when directed by the District Engineer/Manager.

#### 3. DETERMINING LOW BID

Bids will be evaluated by the Division on the basis of cost per cubic yard F.O.B. at the designated site. Cost per cubic yard will be determined by multiplying the Vendor's bid price in dollars per ton by a "Tons per cubic yard factor" which is listed in the following table.

AGGREGATE
TONS PER CUBIC YARD FACTORS\*

TYPE OF MATERIAL BLAST FURNACE					
ITEM	LIMESTONE	SANDSTONE	GRAVEL	SLAG	STEEL SLAG
Class 1, 2, 9	1.46	1.46 (2920)	1.46 (2920)	1.36 (2720)	1.81 (3620)
AASHTO Sizes #1 thru #7	1.30 (2600)	1.30 (2600)	1.30 (2600)	1.04 (2080)	1.61 (3220)
AASHTO Sizes #8 thru #10	1.32 (2640)	1.32 (2640)	1.32 (2640)	1.20 (2400)	1.61 (3220)
Gabions	1.31 (2620)	1.31 (2620)	1.31 (2620)	KIN MAY AND AND FOR FOR MAY THE CASE WHI WAS THE TOP THE TOP	(C) 100 May (c) page and day day (c) page (c) page (c) page (c)
Shot Rock, Riprap	1.31 (2620)	1.31 (2620)	de Ca (o) Do de Me (38 de) en Ca (38 de) Ad 50 de) en	AND COLORS OF SIX COLORS ON THE COLOR AND SIX	All there who long class sed long pasts sed spot past page page page page sed sed
Fine Aggregate	1.40 (2800)	1.40 (2800)	1.40 (2800)	1.36 (2720)	1.77 (3540)
Abrasives	1.36 (2720)	1.36 (2720)	1.36 (2720)	1.28 (2560)	1.75 (3500)

<sup>\*</sup>Numbers in parenthesis are pounds per cubic yard

#### CINDERS

Source (Note 1)	Tons per Cubic Yard Factor (Note 2)
Albright Power Albright, WV	0.90 (1,792)
Burger Power Dilles Bottom, OH	1.29 (2,579)
Fort Martin Power Fort Martin, WV	0.94 (1,883)
Harrison Power Haywood, WV	0.95 (1,900)
John Amos Power Winfield, WV	0.82 (1,631)
Pleasants Power Plant Willow Island, WV	1.09 (2,185)
Mountaineer Power New Haven, WV	0.65 (1,305)
Bruce Mansfield Plant Shippingport, PA	1.09 (2,160)
Virginia Electric Power Mt. Storm, WV	0.79 (1,585)
Hatfield Power Masontown, Pa	0.85 (1,700)

Note 1: In the event the bidding source is not listed, it will be necessary for the Division to establish the weight per unit volume of said source prior to award.

Note 2: Numbers in parenthesis are pounds per cubic yard.

#### 4. CONTRACT AWARD

All qualified Vendors who submit a valid bid "F.O.B. Vendor' Storage Site" will be awarded a contract to establish a unit price for those items bid (See Subsection 12.1):

- a. A State Contract Purchase Order (SCO) specifying Division of Highways pick up or Vendor delivery to project site will be issued to the low bidder when a specific type and quantity of material is to be purchased for use on a designated project.
- b. A Blanket State Contract Purchase Order (SCO) specifying Division of Highways pick F.O.B. Vendors Storage Site, may only be issued when material for routine highway maintenance operations at various locations is to be purchased. When

material is secured on an SCO of this nature, the District Engineer/Manager shall take those steps necessary to assure that material is secured from the Vendor which results in the lowest cost to the Division. Factors to be considered shall include, but are not limited to; bid price of material, haul cost at \$1.50 for the first ton-mile and \$0.25 for each additional mile.

Qualified Vendors who submit a valid bid "F.O.B. Division Storage Site" will be awarded a contract to establish a unit price for those locations and items for which their bid is low based on cost per cubic yard (see Subsection 12.2). A State Contract Purchase Order (SCO), with the required delivery schedule, will be issued for the actual quantity of material to be delivered to the location specified. If the Vendor is unable to furnish material in accordance with the specified delivery schedule the District Engineer/Manager shall be advised in writing within five (5) working days of the reason for failure to conform to delivery requirements.

a. All qualified Vendors who are awarded F.O.B. Division Storage Sites must have the awarded items available for delivery 30 days after the contract award date.

In the event a Vendor fails to conform to the requirements stated in this contract document, the State Contract Purchase Order (SCO) or the governing specifications, the State Contract Purchase Order (SCO) may be cancelled and reissued to the next lowest bidder.

The Vendor is not authorized to ship, nor is the Division authorized to receive materials prior to issuance of an (SCO).

#### 5. SUPPLYING OTHER ORGANIZATIONAL ENTITIES

In accordance with Chapter 5A, Article 3, Section 9 of the Code of West Virginia the commodities or services contracted for herein shall be available to all local governmental bodies in accordance with the same prices, terms and conditions afforded to the State of West Virginia.

In the event any Vendor does not wish to extend the prices, terms and conditions of his bid and subsequent contract to all political sub-divisions of the State, he must so indicate in a clear and unambiguous manner in his bid. This indication does not prejudice the award of the contract. If a Vendor does not indicate his refusal to extend the prices, terms and conditions of his bid to political sub-divisions of the State he is bound to extend them upon issuance of a purchase order by these other entities.

Other organizational entities using this provision of the contract shall do so without any involvement of the Division of Highways. That is, the entity shall make its own purchase arrangements with the Vendor and shall make its own arrangement for payment.

#### 6. HAULING AGGREGATE TO STATE PROJECTS BY CONTRACTOR

The most direct suitable route from the Vendor's aggregate storage site to the midpoint of the project will be determined by the Division and used to compute haul distance for the purpose of determining low bid, and also for the purpose of determining payment. The Contractor shall deposit aggregates at the project site at

the locations and in the manner directed by the Division of Highways. This may include tailgating the aggregate into an aggregate spreader or onto a roadway, or dumping the aggregate into a stockpile.

#### 7. WEIGHING MATERIALS DELIVERED BY TRUCK

Material delivered by truck shall be weighed in accordance with Section 401.9.3 of the West Virginia Department of Transportation, Division of Highways Standard Specifications Roads and Bridges, adopted 2000, as modified by the current Supplemental Specifications.

### 8. WEIGHING MATERIALS DELIVERED BY MODES OF TRANSPORTATION OTHER THAN TRUCKS

Materials delivered to the designated site by barge, or other non-truck modes shall have their weight determined by a means acceptable to the Division, and the weights of materials so shipped shall be certified, by the Vendor or his authorized agent, to be correct.

The minimum barge delivery requested will be approximately 6,500 tons per SCO. When barge delivery is required contract item will be ordered in 1500 ton increments.

#### 9. SAMPLING AND TESTING

Sampling and testing for quality of all items furnished in this contract will be the responsibility of the Division. Minimum frequency of sampling and testing for quality on all materials (other than those sources already covered by the Division's "commercial source" approval) will be at least one sample every six days of shipment (or if tested during production, at least one sample every six days of production).

Other minimum frequencies shall be in accordance with the following:

#### <u>Property</u>

#### Frequency

Gradation-Delivered	Material
---------------------	----------

One sample per each day of shipment (or if tested during production, one sample per each day of production). See Note 1 below.

#### Gradation-Division Pick-up

(Division pick up; A-1 Source) One sample per each week of shipment per MP 700.00.52; or if tested during production, one sample per each day of production. See Note 1 below.

(Division pick up; A-2 Source)
One sample per 250 tons shipped
and a minimum of one per week
of shipment.

#### Moisture Content (See Note 2)

All samples taken by the Vendor shall be by a Certified Aggregate Sampler or Certified Aggregate Inspector. Tests shall be performed by a Certified Aggregate Inspector.

NOTE 1: The Vendor will be responsible for providing test results attesting to the gradation of materials delivered. Gradation results from the production source will be acceptable.

NOTE 2: In the event visual inspection of the aggregate indicates excess or unusual moisture beyond that normally expected in the aggregate, the Division reserves the right to determine the moisture content by standard methods. If this becomes necessary, the net weight of the portion represented will be adjusted utilizing the test results obtained by the Division in accordance with MP 700.00.22. Items "N" & "O" (Abrasives) will be considered fine aggregate outlined in MP 700.00.22.

#### 10. ACCEPTANCE PLAN

Material failing to comply with the quality requirements will not be accepted. Acceptance for gradation shall be on the basis of test results, provided and certified by the Vendor to be true test results and representative of the material supplied to the Division, on consecutive random samples from a lot. A lot shall consist of a quantity of material represented by an average value (not to exceed 5 sublots). A sublot shall consist of the quantity of material represented by a single gradation test. In the case where only one sample is taken to represent the total quantity, the sublot and lot will be considered the same. Frequency of sampling and testing shall be in accordance with the Vendor's quality control plan outlined in MP 700.00.51. The Vendor shall provide the gradation test results to the Division within 72 hours.

Gradation test results shall be averaged in accordance with MP 300.00.51. When the average falls outside the applicable limits, the lot of material represented thereby will be considered nonconforming to the extent that the last of its sublots is nonconforming. When a lot of material is nonconforming, then the last sublot contained therein shall have its degree of nonconformance determined as set forth below.

When a sublot of material is to have its price adjusted, the percentage point difference between the nonconforming test value and the specification limit shall be determined for each sieve size determined to be nonconforming, and this value shall be multiplied by its appropriate multiplication factor as set forth in Table I.

#### TABLE

NONCONFORMING SIEVE SIZE	MULTIPLICATION FACTOR		
Plus #40	4		
#40	1.5		
#50	1.5		
#100	2.0 (1.3 for		
	abrasives and cinders)		
#200	2.5		
1/2"	1		
3/8"	1		

The total measure of nonconformance of an individual sublot is the sum of all nonconformances on the various sieve sizes of that sublot. In no case, however, shall a sublot of material have its price adjusted more than once, and the first adjustment which is determined shall apply.

When the total degree of nonconformance has been established and it is 12 or less, the material will be paid for at an adjusted contract price as specified in Table 2.

TABLE 2

DEGREE OF NONCONFORMANCE	PERCENT OF CONTRACT PRICE TO BE REDUCED		
1.0 TO 3.0	2		
3.1 TO 5.0	4		
5.1 TO 8.0	7		
8.1 TO 12.0	11		
Greater than 12	*		

<sup>\*</sup>The Division will make a special evaluation of the material and determine the appropriate action.

In the event a Vendor delivers a specific quantity of material from a stockpile, and said quantity is less than the total quantity contained in the stockpile, and it has been determined from his certified test data that a nonconforming sublot(s) is contained in said stockpile, the price reduction shall be calculated for the specific quantity as follows:

The percent price reduction shall be determined as set forth above for the nonconforming sublot. The quantity represented by the nonconforming sublot shall then be calculated as a percent of the total (total material contained in the stockpile). To determine the price reduction on the specific quantity delivered, multiply the percent of nonconforming material contained in the stockpile by the quantity delivered, and reduce this quantity by the percent price reduction as determined.

#### Example:

If it has been determined that a stockpile of 100 tons contains 10 percent failing material, and said material is to have its price reduced by 4 percent, then the actual quantity delivered, say 15 tons, will be multiplied by 0.10 (10 percent failing

material) which equals 1.5 tons. This 1.5 tons will thus have its price reduced by 4 percent. The remaining 13.5 tons will be paid for at full contract price.

WHERE T: = tonnage delivered

P = percent price reduction

D = cost per ton

Qn = quantity of nonconforming sublot(s)

Qt = quantity of total stockpile

If two (2) sublots are nonconforming within the stockpile, calculate each separately for the adjusted payment on the quantity delivered (as above). Add these two adjusted payments together and subtract from the total the price to be paid before adjustment for tonnage delivered (TD). If three (3) sublots are nonconforming, calculate each separately and subtract twice the price to be paid before adjustment for tonnage delivered, and so on. Example:

(AP1 + AP2) - TD = Final price to be paid after adjustments

OR

(AP1 + AP2 + AP3) - 2 TD = Final price to be paid after adjustments

Where: AP = price to be paid after initial adjustment for one nonconforming sublot determined by the above equation.

T = tonnage delivered

D = cost per ton

In the event material is delivered from a continuous stockpile, that is, a stockpile which is continuously being replenished while also having material removed for these applications, certification shall be based on the shipment samples.

#### 11. PURCHASING CARD ACCEPTANCE

The State of West Virginia currently utilizes a VISA Purchasing Card Program which is issued through a bank. The successful vendors must accept the State of West Virginia VISA Purchasing Card for payment of all orders places by State DOT agency for orders as a condition of award.

Vendors are encouraged to utilize a paperless invoice process submitting the following information via e-mail to the DOH ordering locations:

- a. All weigh ticket numbers for material delivered during the invoicing period.
- b. Division of Highways' State Contract Purchase Order (SCO) number and this contract number.
- c. Total quantity and unit price with the total cost of each type of material furnished. (Total quantity invoiced shall be scale weights (supported by weigh tickets) adjusted in accordance with Section 9, Note 2.)

NOTE: Under no circumstances will the West Virginia Division of Highways accept, or pay for, quantities of material in excess of the quantity stated on the State Contract Purchase Order.

#### 12.1 Bidding F.O.B. Vendor's Storage Site

a) SOURCE OF MATERIAL (State all sources for which bid prices apply) (e.g., Quarry location if Sandstone or Limestone; dredging or pit location if Gravel; production plant name and location if Slag)

Winchester Quarry 117 Limestone Lane Winchester, VA 22602

b) EXACT LOCATION OF VENDOR'S STORAGE SITE(S) A separate bid schedule must be submitted when bid price varies between Vendors storage sites.

Winchester Quarry 117 Limestone Lane Winchester, VA 22602

Con- Tract Item	Description of Aggregate	F.O.B.		
		LIMESTONE SANDSTONE, GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
Α	Class 1 Aggregate	9.02		
В	Class 2 Aggregate	9.02		
С	AASHTO #1 Aggregate			
D	AASHTO #3 Aggregate	9.49		
E	AASHTO #4 Aggregate		-	
F	AASHTO #467 Aggregate	10.00	**************************************	
G	AASHTO #57 Aggregate	10.11		
Н	AASHTO #67 Aggregate	10.40		
1	AASHTO #7 Aggregate	10.53		
J	AASHTO #8 Aggregate	11.04		
K	AASHTO #9 Aggregate	15.41		

NOTE: The <u>Bid Schedules</u> are ready for download on Purchasing's Web site at <u>www.state.wv.us/admin/purchase</u>

#### **BIDDING SCHEDULE (Continued)**

Cinders

AA

#### 12.1 Bidding F.O.B. Vendor's Storage Site (Continued)

Stone for Gabions Fine Aggregate	13.08
Standard Abrasives	11.04
Modified Abrasives	11.04
Riprap	***************************************
Shot Rock	Management of the second of th
AASHTO #8 Modified	11.04
AASHTO #9 Modified	15.41
Pea Gravel	
#11 Limestone Abrasives	**************************************
Haul by Vendor (Except It:  @\$ for	First Ton-Mile
@\$ for @\$ for	First Ton-Mile Each Additional Ton Mile
@\$ for @\$ for Haul by Vendor (Items Q a	First Ton-Mile Each Additional Ton Mile and/or P):
@\$ for @\$ for Haul by Vendor (Items Q a @\$ for	First Ton-Mile Each Additional Ton Mile and/or P): First Ton-Mile
@\$ for @\$ for Haul by Vendor (Items Q a @\$ for	First Ton-Mile Each Additional Ton Mile and/or P):
@\$ for @\$ for Haul by Vendor (Items Q a @\$ for	First Ton-Mile Each Additional Ton Mile and/or P): First Ton-Mile

Note 1: Bid price shall include cost of Vendor Loading Department trucks.

12.1	Bidding	F.C	D.B.	Vendor	's	Storage	Site
------	---------	-----	------	--------	----	---------	------

Con- Tract Item	Description of Aggregate	Bid Price Per Ton F.O.B. Vendor's Storage Site					
		LIMESTONE SANDSTONE, GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG			
Α	Class 1 Aggregate	9.02					
В	Class 2 Aggregate	9.02					
С	AASHTO #1 Aggregate	<del></del>					
D	AASHTO #3 Aggregate	9.49					
E	AASHTO #4 Aggregate						
F	AASHTO #467 Aggregate	**************************************	**************************************				
G	AASHTO #57 Aggregate	10.11					
Н	AASHTO #67 Aggregate	10.40					
1	AASHTO #7 Aggregate	10.53	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
J	AASHTO #8 Aggregate	11.04					
K	AASHTO #9 Aggregate						

NOTE: The <u>Bid Schedules</u> are ready for download on Purchasing's Web site at <u>www.state.wv.us/admin/purchase</u>

#### **BIDDING SCHEDULE (Continued)**

12.1	Bidding F.O.B. Vendor's Sto	orage Site (Continued)
	Berryville Quarry	,
L M N O P	Stone for Gabions Fine Aggregate Standard Abrasives Modified Abrasives Riprap	11.04 11.04
Q R S	Shot Rock AASHTO #8 Modified AASHTO #9 Modified	11.04
T U	Pea Gravel #11 Limestone Abrasives	
V	Haul by Vendor (Except Ite  @\$ for I  @\$ for I	
W	Haul by Vendor (Items Q a  @\$ for I	
Con- Tract	Description of	Bid Price Per Ton
Item	Material	F.O.B. Vendor's Storage Site
AA	Cinders	

Note 1: Bid price shall include cost of Vendor Loading Department trucks.

#### DISTRICT FIVE

12.2 Bidding F.O.B. Division's Storage Site (Continued)

#### Winchester Quarry

		Estimated	Location of	Bid Price (\$/Ton) F.O.B.
Contract	Description	Quantity	DOH	DOH Storage Site
Item	of Aggregate	(TONS)	Storage Site	

BERKELEY COUNTY   SANDSTONE   SUAST   SANDSTONE   FURNACE   STEEL   GRAVEL, SAND   SLAG   S	Item	of Aggregate	(TONS)	Storage Site	DOTT	Storage Site	
SANDSTONE   FURNACE   SLAG	ItCIII	Or Aggregate	(TONS)	Storage Site		,	
A Class 1   3000   Martinsburg   16.01					2		
A Class 1   3000   Martinsburg   16.01		BERKEL	EY COUNTY		<b>,</b>	FURNACE	STEEL
B						SLAG	SLAG
D No. 3			3000	Martinsburg	16.01		
D No. 3   3000   Martinsburg   16.49	В	Class 2	3000	Martinsburg	16.01		
G	D	No. 3	3000	Martinsburg			
No. 7   3000   Martinsburg   16.99	G	No. 57	3500	Martinsburg	16.75		
K No. 9	Į.	No. 7	3000	~			
M   Fine Aggregate   500   Martinsburg   19.71   Martinsburg   19.71   Martinsburg   19.71   Martinsburg   17.27   Martinsburg   Martinsburg   Martinsburg   Martinsburg   Martinsburg   17.27   Mar	K	No. 9		_			
M         Fine Aggregate         500         Martinsburg         19.71           N         Standard Abr.         4500         Martinsburg         17.27           O         Modified Abr.         4500         Martinsburg         17.27           P         Riprap         500         Martinsburg         17.27           Q         Shot Rock         2000         Martinsburg         17.27           R         No. 8 Modified         5000         Martinsburg         17.27           S         No. 9 Modified         1000         Martinsburg         17.27           A         Class 1         3500         Petersburg         22.41           B         Class 2         3500         Petersburg         9         17.27         17.27           A         Class 1         3500         Petersburg         9         17.27         17.27<	L	Gabion Stone		•			
N				~	10 71		
O         Modified Abr.         4500         Martinsburg         17.27         17.27           P         Riprap         500         Martinsburg					17 27		
P   Riprap   500   Martinsburg				₩			
Q   Shot Rock   2000   Martinsburg   17.27   S   No. 8 Modified   5000   Martinsburg   17.27   S   No. 9 Modified   1000   Martinsburg   22.41   S   No. 9 Modified   1000   Martinsburg   22.41   S   No. 9 Modified   1000   Martinsburg   22.41   S   S   No. 9 Modified   1000   Martinsburg   22.41   S   S   No. 9 Modified   1000   Martinsburg   S   No. 8   S   S   S   S   S   S   S   S   S				_	1/•4/		
R No. 8 Modified   5000   Martinsburg   17.27     22.41							
S No. 9 Modified							
Class 1   3500   Petersburg				<b></b>	17.27		
A       Class 1       3500       Petersburg         B       Class 2       3500       Petersburg         D       No. 3       500       Petersburg         I       No. 7       2500       Petersburg         J       No. 8       2500       Petersburg         L       Gabion Stone       500       Petersburg         N       Standard Abr.       2000       Petersburg         O       Modified Abr.       2000       Petersburg         P       Riprap       500       Petersburg         Q       Shot Rock       2000       Petersburg         R       No. 8 Modified       3000       Petersburg         S       No. 9 Modified       750       Martinsburg     **Class 1	S	No. 9 Modified	1000	Martinsburg	22.41		
B   Class 2   3500   Petersburg		<u>GRAN</u>	T COUNTY				
B	Α	Class 1	3500	Petersburg			
D No. 3	В	Class 2	3500	<del>-</del>			
No. 7	D	No. 3	500	<del>-</del>			
J         No. 8         2500         Petersburg           L         Gabion Stone         500         Petersburg           N         Standard Abr.         2000         Petersburg           O         Modified Abr.         2000         Petersburg           P         Riprap         500         Petersburg           Q         Shot Rock         2000         Petersburg           R         No. 8 Modified         3000         Petersburg           S         No. 9 Modified         750         Martinsburg     **A Class 1     3500     Mt. Storm  B Class 2     3500     Mt. Storm  I No. 7     2500     Mt. Storm  J No. 8     1000     Mt. Storm  J No. 8     1000     Mt. Storm  N Standard Abr.     2000     Mt. Storm  O Modified Abr.     2000     Mt. Storm  O Modified Abr.     2000     Mt. Storm  P Riprap     500     Mt. Storm  Q Shot Rock      2000     Mt. Storm  R No. 8 Modified     3000     Mt. Storm  R No. 8 Modified     3000     Mt. Storm  R No. 8 Modified     3000     Mt. Storm  **Total Country     Total Country      Total Country     Total Country     Total Country     Total Co	1	No. 7		-			
L         Gabion Stone         500         Petersburg           N         Standard Abr.         2000         Petersburg           O         Modified Abr.         2000         Petersburg           P         Riprap         500         Petersburg           Q         Shot Rock         2000         Petersburg           R         No. 8 Modified         3000         Petersburg           S         No. 9 Modified         750         Martinsburg    A Class 1 3500 Mt. Storm  B Class 2 3500 Mt. Storm  I No. 7 2500 Mt. Storm  J No. 8 1000 Mt. Storm  J No. 8 1000 Mt. Storm  O Modified Abr. 2000 Mt. Storm  O Modified Abr. 2000 Mt. Storm  P Riprap 500 Mt. Storm  Q Shot Rock 2000 Mt. Storm  Q Shot Rock 2000 Mt. Storm  R No. 8 Modified         Mt. Storm	J	No. 8					
N         Standard Abr.         2000         Petersburg           O         Modified Abr.         2000         Petersburg           P         Riprap         500         Petersburg           Q         Shot Rock         2000         Petersburg           R         No. 8 Modified         3000         Petersburg           S         No. 9 Modified         750         Martinsburg     **Comparison of the property of t	L			-			
O         Modified Abr.         2000         Petersburg           P         Riprap         500         Petersburg           Q         Shot Rock         2000         Petersburg           R         No. 8 Modified         3000         Petersburg           S         No. 9 Modified         750         Martinsburg    **Page 100  **Page 10	N			•			
P         Riprap         500         Petersburg           Q         Shot Rock         2000         Petersburg           R         No. 8 Modified         3000         Petersburg           S         No. 9 Modified         750         Martinsburg    A Class 1 3500 Mt. Storm  B Class 2 3500 Mt. Storm  I No. 7 2500 Mt. Storm  J No. 8 1000 Mt. Storm  N Standard Abr. 2000 Mt. Storm  N Standard Abr. 2000 Mt. Storm  O Modified Abr. 2000 Mt. Storm  P Riprap 500 Mt. Storm  Q Shot Rock 2000 Mt. Storm  R No. 8 Modified         3000 Mt. Storm				_			
Q         Shot Rock         2000         Petersburg           R         No. 8 Modified         3000         Petersburg           S         No. 9 Modified         750         Martinsburg      A Class 1   3500   Mt. Storm							
R         No. 8 Modified         3000         Petersburg           S         No. 9 Modified         750         Martinsburg							
S         No. 9 Modified         750         Martinsburg           GRANT COUNTY           A         Class 1         3500         Mt. Storm           B         Class 2         3500         Mt. Storm           I         No. 7         2500         Mt. Storm           J         No. 8         1000         Mt. Storm           N         Standard Abr.         2000         Mt. Storm           O         Modified Abr.         2000         Mt. Storm           P         Riprap         500         Mt. Storm           Q         Shot Rock         2000         Mt. Storm           R         No. 8 Modified         3000         Mt. Storm					· · · · · · · · · · · · · · · · · · ·		
A   Class 1   3500   Mt. Storm							
A         Class 1         3500         Mt. Storm           B         Class 2         3500         Mt. Storm           I         No. 7         2500         Mt. Storm           J         No. 8         1000         Mt. Storm           N         Standard Abr.         2000         Mt. Storm           O         Modified Abr.         2000         Mt. Storm           P         Riprap         500         Mt. Storm           Q         Shot Rock         2000         Mt. Storm           R         No. 8 Modified         3000         Mt. Storm	3	No. 9 Modified	750	iviartinsburg			
B         Class 2         3500         Mt. Storm           I         No. 7         2500         Mt. Storm           J         No. 8         1000         Mt. Storm           N         Standard Abr.         2000         Mt. Storm           O         Modified Abr.         2000         Mt. Storm           P         Riprap         500         Mt. Storm           Q         Shot Rock         2000         Mt. Storm           R         No. 8 Modified         3000         Mt. Storm		GRANT	COUNTY				
B         Class 2         3500         Mt. Storm           I         No. 7         2500         Mt. Storm           J         No. 8         1000         Mt. Storm           N         Standard Abr.         2000         Mt. Storm           O         Modified Abr.         2000         Mt. Storm           P         Riprap         500         Mt. Storm           Q         Shot Rock         2000         Mt. Storm           R         No. 8 Modified         3000         Mt. Storm	Α	Class 1	3500	Mt. Storm		<u> </u>	
I         No. 7         2500         Mt. Storm           J         No. 8         1000         Mt. Storm           N         Standard Abr.         2000         Mt. Storm           O         Modified Abr.         2000         Mt. Storm           P         Riprap         500         Mt. Storm           Q         Shot Rock         2000         Mt. Storm           R         No. 8 Modified         3000         Mt. Storm							
J         No. 8         1000         Mt. Storm           N         Standard Abr.         2000         Mt. Storm           O         Modified Abr.         2000         Mt. Storm           P         Riprap         500         Mt. Storm           Q         Shot Rock         2000         Mt. Storm           R         No. 8 Modified         3000         Mt. Storm	Ī						
N         Standard Abr.         2000         Mt. Storm           O         Modified Abr.         2000         Mt. Storm           P         Riprap         500         Mt. Storm           Q         Shot Rock         2000         Mt. Storm           R         No. 8 Modified         3000         Mt. Storm	i						
O         Modified Abr.         2000         Mt. Storm           P         Riprap         500         Mt. Storm           Q         Shot Rock         2000         Mt. Storm           R         No. 8 Modified         3000         Mt. Storm							
P         Riprap         500         Mt. Storm           Q         Shot Rock         2000         Mt. Storm           R         No. 8 Modified         3000         Mt. Storm							
Q Shot Rock 2000 Mt. Storm R No. 8 Modified 3000 Mt. Storm							
R No. 8 Modified 3000 Mt. Storm							
		and the second s					
S No. 9 Modified 250 Mt. Storm							
	S	No. 9 Modified	250	Mt. Storm			

#### DISTRICT FIVE

Winchester Quarry

12.2 Bidding F.O.B. Division's Storage Site (Continued)

Contract Item	Description of Aggregate	Estimated Quantity (TONS)	Location of DOH Storage Site	Bid Price (\$/Ton) F.O.B.  DOH Storage Site
	HVMD6Hi	RE COUNTY		LIMESTONE BLAST
	I MINIT OF IL	NE COUNT		SANDSTONE FURNACE STEEL
Α	Class 1	1000	Capon Bridge	GRAVEL, SAND SLAG SLAG
В	Class 2	1500	Capon Bridge	16.45 16.45
1	No. 7	1000	Capon Bridge	17.60
i	Gabion Stone	500	Capon Bridge	17.00
N	Standard Abr.	2000	Capon Bridge	17.93
0	Modified Abr.	2000	Capon Bridge	17.93
Р	Riprap	500	Capon Bridge	17.000
Q	Shot Rock	500	Capon Bridge	
R	No. 8 Modified	1000	Capon Bridge	17.93
			<u>9</u> -	
	<u>HAMPSHI</u>	RE COUNTY		
Α	Class 1	1000	Slanesville	16.00
В	Class 2	1500	Slanesville	16.00
I	No. 7	1500	Slanesville	17.45
K	No. 9	500	Slanesville	20.25
L	Gabion Stone	500	Slanesville	20.25
Ν	Standard Abr.	2000	Slanesville	17.29
0	Modified Abr.	2000	Slanesville	17,29
P	Riprap	500	Slanesville	
Q	Shot Rock	500	Slanesville	
R	No. 8 Modified	1500	Slanesville	17.29
	НАМОСНІ	RE COUNTY		
A	Class 1	2000	Romney	
В	Class 2	3000	Romney	
. D	No. 3	1000	Romney	
	No. 7	3000	Romney	
J	No. 8 Modified	1000	Romney	
K	No. 9	1000	Romney	
L	Gabion Stone	500	Romney	
N	Standard Abr.	3000	Romney	
0	Modified Abr.	3000	Romney	
P	Riprap	500	Romney	
Q	Shot Rock	500	Romney	
R	No. 8 Modified	1800	Romney	
S	No. 9 Modified	1000	Romney	

#### DISTRICT FIVE

### Berryville Quarry

12.2 Bidding F.O.B. Division's Storage Site (Continued)

Contract Item	Description of Aggregate	Estimated Quantity (TONS)	Location of DOH Storage Site	Bid Price (\$/Ton) F.O.B.  DOH Storage Site
	HARD'	Y COUNTY		LIMESTONE BLAST SANDSTONE FURNACE STEEL GRAVEL, SAND SLAG SLAG
Α	Class 1	1000	Baker	GRAVEL, SAND SLAG SLAG
В	Class 2	2500	Baker	
D	No. 3	100	Baker	
Ğ	No. 57	500	Baker	
Ĭ	No. 7	2500	Baker	
ĸ	No. 9	1500	Baker	
 L	Gabion Stone	500	Baker	
N	Standard Abr.	5000	Baker	
0	Modified Abr.	5000	Baker	
P	Riprap	500	Baker	
Q	Shot Rock	500 500	Baker	
R	No. 8 Modified	4000	Baker	
, ,	no. o mounica	4000	Daker	
	HARD)	COUNTY		
Α	Class 1	1000	Moorefield	
В	Class 2	2000	Moorefield	
D	No. 3	500	Moorefield	
G	No. 57	500	Moorefield	
	No. 7	2000	Moorefield	
K	No. 9	1500	Moorefield	
L	Gabion Stone	500	Moorefield	
N	Standard Abr.	4000	Moorefield	
	Modified Abr.	4000	Moorefield	
P	Riprap	500	Moorefield	
	Shot Rock	500	Moorefield	
R	No. 8 Modified	2000	Moorefield	
	<u>JEFFERS</u>	ON COUNTY		
Α	Class 1	4000	Charles Town	14.91
В	Class 2	4000	Charles Town	14.91
D	No. 3	1000	Charles Town	15.21
G	No. 57	1000	Charles Town \	15.75
1	No. 7	3000	Charles Town	16.20
	Gabion Stone	500	Charles Town	
N	Standard Abr.	1500	Charles Town	16.51
0	Modified Abr.	1500	Charles Town	16.51
Р	Riprap	500	Charles Town	10.01
	Shot Rock	500	Charles Town	
R	No. 8 Modified	4000	Charles Town	15.51
S	No. 9 Modified	2000	Charles Town	

#### DISTRICT FIVE

12.2 Bidding F.O.B. Division's Storage Site (Continued)

Winchester Quarry

Contract Item	Description of Aggregate	Estimated Quantity (TONS)	Location of DOH Storage Site	Bid Price (\$/Ton) F.O.B.  DOH Storage Site
	HARDY	COUNTY		LIMESTONE BLAST SANDSTONE FURNACE STEEL GRAVEL, SAND SLAG SLAG
A B D G - S	Class 1 Class 2 No. 3 No. 57 No. 7	1000 2500 100 500 2500	Baker Baker Baker Baker Baker	GRAVEL, SAND SLAG SLAG
K L N O P Q R	No. 9 Gabion Stone Standard Abr. Modified Abr. Riprap Shot Rock No. 8 Modified	1500 500 5000 5000 500 500 4000	Baker Baker Baker Baker Baker Baker	
	HARDY	COUNTY		
B D G - K L Z O P Q	Class 1 Class 2 No. 3 No. 57 No. 7 No. 9 Gabion Stone Standard Abr. Modified Abr. Riprap Shot Rock No. 8 Modified	1000 2000 500 500 2000 1500 500 4000 4000 500 500 2000	Moorefield	
B D G I L N O P Q R	Class 1 Class 2 No. 3 No. 57 No. 7 Gabion Stone Standard Abr. Modified Abr. Riprap Shot Rock No. 8 Modified No. 9 Modified	4000 4000 1000 1000 3000 500 1500 1500 500 4000 2000	Charles Town	22.27

### 12. BIDDING SCHEDULE DISTRICE FIVE

#### Winchester Quarry

12.2 Bidding F.O.B. Division's Storage Site

		Estimated	Location of	Bid Price	(\$/Ton) F.O.B	
Contract	Description	Quantity	DOH		Storage Site	
Item	of Aggregate	(TONS)	Storage Site		J	
	· · · · · · · · · · · · · · · · · · ·			LIMESTONE	BLAST	
	<u>MORGA</u>	N COUNTY		SANDSTONE	FURNACE	STEEL
				GRAVEL, SAND	SLAG	SLAG
Α	Class 1	2500	Berkeley Springs	19.08		
В	Class 2	2000	Berkeley Springs	19.08		
D	No. 3	500	Berkeley Springs	1,9.66		
G	No. 57	500	Berkeley Springs	19.42		
I	No. 7	2500	Berkeley Springs	20.19		
J	No. 8	1000	Berkeley Springs	20.50		
<u>L</u>	Gabion Stone	500	Berkeley Springs			
N .	Standard Abr.	1500	Berkeley Springs	20.50		
0	Modified Abr.	1500	Berkeley Springs	20.50		
Р	Riprap	500	Berkeley Springs			
Q	Shot Rock	500	Berkeley Springs			
R	No. 8 Modified	2500	Berkeley Springs	20.50		
S	No. 9 Modified	750	Berkeley Springs	24.44		
	•					
	<u>MORGA</u>	<u>N COUNTY</u>				
Α	Class 1	1000	Largent SR 9	18.13	l I	
В	Class 2	1000	Largent SR 9	18.13		
	No. 7	1000	Largent SR 9	19.65		
J	No. 8	1000	Largent SR 9	19.95		
L	Gabion Stone	500	Largent SR 9			
Ν	Standard Abr.	1000	Largent SR 9	19.95		
0	Modified Abr.	1000	Largent SR 9	19.95		
P	Riprap	500	Largent SR 9			
Q	Shot Rock	500	Largent SR 9			
R	No 8 Modified	1000	Largent SR 9	19.95		
			*		· · · · · · · · · · · · · · · · · · ·	
	MORGAI	N COUNTY				
В	Class 2	500	Largent CR 9/14			
****	No. 7	500	Largent CR 9/14	20.57		
J	No. 8	500	Largent CR 9/14	20.87		
Ĺ	Gabion Stone	500	Largent CR 9/14			
		223				

#### 12. BIDDING SCHEDULE DISTRICT FIVE

12.2 Bidding F.O.B. Division's Storage Site (Continued)

Contract Item	Description of Aggregate	Estimated Quantity (TONS)	Location of DOH Storage Site	Bid Price (\$/Ton) F.O.B.  DOH Storage Site
	MINER	AL COUNTY		LIMESTONE BLAST SANDSTONE FURNACE STEEL GRAVEL, SAND SLAG SLAG
Α	Class 1	1500	Short Gap	GRAVEL, SAND SLAG SLAG
В	Class 2	1000	•	
***	No. 7	1000	•	
J	No. 8	1000		
L.	Gabion Stone	500	*	
Ν	Standard Abr.	1500	•	
0	Modified Abr.	1500	1	
Р	Riprap	500		
Q	Shot Rock	500	•	
R	No. 8 Modified	1500	· ·	
	MINERA	AL COUNTY		
А	Class 1	1500	Skyline	
В	Class 2	2000	,	
	No. 7	1500		
J	No. 8	1000		***************************************
L	Gabion Stone	500		
N	Standard Abr.	2000	Skyline	
0	Modified Abr.	2000	Skyline	
P	Riprap	500	Skyline	
Q	Shot Rock	500	Skyline	
R	No. 8 Modified	1500	Skyline	
	MINERA	AL COUNTY		
Α	Class 1	1000	New Creek	
В	Class 2	2000	New Creek	
D	No. 3	1000	New Creek	
1	No. 7	3500	New Creek	
J	No. 8	3000	New Creek	
K	No. 9	500	New Creek	
L	Gabion Stone	500	New Creek	
N	Standard Abr.	2500	New Creek	
0	Modified Abr.	2500	New Creek	
Р	Riprap	500	New Creek	
Q	Shot Rock	500	New Creek	
R	No. 8 Modified	3000	New Creek	
S		1500		

6100007	8	Q
---------	---	---

RFQ No.

### STATE OF WEST VIRGINIA Purchasing Division

#### PURCHASING AFFIDAVIT

#### **VENDOR OWING A DEBT TO THE STATE:**

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

#### PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

If this is a solicitation for a public improvement construction contract, the vendor, by its signature below, affirms that it has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the *West Virginia Code*. The vendor must make said affirmation with its bid submission. Further, public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the *West Virginia Code* and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the *West Virginia Code* may take place before their work on the public improvement is begun.

#### **ANTITRUST:**

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

#### LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

#### CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.

Under penalty of law for false swearing (*West Virginia Code* §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name: Stuart M. I	PARY!	у,	Inc.			
Authorized Signature:		7	,	<del></del>	_Date:	Oct 19, 2009
Purchasing Affidavit (Revised 01/01/09)	///					