



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 6610C018

PAGE
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 MICHAEL AUSTIN
 304-558-2402

VENDOR

*228140818 304-475-4832
 APPALACHIAN PAVING & AGGREGATE
 PO BOX 457
 LENORE WV 25676

SHIP TO

DIVISION OF HIGHWAYS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/31/2010				

BID OPENING DATE: 04/21/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 3						
PREVIOUS SPECIFICATIONS CANCELLED IN ITS ENTIRETY, REPLACED WITH THE ATTACHED REVISED SPECIFICATIONS.						
BID OPENING DATE AND TIME REMAINS 04/21/10 @1:30 P.M.						
NO OTHER CHANGES						
0001	1	TN		745-07		
HOT MIX ASPHALT						
***** THIS IS THE END OF RFQ 6610C018 ***** TOTAL:						



SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Harold B. Davis</i>	TELEPHONE 304 475 4832	DATE 4/20/10
TITLE Member	FEIN 20-8314880	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
5. Payment may only be made after the delivery and acceptance of goods or services.
6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F O B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W Va. C.S.R. §148-1-6.6).

1. SPECIFICATIONS

The following sections of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Latest Addition, as modified by the current Supplemental Specifications shall apply to the administration of the Contract: Sections 101, 102.4, 102.5, 105.1, 105.3, 105.4, 105.10, 105.11, 105.12, 105.13, 106.3, 106.4, 106.5, 106.6, 106.7, 106.9, 107.1, 107.2, 107.3, 107.12, 107.14, 107.25, 107.16, 107.19, 107.20, 107.23, 108.3, 108.5, 108.6, 108.7, 108.8.

The terms "Contractor" and "Vendor" used in the above specifications of this Contract are interchangeable. Contractor shall mean Vendor and Vendor shall mean Contractor.

West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Adopted 2000, and the current Supplemental Specifications may be obtained from:

West Virginia Division of Highways
 State Capitol Complex
 Contract Administration Division
 Room 722, Building Five
 1900 Kanawha Boulevard, East
 Charleston, West Virginia 25305

All material, except Item P, shall be furnished in accordance with the requirements of the following West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Latest Edition as modified by the current Supplemental Specifications.

Item P Shall meet West Virginia Division of Highways' Specifications, specifications of adjacent state highway departments or specifications acceptable to the Engineer for similar material as bid in Items A through O.

The Division of Highways may purchase Hot-Mix Asphalt F.O.B. Vendor's plant. The bid price F.O.B. Vendor's plant shall include the loading of Division of Highways', owned or rented, trucks and the furnishing of a coating solution in accordance with Section 401.9.7 of the Specifications by Vendor.

2. BIDDING INSTRUCTIONS

Any qualification of bids or any modification of the specifications or conditions governing the bids shall be cause to reject bids.

If a Vendor will be supplying materials from more than one plant, the bid prices that apply to each plant shall be clearly indicated in the bid, preferably on separate bid schedules.

3. DETERMINING LOW BID

The purpose of this contract is to establish unit prices for Items A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z, AA, AB, AC, AD, AE, AF, AG, AH, AI, AJ, AK, AL, AM and AN which are to be used as the basis for requisitioning Hot-Mix Asphalt and Warm-Mix Asphalt for use on various maintenance and repair projects throughout the District.

State Contract Purchase Orders (SCO's) for individual paving projects will be based on the lowest overall total cost of the pick-up price of material (Items A through O) plus shoulder paving Item S, T, and U plus the haul cost (Item V) plus the lay down cost (Item W), plus cleaning & sweeping (Item X), tack material (Item Y), mobilization for paving (Items Z, or AA) off season plant opening (Item AB), additional heel-in joints (Item AC), skip paving surcharge (Item AD), mobilization for profiling (Item AE), pavement profiling (Item AF), and Traffic Control (Items AG, AH, AI and AJ), and Item AM Pavement repair, however (Items A through R) may be furnished from any approved production location. Items S, T, U, V, W, X, Y, Z, AA, AB, AC, AD, AE, AF, AG, AH, AI, AJ, AK, AL, AM and AN shall be shown on the SCO as a separate pay item when requested by the Engineer.

State Contract Purchase Orders (SCO's) for material to be picked up at the Vendor's plant by the Division of Highways will be based on the lowest unit price of Items A through R and the Division's most economical haul cost from the Vendor's plant to individual job sites. Factors to be considered shall include but not be limited to; bid price of material, haul cost @ \$0.25 for each additional ton-mile, loading and transportation delays, and availability of material.

The distances allowed for haul costs will be over suitable routes selected by the Engineer that provides the lowest total cost to the Division of Highways and shall be measured from the Vendor's plant location to the mid-point of the project. All such chosen routes shall have acceptable load limits for both roads and bridges.

The Division of Highways reserves the right to request any one or combination of items for which bids are received at the lowest overall total as set forth above.

Acceptance of a bid for any one item shall not be dependent upon the acceptance of a bid for any other item or any combination of items. However, Item P shall not be requested except when determined by the Engineer that all other equivalent items of material are not available, then only on a pick-up basis. Also, Item V will only be requested in combination with other quoted items.

Upon receipt of a State Contract Purchase Order (SCO) for lay down of Hot Mix Asphalt or pavement profiling, the Vendor shall advise the Division of Highways, in writing, within five (5) calendar days of their acceptance of the SCO. Failure to acknowledge shall result in cancellation of the SCO and re-award to the next lowest bidder.

4. CONTRACT CONDITIONS

Vendors may bid any or all items on the bid schedule. However, the amount bid on any one item may not be conditioned on the acceptance of the bid on any other item or items.

All qualified Vendors who submit a valid bid "F.O.B. Vendor's Plant" will be awarded a Contract for those items bid (see Section 12).

In the event a Contractor fails to conform to the requirements set out in this contract document, the State Contract Purchase Order or the governing specifications, and the State Contract Purchase Order may be canceled and re-awarded to the next lowest bidder.

The State of West Virginia reserves the right to make multiple awards on this Contract when it is in the best interest of the State to do so.

All labor rates paid by Vendor under Items S, T, U, W, X, Y, AC, AE, AF, AG, AH, AI, AJ, AK, and AM of this contract must be in compliance with the West Virginia Department of Labor Prevailing Rates, Chapter 21-5A, Series 15, 2006.

The Vendor is not authorized to ship, nor is the Division authorized to receive materials prior to the issuance of an "SCO".

5. CONTRACT COMPLETION

All State Contract Purchase Order's (SCO's) for lay down work shall be started within ten (10) calendar days of vendor acceptance of the "SCO", unless otherwise specified by the Engineer. If not started within 10 days SCO may be cancelled and reissued to next lowest bidder. If not completed within thirty (30) calendar days of the starting date, unless otherwise specified in the SCO, liquidated damages will be assessed in accordance with Section 108.7 of the Standard Specifications Roads and Bridges Latest Addition.

6. GENERAL PROVISIONS

6.1 Lay Down

Lay down as noted in Item W shall be provided by the Vendor as requested by the Division of Highways at projects designated by the Engineer.

6.2 Skip Paving

The Vendor may be required to perform Skip Paving projects at a paving location, provided the distance between the end of one skip and the beginning of the next does not exceed two thousand five hundred (2500) feet. When Skip Paving is requested the Vendor shall be paid the Skip Paving Surcharge, Item AD for each ton of final surface course material completed in place on the project. Patching and leveling in preparation for resurfacing of a project shall not be considered Skip Paving.

6.3 Heel - In

Heel -in of joints at the beginning and the end of each paving location, will be performed by the Vendor in accordance with the Resurfacing Heel - In Detail.

Payment for beginning and ending heel - in joints shall be included in the unit price bid for Item W.

Additional Heel - In Joints, Item AC, constructed in accordance with the Resurfacing Heel - In Detail may be required as directed by the Engineer at intersecting roadways, at the beginning and end of each paving skip, and other designated locations. Payment of additional Heel-In Joints shall be paid per lineal foot as measured along the joint, which shall be full payment for complete construction of the joint.

6.4 Cleaning and Sweeping

Cleaning and Sweeping may be performed by the Division. However, Cleaning and Sweeping, if provided by the Vendor, shall be performed in accordance with Subsection 401.10.1 of the Standard Specifications. Payment shall be calculated as the paving length times the width swept in accordance with subsection 401.10.1.

6.5 Off Season Plant Opening

If the Vendor is required to open his plant in the off season to service the needs of the Division, an additional payment will be made under Item AB, off-season plant opening. Vendor will be paid additional day charge for each additional consecutive day that the plant is open after the first day to serve the needs of the Division.

If the plant produces no material for any user on any calendar day, either during the week or on the weekend, the Division will pay the first day rate for off-season plant opening on the next day of Division usage. Payment for this item is subject to the following conditions:

6.5.1 Payment for Item AB can only be authorized and made during the winter months, i.e., between December 15 and March 15, and then only if the plant would not have otherwise been open.

These dates may be revised by the State Highway Engineer, if necessary, to meet specific needs in the field. Any such revision of dates will be in writing and shall be attached to the Vendor's invoice at the time payment is requested.

6.5.2 Payment will always be made in the full contract bid price amount for first day of plant opening. However, the amount paid from each additional day of plant opening will be reduced as follows:

a. Payment for additional day charge will not be made if the plant has produced over 500 tons on that particular day. If between 300 and 500 tons have been produced, payment for additional day charge will be made equal to one-half of the amount bid for additional day charge. The quantity produced to make this determination shall include all material produced that day, which includes tonnage bought by the State, the various local governments, and all private work.

b. The State will only pay its share of the amount determined to be due for additional day charge in paragraph 6.5.2a above. For example, if the plant produces 375 tons and the Division takes 150 tons of the total, in this illustration 40% of the plant's daily production, payment for additional day charge would be calculated as follows: Since the total daily production is between 300 and 500 tons, the Vendor is due one-half (50%) of the additional day charge in accordance with paragraph 6.5.2a. Because the Division's share of this daily production is 40% the Division would pay 40% of one-half of the additional day charge, or in this case, 20% of the additional day charge.

6.5.3 In order to be paid for additional day charge, a certified statement shall accompany the invoice stating the total quantity produced on that day. If payment for additional day of plant opening is not made due to tonnage produced, the next consecutive day of plant operation, if any, will only qualify for payment at the additional day rate, not the first day rate for plant opening.

6.6 Pavement Profiling (Milling)

6.6.1 Description of Work:

This work shall consist of profiling the existing pavement to the specified grade and cross slope by grinding, planning or milling. The profiling equipment shall be capable of accurately establishing profile grades (1/4 inch plus or minus) along each edge of the machine by reference from the existing pavement by use of ski or matching shoe or by reference to independent grade control. The equipment shall have an automatic system for controlling grade and cross slope. The Vendor shall provide adequate manpower and auxiliary equipment to control dust and remove cutting from the project site. Stockpiling of cuttings on the project site will not be permitted. All cuttings on the project site will not be permitted. All cuttings shall become the property of the Vendor. The Vendor shall be responsible for damage to drainage facilities, manholes or other appurtenances within the pavement area.

6.6.2 Method of Measurement:

6.6.2.1 Mobilization for Profiling: The work shall consist of preparatory operations including movement of necessary personnel and equipment onto the project site to begin the profiling work. Only one Mobilization for Profiling per State Contract Order (SCO) shall be paid when Pavement Profiling (Milling) is required.

6.6.2.2 Pavement Profiling (Milling): "Pavement Profiling (Milling)" shall be measured as the total number of square yards planed or ground to a depth not exceeding two (2) inches. Should the required removal depth exceed two (2) inches additional quantities shall be measured for each additional two (2) inch increment.

6.6.2.3 Haul of Profiled Cuttings: Hauling of cuttings from project site to the Vendor's nearest production facility shall be paid under Item V "Haul by Vendor", and weighted on truck scales in accordance with Section 401.9.3 of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Latest Addition as modified by the current Supplemental Specifications.

6.7 Maintenance of Traffic

Maintenance of Traffic: Traffic Control and Temporary Pavement Marking Paint may be furnished by DOH. When Items AG, AH, AI, and AJ are requested, traffic shall be maintained by the Vendor in accordance with Section 636 of the West Virginia Division of Highways Standard Specifications Roads and Bridges Latest Addition as modified by the current Supplemental Specifications.

The project, while undergoing improvement, shall be kept open to traffic in such condition that both local and through traffic will be adequately and safely accommodated. All construction operations shall be scheduled by the Contractor to keep traffic delay to a minimum.

6.8 HMA Base 1 Shoulder Paving

Work shall consist of installing and compacting 4" of Base 1 HMA to the elevation of the existing pavement.

HMA to be paid for with Item "A". Hauling of the HMA will be paid for with item "V".

HMA Base 2 Shoulder Paving

Work shall consist of installing and compacting 2" of Base 2 HMA to the elevation of the existing pavement.

HMA to be paid for with Item "C". Hauling of the HMA will be paid for with item "V".

6.8.1 Excavation for shoulder paving

Work shall consist of removing existing shoulder material for a length and width as directed by the engineer in 2" vertical increments.

Cost of loading, hauling and disposing of the excavated material shall be included in the unit bid price for "Excavation for shoulder paving."

6.9 Pavement Repair

Work shall consist of squaring up the repair area, removing damaged material to a depth directed by the engineer, hauling and disposing of existing pavement, tacking of existing surfaces and placing and compacting Base 2 HMA in lifts not exceeding 2" to the level of the existing pavement. The cost of squaring, removing, hauling, disposing of the existing pavement, placing, and compacting the Base 2 HMA shall be included in the Bid price for "Pavement Repair".

6.10 PRICE ADJUSTMENT OF ASPHALT CEMENT

Due to the uncertainty in estimating the costs of petroleum products that will be used during the life of this Contract, adjustment in compensation for contract Items A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, and P, and is provided in The Special Provision for Section 109 as Section 109.10.

The asphalt cement content used for Item P shall be that specified above for the similar materials in Item A through O.

6.11 PRICE ADJUSTMENT OF FUEL OIL NO. 2 (DIESEL FUEL)

Because of the uncertainty in estimating the cost of diesel fuel that will be used during the life of this contract, adjustment in compensation for contract Items A, B, C, D, E, F, G, H, I, J, K, L, M, N, and O, is provided for in The Special Provision for Section 109 as Section 109.9.

6.12 Surcharge for Warm-Mix Asphalt

The cost difference for supplying Items A-O as Warm-Mix Asphalt instead of Hot-Mix Asphalt(+) plus for increased cost (-) minus for decreased cost.

6.13 Milled Rumble Strip

Milled Rumble Strips shall be constructed in accordance with "Rumble Strip Special Detail" (See Figure 1).

6.13.1 Mobilization for Milled Rumble Strips

Work shall consist preparatory operations including movement of necessary personnel and equipment onto project site to begin the work of milling rumble strips. Only one mobilization for milling rumble strips per State Contract Order (SCO) shall be paid when milled rumble strips are required.

7. MOBILIZATION FOR PAVING LIMITS

Mobilization for Paving, Items Z and AA will be paid when Vendor is required to place lay down quantities (Item W) under 500 tons. In addition, nighttime mobilization for paving, Item Z will only be paid when Vendor is directed by the Engineer to perform lay down at night.

Only one mobilization for paving per day of operation will be paid, unless moves of over five miles between individual paving locations are required. In cases where a Vendor is required to move from one roadway to the adjacent roadway of a divided highway, additional mobilization for paving will only be paid if the nearest interchange or crossing point that will accommodate the Vendor's equipment is over five miles from the paving locations. (This provision may require roundtrip moves of up to 10 miles with no additional mobilization for paving payment).

At an individual paving location where the Vendor is required to place quantities of less than 500 tons on successive days and/or nights, mobilization for paving will only be paid for the initial day's and/or night's operation.

An individual paving location shall be defined as a paving job where no skips exceeding two thousand five hundred (2500) feet are involved, except between the approach slabs of a bridge or parallel pair of bridges.

8 WEIGHING MATERIALS DELIVERED BY TRUCK

Material delivered by truck shall be weighed in accordance with Section 401.9.3 of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Latest Addition as modified by the current Supplemental Specifications.

9 ACCEPTANCE PLAN

Quality control at the plant and in the field shall be the responsibility of the Vendor and shall meet the requirements of MP 401.03.50.

Compaction quality control shall be in accordance with MP 401.05.20. Acceptance testing shall be the responsibility of the Division.

Quality assurance of the material shall be as set forth in MP 401.02.27 for Marshall mix designs or MP 401.02.29 for Superpave mix designs.

10 WARM MIX ASPHALT

Warm-Mix Asphalt (WMA) produced using a water injection system may be substituted for Hot-Mix Asphalt (HMA), at the discretion of the Engineer, using Division approved HMA designs. When WMA is used, the temperature of the completed mixture at the plant may be lowered to an established range that has previously been determined through trial production. The allowable temperature range specified on the approved T400 mix design form shall be adjusted accordingly when using WMA. In addition, typical minimum HMA compaction temperatures shall be waived as long as additional density can be obtained at lower temperatures without damaging the pavement.

11 SUPPLYING OTHER ORGANIZATION ENTITIES

County Courts, Municipalities, School Boards, and other political subdivision and governmental entities, etc, may have a need for these materials, and Vendors may wish to supply that need.

Accordingly, bidders may wish to extend their contract prices to these other entities. If the bidder wishes to supply these other entities, but with prices different from quoted for the Division of Highways, the bidder shall include a set of bid schedules clearly and unambiguously marked for the express use of the entities other than the Division of Highways. Failure by the bidder to include a set of bid schedules for other entities will be taken to mean that the bid schedules extended to the Division of Highways will also be extended to these other entities.

In the event any Vendor does not wish to extend the prices, terms and conditions of his bid and subsequent contract to other entities of the State, he must so indicate in a clear and unambiguous manner in his bid. This indication does not prejudice the award of the contract. If a Vendor does not indicate his refusal to extend the prices, terms and conditions of his bid to other entities of the State, he is bound to extend them upon issuance of a purchase order by these other entities.

Other organizational entities using this provision of the contract shall do so without any involvement of the Division of Highways. That is, the entity shall make its own purchase arrangements with the Vendor and shall make its own arrangement for payment.

12.VENDOR'S INVOICES

Separate invoices must be submitted for Items "A" through R and for Items "S" through "AN".

Vendor's invoices must be submitted in original and one copy and contain the following:

- a. All weigh ticket numbers for material delivered and cuttings hauled during the invoicing period.
- b. Division of Highways' State Contract Purchase Order (SCO) number and this contract number.
- c. Total quantity and unit price with the total cost of each type of material furnished.
- d. Vendors shall show all weigh ticket numbers on their individual invoices.
- e. No payment will be made to a Contractor for Item Z or AA unless he performs the lay down operation and the quantity involved is less than 500 tons for Item Z.

Under no circumstance will the West Virginia Division of Highways accept, or pay for, quantities of material in excess of the quantity stated on the State Contract Purchase Order.

NOTE: Vendors should type
Bid Schedule

District One

Bid Schedule

- Item A - Hot-Mix Asphalt Section 401
Base I
F.O.B. Vendor Plant @\$_____per ton
Per ton
- Item B - Hot-Mix Asphalt Section 401
37.5mm Superpave
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item C - Hot-Mix Asphalt Section 401
Base II
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item D - Hot-Mix Asphalt Section 401
Patch & Level
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item E - Hot-Mix Asphalt Section 401
Wearing IV
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item F - Hot-Mix Asphalt Section 402
Wearing IV
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item G - Hot-Mix Asphalt Section 401
19mm Superpave
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Bid Schedule Continued

- Item H - Hot-Mix Asphalt Section 401
Scratch Course
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item I - Hot-Mix Asphalt Section 402
9.5mm Superpave
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item J - Hot-Mix Asphalt Section 401
Wearing I
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item K - Hot-Mix Asphalt Section 402
Wearing I
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item L - Hot-Mix Asphalt Section 401
4.75mm Superpave
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item M - Hot-Mix Asphalt Section 402
4.75mm Superpave
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item N - Hot-Mix Asphalt Section 401
Wearing III
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item O - Hot-Mix Asphalt Section 402
Wearing III
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item P - Hot-Mix Asphalt
Plant Run
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Bid Schedule ContinuedItem Q - Surcharge for PG70-22 Binder @\$_____per tonItem R - Surcharge for PG76-22 Binder @\$_____per ton

(Item R will be ordered in 400 ton increments)

Item S - Excavation for Shoulder Paving
 0 to 1000 SY @\$_____per sq.yd.
 1001 to 2000 SY @\$_____per sq.yd.
 2001 to 3000 SY @\$_____per sq.yd.
 3001 and greater SY @\$_____per sq. yd.

Item T- HMA Base 1 Shoulder Paving
 0 to 100 tons @\$_____per ton
 101 to 200 tons @\$_____per ton
 201 to 500 tons @\$_____per ton
 501 and greater tons @\$_____per ton

Item U - HMA Base 2 Shoulder Paving
 0 to 100 @\$_____per ton
 101 to 200 @\$_____per ton
 201 to 500 @\$_____per ton
 501 and above @\$_____per ton

Item V - Haul by Vendor
 @\$_____for first ton mile and
 @\$_____for each additional mile

Item W - Lay Down of Materials
 Items A thru O, Each Site
 0 to 100 tons@\$_____per ton
 101 to 200 tons@\$_____per ton
 201 to 500 tons@\$_____per ton
 501 and up@\$_____per ton

Item X - Cleaning & Sweeping
 @\$_____per sq. yd.

Item Y - Bituminous Material for Tack Coat
 Or Prime
 All Types @\$_____per gallon

Material furnished and applied under Item Y to be in accordance with Section 408 of the referenced specifications, as directed by the Engineer.

Item Z- Daytime Paving Mobilization - A Mobilization for Paving Charge of \$_____may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.

Item AA - Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$_____ may be made when the Engineer directs that the paving is to be done at night.

Item AB - Off Season Plant Opening
 @\$_____ for first day
 @\$_____ for each additional day

Item AC - Additional Heel-In Joints
 @\$_____ per lineal foot

Item AD - Skip Paving Surcharge
 @\$_____ per ton

Item AE - Mobilization for Profiling
 @\$_____ per SCO

Item AF - Pavement Profiling (Milling), square yards per SCO
 Less than 250 \$_____ per sq. yd.
 250 less than 500 \$_____ per sq. yd.
 500 less than 1000 \$_____ per sq. yd.
 1000 less than 2500 @\$_____ per sq. yd.
 2500 less than 5000 @\$_____ per sq. yd.
 5000 and greater @\$_____ per sq. yd.

Item AG - Pilot Truck and Driver
 @\$_____ per day

Item AH - Traffic Control Devices
 @\$_____ per Unit

Item AI - Flagger
 @\$_____ per Hour

Item AJ - Arrow Board
 @\$_____ per Day

Item AK - Milled Rumble Strips \$_____ per LF

Item AL - Mobilization for milled rumble strips
 @\$_____ per SCO

Item AM - Pavement Repair
 \$_____ per Ton of HMA Base 2

Item AN - Surcharge for Warm-Mix Asphalt
 \$_____ per Ton
 For Items A-O

Vendor's Plant Location

District Two

Bid Schedule

- Item A - Hot-Mix Asphalt Section 401
Base I
F.O.B. Vendor Plant @\$ 64.¹⁰ per ton
Per ton
- Item B - Hot-Mix Asphalt Section 401
37.5mm Superpave
F.O.B. Vendor's Plant @\$ 72.⁵⁰ per ton
Per ton
- Item C - Hot-Mix Asphalt Section 401
Base II
F.O.B. Vendor's Plant @\$ 64.²⁰ per ton
Per ton
- Item D - Hot-Mix Asphalt Section 401
Patch & Level
F.O.B. Vendor's Plant @\$ 71.⁹⁶ per ton
Per ton
- Item E - Hot-Mix Asphalt Section 401
Wearing IV
F.O.B. Vendor's Plant @\$ 65.¹⁰ per ton
Per ton
- Item F - Hot-Mix Asphalt Section 402
Wearing IV
F.O.B. Vendor's Plant @\$ 68.⁴⁰ per ton
Per ton
- Item G - Hot-Mix Asphalt Section 401
19mm Superpave
F.O.B. Vendor's Plant @\$ 70.⁵⁸ per ton
Per ton

Bid Schedule Continued

Item H - Hot-Mix Asphalt Section 401
 Scratch Course
 F.O.B. Vendor's Plant @ \$68.40 per ton
 Per ton

Item I - Hot-Mix Asphalt Section 402
 9.5mm Superpave
 F.O.B. Vendor's Plant @ \$71.10 per ton
 Per ton

Item J - Hot-Mix Asphalt Section 401
 Wearing I
 F.O.B. Vendor's Plant @ \$68.20 per ton
 Per ton

Item K - Hot-Mix Asphalt Section 402
 Wearing I
 F.O.B. Vendor's Plant @ \$72.30 per ton
 Per ton

Item L - Hot-Mix Asphalt Section 401
 4.75mm Superpave
 F.O.B. Vendor's Plant @ \$70.65 per ton
 Per ton

Item M - Hot-Mix Asphalt Section 402
 4.75mm Superpave
 F.O.B. Vendor's Plant @ \$72.80 per ton
 Per ton

Item N - Hot-Mix Asphalt Section 401
 Wearing III
 F.O.B. Vendor's Plant @ \$68.10 per ton
 Per ton

Item O - Hot-Mix Asphalt Section 402
 Wearing III
 F.O.B. Vendor's Plant @ \$70.20 per ton
 Per ton

Item P - Hot-Mix Asphalt
 Plant Run
 F.O.B. Vendor's Plant @ \$67.20 per ton
 Per ton

Bid Schedule Continued

Item Q - Surcharge for PG70-22 Binder @\$5.50 per ton

Item R - Surcharge for PG76-22 Binder @\$6.20 per ton

(Item R will be ordered in 400 ton increments)

Item S - Excavation for Shoulder Paving
 0 to 1000 SY @\$18.00 per sq.yd.
 1001 to 2000 SY @\$16.50 per sq.yd.
 2001 to 3000 SY @\$15.00 per sq.yd.
 3001 and greater SY @\$12.00 per sq. yd.

Item T- HMA Base 1 Shoulder Paving
 0 to 100 tons @\$78.20 per ton
 101 to 200 tons @\$76.50 per ton
 201 to 500 tons @\$74.30 per ton
 501 and greater tons @\$72.80 per ton

Item U - HMA Base 2 Shoulder Paving
 0 to 100 @\$78.50 per ton
 101 to 200 @\$77.20 per ton
 201 to 500 @\$75.00 per ton
 501 and above @\$74.10 per ton

Item V - Haul by Vendor
 @\$1.50 for first ton mile and
 @\$0.17 for each additional mile

Item W - Lay Down of Materials
 Items A thru O, Each Site
 0 to 100 tons @\$12.00 per ton
 101 to 200 tons @\$11.50 per ton
 201 to 500 tons @\$9.20 per ton
 501 and up @\$7.00 per ton

Item X - Cleaning & Sweeping
 @\$5.80 per sq. yd.

Item Y - Bituminous Material for Tack Coat
 Or Prime
 All Types @\$1.85 per gallon

Material furnished and applied under Item Y to be in accordance with Section 408 of the referenced specifications, as directed by the Engineer.

Item Z- Daytime Paving Mobilization - A Mobilization for Paving Charge of \$500.00 may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.

Item AA - Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$1000.⁰⁰ may be made when the Engineer directs that the paving is to be done at night.

Item AB - Off Season Plant Opening
 @\$750.⁰⁰ for first day
 @\$425.⁰⁰ for each additional day

Item AC - Additional Heel-In Joints
 @\$5.50 per lineal foot

Item AD - Skip Paving Surcharge
 @\$8.⁰⁰ per ton

Item AE - Mobilization for Profiling
 @\$1000.⁰⁰ per SCO

Item AF - Pavement Profiling (Milling) square yards per SCO
 Less than 250 \$2.15 per sq. yd.
 250 less than 500 \$1.90 per sq. yd.
 500 less than 1000 \$1.75 per sq. yd.
 1000 less than 2500 @\$1.66 per sq. yd.
 2500 less than 5000 @\$1.45 per sq. yd.
 5000 and greater @\$1.26 per sq. yd.

Item AG - Pilot Truck and Driver
 @\$750.⁰⁰ per day

Item AH - Traffic Control Devices
 @\$1.50 per Unit

Item AI - Flagger
 @\$45.⁰⁰ per Hour

Item AJ - Arrow Board
 @\$150.⁰⁰ per Day

Item AK - Milled Rumble Strips \$2.10 per LF

Item AL - Mobilization for milled rumble strips
 @\$1000.⁰⁰ per SCO

Item AM - Pavement Repair
 \$78.⁵⁰ per Ton of HMA Base 2

Item AN - Surcharge for Warm-Mix Asphalt
 \$ N/A per Ton

For Items A-O

Vendor's Plant Location

US 119 HANNAH CENTER DELBARTON WV 25670

District Three

Bid Schedule

- Item A - Hot-Mix Asphalt Section 401
Base I
F.O.B. Vendor Plant @\$_____per ton
Per ton
- Item B - Hot-Mix Asphalt Section 401
37.5mm Superpave
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item C - Hot-Mix Asphalt Section 401
Base II
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item D - Hot-Mix Asphalt Section 401
Patch & Level
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item E - Hot-Mix Asphalt Section 401
Wearing IV
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item F - Hot-Mix Asphalt Section 402
Wearing IV
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item G - Hot-Mix Asphalt Section 401
19mm Superpave
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Bid Schedule Continued

Item H - Hot-Mix Asphalt Section 401
 Scratch Course
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item I - Hot-Mix Asphalt Section 402
 9.5mm Superpave
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item J - Hot-Mix Asphalt Section 401
 Wearing I
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item K - Hot-Mix Asphalt Section 402
 Wearing I
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item L - Hot-Mix Asphalt Section 401
 4.75mm Superpave
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item M - Hot-Mix Asphalt Section 402
 4.75mm Superpave
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item N - Hot-Mix Asphalt Section 401
 Wearing III
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item O - Hot-Mix Asphalt Section 402
 Wearing III
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item P - Hot-Mix Asphalt
 Plant Run
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Bid Schedule ContinuedItem Q - Surcharge for PG70-22 Binder @\$_____per tonItem R - Surcharge for PG76-22 Binder @\$_____per ton

(Item R will be ordered in 400 ton increments)

Item S - Excavation for Shoulder Paving
 0 to 1000 SY @\$_____per sq.yd.
 1001 to 2000 SY @\$_____per sq.yd.
 2001 to 3000 SY @\$_____per sq.yd.
 3001 and greater SY @\$_____per sq. yd.

Item T- HMA Base 1 Shoulder Paving
 0 to 100 tons @\$_____per ton
 101 to 200 tons @\$_____per ton
 201 to 500 tons @\$_____per ton
 501 and greater tons @\$_____per ton

Item U - HMA Base 2 Shoulder Paving
 0 to 100 @\$_____per ton
 101 to 200 @\$_____per ton
 201 to 500 @\$_____per ton
 501 and above @\$_____per ton

Item V - Haul by Vendor
 @\$_____for first ton mile and
 @\$_____for each additional mile

Item W - Lay Down of Materials
 Items A thru O, Each Site
 0 to 100 tons@\$_____per ton
 101 to 200 tons@\$_____per ton
 201 to 500 tons@\$_____per ton
 501 and up@\$_____per ton

Item X - Cleaning & Sweeping
 @\$_____per sq. yd.

Item Y - Bituminous Material for Tack Coat
 Or Prime
 All Types @\$_____per gallon

Material furnished and applied under Item Y to be in accordance with Section 408 of the referenced specifications, as directed by the Engineer.

Item Z- Daytime Paving Mobilization - A Mobilization for Paving Charge of \$_____may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.

Item AA - Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$_____ may be made when the Engineer directs that the paving is to be done at night.

Item AB - Off Season Plant Opening
 @\$_____ for first day
 @\$_____ for each additional day

Item AC - Additional Heel-In Joints
 @\$_____ per lineal foot

Item AD - Skip Paving Surcharge
 @\$_____ per ton

Item AE - Mobilization for Profiling
 @\$_____ per SCO

Item AF - Pavement Profiling (Milling), square yards per SCO
 Less than 250 \$_____ per sq. yd.
 250 less than 500 \$_____ per sq. yd.
 500 less than 1000 \$_____ per sq. yd.
 1000 less than 2500 @\$_____ per sq. yd.
 2500 less than 5000 @\$_____ per sq. yd.
 5000 and greater @\$_____ per sq. yd.

Item AG - Pilot Truck and Driver
 @\$_____ per day

Item AH - Traffic Control Devices
 @\$_____ per Unit

Item AI - Flagger
 @\$_____ per Hour

Item AJ - Arrow Board
 @\$_____ per Day

Item AK - Milled Rumble Strips \$_____ per LF

Item AL - Mobilization for milled rumble strips
 @\$_____ per SCO

Item AM - Pavement Repair
 \$_____ per Ton of HMA Base 2

Item AN - Surcharge for Warm-Mix Asphalt
 \$_____ per Ton
 For Items A-O

Vendor's Plant Location

District Four

Bid Schedule

- Item A - Hot-Mix Asphalt Section 401
Base I
F.O.B. Vendor Plant @\$_____per ton
Per ton
- Item B - Hot-Mix Asphalt Section 401
37.5mm Superpave
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item C- Hot-Mix Asphalt Section 401
Base II
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item D - Hot-Mix Asphalt Section 401
Patch & Level
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item E - Hot-Mix Asphalt Section 401
Wearing IV
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item F - Hot-Mix Asphalt Section 402
Wearing IV
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item G - Hot-Mix Asphalt Section 401
19mm Superpave
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Bid Schedule Continued

Item H - Hot-Mix Asphalt Section 401
Scratch Course
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Item I - Hot-Mix Asphalt Section 402
9.5mm Superpave
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Item J - Hot-Mix Asphalt Section 401
Wearing I
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Item K - Hot-Mix Asphalt Section 402
Wearing I
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Item L - Hot-Mix Asphalt Section 401
4.75mm Superpave
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Item M - Hot-Mix Asphalt Section 402
4.75mm Superpave
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Item N - Hot-Mix Asphalt Section 401
Wearing III
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Item O - Hot-Mix Asphalt Section 402
Wearing III
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Item P - Hot-Mix Asphalt
Plant Run
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Bid Schedule ContinuedItem Q - Surcharge for PG70-22 Binder @\$_____per tonItem R - Surcharge for PG76-22 Binder @\$_____per ton

(Item R will be ordered in 400 ton increments)

Item S - Excavation for Shoulder Paving

0 to 1000 SY @\$_____per sq. yd.

1001 to 2000 SY @\$_____per sq. yd.

2001 to 3000 SY @\$_____per sq. yd.

3001 and greater SY @\$_____per sq. yd.

Item T- HMA Base 1 Shoulder Paving

0 to 100 tons @\$_____per ton

101 to 200 tons @\$_____per ton

201 to 500 tons @\$_____per ton

501 and greater tons @\$_____per ton

Item U - HMA Base 2 Shoulder Paving

0 to 100 @\$_____per ton

101 to 200 @\$_____per ton

201 to 500 @\$_____per ton

501 and above @\$_____per ton

Item V - Haul by Vendor

@\$_____for first ton mile and

@\$_____for each additional mile

Item W - Lay Down of Materials

Items A thru O, Each Site

0 to 100 tons@\$_____per ton

101 to 200 tons@\$_____per ton

201 to 500 tons@\$_____per ton

501 and up@\$_____per ton

Item X - Cleaning & Sweeping

@\$_____per sq. yd.

Item Y - Bituminous Material for Tack Coat

Or Prime

All Types @\$_____per gallon

Material furnished and applied under Item Y to be in accordance with Section 408 of the referenced specifications, as directed by the Engineer.

Item Z- Daytime Paving Mobilization - A Mobilization for Paving Charge of \$_____may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.

Item AA - Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$_____ may be made when the Engineer directs that the paving is to be done at night.

Item AB - Off Season Plant Opening
 @\$_____ for first day
 @\$_____ for each additional day

Item AC - Additional Heel-In Joints
 @\$_____ per lineal foot

Item AD - Skip Paving Surcharge
 @\$_____ per ton

Item AE - Mobilization for Profiling
 @\$_____ per SCO

Item AF - Pavement Profiling (Milling), square yards per SCO
 Less than 250 \$_____ per sq. yd.
 250 less than 500 \$_____ per sq. yd.
 500 less than 1000 \$_____ per sq. yd.
 1000 less than 2500 @\$_____ per sq. yd.
 2500 less than 5000 @\$_____ per sq. yd.
 5000 and greater @\$_____ per sq. yd.

Item AG - Pilot Truck and Driver
 @\$_____ per day

Item AH - Traffic Control Devices
 @\$_____ per Unit

Item AI - Flagger
 @\$_____ per Hour

Item AJ - Arrow Board
 @\$_____ per Day

Item AK - Milled Rumble Strips \$_____ per LF


Item AL - Mobilization for milled rumble strips
 @\$_____ per SCO

Item AM - Pavement Repair
 \$_____ per Ton of HMA Base 2

Item AN - Surcharge for Warm-Mix Asphalt
 \$_____ per Ton

For Items A-O


Vendor's Plant Location



District Five

Bid Schedule

- Item A - Hot-Mix Asphalt Section 401
 Base I
 F.O.B. Vendor Plant @\$_____per ton
 Per ton
- Item B - Hot-Mix Asphalt Section 401
 37.5mm Superpave
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton
- Item C - Hot-Mix Asphalt Section 401
 Base II
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton
- Item D - Hot-Mix Asphalt Section 401
 Patch & Level
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton
- Item E - Hot-Mix Asphalt Section 401
 Wearing IV
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton
- Item F - Hot-Mix Asphalt Section 402
 Wearing IV
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton
- Item G - Hot-Mix Asphalt Section 401
 19mm Superpave
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton



Bid Schedule Continued

Item H - Hot-Mix Asphalt Section 401
 Scratch Course
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item I - Hot-Mix Asphalt Section 402
 9.5mm Superpave
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item J - Hot-Mix Asphalt Section 401
 Wearing I
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item K - Hot-Mix Asphalt Section 402
 Wearing I
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item L - Hot-Mix Asphalt Section 401
 4.75mm Superpave
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item M - Hot-Mix Asphalt Section 402
 4.75mm Superpave
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item N - Hot-Mix Asphalt Section 401
 Wearing III
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item O - Hot-Mix Asphalt Section 402
 Wearing III
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item P - Hot-Mix Asphalt
 Plant Run
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Bid Schedule ContinuedItem Q - Surcharge for PG70-22 Binder @\$____per tonItem R - Surcharge for PG76-22 Binder @\$____per ton

(Item R will be ordered in 400 ton increments)

Item S - Excavation for Shoulder Paving

0 to 1000 SY @\$____per sq.yd.

1001 to 2000 SY @\$____per sq.yd.

2001 to 3000 SY @\$____per sq.yd.

3001 and greater SY @\$____per sq. yd.

Item T- HMA Base 1 Shoulder Paving

0 to 100 tons @\$____per ton

101 to 200 tons @\$____per ton

201 to 500 tons @\$____per ton

501 and greater tons @\$____per ton

Item U - HMA Base 2 Shoulder Paving

0 to 100 @\$____per ton

101 to 200 @\$____per ton

201 to 500 @\$____per ton

501 and above @\$____per ton

Item V - Haul by Vendor

@\$____for first ton mile and

@\$____for each additional mile

Item W - Lay Down of Materials

Items A thru O, Each Site

0 to 100 tons@\$____per ton

101 to 200 tons@\$____per ton

201 to 500 tons@\$____per ton

501 and up@\$____per ton

Item X - Cleaning & Sweeping

@\$____per sq. yd.


Item Y - Bituminous Material for Tack Coat

Or Prime

All Types @\$____per gallon

Material furnished and applied under Item Y to be in accordance with Section 408 of the referenced specifications, as directed by the Engineer.

Item Z- Daytime Paving Mobilization - A Mobilization for Paving Charge of \$____may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.



Item AA - Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$_____ may be made when the Engineer directs that the paving is to be done at night.

Item AB - Off Season Plant Opening
 @\$_____ for first day
 @\$_____ for each additional day

Item AC - Additional Heel-In Joints
 @\$_____ per lineal foot

Item AD - Skip Paving Surcharge
 @\$_____ per ton

Item AE - Mobilization for Profiling
 @\$_____ per SCO

Item AF - Pavement Profiling (Milling), square yards per SCO
 Less than 250 \$_____ per sq. yd.
 250 less than 500 \$_____ per sq. yd.
 500 less than 1000 \$_____ per sq. yd.
 1000 less than 2500 @\$_____ per sq. yd.
 2500 less than 5000 @\$_____ per sq. yd.
 5000 and greater @\$_____ per sq. yd.

Item AG - Pilot Truck and Driver
 @\$_____ per day

Item AH - Traffic Control Devices
 @\$_____ per Unit

Item AI - Flagger
 @\$_____ per Hour

Item AJ - Arrow Board
 @\$_____ per Day


Item AK - Milled Rumble Strips \$_____ per LF

Item AL - Mobilization for milled rumble strips
 @\$_____ per SCO

Item AM - Pavement Repair
 \$_____ per Ton of HMA Base 2

Item AN - Surcharge for Warm-Mix Asphalt
 \$_____ per Ton
 For Items A-O

Vendor's Plant Location



District Six

Bid Schedule

- Item A - Hot-Mix Asphalt Section 401
 Base I
 F.O.B. Vendor Plant @\$_____per ton
 Per ton
- Item B - Hot-Mix Asphalt Section 401
 37.5mm Superpave
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton
- Item C - Hot-Mix Asphalt Section 401
 Base II
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton
- Item D - Hot-Mix Asphalt Section 401
 Patch & Level
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton
- Item E - Hot-Mix Asphalt Section 401
 Wearing IV
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton
- Item F - Hot-Mix Asphalt Section 402
 Wearing IV
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton
- Item G - Hot-Mix Asphalt Section 401
 19mm Superpave
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Bid Schedule Continued

Item H - Hot-Mix Asphalt Section 401
Scratch Course
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Item I - Hot-Mix Asphalt Section 402
9.5mm Superpave
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Item J - Hot-Mix Asphalt Section 401
Wearing I
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Item K - Hot-Mix Asphalt Section 402
Wearing I
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Item L - Hot-Mix Asphalt Section 401
4.75mm Superpave
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Item M - Hot-Mix Asphalt Section 402
4.75mm Superpave
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Item N - Hot-Mix Asphalt Section 401
Wearing III
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Item O - Hot-Mix Asphalt Section 402
Wearing III
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Item P - Hot-Mix Asphalt
Plant Run
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Bid Schedule ContinuedItem Q - Surcharge for PG70-22 Binder @\$_____per tonItem R - Surcharge for PG76-22 Binder @\$_____per ton

(Item R will be ordered in 400 ton increments)

Item S - Excavation for Shoulder Paving
 0 to 1000 SY @\$_____per sq. yd.
 1001 to 2000 SY @\$_____per sq. yd.
 2001 to 3000 SY @\$_____per sq. yd.
 3001 and greater SY @\$_____per sq. yd.

Item T- HMA Base 1 Shoulder Paving
 0 to 100 tons @\$_____per ton
 101 to 200 tons @\$_____per ton
 201 to 500 tons @\$_____per ton
 501 and greater tons @\$_____per ton

Item U - HMA Base 2 Shoulder Paving
 0 to 100 @\$_____per ton
 101 to 200 @\$_____per ton
 201 to 500 @\$_____per ton
 501 and above @\$_____per ton

Item V - Haul by Vendor
 @\$_____for first ton mile and
 @\$_____for each additional mile

Item W - Lay Down of Materials
 Items A thru O, Each Site
 0 to 100 tons@\$_____per ton
 101 to 200 tons@\$_____per ton
 201 to 500 tons@\$_____per ton
 501 and up@\$_____per ton

Item X - Cleaning & Sweeping
 @\$_____per sq. yd.

Item Y - Bituminous Material for Tack Coat
 Or Prime
 All Types @\$_____per gallon

Material furnished and applied under Item Y to be in accordance with Section 408 of the referenced specifications, as directed by the Engineer.

Item Z- Daytime Paving Mobilization - A Mobilization for Paving Charge of \$_____may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.

Item AA - Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$_____ may be made when the Engineer directs that the paving is to be done at night.

Item AB - Off Season Plant Opening
 @\$_____ for first day
 @\$_____ for each additional day

Item AC - Additional Heel-In Joints
 @\$_____ per lineal foot

Item AD - Skip Paving Surcharge
 @\$_____ per ton

Item AE - Mobilization for Profiling
 @\$_____ per SCO

Item AF - Pavement Profiling (Milling), square yards per SCO
 Less than 250 \$_____ per sq. yd.
 250 less than 500 \$_____ per sq. yd.
 500 less than 1000 \$_____ per sq. yd.
 1000 less than 2500 @\$_____ per sq. yd.
 2500 less than 5000 @\$_____ per sq. yd.
 5000 and greater @\$_____ per sq. yd.

Item AG - Pilot Truck and Driver
 @\$_____ per day

Item AH - Traffic Control Devices
 @\$_____ per Unit

Item AI - Flagger
 @\$_____ per Hour

Item AJ - Arrow Board
 @\$_____ per Day

Item AK - Milled Rumble Strips \$_____ per LF

Item AL - Mobilization for milled rumble strips
 @\$_____ per SCO

Item AM - Pavement Repair
 \$_____ per Ton of HMA Base 2

Item AN - Surcharge for Warm-Mix Asphalt
 \$_____ per Ton
 For Items A-O

Vendor's Plant Location

District Seven

Bid Schedule

- Item A - Hot-Mix Asphalt Section 401
Base I
F.O.B. Vendor Plant @\$_____per ton
Per ton
- Item B - Hot-Mix Asphalt Section 401
37.5mm Superpave
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item C - Hot-Mix Asphalt Section 401
Base II
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item D - Hot-Mix Asphalt Section 401
Patch & Level
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item E - Hot-Mix Asphalt Section 401
Wearing IV
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item F - Hot-Mix Asphalt Section 402
Wearing IV
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item G - Hot-Mix Asphalt Section 401
19mm Superpave
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Bid Schedule Continued

Item H - Hot-Mix Asphalt Section 401
 Scratch Course
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item I - Hot-Mix Asphalt Section 402
 9.5mm Superpave
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item J - Hot-Mix Asphalt Section 401
 Wearing I
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item K - Hot-Mix Asphalt Section 402
 Wearing I
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item L - Hot-Mix Asphalt Section 401
 4.75mm Superpave
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item M - Hot-Mix Asphalt Section 402
 4.75mm Superpave
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item N - Hot-Mix Asphalt Section 401
 Wearing III
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item O - Hot-Mix Asphalt Section 402
 Wearing III
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item P - Hot-Mix Asphalt
 Plant Run
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Bid Schedule Continued

Item Q - Surcharge for PG70-22 Binder @\$_____per ton

Item R - Surcharge for PG76-22 Binder @\$_____per ton

(Item R will be ordered in 400 ton increments)

Item S - Excavation for Shoulder Paving

0 to 1000 SY @\$_____per sq.yd.

1001 to 2000 SY @\$_____per sq.yd.

2001 to 3000 SY @\$_____per sq.yd.

3001 and greater SY @\$_____per sq. yd.

Item T- HMA Base 1 Shoulder Paving

0 to 100 tons @\$_____per ton

101 to 200 tons @\$_____per ton

201 to 500 tons @\$_____per ton

501 and greater tons @\$_____per ton

Item U - HMA Base 2 Shoulder Paving

0 to 100 @\$_____per ton

101 to 200 @\$_____per ton

201 to 500 @\$_____per ton

501 and above @\$_____per ton

Item V - Haul by Vendor

@\$_____for first ton mile and

@\$_____for each additional mile

Item W - Lay Down of Materials

Items A thru O, Each Site

0 to 100 tons@\$_____per ton

101 to 200 tons@\$_____per ton

201 to 500 tons@\$_____per ton

501 and up@\$_____per ton

Item X - Cleaning & Sweeping

@\$_____per sq. yd.

Item Y - Bituminous Material for Tack Coat

Or Prime

All Types @\$_____per gallon

Material furnished and applied under Item Y to be in accordance with Section 408 of the referenced specifications, as directed by the Engineer.

Item Z- Daytime Paving Mobilization - A Mobilization for Paving Charge of \$_____may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.

Item AA - Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$_____ may be made when the Engineer directs that the paving is to be done at night.

Item AB - Off Season Plant Opening
 @\$_____ for first day
 @\$_____ for each additional day

Item AC - Additional Heel-In Joints
 @\$_____ per lineal foot

Item AD - Skip Paving Surcharge
 @\$_____ per ton

Item AE - Mobilization for Profiling
 @\$_____ per SCO

Item AF - Pavement Profiling (Milling), square yards per SCO
 Less than 250 \$_____ per sq. yd.
 250 less than 500 \$_____ per sq. yd.
 500 less than 1000 \$_____ per sq. yd.
 1000 less than 2500 @\$_____ per sq. yd.
 2500 less than 5000 @\$_____ per sq. yd.
 5000 and greater @\$_____ per sq. yd.

Item AG - Pilot Truck and Driver
 @\$_____ per day

Item AH - Traffic Control Devices
 @\$_____ per Unit

Item AI - Flagger
 @\$_____ per Hour

Item AJ - Arrow Board
 @\$_____ per Day

Item AK - Milled Rumble Strips \$_____ per LF

Item AL - Mobilization for milled rumble strips
 @\$_____ per SCO

Item AM - Pavement Repair
 \$_____ per Ton of HMA Base 2

Item AN - Surcharge for Warm-Mix Asphalt
 \$_____ per Ton
 For Items A-O

Vendor's Plant Location

District Eight

Bid Schedule

- Item A - Hot-Mix Asphalt Section 401
 Base I
 F.O.B. Vendor Plant @\$_____per ton
 Per ton
- Item B - Hot-Mix Asphalt Section 401
 37.5mm Superpave
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton
- Item C - Hot-Mix Asphalt Section 401
 Base II
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton
- Item D - Hot-Mix Asphalt Section 401
 Patch & Level
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton
- Item E - Hot-Mix Asphalt Section 401
 Wearing IV
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton
- Item F - Hot-Mix Asphalt Section 402
 Wearing IV
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton
- Item G - Hot-Mix Asphalt Section 401
 19mm Superpave
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Bid Schedule Continued

Item H - Hot-Mix Asphalt Section 401
 Scratch Course
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item I - Hot-Mix Asphalt Section 402
 9.5mm Superpave
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item J - Hot-Mix Asphalt Section 401
 Wearing I
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item K - Hot-Mix Asphalt Section 402
 Wearing I
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item L - Hot-Mix Asphalt Section 401
 4.75mm Superpave
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item M - Hot-Mix Asphalt Section 402
 4.75mm Superpave
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item N - Hot-Mix Asphalt Section 401
 Wearing III
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item O - Hot-Mix Asphalt Section 402
 Wearing III
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item P - Hot-Mix Asphalt
 Plant Run
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Bid Schedule ContinuedItem Q - Surcharge for PG70-22 Binder @\$_____per tonItem R - Surcharge for PG76-22 Binder @\$_____per ton

(Item R will be ordered in 400 ton increments)

Item S - Excavation for Shoulder Paving
 0 to 1000 SY @\$_____per sq. yd.
 1001 to 2000 SY @\$_____per sq. yd.
 2001 to 3000 SY @\$_____per sq. yd.
 3001 and greater SY @\$_____per sq. yd.

Item T- HMA Base 1 Shoulder Paving
 0 to 100 tons @\$_____per ton
 101 to 200 tons @\$_____per ton
 201 to 500 tons @\$_____per ton
 501 and greater tons @\$_____per ton

Item U - HMA Base 2 Shoulder Paving
 0 to 100 @\$_____per ton
 101 to 200 @\$_____per ton
 201 to 500 @\$_____per ton
 501 and above @\$_____per ton

Item V - Haul by Vendor
 @\$_____for first ton mile and
 @\$_____for each additional mile

Item W - Lay Down of Materials
 Items A thru O, Each Site
 0 to 100 tons@\$_____per ton
 101 to 200 tons@\$_____per ton
 201 to 500 tons@\$_____per ton
 501 and up@\$_____per ton

Item X - Cleaning & Sweeping
 @\$_____per sq. yd.

Item Y - Bituminous Material for Tack Coat
 Or Prime
 All Types @\$_____per gallon

Material furnished and applied under Item Y to be in accordance with Section 408 of the referenced specifications, as directed by the Engineer.

Item Z- Daytime Paving Mobilization - A Mobilization for Paving Charge of \$_____may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.

Item AA - Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$_____ may be made when the Engineer directs that the paving is to be done at night.

Item AB - Off Season Plant Opening
 @\$_____ for first day
 @\$_____ for each additional day

Item AC - Additional Heel-In Joints
 @\$_____ per lineal foot

Item AD - Skip Paving Surcharge
 @\$_____ per ton

Item AE - Mobilization for Profiling
 @\$_____ per SCO

Item AF - Pavement Profiling (Milling), square yards per SCO
 Less than 250 \$_____ per sq. yd.
 250 less than 500 \$_____ per sq. yd.
 500 less than 1000 \$_____ per sq. yd.
 1000 less than 2500 @\$_____ per sq. yd.
 2500 less than 5000 @\$_____ per sq. yd.
 5000 and greater @\$_____ per sq. yd.

Item AG - Pilot Truck and Driver
 @\$_____ per day

Item AH - Traffic Control Devices
 @\$_____ per Unit

Item AI - Flagger
 @\$_____ per Hour

Item AJ - Arrow Board
 @\$_____ per Day

Item AK - Milled Rumble Strips \$_____ per LF

Item AL - Mobilization for milled rumble strips
 @\$_____ per SCO

Item AM - Pavement Repair
 \$_____ per Ton of HMA Base 2

Item AN - Surcharge for Warm-Mix Asphalt
 \$_____ per Ton

For Items A-O

Vendor's Plant Location

District Nine

Bid Schedule

- Item A - Hot-Mix Asphalt Section 401
Base I
F.O.B. Vendor Plant @\$_____per ton
Per ton
- Item B - Hot-Mix Asphalt Section 401
37.5mm Superpave
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item C- Hot-Mix Asphalt Section 401
Base II
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item D - Hot-Mix Asphalt Section 401
Patch & Level
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item E - Hot-Mix Asphalt Section 401
Wearing IV
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item F - Hot-Mix Asphalt Section 402
Wearing IV
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item G - Hot-Mix Asphalt Section 401
19mm Superpave
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Bid Schedule Continued

Item H - Hot-Mix Asphalt Section 401
 Scratch Course
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item I - Hot-Mix Asphalt Section 402
 9.5mm Superpave
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item J - Hot-Mix Asphalt Section 401
 Wearing I
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item K - Hot-Mix Asphalt Section 402
 Wearing I
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item L - Hot-Mix Asphalt Section 401
 4.75mm Superpave
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item M - Hot-Mix Asphalt Section 402
 4.75mm Superpave
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item N - Hot-Mix Asphalt Section 401
 Wearing III
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item O - Hot-Mix Asphalt Section 402
 Wearing III
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Item P - Hot-Mix Asphalt
 Plant Run
 F.O.B. Vendor's Plant @\$_____per ton
 Per ton

Bid Schedule ContinuedItem Q - Surcharge for PG70-22 Binder @\$_____per tonItem R - Surcharge for PG76-22 Binder @\$_____per ton

(Item R will be ordered in 400 ton increments)

Item S - Excavation for Shoulder Paving

0 to 1000 SY @\$_____per sq. yd.

1001 to 2000 SY @\$_____per sq. yd.

2001 to 3000 SY @\$_____per sq. yd.

3001 and greater SY @\$_____per sq. yd.

Item T - HMA Base 1 Shoulder Paving

0 to 100 tons @\$_____per ton

101 to 200 tons @\$_____per ton

201 to 500 tons @\$_____per ton

501 and greater tons @\$_____per ton

Item U - HMA Base 2 Shoulder Paving

0 to 100 @\$_____per ton

101 to 200 @\$_____per ton

201 to 500 @\$_____per ton

501 and above @\$_____per ton

Item V - Haul by Vendor

@\$_____for first ton mile and

@\$_____for each additional mile

Item W - Lay Down of Materials

Items A thru O, Each Site

0 to 100 tons@\$_____per ton

101 to 200 tons@\$_____per ton

201 to 500 tons@\$_____per ton

501 and up@\$_____per ton

Item X - Cleaning & Sweeping

@\$_____per sq. yd.

Item Y - Bituminous Material for Tack Coat

Or Prime

All Types @\$_____per gallon

Material furnished and applied under Item Y to be in accordance with Section 408 of the referenced specifications, as directed by the Engineer.

Item Z - Daytime Paving Mobilization - A Mobilization for Paving Charge of \$_____may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.

Item AA - Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$_____ may be made when the Engineer directs that the paving is to be done at night.

Item AB - Off Season Plant Opening
 @\$_____ for first day
 @\$_____ for each additional day

Item AC - Additional Heel-In Joints
 @\$_____ per lineal foot

Item AD - Skip Paving Surcharge
 @\$_____ per ton

Item AE - Mobilization for Profiling
 @\$_____ per SCO

Item AF - Pavement Profiling (Milling), square yards per SCO
 Less than 250 \$_____ per sq. yd.
 250 less than 500 \$_____ per sq. yd.
 500 less than 1000 \$_____ per sq. yd.
 1000 less than 2500 @\$_____ per sq. yd.
 2500 less than 5000 @\$_____ per sq. yd.
 5000 and greater @\$_____ per sq. yd.

Item AG - Pilot Truck and Driver
 @\$_____ per day

Item AH - Traffic Control Devices
 @\$_____ per Unit

Item AI - Flagger
 @\$_____ per Hour

Item AJ - Arrow Board
 @\$_____ per Day

Item AK - Milled Rumble Strips \$_____ per LF

Item AL - Mobilization for milled rumble strips
 @\$_____ per SCO

Item AM - Pavement Repair
 \$_____ per Ton of HMA Base 2

Item AN - Surcharge for Warm-Mix Asphalt
 \$_____ per Ton
 For Items A-O

Vendor's Plant Location

District Ten

Bid Schedule

- Item A - Hot-Mix Asphalt Section 401
Base I
F.O.B. Vendor Plant @\$_____per ton
Per ton
- Item B - Hot-Mix Asphalt Section 401
37.5mm Superpave
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item C - Hot-Mix Asphalt Section 401
Base II
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item D - Hot-Mix Asphalt Section 401
Patch & Level
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item E - Hot-Mix Asphalt Section 401
Wearing IV
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item F - Hot-Mix Asphalt Section 402
Wearing IV
F.O.B. Vendor's Plant @\$_____per ton
Per ton
- Item G - Hot-Mix Asphalt Section 401
19mm Superpave
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Bid Schedule Continued

Item H - Hot-Mix Asphalt Section 401
Scratch Course
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Item I - Hot-Mix Asphalt Section 402
9.5mm Superpave
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Item J - Hot-Mix Asphalt Section 401
Wearing I
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Item K - Hot-Mix Asphalt Section 402
Wearing I
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Item L - Hot-Mix Asphalt Section 401
4.75mm Superpave
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Item M - Hot-Mix Asphalt Section 402
4.75mm Superpave
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Item N - Hot-Mix Asphalt Section 401
Wearing III
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Item O - Hot-Mix Asphalt Section 402
Wearing III
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Item P - Hot-Mix Asphalt
Plant Run
F.O.B. Vendor's Plant @\$_____per ton
Per ton

Bid Schedule Continued

Item Q - Surcharge for PG70-22 Binder @\$_____per ton

Item R - Surcharge for PG76-22 Binder @\$_____per ton

(Item R will be ordered in 400 ton increments)

Item S - Excavation for Shoulder Paving

0 to 1000 SY @\$_____per sq. yd.

1001 to 2000 SY @\$_____per sq. yd.

2001 to 3000 SY @\$_____per sq. yd.

3001 and greater SY @\$_____per sq. yd.

Item T- HMA Base 1 Shoulder Paving

0 to 100 tons @\$_____per ton

101 to 200 tons @\$_____per ton

201 to 500 tons @\$_____per ton

501 and greater tons @\$_____per ton

Item U - HMA Base 2 Shoulder Paving

0 to 100 @\$_____per ton

101 to 200 @\$_____per ton

201 to 500 @\$_____per ton

501 and above @\$_____per ton

Item V - Haul by Vendor

@\$_____for first ton mile and

@\$_____for each additional mile

Item W - Lay Down of Materials

Items A thru O, Each Site

0 to 100 tons@\$_____per ton

101 to 200 tons@\$_____per ton

201 to 500 tons@\$_____per ton

501 and up@\$_____per ton

Item X - Cleaning & Sweeping

@\$_____per sq. yd.

Item Y - Bituminous Material for Tack Coat

Or Prime

All Types @\$_____per gallon

Material furnished and applied under Item Y to be in accordance with Section 408 of the referenced specifications, as directed by the Engineer.

Item Z- Daytime Paving Mobilization - A Mobilization for Paving Charge of \$_____may be made when the purchase order quantity per paving location is less than 500 tons of Hot-Mix Asphalt and nighttime paving is not specified.

Item AA - Nighttime Paving Mobilization - A Mobilization for Paving Charge of \$_____ may be made when the Engineer directs that the paving is to be done at night.

Item AB - Off Season Plant Opening
 @\$_____ for first day
 @\$_____ for each additional day

Item AC - Additional Heel-In Joints
 @\$_____ per lineal foot

Item AD - Skip Paving Surcharge
 @\$_____ per ton

Item AE - Mobilization for Profiling
 @\$_____ per SCO

Item AF - Pavement Profiling (Milling), square yards per SCO
 Less than 250 \$_____ per sq. yd.
 250 less than 500 \$_____ per sq. yd.
 500 less than 1000 \$_____ per sq. yd.
 1000 less than 2500 @\$_____ per sq. yd.
 2500 less than 5000 @\$_____ per sq. yd.
 5000 and greater @\$_____ per sq. yd.

Item AG - Pilot Truck and Driver
 @\$_____ per day

Item AH - Traffic Control Devices
 @\$_____ per Unit

Item AI - Flagger
 @\$_____ per Hour

Item AJ - Arrow Board
 @\$_____ per Day

Item AK - Milled Rumble Strips \$_____ per LF


Item AL - Mobilization for milled rumble strips
 @\$_____ per SCO

Item AM - Pavement Repair
 \$_____ per Ton of HMA Base 2

Item AN - Surcharge for Warm-Mix Asphalt
 \$_____ per Ton
 For Items A-O

Vendor's Plant Location

FIGURE 1



ALTERNATE SECTION B-B
(SAWED RUMBLE STRIP)

RUMBLE STRIP FOR HOT MIX ASPHALT SHOULDERS

NOTES:

RUMBLE STRIP PLACEMENT WILL BE CONTINUOUS ON HOT-MIX ASPHALT SHOULDERS, EXCEPT AS NOTED BELOW.

RUMBLE STRIPS SHALL NOT BE PLACED AT THE FOLLOWING AREAS FOR HIGH-FREEWAY PROJECTS ONLY:

- ON SHOULDERS OF NARROW CLIMBING LANES THAT ARE 5' OR LESS IN WIDTH RIGHT OF TRAFFIC FLOW; IN THE SHOULDER TRANSITION AREA RIGHT OF TRAFFIC FLOW BETWEEN A FULL PAVED SHOULDER WIDTH OF 10' AND NARROW BRIDGE WIDTH OF 4'.

RUMBLE STRIP WIDTH IS TO BE 2", EXCEPT MILLED RUMBLE STRIP WHICH WILL BE 16"-17".


RUMBLE STRIPS MAY BE SAWED OR MILLED UNLESS OTHERWISE INDICATED. THE TOP OF THE RUMBLE STRIPS WILL BE NO HIGHER THAN THE TOP SURFACE OF THE PAVEMENT. ANY FAULTY OR INCORRECTLY INSTALLED RUMBLE STRIPS WILL BE CORRECTED BY THE CONTRACTOR AT HIS EXPENSE.

MILLSAW SHOULDER RUMBLE STRIPS AS INDICATED BY USING A MACHINE CAPABLE OF PROVIDING A SHOOTOUT CUT WITHOUT TEARING OR SHAGGING AND FINISHING RUMBLE STRIPS AS INDICATED EQUIP MACHINE WITH CURBS TO PROVIDE UNIFORMITY AND CONSISTENCY IN ALIGNMENT OF EACH CUT WITH RESPECT TO ROADWAY MILL SHOULDER RUMBLE STRIPS TO HAVE FINISH DIMENSIONS WITHIN TOLERANCES SPECIFIED MILL SHOULDER RUMBLE STRIPS ON NEW CONCRETE SHOULDERS AFTER CURING PLACEMENT OF BATTERY EDGE WILL BE RANDOMLY VERIFIED AND CHECKED DISCONTINUE MILLING OPERATIONS IF SATISFACTORY RESULTS ARE NOT BEING OBTAINED AND SUBMIT AN ALTERNATE CONSTRUCTION PLAN TO THE ENGINEER FOR APPROVAL. AT END OF EACH WORKING DAY, MOVE ALL EQUIPMENT TO A LOCATION AS DIRECTED WHERE IT PRESENTS NO HAZARD TO ROADWAY TRAFFIC. REMOVE AND DISPOSE OF MILLED MATERIAL IN COMPLIANCE WITH APPLICABLE STATE REGULATIONS. REMOVE DEBRIS FROM AREAS DISTURBED BY MILLING OPERATION BEFORE OPENING ROADWAY TO TRAFFIC.

RUMBLE STRIPS IN PAVED SHOULDERS:

RUMBLE STRIPS SHALL BE MILLED OR SAWED TYPE PLACED IN SHOULDERS UNDER THE FOLLOWING CONDITIONS IN ACCORDANCE WITH THIS SPECIAL DETAIL SHEET:

- TYPICAL SHOULDER WIDTH IS 8' OR MORE;
- MEDIAN SHOULDERS ON DIVIDED HIGHWAYS, IF SHOULDER WIDTH IS 3' OR GREATER;
- SHOULDERS ADJACENT TO ONE WAY RAMPS WHICH CONNECT TO ARTERIAL HIGHWAYS, IF TYPICAL SHOULDER IS 3' OR GREATER.



* 7"±1/2" For conc. shid,
2"±1/2" For asphalt shid.

MILLED RUMBLE STRIP FOR PORTLAND CEMENT AND HOT MIX ASPHALT SHOULDERS

THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS
RUMBLE STRIP SPECIAL DETAIL



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
6610C018

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
**MICHAEL AUSTIN
 304-558-2402**

VENDOR

***228140818 304-475-4832
 APPALACHIAN PAVING & AGGREGATE
 PO BOX 457
 LENORE WV 25676**

SHIP TO

**DIVISION OF HIGHWAYS
 VARIOUS LOCALES AS INDICATED
 BY ORDER**

DATE PRINTED 04/13/2010	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
-----------------------------------	---------------	----------	--------	---------------

BID OPENING DATE: **04/21/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 4						
CHANGES TO THE SPECIFICATIONS ATTACHED.						
BID OPENING DATE AND TIME REMAINS 04/21/10 @1:30 P.M.						
NO OTHER CHANGES.						
0001	1	TN		745-07		
	HOT MIX ASPHALT					
***** THIS IS THE END OF RFQ 6610C018 ***** TOTAL:						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Harold B. Davis</i>	TELEPHONE 304 475 4832	DATE 4/20/10
TITLE MEMBER	FEIN 20-8314888	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

Replace Section 6.8 HMA Base 1 Shoulder Paving on page 7 with the following:

Item "T" is a surcharge for work performed to pave road shoulders. Work shall consist of installing and compacting Base 1 HMA to the elevation of the existing pavement in the shoulder that is being paved.

HMA will be paid for with item "A". Hauling of HMA will be paid for with Item "V". Laydown will be paid for with item "W". Excavation will be paid for with item "S".

Replace Section 6.8 HMA Base 2 Shoulder Paving on page 7 with the following:

Item "U" is a surcharge for work performed to pave road shoulders. Work shall consist of installing and compacting Base 2 HMA to the elevation of the existing pavement in the shoulder that is being paved.

HMA will be paid for with item "C". Hauling of HMA will be paid for with item "V". Laydown will be paid for with item "W". Excavation will be paid for with item "S".

Replace Section 6.9 Pavement Repair on page 7 with the following:

Work shall consist of squaring up the repair area, removing damaged material to a depth directed by the engineer, hauling and disposing of the existing pavement, tacking of existing surfaces and placing and compacting Base 2 HMA in lifts not exceeding 2" to the level of the existing pavement. The cost of squaring, removing, hauling and disposing of the existing pavement, supplying, tacking, placing and compacting the Base 2 HMA shall be included in the bid price for "Pavement Repair". There will be no price adjustment to the asphalt used for item "AM" Pavement Repair.



State of West Virginia
DRUG FREE WORKPLACE CONFORMANCE AFFIDAVIT
West Virginia Code §21-1D-5

STATE OF WV

COUNTY OF MINGO, TO-WIT:

I, HAROLD B DAVIS, after being first duly sworn, depose and state as follows:

1. I am an employee of Appalachian Paving + Aggregates LLC; and,
(Company Name)

2. I do hereby attest that Appalachian Paving + Aggregates LLC
(Company Name)

maintains a valid written drug free workplace policy and that such policy is in compliance with **West Virginia Code §21-1D-5**.

The above statements are sworn to under the penalty of perjury.

Appalachian Paving + Aggregates LLC
(Company Name)

By: Harold B. Davis

Title: Member

Date: 4/20/10


Taken, subscribed and sworn to before me this 20 day of April 2010

By Commission expires 3-19-16

(Seal)

[Signature]
(Notary Public)

THIS AFFIDAVIT MUST BE SUBMITTED WITH THE BID IN ORDER TO COMPLY WITH WV CODE PROVISIONS. FAILURE TO INCLUDE THE AFFIDAVIT WITH THE BID SHALL RESULT IN DISQUALIFICATION OF THE BID.



STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A.3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is cointensive with one or more counties or municipalities. "Related party" means a party whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: APPALACHIAN PAVING + AGGREGATES LLC

Authorized Signature: Ward B. Davis Date: 4/20/10

State of West Va

County of Mingo, to-wit:

Taken, subscribed, and sworn to before me this 20th day of April, 20 10

My Commission expires 3/19, 20 16

AFFIX SEAL HERE

NOTARY PUBLIC

[Signature]

