



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
CABLE10

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JO ANN ADKINS 304-558-8802

*709002526 304-344-2371
 GRAYBAR ELECTRIC COMPANY INC
 1010 YOUNG STREET
 CHARLESTON WV 25301

ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/09/2010				

BID OPENING DATE: 05/18/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
REQUEST FOR QUOTATION						
<p>THE PURCHASING DIVISION IS SOLICITING QUOTATIONS FOR THE OFFICE OF TECHNOLOGY DIVISION OF THE DEPARTMENT OF ADMINISTRATION TO ESTABLISH A BLANKET OPEN-END STATEWIDE CONTRACT TO PROVIDE COMPUTER DATA CABLE (COPPER/FIBER) AND FITTINGS FOR ALL WEST VIRGINIA STATE AGENCIES AND POLITICAL SUBDIVISIONS.</p> <p>***** INQUIRIES</p> <p>WRITTEN QUESTIONS SHALL BE ACCEPTED THROUGH CLOSE OF BUSINESS ON FRIDAY, APRIL 23, 2010. QUESTIONS MAY BE SENT VIA USPS, FAX, COURIER OR EMAIL. IN ORDER TO ASSURE NO VENDOR RECEIVES AN UNFAIR ADVANTAGE, NO SUBSTANTIVE QUESTIONS WILL BE ANSWERED ORALLY. IF POSSIBLE, E-MAIL QUESTIONS ARE PREFERRED. ADDRESS INQUIRIES TO:</p> <p>JO ANN ADKINS DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25526 FAX: 304.558.4115 E-MAIL: JO.A.ADKINS@WV.GOV</p> <p>*****</p> <p>RELEASE OF RFQ..... 04/09/2010 VENDOR'S WRITTEN QUESTIONS SUBMISSION DEADLINE (CLOSE OF BUSINESS).... 04/23/2010 RESPONSE TO QUESTIONS/ADDENDUM ISSUED 04/29/2010</p>						

RECEIVED
 2010 MAY 18 P 12:38
 PURCHASING DIVISION
 STATE OF WV

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE <i>Kennie Huff</i>	TELEPHONE 304-344-2371	DATE 5-18-10	
TITLE <i>Sales Rep</i>	FEIN 138794380001	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFO NUMBER
CABLE10

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JO ANN ADKINS 304-558-8802

VENDOR

*709002526 304-344-2371
 GRAYBAR ELECTRIC COMPANY INC
 1010 YOUNG STREET
 CHARLESTON WV 25301

SHIP TO

ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/09/2010				

BID OPENING DATE: 05/18/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
BID OPENING DATE..... 05/18/2010 ATTACHMENTS: 1. SPECIFICATIONS "CABLE10" DATED 04/08/2010 2. CABLE10 PRICING PAGES 3. PURCHASING AFFIDAVIT 4. RESIDENT VENDOR PREFERENCE						
0001	1	EA		285-10		\$1,548,176.23
CABLE ACCESSORIES, ELECTRIC PURCHASING CARD ACCEPTANCE: THE STATE OF WEST VIRGINIA CURRENTLY UTILIZES A VISA PURCHASING CARD PROGRAM WHICH IS ISSUED THROUGH A BANK. THE SUCCESSFUL VENDOR MUST ACCEPT THE STATE OF WEST VIRGINIA VISA PURCHASING CARD FOR PAYMENT OF ALL ORDERS PLACED BY ANY STATE AGENCY AS A CONDITION OF AWARD. EXHIBIT 10 REQUISITION NO.: ADDENDUM ACKNOWLEDGEMENT I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO M						

SIGNATURE <i>Kevin R. ...</i>		TELEPHONE 304-344-2371	DATE 5-18-10
TITLE <i>Spec Rep</i>	FEIN 130794380051	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
CABLE10

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
JO ANN ADKINS 304-558-8802

VENDOR

*709002526 304-344-2371
 GRAYBAR ELECTRIC COMPANY INC
 1010 YOUNG STREET
 CHARLESTON WV 25301

SHIP TO

ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/09/2010				

BID OPENING DATE: 05/18/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.						
ADDENDUM NO.'S:						
	NO. 1				
	NO. 2				
	NO. 3				
	NO. 4				
	NO. 5				
I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.						
VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.						
<i>Kearney Hays</i> SIGNATURE <i>Graybar Electric</i> COMPANY 5-18-10 DATE						
NOTE: THIS ADDENDUM ACKNOWLEDGEMENT SHOULD BE SUBMITTED						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
<i>Kearney Hays</i>	304-344-2371	5-18-10	
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	
<i>Sales Rep</i>	13079438001		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
CABLE10

PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JO ANN ADKINS
304-558-8802

RFQ221V

*709002526 304-344-2371
GRAYBAR ELECTRIC COMPANY INC
1010 YOUNG STREET

CHARLESTON WV 25301

SHIP TO

ALL STATE AGENCIES
AND POLITICAL SUBDIVISIONS
VARIOUS LOCALES AS INDICATED
BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/09/2010				

BID OPENING DATE: **05/18/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
WITH THE BID.						
REV. 09/21/2009						
***** THIS IS THE END OF RFQ CABLE10 ***** TOTAL:						<u>\$1,548,176.23</u>

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Ken Hupp</i>	TELEPHONE 304-344-2371	DATE 5-18-10
TITLE <i>SMS Rep</i>	FEIN 130794380551	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

CABLE10
Specifications/Information

The Purchasing Division is soliciting quotations from qualified vendors for the Office of Technology Division of the Department of Administration to establish a blanket open-end statewide contract to provide computer data cable (copper/fiber) and fittings for all West Virginia State agencies and participating political subdivisions.

*****IMPORTANT – IMPORTANT – IMPORTANT*****

**WRITTEN QUESTIONS MUST BE RECEIVED NO LATER THAN CLOSE OF
BUSINESS ON FRIDAY, APRIL 23, 2010.**

Questions may be sent via fax, e-mail, USPS, or courier and must be sent to:

Jo Ann Adkins
Purchasing Division
2019 Washington Street, East
P.O. Box 50130
Charleston, WV 25311
304-558-4115 (Fax)
Jo.a.adkins@wv.gov (Email)

Only bid submission questions will be accepted after that date and time.

All terms and conditions in the written specifications which are absolute and the compliance with can not be waiver. Mandatory terms are indicated by the use of the terms *shall, will, must, maximum and minimum.*

Materials List/Pricing Pages

The pricing pages contain a list of all the materials to be covered by the contract. This list shows the estimated usage of materials that will be available through the contract. No future use of contract is guaranteed or implied. These pricing pages must be completed by each bidder. A vendor should bid on all items listed on the attached pricing pages. Vendor must indicate brand bid for all items.

The model/brand/specifications named herein establish the acceptable level of quality only and are not intended to reflect a preference or favor any particular brand or vendor. Vendors intending to bid an alternative product shall submit descriptive literature and samples. These samples must be received no later than five (5) days after the bid opening date. If bidder wishes to have samples

**CABLE10
Specifications/Information**

returned, they must include a pre-paid label or other information to have the items returned at vendor's expense.

Vendors should furnish detailed specifications with descriptive literature with the bid.

If bidding an "Equal To" other than the brand listed, bidders are required to supply literature with the cable specifications demonstrating the product is in fact equal in quality.

An electronic version of CABLE10 pricing pages can be found at:
<http://www.state.wv.us/admin/purchase/newbul.htm>

Vendor must submit a paper bid with the CABLE10 bid.

Bidders are requested to submit an electronic version of the excel document and return with bid. Additionally, bidders are also requested to include original printed document with the Purchasing Division original package. If any deviation exists between the electronic version and the printed version, the printed one submitted shall prevail.

Bidders should sign and complete the contract coordinator information at the end of the pricing pages.

Contract shall be a single award to the lowest-cost vendor with the most complete bid.

The Purchasing Division desires to enter into a fixed price contract with the successful vendor. The prices quoted in the vendor(s) quote will not be subject to any increase for the original contract term of one year. Price increase at renewal can be accepted or rejected by the Purchasing Division.

Terms and Conditions

I. Delivery

1. The cost per item (supplied by the vendor) must include delivery to the building dock and/or loading area designated by the ordering state agency.

CABLE10
Specifications/Information

2. All materials ordered in Charleston, or any destination point in between Charleston-Huntington, Charleston-Beckley, Charleston-Parkersburg, and or Charleston-Clarksburg by any other agency other than the Office of Technology, must be delivered within 5 business days after receipt of the order.
3. All materials ordered by the Office of Technology must be delivered to the Capitol Complex in the following timeframes after the receipt of the order (the exact delivery location will be provided when the order is placed):
 - a) If total for materials ordered is \$1,000 or below – delivery must be within two (2) business hours;
 - b) If total for materials ordered is greater than \$1,000, but less than \$5,000 – delivery must be within two (2) business days;
 - c) If total for materials ordered is greater than \$5,000 – delivery must be within five (5) business days.
4. If an ordering agency requests delivery of materials to another “inside” area of the building other than the dock and/or loading area, the vendor shall supply a cost (including an explanation of how this cost was calculated) on the pricing pages to complete this “inside” delivery. For example, if DNR orders a cabinet through the contract and they request and pay for “inside delivery” to their 8th floor closet, then the vendor/delivery company will be responsible for delivery of the cabinet to the 8th floor closet and not be permitted to simply deliver the cabinet to the building loading dock.

All pricing submitted shall be FOB: Destination. (Vendor pays shipping.)

II. Subcontracts /Joint Ventures

The vendor is solely responsible for all work performed under the contract and shall assume responsibility for all items offered to be delivered under the terms of this contract. The State will consider the vendor to be the sole point of contact with regard to all contractual matters.

III. Vendor Reporting

The vendor must provide a quarterly report of purchases to the Office of Technology, with a copy to Purchasing (jo.a.adkins@wv.gov), showing the following items:

1. Name of the ordering state agency;
2. Materials ordered; and

CABLE10
Specifications/Information

3. Total cost expended for that quarter.

The report shall be delivered to the Office of Technology and the Purchasing Division no later than the fifteenth day of the month following each quarter period. The vendor shall also provide Office of Technology and Purchasing an annual report with this same information, to be delivered at the end of each fiscal year. Failure to submit such reports may be grounds for contract termination.

Reports are to be sent to:

Marta Dean MARTA.L.DEAN@WV.GOV

Jo Ann Adkins JO.A.ADKINS@WV.GOV

V. Convenience Copy

Bidders are requested to include one (1) convenience hard copy and one (1) convenience CD that contain the information included on the hard copies of the entire bid (including pricing pages) to the Purchasing Division. This convenience copy is in addition to the original hard copy and electronic version of the pricing pages as requested by the Purchasing Division.

The successful bidder shall not substitute any other brand from those awarded, nor sell any additional items under their contract not specifically covered herein, without prior written permission of the Purchasing Division

CABLE10

*The use of brand name or equal specifications is for the purpose of describing the minimum standard of quality, technical performance and installation characteristics required and are not intended to limit or restrict competition for these 17 items.

Alternate bids that meet or exceed those of the brand name or equal specifications and features are invited. In order to receive full consideration, such alternate bids must be accompanied by sufficient descriptive literature and samples to clearly identify the offer and allow for a complete evaluation.

Vendors intending to bid an alternative product shall submit descriptive literature and samples must be received no later than five (5) business days following the RFQ opening date to allow the West Virginia Office of Technology time to make a determination of equality to the brand specified. Failure to provide descriptive literature and samples may result in the bid being rejected as non-responsive.

Samples & literature must be included for each of the following 17 products bid:

- Manufacturers category 5e cable specifications (Items 45 & 46)
- Manufacturers category 5e RJ45 snap-in connector (Item 47)
- Manufacturers category 5E cable specifications (Items 48 & 49)
- Manufacturers category 5E RJ45 snap-in connector (Item 50)
- Manufacturers category 5E 12-, 24-, 48-port copper patch panels (Items 72, 73, 74 & 75)
- Manufacturers category 6 cable specifications (Items 84 & 85)
- Manufacturers category 6 RJ45 snap-in connectors (Item 86)
- Manufacturers category 6 12-, 24-, 48-port copper patch panels (Items 104, 105, 106, 107)



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
CABLE10

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
JO ANN ADKINS 304-558-8802

VENDOR

*709002526 304-344-2371
 GRAYBAR ELECTRIC COMPANY INC
 1010 YOUNG STREET
 CHARLESTON WV 25301

SHIP TO

ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/27/2010				

BID OPENING DATE: 05/18/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
***** ADDENDUM NO. 1 *****						
1. CABLE10 REVISED PRICING PAGES, ATTACHED.						
2. QUESTIONS AND ANSWERS, ATTACHED.						
***** END OF ADDENDUM NO. 1 *****						
0001	1	EA		285-10		
CABLE ACCESSORIES, ELECTRIC						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS						
SIGNATURE			TELEPHONE		DATE	
TITLE		FEIN		ADDRESS CHANGES TO BE NOTED ABOVE		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

1Q	What is the total Term Length of this proposed contract, with extension options?
1A	CABLE10 will be for one (1) year with the two (2) one (1) year renewal terms possible.
2Q	Is the CABLE07 contract usage reports available for all material purchased from June 2007 to present?
2A	Approximately \$400,000.00/yr
3Q	CABLE10 RFQ states that the prices quoted in the vendor(s) quote will not be subject to any increase for the original contract term of one year. The majority of manufactures quotes are only valid for a period of 30 days due to the current price fluctuation in raw material. Therefore most vendor(s) will be unable to extend prices for a period of one year.
3A	Prices are to remain firm for one year.
4Q	CABLE10 RFQ states that vendors intending to bid an alternative product shall submit descriptive literature and samples. These samples must be received no later than five (5) days after the bid opening date. With 323 items on CABLE10 RFQ there is the potential that The Purchasing Division could receive samples of all 323 items from the CABLE10 RFQ from all responding vendors. Is this the intent of CABLE10 RFQ?
4A	No. Only requesting samples for Items 45, 46, 47, 48, 49, 50, 72, 73, 74, 75, 84, 85, 86, 104, 105, 106, 107, 287, 288, 289, 290, 296 & 297 if alternative items are bid.
5Q	CABLE10 RFQ request that samples & literature must be included for each of the following 17 items: Items 45 - 50, 72 - 75, 84 - 86 and 104 - 107 Are samples and literature also required to be included for the following items: Items 76 - 79, 108, 109, 287 - 290, 296 and 297?
5A	See answer to Question 4.
6Q	There is multiple Category 6 specifications included with CABLE10 RFQ for cable, patch panels and connectors. Could you clarify which specifications go with what item on the CABLE10 RFQ pricing pages?
6A	Cat.6 specifications: specs on page 2 of 32 refer to Items 84 & 85; specs on page 3 of 32 refer to Items 104, 105, 106, 107; specs on page 4 of 32 refer to Item 86; specs on page 10 of 32 through 15 of 32 refer to Items 284-286, respectively. specs on page 16 of 32 refer to Items 287 & 288; specs on page 17 of 32 refer to Items 289 & 290;

	specs on page 18 of 32 refer to Items 296 & 297.
7Q	On the pricing pages of CABLE10 RFQ. Items 226 – 249 are duplex fiber optic jumpers, 50/125. Which grade of 50/125 is required?
7A	OM2
8Q	On the pricing pages of CABLE10 RFQ. Items 42 – 44 part numbers do not seem to be valid. Who is the manufacture? And are these part numbers correct?
8A	25-Pair Plenum Cat.3 cable equal to Superior Essex 18-475-36 50-Pair Plenum Cat.3 cable equal to Superior Essex 18-579-36 100-Pair Plenum Cat.3 cable equal to Superior Essex 18-799-36 Corrected CABLE10 Pricing Sheets attached.
9Q	Is there any way to lower the price increase time frame from 1 year to 6 months? Due to unstable market conditions a time frame of 1 year just doesn't seem reasonable at this time.
9A	See #3.
10Q	Is it WV intention to award this to one vendor or several?
10A	One vendor – this will not be split award.

Category 6 Plenum & Non-plenum Cable

REFERS TO ITEMS 84 & 85 ON PRICING SHEETS

Minimum specifications:

Unshielded twisted pair cable tested to 650 MHz and ETL verified to TIA/EIA-568-B.2-1 Category 6.
A core separator that isolates the pairs throughout the length of the cable must be included.
All plenum cable must be 4X4 plenum construction.

- **28 dB Minimum ACR @ 100 MHz** – Proven support for Gigabit Ethernet / 1000BASE-T / IEEE 802.3ab, ATM up to 155 Mbps, IEEE 802.3af Power Over Ethernet for VoIP, 100 Mbps Fast Ethernet / 100BASE-T / IEEE 802.3, ANSI.X3.263 FDDI TP-PMD, Ethernet / 10BASE-T / IEEE 802.3, 4 & 16 Mbps Token Ring / IEEE 802.5, T1/E1, xDSL, ISDN, 550 MHz Broadband Video and standards under development such as ATM at 622 Mbps, 1.2 and 2.4 Gbps.
- **13 dB Minimum** – Improvement in Near End Crosstalk.
- **.25 ns/meter Maximum Skew** – Tightly controlled propagation delay.
- **Enhanced Performance Parameters** – All electrical characteristics proven to exceed TIA/EIA-568-B.2-1 and ISO/IEC 11801 Category 6 requirements: NEXT and ELFEXT (Pair-to-Pair and Power Sum), Insertion Loss, Return Loss, and Delay Skew.

Electrical Characteristics

STANDARDS:

EXCEEDS TIA/EIA-568-B.2-1 CAT 6, ISO/IEC 11801:2002 CAT 6 & IEC 61156-5 CAT 6 HORIZONTAL CABLE

CONDUCTOR DCR: 7.8 Ω /100m (23.8 Ω /Mft) MAX

DCR UNBALANCE: 3% MAX

MUTUAL CAPACITANCE: 46 pF/m (14 pF/ft) NOM

CAPACITANCE UNBALANCE PAIR/GROUND: 66 pF/100m (200 pF/Mft) MAX

CHARACTERISTIC IMPEDANCE: 100 Ω \pm 15% (1-350 MHz)

INPUT IMPEDANCE:

100 Ω \pm 15% (1-100 MHz)
100 Ω \pm 18% (>100-200 MHz)
100 Ω \pm 22% (>200-350 MHz)

PROPAGATION DELAY: 534 + 36/ \sqrt{f} ns/100m MAX

DELTA DELAY (SKEW): 25 ns/100m MAX

NOMINAL VELOCITY OF PROPAGATION (NVP): PLENUM 72%, NON-PLENUM 68%

Category 6 Patch Panels

REFERS TO ITEMS 104, 105, 106, & 107 ON PRICING SHEETS

The Category 6 patch panel shall meet or exceed the requirements for Category 6 described in TIA/EIA-568-B.2-1 as well as the Class E requirements described in ISO/IEC 11801-B. The panels shall feature both T568A and T568B wiring configurations, white IDC 110-punchdown modules, mounting standoffs for cable management bars, color-coded front window labeling, and a termination standoff for patch panel earthing/grounding. The panels shall have universal T568A and T568B wiring card for terminations. The panels shall be made of 16 gauge steel, and shall have a black painted finish with white silk-screening. The plastic elements shall be fire-retardant with a UL flammability rating of 94V-0. The panel shall be offered in 12-, 24, 48-port configurations as well as an 89D 12-port configuration. The patch panel shall be configured with six port modules. The 110 termination on the rear of the panel shall follow normal installation color sequence (blue, orange, green, brown) from left to right.

APPLICATION

Category 6 patch panels must be designed for use on 19" standard racks and cabinets; must allow for standard 110 terminations on the rear of the panel which follows the normal installation color sequence (blue, orange, green, brown) from left to right; and must be designed for use in high megabit applications such as Gigabit Ethernet.

FEATURES

- Universal T568A and T568B wiring cards for 110 style IDC terminations.
- Color-coded front labeling for easy port identification (TIA-606-A compliant).
- Grounding standoff for optional earthing/grounding.

STANDARDS COMPLIANCE

Category 6 patch panels must meet or exceed the Category 6/Class E requirements for channel/component level performance per TIA/EIA-568-B.2-1 and ISO/IEC 11801-B. Components certified per cULus, NOM and ACA requirements.

PHYSICAL SPECIFICATIONS

Dimensions: 12-, 24-Port - 1.725"H x 19"W x 1.474"D

48 Port - 3.475"H x 19"W x 1.474"D

12-port Patch Block – 10.0"H x 2.3"W x 1.474"D

Capacity: 12-, 24-, 48-port and 12-Port Patch Block

Materials: 16 gauge steel, painted black, PCB and plastic components are rated UL 94V-0

DESIGN SPECIFICATIONS

- Color coded front window labeling for easy port identification.
- Mounts on 19" equipment racks.
- Panel offered in 12-, 24-, 48-Port configurations and Universal 12-port U89 Block for wall mount applications.
- Connector modules are in groups of six.
- Includes rear cable management bars.

Category 6 Modular Connectors

REFERS TO ITEM 86 ON PRICING SHEETS

The Category 6 modular connector shall meet or exceed the requirements for channel and component-level performance described in TIA/EIA-568-B.2-1 Category 6 standards. The modular connector shall be individual snap-in style. The connectors shall also be in compliance with all National Electrical Codes; compliant with FCC Part 68; UL listed; and independently verified. In addition to Category 6 compliance, the connector shall have the ability to support high megabit and shared-sheath applications. All plastics used in construction of the connector bodies shall be fire-retardant with a UL flammability rating of 94V-0. The Category 6 connector includes unique pair separation towers allowing for quicker and easier terminations. The connector is configured in a 180° configuration such that the punch field is in the back, allowing for rear termination. Termination of all connectors shall be 110-type insulation displacement connectors (IDC). The connector shall provide a ledge directly adjacent to the 110-style termination against which the wires can be directly terminated and cut in one action by the installation craftsman. Connector wiring is universal and will accommodate installation color codes for T568A and T568B wiring schemes. The termination field shall be in the rear for easy access. The modular connector shall fit all other installed telecommunications wallplates, outlets and field-configurable patch panels and patch blocks. Colors and configurations to be specified per schedule on plan.

STANDARDS COMPLIANCE

Category 6 modular connectors must meet or exceed the requirements for channel and component-level performance for TIA/EIA Category 6, cULus Listed, NOM and ACA.

PHYSICAL SPECIFICATIONS

Dimensions: .901"H x .575"W x 1.246"D

Materials: Connector body is high-impact, fire-retardant plastic rated UL 94V-0. Spring wire contacts are high quality copper-based alloy, plated with 50 micro-inches of gold over 100 micro inches of nickel for lowest contact resistance, maximum life.

Must include full selection of TIA/EIA-606 compatible colors, which include ivory, white, grey, black, orange, blue, red, yellow, green, purple, almond, and brown.

DESIGN SPECIFICATIONS

- For use in any Category 6 housing to support Category 6 UTP connectivity in surface mount, flush mount, or modular furniture outlets and field configurable panels.
- Can be used in conjunction with other snap-in modules for voice/data and video applications over UTP, coax and fiber.
- Full selection of colors available, which must include ivory, white, grey, black, orange, blue, red, yellow, green, purple, almond & brown in order to identify ports for different applications.

INSTALLATION NOTES

- Must be designed for cable termination with a 110 punch down tool.
- Detailed installation instructions must be included in the standard pack.
- IDCs must be arranged to minimize untwisting.

Category 5E Plenum & Non-plenum Cable

REFERS TO ITEMS 48 & 49 ON PRICING SHEETS

Minimum specifications:

Unshielded twisted pair cable tested to 400 MHz and ETL verified to Category 5e.
All plenum cable must be 4X4 plenum construction.

- **20 dB Minimum ACR @ 100 MHz** – Proven support for Gigabit Ethernet / 1000BASE-T / IEEE 802.3ab, ATM up to 155 Mbps, 100 Mbps Fast Ethernet / 100BASE-T / IEEE 802.3, ANSI.X3.263 FDDI TP-PMD, Ethernet / 10BASE-T / IEEE 802.3, 4 & 16 Mbps Token Ring / IEEE 802.5, T1/E1, xDSL, ISDN, 550 MHz Broadband Video and standards under development such as ATM at 622 Mbps and 1.2 Gbps.
- **5 dB Minimum** – Improvement in Near End Crosstalk vs. standard Category 5e NEXT.
- **Meets Return Loss** – Category 5e Standard.
- **.25 ns/meter Maximum Skew** – Tightly controlled propagation delay.
- **Enhanced Performance Parameters** – All electrical characteristics proven to exceed TIA/EIA 568-B Category 5e requirements: Near End Crosstalk, Characteristic Impedance, Insertion Loss, and Delay Skew. Also exceeds TIA/EIA-568-B.2 Category 5e requirements: Power Sum NEXT, and Far End Crosstalk – ELFEXT and PS-ELFEXT.

Electrical Characteristics

STANDARDS:

EXCEEDS TIA/EIA-568-B.2 CAT 5e & ISO/IEC 11801:2002 CAT 5 HORIZONTAL CABLE

CONDUCTOR DCR: 8.9 Ω /100m (27.1 Ω /Mft) MAX

DCR UNBALANCE: 3% MAX

MUTUAL CAPACITANCE: 46 pF/m (14 pF/ft) NOM

CAPACITANCE UNBALANCE PAIR/GROUND: 66 pF/100m (200 pF/Mft) MAX

CHARACTERISTIC IMPEDANCE: 100 \pm 15% (1-400 MHz)

INPUT IMPEDANCE:

100 \pm 15% (1-100 MHz)

100 \pm 22% (>100-200 MHz)

PROPAGATION DELAY: 506 + 36/ Δf ns/100m MAX

DELTA DELAY (SKEW): 25 ns/100m MAX

NOMINAL VELOCITY OF PROPAGATION (NVP): PLENUM 72%; NON-PLENUM 68%

Category 5E Patch Panels

REFERS TO ITEMS 72, 73, 74 & 75 ON PRICING SHEETS

The Category 5E patch panel shall meet or exceed the requirements for Category 5e described in TIA/EIA-568-B as well as the Class E requirements described in ISO/IEC 11801-B. The panels shall feature both T568A and T568B wiring configurations, white IDC 110-punchdown modules, mounting standoffs for cable management bars, color-coded front window labeling, and a termination standoff for patch panel earthing/grounding. The panels shall have universal T568A and T568B wiring card for terminations. The panels shall be made of 16 gauge steel, and shall have a black painted finish with white silk-screening. The plastic elements shall be fire-retardant with a UL flammability rating of 94V-0. The panel shall be offered in 12-, 24-, 48-port configurations as well as 12-port configuration for wall mount applications. The patch panel shall be configured with six port modules. The 110 termination on the rear of the panel shall follow normal installation color sequence (blue, orange, green, brown) from left to right.

APPLICATION

Category 5e patch panels must be designed for use on 19" standard racks and cabinets and must allow for standard 110 terminations on the rear of the panel which follows the normal installation color sequence (blue, orange, green, brown) from left to right

FEATURES

- Universal T568A and T568B wiring cards for 110 style IDC terminations.
- Color-coded front labeling for easy port identification
- Centralized labeling available on 48 port panel.
- Grounding standoff for optional earthing/grounding.

STANDARDS COMPLIANCE

Meets all applicable standards: UL Listed; meets or exceeds all TIA/EIA-568-B for Category 5e requirements; and meets FCC Part 68.

PHYSICAL SPECIFICATIONS

Dimensions: 12-, 24-Port - 1.75"H x 19"W x 1.31"D

48 Port - 3.5"H x 19"W x 1.31"D

12-port Patch Block – 10.0"H x 2.3"W x 1.474"D

Capacity: 12-, 24-, 48-port and 12-Port Patch Block

Materials: 16 gauge steel, painted black, PCB and plastic components are rated UL 94V-0

DESIGN SPECIFICATIONS

- Color-coded front window labeling for easy port identification.
- Centralized labeling (available on 48-port), promotes greater visibility of labels when patch cords are routed into horizontal cable management above and below the patch panel.
- Mounts on 19" standard equipment racks.
- Panel offered in 12-, 24-, 48-port configurations and a 12-Port Patch Block for wall-mount applications.
- Connector modules are grouped in sets of six.

Category 5E Modular Connectors

REFERS TO ITEM 50 ON PRICING SHEETS

The Category 5e connector shall meet or exceed the requirements for Category 5e described in TIA/EIA-568-B as well as the Class E requirements described in ISO/IEC 11801. The modular connector shall be individual snap-in style. The connector shall be 180° configuration such that the punch field is in the back, allowing for rear termination. Rear termination field shall include pointed pair separation towers to promote easier installation. All plastics used in construction of the connector bodies shall be fire retardant with a UL flammability rating of 94V-0. Termination of all connectors shall be 110-type insulation displacement connectors (IDC). The connector shall provide a cutting ledge directly adjacent to the 110-style IDCs against which the wires can be directly terminated and cut in one action. Connector wiring shall be universal and accommodate both T568A and T568B wiring schemes.

STANDARDS COMPLIANCE

The Category 5e modular connector must meet or exceed the Category 5e requirements for channel/component level performance per TIA/EIA-568-B and ISO/IEC 11801. Components certified per cULus and ACA requirements.

PHYSICAL SPECIFICATIONS

Dimensions: .885"H x .635"W x 1.211"D

Materials: Connector body is high-impact, fire-retardant plastic rated UL 94V-0. Spring wire contacts are high quality copper-based alloy, plated with 50 micro-inches of gold over 100 micro-inches of nickel for lowest electrical contact resistance and maximum life.

Must include full selection of available colors, which include ivory, white, grey, black, orange, blue, red, yellow, green, purple, almond, and brown.

DESIGN SPECIFICATIONS

- For use in any Category 5e housing to support Category 5e UTP connectivity in surface mount, flush mount, or modular furniture outlets and field configurable panels.
- Can be used in conjunction with other snap-in modules for voice/data and video applications over UTP, coax and fiber.
- Full selection of colors available, which must include ivory, white, grey, black, orange, blue, red, yellow, green, purple, almond & brown in order to identify ports for different applications.

INSTALLATION NOTES

- Must be designed for cable termination with a 110 punch down tool.
- Detailed installation instructions must be included in the standard pack.
- IDCs must be arranged to minimize untwisting.

Category 5e Plenum & Non-plenum Cable

REFERS TO ITEMS 45 & 46 ON PRICING SHEETS

Minimum specifications:

Unshielded twisted pair cable tested to 200 MHz and ETL verified to Category 5e.
All plenum cable must be 4X4 plenum construction.

- **14 dB Minimum ACR @ 100 MHz** – Proven support for Gigabit Ethernet / 1000BASE-T / IEEE 802.3ab, ATM up to 155 Mbps, 100 Mbps Fast Ethernet / 100BASE-T / IEEE 802.3, ANSI X3.263 FDDI TP-PMD, Ethernet / 10BASE-T / IEEE 802.3, 4 & 16 Mbps Token Ring / IEEE 802.5, T1/E1, xDSL, ISDN, 550 MHz Broadband Video and standards under development such as ATM at 622 Mbps.
- **4 dB Minimum** – Improvement in Near End Crosstalk vs. TIA/EIA-568-B Category 5.
- **ETL Verified to Category 5e.**
- **.45 ns/meter Maximum Skew** – Tightly controlled propagation delay.
- **Engineered for Future Applications** – Tested for all parameters specified...for 4 pair UTP in TIA/EIA-568-B.2, including PS-NEXT, Return Loss, ELFEXT and PS-ELFEXT.

Category 5e Modular Connectors

REFERS TO ITEM 47 ON PRICING SHEETS

The Category 5e modular connector shall meet or exceed individual snap-in style, and provide compliance with TIA/EIA-568-B specifications. The connectors shall also be in compliance with all National Electrical Codes; compliant with FCC Part 68; UL listed; and independently UL Certified. In addition to Category 5e compliance, the connector shall have the ability to support high megabit and shared-sheath applications. All plastics used in construction of the connector bodies shall be fire-retardant with a UL flammability rating of 94V-0. Termination of all connectors shall be 110-type IDC with solder-plated phosphor bronze contacts. The connector shall provide a ledge directly adjacent to the 110 style termination against which the wires can be directly terminated and cut in one action by the installer. Connector wiring label shall provide installation color codes for both T568A and T568B wiring schemes. The modular hardware shall fit all other installed telecommunications wallplates, outlets and field configurable patch panels and patch blocks.

STANDARDS COMPLIANCE

The Category 5e connector must meet all applicable standards: UL Listed; complies with all TIA/EIA-568-B requirements; and meets FCC Part 68.

PHYSICAL SPECIFICATIONS

Dimensions: .89"H x .635"W x 1.178"D

Materials: Connector body is high-impact, fire-retardant plastic rated UL 94V-0. Spring wire contacts are high-quality phosphor bronze, plated with 50 micro-inches of gold over 100 microinches of nickel for lowest contact resistance, maximum life. Connector 110-style IDC contacts are solder-plated phosphor bronze.

Full selection of colors must be made available, which include ivory, white, grey, black, orange, blue, red, yellow, green, purple, almond, and brown.

DESIGN SPECIFICATIONS

- For use in any Category 5e housing to support Category 5e UTP connectivity in surface mount, flush mount, or modular furniture outlets and field configurable panels.
- Can be used in conjunction with other snap-in modules for voice/data and video applications over UTP, coax and fiber.
- Full selection of colors available, which must include ivory, white, grey, black, orange, blue, red, yellow, green, purple, almond & brown in order to identify ports for different applications.

INSTALLATION NOTES

- Must be designed for cable termination with a 110 punch down tool.
- Detailed installation instructions must be included in the standard pack.
- IDCs must be arranged to minimize untwisting.

****Pages 10 of 32 thru 15 of 32 refer to items 284 – 286****

Fiber Optic Cable Specifications:

Laser Optimized Multimode 50µm 550 Plenum Building Cable- Supports 550 Meter Channel @ 10 Gb/s

1. The cable shall support current and next-generation LAN, SAN, and WAN applications via laser-optimized 50/125-µm optical fibers.
2. The cable shall extend the distance of low-cost 850-nm VCSEL-based electronics, supporting 1100 m at 1 Gb/s and 550 m at 10 Gb/s.
3. The application suite shall include Ethernet from 10 Mb/s to 10 Gb/s, Fiber Channel from 1 Gb/s to 10 Gb/s, and ATM/SONET/SDH from OC-1 to OC-192.
4. All fibers shall be Differential Mode Delay (DMD) tested using a high-resolution test bench that meets or exceeds the FOTP-220 standards and is independently certified by UL®.
5. The riser cable shall be constructed with tight buffer fibers, aramid strength yarn, surrounded by a Plenum rated outer jacket.
6. The cables shall be designed for point-to-point applications as well as mid-span access, and shall provide a high-level of protection for fiber installed in the building environment.
7. The cables shall meet the following specifications:

Physical Specifications:

Fiber Count	Outer Diameter in.(mm)	Weight lbs/ft (kg/km)	Minimum Bend Radius in.(cm)		Max. Tensile Load lbs.(Newtons)		Maximum Vertical Rise Feet (Meters)
			Loaded	Unloaded	Short Term	Long Term	
6	0.19 (4.7)	14 (21)	3.7 (9.5)	1.9 (4.7)	300 (1335)	90 (400)	1640 (500)
12	0.22 (5.7)	21 (31)	4.5 (11.4)	2.2 (5.7)	300 (1335)	90 (400)	1640 (500)
24	0.55 (13.9)	107 (160)	11.0 (27.8)	5.5 (13.9)	600 (2670)	180 (801)	1640 (500)

Environmental and Mechanical

	Specification	Test Method
Operating Temperature	-40°to +70°C	FOTP - 3
Installation Temperature	20°to +70°C	N/A
Storage Temperature	-40°to +70°C	N/A
Crush Resistance	44 N/mm	FOTP - 41
Impact Resistance	20 Impacts of 2.94 N.m.	FOTP - 25
Flexing	Meets or exceeds	FOTP - 104
Twist Bend	Meets or exceeds	FOTP - 85

Cable Identification:

Buffer Tubes and Fibers are identified with standard color coding:

1 - Blue	5 - Slate	9 - Yellow
2 - Orange	6 - White	10 - Violet
3 - Green	7 - Red	11 - Rose
4 - Brown	8 - Black	12 - Aqua

Optical Specifications

	850 nm,max	1300 nm,max
Cabled Attenuation	3.0 dB/km	1.0 dB/km
Bandwidth by OFL	3500 MHz-km	500 MHz-km
Effective Modal Bandwidth	4700 MHz-km*	500 MHz-km
Differential Mode Delay	See Table below	1 0.88 ps/m

* Effective modal bandwidth for laser transmitters compliant to TIA/EIA-492-AAACA Annex C.1, such as those in IEEE 802.3

10-Gigabit Ethernet (10GBASE-S), INCITS 364 10-Gigabit Fiber Channel (1200-MX-SN-I), and OIF-VSR4-04 10-Gigabit SONET/SDH (OC-192 Serial Shortwave).

Table 1 Differential Mode Delay Specifications at 850 nm

DMD Template for ^R INNER = 0 µm to ^R OUTER = 23 µm	DMD Interval Mask for radial intervals: 7 – 13 µm 9 – 15 µm 11 – 17 µm 13 – 19 µm
0.14 ps/m,max.	0.11 ps/m,max.

Armored Laser Optimized Multimode 50 μ m Metallic Sheath Supports 550 meters – 10Gb/s

1. The cable supports current and next-generation LAN, SAN, and WAN applications via laser-optimized 50/125- μ m optical fibers.
2. The cable extends the distance of low-cost 850-nm VCSEL-based electronics, supporting 1100 m at 1 Gb/s and 550 m at 10 Gb/s. The application suite includes Ethernet from 10 Mb/s to 10 Gb/s, Fiber Channel from 1 Gb/s to 10 Gb/s, and ATM/SONET/SDH from OC-1 to OC-192.
3. The fibers shall be Differential Mode Delay (DMD) tested using a high-resolution test bench that meets or exceeds the FOTP-220 standards and is independently certified by UL®.
4. The Loose Tube Metallic cable shall be armored with a corrugated polymer coated steel tape, and constructed with industry standard 3mm buffer tubes, stranded around a central strength member.
5. The armor layer shall provide added crush protection and shall meet the Telcordia requirements for Superior Armored cable.
6. The buffer tubes shall be compatible with standard hardware, cable routing and fan-out kits.
7. The cable core shall be water blocked with dry water-blocking materials, making access and handling of individual tubes easier and craft-friendly.
8. The cable shall be designed for point-to-point applications as well as mid-span access, and provide a high-level of protection for fiber installed in the outside plant environment.
9. The cable shall meet the following specifications:

Fiber Physical Specifications	
Core Diameter	50 (\pm 2.5) μ m
Core Non-Circularity	\leq 5%
Cladding Diameter	125(\pm 1) μ m
Core/Cladding Concentricity Error	\leq 1.5 μ m
Cladding Non-Circularity	\leq 1.0%
Coated Fiber Diameter (uncolored)	245(\pm 10) μ m
Coating/Cladding Concentricity Error	\leq 6 μ m
Colored Fiber Diameter	245(\pm 7) μ m
Proof Test Levels	0.7 GPa minimum
Dynamic Fatigue Parameter	\geq 18
Macrobending (100 turns on a 75 mm mandrel)	\leq 0.5dB @ 850 nm and 1300 nm
Operating Temperature	- 60 to 85°C
Fiber Optical Specifications	
Numerical Aperture	0.200 \pm 0.015
Effective Group Index of Refraction @ 850 nm	1.482
Effective Group Index of Refraction @ 1300 nm	1.478
Point Discontinuities @ 850 nm or 1300 nm	\leq 0.1 dB
Minimum Bandwidth	Overfilled: 3500 MHz-km @ 850 nm Overfilled: 500 MHz-km @ 1300 nm Laser: 4700 MHz-km @ 850 nm Laser: 500 MHz-km @ 1300 nm
Zero Dispersion Wavelength	minimum 1297 nm maximum 1316 nm
Zero Dispersion Slope	\leq 0.101 ps/(nm ² km)

Physical Specifications:

Fiber Count	Subunits	Outer Diameter in. (mm)	Weight lbs/kft kg/km	Minimum Bend		Max. Tensile Load		Max. Vertical Rise Feet (Meters)
				Radius	In. (cm)	lbs. (Newtons)		
						Loaded	Unloaded	
4 - 48	5	0.46 (11.7)	63 (94)	9.2 (23.4)	4.6 (11.7)	607 (2700)	180 (800)	2856 (871)
72	6	0.50 (12.7)	72 (107)	10.0 (25.4)	5.0 (12.7)	607 (2700)	180 (800)	2509 (765)
96	8	0.58 (14.7)	95 (141)	11.5 (29.4)	5.8 (14.7)	607 (2700)	180 (800)	1904 (580)
144	12	0.74 (18.9)	146 (217)	14.8 (37.8)	7.4 (18.9)	607 (2700)	180 (800)	1237 (377)
288	24	0.86 (21.9)	211 (315)	17.2 (43.8)	8.6 (21.9)	607 (2700)	180 (800)	852 (260)

Environmental and Mechanical:

	Specification	Test Method
Operating Temperature	-40° to +70°C	FOTP -3
Installation Temperature	-20° to +70°C	N/A
Storage Temperature	-40° to +70°C	N/A
Crush Resistance	44 N/mm	FOTP - 41
Impact Resistance	Meets or exceeds	FOTP - 25
Flexing	Meets or exceeds	FOTP - 104
Twist Bend	Meets or exceeds	FOTP - 85

Cable Identification:

Buffer Tubes and Fibers are identified with standard color coding:

1 - Blue	5 - Slate	9 - Yellow
2 - Orange	6 - White	10 - Violet
3 - Green	7 - Red	11 - Rose
4 - Brown	8 - Black	12 - Aqua

Buffer tubes 13 through 24 repeat the color sequence with tracer stripe: e.g. fiber 13 is blue with tracer strip

Optical Specifications

	850 nm,max	1300 nm,max
Cabled Attenuation	3.0 dB/km	1.0 dB/km
Bandwidth by OFL	3500 MHz-km	500 MHz-km
Effective Modal Bandwidth	4700 MHz-km*	500 MHz-km
Differential Mode Delay	See Table 1 below	0.88 ps/m

* Effective modal bandwidth for laser transmitters compliant to TIA/EIA-492-AAAC-A Annex C.1, such as those in IEEE 802.3 10-Gigabit Ethernet (10GBASE-S), INCITS 364 10-Gigabit Fiber Channel (1200-MX-SN-I), and OIF-VSR4-04 10-Gigabit SONET/SDH (OC-192 Serial Shortwave).

Table 1 - Differential Mode Delay Specifications at 850 nm

DMD Template for R _{inner} = 0 μm to R _{outer} = 23 μm	DMD Interval Mask for radial intervals: 7 - 13 μm 9 - 15 μm 11 - 17 μm 13 - 19 μm
0.14 ps/m,max.	0.11 ps/m,max.

Interlocking Armored Fiber-Optic Riser-Rated Premises Cable (OFRC) approved

Plenum rated

1. The plenum rated interlocking armored cable shall be used where additional protection and security is deemed necessary such as: building backbone, zone distribution, raised floor, data centers and storage area networks (SANs)
2. The interlocking armor shall support single mode and multimode riser rated cable. Composite riser rated cables, with any combination of sm and mm fibers shall also be supported.
3. The manufacturing process shall include application of a steel or aluminum interlocking armor spirally around riser-rated premises distribution cable and then shall be over-jacketed with a plenum rated sheath
4. The plenum rated sheath shall be color-coded to the fiber type and be printed with all relevant information on the cable contained within.
5. The plenum rated sheath shall allow for easier handling and pulling.
6. The interlocking armor and fiber cable shall be from a single manufacturer.
7. Available fiber counts shall range from 2 to 72, with others available at request.

Environmental and Mechanical:

	Specification	Test Method
Operating Temperature	-20°C to +70°C	FOTP - 3
Installation Temperature	0°C to +70°C	N/A
Storage Temperature	-40°C to +70°C	N/A
Crush Resistance	85 N/mm	FOTP - 41
Impact Resistance	35 N-m	FOTP - 25
Flexing	Meets or exceeds	FOTP - 104
Cable Bend	Meets or exceeds	FOTP - 85

Physical Specifications

Aluminum Armored Plenum Cable:

Fiber Count	Outer Diameter in. (mm)		Weight lbs/kft (kg/km)		Minimum Bend Radius in. (cm)				Max. Tensile Load lbs. (Newtons)				Maximum Vertical Rise Feet (Meters)	
					Loaded		Unloaded		Short Term		Long Term			
2	0.56	14.1	100	(148)	11.1	(28.2)	7.8	(19.7)	225	(1,001)	68	(300)	677	(206)
4	0.56	14.1	103	(154)	11.1	(28.2)	7.8	(19.7)	300	(1,335)	90	(400)	872	(266)
6	0.56	14.1	106	(158)	11.1	(28.2)	7.8	(19.7)	300	(1,335)	90	(400)	849	(259)
8	0.56	14.1	108	(160)	11.1	(28.2)	7.8	(19.7)	300	(1,335)	90	(400)	836	(255)
12	0.56	14.1	112	(166)	11.1	(28.2)	7.8	(19.7)	300	(1,335)	90	(400)	806	(246)
18	0.76	19.2	197	(294)	15.1	(38.4)	10.6	(26.8)	300	(1,335)	90	(400)	456	(139)
24	0.81	20.4	226	(336)	16.1	(40.9)	11.3	(28.6)	300	(1,335)	90	(400)	398	(121)
36	0.86	21.7	282	(420)	17.1	(43.4)	12.0	(30.4)	300	(1,335)	90	(400)	319	(97)
48	0.91	23.0	302	(449)	18.1	(46.0)	12.7	(32.2)	300	(1,335)	90	(400)	298	(91)
60	1.01	25.5	352	(524)	20.1	(51.1)	14.1	(35.7)	300	(1,335)	90	(400)	255	(78)
72	1.11	28.1	418	(622)	22.1	(56.1)	15.5	(39.3)	300	(1,335)	90	(400)	215	(66)
96	1.26	31.9	569	(847)	25.1	(63.8)	17.6	(44.6)	300	(1,335)	90	(400)	158	(48)

Steel Armored Plenum Cable:

Fiber Count	Outer Diameter in. (mm)		Weight lbs/kft (kg/km)		Minimum Bend Radius in. (cm)				Max. Tensile Load lbs. (Newtons)				Maximum Vertical Rise Feet (Meters)	
					Loaded		Unloaded		Short Term		Long Term			
2	0.56	14.1	157	(233)	11.1	(28.2)	7.8	(19.7)	225	(1,001)	68	(300)	431	(131)
4	0.56	14.1	160	(238)	11.1	(28.2)	7.8	(19.7)	300	(1,335)	90	(400)	562	(171)
6	0.56	14.1	163	(243)	11.1	(28.2)	7.8	(19.7)	300	(1,335)	90	(400)	552	(168)
8	0.56	14.1	165	(245)	11.1	(28.2)	7.8	(19.7)	300	(1,335)	90	(400)	547	(167)
12	0.56	14.1	169	(251)	11.1	(28.2)	7.8	(19.7)	300	(1,335)	90	(400)	534	(163)
18	0.76	19.2	285	(423)	15.1	(38.4)	10.6	(26.8)	300	(1,335)	90	(400)	316	(96)
24	0.81	20.4	321	(477)	16.1	(40.9)	11.3	(28.6)	300	(1,335)	90	(400)	281	(86)
36	0.86	21.7	384	(572)	17.1	(43.4)	12.0	(30.4)	300	(1,335)	90	(400)	234	(71)
48	0.91	23.0	412	(613)	18.1	(46.0)	12.7	(32.2)	300	(1,335)	90	(400)	219	(67)
60	1.01	25.5	476	(709)	20.1	(51.1)	14.1	(35.7)	300	(1,335)	90	(400)	189	(58)
72	1.11	28.1	557	(829)	22.1	(56.1)	15.5	(39.3)	300	(1,335)	90	(400)	162	(49)
96	1.26	31.9	730	(1,087)	25.1	(63.8)	17.6	(44.6)	300	(1,335)	90	(400)	123	(38)

**Single mode fiber optic Premises Cable – Zero Water Peak – Plenum
Interlocking Armored Fiber-Optic Plenum-Rated Premises Cable (OFCR) approved**

1. The cable shall be available in plenum type.
2. The premises cable shall use a standard colored tight buffered construction.
3. The higher fiber count cables shall utilize a sub-unitized design with color-coded sub units for easy identification.
4. The cable shall deliver a cost-effective upgrade path by expanding the available wavelengths by 50% and allowing up to 18 channels of CWDM (Coarse Wave Division Multiplexing) on a single fiber and up to 400 channels of DWDM (Dense Wave Division Multiplexing) on a single cable.
5. The cable shall operate over the entire wavelength range from 1260 nm to 1625 nm, removing the water peak (high attenuation) in the E-band, adding more than 50% in operational wavelength range over conventional single mode fiber.

Physical Specifications:

Core Diameter:	8.3 μ m nominal
Cladding Diameter:	125.0 (\pm 0.7) μ m
Core/Clad Offset:	< 0.5 μ m
Cladding Non-Circularity:	< 1%
Coated Fiber Diameter:	245 (\pm 10) μ m
Cladding/Coating Offset:	< 12 μ m
Colored Fiber Diameter:	254 (\pm 7) μ m
Proof Test:	0.7 GPa
Fiber Curl:	> 4 m
Dynamic Fatigue Parameter:	> 18
Macrobend (100 turns, 50 mm mandrel):	0.10 dB @ 1310 nm and 1550 nm
Macrobend (1 turn on a 32 mm mandrel):	0.50 dB @ 1310 nm and @ 1550 nm

Optical Specifications

Mode Field Diameter:	9.2 (\pm 0.3) μ m @ 1310 nm 10.4 (nominal) @ 1550 nm
Group Index of Refraction:	1.466 @ 1310 nm and 1383 (\pm 3) nm, 1.467 @ 1550 nm
Attenuation of Tight Buffered Fibers:	0.7 dB/km @ 1310 nm 0.7 dB/km @ 1385 nm 0.7 dB/km @ 1550 nm
Maximum Dispersion:	3.5 ps/nm-km @ 1285 to 1330 nm, 18 ps/nm-km @ 1550 nm
Zero-Dispersion Wavelength:	1300 - 1322 nm
Zero-Dispersion Slope:	0.092 ps/(nm) ² km
Polarization Mode Dispersion LDV:	0.08 ps/(km) ^{1/2}

Physical Characteristics - RISER Rated:

Fiber Count	Flame Rating	Outer Diameter		Weight		Minimum Bend				Max. Tensile Load		Maximum			
		in.	mm	lbs/kft	kg/km	Loaded		Unloaded		Short Term	Long Term	Vertical			
						in.	cm	in.	cm	lbs.	N	lbs.	N	ft	m.
2	Riser	0.16	4.1	8.6	12.9	3.2	8.1	1.6	4.1	225	1001	68	300	1640	500
4	Riser	0.19	4.8	13.1	19	3.8	9.5	2.0	5.1	300	1335	90	400	1640	500
6	Riser	0.20	5.1	15.2	23	4.1	10.3	2.0	5.1	300	1335	90	400	1640	500
8	Riser	0.22	5.5	17.2	26	4.3	11.0	2.2	5.5	300	1335	90	400	1640	500
12	Riser	0.23	5.8	18.8	28	4.6	11.7	2.3	5.8	300	1335	90	400	1640	500
18	Riser	0.48	12.3	99.8	148	9.7	24.6	4.8	12.3	600	2670	180	801	1640	500
24	Riser	0.56	14.1	106.7	159	11.1	28.2	5.6	14.1	600	2670	180	801	1640	500
36	Riser	0.56	14.2	118.7	177	11.2	28.4	5.6	14.2	800	3560	240	1068	1640	500
48	Riser	0.62	15.7	126.6	188	12.3	31.3	6.2	15.7	800	3560	240	1068	1640	500
60	Riser	0.70	17.7	170.8	254	13.9	35.3	7.0	17.7	1000	4450	300	1335	1640	500
72	Riser	0.77	19.6	211.2	314	15.4	39.1	7.7	19.6	1000	4450	300	1335	1421	433
96	Riser	0.92	23.4	308.6	459	18.4	46.7	9.2	23.4	1000	4450	300	1335	972	296
144	Riser	1.00	25.3	309.8	461	19.9	50.6	10.0	25.3	1000	4450	300	1335	968	295

Physical Characteristics - PLENUM Rated

2	Plenum	0.15	3.9	8.8	13.1	3.1	7.8	1.5	3.9	225	1001	68	300	1640	500
4	Plenum	0.17	4.4	12.2	18	3.4	8.7	1.7	4.4	300	1335	90	400	1640	500
6	Plenum	0.19	4.8	15.1	22	3.8	9.7	1.9	4.8	300	1335	90	400	1640	500
8	Plenum	0.20	5.1	16.8	25	4.0	10.2	2.0	5.1	300	1335	90	400	1640	500
12	Plenum	0.22	5.7	20.8	31	4.5	11.4	2.2	5.7	300	1335	90	400	1640	500
18	Plenum	0.45	11.4	82.5	123	9.0	22.8	4.5	11.4	600	2670	180	801	1640	500
24	Plenum	0.52	13.1	108.1	161	10.3	26.3	5.2	13.1	600	2670	180	801	1640	500
36	Plenum	0.54	13.7	128.4	191	10.8	27.4	5.4	13.7	800	3560	240	1068	1640	500
48	Plenum	0.59	15.1	137.7	205	11.9	30.2	5.9	15.1	800	3560	240	1068	1640	500
60	Plenum	0.68	17.2	189.7	282	13.6	34.4	6.8	17.2	1000	4450	300	1335	1581	482
72	Plenum	0.75	19.1	237.1	353	15.1	38.2	7.5	19.1	1000	4450	300	1335	1265	386
96	Plenum	0.90	23.0	360.8	537	18.1	45.9	9.0	23.0	1000	4450	300	1335	831	253
144	Plenum	0.95	24.1	330.8	492	19.0	48.2	9.5	24.1	1000	4450	300	1335	907	276

****Page 16 of 32 refer to items 287 – 288****

COPPER CABLE SPECIFICATIONS:

Nominal Outer Jacket OD 0.232 in (5.89 mm) 0.224 in (5.69 mm) 0.231 in (5.87 mm)

Nominal Outer Jacket Thickness 0.022 in (0.56 mm) 0.020 in (0.51 mm) 0.020 in (0.51 mm)

Maximum Pulling Tension 25 lbs (11.3 kg) 25 lbs (11.3 kg) 25 lbs (11.3 kg)

Nominal Cable Weight 25.6 lbs/kft 29.1 lbs/1,000 ft 25.0 lbs/kft (38.2 kg/km) (13.2 kg/304.8 m) (39.3 kg/km)

Operating Temperature -4°F to 140°F -4°F to 140°F -4°F to 140°F (-20°C to 60°C) (-20°C to 60°C) (-20°C to 60°C)

Installation Temperature 32°F to 140°F 32°F to 140°F 32°F to 140°F (0°C to 60°C) (0°C to 60°C) (0°C to 60°C)

Conductor Diameter 23 AWG 23 AWG 23 AWG

Jacket Material PVC Low Smoke PVC Low Smoke Zero Halogen

ETL Type CMR CMP

IEC Verified IEC 60332-3

Nominal Velocity of Propagation 69% 71% 69%

Maximum DC Resistance 7.61 Ohms/100 m 7.61 Ohms/100 m 7.61 Ohms/100 m

Maximum DC Resistance Unbalanced 3% 3% 3%

Maximum Mutual 5.6 nF/100 m 5.6 nF/100 m 5.6 nF/100 m

Capacitance at 1 KHz

Minimum Dielectric Strength 1500 VAC or 2500 VDC 1500 VAC or 2500 VDC 1500 VAC or 2500 VDC

Voltage Safety Rating 300 Volts per 300 Volts per 300 Volts per NEC 800.179 NEC 800.179 NEC 800.179

Non-plenum

Cable meet or exceed Category 6/Class E attenuation and NEXT requirements in ISO/IEC 11801, CENELEC EN50173 and ANSI/TIA-568-C.2.

The cable must be ETL listed as Category 6. The cable must feature a thin and easy-to-remove bisector tape that delivers the performance benefits of more traditional fluted center members without the associated stiffness and size.

Plenum

Cable must meet or exceed Category 6/Class E attenuation and NEXT requirements in ISO/IEC 11801, CENELEC EN50173 and ANSI/TIA-568-C.2. The cable must be ETL listed as Category 6.

The cable must feature a thin and easy-to-remove bisector tape that delivers the performance benefits of more traditional fluted center members without the associated stiffness and size. The 4-pair must be composed of bare solid copper conductors insulated with Fluorinated-Ethylene-Propylene (FEP). The core of twisted pairs is jacketed with a low smoke PVC. It conforms to the low flame, low smoke requirements of the NEC.

LSZH

Cable must meet or exceed Category 6/Class E attenuation and NEXT requirements in ISO/IEC 11801, CENELEC EN50173 and ANSI/TIA-568-C.2.

The cable must be ETL listed as Category 6. The cable must feature a thin and easy-to-remove bisector tape that delivers the performance benefits of more traditional fluted center members without the associated stiffness and size. 3071E cable is composed of solid copper conductors insulated with non-halogen high-density polyethylene and jacketed with a low smoke zero halogen compound.

****Page 17 of 32 refer to items 289 – 290****

Information Outlet Specifications:

Dimensions	
Depth	30.48 mm 1.20 in
Height	20.32 mm 0.80 in
Width	20.32 mm 0.80 in
Electrical Specifications	
ANSI/TIA Category	6
Contact Resistance Variation, maximum	20 mOhm
Contact Resistance, maximum	100 mOhm
Current Rating	1.5 A @ 20 °C 1.5 A @ 68 °F
Dielectric Withstand Voltage, RMS, conductive surface	1500 Vac @ 60 Hz
Dielectric Withstand Voltage, RMS, contact-to-contact	1000 Vac @ 60 Hz
Insulation Resistance, minimum	500 MOhm
Environmental Specifications	
Flammability Rating	UL 94 V-0
Operating Temperature	-10 °C to +60 °C (+14 °F to +140 °F)
Relative Humidity	Up to 95%, non-condensing
Safety Standard	cUL UL
Storage Temperature	-40 °C to +70 °C (-40 °F to +158 °F)
General Specifications	
Cable Type	U/UTP (unshielded)
Color	Blue
Product Type	Outlet
Package, quantity	1
Mechanical Specifications	
Conductor Gauge, solid	22 AWG 24 AWG 26 AWG
Conductor Gauge, stranded	22 AWG 24 AWG
Conductor Type	Solid Stranded (7 strands)
Material Type	Copper alloy High-impact, flame retardant, thermoplastic
Outlet/Module Contact Plating	Gold over nickel
Plug Insertion Life Test Plug	IEC 60603-7 compliant plug
Plug Insertion Life, minimum	750 times
Plug Retention Force, minimum	30 lbf 133 N
Rear Termination Contact Plating	Gold over nickel
Rear Termination Type	IDC
Wiring	T568A T568B

Agency	Classification
RoHS 2002/95/EC	Compliant
ISO 9001:2000	Compliant

****Page 17 of 32 refer to items 296 – 297****

Category 6 U/UTP Copper Patch Panel 48 port with termination manager

Dimensions	
Depth	206.50 mm 8.13 in
Diameter Over Dielectric, maximum	1.168 mm 0.046 in
Diameter Over Dielectric, minimum	0.762 mm 0.030 in
Height	134.37 mm 5.29 in
Width	482.60 mm 19.00 in
Electrical Specifications	
ANSI/TIA Category	6
Current Rating	1.5 A @ 20 °C 1.5 A @ 68 °F
Dielectric Withstand Voltage, RMS, conductive surface	1500 Vac @ 60 Hz
Dielectric Withstand Voltage, RMS, contact-to-contact	1000 Vac @ 60 Hz
Insulation Resistance, minimum	500 MOhm
Environmental Specifications	
Flammability Rating	UL 94 V-0
Operating Temperature	-10 °C to +60 °C (+14 °F to +140 °F)
Relative Humidity	Up to 95%, non-condensing
Safety Standard	cUL UL
Storage Temperature	-40 °C to +70 °C (-40 °F to +158 °F)
General Specifications	
Cable Type	U/UTP (unshielded)
Modules, quantity	8
Product Type	Panel
Total Ports, quantity	48
Color	Black
Package, quantity	1
Rack Type	EIA 19 in
Rack Units	2
Mechanical Specifications	
Conductor Gauge, solid	22 AWG 24 AWG 26 AWG
Conductor Gauge, stranded	22 AWG 24 AWG
Conductor Type	Solid Stranded (7 strands)
Material Type	High-impact, flame retardant, thermoplastic Powder-coated steel
Outlet/Module Contact Plating	Gold over nickel
Plug Insertion Life Test Plug	IEC 60603-7 compliant plug
Plug Insertion Life, minimum	750 times
Plug Retention Force, minimum	30 lbf 133 N
Rear Termination Contact Plating	Gold over nickel
Rear Termination Type	IDC
Wiring	T568A T568B

Regulatory Compliance/Certifications

Agency	Classification
RoHS 2002/95/EC	Compliant
ISO 9001:2000	Compliant



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
CABLE10

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 JO ANN ADKINS
 304-558-8802

VENDOR TO PRINT HERE

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/29/2010				

BID OPENING DATE: 05/18/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
***** ADDENDUM NO. 2 ***** 1. CABLE10 PRICING PAGES AVAILABLE ELECTRONICALLY. NOTE: AN ELECTRONIC VERISON OF THE CABLE10 PRICING PAGES CAN BE FOUND AT: WWW.STATE.WV.US/ADMIN/PURCHASE/NEWBUT.HTM VENDORS MUST SUBMIT A PAPER BID WITH THE CABLE10 BID. THE PAPER BID COPY SHALL PREVAIL IF ANY DIFFERENCES EXISTS BETWEEN THE ELECTRONIC COPY AND THE PAPER COPY SUBMITTED. ***** END OF ADDENDUM NO. 2 *****						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
5. Payment may only be made after the delivery and acceptance of goods or services.
6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).

ITEM NUM.	BID Quantity	Unit	Description	See other page ***	Unit Price	Extension Price
1	50	EA	PLASTIC CABLE TIES; 7 15/16" IN LENGTH, 100PK 3-M PART # 3-M06226 OR EQUAL BID 3M		\$6.16	\$308.00
2	200	EA	VELCRO TYRAP WIRE TIES; 8" IN LENGTH; HELLERMAN TYTON PART # GT50X80P2 OR EQUAL BID PANDUIT		\$0.5731	\$114.62
3	500	EA	CABLE SUPPORT J-HOOK; ERICO PART # CAT32 OR EQUAL BID ERICO		\$2.27	\$1,135.00
4	200	EA	ELECTRICAL TAPE; 3-M SCOTCH SUPER 88 PART # 88-SUPER-3/4" X 66FT OR EQUAL BID 3M		\$3.61	\$722.00
5	50	EA	3M MOLDABLE PUTTY STIX PART # 3M-MPS-2+ OR EQUAL BID 3M		\$13.18	\$659.00
6	500	EA	CABLE RETAINER CLIP; ERICO PART # CATCR50 OR EQUAL BID ERICO		\$0.56	\$280.00
7	500	EA	SINGLE GANG LOW VOLTAGE MOUNTING BRACKETS; ARLINGTON PART # LV-1 OR EQUAL BID ARLINGTON		\$0.76	\$380.00
8	30	EA	3/4"W X 25YDS LONG BLACK VELCRO IN A ROLL VELCRO PART# 189645 OR EQUAL BID 3M		\$20.11	\$603.30
9	10	EA	3M WIRE MARKER DISPENSER 0 THRU 9 ON A ROLL 3-M PART # STD-0-9 (FILLED) OR EQUAL BID 3M		\$22.19	\$221.90
10	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 0 PART# SDR-0 OR EQUAL BID 3M		\$1.40	\$42.00
11	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 1 PART# SDR-1 OR EQUAL BID 3M		\$1.40	\$42.00
12	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 2 PART# SDR-2 OR EQUAL BID 3M		\$1.40	\$42.00
13	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 3 PART# SDR-3 OR EQUAL BID 3M		\$1.40	\$42.00
14	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 4 PART# SDR-4 OR EQUAL BID 3M		\$1.40	\$42.00
15	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 5 PART# SDR-5 OR EQUAL BID 3M		\$1.40	\$42.00
16	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 6 PART# SDR-6 OR EQUAL BID 3M		\$1.40	\$42.00
17	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 7 PART# SDR-7 OR EQUAL BID 3M		\$1.40	\$42.00
18	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 8 PART# SDR-8 OR EQUAL BID 3M		\$1.40	\$42.00
19	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 9 PART# SDR-9 OR EQUAL BID 3M		\$1.40	\$42.00
20	100	EA	ADJUSTABLE CABLE SUPPORT; ERICO PART#CAT425 OR EQUAL BID ERICO		\$10.90	\$1,090.00
21	20	EA	PHILLIPS HEAD 3/4" LONG 10-32 RACK SCREWS W/WASHERS 100PK MIDDLE ATLANTIC PRODUCTS PART # HP OR EQUAL BID DATATEL		\$14.81	\$296.20
22	20	EA	VERTICAL WIRE MANAGER FOR 19" OR 23" RELAY RACKS GREAT LAKES PART# 1984-VCM OR EQUAL MOUNTING HARDWARE INCLUDED BID GREAT LAKES		\$179.68	\$3,593.60
23	20	EA	VERTICAL WIRE MANAGER FOR 19" OR 23" RELAY RACKS CHATSWORTH PART# 12096-703 OR EQUAL MOUNTING HARDWARE INCLUDED BID CHATSWORTH		\$241.21	\$4,824.20
24	20	EA	VERTICAL WIRE MANAGER FOR 19" OR 23" RELAY RACKS AFCO SYSTEMS PART# ASTCTRG84 OR EQUAL MOUNTING HARWARE INCLUDED BID CHATSWORTH		\$270.72	\$5,414.40
25	20	EA	VERTICAL WIRE MANAGER FOR 19" OR 23" RELAY RACKS SOUTHWEST PART# SWE2729BLK OR EQUAL MOUNTING HARDWARE INCLUDED BID CHATSWORTH		\$270.72	\$5,414.40
26	40	EA	DISTRIBUTION RACKS; ALUMINUM BASE COLOR OF BLACK MUST BE APPROXIMATELY 15" IN DEPTH; APPROXIMATELY 20" IN WIDTH; & 84" HEIGHT GREAT LAKES PART# GLRR-1984BA OR EQUAL BID CHATSWORTH		\$98.84	\$3,953.60
27	40	EA	DISTRIBUTION RACKS; ALUMINUM BASE COLOR OF BLACK MUST BE APPROXIMATELY 15" IN DEPTH; APPROXIMATELY 20" IN WIDTH; & 84" HEIGHT. CHATSWORTH PART# 46353-703 OR EQUAL BID CHATSWORTH		\$185.23	\$7,409.20
28	10	EA	48" WALL MOUNT SWING OUT RACK; GREAT LAKES PART # GL48SR OR EQUAL BID GREAT LAKES		\$173.28	\$1,732.80
29	10	EA	36" WALL MOUNT SWING OUT RACK; GREAT LAKES PART # GL36SR OR EQUAL BID GREAT LAKES		\$159.60	\$1,596.00
30	10	EA	24" WALL MOUNT SWING OUT RACK; GREAT LAKES PART # GL24SR OR EQUAL BID GREAT LAKES		\$143.63	\$1,436.30

31	10	EA	84" NETWORKING CABINET; CABINET WILL INCLUDE THE FOLLOWING; CASTERS, LEVELERS, GROUND LUG, TWO PAIR SQUARE HOLE RAILS, M6 HARDWARE, BOTTOM GLAND, TOP GLAND, 10IN FAN TOP, PERFORATED FRONT DOOR, PERFORATED REAR DOOR, TWO SOLID SIDE PANELS, TWO 9411-1602 POWER STRIPS INTERNAL 8729-PD-3 FRONT, 8429-PR-3-0001 SPOTWELDED REAR TWO 8436-01-SP-3 SIDES. PART# XDP84-3-1S0046 OR EQUAL BID BELDEN/X-MARK		\$2,326.00	\$23,260.00
32	10	EA	72" NETWORKING CABINET; CABINET WILL INCLUDE THE FOLLOWING; CASTERS, LEVELERS, GROUND LUG, TWO PAIR SQUARE HOLE RAILS, M6 HARDWARE, BOTTOM GLAND, TOP GLAND, 10IN FAN TOP, PERFORATED FRONT DOOR, PERFORATED REAR DOOR, TWO SOLID SIDE PANELS, TWO 9411-1602 POWER STRIPS INTERNAL 8729-PD-3 FRONT, 8429-PR-3-0001 SPOTWELDED REAR TWO 8436-01-SP-3 SIDES. PART# XDP72-3-1S0012 OR EQUAL BID BELDEN/X-MARK		\$2,231.00	\$22,310.00
33	10	EA	84" NETWORKING CABINET; BASE UNIT WITH LOUVERED TOP; PLEXIGLAS FRONT DOOR W/LOCK; UPPER HALF LOUVERED STEEL REAR DOOR W/LOCK; SOLID REMOVABLE SIDE PANELS; TWO PAIR 19" MOUNTING RAILS W/BRACKETS & MOUNTING SCREWS; COLOR BLACK OR GREY; 16 POSITION POWER STRIP W / CIRCUIT BREAKER & 12' CORD; CASTERS; 84"H X 29" W X 36" D; GREAT LAKES PART # 840E-2936WVCC OR EQUAL BID GREAT LAKES		\$2,195.00	\$21,950.00
34	10	EA	72" NETWORKING CABINET; BASE UNIT WITH LOUVERED TOP; PLEXIGLAS FRONT DOOR W/LOCK; UPPER HALF LOUVERED STEEL REAR DOOR W/LOCK; PAIR OF SOLID REMOVABLE SIDE PANELS; TWO PAIR 19" MOUNTING RAILS W/BRACKETS & MOUNTING SCREWS; COLOR BLACK OR GREY; 16 POSITION POWER STRIP W / CIRCUIT BREAKER & 12' CORD; CASTERS; 72"H X 29" W X 36" D; GREAT LAKES PART # 720E-2936WVCC OR EQUAL BID GREAT LAKES		\$2,007.00	\$20,070.00
35	5	EA	48" NETWORKING CABINET; BASE UNIT WITH LOUVERED TOP; PLEXIGLAS FRONT DOOR W/LOCK; UPPER HALF LOUVERED STEEL REAR DOOR W/LOCK; PAIR OF SOLID REMOVABLE SIDE PANELS; TWO PAIR 19" MOUNTING RAILS W/BRACKETS & MOUNTING SCREWS; COLOR BLACK OR GREY; 6 POSITION POWER STRIP W / CIRCUIT BREAKER & 12' CORD; CASTERS; 48"H X 24" W X 32" D; GREAT LAKES PART # 480E-2432WVCC OR EQUAL BID GREAT LAKES		\$1,245.00	\$6,225.00
36	10	EA	STATIONARY SHELVES FOR 19" MOUNTING IN NETWORKING CABINETS; GREAT LAKES PART # 7206-FM OR EQUAL BID GREAT LAKES		\$37.96	\$379.60
37	20	EA	FAN ASSEMBLY W/FAN GUARDS & THREE 75 CFM FANS FOR NETWORKING CABINETS; GREAT LAKES PART # TPE-24F or TPE-29F OR EQUAL BID GREAT LAKES		\$221.44	\$4,428.80
38	1000	FT	RACEWAY MOLDING; ONE-PIECE; NON-METALLIC; 3/4" WIDTH; 6 FT. LENGTH; DEKDUCT PART # 043-LD00 OR EQUAL BID PANDUIT		\$1.01	\$1,010.00
39	1000	FT	RACEWAY MOLDING; ONE-PIECE; NON-METALLIC; 1 1/2" WIDTH; 6 FT. LENGTH; DEKDUCT PART # 042-LD00 OR EQUAL BID PANDUIT		\$1.52	\$1,520.00
40	1000	FT	RACEWAY MOLDING; ONE-PIECE; NON-METALLIC; 2 1/2" WIDTH; 6 FT. LENGTH; DEKDUCT PART # 045-LD00 OR EQUAL BID PANDUIT		\$1.59	\$1,590.00
41	1000	FT	RACEWAY MOLDING; TWO-PIECE; NON-METALLIC; 4" WIDTH X 2" DEPTH; DEKDUCT PART # 046-4020DWP OR EQUAL BID PANDUIT		\$2.18	\$2,180.00
42	20,000	FT	25 PAIR PLENUM CATEGORY 3 CABLE PART# Superior Essex p/n 18-475-36 or equal BID BERK-TEK		\$0.5800	\$11,600.00
43	20,000	FT	50 PAIR PLENUM CATEGORY 3 CABLE PART# Superior Essex p/n 18-579-36 or equal BID BERK-TEK		\$1.17	\$23,400.00
44	20,000	FT	100 PAIR PLENUM CATEGORY 3 CABLE PART# Superior Essex p/n: 18-799-36 or equal BID BERK-TEK		\$2.38	\$47,600.00
45	100,000	FT	CAT. 5e MIN COMPLIANT PVC CABLE; NON-PLENUM; WHITE IN COLOR; 1,000 FT. PER REEL IN A BOX; MOHAWK PART # M57554 OR EQUAL BID MOHAWK *EXPLANATION & SPECIFICATION SHEET ATTACHED		\$0.081520	\$8,152.00

46	200,000	FT	CAT. 5e MIN COMPLIANT CABLE; PLENUM; WHITE IN COLOR; 1,000 FT. PER REEL IN A BOX; MOHAWK PART # M57547 OR EQUAL BID MOHAWK *EXPLANATION & SPECIFICATION SHEET ATTACHED	***	\$0.13586	\$27,172.00
47	3000	EA	QUICK PORT 8P8C MODULAR RJ45 JACKS FOR CAT5e MIN COMPLIANT; WHITE IN COLOR; LEVITON PART # 5G108-RW5 OR EQUAL <i>Bid Leviton</i> *EXPLANATION & SPECIFICATION SHEET ATTACHED	***	\$1.96	\$5,880.00
48	200,000	FT	CAT. 5E ENHANCED CABLE; NON-PLENUM RISER RATED; REEL IN A BOX ONLY; 1000 FT. PER BOX; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET; ELECTRICAL CHARACTERISTICS / SPECIFICATIONS SHEET MUST BE SUPPLIED. MEGALAN 400 MOHAWK PART# M56167 OR EQUAL BID MOHAWK *EXPLANATION & SPECIFICATION SHEET ATTACHED	***	\$0.09565	\$19,130.00
49	300,000	FT	CAT. 5E ENHANCED CABLE; PLENUM; REEL IN A BOX ONLY; 1000 FT. PER BOX; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET; ELECTRICAL CHARACTERISTICS / SPECIFICATIONS SHEET MUST BE SUPPLIED. MEGALAN 400 MOHAWK PART# M56168 OR EQUAL BID MOHAWK *EXPLANATION & SPECIFICATION SHEET ATTACHED	***	\$0.18409	\$55,227.00
50	3,000	EA	LEVITON QUICKPORT 8P8C MODULAR RJ45 JACKS FOR CAT5E ENHANCED; ORANGE IN COLOR; LEVITON PART # 5G110-RO5 OR EQUAL BID LEVITON *EXPLANATION & SPECIFICATION SHEET ATTACHED	***	\$2.81	\$8,430.00
51	200	EA	CAT 5E ENHANCED 1FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART # 553-130-001 OR EQUAL BID QUIKTRON		\$1.37	\$274.00
52	200	EA	CAT 5E ENHANCED 3FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART# 553-130-003 OR EQUAL BID QUIKTRON		\$0.53	\$106.00
53	200	EA	CAT 5E ENHANCED 5FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART# 553-130-005 OR EQUAL BID QUIKTRON		\$0.71	\$142.00
54	200	EA	CAT 5E ENHANCED 7FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART# 553-130-007 OR EQUAL BID QUIKTRON		\$0.87	\$174.00
55	200	EA	CAT 5E ENHANCED 10FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART# 553-130-010 OR EQUAL BID QUIKTRON		\$1.15	\$230.00
56	200	EA	CAT 5E ENHANCED 14FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART# 553-130-014 OR EQUAL BID QUIKTRON		\$1.50	\$300.00
57	200	EA	CAT 5E ENHANCED 25FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART# 553-130-025 OR EQUAL BID QUIKTRON		\$2.53	\$506.00
58	100	EA	CAT 5E ENHANCED 50FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART# 553-130-050 OR EQUAL BID QUIKTRON		\$4.78	\$478.00
59	500	EA	CAT 5E ENHANCED 350MHZ PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 1 FOOT LENGTH; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET BID QUIKTRON		\$0.36	\$180.00
60	500	EA	CAT 5E ENHANCED 350MHZ PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 18 INCHES IN LENGTH; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET BID QUIKTRON		\$1.44	\$720.00
61	2000	EA	CAT. 5E GIGAMAX PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 3 FOOT LENGTH; LEVITON PART# 5G460-03* OR EQUAL *- COLOR BID LEVITON		\$1.59	\$3,180.00
62	1000	EA	CAT. 5E GIGAMAX PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 5 FOOT LENGTH; LEVITON PART# 5G460-05* OR EQUAL *- COLOR BID LEVITON		\$1.79	\$1,790.00
63	2000	EA	CAT. 5E GIGAMAX PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 7 FOOT LENGTH; LEVITON PART# 5G460-07* OR EQUAL *- COLOR BID LEVITON		\$2.02	\$4,040.00
64	1000	EA	CAT. 5E GIGAMAX PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 10 FOOT LENGTH; LEVITON PART# 5G460-10* OR EQUAL *- COLOR BID LEVITON		\$2.40	\$2,400.00
65	1000	EA	CAT. 5E GIGAMAX PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 15 FOOT LENGTH; LEVITON PART# 5G460-15* OR EQUAL *- COLOR BID LEVITON		\$3.07	\$3,070.00

66	500	EA	CAT. 5E ENHANCED 350MHZ PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 25 FOOT LENGTH; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET BID QUIKTRON		\$2.52	\$1,260.00
67	100	EA	CAT 5E ENHANCED 350MHZ PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 50 FOOT LENGTH; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET BID QUIKTRON		\$4.78	\$478.00
68	100	EA	CAT. 5E ENHANCED 350MHZ PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 100 FOOT LENGTH; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET BID QUIKTRON		\$9.34	\$934.00
69	50	EA	LEVITON QUICKPORT HIGH DENSITY 48-PORT PATCH PANEL W/CABLE MANAGEMENT BAR LEVITON PART# 49255-H48 OR EQUAL BID LEVITON		\$43.14	\$2,157.00
70	50	EA	LEVITON QUICKPORT HIGH DENSITY 24-PORT PATCH PANEL W/CABLE MANAGEMENT BAR LEVITON PART# 49255-H24 OR EQUAL BID LEVITON		\$31.63	\$1,581.50
71	50	EA	LEVITON QUICKPORT HIGH DENSITY 12-PORT PATCH PANEL LEVITON PART#49255-H89 OR EQUAL BID LEVITON		\$8.90	\$445.00
72	100	EA	LEVITON 48-PORT 8P8C RJ45 CAT.5E RACKMOUNT PATCH PANEL; MUST BE CAT5E ENHANCED CERTIFIED; LEVITON PART# 5G596-U48 OR EQUAL *EXPLANATION & SPECIFICATION SHEET ATTACHED BID LEVITON	***	\$138.13	\$13,813.00
73	100	EA	LEVITON 24-PORT 8P8C RJ45 CAT.5E RACKMOUNT PATCH PANEL; MUST BE CAT5E ENHANCED CERTIFIED; LEVITON PART # 5G596-U24 OR EQUAL; BID LEVITON *EXPLANATION & SPECIFICATION SHEET ATTACHED	***	\$69.07	\$6,907.00
74	50	EA	LEVITON 12-PORT 8P8C RJ45 CAT.5E RACKMOUNT PATCH PANEL; MUST BE CAT5E ENHANCED CERTIFIED; LEVITON PART # 5G596-U12 OR EQUAL; BID LEVITON *EXPLANATION & SPECIFICATION SHEET ATTACHED	***	\$51.56	\$2,578.00
75	50	EA	LEVITON 12-PORT 8P8C RJ45 CAT5E WALL MT. PATCH PANEL; MUST BE CAT5E ENHANCED CERTIFIED; LEVITON PART # 5G596-U89 OR EQUAL; BID LEVITON *EXPLANATION & SPECIFICATION SHEET ATTACHED	***	\$37.38	\$1,869.00
76	100	EA	SIEMON 48-PORT PATCH PANEL; MUST BE CAT.5E CERTIFIED; SIEMON #HD5-48 OR EQUAL BID SIEMON		\$190.10	\$19,010.00
77	50	EA	SIEMON 24-PORT PATCH PANEL; MUST BE CAT.5E CERTIFIED; SIEMON #HD5-24 OR EQUAL BID SIEMON		\$95.06	\$4,753.00
78	20	EA	SIEMON 16-PORT PATCH PANEL; MUST BE CAT.5E CERTIFIED; SIEMON #HD5-16 OR EQUAL BID SIEMON		\$77.23	\$1,544.60
79	20	EA	SIEMON 12-PORT PATCH PANEL; MUST BE CAT.5E CERTIFIED; SIEMON #HD5-89D-12 OR EQUAL BID SIEMON		\$51.80	\$1,036.00
80	200	EA	SIEMON RACK MT. 1U WIRE MANAGER PART# S110-RWM-01 OR EQUAL BID SIEMON		\$19.06	\$3,812.00
81	20	EA	SIEMON WIRE MANAGER; STANDARD INTERBAY CORD MANAGER; SIEMON WM-144-5 OR EQUAL BID SIEMON		\$27.93	\$558.60
82	20	EA	2-POSITION HINGED FIXED BRACKETS FOR WALL; DATATEL PART # HPM-2 OR EQUAL BID DATATEL		\$31.10	\$622.00
83	100	EA	WIRE MANAGER; STANDARD INTERBAY CORD MANAGER; DATATEL PART # HCM-1D OR EQUAL BID DATATEL		\$24.07	\$2,407.00
84	200,000	FT	CAT 6 ENHANCED CABLE; NON-PLENUM; REEL IN A BOX ONLY; 1,000 FT. PER BOX; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET; ELECTRICAL CHARACTERISTICS / SPECIFICATIONS SHEET MUST BE SUPPLIED. CAT 6 ADVANCENET MOHAWK PART# M57202 OR EQUAL BID MOHAWK *EXPLANATION & SPECIFICATION SHEET ATTACHED	***	\$0.15760	\$31,520.00
85	300,000	FT	CAT 6 ENHANCED CABLE; PLENUM; REEL IN A BOX ONLY; 1,000 FT. PER BOX; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET; ELECTRICAL CHARACTERISTICS / SPECIFICATIONS SHEET MUST BE SUPPLIED. CAT 6 ADVANCENET MOHAWK PART# M57193 OR EQUAL BID MOHAWK *EXPLANATION & SPECIFICATION SHEET ATTACHED	***	\$0.26956	\$80,868.00
86	5000	EA	QUICKPORT CAT6 EXTREME 8P8C RJ45 SNAP-IN CONNECTOR; BLUE IN COLOR; LEVITON PART # 61110-RL6 OR EQUAL BID LEVITON *EXPLANATION & SPECIFICATION SHEET ATTACHED	***	\$4.02	\$20,100.00
87	100	EA	CAT 6 EXTREME 1FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART # 538-130-001 OR EQUAL BID QUIKTRON		\$2.88	\$288.00
88	200	EA	CAT 6 EXTREME 3FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART # 538-130-003 OR EQUAL BID QUIKTRON		\$3.18	\$636.00

89	100	EA	CAT 6 EXTREME 5FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART # 538-130-005 OR EQUAL BID QUIKTRON		\$3.47	\$347.00
90	200	EA	CAT 6 EXTREME 7FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART # 538-130-007 OR EQUAL BID QUIKTRON		\$3.77	\$754.00
91	200	EA	CAT 6 EXTREME 10FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART # 538-130-010 OR EQUAL BID QUIKTRON		\$4.21	\$842.00
92	200	EA	CAT 6 EXTREME 15FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART # 538-130-015 OR EQUAL BID QUIKTRON		\$4.95	\$990.00
93	100	EA	CAT 6 EXTREME 25FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART # 538-130-025 OR EQUAL BID QUIKTRON		\$6.43	\$643.00
94	50	EA	CAT 6 EXTREME 50FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART # 538-130-050 OR EQUAL BID QUIKTRON		\$10.12	\$506.00
95	200	EA	CAT. 6 EXTREME 650MHZ PATCH CABLES; RJ45M TO RJ45M; NON-KEYED; 18 INCHES IN LENGTH; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET BID QUIKTRON		\$2.96	\$592.00
96	200	EA	CAT. 6 EXTREME 650MHZ PATCH CABLES; RJ45M TO RJ45M; NON-KEYED; 1 FOOT LENGTH; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET BID QUIKTRON		\$2.88	\$576.00
97	400	EA	CAT. 6 EXTREME PATCH CABLES; RJ45M TO RJ45M; NON-KEYED; 3 FOOT LENGTH; BID LEVITON LEVITON PART # 62460-03* OR EQUAL *- COLOR		\$2.35	\$940.00
98	400	EA	CAT. 6 EXTREME PATCH CABLES; RJ45M TO RJ45M; NON-KEYED; 5 FOOT LENGTH; BID LEVITON LEVITON PART # 62460-05* OR EQUAL *- COLOR		\$2.92	\$1,168.00
99	400	EA	CAT. 6 EXTREME PATCH CABLES; RJ45M TO RJ45M; NON-KEYED; 7 FOOT LENGTH; BID LEVITON LEVITON PART # 62460-07* OR EQUAL *- COLOR		\$3.54	\$1,416.00
100	200	EA	CAT. 6 EXTREME PATCH CABLES; RJ45M TO RJ45M; NON-KEYED; 10 FOOT LENGTH; BID LEVITON LEVITON PART # 62460-10* OR EQUAL *- COLOR		\$4.12	\$824.00
101	100	EA	CAT. 6 EXTREME PATCH CABLES; RJ45M TO RJ45M; NON-KEYED; 15 FOOT LENGTH; BID LEVITON LEVITON PART # 62460-15* OR EQUAL *- COLOR		\$5.18	\$518.00
102	50	EA	CAT. 6 EXTREME PATCH CABLES; RJ45M TO RJ45M; NON-KEYED; 20 FOOT LENGTH; BID LEVITON LEVITON PART # 62460-20* OR EQUAL *- COLOR		\$6.29	\$314.50
103	50	EA	CAT. 6 EXTREME PATCH CABLES; RJ45M TO RJ45M; NON-KEYED; 50 FOOT LENGTH; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET BID QUIKTRON		\$5.38	\$269.00
104	50	EA	LEVITON 48-PORT 8P8C RJ45 PATCH PANEL; MUST BE CAT. 6 ENHANCED CERTIFIED; LEVITON PART # 69586-U48 OR EQUAL BID LEVITON *EXPLANATION & SPECIFICATION SHEET ATTACHED		\$202.19	\$10,109.50
105	50	EA	LEVITON 24-PORT 8P8C RJ45 PATCH PANEL; MUST BE CAT. 6 ENHANCED CERTIFIED; LEVITON PART # 69586-U24 OR EQUAL BID LEVITON *EXPLANATION & SPECIFICATION SHEET ATTACHED	***	\$102.63	\$5,131.50
106	50	EA	LEVITON 12-PORT PATCH PANEL; MUST BE CAT. 6 ENHANCED CERTIFIED; LEVITON PART # 69586-U12 OR EQUAL BID LEVITON *EXPLANATION & SPECIFICATION SHEET ATTACHED	***	\$67.04	\$3,352.00
107	50	EA	LEVITON 12-PORT 8P8C RJ45 CAT6 WALL MT. PATCH PANEL; MUST BE CAT6 ENHANCED CERTIFIED; LEVITON PART # 69586-U89 OR EQUAL BID LEVITON *EXPLANATION & SPECIFICATION SHEET ATTACHED	***	\$62.53	\$3,126.50
108	50	EA	SIEMON 48-PORT PATCH PANEL; MUST BE CAT 6 CERTIFIED; SIEMON# HD6-48 OR EQUAL BID SIEMON		\$221.68	\$11,084.00
109	50	EA	SIEMON 24-PORT PATCH PANEL; MUST BE CAT 6 CERTIFIED; SIEMON# HD6-24 OR EQUAL BID SIEMON		\$110.84	\$997.56
110	1000	EA	2-PORT SURFACE MOUNT BOX; LEVITON PART # 41089-2*P OR EQUAL *- COLOR BID LEVITON		\$1.22	\$1,220.00
111	100	EA	4-PORT SURFACE MOUNT BOX; LEVITON PART # 41089-4*P OR EQUAL *- COLOR BID LEVITON		\$2.28	\$228.00
112	100	EA	SINGLE GANG IVORY BLANK WALL PLATE; LEVITON PART# 86014 OR EQUAL BID LEVITON		\$0.20	\$20.00
113	100	EA	SINGLE GANG WHITE BLANK WALL PLATE; LEVITON PART# 88014 OR EQUAL BID LEVITON		\$0.20	\$20.00
114	100	EA	QUICKPORT STAINLESS STEEL FLUSH WALLPHONE WALLPLATE; LEVITON PART# 4108W-0SP OR EQUAL BID LEVITON		\$5.87	\$587.00

115	500	EA	1-PORT WALLPLATES; LEVITON PART # 41080-1*P OR EQUAL *- COLOR BID LEVITON		\$0.94	\$470.00
116	1000	EA	2-PORT WALLPLATES; LEVITON PART # 41080-2*P OR EQUAL *- COLOR BID LEVITON		\$0.94	\$940.00
117	100	EA	3-PORT WALLPLATES; LEVITON PART # 41080-3*P OR EQUAL *- COLOR BID LEVITON		\$0.94	\$94.00
118	100	EA	4-PORT WALLPLATES; LEVITON PART # 41080-4*P OR EQUAL *- COLOR BID LEVITON		\$0.94	\$94.00
119	50	EA	6-PORT WALLPLATES; LEVITON PART # 41080-6*P OR EQUAL *- COLOR BID LEVITON		\$0.94	\$47.00
120	5000	FT	FIBER OPTIC CABLE 48-STRAND I/O MULTIMODE 62.5/125 OCC PART # DX048-105D-WLS/900-OFNR OR CORNING PART # 048KWF-T4130D20 OR EQUAL BID CORNING		\$2.18	\$10,900.00
121	5000	FT	FIBER OPTIC CABLE 24-STRAND I/O MULTIMODE 62.5/125 OCC PART # DX024-085D-WLS/900-OFNR OR CORNING PART # 024K8F-31130-24 OR EQUAL BID CORNING		\$1.55	\$7,750.00
122	5000	FT	FIBER OPTIC CABLE 12-STRAND I/O MULTIMODE 62.5/125 OCC PART # DX012-065D-WLS/900-OFNR OR CORNING PART # 012K8F-31130-24 OR EQUAL BID CORNING		\$0.86	\$4,300.00
123	5000	FT	FIBER OPTIC CABLE 6-STRAND I/O MULTIMODE 62.5/125 OCC PART # DX006-055D-WLS/900-OFNR OR CORNING PART # 006K8F-31130-24 OR EQUAL BID CORNING		\$0.45	\$2,250.00
124	5000	FT	FIBER OPTIC CABLE 48-STRAND I/O PLENUM RATED MULTIMODE 62.5/125 OCC PART # DX048-095K-WLS/900-OFNP OR CORNING PART # 048KWP-T4130D20 OR EQUAL BID CORNING		\$3.46	\$17,300.00
125	5000	FT	FIBER OPTIC CABLE 24-STRAND I/O PLENUM RATED MULTIMODE 62.5/125 OCC PART # DX24-075K-WLS/900/OFNP OR CORNING PART # 024K8P-31130-29 OR EQUAL BID CORNING		\$2.28	\$11,400.00
126	5000	FT	FIBER OPTIC CABLE 12-STRAND I/O PLENUM RATED MULTIMODE 62.5/125 OCC PART # DX12-060K-WLS/900-OFNP OR CORNING PART # 012K8P-31130-29 OR EQUAL BID CORNING		\$1.05	\$5,250.00
127	5000	FT	FIBER OPTIC CABLE 6-STRAND I/O PLENUM RATED MULTIMODE 62.5/125 OCC PART # DX06-045K-WLS/900-OFNP OR CORNING PART # 006K8P-31130-29 OR EQUAL BID CORNING		\$0.67	\$3,350.00
128	5000	FT	FIBER OPTIC CABLE 48-STRAND INDOOR/OUTDOOR ARMORED MULTIMODE 62.5/125 OCC PART # DX48-105D-WLS/900-OFNR-IAD OR CORNING PART # 048KWF-T4130DA1 OR EQUAL BID CORNING		\$2.18	\$10,900.00
129	5000	FT	FIBER OPTIC CABLE 24-STRAND INDOOR/OUTDOOR ARMORED MULTIMODE 62.5/125 OCC PART # DX24-085D-WLS/900-OFNR-IAD OR CORNING PART # 024K8F-31130-A1 OR EQUAL BID CORNING		\$2.38	\$11,900.00
130	5000	FT	FIBER OPTIC CABLE 12-STRAND INDOOR/OUTDOOR ARMORED MULTIMODE 62.5/125 OCC PART # DX12-065D-WLS/900-OFNR-IAD OR CORNING PART # 012K8F-31130-A1 OR EQUAL BID CORNING		\$1.42	\$7,100.00
131	5000	FT	FIBER OPTIC CABLE 6-STRAND INDOOR/OUTDOOR ARMORED MULTIMODE 62.5/125 OCC PART # DX06-055D-WLS/900-OFNR-IAD OR CORNING PART # 006K8F-31130-A1 OR EQUAL BID CORNING		\$0.98	\$4,900.00
132	5000	FT	FIBER OPTIC CABLE 48-STRAND INDOOR/OUTDOOR ARMORED PLENUM COATED MULTIMODE 62.5/125 OCC PART # DX48-095K-WLS/900-OFNR-IAC OR CORNING PART # 048KWP-T4130DA1 OR EQUAL BID CORNING		\$4.61	\$23,050.00
133	5000	FT	FIBER OPTIC CABLE 24-STRAND INDOOR/OUTDOOR ARMORED PLENUM COATED MULTIMODE 62.5/125 OCC PART # DX24-070K-WLS/900-OFNR-IAC OR CORNING PART # 024K8P-31130-A3 OR EQUAL BID CORNING		\$3.11	\$15,550.00

134	5000	FT	FIBER OPTIC CABLE 12-STRAND INDOOR/OUTDOOR ARMORED PLENUM COATED MULTIMODE 62.5/125 OCC PART # DX12-060K-WLS/900-OFCP-IAK OR CORNING PART # 012K8P-31130-A3 OR EQUAL BID CORNING		\$1.67	\$8,350.00
135	5000	FT	FIBER OPTIC CABLE 6-STRAND INDOOR/OUTDOOR ARMORED PLENUM COATED MULTIMODE 62.5/125 OCC PART # DX06-050K-WLS/900-OFCP-IAK OR CORNING PART # 006K8P-31130-A3 OR EQUAL BID CORNING		\$1.17	\$5,850.00
136	3000	FT	FIBER OPTIC CABLE 24-STRAND OUTDOOR AERIAL W / 1/4" MESSENGER MULTIMODE 62.5/125 OCC PART # MX24-095A-WLS/900-JGS OR CORNING PART # 024KWA-T4130D20 OR EQUAL BID CORNING		\$1.59	\$4,770.00
137	3000	FT	FIBER OPTIC CABLE 12-STRAND OUTDOOR AERIAL W / 1/4" MESSENGER MULTIMODE 62.5/125 OCC PART # MX12-090A-WLS/900-JGS OR CORNING PART # 012KWA-T4130D20 OR EQUAL BID CORNING		\$0.94	\$2,820.00
138	3000	FT	FIBER OPTIC CABLE 6-STRAND OUTDOOR AERIAL W / 1/4" MESSENGER MULTIMODE 62.5/125 OCC PART # MX06-090A-WLS/900-JGS OR CORNING PART # 006KWA-T4130D20 OR EQUAL BID CORNING		\$0.59	\$1,770.00
139	3000	FT	FIBER OPTIC CABLE 48-STRAND INDOOR/OUTDOOR MULTIMODE 50/125 OCC PART # DX048-105D-ALS/900-OFNR OR CORNING PART # 048CWF-T4131D20 OR EQUAL BID CORNING		\$1.96	\$5,880.00
140	3000	FT	FIBER OPTIC CABLE 24-STRAND INDOOR/OUTDOOR MULTIMODE 50/125 OCC PART # DX024-085D-ALS/900-OFNR OR CORNING PART # 024C8F-31131-24 OR EQUAL BID CORNING		\$1.32	\$3,960.00
141	3000	FT	FIBER OPTIC CABLE 12-STRAND INDOOR/OUTDOOR MULTIMODE 50/125 OCC PART # DX012-065D-ALS/900-OFNR OR CORNING PART # 012C8F-31131-24 OR EQUAL BID CORNING		\$0.74	\$2,220.00
142	3000	FT	FIBER OPTIC CABLE 6-STRAND INDOOR/OUTDOOR MULTIMODE 50/125 OCC PART # DX006-055D-ALS/900-OFNR OR CORNING PART # 006C8F-31131-24 OR EQUAL BID CORNING		\$0.40	\$1,200.00
143	3000	FT	FIBER OPTIC CABLE 48-STRAND I/O PLENUM RATED MULTIMODE 50/125 OCC PART # DX048-095K-ALS/900-OFNP OR CORNING PART # 048CWP-T4131D20 OR EQUAL BID CORNING		\$3.16	\$9,480.00
144	3000	FT	FIBER OPTIC CABLE 24-STRAND I/O PLENUM RATED MULTIMODE 50/125 OCC PART # DX024-070K-ALS/900-OFNP OR CORNING PART # 024C8P-31131-29 OR EQUAL BID CORNING		\$2.14	\$6,420.00
145	3000	FT	FIBER OPTIC CABLE 12-STRAND I/O PLENUM RATED MULTIMODE 50/125 OCC PART # DX012-060K-ALS/900-OFNP OR CORNING PART # 012C8P-31131-29 OR EQUAL BID CORNING		\$1.03	\$3,090.00
146	3000	FT	FIBER OPTIC CABLE 6-STRAND I/O PLENUM RATED MULTIMODE 50/125 OCC PART # DX006-045K-ALS/900-OFNP OR CORNING PART # 006C8P-31131-29 OR EQUAL BID CORNING		\$0.63	\$1,890.00
147	3000	FT	FIBER OPTIC CABLE 48-STRAND I/O 50UM MULTIMODE ARMORED OCC PART # DX48-105D-ALS/900-OFNR-IAK OR CORNING PART # 048CWF-T4131DA1 OR EQUAL BID CORNING		\$3.41	\$10,230.00
148	3000	FT	FIBER OPTIC CABLE 24-STRAND I/O 50UM MULTIMODE ARMORED OCC PART # DX24-085D-ALS/900-OFNR-IAK OR CORNING PART # 024C8F-31131-A1 OR EQUAL BID CORNING		\$2.92	\$8,760.00
149	3000	FT	FIBER OPTIC CABLE 12-STRAND I/O 50UM MULTIMODE ARMORED OCC PART # DX12-065D-ALS/900-OFNR-IAK OR CORNING PART # 012C8F-31131-A1 OR EQUAL BID CORNING		\$1.33	\$3,990.00

150	3000	FT	FIBER OPTIC CABLE 6-STRAND I/O 50UM MULTIMODE ARMORED OCC PART # DX06-055D-ALS/900-OFDR-IAD OR CORNING PART # 006C8F-31131-A1 OR EQUAL BID CORNING		\$0.93	\$2,790.00
151	3000	FT	FIBER OPTIC CABLE 48-STRAND INDOOR/OUTDOOR ARMORED PLENUM COATED 50UM MULTIMODE OCC PART # DX48-095K-ALS/900-OFDR-IAD OR CORNING PART # 048CWP-T4131DA1 OR EQUAL BID CORNING		\$4.30	\$12,900.00
152	3000	FT	FIBER OPTIC CABLE 24-STRAND INDOOR/OUTDOOR ARMORED PLENUM COATED 50UM MULTIMODE OCC PART # DX24-070K-ALS/900-OFDR-IAD OR CORNING PART # 024C8P-31131-A3 OR EQUAL BID CORNING		\$2.92	\$8,760.00
153	3000	FT	FIBER OPTIC CABLE 12-STRAND INDOOR/OUTDOOR ARMORED PLENUM COATED 50UM MULTIMODE OCC PART # DX12-060K-ALS/900-OFDR-IAD OR CORNING PART # 012C8P-31131-A3 OR EQUAL BID CORNING		\$1.67	\$5,010.00
154	3000	FT	FIBER OPTIC CABLE 6-STRAND INDOOR/OUTDOOR ARMORED PLENUM COATED 50UM MULTIMODE OCC PART # DX06-050K-ALS/900-OFDR-IAD OR CORNING PART # 006C8P-31131-A3 OR EQUAL BID CORNING		\$1.12	\$3,360.00
155	3000	FT	FIBER OPTIC CABLE 12-STRAND OUTDOOR AERIAL/DUCT MULTIMODE 50/125 OCC PART # DX012-075A-ALS/900 OR CORNING PART # 012CW4-T4131D20 OR EQUAL BID CORNING		\$0.71	\$2,130.00
156	3000	FT	FIBER OPTIC CABLE 12-STRAND OUTDOOR AERIAL W/MESSENGER MULTIMODE 50/125 OCC PART # M12-090A-ALS/900-JGS OR CORNING PART # 012CWA-T4131D20 OR EQUAL BID CORNING		\$0.71	\$2,130.00
157	3000	FT	FIBER OPTIC CABLE 24-STRAND I/O SINGLEMODE 9/125 OCC PART # DX24-085D-SLX/900-OFNR-WB OR CORNING PART # 024E8F-31131-24 OR EQUAL BID CORNING		\$0.67	\$2,010.00
158	3000	FT	FIBER OPTIC CABLE 12-STRAND I/O SINGLEMODE 9/125 OCC PART # DX12-065D-SLX/900-OFNR-WB OR CORNING PART # 012E8F-31131-24 OR EQUAL BID CORNING		\$0.41	\$1,230.00
159	3000	FT	FIBER OPTIC CABLE 6-STRAND I/O SINGLEMODE 9/125 OCC PART # DX06-055D-SLX/900-OFNR-WB OR CORNING PART # 006E8F-31131-24 OR EQUAL BID CORNING		\$0.29	\$870.00
160	3000	FT	FIBER OPTIC CABLE 24-STRAND I/O PLENUM RATED SINGLEMODE 9/125 OCC PART # DX24-070K-SLX/900-OFNP-WB OR CORNING PART # 024E8P-31131-29 OR EQUAL BID CORNING		\$1.22	\$3,660.00
161	3000	FT	FIBER OPTIC CABLE 12-STRAND I/O PLENUM RATED SINGLEMODE 9/125 OCC PART # DX12-060K-SLX/900-OFNP-WB OR CORNING PART # 012E8P-31131-29 OR EQUAL BID CORNING		\$0.69	\$2,070.00
162	3000	FT	FIBER OPTIC CABLE 6-STRAND I/O PLENUM RATED SINGLEMODE 9/125 OCC PART # DX06-045K-SLX/900-OFNP-WB OR CORNING PART # 006E8P-31131-29 OR EQUAL BID CORNING		\$0.48	\$1,440.00
163	3000	FT	FIBER OPTIC CABLE 24-STRAND I/O ARMORED SINGLEMODE 9/125 OCC PART # DX24-085D-SLX/900-OFDR-IAD OR CORNING PART # 024E8F-31131-A1 OR EQUAL BID CORNING		\$1.76	\$5,280.00
164	3000	FT	FIBER OPTIC CABLE 12-STRAND I/O ARMORED SINGLEMODE 9/125 OCC PART # DX12-070D-SLX/900-OFDR-IAD OR CORNING PART # 012E8F-31131-A1 OR EQUAL BID CORNING		\$1.11	\$3,330.00
165	3000	FT	FIBER OPTIC CABLE 6-STRAND I/O ARMORED SINGLEMODE 9/125 OCC PART # DX06-060D-SLX/900-OFDR-IAD OR CORNING PART # 006E8F-31131-A1 OR EQUAL BID CORNING		\$0.82	\$2,460.00
166	3000	FT	FIBER OPTIC CABLE 24-STRAND I/O ARMORED PLENUM RATED SINGLEMODE 9/125 OCC PART # DX24-070K-SLX/900-OFDR-IAD OR CORNING PART # 024E8P-31131-A3 OR EQUAL BID CORNING		\$2.48	\$7,440.00

167	3000	FT	FIBER OPTIC CABLE 12-STRAND I/O ARMORED PLENUM RATED SINGLEMODE 9/125 <i>BID CORNING</i> OCC PART # DX12-060K-SLX/900-OFPC-IAK OR CORNING PART # 012E8P-31131-A3 OR EQUAL	\$1.36	\$4,080.00
168	3000	FT	FIBER OPTIC CABLE 6-STRAND I/O ARMORED PLENUM RATED SINGLEMODE 9/125 OCC PART # DX06-050K-SLX/900-OFPC-IAK OR CORNING PART # 006E8P-31131-A3 OR EQUAL <i>BID CORNING</i>	\$1.13	\$3,390.00
169	2000	FT	OCC FIBER OPTIC HYBRID CABLE 96 FIBER ARMORED PLENUM COATED (48 STRAND MULTI-MODE 50/125 & 48 STRAND SINGLEMODE 9/125) OCC PART# DX96-140K-48ALS-48SLX/900-OFPC-IAK OR EQUAL <i>BID CORNING</i>	\$11.93	\$23,860.00
170	2000	FT	FIBER OPTIC HYBRID CABLE 48 FIBER ARMORED PLENUM COATED (24 STRAND MULTI-MODE 50/125 & 24 STRAND SINGLEMODE 9/125) OCC PART # DX48-095K-24ALS-24SLX/900-OFPC-IAK OR CORNING PART # 048XWP-T41XXD20 OR EQUAL <i>BID CORNING</i>	\$3.18	\$6,360.00
171	2000	FT	FIBER OPTIC HYBRID CABLE 24 FIBER ARMORED PLENUM COATED (12 STRAND MULTI-MODE 50/125 & 12 STRAND SINGLEMODE 9/125) OCC PART # DX24-075K-12ALS-12SLX/900-OFPC-IAK OR CORNING PART # 024X8P-311XX-A3 OR EQUAL <i>BID CORNING</i>	\$2.85	\$5,700.00
172	2000	EA	SIECOR SC MM 62.5UM CONNECTORS, PART # 95-000-40 OR EQUAL <i>BID CORNING</i>	\$6.56	\$13,120.00
173	1000	EA	SIECOR ST MM 62.5UM CONNECTORS, PART # 95-000-50 OR EQUAL <i>BID CORNING</i>	\$6.56	\$6,560.00
174	500	EA	SIECOR SC MM 50UM CONNECTORS, PART# 95-050-41 OR EQUAL <i>BID CORNING</i>	\$8.93	\$4,465.00
175	500	EA	SIECOR ST MM 50UM CONNECTORS, PART# 95-050-51 OR EQUAL <i>BID CORNING</i>	\$8.93	\$4,465.00
176	500	EA	SIECOR SC SM CONNECTORS, PART# 95-200-41 OR EQUAL <i>BID CORNING</i>	\$10.00	\$5,000.00
177	500	EA	SIECOR ST SM CONNECTORS, PART# 95-200-51 OR EQUAL <i>BID CORNING</i>	\$10.00	\$5,000.00
178	20	EA	SIGNAMAX 1U RACKMOUNT FIBER ENCLOSURE SIGNAMAX PART# SL2M-B OR EQUAL <i>BID SIGNAMAX</i>	\$80.52	\$1,610.40
179	20	EA	SIGNAMAX 2U RACKMOUNT FIBER ENCLOSURE SIGNAMAX PART# UFE4-B OR EQUAL <i>BID SIGNAMAX</i>	\$149.70	\$2,994.00
180	20	EA	SIGNAMAX 3U RACKMOUNT FIBER ENCLOSURE SIGNAMAX PART# UFE6-B OR EQUAL <i>BID SIGNAMAX</i>	\$172.39	\$3,447.80
181	20	EA	SIGNAMAX 6-PORT ST MM/SM MODULE; FITS RACKMOUNT ENCLOSURES SIGNAMAX PART# UFE-W-06STM OR EQUAL <i>BID SIGNAMAX</i>	\$14.74	\$294.80
182	20	EA	SIGNAMAX 6-PORT SC MM/SM MODULE; FITS RACKMOUNT ENCLOSURES SIGNAMAX PART# UFE-W-06SCM OR EQUAL <i>BID SIGNAMAX</i>	\$16.15	\$323.00
183	20	EA	SIGNAMAX 8-PORT ST MM/SM MODULE; FITS RACKMOUNT ENCLOSURES SIGNAMAX PART# UFE-W-08STM OR EQUAL <i>BID SIGNAMAX</i>	\$17.86	\$357.20
184	20	EA	SIGNAMAX 8-PORT SC MM/SM MODULE; FITS RACKMOUNT ENCLOSURES SIGNAMAX PART# UFE-W-08SCM OR EQUAL <i>BID SIGNAMAX</i>	\$11,119.56	\$222,391.20
185	20	EA	SIGNAMAX 12-PORT ST MM/SM MODULE; FITS RACKMOUNT ENCLOSURES SIGNAMAX PART# UFE-B-12ST OR EQUAL <i>BID SIGNAMAX</i>	\$23.81	\$476.20
186	20	EA	SIGNAMAX 12-PORT SC MM/SM MODULE; FITS RACKMOUNT ENCLOSURES SIGNAMAX PART# UFE-B-12SC OR EQUAL <i>BID SIGNAMAX</i>	\$22.68	\$453.60
187	20	EA	SIGNAMAX BLANK PLASTIC MODULE; FITS RACK MOUNT ENCLOSURES SIGNAMAX PART # UFE-W-BL OR EQUAL <i>BID SIGNAMAX</i>	\$3.97	\$79.40
188	20	EA	LEVITON 1U RACKMOUNT FIBER ENCLOSURE LEVITON PART# 5R1UA-A03 OR EQUAL <i>BID LEVITON</i>	\$78.60	\$1,572.00
189	20	EA	LEVITON 2U RACKMOUNT FIBER ENCLOSURE LEVITON PART# 5R2UA-A06 OR EQUAL <i>BID LEVITON</i>	\$103.94	\$2,078.80
190	20	EA	LEVITON 3U RACKMOUNT FIBER ENCLOSURE LEVITON PART# 5R3UA-A12 OR EQUAL <i>BID LEVITON</i>	\$138.50	\$2,770.00
191	20	EA	LEVITON SMALL EMPTY FIBER WALL MOUNT ENCLOSURE ONLY 8"HIGH X 13"WIDE X 3.5"DEEP LEVITON PART# 5W110-00N OR EQUAL <i>BID LEVITON</i>	\$52.87	\$1,057.40

192	20	EA	LEVITON MEDIUM EMPTY FIBER WALL MOUNT ENCLOSURE ONLY 14" HIGH X 12" WIDE X 5.25" DEEP LEVITON PART# 5W310-00N OR EQUAL BID LEVITON		\$71.56	\$1,431.20
193	20	EA	LEVITON LARGE EMPTY FIBER WALL MOUNT ENCLOSURE ONLY 17" HIGH X 15" WIDE X 5.25" DEEP LEVITON PART# 5W710-00N OR EQUAL BID LEVITON		\$153.83	\$3,076.60
194	50	EA	LEVITON ST FIBER 6-PACK TO FIT EITHER WALL MOUNT OR RACKMOUNT ENCLOSURES ONLY LEVITON PART# 5F100-1ST OR EQUAL BID LEVITON		\$17.31	\$865.50
195	50	EA	LEVITON SC FIBER 6-PACK TO FIT EITHER WALL MOUNT OR RACKMOUNT ENCLOSURES ONLY LEVITON PART# 5F100-3SC OR EQUAL BID LEVITON		\$19.50	\$975.00
196	50	EA	LEVITON BLANK 6-PACK FOR FIBER ENCLOSURES LEVITON PART# 5F100-BPP OR EQUAL BID LEVITON		\$2.72	\$136.00
197	50	EA	LEVITON SC FIBER 8-PACK TO FIT EITHER WALL MOUNT OR RACKMOUNT ENCLOSURES LEVITON PART# 5F100-8SC OR EQUAL BID LEVITON		\$20.55	\$1,027.50
198	50	EA	LEVITON SC FIBER 12-PACK TO FIT EITHER WALL MOUNT OR RACKMOUNT ENCLOSURES LEVITON PART# 5F100-CSC OR EQUAL BID LEVITON		\$33.43	\$1,671.50
199	50	EA	SIECOR ST CONNECTOR PANEL, PART # WIC-CP1-25 OR EQUAL BID CORNING		\$24.33	\$1,216.50
200	50	EA	SIECOR SC CONNECTOR PANEL, PART # WIC-CP1-56 OR EQUAL BID CORNING		\$24.33	\$1,216.50
201	30	EA	SIECOR WALL MOUNT FIBER ENCLOSURE, PART # WIC-012 OR EQUAL BID CORNING		\$38.67	\$1,160.10
202	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 1 METER ST TO ST BID QUIKTRON		\$4.87	\$487.00
203	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 1 METER ST TO SC BID QUIKTRON		\$4.87	\$487.00
204	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 1 METER SC TO SC BID QUIKTRON		\$4.87	\$487.00
205	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 1 METER LC TO ST BID QUIKTRON		\$5.71	\$571.00
206	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 1 METER LC TO SC BID QUIKTRON		\$5.71	\$571.00
207	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 1 METER LC TO LC BID QUIKTRON		\$6.56	\$656.00
208	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 1 METER SC TO MTRJ BID QUIKTRON		\$2.87	\$287.00
209	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 1 METER LC TO MTRJ BID QUIKTRON		\$3.71	\$371.00
210	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 2 METER ST TO ST BID QUIKTRON		\$5.42	\$542.00
211	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 2 METER ST TO SC BID QUIKTRON		\$5.42	\$542.00
212	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 2 METER SC TO SC BID QUIKTRON		\$5.42	\$542.00
213	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 2 METER LC TO ST BID QUIKTRON		\$6.26	\$626.00
214	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 2 METER LC TO SC BID QUIKTRON		\$6.26	\$626.00
215	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 2 METER LC TO LC BID QUIKTRON		\$7.12	\$712.00
216	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 2 METER SC TO MTRJ BID QUIKTRON		\$3.42	\$342.00
217	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 2 METER LC TO MTRJ BID QUIKTRON		\$4.26	\$426.00
218	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 3 METER ST TO ST BID QUIKTRON		\$5.94	\$594.00
219	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 3 METER ST TO SC BID QUIKTRON		\$5.94	\$594.00
220	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 3 METER SC TO SC BID QUIKTRON		\$5.94	\$594.00
221	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 3 METER LC TO ST BID QUIKTRON		\$6.80	\$680.00
222	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 3 METER LC TO SC BID QUIKTRON		\$6.80	\$680.00
223	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 3 METER LC TO LC BID QUIKTRON		\$7.65	\$765.00
224	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 3 METER SC TO MTRJ BID QUIKTRON		\$3.94	\$394.00
225	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 3 METER LC TO MTRJ BID QUIKTRON		\$4.80	\$480.00
226	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 1 METER ST TO ST BID QUIKTRON		\$4.87	\$487.00
227	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 1 METER ST TO SC BID QUIKTRON		\$4.87	\$487.00
228	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 1 METER SC TO SC BID QUIKTRON		\$4.87	\$487.00

229	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 1 METER LC TO ST BID QUIKTRON		\$5.71	\$571.00
230	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 1 METER LC TO SC BID QUIKTRON		\$5.71	\$571.00
231	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 1 METER LC TO LC BID QUIKTRON		\$6.57	\$657.00
232	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 1 METER SC TO MTRJ BID QUIKTRON		\$2.87	\$287.00
233	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 1 METER LC TO MTRJ BID QUIKTRON		\$3.71	\$371.00
234	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 2 METER ST TO ST BID QUIKTRON		\$5.42	\$542.00
235	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 2 METER ST TO SC BID QUIKTRON		\$5.42	\$542.00
236	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 2 METER SC TO SC BID QUIKTRON		\$5.42	\$542.00
237	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 2 METER LC TO ST BID QUIKTRON		\$6.26	\$626.00
238	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 2 METER LC TO SC BID QUIKTRON		\$6.26	\$626.00
239	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 2 METER LC TO LC BID QUIKTRON		\$7.12	\$712.00
240	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 2 METER SC TO MTRJ BID QUIKTRON		\$3.42	\$342.00
241	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 2 METER LC TO MTRJ BID QUIKTRON		\$4.26	\$426.00
242	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 3 METER ST TO ST BID QUIKTRON		\$5.94	\$594.00
243	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 3 METER ST TO SC BID QUIKTRON		\$5.94	\$594.00
244	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 3 METER SC TO SC BID QUIKTRON		\$5.94	\$594.00
245	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 3 METER LC TO ST BID QUIKTRON		\$6.80	\$680.00
246	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 3 METER LC TO SC BID QUIKTRON		\$6.80	\$680.00
247	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 3 METER LC TO LC BID QUIKTRON		\$7.65	\$765.00
248	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 3 METER SC TO MTRJ BID QUIKTRON		\$3.94	\$394.00
249	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 3 METER LC TO MTRJ BID QUIKTRON		\$4.80	\$480.00
250	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 1 METER ST TO ST BID QUIKTRON		\$5.77	\$577.00
251	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 1 METER ST TO SC BID QUIKTRON		\$5.77	\$577.00
252	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 1 METER SC TO SC BID QUIKTRON		\$5.77	\$577.00
253	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 1 METER LC TO ST BID QUIKTRON		\$6.36	\$636.00
254	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 1 METER LC TO SC BID QUIKTRON		\$6.36	\$636.00
255	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 1 METER LC TO LC BID QUIKTRON		\$6.95	\$695.00
256	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 1 METER SC TO MTRJ BID QUIKTRON		\$4.78	\$478.00
257	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 1 METER LC TO MTRJ BID QUIKTRON		\$5.70	\$570.00
258	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 2 METER ST TO ST BID QUIKTRON		\$6.18	\$618.00
259	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 2 METER ST TO SC BID QUIKTRON		\$6.18	\$618.00
260	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 2 METER SC TO SC BID QUIKTRON		\$6.18	\$618.00
261	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 2 METER LC TO ST BID QUIKTRON		\$6.78	\$678.00
262	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 2 METER LC TO SC BID QUIKTRON		\$6.36	\$636.00
263	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 2 METER LC TO LC BID QUIKTRON		\$7.37	\$737.00
264	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 2 METER SC TO MTRJ BID QUIKTRON		\$5.19	\$519.00
265	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 2 METER LC TO MTRJ BID QUIKTRON		\$6.11	\$611.00
266	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 3 METER ST TO ST BID QUIKTRON		\$6.60	\$660.00
267	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 3 METER ST TO SC BID QUIKTRON		\$6.60	\$660.00
268	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 3 METER SC TO SC BID QUIKTRON		\$6.60	\$1,768.80

269	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 3 METER LC TO ST BID QUIKTRON		\$7.19	\$719.00
270	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 3 METER LC TO SC BID QUIKTRON		\$6.36	\$636.00
271	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 3 METER LC TO LC BID QUIKTRON		\$7.79	\$779.00
272	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 3 METER SC TO MTRJ BID QUIKTRON		\$5.61	\$561.00
273	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 3 METER LC TO MTRJ BID QUIKTRON		\$6.53	\$653.00
274	20	EA	KENTROX CSU/DSU T1 TO ETHERNET EXTENDER PART# 4020CE OR EQUAL BID KENTROX		\$295.00	\$5,900.00
275	20	EA	ALLIED TELESYN ST TO RJ45 FEMALE FIBER MEDIA CONVERTER 10/100MEG PART# AT-FS201 OR EQUAL BID ALLIED TELESYN		\$199.56	\$3,991.20
276	20	EA	ALLIED TELESYN CENTRE COM MC13 UTP/FIBER ST 10MBPS MEDIA CONVERTER PART# ATMC13-10 OR EQUAL BID ALLIED TELESYN		\$118.45	\$2,369.00
277	20	EA	TRANSITION NETWORKS ETHERNET 10BASE-T TO 10BASE-FL STAND-ALONE MEDIA CONVERTER; TRANSITION NETWORKS PART# E-TBT-FRL-05 OR EQUAL BID TRANSITION NETWORKS		\$123.31	\$2,466.20
278	20	EA	TRANSITION NETWORKS FAST ETHERNET 100BASE-TX TO 100BASE-FX STAND-ALONE MEDIA CONVERTER; TRANSITION NETWORKS PART# E-100BTX-FX-05 OR EQUAL BID TRANSITION NETWORKS		\$243.10	\$4,862.00
279	10	EA	Systimax 600G2-1U-MOD-SD 600G2 Modular Shelf, 1U, Slide PART# 760028324 BID SYSTIMAX BID SYSTIMAX		\$142.76	\$1,427.60
280	10	EA	Systimax RS-2AF-16SF RoloSplice Kit E/W 2x Fusion Splice Tray 1U Shelf PART# 760039867 BID SYSTIMAX BID SYSTIMAX		\$30.43	\$304.30
281	10	EA	Systimax 600G2-2U-MOD-SD 600G2 Modular Shelf, 2U, Slide PART# 760032086 BID SYSTIMAX BID SYSTIMAX		\$183.55	\$1,835.50
282	10	EA	Systimax RS-4AF-16SF RoloSplice Kit E/W 4x Fusion Splice Tray 2U Shelf PART# 760031856 BID SYSTIMAX BID SYSTIMAX		\$26.34	\$263.40
283	20	EA	Systimax MODG2-12LC-SM-PT G2 Module_12LC TeraSPEED Pigtails PART# 760031039 BID SYSTIMAX BID SYSTIMAX		\$188.65	\$3,773.00
284	20	EA	Systimax MODG2-12LC-LS-PT G2 Module_12LC LazrSPEED 550 Pigtails PART# 760027748 BID SYSTIMAX BID SYSTIMAX		\$194.48	\$3,889.60
285	5000	EA	Systimax 12 Strand / Single-mode Armoured Fiber Optic Cable PART# 760004358-APYL BID SYSTIMAX BID SYSTIMAX		\$1.68	\$8,400.00
286	5000	EA	Systimax 12 Strand / Multi-mode Armoured Fiber Optic Cable PART# 700009731-APAQ BID SYSTIMAX BID SYSTIMAX		\$2.07	\$10,350.00
287	150,000	EA	Systimax 2071E Category 6 Gigaspeed XL Plenum Cable, Yellow PART# 700210123 BID SYSTIMAX BID SYSTIMAX		\$0.38972	\$58,458.00
288	150,000	EA	Systimax 2071E Category 6 Gigaspeed XL Plenum Cable, Blue PART# 700208093 BID SYSTIMAX BID SYSTIMAX		\$0.38972	\$58,458.00
289	2500	EA	Systimax MGS400 Info. Outlet, MGS400-318 Blue PART# 700206758 BID SYSTIMAX BID SYSTIMAX		\$6.03	\$15,075.00
290	2500	EA	Systimax MGS400 Info. Outlet, MGS400-123 Yellow PART# 700206691 BID SYSTIMAX BID SYSTIMAX		\$6.03	\$15,075.00
291	400	EA	Systimax M12L-003 2 Port Faceplate Ivory PART# 108168477 BID SYSTIMAX BID SYSTIMAX		\$1.34	\$536.00
292	300	EA	Systimax M14L-003 4 Port Faceplate Ivory PART# 108168550 BID SYSTIMAX BID SYSTIMAX		\$1.34	\$402.00
293	2000	EA	Systimax M60DA-318 Blue ICON PART# 107296709 BID SYSTIMAX BID SYSTIMAX		\$0.0974	\$194.80
294	2000	EA	Systimax M60DA-123 Yellow ICON PART# 107296667 BID SYSTIMAX BID SYSTIMAX		\$0.0974	\$194.80
295	350	EA	Systimax M106FR4-003 4 Port 106 Frame PART# 106627763 BID SYSTIMAX BID SYSTIMAX		\$1.78	\$623.00
296	50	EA	Systimax PM-GS3-48: 48 Port Patch Panel PART# 760062364 BID SYSTIMAX BID SYSTIMAX		\$385.00	\$19,250.00

297	50	EA	Systimax PM-GS3-24: 24 Port Patch Panel 760062356 PART# BID SYSTIMAX BID SYSTIMAX			\$192.50	\$9,625.00
298	10	EA	HARGER 1/4" X 2" X 12" TGB KIT PART# GBH4212TGBKT BID HARGER BID HARGER			\$74.19	\$741.90
299	20	EA	HARGER RACK GROUND BAR KIT PART# RGBVKIT145836A BID HARGER BID HARGER			\$47.41	\$948.20
300	50	EA	Hubbell System 1 Poke Thru Unit S1PTAVFIT PART# HUBBELL BID HUBBELL		BID	\$109.08	\$5,454.00
301	50	EA	Hubbell System 1 Universal Cover Brass PART# S1FCBRS BID WIREMOLD BID WIREMOLD			\$74.35	\$3,717.50
302	50	EA	Hubbell System 1 Subplate Double Duplex S1SPDU PART# HUBBELL BID HUBBELL		BID	\$22.55	\$1,127.50
303	50	EA	Hubbell 4 Port 106 Frame Black BR106B PART# BID HUBBELL BID HUBBELL			\$1.56	\$78.00
304	10	EA	Hubbell Snap-Fit Blank 10 Pack Black SFFB10 PART# BID HUBBELL BID HUBBELL			\$3.45	\$34.50
305	15	EA	Wiremold Flamestopper 2" Unit FS2R-Red PART# WIREMOLD BID WIREMOLD		BID	\$84.98	\$1,274.70
306	20	EA	Wiremold Flamestopper 4" Unit FS4R-Red PART# CHATSWORTH BID CHATSWORTH		BID	\$110.01	\$2,200.20
307	10	EA	Chatsworth Evolution g1 Single-Sided Vertical Wire Manager PART# 35511-703 BID CHATSWORTH BID CHATSWORTH			\$398.35	\$3,983.50
308	10	EA	Chatsworth Evolution g1 Fiber Segregation Kit 35475-701 PART# BID CHATSWORTH BID CHATSWORTH			\$73.63	\$736.30
309	20	EA	Chatsworth Evolution g1 Spool Kit, Black PART# 15008-001 BID CHATSWORTH BID CHATSWORTH			\$51.85	\$1,037.00
310	15	EA	Chatsworth Evolution g2 EDouble-Sided Vertical Wire Manager PART# 35521-703 BID CHATSWORTH BID CHATSWORTH			\$536.93	\$8,053.95
311	10	EA	Chatsworth CCS Double-Sided Vertical Wire Manager PART# 30162-703 BID CHATSWORTH BID CHATSWORTH			\$304.50	\$3,045.00
312	20	EA	Chatsworth Spool Kit, Black 15008-001 PART# CHATSWORTH BID CHATSWORTH		BID	\$47.70	\$954.00
313	10	EA	Brady IDXPRT Labels Catalog # XC-1500-580 - WT-BK BID BRADY BID BRADY			\$55.88	\$558.80
314	10	EA	Brady IDXPRT Labels Catalog # XC-1500-580 - WT-RD BID BRADY BID BRADY			\$55.88	\$558.80
315	10	EA	Brady IDXPRT Labels Catalog # XC-1000-580 - GN-WT BID BRADY BID BRADY			\$47.28	\$472.80
316	10	EA	Brady IDXPRT Labels Catalog # XC-1000-580 - BL-WT BID BRADY BID BRADY			\$47.28	\$472.80
317	10	EA	Brady IDXPRT Labels Catalog # XC-1000-580 - YL-BK BID BRADY BID BRADY			\$47.28	\$472.80
318	10	EA	Brady IDXPRT Labels Catalog #XC-500-580 - BL-WT BID BRADY BID BRADY			\$37.58	\$375.80
319	10	EA	Brady IDXPRT Labels Catalog # X-30-422 BID BRADY BID BRADY			\$46.20	\$462.00
320	50	EA	Brady IDXPRT Labels Catalog # XSL-31-427 BID BRADY BID BRADY			\$45.12	\$2,256.00
321	50	EA	Brady IDXPRT Labels Catalog # XSL-31-427 - YL-BK BID BRADY BID BRADY			\$49.42	\$2,471.00
322	10	PK	HELLERMAN TYTON PART # GWT003X2 OR EQUAL BID HELLERMAN TYTON			\$4.97	\$49.70
323	10	PK	HELLERMAN TYTON PART # CT2012X2 OR EQUAL BID HELLERMAN TYTON			\$34.59	\$345.90

TOTAL COST OF ALL ITEMS

\$ 1,548,176.23

CABLE 10 Statewide Contract

TOTAL EVALUATED BID PRICE SHEET

TOTAL COST OF ALL ITEMS \$1,548,176.23

INSIDE DELIVERY CHARGE (Explain) \$6.20 per 100lb Min Charge of \$75.00

TOTAL EVALUATED BID PRICE **\$1,548,176.23**

THERE WILL NOT BE A SPLIT AWARD FOR THIS CONTRACT.

State of West Virginia VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4. **Application is made for 5% resident vendor preference for the reason checked:**
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (*West Virginia Code*, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: GRAYBAR ELECTRIC Signed: Kevin Hupp
Date: 5-18-10 Title: SALES REP

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code §61-5-3*), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: GRAYBAR ELECTRIC

Authorized Signature: Kevin Hupp Date: 5-18-10

State of WV

County of Kanawha, to-wit:

Taken, subscribed, and sworn to before me this 18th day of May, 2010.

My Commission expires Jan. 16, 2019.

AFFIX SEAL HERE

NOTARY PUBLIC Lisa Ledsome

