



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

WV PURCHASING ACA SECT Fax 304-558-4115
Request for Quotation

Aug 20 2009 12:12pm P001/003

RFQ NUMBER:
 DNR210007

PAGE:
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 KRISTA FERRELL
 304-558-2596

PROPERTY

RFQ COPY
 TYPE NAME/ADDRESS HERE
 Playground specialist

SHIP TO

DIVISION OF NATURAL RESOURCES
 COOPERS ROCK STATE FOREST
 ATTN: PARK SUPERINTENDENT
 ROUTE 1, BOX 270
 BRUCETON MILLS, WV
 26525 594-1561

DATE PRINTED:	TERMS OF SALE:	SHIP VIA:	F.O.B.:	FREIGHT TERMS:
---------------	----------------	-----------	---------	----------------

08/19/2009
 BID OPENING DATE:

08/27/2009

BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 2						
THIS ADDENDUM IS ISSUED TO:						
1.) ANSWER ALL TECHNICAL QUESTIONS SUBMITTED PRIOR TO THE DEADLINE FOR TECHNICAL QUESTIONS AND						
2.) TO DELETE THE FOLLOWING SECTIONS FROM THE ORIGINAL RFQ:						
EXHIBIT 5						
NOTICE TO PROCEED						
CANCELLATION						
WAGE RATES						
ARBITRATION						
WORKER'S COMPENSATION						
INSURANCE REQUIREMENTS						
BOND REQUIREMENTS						
EXHIBIT 7						
EXHIBIT 9						
CONTRACTOR'S LICENSE						
3.) TO ADD THE FOLLOWING LANGUAGE:						
VENDORS MUST PROVIDE ALL UNIT PRICING IN THE UNIT OF MEASURE REQUESTED BY THE AGENCY. FAILURE TO PROVIDE UNIT PRICING IN THE GIVEN UNIT OF MEASURE WILL RESULT IN THE DISQUALIFICATION OF THE VENDOR'S BID.						
VENDOR'S MUST SUBMIT PRICING ON THE GIVEN PRICING SHEET. FAILURE TO SUBMIT A COMPLETED PRICING SHEET WILL RESULT IN THE DISQUALIFICATION OF THE VENDOR'S BID.						

RECEIVED

2009 AUG 24 P 12:52

PURCHASING DIVISION
 STATE OF WV

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>SKS</i>	TELEPHONE 800/385-0675	DATE 8/20/09
TITLE Sales Manager	FEIN 52-2132887	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
14. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
15. **WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT:** If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in case of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

WV PURCHASING ACA SECT Fax 304-558-4115

Aug 20 2009 12:13pm P002/003

Request for Quotation

RFQ NUMBER: DNR210007

PAGE: 2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 KRISTA FERRELL
 304-558-2596

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

DIVISION OF NATURAL RESOURCES
 COOPERS ROCK STATE FOREST
 ATTN: PARK SUPERINTENDENT
 ROUTE 1, BOX 270
 BRUCETON MILLS, WV
 26525 594-1561

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
08/19/2009				

BID OPENING DATE: 08/27/2009

08/27/2009

BID OPENING TIME 01:30PM

LINE	QUANTITY	UOF	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
PRICING SHEETS SHOULD BE FREE FROM MATHEMATICAL ERROR AND BE LEGIBLE (TYPED PAGE PREFERRED). UNIT COST FOR ITEMS PREVAIL IN ALL CASES IN ACCORDANCE WITH WV STATE CODE OF RULES SECTION 6.3.3 AND PER ITEM 4 UNDER THE GENERAL TERMS AND CONDITIONS (INSTRUCTIONS TO BIDDERS) CONTAINED WITHIN THIS SOLICITATION. ***** END ADDENDUM NO. 2 *****						
0001	1	LS		650-38		
LABOR AND MATERIAL FOR PLAYGROUND EQUIPMENT						
***** THIS IS THE END OF RFQ DNR210007 ***** TOTAL:						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: <i>[Signature]</i>	TELEPHONE: 800/385-0075	DATE: 8/20/09
TITLE: SALES MANAGER	FEIN: 52-2132887	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**Request for
 Quotation**

RFQ NUMBER
DNR210007

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
KRISTA FERRELL 304-558-2596

RFQ COPY

TYPE NAME/ADDRESS HERE

S
P
T
O

DIVISION OF NATURAL RESOURCES
 COOPERS ROCK STATE FOREST
 ATTN: PARK SUPERINTENDENT
 ROUTE 1, BOX 270
 BRUCETON MILLS, WV
 26525 594-1561

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
08/26/2009				

BID OPENING DATE: 09/03/2009 BID OPENING TIME: 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 3						
THIS ADDENDUM IS ISSUED TO:						
1.) PROVIDE A COPY OF THE VENDOR PREFERENCE CERTIFICATE,						
2.) ADD THE ATTACHED REVISED PRICING PAGE, AND						
3.) EXTEND THE BID OPENING DATE						
BID OPENING DATE IS EXTENDED TO: 09/03/2009						
BID OPENING TIME REMAINS: 1:30 PM						
***** END ADDENDUM NO. 3 *****						
0001	1	LS		650-38		\$26,694 ⁰⁰
LABOR AND MATERIAL FOR PLAYGROUND EQUIPMENT						
***** THIS IS THE END OF RFQ DNR210007 ***** TOTAL: \$26,694 ⁰⁰						

RECEIVED
 2009 AUG 31 P 12:37
 PURCHASING DIVISION
 STATE OF WV

PKR
Address #1
SKS

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
<i>[Signature]</i>	800/385-0075	8/26/09	
TITLE	FAX	ADDRESS CHANGES TO BE NOTED ABOVE	
Sales Manager	52-2132887		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

Cooper's Rock State Forest PLAYGROUND EQUIPMENT SHEET

Please complete the below information concerning the brand(s) of equipment being bid in relation to this project. If bidding "or equal" brands, please attach manufacturer's literature documenting that it meets the mandatory requirements stated in the specifications. Vendors should note the areas of the provided manufacturer's literature that adheres to the mandatory requirements outlined in the Request For Quotation.

Item No.	Equipment	Manufacturer	Model
1	Campground Area Playground. Henderson free standing playsteel heavy duty tire swing with top bar, item #5W101, or equal.	PLAY WORLD SYSTEMS	#0302
2	Campground Area Playground. Henderson free standing double spring dino see saw motion toy, item #MT214, or equal.	↓	#0596
3	Campground Area Playground. Henderson bucking bronco motion toy, item #MT003, or equal.		#0563
4	Campground Area Playground. Henderson free standing plastic wave slide and ladder, item #TS031, or equal.		CH2659
5	Campground Area Playground. Henderson triple cliffhanger, item #TE029, or equal.		RB510
6	Overlook Area Playground. Henderson custom play structure, Model #PF09504Ro, or equal.		094188
7	Overlook Area Playground. Henderson spiral slide complete with hood, or equal.		↓
8	Overlook Area Playground. Henderson single cliffhanger, or equal.		

**Cooper's Rock State Forest
PLAYGROUND EQUIPMENT SHEET**

Item No.	Equipment	Manufacturer	Model
9	Overlook Area Playground. Henderson accessible step, or equal.	PLAYWORLD SYSTEMS	#94188
10	Overlook Area Playground. Henderson double scoop slide complete with hood, or equal.		
11	Overlook Area Playground. Henderson left transfer station, or equal.		
12	Overlook Area Playground. Henderson safety station railings, or equal.		
13	Overlook Area Playground. Henderson tower climber, or equal.		
14	Overlook Area Playground. Henderson maze wheel, or equal.		
15	Overlook Area Playground. Henderson custom panel, or equal.		
16	Overlook Area Playground. Henderson crooked net link, or equal.		
17	Overlook Area Playground. Henderson drum panel, or equal.		
18	Overlook Area Playground. Henderson accessible trapeze beam, or equal.		
19	Overlook Area Playground. Henderson paddle power, or equal.		
20	Overlook Area Playground. Henderson log roll, or equal.		
21	Overlook Area Playground. Henderson triple overhead rotator, or equal.		

Cooper's Rock State Forest
PLAYGROUND EQUIPMENT SHEET

Item No.	Equipment	Manufacturer	Model
22	Overlook Area Playground. Henderson twin track ride, or equal.	PLAYWORLD SYSTEMS	# 094188
23	Overlook Area Playground. Henderson 1-bay arch swing 8' complete with belt seats, Model #SW340, or equal.	↓	#0288/0260
24	Overlook Area Playground. Henderson arch 8' extend a bay complete with two baby seats, Model #SW341, or equal.		#0375/0265

WVDNR210007
Cooper's Rock State Forest Playground Equipment
PRICING SHEET

Item No.	Quantity	Description	Unit Price	Amount
1	1	Henderson free standing heavy duty tire swing with top bar, Item #SW101, or equal.	\$1723 ⁰⁰	1723 ⁰⁰
2	1	Henderson free standing double spring dino see saw motion toy, Item #MT214, or equal.	1369 ⁰⁰	1369 ⁰⁰
3	1	Henderson free standing bucking bronco motion toy, Item #MT003, or equal.	624 ⁰⁰	624 ⁰⁰
4	1	Henderson free standing plastic wave slide and ladder, Item #TS031, or equal.	2012 ⁰⁰	2012 ⁰⁰
5	1	Henderson free standing triple cliffhanger, Item #TE029, or equal.	3634 ⁰⁰	3634 ⁰⁰
6	1	Henderson Play Structure: Model #PF09504RD, or equal.	18886 ⁰⁰	18,886 ⁰⁰
7	1	Henderson 1-bay arch swing. Swing must be a minimum of eight feet (8') and complete with two (2) belt seats, Model #SW340, or equal.	845 ⁰⁰	845 ⁰⁰
8	1	Henderson extend a bay swing. Swing must be a minimum of eight feet (8') and extend a bay complete with two (2) baby seats, Model #SW341, or equal.	601 ⁰⁰	601 ⁰⁰
		TOTAL	\$26,694 ⁰⁰	\$26,694 ⁰⁰

Rev. 09/08

State of West Virginia VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with **West Virginia Code, §5A-3-37**. (Does not apply to construction contracts). **West Virginia Code, §5A-3-37**, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1. **Application is made for 2.5% resident vendor preference for the reason checked:**
 _____ Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 _____ Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 _____ Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2. **Application is made for 2.5% resident vendor preference for the reason checked:**
 _____ Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3. **Application is made for 2.5% resident vendor preference for the reason checked:**
 _____ Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4. **Application is made for 5% resident vendor preference for the reason checked:**
 _____ Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 _____ Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 _____ Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: PLAYGROUND SPECIALISTS INC Signed: [Signature]
 Date: AUGUST 26, 2009 Title: SALES MANAGER

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER:
DNR210007

PAGE:
1

ADDRESS-CORRESPONDENCE TO ATTENTION OF:
**KRISTA FERRELL
 304-558-2596**

VENDOR

*615113726 800-385-0075
 PLAYGROUND SPECIALIST INC
 17352 N SETON AVE
 EMMITSBURG MD 21727

SHIP TO

DIVISION OF NATURAL RESOURCES
 COOPERS ROCK STATE FOREST
 ATTN: PARK SUPERINTENDENT
 ROUTE 1, BOX 270
 BRUCETON MILLS, WV
 26525 594-1561

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
08/12/2009				

BID OPENING DATE: **08/27/2009** BID OPENING TIME: **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 1						
THIS ADDENDUM IS ISSUED TO:						
1.) REMOVE ALL REFERENCE TO INSTALLATION FROM THE BID. PARK PERSONNEL WILL INSTALL THE PLAYGROUND EQUIPMENT AT COOPER'S ROCK STATE FOREST AND						
2.) AND PROVIDE A COPY OF THE MANDATORY PRE-BID ATTENDEE LIST.						
BID OPENING DATE REMAINS:						
BID OPENING TIME REMAINS:						
***** END ADDEN						
0001	1	LS		650-38		\$ 26,694.00
LABOR AND MATERIAL FOR PLAYGROUND EQUIPMENT						

RECEIVED
 2009 AUG 20 P 1:07
 PURCHASING DIVISION
 STATE OF WV

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>St Sef</i>	TELEPHONE 800/385-0075	DATE 8/18/09
TITLE SALES MANAGER	FEIN 52-2132887	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER:
 DNR210007

PAGE:
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 KRISTA FERRELL
 304-558-2596

VENDOR

*615113726 800-385-0075
 PLAYGROUND SPECIALIST INC
 17352 N SETON AVE
 EMMITSBURG MD 21727

SHIP TO

DIVISION OF NATURAL RESOURCES
 COOPERS ROCK STATE FOREST
 ATTN: PARK SUPERINTENDENT
 ROUTE 1, BOX 270
 BRUCETON MILLS, WV
 26525 594-1561

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
07/30/2009				

BID OPENING DATE: 08/27/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		650-38		
LABOR AND MATERIAL FOR PLAYGROUND EQUIPMENT REQUEST FOR QUOTATION (RFQ) THE WEST VIRGINIA STATE PURCHASING DIVISION FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF NATURAL RESOURCES, IS SOLICITING BIDS TO PROVIDE ALL LABOR AND MATERIALS FOR THE INSTALLATION OF PLAYGROUND EQUIPMENT AT COOPER'S ROCK STATE PARK LOCATED IN BRUCETON MILLS, WEST VIRGINIA PER THE ATTACHED SPECIFICATIONS. A MANDATORY PRE-BID WILL BE HELD ON AUGUST 11, 2009 AT 10:00 AM AT THE COOPERS ROCK STATE PARK HEADQUARTERS IN BRUCETON MILLS, WEST VIRGINIA. ALL INTERESTED PARTIES ARE REQUIRED TO ATTEND THIS MEETING. FAILURE TO ATTEND THE MANDATORY PRE-BID SHALL RESULT I DISQUALIFICATION OF THE BID. NO ONE PERSON MAY REPRESENT MORE THAN ONE BIDDER. AN ATTENDANCE SHEET WILL BE MADE AVAILABLE FOR ALL POTENTIAL BIDDERS TO COMPLETE. THIS WILL SERVE AS THE OFFICIAL DOCUMENT VERIFYING ATTENDANCE AT THE MANDATOR PRE-BID. FAILURE TO PROVIDE YOUR COMPANY AND REPRESENTATIVE NAME ON THE ATTENDANCE SHEET WILL RESULT IN DISQUALIFICATION OF THE BID. THE STATE WILL NOT ACCEPT ANY OTHER DOCUMENTATION TO VERIFY ATTENDANCE. THE BIDDER IS RESPONSIBLE FOR ENSURING THEY HAVE COMPLETED THE INFORMATION REQUIRED ON THE ATTENDANCE						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Staser</i>	TELEPHONE 800/385-0075	DATE 8/18/09
TITLE Sales Manager	FEIN 52-2132887	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 DNR210007

PAGE
 2

ADDRESS CORRESPONDENCE TO ATTENTION OF
 KRISTA FERRELL
 304-558-2596

*615113726 800-385-0075
 PLAYGROUND SPECIALIST INC
 17352 N SETON AVE
 EMMITSBURG MD 21727

DIVISION OF NATURAL RESOURCES
 COOPERS ROCK STATE FOREST
 ATTN: PARK SUPERINTENDENT
 ROUTE 1, BOX 270
 BRUCETON MILLS, WV
 26525 594-1561

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
07/30/2009				

BID OPENING DATE: 08/27/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>SHEET. THE PURCHASING DIVISION AND THE STATE AGENCY WILL NOT ASSUME ANY RESPONSIBILITY FOR A BIDDER-S FAILURE TO COMPLETE THE PRE-BID ATTENDANCE SHEET. IN ADDITION, WE REQUEST THAT ALL POTENTIAL BIDDERS INCLUDE THEIR E-MAIL ADDRESS AND FAX NUMBER.</p> <p>ALL POTENTIAL BIDDERS ARE REQUESTED TO ARRIVE PRIOR TO THE STARTING TIME FOR THE PRE-BID. BIDDERS WHO ARRIVE LATE, BUT PRIOR TO THE DISMISSAL OF THE TECHNICAL PORTION OF THE PRE-BID WILL BE PERMITTED TO SIGN IN. BIDDERS WHO ARRIVE AFTER CONCLUSION OF THE TECHNICAL PORTION OF THE PRE-BID, BUT DURING ANY SUBSEQUENT PART OF THE PRE-BID WILL NOT BE PERMITTED TO SIGN THE ATTENDANCE SHEET.</p> <p>TECHNICAL QUESTIONS CONCERNING THIS SOLICITATION MUST BE SUBMITTED IN WRITING TO KRISTA FERRELL IN THE WEST VIRGINIA STATE PURCHASING DIVISION VIA MAIL AT THE ADDRESS SHOWN IN THE BOD OF THIS RFQ, VIA FAX AT 304-558-4115, OR VIA EMAIL AT KRISTA.S.FERRELL@WV.GOV. DEADLINE FOR ALL TECHNICAL QUESTIONS IS 08/14/2009 AT THE CLOSE OF BUSINESS. ALL TECHNICAL QUESTIONS RECEIVED, IF ANY, WILL BE ANSWERED BY ADDENDUM AFTER THE DEADLINE HAS LAPSED.</p> <p>QUESTIONS CONCERNING THE PROCESS BY WHICH A VENDOR MAY SUBMIT A BID TO THE STATE OF WEST VIRGINIA ARE NOT CONSIDERED TO BE TECHNICAL QUESTIONS AND MAY BE SUBMITTED AT ANY TIME PRIOR TO THE BID OPENING AND IN ANY FORMAT.</p> <p>THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE *JKSef* TELEPHONE 806/385-0075 DATE 8/18/09
 TITLE SALES MANAGER FEIN 52-2132887 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210007

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
KRISTA FERRELL
304-558-2596

VENDOR

*615113726 800-385-0075
 PLAYGROUND SPECIALIST INC
 17352 N SETON AVE
 EMMITSBURG MD 21727

SHIP TO

DIVISION OF NATURAL RESOURCES
 COOPERS ROCK STATE FOREST
 ATTN: PARK SUPERINTENDENT
 ROUTE 1, BOX 270
 BRUCETON MILLS, WV
 26525 594-1561

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
07/30/2009				

BID OPENING DATE:

08/27/2009

BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.</p> <p>EXHIBIT 5</p> <p>WEST VIRGINIA CODE 21-1D-5 PROVIDES THAT: ANY SOLICITATION FOR A PUBLIC IMPROVEMENT CONSTRUCTION CONTRACT REQUIRES EACH VENDOR THAT SUBMITS A BID FOR THE WORK TO SUBMIT AT THE SAME TIME AN AFFIDAVIT OF COMPLIANCE WITH THE BID. THE ENCLOSED DRUG-FREE WORKPLACE AFFIDAVIT MUST BE SIGNED AND SUBMITTED WITH THE BID AS EVIDENCE OF THE VENDOR'S COMPLIANCE WITH THE PROVISIONS OF ARTICLE 1D, CHAPTER 21 OF THE WEST VIRGINIA CODE. FAILURE TO SUBMIT THE SIGNED DRUG-FREE WORKPLACE AFFIDAVIT WITH THE BID SHALL RESULT IN DISQUALIFICATION OF SUCH BID.</p> <p>NOTICE TO PROCEED: THIS CONTRACT IS TO BE PERFORMED WITHIN 30 CALENDAR DAYS AFTER THE NOTICE TO PROCEED IS RECEIVED. UNLESS OTHERWISE SPECIFIED, THE FULLY EXECUTED PURCHASE ORDER WILL BE CONSIDERED NOTICE TO PROCEED.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE MATERIALS OR WORKMANSHIP SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HERE IN.</p> <p>WAGE RATES: THE CONTRACTOR OR SUBCONTRACTOR SHALL PAY THE HIGHER OF THE U.S. DEPARTMENT OF LABOR MINIMUM WAGE RATES AS ESTABLISHED FOR PRESTON COUNTY, PURSUANT</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	<i>SKS</i>	TELEPHONE	800/385-0075	DATE	8/18/09
TITLE	Sales Manager	FEIN	52-2132887	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER:
DNR210007

PAGE:
4

ADDRESS CORRESPONDENCE TO ATTENTION OF:
KRISTA FERRELL 804-558-2596

VENDOR

*615113726 800-385-0075
 PLAYGROUND SPECIALIST INC
 17352 N SETON AVE
 EMMITSBURG MD 21727

SHIP TO

DIVISION OF NATURAL RESOURCES
 COOPERS ROCK STATE FOREST
 ATTN: PARK SUPERINTENDENT
 ROUTE 1, BOX 270
 BRUCETON MILLS, WV
 26525 594-1561

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
07/30/2009				

BID OPENING DATE: 08/27/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>TO WEST VIRGINIA CODE 21-5A, ET, SEQ. (PREVAILING WAGE RATES APPLY TO THIS PROJECT)</p> <p>ARBITRATION: ANY REFERENCES MADE TO ARBITRATION OR INTEREST FOR PAYMENTS DUE (EXCEPT FOR ANY INTEREST REQUIRED BY STATE LAW) CONTAINED IN THIS CONTRACT OR IN ANY AMERICAN INSTITUTE OF ARCHITECTS DOCUMENTS PERTAINING TO THIS CONTRACT ARE HEREBY DELETED.</p> <p>WORKERS' COMPENSATION: VENDOR IS REQUIRED TO PROVIDE A CERTIFICATE FROM WORKERS' COMPENSATION IF SUCCESSFUL.</p> <p>ALL OF THE ITEMS CHECKED BELOW WILL BE A REQUIREMENT OF THIS CONTRACT:</p> <p>(XX) INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF OF COMMERCIAL GENERAL LIABILITY INSURANCE PRIOR TO ISSUANCE OF CONTRACT. UNLESS OTHERWISE SPECIFIED IN THE BID DOCUMENTS, THE MINIMUM AMOUNT OF INSURANCE COVERAGE REQUIRED IS \$250,000.</p> <p>() BUILDERS RISK INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF OF BUILDERS RISK - ALL RISK INSURANCE IN AN AMOUNT EQUAL TO 100% OF THE AMOUNT OF THE CONTRACT.</p> <p>(XX) BONDS: FIVE PERCENT (5%) OF THE TOTAL AMOUNT OF THE BID PAYABLE TO THE STATE OF WEST VIRGINIA, SHALL BE SUBMITTED WITH EACH BID AS A BID BOND. THE SUCCESSFUL BIDDER SHALL ALSO FURNISH A PERFORMANCE BOND AND LABOR/MATERIAL BOND FOR 100% OF THE AMOUNT OF THE CONTRACT. BONDS MAY BE PROVIDED IN THE FORM OF A CERTIFIED CHECK, IRREVOCABLE LETTER OF CREDIT, OR BOND FURNISHED BY A SOLVENT SURETY COMPANY AUTHORIZED TO DO BUSINESS IN THE STATE OF WEST VIRGINIA. A LETTER OF CREDIT SUBMITTED IN LIEU OF A BOND WILL ONLY BE ALLOWED FOR PROJECTS UNDER \$100,000. PERSONAL OR BUSINESS CHECKS ARE NOT</p>						

Pls Addendum #1

Pls Addendum #1

SIGNATURE	TELEPHONE	DATE
<i>[Signature]</i>	800/385-0075	8/18/09
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
SARCS MANAGER	52-2132887	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 DNR210007

PAGE
 5

ADDRESS CORRESPONDENCE TO ATTENTION OF
 KRISTA FERRELL
 304-558-2596

*615113726 800-385-0075
 PLAYGROUND SPECIALIST INC
 17352 N SETON AVE
 EMMITSBURG MD 21727

DIVISION OF NATURAL RESOURCES
 COOPERS ROCK STATE FOREST
 ATTN: PARK SUPERINTENDENT
 ROUTE 1, BOX 270
 BRUCETON MILLS, WV
 26525 594-1561

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
07/30/2009				

BID OPENING DATE: 08/27/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>ACCEPTABLE IN LIEU OF THE 5% BID BOND PERFORMANCE BOND, OR LABOR AND MATERIAL BOND.</p> <p>() MAINTENANCE BOND: A TWO (2) YEAR MAINTENANCE BOND COVERING THE ROOFING SYSTEM WILL BE A REQUIREMENT OF THE SUCCESSFUL VENDOR.</p> <p>REV. 11/00</p> <p>EXHIBIT 7</p> <p>DOMESTIC ALUMINUM, GLASS & STEEL IN PUBLIC WORKS PROJECTS</p> <p>IN ACCORDANCE WITH WEST VIRGINIA CODE 5-19-1 ET., SEQ., EVERY CONTRACT FOR CONSTRUCTION, RECONSTRUCTION, ALTERATION, REPAIR, IMPROVEMENT OR MAINTENANCE OF PUBLIC WORKS, WHERE THE COST IS MORE THAN \$50,000 AND, IN THE CASE OF STEEL ONLY, WHERE THE COST OF STEEL IS MORE THAN \$50,000 OR WHERE MORE THAN 10,000 POUNDS OF STEEL ARE REQUIRED, THE STATE WILL ACCEPT ONLY ALUMINUM GLASS, OR STEEL PRODUCTS PRODUCED IN THE UNITED STATES. IN ADDITION, ITEMS OF MACHINERY OR EQUIPMENT PURCHASED FOR USE AT THE SITE OF PUBLIC WORKS SHALL BE MADE OF DOMESTIC ALUMINUM, GLASS OR STEEL, UNLESS THE COST OF THE PRODUCT IS LESS THAN \$50,000 OR LESS THAN 10,000 POUNDS OF STEEL ARE USED IN PUBLIC WORKS PROJECTS.</p> <p>FOREIGN MADE ALUMINUM, GLASS OR STEEL PRODUCTS MAY BE ACCEPTED ONLY IF THE COST OF DOMESTIC PRODUCTS IS FOUND TO BE UNREASONABLE. SUCH COST IS UNREASONABLE IF IT IS 20% OR MORE HIGHER THAN THE BID PRICE FOR FOREIGN MADE PRODUCTS. IF THE DOMESTIC ALUMINUM, GLASS OR STEEL PRODUCTS TO BE SUPPLIED OR PRODUCED IN A "SUBSTANTIAL LABOR SURPLUS AREA", AS DEFINED BY THE UNITED STATES</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>SKS</i>	TELEPHONE 800/385-0075	DATE 8/18/09
TITLE SALES MANAGER	FEIN 52-2132887	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210007

PAGE
6

ADDRESS CORRESPONDENCE TO ATTENTION OF
KRISTA FERRELL 304-558-2596

PROPERTY

*615113726 800-385-0075
 PLAYGROUND SPECIALIST INC
 17352 N SETON AVE
 EMMITSBURG MD 21727

SHIP TO

DIVISION OF NATURAL RESOURCES
 COOPERS ROCK STATE FOREST
 ATTN: PARK SUPERINTENDENT
 ROUTE 1, BOX 270
 BRUCETON MILLS, WV
 26525 594-1561

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
07/30/2009				

BID OPENING DATE: 08/27/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>DEPARTMENT OF LABOR, FOREIGN PRODUCTS MAY BE SUPPLIED ONLY IF DOMESTIC PRODUCTS ARE 30% OR MORE HIGHER IN PRICE THAN THE FOREIGN MADE PRODUCTS.</p> <p>IF, PRIOR TO THE AWARD OF A CONTRACT UNDER THE ABOVE PROVISIONS, THE SPENDING OFFICER OF THE SPENDING UNIT DETERMINES THAT THERE EXISTS A BID FOR LIKE FOREIGN ALUMINUM, GLASS OR STEEL THAT IS REASONABLE AND LOWER THAN THE LOWEST BID DOMESTIC PRODUCTS, THE SPENDING OFFICE MAY REQUEST, IN WRITING, A REEVALUATION AND REDUCTION IN THE LOWEST BID FOR SUCH DOMESTIC PRODUCTS. ALL VENDORS MUST INDICATE IN THEIR BID IF THEY ARE SUPPLYING FOREIGN ALUMINUM, GLASS OR STEEL.</p> <p>REV. 3/88</p> <p>EXHIBIT 9</p> <p>NOTICE FOR ISSUANCE & ACKNOWLEDGEMENT OF CONSTRUCTION PROJECT ADDENDA</p> <p>THE ARCHITECT/ENGINEER AND/OR AGENCY SHALL BE REQUIRED TO ABIDE BY THE FOLLOWING SCHEDULE IN ISSUING CONSTRUCTION PROJECT ADDENDA FOR STATE AGENCIES:</p> <p>(1) THE ARCHITECT/ENGINEER SHALL PREPARE THE ADDENDUM AND A LIST OF ALL PARTIES THAT HAVE PROCURED DRAWINGS AND SPECIFICATIONS FOR THE PROJECT. THE ADDENDUM AND LIST SHALL BE FORWARDED TO THE BUYER IN THE STATE PURCHASING DIVISION. THE ARCHITECT/ENGINEER SHALL ALSO SEND A COPY OF THE ADDENDUM TO THE STATE AGENCY FOR WHICH THE CONTRACT IS ISSUED.</p> <p>(2) THE BUYER SHALL SEND THE ADDENDUM TO ALL INTERESTED PARTIES AND, IF NECESSARY, EXTEND THE BID</p>						

SIGNATURE <i>Stef Sel</i>		TELEPHONE 800/385-0075		DATE 8/18/09
TITLE SALES MANAGER	FEIN 52-2132 887	ADDRESS CHANGES TO BE NOTED ABOVE		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 DNR210007

PAGE
 7

ADDRESS CORRESPONDENCE TO ATTENTION OF
 KRISTA FERRELL
 304-558-2596

*615113726 800-385-0075
 PLAYGROUND SPECIALIST INC
 17352 N SETON AVE
 EMMITSBURG MD 21727

DIVISION OF NATURAL RESOURCES
 COOPERS ROCK STATE FOREST
 ATTN: PARK SUPERINTENDENT
 ROUTE 1, BOX 270
 BRUCETON MILLS, WV
 26525 594-1561

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B	FREIGHT TERMS
07/30/2009				

BID OPENING DATE: 08/27/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>OPENING DATE. ANY ADDENDUM SHOULD BE RECEIVED BY THE BUYER WITHIN FOURTEEN (14) DAYS PRIOR TO THE BID OPENING DATE.</p> <p>(3) ALL ADDENDA SHOULD BE FORMALLY ACKNOWLEDGED BY ALL BIDDERS AND SUBMITTED TO THE STATE PURCHASING DIVISION. THE SAME RULES AND REGULATIONS THAT APPLY TO THE ORIGINAL BIDDING DOCUMENT SHALL ALSO APPLY TO AN ADDENDUM DOCUMENT. THE ONLY EXCEPTION MAY BE FOR AN ADDENDUM THAT IS ISSUED FOR THE SOLE PURPOSE OF CHANGING A BID OPENING TIME AND/OR DATE.</p> <p>REV. 11/96</p> <p>EXHIBIT 10</p> <p>ADDENDUM ACKNOWLEDGEMENT</p> <p>I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.</p> <p>ADDENDUM NOS. :</p> <p>NO. 1 .. <i>STJef 8/18/09</i></p> <p>NO. 2 ..</p> <p>NO. 3 ..</p> <p>NO. 4 ..</p> <p>NO. 5 ..</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE *STJef* TELEPHONE 800/385-0075 DATE 8/18/09

TITLE SALES MANAGER FEIN 52-2132 887 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 DNR210007

PAGE
 8

ADDRESS CORRESPONDENCE TO ATTENTION OF
 KRISTA FERRELL
 304-558-2596

*615113726 800-385-0075
 PLAYGROUND SPECIALIST INC
 17352 N SETON AVE
 EMMITSBURG MD 21727

DIVISION OF NATURAL RESOURCES
 COOPERS ROCK STATE FOREST
 ATTN: PARK SUPERINTENDENT
 ROUTE 1, BOX 270
 BRUCETON MILLS, WV
 26525 594-1561

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
07/30/2009				

BID OPENING DATE: 08/27/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF THE BIDS.</p> <p>VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.</p> <p>.....SIGNATURE <i>St Self</i> PLAYGROUND SPECIALISTS INC COMPANY 8/18/09DATE</p> <p>REV. 11/96</p> <p>CONTRACTORS LICENSE</p> <p>WEST VIRGINIA STATE CODE 21-11-2 REQUIRES THAT ALL PERSONS DESIRING TO PERFORM CONTRACTING WORK IN THIS STATE MUST BE LICENSED. THE WEST VIRGINIA CONTRACTORS LICENSING BOARD IS EMPOWERED TO ISSUE THE CONTRACTORS LICENSE. APPLICATIONS FOR A CONTRACTORS LICENSE MAY BE MADE BY CONTACTING THE WEST VIRGINIA DIVISION OF LABOR CAPITOL COMPLEX, BUILDING 3, ROOM 319, CHARLESTON, WV 25305. TELEPHONE: (304) 558-7890.</p> <p>WEST VIRGINIA STATE CODE 21-11-11 REQUIRES ANY PROSPECTIVE BIDDER TO INCLUDE THE CONTRACTORS LICENSE NUMBER ON THEIR BID.</p> <p>BIDDER TO COMPLETE:</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE *St Self* TELEPHONE 800/385-0075 DATE 8/18/09

TITLE SALES MANAGER FEIN 52-2132 887 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFO NUMBER
DNR210007

PAGE
9

ADDRESS CORRESPONDENCE TO ATTENTION OF
KRISTA FERRELL 304-558-2596

PROPERTY

*615113726 800-385-0075
 PLAYGROUND SPECIALIST INC
 17352 N SETON AVE
 EMMITSBURG MD 21727

SHIP TO

DIVISION OF NATURAL RESOURCES
 COOPERS ROCK STATE FOREST
 ATTN: PARK SUPERINTENDENT
 ROUTE 1, BOX 270
 BRUCETON MILLS, WV
 26525 594-1561

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
07/30/2009				

BID OPENING DATE: 08/27/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>CONTRACTORS NAME: <i>PLAYGROUND SPECIALISTS INC</i></p> <p>CONTRACTORS LICENSE NO.: <i>WV 84443</i></p> <p>THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FURNISH A COPY OF THEIR CONTRACTORS LICENSE PRIOR TO ISSUANCE OF A PURCHASE ORDER/CONTRACT</p> <p>APPLICABLE LAW</p> <p>THE WEST VIRGINIA STATE CODE, PURCHASING DIVISION RULE AND REGULATIONS, AND THE INFORMATION PROVIDED IN THE "REQUEST FOR QUOTATION" ISSUED BY THE PURCHASING DIVISION IS THE SOLE AUTHORITY GOVERNING THIS PROCUREMENT.</p> <p>ANY INFORMATION PROVIDED IN SPECIFICATION MANUALS, OR ANY OTHER SOURCE, VERBAL OR WRITTEN, WHICH CONTRADICTS OR ALTERS THE INFORMATION PROVIDED FROM THE SOURCES AS DESCRIBED IN THE ABOVE PARAGRAPH IS VOID AND OF NO EFFECT.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER.</p> <p>REV. 5/2009</p> <p>NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p>DEPARTMENT OF ADMINISTRATION</p>						

SIGNATURE <i>[Signature]</i>		SEE REVERSE SIDE FOR TERMS AND CONDITIONS	
TITLE <i>JACKS MANAGORA</i>	FEIN <i>52-2132887</i>	TELEPHONE <i>800/385-0075</i>	DATE <i>8/18/09</i>
ADDRESS CHANGES TO BE NOTED ABOVE			

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFO NUMBER
 DNR210007

PAGE
 10

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 KRISTA FERRELL
 304-558-2596

VENDOR
 *615113726 800-385-0075
 PLAYGROUND SPECIALIST INC
 17352 N SETON AVE
 EMMITSBURG MD 21727

SHIP TO
 DIVISION OF NATURAL RESOURCES
 COOPERS ROCK STATE FOREST
 ATTN: PARK SUPERINTENDENT
 ROUTE 1, BOX 270
 BRUCETON MILLS, WV
 26525 594-1561

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
07/30/2009				

BID OPENING DATE: 08/27/2009 BID OPENING TIME: 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130						
THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED: SEALED BID BUYER: KRISTA FERRELL-FILE 21 REQ. NO.: DNR210007 BID OPENING DATE: 08/27/2009 BID OPENING TIME: 1:30 PM PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: ----- 301/271-9239 ----- PLEASE PRINT OR TYPE NAME OF PERSON TO CONTACT CONCERNING THIS QUOTE: ----- Steven Seifert -----						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: *[Signature]* TELEPHONE: 800/385-0075 DATE: 8/18/09
 TITLE: SALES MANAGER FEIN: 52-2132887 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

Cooper's Rock State Forest Playground Equipment

PRICING SHEET

Item No.	Quantity	Description	Unit Price	Amount
1	1	Henderson Play Structure: Model #L02175R0, or equal.	See Bill.com	
2	1	Henderson free standing heavy duty tire swing with top bar, Item #SW101, or equal.	1723 ⁰⁰	1723 ⁰⁰
3	1	Henderson free standing double spring dino see saw motion toy, Item #MT214, or equal.	1369 ⁰⁰	1369 ⁰⁰
4	1	Henderson free standing bucking bronco motion toy, Item #MT003, or equal.	624 ⁰⁰	624 ⁰⁰
5	1	Henderson free standing plastic wave slide and ladder, Item #TS031, or equal.	2012 ⁰⁰	2012 ⁰⁰
6	1	Henderson free standing triple cliffhanger, Item #TE029, or equal.	3634 ⁰⁰	3634 ⁰⁰
7	1	Henderson Play Structure: Model #PF09504R0, or equal.	18886 ⁰⁰	18886 ⁰⁰
8	1	Henderson 1-bay arch swing. Swing must be a minimum of eight feet (8') and complete with four (4) belts, Model #SW340, or equal.	845 ⁰⁰	845 ⁰⁰
9	1	Henderson arch swing. Swing must be a minimum of eight feet (8') and extend a half bay complete with two (2) baby seats, Model #SW341, or equal.	601 ⁰⁰	601 ⁰⁰
		TOTAL	\$26,694 ⁰⁰	\$26,694 ⁰⁰

Cooper's Rock State Forest
PLAYGROUND EQUIPMENT SHEET

Please complete the below information concerning the brand(s) of equipment being bid in relation to this project. If bidding "or equal" brands, please attach manufacturer's literature documenting that it meets the mandatory requirements stated in the specifications. Vendors should note the areas of the provided manufacturer's literature that adheres to the mandatory requirements outlined in the Request For Quotation.

em No.	Equipment	Manufacturer	Model
1	Campground Area Playground. Henderson Play Structure, Model# L02175R0, or equal.	PLAYWORLD SYSTEMS	SEE BELOW
2	Campground Area Playground. Henderson free standing playsteel heavy duty tire swing with top bar, Item #SW101, or equal.	↓	#0302
3	Campground Area Playground. Henderson free standing double spring dino see saw motion toy, Item #MT214, or equal.		#0596
4	Campground Area Playground. Henderson bucking bronco motion toy, Item #MT003, or equal.		#0563
5	Campground Area Playground. Henderson free standing plastic wave slide and ladder, Item #TS031, or equal.		CH2659
6	Campground Area Playground. Henderson triple cliffhanger, Item #TE029, or equal.		RB510
7	Overlook Area Playground. Henderson custom play structure, Model #PF09504Ro, or equal.		#094188
8	Overlook Area Playground. Henderson spiral slide complete with hood, or equal.		#094188

Cooper's Rock State Forest
PLAYGROUND EQUIPMENT SHEET

em No.	Equipment	Manufacturer	Model
9	Overlook Area Playground. Henderson single cliffhanger, or equal.	PLAYWORLD SYSTEMS	# 094188
10	Overlook Area Playground. Henderson accessible step, or equal.	↓	
11	Overlook Area Playground. Henderson double scoop slide complete with hood, or equal.		
12	Overlook Area Playground. Henderson left transfer station, or equal.		
13	Overlook Area Playground. Henderson safety station railings, or equal.		
14	Overlook Area Playground. Henderson tower climber, or equal.		
15	Overlook Area Playground. Henderson maze wheel, or equal.		
16	Overlook Area Playground. Henderson custom panel, or equal.		
17	Overlook Area Playground. Henderson crooked net link, or equal.		
18	Overlook Area Playground. Henderson drum panel, or equal.		
19	Overlook Area Playground. Henderson accessible trapeze beam, or equal.		
20	Overlook Area Playground. Henderson paddle power, or equal.		
21	Overlook Area Playground. Henderson log roll, or equal.		

Cooper's Rock State Forest
PLAYGROUND EQUIPMENT SHEET

Item No.	Equipment	Manufacturer	Model
22	Overlook Area Playground. Henderson triple overhead rotator, or equal.	PLAYWOOD SYSTEMS	#094188
23	Overlook Area Playground. Henderson twin track ride, or equal.	↓	# 94188
24	Overlook Area Playground. Henderson 1-bay arch swing 8' complete with belt seats, Model #SW340, or equal.		0288/0260
25	Overlook Area Playground. Henderson arch swing 8' extend a half bay complete with two baby seats, Model #SW341, or equal.		0375 / 0265



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 DNR210007

PAGE
 11

ADDRESS CORRESPONDENCE TO ATTENTION OF
 KRISTA FERRELL
 304-558-2596

*615113726 800-385-0075
 PLAYGROUND SPECIALIST INC
 17352 N SETON AVE
 EMMITSBURG MD 21727

DIVISION OF NATURAL RESOURCES
 COOPERS ROCK STATE FOREST
 ATTN: PARK SUPERINTENDENT
 ROUTE 1, BOX 270
 BRUCETON MILLS, WV
 26525 594-1561

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
07/30/2009				

BID OPENING DATE: 08/27/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
***** THIS IS THE END OF RFQ DNR210007 ***** TOTAL:						26,694 ⁰⁰

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE *St Sep* TELEPHONE 800/385-0075 DATE 8/18/09
 TITLE SALES MANAGER FEIN 52-2132 887 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

If this is a solicitation for a public improvement construction contract, the vendor, by its signature below, affirms that it has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the **West Virginia Code**. The vendor **must** make said affirmation with its bid submission. Further, public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the **West Virginia Code** and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the **West Virginia Code** may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.


LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.

Under penalty of law for false swearing (**West Virginia Code** §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name: PLAYGROUND SPECIALISTS INC
Authorized Signature:  Date: 8/18/09

Cooper Rock State Park

Design Number: 094188 - Bill Of Material

Ref. No.	Part No.	Description	Quantity
Posts			
1	ZZPM0006	5in OD X 96in STEEL POST W/ RIVETED CAP	4
2	ZZPM0008	5in OD X 108in STEEL POST W/ RIVETED CAP	2
3	ZZPM0008GZ	5in OD X 108in POST W/ (GROUND ZERO)	1
4	ZZPM0026	5in OD X 132in STEEL POST W/ RIVETED CAP	12
5	ZZPM0036GZ	5in OD X 144in STEEL POST (GROUND ZERO)	1
6	ZZPM0046	5in OD X 156in STEEL POST W/ RIVETED CAP	7
Decks & Kick Plates			
7	ZZPM0616	SQUARE COATED DECK ASSEMBLY	1
8	ZZPM0617	TRIANGULAR COATED DECK ASSEMBLY	2
9	ZZPM0629	LONG COATED DECK ASSEMBLY	2
ADA Items			
10	ZZPM2027	TRANSFER STATION (48in DECK)	1
11	ZZUN2019	APPROACH STEP FOR TRANSFER STATION	1
Slides			
12	ZZPM2727	TWIST AND SHOUT (48in DECK)	1
13	ZZPM2736	ONE PIECE 360 DEGREE PLASTIC SPIRAL SLIDE	1
Activity Panels			
14	ZZPM4290	STEERING WHEEL (POST MOUNT)	1
Barriers			
15	ZZPM4090	CENTERLINE PIPE WALL BARRIER	1
16	ZZPM4288	ACCESS GATE	2
Custom Graphics			
17	ZZPM4388	CUSTOM GRAPHIC PANEL (DECK MOUNT)	1
Climbers			
18	ZZPM6647	10ft MATRIX WALL	1
19	ZZPM6989	INCLINED CLIFF HANGER (72in DECK)	1
20	ZZPM8190	TREE CLIMBER (48in DECK)	1
Ground Zer0 Climbers			
21	ZZPM8397	THE WACKY LOG	1
Overhead Events			
22	ZZPM5736	CHINNING/TURNING BAR	1
23	ZZPM5780	6ft HORIZONTAL LOOP LADDER	1
24	ZZPM5806	6ft WAVE LADDER	1
25	ZZPM5950	OVERHEAD EVENT ACCESS LADDER (12in DECK)	1
26	ZZPM6808	SKY SWIVELS	1
Balance			
27	ZZPM6887	SHORTY CHALLENGE WALK	1
Audible Activities			
28	ZZPM4587	DRUM PANEL (GROUND LEVEL)	1
Stairs and Ladders			
29	ZZPM9170	24in ACCESSIBLE STEPPED PLATFORM (DECK TO DECK)	1
Additional Tool & Maintenance Kits			



Cooper Rock State Park

Design Number: 094188 - Bill Of Material

Ref. No.	Part No.	Description	Quantity
30	ZZPMGUID	PLAYMAKER GUIDELINES	1
31	ZZUN9910	SURFACING WARNING LABEL KIT	1
32	ZZUN9930	PIPE SYSTEMS MAINTENANCE KIT W/ AEROSOL	1
33	ZZUN9990	TOOL AND ADDITIONAL PARTS KIT W/AEROSOL	1



Cooper Rock State Park

Design Number: 094188 - Compliance and Technical Data
 Reference Document: ASTM F1487-07

Ref. No.	Part No.	Qty.	Description	Unit ASTM Status	Total Weight (lbs)	Pre-Consumer Recycled Content (lbs)	CO2e Footprint (kgs)	Users	Install Hours	Concrete (Yds3)	Active Play Events
1	ZZXX0260	2	BELT SEAT W/SILVER SHIELD CHAIN FOR 8ft TOP RAIL	Certified	16.74		141	2	0.50	0.00	2
2	ZZXX0265	2	INFANT SEAT W/SILVER SHIELD FOR 8ft TOP RAIL	Certified	22.62		252	2	0.50	0.00	2
3	ZZXX0287	1	5in OD 2-UNIT ALUMINUM ARCH SWING W-8ft TOP RAIL	Certified	213.80		1,445	0	3.00	0.52	0
4	ZZXX0370	1	5in OD ALUMINUM ARCH SWING 2-UNIT ADD-A-BAY	Certified	145.40		920	0	3.00	0.26	0
5	ZZPM0006	4	5in OD X 96in STEEL POST W/ RIVETED CAP	Certified	216.84		512	0	4.00	0.52	0
6	ZZPM0008	2	5in OD X 108in STEEL POST W/ RIVETED CAP	Certified	121.02		286	0	2.00	0.26	0
7	ZZPM0008GZ	1	5in OD X 108in POST W/ (GROUND ZERO)	Certified	60.61		143	0	1.50	0.18	0
8	ZZPM0026	12	5in OD X 132in STEEL POST W/ RIVETED CAP	Certified	890.52		2,070	0	12.00	1.44	0
9	ZZPM0036GZ	1	5in OD X 144in STEEL POST (GROUND ZERO)	Certified	80.41		187	0	1.50	0.18	0
10	ZZPM0046	7	5in OD X 156in STEEL POST W/ RIVETED CAP	Certified	613.97		1,416	0	7.00	0.91	0
11	ZZPM0616	1	SQUARE COATED DECK ASSEMBLY	Certified	90.36		237	4	1.00	0.00	0
12	ZZPM0617	2	TRIANGULAR COATED DECK ASSEMBLY	Certified	92.80		328	4	2.00	0.00	0
13	ZZPM0629	2	LONG COATED DECK ASSEMBLY	Certified	353.98		893	12	4.00	0.00	0
14	ZZPM2027	1	TRANSFER STATION (48in DECK)	Certified	287.44		948	3	2.00	0.09	0
15	ZZJUN2019	1	APPROACH STEP FOR TRANSFER STATION	Certified	35.83		98	1	1.00	0.04	0
16	ZZPM2727	1	TWIST AND SHOUT (48in DECK)	Certified	185.20		756	4	3.00	0.06	1
17	ZZPM2736	1	ONE PIECE 360 DEGREE PLASTIC SPIRAL SLIDE	Certified	897.09		1,975	3	6.00	0.16	1
18	ZZPM4290	1	STEERING WHEEL (POST MOUNT)	Certified	8.67		61	1	0.25	0.00	1
19	ZZPM4090	1	CENTERLINE PIPE WALL BARRIER	Certified	37.22		116	0	0.50	0.00	0
20	ZZPM4288	2	ACCESS GATE	Certified	68.76		222	0	1.00	0.00	0
21	ZZPM4388	1	CUSTOM GRAPHIC PANEL (DECK MOUNT)	Certified	97.06		409	0	1.00	0.00	0



Cooper Rock State Park

Design Number: 094188 - Compliance and Technical Data
 Reference Document: ASTM F1487-07

Ref. No.	Part No.	Qty.	Description	Unit ASTM Status	Total Weight (lbs)	Pre-Consumer Recycled Content (lbs)	Post-Consumer Recycled Content (lbs)	CO2e Footprint (kgs)	Users	Install Hours	Concrete (Yds ³)	Active Play Events
22	ZZPM6647	1	10ft MATRIX WALL	Certified	238.72			745	6	4.00	0.30	1
23	ZZPM6989	1	INCLINED CLIFF HANGER (72in DECK)	Certified	169.34			800	2	2.50	0.06	1
24	ZZPM8190	1	TREE CLIMBER (48in DECK)	Certified	85.27			265	2	1.50	0.03	1
25	ZZPM8397	1	THE WACKY LOG	Certified	205.97			1,284	4	2.50	0.06	1
26	ZZPM5736	1	CHINNING/TURNING BAR	Certified	9.25			48	1	0.50	0.00	1
27	ZZPM5780	1	6ft HORIZONTAL LOOP LADDER	Certified	60.60			206	2	1.00	0.00	1
28	ZZPM5806	1	6ft WAVE LADDER	Certified	73.30			149	2	1.00	0.00	1
29	ZZPM5950	1	OVERHEAD EVENT ACCESS LADDER (12in DECK)	Certified	26.26			83	1	1.50	0.06	0
30	ZZPM6808	1	SKY SWIVELS	Certified	112.12			436	2	1.00	0.00	1
31	ZZPM6887	1	SHORTY CHALLENGE WALK	Certified	42.24			214	1	1.00	0.00	1
32	ZZPM4587	1	DRUM PANEL (GROUND LEVEL)	Certified	62.86			475	2	1.00	0.00	1
33	ZZPM9170	1	24in ACCESSIBLE STEPPED PLATFORM (DECK TO DECK)	Certified	174.86			596	1	2.00	0.00	0
34	ZZPMGUID	1	PLAYMAKER GUIDELINES	N/A	0.00			0	0	0.25	0.00	0
35	ZZUN9910	1	SURFACING WARNING LABEL KIT	Certified	0.05			0	0	0.25	0.00	0
36	ZZUN9930	1	PIPE SYSTEMS MAINTENANCE KIT W/ AEROSOL	N/A	13.07			51	0	0.25	0.00	0
37	ZZUN9990	1	TOOL AND ADDITIONAL PARTS KIT W/AEROSOL	N/A	3.46			31	0	0.25	0.00	0
Totals:					5,813.71	178	1,404	18,798	62	77.25	5.13	17
					2,616.17 Kg	80 Kg	632 Kg	19 Metric Tons			3.90 m3	



Cooper Rock State Park

Design Number: 094188 - Compliance and Technical Data
 Reference Document: ASTM F1487-07

Ref. No.	Part No.	Qty.	Description	Unit Status	Total Weight (lbs)	Pre-Consumer Recycled Content (lbs)	Post-Consumer Recycled Content (lbs)	CO2e Footprint (kgs)	Users	Install Hours	Concrete (Yds3)	Active Play Events
----------	----------	------	-------------	-------------	--------------------	-------------------------------------	--------------------------------------	----------------------	-------	---------------	-----------------	--------------------

ASTM F1487-07

The lay-out for this custom playscape, design number 094188, has been configured to meet the requirements of the ASTM F1487-07 standard. In addition, each of the above components listed as "Certified" have been tested and are IPEMA certified. Components listed as "Not Applicable" do not fall within the scope of the ASTM F1487-07 standard and have not been tested. IPEMA certification can be verified on the IPEMA website, www.ipema.org. In the interest of playground safety, IPEMA provides a Third Party Certification Service which validates compliance.

Americans with Disabilities Act Accessibility Guidelines (ADAAAG)

The lay-out was also designed to meet the ADAAG published 23-July-2004, by the United States Access Board who installed over a properly maintained surfacing material that is in compliance with ASTM F1951 "Accessibility of Surface Systems Under and Around Playground Equipment" as well as ASTM F1292, "Impact Attenuation of Surfacing Materials Within the Use Zone of Playground Equipment", appropriate for the fall height of the structure.

Installation Times

Installation times are based on one experienced installer. A crew of three experienced individuals can perform the installation within the given time, each member working 1/3 of the given hours. [Eg. Installation Time = 30 hours. For a crew of three, each member will work 10 hours on the installation for a total of 30 hours on the project.]

Carbon Footprint

The CO2e (carbon footprint given in Kilograms and Metric Tons) listed above is a measure of the environmental impact this play structure represents from harvesting raw materials to the time it leaves our shipping dock. Playworld Systems nurtures a total corporate culture that is focused on eliminating carbon producing processes and products, reducing our use of precious raw materials, reusing materials whenever possible and recycling materials at every opportunity. Playworld Systems elected to adopt the Publicly Available Specification, PAS 2050 as published by the British Standards Institute and sponsored by Defra and the Carbon Trust. The PAS 2050 has gained international acceptance as a specification that measures the greenhouse gas emissions in services and goods throughout their entire life cycle.

Pre-Consumer Recycle Content

A measurement, in pounds, that qualifies the amount of material that was captured as waste and diverted from landfill during an initial manufacturing process and is being redirected to a separate manufacturing process to become a different product. E.g. 100% of our Aluminum Tubing is made from captured waste material during the manufacturing process of extruded Aluminum products such as rods, flat bars and H-channels.

Post-Consumer Recycle Content

A measurement, in pounds, that qualifies the amount of material that was once another product that has completed its lifecycle and has been diverted from a landfill as a solid waste through recycling and is now being used in a Playworld Systems' product. E.g. **20% to 40% of the steel in our steel tubing and sheet steel have been diverted from landfills. Automobiles are scrapped and recyclable steel is purchased by the steel mill that produces our raw product.

** The amount of Post-Consumer recycled steel fluctuates daily based on the availability of the recycled steel.





Product Specifications

©Playworld Systems, Inc. Tuesday, August 18, 2009

3-1/2in OD 2-UNIT STEEL ARCH SWING W-8ft TOP RAIL

Swing Clevis - cast iron/ plated

Shall be manufactured of superior grade cast ductile iron and zinc plated for optimal surface protection. Shall have an integrated bronze bearing pressed in after powdercoating. Shall be finished with a baked on polyester powder coat. (See Superdurable Polyester Powder Coat Finish)

3.5 in. Swing Hanger / Band - cast iron

Shall be manufactured of superior grade cast ductile iron and galvanized. The swing hanger and band together shall have an ultimate tensile load of 5000 lbs. Shall be finished with a baked on polyester powder coat. (See Superdurable Polyester Powder Coat Finish)

3.5 in. Swing Arch Top Rail

Shall be an all welded assembly fabricated of 3.5 in. outside diameter, 13 gauge galvanized steel tubing. (See Tubing) Finished with a baked on polyester powder coating or PrismCoat. (See PrismCoat / Polyester Powder Coat Finish)

Post Arch - steel (11 ga / 4in od)

Shall be an all welded assembly fabricated of 3.5 in. outside diameter, 11 gauge galvanized steel tubing (arch), 4 in. outside diameter, 8 gauge galvanized steel tubing (sleeve), and 1006 cold rolled steel. (See Tubing) Finished with powder coating. (See Polyester Powder Coat Finish)

Steel Tubing - 3.5 in. OD, 11ga.

Tensile strength shall be 48,000 psi. Yield strength shall be 45,000 psi.

Steel Tubing - 3.5 in. OD, 13 ga.

Tensile strength shall be 55,000 psi. Yield strength shall be 50,000 psi.

Steel Tubing - 4 in. OD, 8 ga.

Tensile strength shall be 48,000 psi. Yield strength shall be 45,000 psi.

ZZXX0288

photo
not
available

* See Note

Component Number:	ZZXX0288
Specification Rev:	ECN1620
Component Weight:	293.51 Lbs.
Amount of Concrete:	0.52 Yds.
Pre-Consumer Recycle:	0.00 Lbs.
Post-Consumer Recycle:	82.34 Lbs.
CO2e Footprint:	845.84 Kgs.

* The photos shown are for product representation only. The actual products may vary in size and color depending upon application.



Product Specifications

©Playworld Systems, Inc. Tuesday, August 18, 2009

3-1/2in OD STEEL ARCH SWING 2-UNIT ADD-A-BAY ZZXX0375

Swing Clevis - cast iron/ plated

Shall be manufactured of superior grade cast ductile iron and zinc plated for optimal surface protection. Shall have an integrated bronze bearing pressed in after powdercoating. Shall be finished with a baked on polyester powder coat. (See Superdurable Polyester Powder Coat Finish)

3.5 in. Swing Hanger / Band - cast iron

Shall be manufactured of superior grade cast ductile iron and galvanized. The swing hanger and band together shall have an ultimate tensile load of 5000 lbs. Shall be finished with a baked on polyester powder coat. (See Superdurable Polyester Powder Coat Finish)

3.5 in. Swing Arch Top Rail

Shall be an all welded assembly fabricated of 3.5 in. outside diameter, 13 gauge galvanized steel tubing. (See Tubing) Finished with a baked on polyester powder coating or PrismCoat. (See PrismCoat / Polyester Powder Coat Finish)

Post Arch - steel (11 ga / 4in od)

Shall be an all welded assembly fabricated of 3.5 in. outside diameter, 11 gauge galvanized steel tubing (arch), 4 in. outside diameter, 8 gauge galvanized steel tubing (sleeve), and 1006 cold rolled steel. (See Tubing) Finished with powder coating. (See Polyester Powder Coat Finish)

Steel Tubing - 3.5 in. OD, 11ga.

Tensile strength shall be 48,000 psi. Yield strength shall be 45,000 psi.

Steel Tubing - 3.5 in. OD, 13 ga.

Tensile strength shall be 55,000 psi. Yield strength shall be 50,000 psi.

Steel Tubing - 4 in. OD, 8 ga.

Tensile strength shall be 48,000 psi. Yield strength shall be 45,000 psi.

photo
not
available

* See Note

Component Number:	ZZXX0375
Specification Rev:	ECN1620
Component Weight:	179.11 Lbs.
Amount of Concrete:	0.52 Yds.
Pre-Consumer Recycle:	0.00 Lbs.
Post-Consumer Recycle:	48.02 Lbs.
CO2e Footprint:	539.46 Kgs.

* The photos shown are for product representation only. The actual products may vary in size and color depending upon application.



Product Specifications

©Playworld Systems, Inc. Tuesday, August 18, 2009

BELT SEAT W/SILVER SHIELD CHAIN FOR 8ft TOP RAIL


Chain - 4/0 - galvanized

Shall be 4/0 hot dipped galvanized welded link chain. The chain links are low carbon 1008 steel. The Rockwell would be on the B scale @ 90. The working load limit for this chain is 670 lbs.

Swing Seat - belt

Shall be fabricated from .5 in. (13 mm) thick ethylene propylene diene monomer with a T-301 full hard .020 in. (.51 mm) carbon steel insert. A triangular galvanized steel bracket and plate shall be secured to seat with galvanized rivets for chain attachments. Seat shall be slash-proof.

ZZXX0260



* See Note

Component Number:	ZZXX0260
Specification Rev:	ECN1836
Component Weight:	8.37 Lbs.
Number of Users:	1
Pre-Consumer Recycle:	2.35 Lbs.
Post-Consumer Recycle:	1.28 Lbs.
CO2e Footprint:	70.30 Kgs.

* The photos shown are for product representation only. The actual products may vary in size and color depending upon application.



Product Specifications

©Playworld Systems, Inc. Tuesday, August 18, 2009

INFANT SEAT W/SILVER SHIELD FOR 8ft TOP RAIL ZZXX0265

Chain - 4/0 - galvanized

Shall be 4/0 hot dipped galvanized welded link chain. The chain links are low carbon 1008 steel. The Rockwell would be on the B scale @ 90. The working load limit for this chain is 670 lbs.

Swing Seat - infant

Shall be fabricated from .5 in. (13 mm) thick ethylene propylene diene monomer with a T-301 full hard .020 in. (.51 mm) carbon steel insert. A triangular galvanized steel bracket and plate shall be secured to seat with galvanized rivets for chain attachments. Seat shall be slash-proof.



* See Note

Component Number:	ZZXX0265
Specification Rev:	ECN1836
Component Weight:	11.31 Lbs.
Number of Users:	1
Pre-Consumer Recycle:	1.76 Lbs.
Post-Consumer Recycle:	0.96 Lbs.
CO2e Footprint:	126.00 Kgs.

* The photos shown are for product representation only. The actual products may vary in size and color depending upon application.



Product Specifications

©Playworld Systems, Inc. Tuesday, August 18, 2009

5in OD ALUMINUM ARCH TIRE SWING W/SILVER SHIELD CHAIN

Tire Mounting Strap

Shall be fabricated of .375 in. outside diameter cold rolled steel. Finished with a zinc coating.

Swing Tire

Shall be a 205/75 D15 nylon belted tire. Steel belted tires are not acceptable.

Backup Washer

Shall be a 2.5 in. (64mm) outside diameter, steel flat washer

5 in. Arch Post - Alum.

Shall be an all welded assembly fabricated of 5 in. outside diameter, .125 in. wall extruded 6061-T6 aluminum alloy tubing. Finished with a baked on polyester powder coating or PrismCoat. (See PrismCoat / Polyester Powder Coat Finish)

Tire Swing Top Rail

Shall be an all welded assembly fabricated of 5 in. outside diameter, 11 gauge galvanized steel tubing; and 8 gauge galvanized flat steel. Finished with a baked on polyester powder coating or PrismCoat. (See PrismCoat / Polyester Powder Coat Finish)

Tire Swing Swivel Assembly

Shall be a factory assembly which shall be fabricated of the following materials: a steel universal joint, neoprene bellows, oilite bronze bushings, a grease fitting, hardware (see Hardware), a tire swing swivel pin fabricated of grade 5 forged steel, and a swivel hub weldment. The swivel hub weldment shall be an all welded assembly fabricated of .375 in. round cold rolled steel and 2 in. diameter, 1215 round cold rolled steel. Shall be greased at factory after assembly process.

Coated Chain 4/0

Shall be 4/0 welded link chain with a coating. The chain links are zinc coated low carbon 1008 steel. (See Coated Finish) The Rockwell would be on the B scale @ 90. The working load limit for this chain is 670 lbs.

Steel Tubing - 5 in. OD, 11 ga.

Tensile strength shall be 55,000 psi. Yield strength shall be 50,000 psi.

Aluminum Tubing - 5 in. OD, .125 in. W

Shall be 6061-T6 alloy tubing having a Tensile strength of 38,000 psi. and a Yield strength of 35,000 psi. (See Tubing).

ZZXX0302



* See Note

Component Number:	ZZXX0302
Specification Rev:	ECN1829
Component Weight:	253.57 Lbs.
Number of Users:	3
Amount of Concrete:	0.50 Yds.
Pre-Consumer Recycle:	2.70 Lbs.
Post-Consumer Recycle:	66.35 Lbs.
CO2e Footprint:	1,590.04 Kgs.

* The photos shown are for product representation only. The actual products may vary in size and color depending upon application.



Product Specifications

©Playworld Systems, Inc. Tuesday, August 18, 2009

FREE-STANDING GLIDE SLIDE (60in DECK)

Slide Guardrail - freestanding

Shall be an all welded assembly fabricated of 1.315 in. outside diameter, 14 gauge galvanized steel tubing and 1.029 in. outside diameter, 14 gauge galvanized steel tubing. (See Tubing) Finished with a baked on polyester powder coating. (See SuperDurable Polyester Powder Coat Finish)

Tie Rod - 14 g. w/ inserts

Shall be fabricated of 1.315 in. outside diameter, 14 gauge galvanized steel tubing (See Tubing). Shall have factory installed crimped threaded inserts at each end. Finished with a baked on polyester powder coating. (See SuperDurable Polyester Powder Coat Finish)

Gasket

Shall be mounted between slide and deck. Shall be made from .375 in. thick neoprene. Shall have an approximate density of 11-13 p.c.f. Shall have a minimum tensile strength of 70 p.s.i. Shall have a maximum water absorption of 5% by weight.

Stair / Ladder Footing Leg

Shall be fabricated of 1.029 in. outside diameter, 14 gauge galvanized steel tubing. (See Tubing.) Finished with a polyester powder coating. (See SuperDurable Polyester Powder Coat Finish).

Spacer / Connector - 319 aluminum*

Cast of regular 319 (319.0-F) aluminum. Ultimate tensile strength shall be 27 ksi. Yield strength shall be 18 ksi. Finished with a 420 micro finish and a baked on polyester powder coating. (See Superdurable Polyester Powder Coat Finish) ASTM Specifications: B-26. Federal Specifications: QQ-A-601.

Glide Slide

Shall be rotationally molded from Exxon CP-812 polyethylene. (See Rotationally Molded Plastic Parts) Dry-blended or molded-in color resins are not acceptable.

3.5 in. Support Post with End Cap

Shall be fabricated of 3.5 in. Outside diameter, 13 gauge galvanized steel tubing. (See Tubing) Shall have a factory installed 319 type aluminum alloy end cap secured with drive rivets. Finished with a baked on polyester powder coating. (See Superdurable Polyester Powder Coat Finish)

Steel Tubing - 1.315 in. OD, 14 ga.

Tensile strength shall be 75,000 psi. Yield strength shall be 60,000 psi.

ZZCH2659



* See Note

Component Number:	ZZCH2659
Specification Rev:	ECN1508
Component Weight:	409.48 Lbs.
Number of Users:	4
Amount of Concrete:	0.35 Yds.
Pre-Consumer Recycle:	7.17 Lbs.
Post-Consumer Recycle:	83.14 Lbs.
CO2e Footprint:	1,437.42 Kgs.

Steel Tubing - 3.5 in. OD, 13 ga.

Tensile strength shall be 55,000 psi. Yield strength shall be 50,000 psi.

* The photos shown are for product representation only. The actual products may vary in size and color depending upon application.



Product Specifications

©Playworld Systems, Inc. Tuesday, August 18, 2009

DUO SEE-SAW WITH BACKREST

Spring Wedge (Almag)

Shall be cast of high strength Almag 35 (535.0-F) aluminum alloy. Ultimate tensile strength shall be 40 ksi. Yield strength shall be 21 ksi. Finished with a 420 micro finish and a baked on polyester powder coating or PrismCoat. (See PrismCoat / Polyester Powder Coat Finish)

Casting / Almag 35

Shall be cast of high strength Almag 35 (535.0-F) aluminum alloy. Ultimate tensile strength shall be 40 ksi. Yield strength shall be 21 ksi. Finished with a 420 micro finish and a baked on polyester powder coating or PrismCoat. (See PrismCoat / Polyester Powder Coat Finish)

Handle - Almag 35

Shall be cast of high strength Almag 35 (535.0-F) aluminum alloy. (See Cast Almag Clamps) Finished with a 420 micro finish and a baked on polyester powder coating or PrismCoat. (See PrismCoat / Polyester Powder Coat Finish)

Casting - Spring Wedge

Cast of regular 535 (-F) almag aluminum. Ultimate tensile strength shall be 35 ksi. Yield strength shall be 18 ksi. Finished with a 420 micro finish and a baked on polyester powder coating. (See Superdurable Polyester Powder Coat Finish) ASTM Specifications: B-26. Federal Specifications: QQ-A-601.

Cap -319 Almag Alum

Cast of regular 319 (319.0-F) aluminum. Ultimate tensile strength shall be 23 ksi. Yield strength shall be 13 ksi. Finished with a 420 micro finish and a baked on polyester powder coating. (See Superdurable Polyester Powder Coat Finish) ASTM Specifications: B-26. Federal Specifications: QQ-A-601.

Bracket - 12 ga.

Shall be fabricated of 12 gauge hot rolled flat steel. Finished with a baked on polyester powder coating. (See Superdurable Polyester Powder Coat Finish)

Frame - See-Saw- Duo

Shall be an all welded assembly fabricated of 2 in. x 4 in. x 11 gauge galvanized rectangular steel tubing, 10 gauge galvanized hot rolled steel plate, and 1.315 in. outside diameter, 14 gauge galvanized steel tubing. (See Steel Tubing) Finished with a baked on polyester powder coating. (See Superdurable Polyester Powder Coat Finish)

Frame - Anchor - See-Saw

ZZXX0596



* See Note

Component Number:	ZZXX0596
Specification Rev:	ECN1712
Component Weight:	210.02 Lbs.
Number of Users:	4
Amount of Concrete:	0.12 Yds.
Pre-Consumer Recycle:	27.56 Lbs.
Post-Consumer Recycle:	58.49 Lbs.
CO2e Footprint:	891.07 Kgs.

Shall be an all welded assembly fabricated of 2 in. x 4 in. x 11 gauge galvanized rectangular steel tubing, 1.66 in. O.D. x 13 gauge galvanized steel tubing, 1.75 in. O.D. x 5/16 in. thick D.O.M. seamless steel tubing, 10 gauge galvanized hot rolled flat steel, .188 in. hot rolled, pickled and oiled flat steel, and .25 in. hot rolled, pickled and oiled flat steel. (See Steel Tubing) Finished with a baked on polyester powder coating or PrismCoat. (See PrismCoat / Polyester Powder Coat Finish)

Plate - .188"

Shall be fabricated from a single sheet of .188" hot rolled, pickled and oiled flat steel. Shall be finished with a baked-on polyester powder coat. (See Powder Coat Finish)

Spring - 400 mm

Shall be manufactured from stainless steel 20 mm diameter wire. Shall have an outside diameter of 180 mm Coil direction shall be right-handed. Complies to ASTM A-227 / A-227M-90 standard specifications for steel wire, cold drawn for mechanical springs.

Plastic Panel - .75 in.

Shall be fabricated from colored marine grade, .75 in. high density polyethylene and machined. Shall be ultraviolet (UV) stabilized. Meets FDA requirements. ASTM Specifications: D-1238 (Melt Index), D-1505 (Material Density), D-638 (Tensile Strength), D-648 (Heat Distortion Temperature) D-790 (Flexural Modulus), D-1693 and D-2561 (Environmental Stress Crack Resistance), D-2240 (Hardness), D-1822 (Tensile Impact) D-746 (Brittleness), D-1525 (Softening Point).

Steel Tubing - 1.66 in. OD, 13 ga.

Tensile strength shall be 75,000 psi. Yield strength shall be 60,000 psi.

Steel Tubing - 2 in. x 4 in., 11 ga.

Tensile strength shall be 55,000 psi. Yield strength shall be 50,000 psi.

Steel Tubing - 1.75 in. O.D. x .313 in. wall

Tensile strength shall be 64,670 psi. Yield strength shall be 80,910 psi.

Steel Tubing - 1.315 in. OD, 14 ga.

Tensile strength shall be 75,000 psi. Yield strength shall be 60,000 psi.

* The photos shown are for product representation only. The actual products may vary in size and color depending upon application.



Product Specifications

©Playworld Systems, Inc. Tuesday, August 18, 2009

HORSE SPRING RIDER

Spring - C

Shall be fabricated of .3125 in. x 4 in. hot rolled steel. Finished with a baked on polyester powder coating or PrismCoat. (See PrismCoat / Polyester Powder Coat Finish)

Plate - 7 GA

Shall be fabricated from 7 gauge galvanized hot rolled pickled and oiled flat steel. Finished with a baked on polyester powder coating. (See Superdurable Polyester Powder Coat Finish)

Plate - 7 Ga. And 14 Ga

Shall be fabricated from 7 gauge galvanized hot rolled flat steel and 14 gauge galvanized hot rolled flat steel. Finished with a baked on polyester powder coating. (See Superdurable Polyester Powder Coat Finish)

Bracket - 12 Ga./16 Ga.

Shall be fabricated of 12 gauge galvanized steel and 16 gauge galvanized tubing. Finished with a baked on polyester powder coating. (See Superdurable Polyester Powder Coat Finish)

Bracket - Rider Head

Shall be an all-welded assembly fabricated of 1.315 in. outside diameter, 14 gauge galvanized steel tubing; 16 gauge galvanized tubing; and 14 gauge galvanized steel. (See Tubing). Finished with a baked on polyester powder coating. (See Polyester Powder Coat Finish)


Plate - 12 gauge

Shall be fabricated from 12 gauge galvanized steel. Finished with a baked on polyester powder coating. (See Superdurable Polyester Powder Coat Finish)

Rotomolded Component

Shall be rotationally molded from linear low density polyethylene. (See Rotationally Molded Plastic Parts) Dry-blended or molded-in color resins are not acceptable. Threaded inserts may be molded into the plastic to provide attachment points.

ZZXX0563



* See Note

Component Number:	ZZXX0563
Specification Rev:	ECN1867
Component Weight:	49.03 Lbs.
Pre-Consumer Recycle:	1.43 Lbs.
Post-Consumer Recycle:	5.70 Lbs.
CO2e Footprint:	336.72 Kgs.

* The photos shown are for product representation only. The actual products may vary in size and color depending upon application.

Stand-Alone Products




▲ **RB-305** ages 5-12

Stand-alone product specifications:

RB-305 **\$3,146**
 USE ZONE 19' 10" x 17' 2" (6.04m x 5.23m)
 WEIGHT 302 lbs. (137kg)
 SIZE 7' 10" x 5' 2" x 5" (2.39m x 1.58m x 1.52m)
 CAPACITY Up to 8 children
 TO INSTALL Approx. 6 hours
 ♿ ASTM F1487 CPSC PUB.325
 CAN/CSA-Z614

EN1176 compliant version: #RB-305-EN; contact your authorized Playworld Systems Representative for pricing



▲ **RB-315** ages 5-12

Stand-alone product specifications:

RB-315 **\$8,462**
 USE ZONE 25' 3" x 23' 11" (7.7m x 7.29m)
 WEIGHT 816 lbs. (370kg)
 SIZE 13' 3" x 11' 11" x 7" (4.04m x 3.63m x 2.13m)
 CAPACITY Up to 19 children
 TO INSTALL Approx. 11 hours
 ♿ ASTM F1487 CPSC PUB.325
 CAN/CSA-Z614

EN1176 compliant version: #RB-315-EN; contact your authorized Playworld Systems Representative for pricing

▶ **RB-310** ages 5-12

Stand-alone product specifications:

RB-310 **\$5,097**
 USE ZONE 24' 9" x 19' 2" (7.54m x 5.84m)
 WEIGHT 497 lbs. (225kg)
 SIZE 12' 9" x 7' 2" x 7" (3.89m x 2.19m x 2.13m)
 CAPACITY Up to 12 children
 TO INSTALL Approx. 7 hours

♿ ASTM F1487 CPSC PUB.325
 CAN/CSA-Z614

EN1176 compliant version: #RB-310-EN; contact your authorized Playworld Systems Representative for pricing



▶ **RB-510** ages 5-12

Stand-alone product specifications:

RB-510 **\$12,332**
 USE ZONE 24' 10" x 14' 11" (7.57m x 4.55m)
 WEIGHT 608 lbs. (276kg)
 SIZE 12' 10" x 2' 11" x 8" (3.91m x .89m x 2.44m)
 CAPACITY Up to 10 children
 TO INSTALL Approx. 6 hours

♿ ASTM F1487 CPSC PUB.325
 CAN/CSA-Z614

EN1176 compliant version: #RB-510-EN; contact your authorized Playworld Systems Representative for pricing



▼ **RB-520** ages 5-12

Stand-alone product specifications:

RB-520 **\$12,332**
 USE ZONE 35' 4" x 27' 1" (10.77m x 8.25m)
 WEIGHT 1225 lbs. (558kg)
 SIZE 23' 4" x 15' 1" x 8" (7.11m x 4.6m x 2.44m)
 CAPACITY Up to 31 children
 TO INSTALL Approx. 14 hours

♿ ASTM F1487 CPSC PUB.325
 CAN/CSA-Z614

EN1176 compliant version: #RB-520-EN; contact your authorized Playworld Systems Representative for pricing



Browse our complete product gallery at Products.PlayworldSystems.com