



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210029

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
**KRISTA FERRELL
 304-558-2596**

RFQ COPY

TYPE NAME/ADDRESS HERE

Kanawha Stone Company, Inc.
 401 Jacobson Drive
 Poca, WV 25159

**DIVISION OF NATURAL RESOURCES
 BEECH FORK STATE PARK
 ATTN: PARK SUPERINTENDENT
 5601 LONG BRANCH ROAD
 BARBOURSVILLE, WV
 25504 522-0303**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/03/2009				

BID OPENING DATE: **10/08/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
1001	1	LS		650-38	\$234,026.00	\$234,026.00
<p align="center">REQUEST FOR QUOTATION (RFQ)</p> <p>THE WEST VIRGINIA STATE PURCHASING DIVISION FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF NATURAL RESOURCES, IS SOLICITING BIDS TO PROVIDE ALL MATERIAL AND INSTALLATION OF PLAYGROUND EQUIPMENT FOR BEECH FORK STATE PARK LOCATED IN BARBOURSVILLE, WEST VIRGINIA THE ATTACHED SPECIFICATIONS.</p> <p>A MANDATORY PRE-BID WILL BE HELD ON SEPTEMBER 15, 2009 AT 10:00 AM AT THE PARK HEADQUARTERS LOCATED IN BARBOURSVILLE, WV. ALL INTERESTED PARTIES ARE REQUIRED TO ATTEND THIS MEETING. FAILURE TO ATTEND THE MANDATORY PRE-BID SHALL RESULT IN DISQUALIFICATION OF THE BID. NO ONE PERSON MAY REPRESENT MORE THAN ONE BIDDER.</p> <p>AN ATTENDANCE SHEET WILL BE MADE AVAILABLE FOR ALL POTENTIAL BIDDERS TO COMPLETE. THIS WILL SERVE AS THE OFFICIAL DOCUMENT VERIFYING ATTENDANCE AT THE MANDATORY PRE-BID. FAILURE TO PROVIDE YOUR COMPANY AND REPRESENTATIVE NAME ON THE ATTENDANCE SHEET WILL RESULT IN DISQUALIFICATION OF THE BID. THE STATE WILL NOT ACCEPT ANY OTHER DOCUMENTATION TO VERIFY ATTENDANCE. THE BIDDER IS RESPONSIBLE FOR ENSURING THEY HAVE COMPLETED THE INFORMATION REQUIRED ON THE ATTENDANCE</p>						



SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: *[Signature]* TELEPHONE: (304) 755-8271 DATE: 10/22/09

TITLE: President FEIN: 550535003 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210029

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF
KRISTA FERRELL 304-558-2596

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

DIVISION OF NATURAL RESOURCES
 BEECH FORK STATE PARK
 ATTN: PARK SUPERINTENDENT
 5601 LONG BRANCH ROAD
 BARBOURSVILLE, WV
 25504 522-0303

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/03/2009				

BID OPENING DATE: 10/08/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>SHEET. THE PURCHASING DIVISION AND THE STATE AGENCY WILL NOT ASSUME ANY RESPONSIBILITY FOR A BIDDER-S FAILURE TO COMPLETE THE PRE-BID ATTENDANCE SHEET. IN ADDITION, WE REQUEST THAT ALL POTENTIAL BIDDERS INCLUDE THEIR E-MAIL ADDRESS AND FAX NUMBER.</p> <p>ALL POTENTIAL BIDDERS ARE REQUESTED TO ARRIVE PRIOR TO THE STARTING TIME FOR THE PRE-BID. BIDDERS WHO ARRIVE LATE, BUT PRIOR TO THE DISMISSAL OF THE TECHNICAL PORTION OF THE PRE-BID WILL BE PERMITTED TO SIGN IN. BIDDERS WHO ARRIVE AFTER CONCLUSION OF THE TECHNICAL PORTION OF THE PRE-BID, BUT DURING ANY SUBSEQUENT PART OF THE PRE-BID WILL NOT BE PERMITTED TO SIGN THE ATTENDANCE SHEET.</p> <p>TECHNICAL QUESTIONS CONCERNING THIS PROJECT MUST BE SUBMITTED IN WRITING TO KRISTA FERRELL IN THE WEST VIRGINIA STATE PURCHASING DIVISION VIA MAIL AT THE ADDRESS SHOWN IN THE BODY OF THIS RFQ, VIA FAX AT 304-558-4115, OR VIA EMAIL AT KRISTA.S.FERRELL@WV.GOV. DEADLINE FOR ALL TECHNICAL QUESTIONS IS 09/18/2009 AT THE CLOSE OF BUSINESS. ALL TECHNICAL QUESTIONS RECEIVED, IF ANY, WILL BE ANSWERED BY ADDENDUM AFTER THE DEADLINE HAS LAPSED.</p> <p>QUESTIONS CONCERNING THE PROCESS BY WHICH A VENDOR MAY SUBMIT A BID TO THE STATE OF WEST VIRGINIA ARE NOT CONSIDERED TO BE TECHNICAL QUESTIONS AND MAY BE SUBMITTED AT ANY TIME PRIOR TO THE BID OPENING AND IN ANY FORMAT.</p> <p>PRICING:</p> <p>VENDORS MUST SUBMIT UNIT PRICING FOR ALL LINE ITEMS. PRICING MUST BE GIVEN IN THE UNIT OF MEASURE REQUESTED BY THE AGENCY. FAILURE TO PROVIDE UNIT PRICING FOR ALL LINE ITEMS AND IN THE UNIT OF MEASURE REQUESTED</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210029

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
**KRISTA FERRELL
 304-558-2596**

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

DIVISION OF NATURAL RESOURCES
 BEECH FORK STATE PARK
 ATTN: PARK SUPERINTENDENT
 5601 LONG BRANCH ROAD
 BARBOURSVILLE, WV
 25504 522-0303

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
09/03/2009				

BID OPENING DATE: **10/08/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>WILL RESULT IN THE DISQUALIFICATION OF THE VENDOR'S BID.</p> <p>VENDORS MUST COMPLETE THE ATTACHED PRICING SHEET. FAILURE TO PROVIDE PRICING ON THIS SHEET WILL RESULT IN THE DISQUALIFICATION OF THE VENDOR'S BID.</p> <p>EXHIBIT 5</p> <p>WEST VIRGINIA CODE 21-1D-5 PROVIDES THAT: ANY SOLICITATION FOR A PUBLIC IMPROVEMENT CONSTRUCTION CONTRACT REQUIRES EACH VENDOR THAT SUBMITS A BID FOR THE WORK TO SUBMIT AT THE SAME TIME AN AFFIDAVIT OF COMPLIANCE WITH THE BID. THE ENCLOSED DRUG-FREE WORKPLACE AFFIDAVIT MUST BE SIGNED AND SUBMITTED WITH THE BID AS EVIDENCE OF THE VENDOR'S COMPLIANCE WITH THE PROVISIONS OF ARTICLE 1D, CHAPTER 21 OF THE WEST VIRGINIA CODE. FAILURE TO SUBMIT THE SIGNED DRUG-FREE WORKPLACE AFFIDAVIT WITH THE BID SHALL RESULT IN DISQUALIFICATION OF SUCH BID.</p> <p>NOTICE TO PROCEED: THIS CONTRACT IS TO BE PERFORMED WITHIN 60 CALENDAR DAYS AFTER THE NOTICE TO PROCEED IS RECEIVED. UNLESS OTHERWISE SPECIFIED, THE FULLY EXECUTED PURCHASE ORDER WILL BE CONSIDERED NOTICE TO PROCEED.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE MATERIALS OR WORKMANSHIP SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HERE IN.</p> <p>WAGE RATES: THE CONTRACTOR OR SUBCONTRACTOR SHALL PAY THE HIGHER OF THE U.S. DEPARTMENT OF LABOR MINIMUM WAGE RATES AS ESTABLISHED FOR CABELL COUNTY, PURSUANT</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFO NUMBER
DNR210029

PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF
**KRISTA FERRELL
 304-558-2596**

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

DIVISION OF NATURAL RESOURCES
 BEECH FORK STATE PARK
 ATTN: PARK SUPERINTENDENT
 5601 LONG BRANCH ROAD
 BARBOURSVILLE, WV
 25504 522-0303

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
09/03/2009				

BID OPENING DATE: **10/08/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>TO WEST VIRGINIA CODE 21-5A, ET, SEQ. (PREVAILING WAGE RATES APPLY TO THIS PROJECT)</p> <p>ARBITRATION: ANY REFERENCES MADE TO ARBITRATION OR INTEREST FOR PAYMENTS DUE (EXCEPT FOR ANY INTEREST REQUIRED BY STATE LAW) CONTAINED IN THIS CONTRACT OR IN ANY AMERICAN INSTITUTE OF ARCHITECTS DOCUMENTS PERTAINING TO THIS CONTRACT ARE HEREBY DELETED.</p> <p>WORKERS' COMPENSATION: VENDOR IS REQUIRED TO PROVIDE A CERTIFICATE FROM WORKERS' COMPENSATION, IF SUCCESSFUL, FOR THE LIFE OF THE CONTRACT.</p> <p>ALL OF THE ITEMS CHECKED BELOW WILL BE A REQUIREMENT OF THIS CONTRACT:</p> <p>(XX) INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF OF COMMERCIAL GENERAL LIABILITY INSURANCE PRIOR TO ISSUANCE OF CONTRACT. UNLESS OTHERWISE SPECIFIED IN THE BID DOCUMENTS, THE MINIMUM AMOUNT OF INSURANCE COVERAGE REQUIRED IS \$250,000.</p> <p>() BUILDERS RISK INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF OF BUILDERS RISK - ALL RISK INSURANCE IN AN AMOUNT EQUAL TO 100% OF THE AMOUNT OF THE CONTRACT.</p> <p>(XX) BONDS: FIVE PERCENT (5%) OF THE TOTAL AMOUNT OF THE BID PAYABLE TO THE STATE OF WEST VIRGINIA, SHALL BE SUBMITTED WITH EACH BID AS A BID BOND. THE SUCCESSFUL BIDDER SHALL ALSO FURNISH A PERFORMANCE BOND AND LABOR MATERIAL BOND FOR 100% OF THE AMOUNT OF THE CONTRACT. BONDS MAY BE PROVIDED IN THE FORM OF A CERTIFIED CHECK, IRREVOCABLE LETTER OF CREDIT, OR BOND FURNISHED BY A SOLVENT SURETY COMPANY AUTHORIZED TO DO BUSINESS IN THE STATE OF WEST VIRGINIA. A LETTER OF CREDIT SUBMITTED IN LIEU OF A BOND WILL ONLY BE ALLOWED FOR PROJECTS</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210029

PAGE
5

ADDRESS CORRESPONDENCE TO ATTENTION OF
**KRISTA FERRELL
 304-558-2596**

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

DIVISION OF NATURAL RESOURCES
 BEECH FORK STATE PARK
 ATTN: PARK SUPERINTENDENT
 5601 LONG BRANCH ROAD
 BARBOURSVILLE, WV
 25504 522-0303

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
09/03/2009				

BID OPENING DATE: **10/08/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>UNDER \$100,000. PERSONAL OR BUSINESS CHECKS ARE NOT ACCEPTABLE IN LIEU OF THE 5% BID BOND, PERFORMANCE BOND, OR LABOR AND MATERIAL BOND.</p> <p>() MAINTENANCE BOND: A TWO (2) YEAR MAINTENANCE BOND COVERING THE ROOFING SYSTEM WILL BE A REQUIREMENT OF THE SUCCESSFUL VENDOR.</p> <p>REV. 11/00</p> <p>EXHIBIT 7</p> <p>DOMESTIC ALUMINUM, GLASS & STEEL IN PUBLIC WORKS PROJECTS</p> <p>IN ACCORDANCE WITH WEST VIRGINIA CODE 5-19-1 ET., SEQ., EVERY CONTRACT FOR CONSTRUCTION, RECONSTRUCTION, ALTERATION, REPAIR, IMPROVEMENT OR MAINTENANCE OF PUBLIC WORKS, WHERE THE COST IS MORE THAN \$50,000 AND, IN THE CASE OF STEEL ONLY, WHERE THE COST OF STEEL IS MORE THAN \$50,000 OR WHERE MORE THAN 10,000 POUNDS OF STEEL ARE REQUIRED, THE STATE WILL ACCEPT ONLY ALUMINUM GLASS, OR STEEL PRODUCTS PRODUCED IN THE UNITED STATES IN ADDITION, ITEMS OF MACHINERY OR EQUIPMENT PURCHASED FOR USE AT THE SITE OF PUBLIC WORKS SHALL BE MADE OF DOMESTIC ALUMINUM, GLASS OR STEEL, UNLESS THE COST OF THE PRODUCT IS LESS THAN \$50,000 OR LESS THAN 10,000 POUNDS OF STEEL ARE USED IN PUBLIC WORKS PROJECTS.</p> <p>FOREIGN MADE ALUMINUM, GLASS OR STEEL PRODUCTS MAY BE ACCEPTED ONLY IF THE COST OF DOMESTIC PRODUCTS IS FOUND TO BE UNREASONABLE. SUCH COST IS UNREASONABLE IF IT IS 20% OR MORE HIGHER THAN THE BID PRICE FOR FOREIGN MADE PRODUCTS. IF THE DOMESTIC ALUMINUM, GLASS OR STEEL PRODUCTS TO BE SUPPLIED OR PRODUCED IN A "SUBSTANTIAL</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210029

PAGE
6

ADDRESS CORRESPONDENCE TO ATTENTION OF
**KRISTA FERRELL
 304-558-2596**

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

DIVISION OF NATURAL RESOURCES
 BEECH FORK STATE PARK
 ATTN: PARK SUPERINTENDENT
 5601 LONG BRANCH ROAD
 BARBOURSVILLE, WV
 25504 522-0303

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
09/03/2009				

BID OPENING DATE: **10/08/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>LABOR SURPLUS AREA", AS DEFINED BY THE UNITED STATES DEPARTMENT OF LABOR, FOREIGN PRODUCTS MAY BE SUPPLIED ONLY IF DOMESTIC PRODUCTS ARE 30% OR MORE HIGHER IN PRICE THAN THE FOREIGN MADE PRODUCTS.</p> <p>IF, PRIOR TO THE AWARD OF A CONTRACT UNDER THE ABOVE PROVISIONS, THE SPENDING OFFICER OF THE SPENDING UNIT DETERMINES THAT THERE EXISTS A BID FOR LIKE FOREIGN ALUMINUM, GLASS OR STEEL THAT IS REASONABLE AND LOWER THAN THE LOWEST BID DOMESTIC PRODUCTS, THE SPENDING OFFICE MAY REQUEST, IN WRITING, A REEVALUATION AND REDUCTION IN THE LOWEST BID FOR SUCH DOMESTIC PRODUCTS ALL VENDORS MUST INDICATE IN THEIR BID IF THEY ARE SUPPLYING FOREIGN ALUMINUM, GLASS OR STEEL.</p> <p>REV. 3/88</p> <p>EXHIBIT 9</p> <p>NOTICE FOR ISSUANCE & ACKNOWLEDGEMENT OF CONSTRUCTION PROJECT ADDENDA</p> <p>THE ARCHITECT/ENGINEER AND/OR AGENCY SHALL BE REQUIRED TO ABIDE BY THE FOLLOWING SCHEDULE IN ISSUING CONSTRUCTION PROJECT ADDENDA FOR STATE AGENCIES:</p> <p>(1) THE ARCHITECT/ENGINEER SHALL PREPARE THE ADDENDUM AND A LIST OF ALL PARTIES THAT HAVE PROCURED DRAWINGS AND SPECIFICATIONS FOR THE PROJECT. THE ADDENDUM AND LIST SHALL BE FORWARDED TO THE BUYER IN THE STATE PURCHASING DIVISION. THE ARCHITECT/ENGINEER SHALL ALSO SEND A COPY OF THE ADDENDUM TO THE STATE AGENCY FOR WHICH THE CONTRACT IS ISSUED.</p> <p>(2) THE BUYER SHALL SEND THE ADDENDUM TO ALL</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210029

PAGE
7

ADDRESS CORRESPONDENCE TO ATTENTION OF
**KRISTA FERRELL
 304-558-2596**

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

DIVISION OF NATURAL RESOURCES
 BEECH FORK STATE PARK
 ATTN: PARK SUPERINTENDENT
 5601 LONG BRANCH ROAD
 BARBOURSVILLE, WV
 25504 522-0303

DATE PRINTED 09/03/2009	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
BID OPENING DATE: 10/08/2009		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>INTERESTED PARTIES AND, IF NECESSARY, EXTEND THE BID OPENING DATE. ANY ADDENDUM SHOULD BE RECEIVED BY THE BUYER WITHIN FOURTEEN (14) DAYS PRIOR TO THE BID OPENING DATE.</p> <p>(3) ALL ADDENDA SHOULD BE FORMALLY ACKNOWLEDGED BY ALL BIDDERS AND SUBMITTED TO THE STATE PURCHASING DIVISION. THE SAME RULES AND REGULATIONS THAT APPLY TO THE ORIGINAL BIDDING DOCUMENT SHALL ALSO APPLY TO AN ADDENDUM DOCUMENT. THE ONLY EXCEPTION MAY BE FOR AN ADDENDUM THAT IS ISSUED FOR THE SOLE PURPOSE OF CHANGING A BID OPENING TIME AND/OR DATE.</p> <p>REV. 11/96</p> <p>EXHIBIT 10</p> <p>ADDENDUM ACKNOWLEDGEMENT</p> <p>I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.</p> <p>ADDENDUM NOS.:</p> <p>NO. 1 .. 9/18/09 .. <i>AKW AK</i></p> <p>NO. 2 .. 10/13/09 .. <i>AKW AK</i></p> <p>NO. 3 .. 10/20/09 .. <i>AKW AK</i></p> <p>NO. 4</p> <p>NO. 5</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE _____ TELEPHONE _____ DATE _____

FILE _____ FEIN _____ ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210029

PAGE
8

ADDRESS CORRESPONDENCE TO ATTENTION OF
**KRISTA FERRELL
 304-558-2596**

RFQ COPY
 TYPE NAME/ADDRESS HERE

V
E
N
D
O
R

S
H
I
P
T
O


DIVISION OF NATURAL RESOURCES
 BEECH FORK STATE PARK
 ATTN: PARK SUPERINTENDENT
 5601 LONG BRANCH ROAD
 BARBOURSVILLE, WV
 25504 522-0303

DATE PRINTED 09/03/2009	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
BID OPENING DATE: 10/08/2009		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
------	----------	-----	----------	-------------	------------	--------

I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF THE BIDS.

VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.


SIGNATURE
 .. Kanawha Stone Company, Inc.COMPANY
 ..10/21/09.....DATE

REV. 11/96

CONTRACTORS LICENSE

WEST VIRGINIA STATE CODE 21-11-2 REQUIRES THAT ALL PERSONS DESIRING TO PERFORM CONTRACTING WORK IN THIS STATE MUST BE LICENSED. THE WEST VIRGINIA CONTRACTORS LICENSING BOARD IS EMPOWERED TO ISSUE THE CONTRACTORS LICENSE. APPLICATIONS FOR A CONTRACTORS LICENSE MAY BE MADE BY CONTACTING THE WEST VIRGINIA DIVISION OF LABOR CAPITOL COMPLEX, BUILDING 3, ROOM 319, CHARLESTON, WV 25305. TELEPHONE: (304) 558-7890.

WEST VIRGINIA STATE CODE 21-11-11 REQUIRES ANY PROSPECTIVE BIDDER TO INCLUDE THE CONTRACTORS LICENSE NUMBER ON THEIR BID.

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210029

PAGE
9

ADDRESS CORRESPONDENCE TO ATTENTION OF:
**KRISTA FERRELL
 304-558-2596**

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

DIVISION OF NATURAL RESOURCES
 BEECH FORK STATE PARK
 ATTN: PARK SUPERINTENDENT
 5601 LONG BRANCH ROAD
 BARBOURSVILLE, WV
 25504 522-0303

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
09/03/2009				

BID OPENING DATE: **10/08/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>BIDDER TO COMPLETE:</p> <p>CONTRACTORS NAME: Kanawha Stone Company, Inc.</p> <p>CONTRACTORS LICENSE NO.: WV006094</p> <p>THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FURNISH A COPY OF THEIR CONTRACTORS LICENSE PRIOR TO ISSUANCE OF A PURCHASE ORDER/CONTRACT</p> <p>APPLICABLE LAW</p> <p>THE WEST VIRGINIA STATE CODE, PURCHASING DIVISION RULES AND REGULATIONS, AND THE INFORMATION PROVIDED IN THE "REQUEST FOR QUOTATION" ISSUED BY THE PURCHASING DIVISION IS THE SOLE AUTHORITY GOVERNING THIS PROCUREMENT.</p> <p>ANY INFORMATION PROVIDED IN SPECIFICATION MANUALS, OR ANY OTHER SOURCE, VERBAL OR WRITTEN, WHICH CONTRADICTS OR ALTERS THE INFORMATION PROVIDED FROM THE SOURCES AS DESCRIBED IN THE ABOVE PARAGRAPH IS VOID AND OF NO EFFECT.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATICALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER.</p> <p>REV. 1/2005</p> <p>NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
-----------	-----------	------

TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
-------	------	-----------------------------------

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210029

PAGE
10

ADDRESS CORRESPONDENCE TO ATTENTION OF
**KRISTA FERRELL
 304-558-2596**

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

DIVISION OF NATURAL RESOURCES
 BEECH FORK STATE PARK
 ATTN: PARK SUPERINTENDENT
 5601 LONG BRANCH ROAD
 BARBOURSVILLE, WV
 25504 522-0303

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/03/2009				

BID OPENING DATE: **10/08/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130						
THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:						
SEALED BID						
BUYER: KRISTA FERRELL-FILE 21						
REQ. NO.: DNR210029						
BID OPENING DATE: 10/08/2009						
BID OPENING TIME: 1:30 PM						
PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:						
----- (304) 755-8274 -----						
PLEASE PRINT OR TYPE NAME OF PERSON TO CONTACT CONCERNING THIS QUOTE:						
----- Nikki Brewer -----						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE

ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210029

PAGE
11

ADDRESS CORRESPONDENCE TO ATTENTION OF
**KRISTA FERRELL
 304-558-2596**

VENDOR

Kanawha Stone Company, Inc.
 401 Jacobson Drive
 Poca, WV 25159


SHIP TO

DIVISION OF NATURAL RESOURCES
 BEECH FORK STATE PARK
 ATTN: PARK SUPERINTENDENT
 5601 LONG BRANCH ROAD
 BARBOURSVILLE, WV
 25504 522-0303

DATE PRINTED:	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
09/03/2009				
BID OPENING DATE: 10/08/2009		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
***** THIS IS THE END OF RFQ DNR210029 ***** TOTAL:						\$234,026.00

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

NATURE  TELEPHONE (304) 755-8271 DATE 10/22/09

E President FEIN 550535003 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

WVDNR210029
Beech Fork State Park Playground Equipment
PRICING SHEET

Item No.	Quantity	Description	Unit Price	Amount
1	1	Franklin Wooten Recreation Area Playground PrimeTime skyslider, Item #11821, or equal.	\$ 23,600 ⁻	\$ 23,600 ⁻
2	1	Franklin Wooten Recreation Area Playground GameTime jumbo flyer spring rider, Item #6064, or equal.	\$ 740 ⁻	\$ 740 ⁻
3	1	Franklin Wooten Recreation Area Playground GameTime dinosaur rider spring rider item #6051 or equal.	\$ 1,050 ⁻	\$ 1,050 ⁻
4	1	Franklin Wooten Recreation Area Playground PrimeTime swing frame, Item #12583, or equal.	\$ 1,160 ⁻	\$ 1,160 ⁻
5	2	Franklin Wooten Recreation Area Playground PrimeTime swing add-a-bay, Item #12584, or equal.	\$ 370 ⁻	\$ 740 ⁻
6	1	Franklin Wooten Recreation Area Playground PrimeTime 3 1/2" OD zero-G chair (ages 5-12) seat package, Item #ss8552, or equal.	\$ 400 ⁻	\$ 400 ⁻
7	1	Franklin Wooten Recreation Area Playground PrimeTime 3 1/2" Zero-G Chair (ages 2-5) seat package, Item # ss8555; or equal.	\$ 400 ⁻	\$ 400 ⁻
8	2	Franklin Wooten Recreation Area Playground PrimeTime 3 1/2" enclosed tot swing, Item #ss8696, or equal.	\$ 225 ⁻	\$ 450 ⁻
9	2	Franklin Wooten Recreation Area Playground PrimeTime 3 1/2" super seat, Item #ss8906, or equal.	\$ 200 ⁻	\$ 400 ⁻
10	2	Franklin Wooten Recreation Area Playground GameTime tuffclad in-ground bench Item #28009, or equal.	\$ 440 ⁻	\$ 880 ⁻
11	1	Installation of Items 1, 2, 3, 4, 5, 6, 7, 8, 9 & 10 in the Franklin Wooten Recreation Area Playground. Prevailing heavy wage rates must be paid for Wayne County, West Virginia.	\$ 41,500 ⁻	\$ 41,500 ⁻
12	1	Removal of existing playground equipment from the Franklin Wooten Recreation Area Playground. Park personnel will dispose of all old playground equipment. Prevailing heavy wage rates must be paid for Wayne County, West Virginia.	\$ 4,800 ⁻	\$ 4,800 ⁻

WVDNR210029
Beech Fork State Park Playground Equipment
PRICING SHEET

Item No.	Quantity	Description	Unit Price	Amount
13	84	Franklin Wooten Recreation Area Playground Gametime 4' straight sections x 8" high play curb, Item #4850, or equal.	\$ 23 ⁰⁰ -	\$ 1,932-
14	1	Franklin Wooten Recreation Area Playground GTImpax Accessible Play Curb, Item #4854 or equal.	\$ 210-	\$ 210-
15	2	Franklin Wooten Recreation Area Playground GTImpaz wear mats or equal.	\$ 100-	\$ 200-
16	1	Lakeview Campground Playground PrimeTime spiral slide, Item #81731, or equal.	\$ 5,160-	\$ 5,160-
17	1	Lakeview Campground Playground PrimeTime swing frame, Item #12583, or equal.	\$ 1,160-	\$ 1,160-
18	1	Lakeview Campground Playground PrimeTime swing add-a-bay, Item #12584, or equal.	\$ 600-	\$ 600-
19	2	Lakeview Campground Playground PrimeTime 3 1/2" Zero-G Chair (5-12) seat package with stainless steel chain, Item # ss8552, or equal.	\$ 400-	\$ 800-
20	1	Lakeview Campground Playground PrimeTime 3 1/2" zero-G chair (ages 2 to 5) seat package Item # ss8555, or equal.	\$ 400-	\$ 400-
21	2	Lakeview Campground Playground PrimeTime 3 1/2" super seat, Item #SS8906, or equal.	\$ 200-	\$ 400-
22	2	Lakeview Campground Playground GameTime tuffclad in-ground bench, Item #28009, or equal.	\$ 440-	\$ 880-
23	1	Installation of Items 16, 17, 18, 19, 20, 21 & 22 in the Lakeview Campground Playground. Prevailing heavy wage rates must be paid for Wayne County, West Virginia.	\$ 16,225-	\$ 16,225
24	56	Lakeview Campground Playground Gametime 4' straight sections x 8" high play curb, Item #4850, or equal.	\$ 23-	\$ 1,288-
25	1	GTImpax Accessible Play Curb, Item #4854 or equal.	\$ 210-	\$ 210-
26	2	Lakeview Campground Playground GTImpaz wear mats or equal.	\$ 100-	\$ 200-

WVDNR210029
Beech Fork State Park Playground Equipment
PRICING SHEET

Item No.	Quantity	Description	Unit Price	Amount
27	1	Moxley Branch Campground Playground GameTime jumbo flyer spring rider, Item #6064, or equal.	\$740 ⁻	\$740 ⁻
28	1	Moxley Branch Campground Playground PrimeTime spiral slide, Item #81731, or equal.	\$5,160 ⁻	\$5,160 ⁻
29	1	Moxley Branch Campground Playground PrimeTime swing frame, Item #12583, or equal.	\$1,160 ⁻	\$1,160 ⁻
30	1	Moxley Branch Campground Playground PrimeTime swing add-a-bay, Item #12584, or equal.	\$725 ⁻	\$725 ⁻
31	2	Moxley Branch Campground Playground PrimeTime 3 1/2" enclosed tot swing, Item #SS8696, or equal.	\$225 ⁻	\$450 ⁻
32	2	Moxley Branch Campground Playground PrimeTime 3 1/2" super seat, Item #SS8906, or equal.	\$320 ⁻	\$640 ⁻
33	1	Moxley Branch Campground Playground GameTime tuffclad in-ground bench Item #28009, or equal.	\$440 ⁻	\$440 ⁻
34	1	Installation of Items 27, 28, 29, 30, 31, 32 & 33 in the Moxley Branch Campground Playground. Prevailing heavy wage rates must be paid for Wayne County, West Virginia.	\$17,600 ⁻	\$17,600 ⁻
35	1	Removal of existing playground equipment from the Moxley Branch Campground Playground. Park personnel will dispose of all old playground equipment. Prevailing heavy wage rates must be paid for Wayne County, West Virginia.	\$1,700 ⁻	\$1,700 ⁻
36	51	Moxley Branch Campground Playground Gametime 4' straight sections x 8" high play curb, Item #4850, or equal.	\$23 ⁻	\$1,173 ⁻
37	1	Moxley Branch Campground Playground GTimpax Accessible Play Curb, Item #4854 or equal.	\$210 ⁻	\$210 ⁻
38	2	Moxley Branch Campground Playground GTimpax wear mats or equal.	\$100 ⁻	\$200 ⁻

WVDNR210029

Beech Fork State Park Playground Equipment

PRICING SHEET

Item No.	Quantity	Description	Unit Price	Amount
39	1	Four Coves Campground PrimeTime spiral slide, Item #81731, or equal.	\$5,160 ⁻	\$5,160 ⁻
40	1	Four Coves Campground. PrimeTime swing frame, Item #12583, or equal.	\$1,160 ⁻	\$1,160 ⁻
41	1	Four Coves Campground. PrimeTime swing add-a-bay, Item #12584, or equal.	\$600 ⁻	\$600 ⁻
42	2	Four Coves Campground. PrimeTime 3 1/2" enclosed tot swing, Item #ss8696, or equal	\$220 ⁻	\$440 ⁻
43	2	Four Coves Campground. PrimeTime 3 1/2" super seat, Item #ss8906, or equal.	\$200 ⁻	\$400 ⁻
44	1	Four Coves Campground Playground GameTime tuffclad in-ground bench, Item #28009, or equal.	\$440 ⁻	\$440 ⁻
45	1	Installation of Items 39, 40, 41, 42, 43 & 44 in the Four Coves Campground Playground. Prevailing heavy wage rates must be paid for Wayne County, West Virginia.	\$15,500 ⁻	\$15,500 ⁻
46	1	Removal of existing playground equipment from the Four Coves Campground Playground. Park personnel will dispose of all old playground equipment. Prevailing heavy wage rates must be paid for Wayne County, West Virginia.	\$8,300 ⁻	\$8,300 ⁻
47	60	Four Coves Campground Playground Gametime 4' straight sections x 8" high play curb, Item #4850, or equal.	\$23 ⁻	\$1,380 ⁻
48	1	Four Coves Campground Playground GTImpax Accessible Play Curb, Item #4854 or equal.	\$210 ⁻	\$210 ⁻
49	2	Four Coves Campground Playground GTImpax wear mats or equal.	\$100 ⁻	\$200 ⁻
50	2	Add Alternate Number One - Four Coves Campground Playworld Systems climbing boulders tower builder, item #ZZBD0014, or equal.	\$1,200 ⁻	\$2,400 ⁻
51	1	Add Alternate Number One Four Coves Campground Playworld Systems boulder to ground net climber, Item #ZZZBD0021, or equal.	\$1,500 ⁻	\$1,500 ⁻
52	1	Add Alternate Number One - Four Coves Campground Playground GameTime tuffclad in-ground bench Item #28009, or equal.	\$440 ⁻	\$440 ⁻

WVDNR210029
Beech Fork State Park Playground Equipment
PRICING SHEET

Item No.	Quantity	Description	Unit Price	Amount
53	1	Installation of Items 50, 51, & 52 in the Four Coves Campground Playground. Prevailing heavy wage rates must be paid for Wayne County, West Virginia.	\$8,500-	\$8,500-
54	17	Four Coves Campground Playground Gametime 4' straight sections x 8" high play curb, Item #4850, or equal.	\$ 70-	\$ 1,190-
55	5	Add Alternate Number Two - geo-textile fabric, 2,250 sq. ft roll, for the Franklin Wooten Recreation Area Playground (2 Rolls), Lakeview Campground Playground (1 Roll), Moxley Branch Campground Playground (1 Roll) and Four Coves Campground Playground (1 Roll).	\$ 500-	\$ 2,500-
56	10,423 Sq. Ft.	Add Alternate Number Two - Engineered wood fiber @ 8" compacted depth for the Franklin Wooten Recreation Area Playground (4,238 Sq. Ft.), Lakeview Campground Playground (2,150 Sq. Ft.), Moxley Branch Campground Playground (2,035 Sq. Ft.) and Four Coves Campground Playground (2,000 Sq. Ft.)	\$ 1.00	\$ 10,423-

WVDNR210029

Beech Fork State Park Playground Equipment

PRICING SHEET

Item No.	Quantity	Description	Unit Price	Amount
57	1	Installation of all the items in Add Alternate Number Two, geo-textile fabric and engineered wood fiber, and Item 13 (Franklin Wooten Recreation Area Playground Gametime 4' straight sections x 8" high play curb, Item #4850, or equal), Item 14 (Franklin Wooten Recreation Area Playground GTImpax Accessible Play Curb, Item #4854 or equal), Item 15 (Franklin Wooten Recreation Area Playground GTImpax wear mats or equal), Item 24 (Lakeview Campground Playground Gametime 4' straight sections x 8" high play curb, Item #4850, or equal), Item 25 (GTImpax Accessible Play Curb, Item #4854 or equal), Item 26 (Lakeview Campground Playground GTImpax wear mats or equal), Item 36 (Moxley Branch Campground Playground Gametime 4' straight sections x 8" high play curb, Item #4850, or equal), Item 37 (Moxley Branch Campground Playground GTImpax Accessible Play Curb, Item #4854 or equal), Item 38 (Moxley Branch Campground Playground GTImpax wear mats or equal), Item 47 (Four Coves Campground Playground Gametime 4' straight sections x 8" high play curb, Item #4850, or equal), Item 48 (Four Coves Campground Playground GTImpax Accessible Play Curb, Item #4854 or equal) and Item 49 (Four Coves Campground Playground GTImpax wear mats or equal).	\$37,300	\$37,300
		TOTAL		\$234,026.00

P15

WVDNR210029
Beech Fork State Park
PLAYGROUND EQUIPMENT SHEET

Please complete the below information concerning the brand(s) of equipment being bid in relation to this project. If bidding in or equal inch brands, please attach manufacturer's literature documenting that it meets the mandatory requirements stated in the specifications. Vendors should note the areas of the provided manufacturer's literature that adheres to the mandatory requirements outlined in the Request For Quotation.

Item No.	Equipment	Manufacturer	Item
1	Franklin Wooten Recreation Area Playground PrimeTime skyslider, Item #11821, or equal. Structure must include the following components:	GameTime Includes all components listed below	11821
	Two (2) spiral slides a minimum of 8' in height.	N/A	N/A
	One (1) slide a minimum of 8' in height.	N/A	N/A
	One (1) double slide a minimum of 5' in height.	N/A	N/A
	One (1) slide a minimum of 5' in height.	N/A	N/A
	One (1) slide a minimum of 3' in height.	N/A	N/A
	One (1) bridge.	N/A	N/A
	One (1) tube.	N/A	N/A
	One (1) rock climbing structure that will attach to a deck a minimum of 5' in height.	N/A	N/A
2	Franklin Wooten Recreation Area Playground GameTime jumbo flyer spring rider, Item #6064, or equal.	GameTime	6064
3	Franklin Wooten Recreation Area Playground GameTime dinosaur rider spring rider, Item #6051 or equal.	GameTime GameTime	6051 6065
4	Franklin Wooten Recreation Area Playground PrimeTime swing frame, Item #12583, or equal.	GameTime	12583
5	Franklin Wooten Recreation Area Playground PrimeTime swing add-a-bay, Item #12584, or equal.	GameTime	12584
6	Franklin Wooten Recreation Area Playground PrimeTime 3 1/2" OD zero-G chair (ages 5-12) seat package, Item #ss8552, or equal.	GameTime	SS8552

WVDNR210029
Beech Fork State Park
PLAYGROUND EQUIPMENT SHEET

P16

Item No.	Equipment	Manufacturer	Item
7	Franklin Wooten Recreation Area Playground PrimeTime 3 1/2" Zero-G Chair (ages 2-5) seat package, Item # ss8555, or equal.	GameTime	SS8555
8	Franklin Wooten Recreation Area Playground PrimeTime 3 1/2" enclosed tot swing, Item #ss8696, or equal.	GameTime	SS8696
9	Franklin Wooten Recreation Area Playground PrimeTime 3 1/2" super seat, Item #ss8906, or equal.	GameTime	SS8906
10	Franklin Wooten Recreation Area Playground GameTime tufted in-ground bench Item #28009, or equal.	GameTime	28009
11	Installation of Items 1, 2, 3, 4, 5, 6, 7, 8, 9 & 10 in the Franklin Wooten Recreation Area Playground. Prevailing heavy wage rates must be paid for Wayne County, West Virginia.	Kanawha Stone Company, Inc	+
12	Removal of existing playground equipment from the Franklin Wooten Recreation Area Playground. Park personnel will dispose of all old playground equipment. Prevailing heavy wage rates must be paid for Wayne County, West Virginia.	Kanawha Stone Company, Inc	—
13	Franklin Wooten Recreation Area Playground Gametime 4' straight sections x 8" high play curb, Item #4850, or equal.	GameTime	4850
14	Franklin Wooten Recreation Area Playground GTImpax Accessible Play Curb, Item #4854 or equal.	GameTime	4854
15	Franklin Wooten Recreation Area Playground GTImpax wear mats or equal.	GameTime	161292
16	Lakeview Campground Playground PrimeTime spiral slide, Item #81731, or equal.	GameTime	81731
17	Lakeview Campground Playground PrimeTime swing frame, Item #12583, or equal.	GameTime	12583
18	Lakeview Campground Playground PrimeTime swing add-a-bay, Item #12584, or equal.	GameTime	12584

WVDNR210029

P17

Beech Fork State Park
PLAYGROUND EQUIPMENT SHEET

Item No.	Equipment	Manufacturer	Item
19	Lakeview Campground Playground PrimeTime 3 1/2" Zero-G Chair (5-12) seat package with stainless steel chain, Item # ss8552, or equal.	GameTime	SS8552
20	Lakeview Campground Playground PrimeTime 3 1/2" zero-G chair (ages 2 to 5) seat package Item # ss8555, or equal.	GameTime	SS8555
21	Lakeview Campground Playground PrimeTime 3 1/2" super seat, Item #SS8906, or equal.	GameTime	SS8906
22	Lakeview Campground Playground GameTime tuffclad in-ground bench, Item #28009, or equal.	GameTime	28009
23	Installation of Items 16, 17, 18, 19, 20, 21 & 22 in the Lakeview Campground Playground. Prevailing heavy wage rates must be paid for Wayne County, West Virginia.	Kanawha Stone Company, Inc	_____
24	Lakeview Campground Playground Gametime 4' straight sections x 8" high play curb, Item #4850, or equal.	GameTime	4850
25	Lakeview Campground Playground GTImpax Accessible Play Curb, Item #4854 or equal.	GameTime	4854
26	Lakeview Campground Playground GTImpax wear mats or equal.	GameTime	161292
27	Moxley Branch Campground Playground GameTime jumbo flyer spring rider, Item #6064, or equal.	GameTime	6064
28	Moxley Branch Campground Playground PrimeTime spiral slide, Item #81731, or equal.	GameTime	81731
29	Moxley Branch Campground Playground PrimeTime swing frame, Item #12583, or equal.	GameTime	12583
30	Moxley Branch Campground Playground PrimeTime swing add-a-bay, Item #12584, or equal.	GameTime	12584
31	Moxley Branch Campground Playground PrimeTime 3 1/2" enclosed tot swing, Item #SS8696, or equal.	GameTime	SS8696

WVDNR210029
Beech Fork State Park
PLAYGROUND EQUIPMENT SHEET

P18

Item No.	Equipment	Manufacturer	Item
32	Moxley Branch Campground Playground PrimeTime 3 1/2" super seat, Item #SS8906, or equal.	GameTime	SS8906
33	Moxley Branch Campground Playground GameTime tuffclad in-ground bench, Item #28009, or equal.	GameTime	28009
34	Installation of Items 27, 28, 29, 30, 31, 32, & 33 in the Moxley Branch Campground Playground. Prevailing heavy wage rates must be paid for Wayne County, West Virginia.	Kanawha Stone Company, Inc	—
35	Removal of existing playground equipment from the Moxley Branch Campground Playground. Park personnel will dispose of all old playground equipment. Prevailing heavy wage rates must be paid for Wayne County, West Virginia.	Kanawha Stone Company, Inc.	—
36	Moxley Branch Campground Playground Gametime 4' straight sections x 8" high play curb, Item #4850, or equal.	GameTime	4850
37	Moxley Branch Campground Playground GTImpax Accessible Play Curb, Item #4854 or equal.	GameTime	4854
38	Moxley Branch Campground Playground GTImpax wear mats or equal.	GameTime	161292
39	Four Coves PrimeTime spiral slide, Item #81731, or equal.	GameTime	81731
40	Four Coves Campground. PrimeTime swing frame, Item #12583, or equal.	GameTime	12583
41	Four Coves Campground. PrimeTime swing add-a-bay, Item #12584, or equal.	GameTime	12584
42	Four Coves Campground. PrimeTime 3 1/2" enclosed tot swing, Item #ss8696, or equal	GameTime	SS8696
43	Four Coves Campground. PrimeTime 3 1/2" super seat, Item #ss8906, or equal.	GameTime	SS8906
44	Four Coves Campground Playground GameTime tuffclad in-ground bench, Item #28009, or equal.	GameTime	28009
45	Installation of Items 39, 40, 41, 42, 43 & 44 in the Four Coves Campground Playground. Prevailing heavy wage rates must be paid for Wayne County, West Virginia.	Kanawha Stone Company, Inc	—

WVDNR210029
 Beech Fork State Park
PLAYGROUND EQUIPMENT SHEET

Item No.	Equipment	Manufacturer	Item
46	Removal of existing playground equipment from the Four Coves Campground Playground. Park personnel will dispose of all old playground equipment. Prevailing heavy wage rates must be paid for Wayne County, West Virginia.	Kanawha Stone Company, Inc	—
47	Four Coves Campground Playground Gametime 4' straight sections x 8" high play curb, Item #4850, or equal.	GameTime	4850
48	GTimpax Accessible Play Curb, Item #4854 or equal.	GameTime	4854
49	Four Coves Campground Playground GTimpax wear mats or equal.	GameTime	161292
50	Add Alternate Number One - Four Coves Campground Playworld Systems climbing boulders tower builder, Item #ZZBD0014, or equal. * See attached specifications *	GameTime	7087
51	Add Alternate Number One Four Coves Campground Playworld Systems boulder to ground net climber, Item #ZZZBD0021, or equal. * See attached specifications *	GameTime	7089
52	Add Alternate Number One - Four Coves Campground Playground GameTime tuffclad in-ground bench Item #28009, or equal.	GameTime	28009
53	Installation of Items 50, 51 & 52 in the Four Coves Campground Playground. Prevailing heavy wage rates must be paid for Wayne County, West Virginia.	Kanawha Stone Company, Inc	—
54	Four Coves Campground Playground Gametime 4' straight sections x 8" high play curb, Item #4850, or equal.	GameTime	4850
55	Add Alternate Number Two - geo-textile fabric, 2,250 sq. ft roll, for the Franklin Wooten Recreation Area Playground (2 Rolls), Lakeview Campground Playground (1 Roll), Moxley Branch Campground Playground (1 Roll) and Four Coves Campground Playground (1 Roll).	AND GT-Impax GameTime	161290

WVDNR210029

P20

Beech Fork State Park
PLAYGROUND EQUIPMENT SHEET

Item No.	Equipment	Manufacturer	Item
56	Add Alternate Number Two - Engineered wood fiber @ 8" compacted depth for the Franklin Wooten Recreation Area Playground (4,238 Sq. Ft.), Lakeview Campground Playground (2,150 Sq. Ft.), Moxley Branch Campground Playground (2,035 Sq. Ft.) and Four Coves Campground Playground (2,000 Sq. Ft.)	GT-Impax	GTEWF
57	Installation of all the items in Add Alternate Number Two, geo-textile fabric and engineered wood fiber, and Item 13 (Franklin Wooten Recreation Area Playground Gametime 4' straight sections x 8" high play curb, Item #4850, or equal), Item 14 (Franklin Wooten Recreation Area Playground GTImpax Accessible Play Curb, Item #4854 or equal), Item 15 (Franklin Wooten Recreation Area Playground GTImpax wear mats or equal), Item 24 (Lakeview Campground Playground Gametime 4' straight sections x 8" high play curb, Item #4850, or equal), Item 25 (GTImpax Accessible Play Curb, Item #4854 or equal), Item 26 (Lakeview Campground Playground GTImpax wear mats or equal), Item 36 (Moxley Branch Campground Playground Gametime 4' straight sections x 8" high play curb, Item #4850, or equal), Item 37 (Moxley Branch Campground Playground GTImpax Accessible Play Curb, Item #4854 or equal), Item 38 (Moxley Branch Campground Playground GTImpax wear mats or equal), Item 47 (Four Coves Campground Playground Gametime 4' straight sections x 8" high play curb, Item #4850, or equal), Item 48 (Four Coves Campground Playground GTImpax Accessible Play Curb, Item #4854 or equal) and Item 49 (Four Coves Campground Playground GTImpax wear mats or equal).	Kanawha Stone Company, Inc.	—

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

If this is a solicitation for a public improvement construction contract, the vendor, by its signature below, affirms that it has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the *West Virginia Code*. The vendor **must** make said affirmation with its bid submission. Further, public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the *West Virginia Code* and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the *West Virginia Code* may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.

Under penalty of law for false swearing (*West Virginia Code* §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name: Kanawha Stone Company, Inc.

Authorized Signature:  Date: 10/21/09



State of West Virginia
DRUG FREE WORKPLACE CONFORMANCE AFFIDAVIT
West Virginia Code §21-1D-5

STATE OF West Virginia

COUNTY OF Putnam, TO-WIT:

I, Arthur L. King, after being first duly sworn, depose and state as follows:

- 1. I am an employee of Kanawha Stone Company, Inc.; and,
(Company Name)
- 2. I do hereby attest that Kanawha Stone Company, Inc.
(Company Name)

maintains a valid written drug free workplace policy and that such policy is in compliance with **West Virginia Code §21-1D-5**.

The above statements are sworn to under the penalty of perjury.

Kanawha Stone Company, Inc.
(Company Name)

By: [Signature]

Title: President

Date: October 21, 2009

Taken, subscribed and sworn to before me this 21st day of October, 2009.



11-12-2014

[Signature]
(Notary Public)

THIS AFFIDAVIT MUST BE SUBMITTED WITH THE BID IN ORDER TO COMPLY WITH WV CODE PROVISIONS. FAILURE TO INCLUDE THE AFFIDAVIT WITH THE BID SHALL RESULT IN DISQUALIFICATION OF THE BID.

BID BOND

KNOW ALL MEN BY THESE PRESENTS, That we, the undersigned, Kanawha Stone Company, Inc.
of Nitro, WV, as Principal, and Travelers Casualty and Surety Company
of America of Hartford, CT, a corporation organized and existing under the laws of the State of CT
with its principal office in the City of Hartford, as Surety, are held and firmly bound unto the State
of West Virginia, as Obligee, in the penal sum of Five Percent of Amount Bid (\$ 5%) for the payment of which,
well and truly to be made, we jointly and severally bind ourselves, our heirs, administrators, executors, successors and assigns.

The Condition of the above obligation is such that whereas the Principal has submitted to the Purchasing Section of the
Department of Administration a certain bid or proposal, attached hereto and made a part hereof, to enter into a contract in writing for
Four Playground Installations at Beech Fork State Park, Wayne County, WV

NOW THEREFORE,

- (a) If said bid shall be rejected, or
- (b) If said bid shall be accepted and the Principal shall enter into a contract in accordance with the bid or proposal attached
hereto and shall furnish any other bonds and insurance required by the bid or proposal, and shall in all other respects perform the
agreement created by the acceptance of said bid, then this obligation shall be null and void, otherwise this obligation shall remain in full
force and effect. It is expressly understood and agreed that the liability of the Surety for any and all claims hereunder shall, in no event,
exceed the penal amount of this obligation as herein stated.

The Surety, for the value received, hereby stipulates and agrees that the obligations of said Surety and its bond shall be in no
way impaired or affected by any extension of the time within which the Obligee may accept such bid, and said Surety does hereby
waive notice of any such extension.

IN WITNESS WHEREOF, Principal and Surety have hereunto set their hands and seals, and such of them as are corporations
have caused their corporate seals to be affixed hereunto and these presents to be signed by their proper officers, this
15th day of October, 2009.

Principal Corporate Seal

Kanawha Stone Company, Inc.
(Name of Principal)
By [Signature]
(Must be President or
Vice President)
President
(Title)

Surety Corporate Seal

Travelers Casualty and Surety Company of America
(Name of Surety)
By [Signature]
Douglas P. Taylor,
Licensed WV Resident Agent Attorney-in-Fact

IMPORTANT – Surety executing bonds must be licensed in West Virginia to transact surety insurance. Corporate seals must be affixed,
and a power of attorney must be attached.



POWER OF ATTORNEY

Farmington Casualty Company
Fidelity and Guaranty Insurance Company
Fidelity and Guaranty Insurance Underwriters, Inc.
Seaboard Surety Company
St. Paul Fire and Marine Insurance Company

St. Paul Guardian Insurance Company
St. Paul Mercury Insurance Company
Travelers Casualty and Surety Company
Travelers Casualty and Surety Company of America
United States Fidelity and Guaranty Company

Attorney-In Fact No. 220306

Certificate No. 002970129

KNOW ALL MEN BY THESE PRESENTS: That Seaboard Surety Company is a corporation duly organized under the laws of the State of New York, that St. Paul Fire and Marine Insurance Company, St. Paul Guardian Insurance Company and St. Paul Mercury Insurance Company are corporations duly organized under the laws of the State of Minnesota, that Farmington Casualty Company, Travelers Casualty and Surety Company, and Travelers Casualty and Surety Company of America are corporations duly organized under the laws of the State of Connecticut, that United States Fidelity and Guaranty Company is a corporation duly organized under the laws of the State of Maryland, that Fidelity and Guaranty Insurance Company is a corporation duly organized under the laws of the State of Iowa, and that Fidelity and Guaranty Insurance Underwriters, Inc. is a corporation duly organized under the laws of the State of Wisconsin (herein collectively called the "Companies"), and that the Companies do hereby make, constitute and appoint


Andrew K. Teeter, Donna J. Price, Douglas P. Taylor, Kimberly L. Miles, C. Lee Jordan, Pamela V. Lanham, and Christopher A. Michel

of the City of Charleston, State of West Virginia, their true and lawful Attorney(s)-in-Fact, each in their separate capacity if more than one is named above, to sign, execute, seal and acknowledge any and all bonds, recognizances, conditional undertakings and other writings obligatory in the nature thereof on behalf of the Companies in their business of guaranteeing the fidelity of persons, guaranteeing the performance of contracts and executing or guaranteeing bonds and undertakings required or permitted in any actions or proceedings allowed by law.

IN WITNESS WHEREOF, the Companies have caused this instrument to be signed and their corporate seals to be hereto affixed, this 28th day of April, 2009

Farmington Casualty Company
Fidelity and Guaranty Insurance Company
Fidelity and Guaranty Insurance Underwriters, Inc.
Seaboard Surety Company
St. Paul Fire and Marine Insurance Company

St. Paul Guardian Insurance Company
St. Paul Mercury Insurance Company
Travelers Casualty and Surety Company
Travelers Casualty and Surety Company of America
United States Fidelity and Guaranty Company



State of Connecticut
City of Hartford ss.

By: [Signature]
George W. Thompson, Senior Vice President

On this the 28th day of April, 2009, before me personally appeared George W. Thompson, who acknowledged himself to be the Senior Vice President of Farmington Casualty Company, Fidelity and Guaranty Insurance Company, Fidelity and Guaranty Insurance Underwriters, Inc., Seaboard Surety Company, St. Paul Fire and Marine Insurance Company, St. Paul Guardian Insurance Company, St. Paul Mercury Insurance Company, Travelers Casualty and Surety Company, Travelers Casualty and Surety Company of America, and United States Fidelity and Guaranty Company, and that he, as such, being authorized so to do, executed the foregoing instrument for the purposes therein contained by signing on behalf of the corporations by himself as a duly authorized officer.

In Witness Whereof, I hereunto set my hand and official seal.
My Commission expires the 30th day of June, 2011.



[Signature]
Marie C. Tetreault, Notary Public

This Power of Attorney is granted under and by the authority of the following resolutions adopted by the Boards of Directors of Farmington Casualty Company, Fidelity and Guaranty Insurance Company, Fidelity and Guaranty Insurance Underwriters, Inc., Seaboard Surety Company, St. Paul Fire and Marine Insurance Company, St. Paul Guardian Insurance Company, St. Paul Mercury Insurance Company, Travelers Casualty and Surety Company, Travelers Casualty and Surety Company of America, and United States Fidelity and Guaranty Company, which resolutions are now in full force and effect, reading as follows:

RESOLVED, that the Chairman, the President, any Vice Chairman, any Executive Vice President, any Senior Vice President, any Vice President, any Second Vice President, the Treasurer, any Assistant Treasurer, the Corporate Secretary or any Assistant Secretary may appoint Attorneys-in-Fact and Agents to act for and on behalf of the Company and may give such appointee such authority as his or her certificate of authority may prescribe to sign with the Company's name and seal with the Company's seal bonds, recognizances, contracts of indemnity, and other writings obligatory in the nature of a bond, recognizance, or conditional undertaking, and any of said officers or the Board of Directors at any time may remove any such appointee and revoke the power given him or her; and it is

FURTHER RESOLVED, that the Chairman, the President, any Vice Chairman, any Executive Vice President, any Senior Vice President or any Vice President may delegate all or any part of the foregoing authority to one or more officers or employees of this Company, provided that each such delegation is in writing and a copy thereof is filed in the office of the Secretary; and it is

FURTHER RESOLVED, that any bond, recognizance, contract of indemnity, or writing obligatory in the nature of a bond, recognizance, or conditional undertaking shall be valid and binding upon the Company when (a) signed by the President, any Vice Chairman, any Executive Vice President, any Senior Vice President or any Vice President, any Second Vice President, the Treasurer, any Assistant Treasurer, the Corporate Secretary or any Assistant Secretary and duly attested and sealed with the Company's seal by a Secretary or Assistant Secretary; or (b) duly executed (under seal, if required) by one or more Attorneys-in-Fact and Agents pursuant to the power prescribed in his or her certificate or their certificates of authority or by one or more Company officers pursuant to a written delegation of authority; and it is

FURTHER RESOLVED, that the signature of each of the following officers: President, any Executive Vice President, any Senior Vice President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary, and the seal of the Company may be affixed by facsimile to any power of attorney or to any certificate relating thereto appointing Resident Vice Presidents, Resident Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such power of attorney or certificate bearing such facsimile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding on the Company in the future with respect to any bond or understanding to which it is attached.

I, Kori M. Johanson, the undersigned, Assistant Secretary, of Farmington Casualty Company, Fidelity and Guaranty Insurance Company, Fidelity and Guaranty Insurance Underwriters, Inc., Seaboard Surety Company, St. Paul Fire and Marine Insurance Company, St. Paul Guardian Insurance Company, St. Paul Mercury Insurance Company, Travelers Casualty and Surety Company, Travelers Casualty and Surety Company of America, and United States Fidelity and Guaranty Company do hereby certify that the above and foregoing is a true and correct copy of the Power of Attorney executed by said Companies, which is in full force and effect and has not been revoked.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed the seals of said Companies this 15th day of October, 2009.

WARNING: THIS POWER OF ATTORNEY IS INVALID WITHOUT THE RED BORDER


Kori M. Johanson, Assistant Secretary



To verify the authenticity of this Power of Attorney, call 1-800-421-3880 or contact us at www.travelersbond.com. Please refer to the Attorney-In-Fact number, the above-named individuals and the details of the bond to which the power is attached.



GT Events Specifications

General System Specifications:

The uprights shall be factory drilled to ensure accurate placement of components and ease of installation. Field drilling and measuring are not required. GT Events are direct bolt products NOT a clamp system. All uprights shall receive factory installed aluminum post caps and shall be shipped with a factory applied label indicating proper surfacing level.

All decks and components shall connect to support posts by means of a through-bolt connection for strong, durable connections. Deck/Collar attachments shall not be acceptable.

Manufacturer shall offer the following warranties on the materials and components of its system:

- LIFETIME LIMITED WARRANTY ON SUPPORT POSTS (UPRIGHTS)
- 15 YEAR LIMITED WARRANTY ON PUNCHED STEEL DECKS, PIPES, RAILS, LOOPS AND RUNGS
- 15 YEAR LIMITED WARRANTY ON ROTOMOLDED POLYETHYLENE COMPONENTS
- LIFETIME LIMITED WARRANTY ON POWERLOCK AND HARDWARE

Manufacturer shall be ISO 9001/2000 certified

Manufacturer shall show IPEMA certification of compliance for each component that the product conforms with the requirements of ASTM F1487-07ae1.

Climbers

ROCKSCAPE UPRIGHT

Shall be 3.5" outside diameter, 13 gauge (.095") galvanized round tubing, manufactured to ASTM A-500 Section II tolerances from cold-formed steel conforming to ASTM A-569 Sheet Spec for Steel Coil. Minimum yield strength shall be 50,000 psi and minimum tensile strength shall be 55,000 psi.

The exterior surface is hot dip galvanized, chromate conversion coated, and a clear high performance organic polymer is applied. The inside diameter has 81% minimum zinc rich primer capable of providing excellent rust protection and fabrication characteristics. All coatings are applied inside and out after welding for superior corrosion protection throughout. Exterior surface galvanizing zinc purity is 99% as per ASTM B-6 high grade and special high grade. Galvanizing coverage shall demonstrate the ability to exceed 1000 hours salt spray corrosion exposure in accordance with ASTM B-117. Internal surface zinc rich 81% minimum zinc dust content in organic resin, as per ASTM F-1234, Section 5.2.4, Type D. All upright posts shall have a finished grade line marking to indicate the correct playground safety surface level. All upright posts shall be coated with a custom formula TGIC polyester powder coating in conformance with the specifications outlined herein.

ROCKSCAPE (MODULAR)

ROCKSCAPE ROTOMOLDED PIECES: Shall be manufactured from linear low-density polyethylene material. Polyethylene shall be linear low-density material with UV stabilized color and an anti-static compound additive. Rotationally molded products shall meet or exceed the following specifications: ASTM D-1248, type 2, class A and Federal specification LP-390C, type 1, class M, grade 2, category 3; Density (ASTM D-1505); Brittleness Temperature (ASTM D-746); Tensile Values (ASTM D-638); Flexural Modulus (ASTM-790); Heat Distortion (ASTM-648); Low Temperature Impact (ARM-STD).

FOOTBUCK: Shall be fabricated from 2 3/8" O.D. x .095" (13Gauge) galvanized steel tubing and formed .09" (12 gauge) hot rolled steel plate. The Footbuck shall be all welded assembly and shall be coated with a custom formula of TGIC polyester powder.

GROUND EXTENSION: Shall be fabricated from 3 1/2" O.D. x .095" (13Gauge) galvanized steel tubing. The Ground Extension shall be coated with a custom formula of TGIC polyester powder.



STEEL TUBING: All tubing used to manufacture components shall be an electrical resistance welded, cold rolled, high strength steel tubing. The exterior coating will consist of an in line hot-dipped uniform zinc galvanizing, chromate conversion, and acrylic over-coating. The interior coating will consist of a special organic acrylic modified polyester.

POWDER COAT FINISH: Shall be an electrostatically applied custom formula of TGIC polyester powder. All components will be free of sharp edges and excess weld spatter and shall be cleaned in a six stage bath system with an iron phosphate wash, as a rust inhibitor, and a sealer to prevent flash rusting before coating. The coating shall have a super tough finish with maximum exterior durability and will have superior adhesion characteristics. Typical characteristics are: 3.0 - 5.0 mil thickness and oven cured between 375 to 425 degrees Fahrenheit. Pencil Hardness H (ASTM D-3363), Impact (ASTM D-2794-69), Wedge Bend (ASTM D-522-68).

HARDWARE: All nuts, bolts, screws, inserts, and lockwashers used in the assembly of all play equipment, shall be stainless steel, yellow dichromate plated steel, blue-coat plated steel, mechanically galvanized or powder coated/yellow dichromate plated steel. All primary fasteners shall be 300 series stainless steel. Fasteners with yellow dichromate treatment have an electro deposited, 99.9% pure zinc substrate applied from a specially formulated solution sealed with a yellow dichromate top coat designed to work in conjunction with the zinc plating. Yellow dichromate has a 320% longer life to white corrosion and 275% longer to red corrosion than does hot dip galvanizing. NOTE: All weights are based on average comparisons of each part.

SPECIFICATIONS: GAMETIME has a policy of continuous improvement and reserves the right to discontinue or change specifications without notice.

ROCKSCAPE SPIDER WEB

SPIDER WEB NET: The Spider Web Net shall be constructed of 16mm galvanized wire reinforced cable with a urethane coated polyester cover.

OVERHEAD BRACE: The Overhead Brace weld assembly shall be an all welded assembly fabricated with 1.66" O.D. x .083" (14 gauge) wall galvanized steel tubing, and formed 3" x 6" x 3/16" stainless steel plate. The Overhead Brace shall be powder coated.

NET TABS: The Net Tabs shall be fabricated from 2" Stainless steel, machined to match 3 1/2" O.D. uprights.

GROUND EXTENSION: Shall be fabricated from 3 1/2" O.D. x .095" (13 Gauge) galvanized steel tubing. The Ground Extension shall be coated with a custom formula of TGIC polyester powder.

POWDER COAT FINISH: Shall be an electrostatically applied custom formula of TGIC polyester powder. All components will be free of sharp edges and excess weld spatter and shall be cleaned in a six stage bath system with an iron phosphate wash, as a rust inhibitor, and a sealer to prevent flash rusting before coating. The coating shall have a super tough finish with maximum exterior durability and will have superior adhesion characteristics. Typical characteristics are: 3.0 - 5.0 mil thickness and oven cured between 375 to 425 degrees Fahrenheit. Pencil Hardness H (ASTM D-3363), Impact (ASTM D-2794-69), Wedge Bend (ASTM D-522-68).

HARDWARE: All nuts, bolts, screws, inserts, and lockwashers used in the assembly of all play equipment, shall be stainless steel, yellow dichromate plated steel, blue-coat plated steel, mechanically galvanized or powder coated/yellow dichromate plated steel. All primary fasteners shall be 300 series stainless steel. Fasteners with yellow dichromate treatment have an electro deposited, 99.9% pure zinc substrate applied from a specially formulated solution sealed with a yellow dichromate top coat designed to work in conjunction with the zinc plating. Yellow dichromate has a 320 % longer life to white corrosion and 275% longer to red corrosion than does hot-dip galvanizing. Galvanizing coverage shall demonstrate the ability to exceed 1000 hours salt spray corrosion exposure in accordance with ASTM B-117. Internal surface zinc rich 81% minimum zinc dust content in organic resin, as per ASTM F-1234, Section 5.2.4, Type D.

PrimeTime Specifications

General System Specifications:



PrimeTime® features 3 1/2" O.D. uprights with a positive bolt-through fastening system utilizing stainless steel tabs. The uprights shall be factory drilled to ensure accurate placement of components and ease of installation. Field drilling and measuring are not required. PrimeTime is a direct bolt system NOT a clamp system. All uprights shall receive factory installed aluminum post caps and shall be shipped with a factory applied label indicating proper surfacing level.

All decks and components shall connect to support posts by means of a through-bolt connection for strong, durable connections. Deck/Collar attachments shall not be acceptable. All climbing attachments shall include a 15" wide deck entry archway to control deck access to one child at a time and help prevent inadvertent falls.

Manufacturer shall offer the following warranties on the materials and components of its system:

- LIFETIME LIMITED WARRANTY ON SUPPORT POSTS (UPRIGHTS)
- 15 YEAR LIMITED WARRANTY ON PUNCHED STEEL DECKS, PIPES, RAILS, LOOPS AND RUNGS
- 15 YEAR LIMITED WARRANTY ON ROTOMOLDED POLYETHYLENE COMPONENTS
- LIFETIME LIMITED WARRANTY ON HARDWARE

Manufacturer shall be ISO 9001/2000 certified

Manufacturer shall show IPEMA certification of compliance for each component that the product conforms with the requirements of ASTM F1487-07ae1.

General Specifications of Materials:

HARDWARE

All nuts, bolts, screws, inserts, and lockwashers used in the assembly of all play equipment shall be stainless steel, yellow dichromate plated steel, blue-coat plated steel, mechanically galvanized or powder coated/yellow dichromate plated steel. All primary fasteners shall be 304 alloy stainless steel. Fasteners with yellow dichromate treatment have an electro-deposited, 99.9% pure zinc substrate applied from a specially formulated solution sealed with a yellow dichromate top coat designed to work in conjunction with the zinc plating. Yellow dichromate has a 320% longer life to white corrosion and 275% longer to red corrosion than does hot-dip galvanizing. All primary stainless steel fasteners shall be Button Head Socket Caps.

POWDER COAT FINISH

Shall be an electrostatically applied custom formula of TGIC polyester powder. All components will be free of sharp edges and excess weld spatter and shall be cleaned in a six stage bath system with an iron phosphate wash, as a rust inhibitor, and a sealer to prevent flash rusting before coating. In addition, all welds shall be protectively coated with ZRP, a zinc rich primer that forms a rust-resistant barrier layer over each weld prior to application of the powder coating. The powder coating shall have a super tough finish with maximum exterior durability and will have superior adhesion characteristics. Typical characteristics are: 3.0 - 5.0 mil thickness and oven cured between 375 to 425 degrees Fahrenheit. Pencil Hardness H (ASTM D-3363), Impact (ASTM D-2794- 69), Wedge Bend (ASTM D-522-68), Adhesion (Cross Hatch ASTM D-3359 & Knife Scratch ASTM D-2197), Environmental (Stain Resistance ASTM D-1308, Humidity ASTM D-2247 - 87, Salt Spray ASTM B-117 & Fadometer 300 hrs with no loss of gloss), Over-bake Stability 100% at 400 degrees Fahrenheit.

Uprights and Upright Accessories:

BOLT-THROUGH CONNECTION

Each PrimeTime/TotTime component is bolted directly into the upright post and designed to eliminate exposed hardware and protrusions. Minimum tensile strength of the connection shall be 45,000 psi, minimum yield strength shall be 22,000 psi. All necessary connectors shall be engineered, manufactured and factory installed as an integral part of the upright post. For added protection against corrosion, cold galvanizing shall be applied to the edges of each drilled hole.

UPRIGHTS



All upright posts shall have a finished grade line marking to indicate the correct playground safety surface level. All upright posts shall be coated with a custom formula TGIC polyester powder coating in conformance with the specifications outlined herein.

UPRIGHTS - STEEL

Shall be 3.5" outside diameter, 13 gauge (.095") galvanized round tubing, manufactured to ASTM A-500 Section II tolerances from cold-formed steel conforming to ASTM A-569 Sheet Spec for Steel Coil. Minimum yield strength shall be 50,000 psi and minimum tensile strength shall be 55,000 psi.

The exterior surface is hot dip galvanized, chromate conversion coated, and a clear high performance organic polymer is applied. The inside diameter has 81% minimum zinc rich primer capable of providing excellent rust protection and fabrication characteristics. All coatings are applied inside and out after welding for superior corrosion protection throughout. Exterior surface galvanizing zinc purity is 99% as per ASTM B-6 high grade and special high grade. Galvanizing coverage shall demonstrate the ability to exceed 1000 hours salt spray corrosion exposure in accordance with ASTM B-117. Internal surface zinc rich 81% minimum zinc dust content in organic resin, as per ASTM F-1234, Section 5.2.4, Type D. All upright posts shall have a finished grade line marking to indicate the correct playground safety surface level. All upright posts shall be coated with a custom formula TGIC polyester powder coating in conformance with the specifications outlined herein.

UPRIGHT CAPS

The standard upright cap shall be an aluminum cap, cast from a 383 alloy, powder coated to match the upright. Every upright cap shall be anodized for maximum protection. All upright caps are permanently installed at the factory using aluminum self-sealing rivets.



CUNNINGHAM
ASSOCIATES INC.
Park & Playground Products

October 22, 2009


West Virginia State Park
2019 Washington Street East
Charleston, WV 25305

RE: Beech Fork State Park

To Whom It May Concern:

This letter will serve to confirm that the proposed equipment referenced above was designed to conform to or exceed the applicable voluntary CPSC guidelines and ASTM standards (F1487) and was professionally installed by a GameTime certified installer. Additionally, ASTM compliance has been certified by IPEMA. For a full listing of IPEMA certified products, please see GameTime's product listing at the IPEMA website at www.ipema.org.

Sincerely,



Lisa Schenk

Box 240981 Charlotte, NC 28224

Office: 704.525.5174

Toll Free: 800.438.2780

Fax: 704.525.7356

West Virginia
State Parks
Moxley Branch
Barboursville, WV


No.	Revision	Date

This play equipment is recommended for children ages

Soft, resilient surfacing should be placed in the use zones of all equipment, as specified for each type of equipment, and at depths to meet the critical fall heights as specified by the U.S. consumer Product Safety Commission, ASTM standard F 1487 and Canadian Standard CAN/CSA-Z-614.




Drawn By: Soader
Date: 5-29-09
Drawing Name: Moxley Branch




88'-3"

38'-5"




JUMBO FLYER



F5 SPIRAL SLIDE

ENCLOSED TOT SEAT PACKAGE 3 1/2" O.D. W/ STAINLESS STEEL CHAIN


BELT SEAT PACKAGE 3 1/2" O.D. W/ STAINLESS STEEL CHAIN



ENCLOSED TOT SEAT PACKAGE 3 1/2" O.D. W/ STAINLESS STEEL CHAIN

PRIMITIVE SWING
ADD-A-BAT

PRIMITIVE SWING



TURFCLOAD
6' BENCH W/BACK
IN-GROUND (PS)

BELT SEAT PACKAGE 3 1/2" O.D. W/ STAINLESS STEEL CHAIN

West Virginia
State Park
Franklin Wooten
Barboursville, WV


No.	Revision	Date

This play equipment is recommended for children ages

Soft, resilient surfacing should be placed in the use zones of all equipment, as specified for each type of equipment, and at depths to meet the critical fall heights as specified by the U.S. consumer Product Safety Commission, ASTM standard F 1487 and Canadian Standard CAN/CSA-Z-614.



Drawn By: _____
Scale: 1/8" = 1'-0"
Date: 5-29-09
Drawing Name: Franklin Wooten recreation



95'-8"

58'-3"

West Virginia
State Park
Lakeview Campground
Barboursville, WV


No.	Revision	Date

This play equipment is recommended for children ages

Soft, resilient surfacing should be placed in the use zones of all equipment, as specified for each type of equipment, and at depths to meet the critical fall heights as specified by the U.S. consumer Product Safety Commission, ASTM standard F-1487 and Canadian Standard CAN/CSA-Z-614.



Drawn By: /
Date: 5-29-08
Drawing Name: Lakeview Campground



West Virginia
State Parks
Four Coves
Barboursville, WV


No.	Revision	Date

This play equipment is recommended for children ages

Soft, resilient surfacing should be placed in the use zones of all equipment, as specified for each type of equipment, and at depths to meet the critical fall heights as specified by the U.S. consumer Product Safety Commission, ASTM standard F 1487 and Canadian Standard CAN/CSA-Z-614.




Drawn By:	Scale: 1/4" = 1'
Date:	5-29-09
Drawing Name:	Four Coves



56'-4"


33'-5"

TUFFCLAD
6' BENCH w/BACK
IN-GROUND (PS)




F5 SPIRAL
SLIDE

ENCLOSED TOT SEAT PACKAGE 3 1/2" O.D.
w/ STAINLESS STEEL CHAIN



ENCLOSED TOT SEAT PACKAGE 3 1/2" O.D.
w/ STAINLESS STEEL CHAIN

BELT SEAT PACKAGE 3 1/2" O.D.
w/ STAINLESS STEEL CHAIN



BELT SEAT PACKAGE 3 1/2" O.D.
w/ STAINLESS STEEL CHAIN

PRIMETIME SWING

PRIMETIME SWING
ADD-A-BAY

West Virginia
State Parks
Four Cove - Alt.
Bartonsville, WV


Rev	Description	Date

This play equipment is recommended for children ages

Soft, resilient surfacing should be placed in the use zones of all equipment, as specified for each type of equipment, and at depths to meet the critical fall heights as specified by the U.S. consumer Product Safety Commission, ASTM standard F 1487 and Canadian Standard CAN/CSA-Z-614.



Drawn By: [Signature]
Scale: 1" = 4'
Date: 5-29-09
Checked by: [Signature]
Four coves alternative



TUFFCLAD
6' BENCH w/BACK
IN-GROUND (PS)

150 GameTime Drive
Fort Payne, Alabama 35967
Telephone: 256/845-5610
Facsimile: 256/997-9653
Email: service@gametime.com



GAMETIME WARRANTIES

GameTime provides warranties on all materials and workmanship for one year, excluding vandalism.

In addition, GameTime offers:

- ✓ Lifetime limited warranty on PowerScape® Plus and PrimeTime™ uprights.
- ✓ Lifetime limited warranty on all hardware.
- ✓ Lifetime limited warranty on GameTime PowerScape Plus PowerLocks™.
- ✓ Ten-Year limited warranty on PrimeTime and TotTime bolt-through connection.
- ✓ Fifteen-Year limited warranty on rotationally molded KidTime products.
- ✓ Fifteen-Year limited warranty on metal decks, pipes, rungs, rails and loops.
- ✓ Ten-Year limited warranty on pressure-treated pine and redwood products.
- ✓ Ten-Year limited warranty on Parcourse® fitness equipment.
- ✓ Fifteen -Year limited warranty on rotationally molded products.
- ✓ Five-Year limited warranty on SuperSeats™.
- ✓ Three-Year limited warranty on rubber or "C"-springs used on SaddleMates.
- ✓ One-Year limited warranty on all other GameTime products.

All warranties specifically exclude damage caused by vandalism; negligence, improper installation or improper use; changes in appearance resulting from weathering; scratches, dents or marring as a result of use.

Warranties are valid only if products are installed and maintained in accordance with GameTime instructions and use approved parts.

LIMITED WARRANTY ON POWERSCAPE® PLUS AND PRIMETIME™

GameTime provides a lifetime limited warranty on PowerScope Plus PowerLocks™; a fifteen -year warranty on decks, pipes, rails, loops, and rungs; a lifetime limited warranty on upright posts; a ten-year limited warranty on the PrimeTime bolt-through connection; and a one-year limited warranty on powder coated parts. These warranties cover damage due to failure or corrosion of metal parts that cause the product to become structurally unfit for its intended use. This lifetime warranty refers to the life of the product as defined below and covers the product under normal use and proper maintenance; see exclusions.

LIFETIME LIMITED WARRANTY ON HARDWARE

GameTime provides a one-year limited warranty on hardware against rust and lifetime limited warranty against structural failure due to breaking or shearing which causes the product to become structurally unfit for its intended use; see exclusions. All testing of GameTime's hardware is performed under the guidelines of ASTM B117. This lifetime warranty refers to the life of the product as defined below and covers the product under normal use and proper maintenance. The cost of replacement due to scratching or cutting of certain hardware plating is not included in this warranty.

LIMITED WARRANTY ON SITE FURNISHINGS

GameTime provides a ten-year limited warranty on site furnishings against structural failure that causes the product to be structurally unfit for its intended use; and a one-year limited warranty on powder coating. These warranties cover damage due to failure or corrosion of metal parts that cause the product to become structurally unfit for its intended use; see exclusions.

FIFTEEN-YEAR LIMITED WARRANTY ON METAL DECKS

GameTime provides a fifteen-year limited warranty on decks against structural failure that causes the product to be structurally unfit for its intended use; see exclusions.

FIFTEEN -YEAR LIMITED WARRANTY ON ROTOMOLDED AND THERMO-FORMED POLYETHYLENE PRODUCTS

GameTime provides a fifteen-year limited warranty on rotomolded and thermo-formed polyethylene products for structural integrity against damage due to breaking or splitting under normal use that causes the product to become structurally unfit for its intended use; see exclusions. In the event of a claim under this warranty, GameTime will replace the rotomolded or thermo-formed polyethylene product at no cost to the customer within the first thirty-six months from date of shipment.

If the product fails after thirty-six months, during the fourth year of this warranty, GameTime will replace the rotomolded or thermo-formed polyethylene product, charging the customer 30% of the selling price of the product current at time of replacement. Beginning in the fifth year, and every year thereafter through the remainder of the warranty, an additional 5% will be charged for each full year the product was in the hands of the customer. Should replacement be necessary after three years and before expiration of the original warranty, resulting in a pro-rated purchase, a new ten-year warranty shall be issued for the new part only.

TEN-YEAR LIMITED WARRANTY ON REDWOOD AND PRESSURE-TREATED WOOD PRODUCTS

GameTime provides a ten-year limited warranty on redwood and pressure-treated wood products against damage by decay or termites that cause the wood to become structurally unfit for its intended use; see exclusions.

FIVE YEAR LIMITED WARRANTY ON GAMETIME® SUPER SEAT™

GameTime provides a five-year limited warranty on Model No. 949 SuperSeat and Model No. 999 SuperSeat-2 against structural failure that causes the seat to become unfit for its intended use; see exclusions.. The factory installed "S"-Hook and Seat Hanger assemblies are covered under a one-year limited warranty against rust, corrosion or premature wear.

THREE-YEAR LIMITED WARRANTY ON RUBBER AND "C" SPRINGS FOR SADDLEMATES

GameTime provides a three-year limited warranty on rubber and "C"-springs for SaddleMates against damage due to de-lamination of the rubber spring and breakage of the "C"-spring that cause the SaddleMate to become structurally unfit for its intended use; see exclusions.

For the purposes of this warranty, lifetime encompasses no specific term of years, but rather that Seller warrants to its original customer for as long as the original customer owns the Product and uses the Product for its intended purpose that the Product and all parts will be free from defects in material and manufacturing workmanship.

Gametime excludes from these warranties the cost to remove parts and reinstall replacements; replacement due to cosmetic defects or coating deterioration caused by climatic conditions; and wood replacement resulting from twisting, warping, checking, shrinking, swelling or other natural physical properties of wood.

To the extent permitted by law, these warranties are expressly in lieu of any other implied or expressed warranties or representation by any person, including any implied warranty of merchantability or fitness. These warranties provide valuable rights to you. No Sales Representative can modify or amend the terms of this warranty.

Claim Procedure

To make a warranty claim, send your written statement of claim, along with the original purchase invoice or invoice number to:

GameTime
Customer Service
P.O. Box 680121
Fort Payne, AL 35968

Or Contact you local Representative at

USA 1-800-235-2440
International 01-256-845-5610

Within 60 days of notice of claim under warranty, GameTime will make arrangements to replace the damaged product. GameTime will cover freight costs within the continental United States. GameTime is not responsible for freight costs associated with products located outside the continental United States. GameTime reserves the right to inspect all product identified as damaged.

Since warranty limitations and exclusions may vary from state to state, you should check any specific warranty rights in your state.

GameTime
P.O. Box 680121
Fort Payne, Alabama 35968
Fax: 256-997-9653
Email: service@gametime.com

See GameTime on the web at www.gametime.com





IMPORTANT PRODUCT INFORMATION AND SAFETY WARNINGS



REVISED: 10/27/03


READ BEFORE STARTING INSTALLATION

THE FOLLOWING WARNINGS CONTAIN GENERAL INFORMATION WHICH IS INTENDED TO MAKE OUR PARKS AND PLAYGROUNDS SAFER. PLEASE REVIEW IT CAREFULLY TO ASSIST YOU IN YOUR INSTALLATION, SUPERVISION, AND MAINTENANCE EFFORTS. THE WARNINGS ARE NOT TO BE CONSIDERED AN ALL INCLUSIVE LIST. IT IS STRONGLY RECOMMENDED THAT THE ASTM 1487 STANDARD AND THE CPSC GUIDELINES OR THE CANADIAN STANDARD CAN/CSA-Z-614 BE STUDIED AND USED IN YOUR PLAYGROUND SAFETY EFFORTS.

THE Owner/Operator shall install and maintain protective surfacing within the use zone (U.S.) or protective surfacing zone (Canada) of all play equipment to comply with ASTM F-1292 and ASTM F-1487 (U.S.) or CAN/CSA-Z-614 (Canada).

THE Owner/Operator shall maintain the protective surfacing within the use zone of each play structure free from extraneous materials that could cause injury, infection, or disease.

PROTECTIVE Surfacing: The surfaces under and around play equipment should be soft enough to cushion falls. For most play equipment, these surfaces should contain a minimum of 12 inches of wood chips, mulch, sand or pea gravel. For more information on the proper surfacing materials, call the CPSC Hotline at 1-800-638-2772.



SOFT, resilient surfacing should be placed in the use zones of all equipment, as specified for each type or equipment, and at depths to meet the critical fall heights as specified by the U.S. Consumer Product Safety Commission,

ASTM standard F-1487 and Canadian Standard CAN/CSA-Z-614. Equipment should be placed to eliminate conflicting traffic patterns. WORN surfaces around equipment should be restored. Concrete footings should never be exposed. Surface depth should comply with installation instructions.

NEVER INSTALL PLAYGROUND EQUIPMENT ON CONCRETE OR ASPHALT. A FALL ON A HARD SURFACE CAN RESULT IN SERIOUS INJURY TO THE EQUIPMENT USER.

CHECK for erosion and cratering of surfaces under swings, slides, and heavy traffic areas and restore surfacing as necessary.

SURFACING leading to play opportunities for children with disabilities should be firm, stable and slip resistant, as well as resilient.

FALL ZONES

OVERHEAD obstructions within the use zones of playground equipment that are not part of the play structure (for example, tree limbs) shall be at least 84 in. (2130 mm) above each designated play surface or 84 in. (2130 mm) above the pivot point of swings.

ALL overhead utility line clearances above the use zone areas shall comply with all local, state, and national codes, such

as the National Electrical Safety Code. For specific equipment fall zone requirements, refer to the CPSC and ASTM 1487 and use the more stringent of the two.

EQUIPMENT SPACING

EQUIPMENT Spacing: Play structures should be spaced at least 12 feet apart to allow children space to circulate or fall without striking another structure. Moving pieces of equipment should be located in an area away from other play structures so children have adequate room to pass from one play area to another without being struck by a moving swing or by another child exiting from a slide.

BECAUSE metal slides left in the sun can cause burns, they should be placed in shaded areas or with the slide bedway facing north. Placing metal slides in a shaded location will help to prevent them from reflecting the glare of the sun and interfering with children's vision.

CATCH POINTS AND PROTRUDING HARDWARE

CATCH Points and Protruding Hardware: There should be no dangerous pieces of hardware, such as protruding bolt ends and narrow gaps in metal connections or open "S" Hooks at the top and bottom of swings. Exposed hardware can cut children, puncture skin, or catch clothing drawstrings, which could strangle a child.

ALL protruding nuts and bolts should be eliminated; sharp edges on pipes should be capped or removed. Check for bent, broken or severely worn pipe and replace.

EXAMINE slide bed way, bedrails, handrails and exits for foreign objects, holes and rough edges.

OPENINGS THAT CAN TRAP

OPENINGS that Can Trap: Openings in guardrails, spaces between platforms and between ladder rungs, should measure less than 3.5 inches or more than 9 inches. Children can get trapped and strangle in openings where they can fit their bodies but not their heads through the space.

CRUSH, SHEARING, AND SHARP HAZARDS

CRUSH, Shearing and Sharp Hazards: Equipment should not have sharp points or edges that could cut skin. Moving pieces of equipment, such as suspension bridges, track rides, merry go rounds or, seesaws, should not have accessible moving parts that might crush a child's finger.

CHECK to be sure all fittings are tight and that the bars and pipes do not move.

BE sure that there are not accessible crush or shear mechanisms on the undercarriage of the equipment or in the center of the whirl platform.

CHECK for and eliminate sharp edges on whirl platforms.

TRIPPING HAZARDS

TRIPPING Hazards: There should be no exposed concrete footings, abrupt changes in surface elevations, tree roots, tree stumps, and rocks, which can trip children and adults.

CHECK for trip hazards, such as the balance beam support posts, or environmental trip hazards, such as rocks or roots in the play area. Make necessary improvements or repairs.

ROUTINE MAINTENANCE

THE Owner/Operator shall establish and maintain detailed installation, inspection, maintenance, and repair records for each public-use playground equipment area.

ROUTINE Maintenance: Find out if your playground has a designated official who periodically inspects the play equipment for preventative maintenance. This includes: replacing missing, broken or worn-out components; securing hardware; checking for deterioration in the wood, metal, or plastic materials; maintaining the proper 12-inch depth of surfacing material; and cleaning up debris.

REGULAR maintenance is necessary on all park and playground equipment.

CHECK for and repair damage caused by wear or vandalism, a major factor in injury causing situations.

CHECK wood equipment for decay, termites, splintering and cracking. Repair or replace

when needed.

PROPER maintenance of **GAME TIME®** equipment requires regular tightening of all bolts, nuts, set screws and other hardware.

ALL equipment should be free of rust and repainted with an appropriate lead free paint whenever necessary to deter rusting. This should also be done for any chipped or peeling areas.

REGULAR checking of all parts, castings, etc., should be made. If a part is broken or worn it should be replaced immediately.

CHECK for loose spring castings and tighten.

CHECK for missing or broken parts, rungs or steps and repair as necessary.

REPLACE worn or damaged belt seats or other swing seats.

CHECK for worn chains and replace them as needed.

CHECK to be sure there is free movement of swing hanger and other moving attached parts.

CHECK the vertical distance between the underside of the occupied swing seat and the protective surface. It should measure no less than 12 inches. Adjust swing seat height as necessary.

CHECK for deformation of open "S" Hooks, shackles, rings, links, etc. Check "S" Hooks for excessive wear, that they are properly closed; never reuse. Check for worn swing hangers and chain. When these areas are identified, replacements should be made.

CHECK for missing, damaged or loose swing seats. Check rubber seats for wear, sharp edges/points, scorching, burn damage. Repair or replace as needed.

CHECK for swing chain wrapped around top rail and unwrap. Replace as necessary.

CHECK for hard surfaces, especially under swings, slides, etc. Refer to CPSC surfacing requirements.

CHECK for surfacing material that is worn or scattered and restore.

DEBRIS, broken glass, trash or other foreign objects within or on play area/equipment should be removed.

CHECK for poor drainage areas and repair.

CHECK concrete footings to see if they are exposed, cracked, or loose in the ground and repair as necessary.

CHECK for proper grease in tire swing assemblies and lubricate as necessary.

CHECK drainage holes in tire swing tires for

blockage and remove debris as necessary. *CHECK* for lack of lubrication on moving parts and lubricate.

CHECK crush points (exposed mechanisms, junctures of moving components) and eliminate.

CHECK for broken supports/anchors. Stability in ground, structures should not be easily swayed, connections should be solid and adequately secured. Check all posts (wood and steel) in ground for corrosion or rot below grade.

WHEN flexible components are anchored in the ground, check and make sure anchoring devices are below the level of the playground. *CHECK* for worn or noisy bearings on whirls and other equipment. Replace these with new ones. Most whirls have two bearings. A good practice is to replace both bearings at the same time.

CHECK for up and down motion of whirl platform, which may indicate excessive bearing wear. Replace bearing(s) if necessary.

CHECK for wearing away and erosion of the surface around the whirl and restore.

CHECK exit areas of slides, to be sure that slide exit areas are no more than 11 inches from the protective surface for slides under 4 feet high. For slides over 4 feet high, the height of the exit region from the surface should be between 7 and 15 inches.

CHECK surface area around slide exit for erosion and repair as necessary.

CHECK for visible cracks, bending, warping, rusting, or breakage of any component and repair as needed.

CHECK for accessible sharp edges or points. Check for protruding bars, bolts, and nuts, etc. Eliminate these conditions.

CHECK for exposed ends of tubing that should be covered by plugs or caps.

CHECK for loose bolts, nuts, etc. and tighten.

CHECK for broken or missing rails, steps, rungs, or seats and replace.

REPLACE broken springs and seats on spring animals, buck-a-bouts and other similar play events.

CHECK non-rigid climbing components, such as net or chain climbers, to ascertain that both ends are securely anchored.

SUPERVISION

SUPERVISION: The play area should be designed so that adults can observe and supervise children at play.

GENERAL

ALWAYS Follow Installation Instructions When Assembling Equipment. GAMETIME® PROVIDES ITS CUSTOMERS WITH COMPLETE SPECIFICATION SHEETS AND INSTALLATION INSTRUCTIONS. THE SPECIFICATION SHEET CONTAINS THE LISTING OF EVERY PART USED IN A PIECE OF EQUIPMENT.

NEVER add components not intended for use with this product.

CHECK overall stability and rigidity of all play equipment. Check for proper assembly, installation and ground anchoring.

REPLACE All Worn "S" Hooks. "S" Hooks Must Be Completely Closed. To Close "S" Hooks Properly. Use GameTime® "S" Hook Pliers. Failure to Close "S" Hooks Properly Can Result in Serious Injury To the User. Never Reuse "S" Hooks.


ASSEMBLE all slides on level ground to insure proper exit height of slide bed way. The exit portion of bed way should slope downward no SEGMENTS of whirl platforms should be continuous.

Tighten bolts if segments allow a 5/16 diameter rod to penetrate completely through the surface.

APPLY Loctite type compound to hardware connections if locking patch is not supplied.

EQUIPMENT Which is Identified as Having Hazards Should Be Taken Out of Use Until Hazards are Removed and All Necessary Repairs are Made.

WARNING: DURING INSTALLATION, HARDWARE AND SMALL PARTS ARE CHOKING HAZARDS FOR YOUNG CHILDREN. STORE UNUSED PARTS APPROPRIATELY UNTIL ASSEMBLY IS COMPLETED. ONCE ASSEMBLY IS COMPLETED, REMOVE ANY UNUSED PARTS FROM THE PLAY ENVIRONMENT AND DISPOSE/SAVE THEM IN A SECURE LOCATION.





Tips For Public Playground Safety

Publication #324

Fact Sheet

Each year, about 200,000 children are treated in U.S. hospital emergency rooms for playground equipment-related injuries an estimated 148,000 of these injuries involve public playground equipment and an estimated 51,000 involve home playground equipment. Also, about 15 children die each year as a result of playground equipment-related incidents. Most of the injuries are the result of falls. These are primarily falls to the ground below the equipment, but falls from one piece of equipment to another are also reported. Most of the deaths are due to strangulations or falls.

The U.S. Consumer Product Safety Commission (CPSC) offers consumers these playground safety tips from its *Handbook for Public Playground Safety*.

1. **Protective Surfacing** - Since almost 60% of all injuries are caused by falls to the ground, protective surfacing under and around all playground equipment is the most critical safety factor on playgrounds.

- Asphalt and concrete are unacceptable. They do not have any shock absorbing properties. Similarly, grass and turf should not be used. Their ability to absorb shock during a fall can be reduced considerably through wear and environmental conditions.
- Certain loose-fill surfacing materials are acceptable, such as the types and depths shown in the table:

FALL HEIGHT IN FEET FROM WHICH A LIFE THREATENING HEAD INJURY WOULD NOT BE EXPECTED			
TYPE OF MATERIAL	6" DEPTH	9" DEPTH	12" DEPTH
DOUBLE SHREDDED BARK MULCH	6	10	11
WOOD CHIPS	6	7	12
FINE SAND	5	5	9
FINE GRAVEL	6	7	10

• Certain manufactured synthetic surfaces also are acceptable; however, test data on shock absorbing performance should be requested from the manufacturer.

2. **Fall Zones** - A fall zone, covered with a protective surfacing material, is essential under and around equipment where a child might fall. This area should be free of other equipment and obstacles onto which a child might fall.

Stationary climbing equipment and slides should have a fall zone extending a minimum of 6' in all directions from the perimeter of the equipment.

Swings should have a fall zone extending

a minimum of 6' from the outer edge of the support structure on each side. The fall zone in front and back of the swing should extend out a minimum distance of twice the height of the swing as measured from the ground to the top of the swing support structure.

3. **Swing Spacing** - To prevent injuries from impact with moving swings, swings should not be too close together or too close to support structures. Use the following guide:

- No more than two swing seats suspended in the same section or bay of the support structure. Use the following clearances for conventional to-fro swings:

U.S. Consumer Product Safety Commission

Washington, DC 20207

Holline: 1-800-638-2772



- Horizontal distance between adjacent swing seats (at least 24").
- Horizontal distance between swing seat and adjacent structural component (at least 30").
- No more than one tire swing suspended in same section or bay of support structure. Distance between the outermost edge of a tire swing and the adjacent upright of the support structure - at least 30" when the tire is swung to a position closest to the support structure.
- No swings attached to multi-activity equipment.
- No heavy animal swings with rigid metal framework.



4. *Elevated Surfaces* - Platforms more than 30" above the ground should have guardrails to prevent falls.

5. *Potential Head Entrapment Hazards* - In general, openings that are closed on all sides, should be less than 3-1/2" or greater than 9". Openings that are between 3-1/2" and 9" present a head entrapment hazard because they are large enough to permit a child's body to go through, but are too small to permit the head to go through. When children enter such openings, feet first, they may become entrapped by the head and strangle.

6. *Potential Entanglement Hazards* - Open "S" Hooks, especially on swings, and any protrusions or equipment components/hardware which may act as hooks or catch points can catch children's clothing and cause strangulation incidents. Close "S" Hooks as tightly as possible and eliminate protrusions or catch points on playground equipment.

7. *Pinch or Crush Points* - There should be no exposed moving parts which may present a pinching or crushing hazard.

8. *Playground Maintenance* - Playgrounds should be inspected on a regular basis. If any of the following conditions are noted, they should be removed, corrected or repaired immediately to prevent injuries:

- Hardware that is loose or worn, or that has protrusions or projections.
- Exposed equipment footings.
- Scattered debris, litter, rocks, or tree roots.
- Rust and chipped paint on metal components.
- Splinters, large cracks, and decayed wood components.
- Deterioration and corrosion on structural components which connect to the ground.
- Missing or damaged equipment components, such as handholds, guardrails, swing seats.

To report a dangerous product or a product related injury and for information on CPSC's fax-on-demand service, call CPSC's hotline at (800) 638-2772 or CPSC's teletypewriter at (800) 638-8270. To order a press release through fax-on-demand, call (301) 504-0051 from the handset of your fax machine and enter the release number. Consumers can obtain releases and recall information via

Internet gopher services at cpsc.gov or report product hazards to info@cpsc.gov

For more detailed information on playground safety, refer to the CPSC's Handbook for Public Playground Safety. To obtain a copy, send a postcard with your name, address, and name of publication to U.S. Consumer Product Safety Commission, Washington, DC 20207.

This document is in the public domain. It may be reproduced in part or in whole by an individual or organization without permission. If it is reproduced, however, the Commission would appreciate knowing how it is used. Write to the Consumer Product Safety Commission, Office of Information and Public Affairs, Washington, D.C. 20207.