



**State of West Virginia
Department of Administration
Purchasing Division**

NOTICE

Due to the size of this bid, it was impractical to scan every page for online viewing. We have made an attempt to scan and publish all pertinent bid information. However, it is important to note that some pages were necessarily omitted.

If you would like to review the bid in its entirety, please contact the buyer. Thank you.



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210030

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
KRISTA FERRELL 304-558-2596

VENDOR

*709022058 800-848-7556
 SERVICE SUPPLY LTD
 1524 SOUTH HAMILTON RD
 COLUMBUS OH 43227

SHIP TO

DIVISION OF NATURAL RESOURCES
 NORTH BEND STATE PARK
 ATTN: PARK SUPERINTENDENT
 ROUTE 1, BOX 221
 CAIRO, WV 26337 304-643-2931

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
08/30/2009				

BID OPENING DATE: **09/17/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		650-38		
				PLAYGROUND EQUIPMENT NORTH BEND STATE PARK		
				REQUEST FOR QUOTATION (RFQ)		
				THE WEST VIRGINIA PURCHASING DIVISION, FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF NATURAL RESOURCES IS SOLICITING BIDS FROM RESPONSIBLE VENDORS FOR NEW PLAYGROUND EQUIPMENT FOR NORTH BEND STATE PARK PER THE ATTACHED SPECIFICATIONS.		
				TECHNICAL QUESTIONS MUST BE SUBMITTED TO KRISTA FERRELL IN THE WEST VIRGINIA STATE PURCHASING DIVISION VIA MAIL AT THE ADDRESS SHOWN IN THE BODY OF THIS RFQ, VIA FAX AT 304-558-4115, OR VIA EMAIL AT KRISTA.S.FERRELL@WV.GOV. DEADLINE FOR ALL TECHNICAL QUESTIONS IS 09/08/2009 AT THE CLOSE OF BUSINESS. ALL TECHNICAL QUESTIONS RECEIVED, IF ANY, WILL BE ANSWERED BY ADDENDUM AFTER THE DEADLINE HAS LAPSED.		
				QUESTIONS CONCERNING THE PROCESS BY WHICH A VENDOR MAY SUBMITTED AT ANY TIME PRIOR TO THE BID OPENING AND IN ANY FORMAT.		
				BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT MAY BE DEEMED NULL AND VOID, AND TERMINATED WITHOUT FURTHER ORDER.		
				THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH		

RECEIVED
 2009 SEP 16 A 9:54
 PURCHASING DIVISION
 STATE OF WV

SEE REVERSE SIDE FOR TERMS AND CONDITIONS		
SIGNATURE <i>Janet Klecka</i>	TELEPHONE 800-848-7556	DATE 09/15/09
TITLE JANET KLETECKA BOARD MEMBER	FEIN 31-262459	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
14. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
15. **WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT:** If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in case of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210030

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF
KRISTA FERRELL 304-558-2596

VENDOR	*709022058	800-848-7556
	SERVICE SUPPLY LTD	
	1524 SOUTH HAMILTON RD	
	COLUMBUS OH 43227	

SHIP TO	DIVISION OF NATURAL RESOURCES
	NORTH BEND STATE PARK
	ATTN: PARK SUPERINTENDENT
	ROUTE 1, BOX 221
	CAIRO, WV 26337
	304-643-2931

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
08/30/2009				

BID OPENING DATE: **09/17/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.</p> <p>VENDORS MUST PROVIDE UNIT PRICES FOR ALL LINE ITEMS. FAILURE TO PROVIDE UNIT PRICES WILL RESULT IN THE DISQUALIFICATION OF THE VENDORS BID.</p> <p>VENDORS MUST SUBMIT ALL UNIT PRICES IN THE UNIT OF MEASURE REQUESTED BY THE AGENCY. FAILURE TO PROVIDE UNIT PRICES IN THE GIVEN UNIT OF MEASURE WILL RESULT IN THE DISQUALIFICATION OF THE VENDOR'S BID.</p> <p>VENDORS MUST SUBMIT PRICING ON THE PRICING SHEET PROVIDED IN THIS REQUEST FOR QUOTATION. FAILURE TO USE THIS FORM WILL RESULT IN THE DISQUALIFICATION OF THE VENDOR'S BID.</p> <p style="text-align: center;">NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p style="text-align: center;">DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Janet Kleitecka</i>	TELEPHONE 800-848-7556	DATE 09/15/09
TITLE JANET KLEITECKA BOARD MEMBER	FEIN 31-262459	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210030

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF:
KRISTA FERRELL 304-558-2596

VENDOR
 *709022058 800-848-7556
 SERVICE SUPPLY LTD
 1524 SOUTH HAMILTON RD
 COLUMBUS OH 43227

SHIP TO
 DIVISION OF NATURAL RESOURCES
 NORTH BEND STATE PARK
 ATTN: PARK SUPERINTENDENT
 ROUTE 1, BOX 221
 CAIRO, WV
 26337 304-643-2931

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
08/30/2009				

BID OPENING DATE: **09/17/2009** BID OPENING TIME: **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER: KRISTA FERRELL-FILE 21</p> <p>RFQ. NO.: DNR210030</p> <p>BID OPENING DATE: 09/17/2009</p> <p>BID OPENING TIME: 1:30 PM</p> <p>PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: 614-863-0113</p> <p>-----</p> <p>CONTACT PERSON (PLEASE PRINT CLEARLY): PAM MELTON</p> <p>-----</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Janet Klelecka</i>	TELEPHONE 800-848-7556	DATE 09/15/09
------------------------------------	---------------------------	------------------

TITLE JANET KLETECKA BOARD MEMBER	FEIN 31-262459	ADDRESS CHANGES TO BE NOTED ABOVE
---	-------------------	-----------------------------------

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210030

PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF:
**KRISTA FERRELL
 304-558-2596**

VENDOR
 *709022058 800-848-7556
 SERVICE SUPPLY LTD
 1524 SOUTH HAMILTON RD
 COLUMBUS OH 43227

SHIP TO
 DIVISION OF NATURAL RESOURCES
 NORTH BEND STATE PARK
 ATTN: PARK SUPERINTENDENT
 ROUTE 1, BOX 221
 CAIRO, WV 26337 304-643-2931

DATE PRINTED 08/30/2009	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
-----------------------------------	---------------	----------	--------	---------------

BID OPENING DATE: **09/17/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
***** THIS IS THE END OF RFQ DNR210030 ***** TOTAL:						\$71,378.00 <i>JK</i>

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Janet Kletecka</i>	TELEPHONE 800-848-7556	DATE 09/15/09
TITLE JANET KLETECKA BOARD MEMBER	FEIN 31-262459	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

WVDNR210030
North Bend State Park
Playground Equipment

To supply playground equipment to offer play activities for children ages five (5) to twelve (12) at North Bend State Park, Cairo, West Virginia. Playground equipment will be purchased for two separate areas in the park. Park personnel will install all playground equipment. The award may be split if it is in the best interest of the West Virginia Division of Natural Resources. All items must be F.O.B Destination. Freight or delivery charges must be included in the price of the goods. Delivery must be made within thirty (30) days of purchase order award.

RECREATION AREA PLAYGROUND

PowerScope plus Fitness Fair, Item #85214, or equal. Structure must include the following components:

- One (1) stepped platform or equal. Platform must be constructed of a minimum 11 gauge punched steel.
- One (1) double wilder slide or equal. Must be constructed of color impregnated linear low density polyethylene.
- One (1) zip slide or equal. Must be constructed of color impregnated linear low density polyethylene.
- One (1) crunch bar or equal. Bar must be constructed of galvanized steel tubing.
- One (1) wavy tree climber or equal. Climber must be one-piece welded assembly.
- One (1) ADA gizmo panel or equal. Panel must be a minimum of 2 ½" in thickness.
- Two (2) slate roof or equal. Roof must be one-piece and constructed of double-wall rotationally molded linear low-density polyethylene.
- One (1) wishbone slide or equal. Slide must be constructed of color impregnated linear low density polyethylene.
- One (1) giant wave climber or equal. Climber must be constructed of color impregnated linear low density polyethylene.
- One (1) overhead ladder access package or equal.

**WVDNR210030
North Bend State Park
Playground Equipment**

- One (1) triangle transfer platform or equal. Platform must have a one-piece welded assembly.
- One (1) arch bridge or equal. Bridge must be fabricated from punched steel.
- One (1) flip slide with universal hood or equal. Slide must be constructed of color impregnated linear low density polyethylene.
- One (1) rockwall climber or equal. Climber must frame assembly must be an all-welded construction.
- One (1) cargo net wall attachment (single and double) or equal.
- One (1) overhead tree climber or equal. Climber must be all-welded construction.
- One (1) track ride or equal. Track ride must have an aluminum track system.
- One (1) challenge station base or equal. Main climber must be all-welded construction.
- One (1) crazy eight climber or equal. Climber must be all-welded construction.
- One (1) poly climbing wall or equal. Wall must be constructed of color impregnated polyethylene
- One (1) clover climber or equal. Climber must be a one-piece welded assembly.
- One (1) 8' cosmix climber or equal. Climber must be one-piece with color impregnated linear low density polyethylene.
- One (1) bubble climber or equal. Climber must be all welded construction.
- One (1) cargo net wall attachment or equal. Cargo net assembly must be constructed of galvanized welded link chain.

PrimeTime swing, Item #12583, or equal. Top rail and arch must have a minimum 3 ½ " OD; arch must be a minimum of 11 gauge galvanized steel tubing; must include a minimum of 3 ½ " OD galvanized steel sleeve; must be polyester powder coat; must be a minimum of 8 foot high with finished surface; must have a minimum of a 12 foot top rail; and must accommodate two (2) free standing swings

WVDNR210030
North Bend State Park
Playground Equipment

PrimeTime swing add-a-bay, Item #12584, or equal. Top rail and arch must have a minimum 3 ½ " OD; arch must be a minimum of 11 gauge galvanized steel tubing; must include a minimum of 3 ½ " OD galvanized steel sleeve; must be polyester powder coat; must be a minimum of 8 foot high with a finished surface; must have a minimum of a 12 foot top rail; and must accommodate two (2) free standing swings.

PrimeTime tot seat package 3 ½" OD, Item #8696, or equal. Package must include all hardware necessary to attach seat to a minimum of a 3 ½ " top rail.

PrimeTime swing belt seat package 3 ½" OD, item #8910, or equal. Package must include all hardware necessary to attach to a minimum of a 3 ½ " top rail.

GameTime tuffclad 6' bench with back in-ground (PS), Item #28009, or equal. Bench must have a minimum of 2 3/8 " OD galvanized powder coat; and seat bench and back must have punched steel with a plastic coating.

One (1) day of supervision by successful vendor. Park personnel will install all playground equipment and this will provide oversight to ensure that all equipment is assembled and installed properly according to manufacturer's guidelines.

LODGE AREA PLAYGROUND

PrimeTime kid coral, Item #g11823, or equal. Structure must include the following components:

- One (1) crunch bar or equal. Bar must be constructed of galvanized steel tubing.
- One (1) nature panel or equal. Panel must be a minimum of 2 ½" in thickness.
- One (1) transfer point with access attachment or equal. Must be constructed of a minimum of 11 gauge punched steel.
- One (1) wallcano vert wall climber or equal. Climber must be constructed of color impregnated rotationally molded linear low density polyethylene.
- One (1) slate roof or equal. Roof must be one-piece and constructed of double-wall rotationally molded linear low-density polyethylene.
- One (1) mini arch bridge or equal. Bridge must be fabricated from punched steel.

**WVDNR210030
North Bend State Park
Playground Equipment**

- One (1) clover leaf climber or equal. Climber must be one-piece welded assembly
- One (1) double zip slide or equal. Slide must be constructed of color impregnated linear low-density polyethylene.
- One (1) ADA gizmo panel with three (3) gizmos or equal. Panel must be a minimum of 2 ½" in thickness.
- One (1) double steering wheel enclosure or equal. Steering wheel must withstand an impact of a minimum of 250 foot-pounds.

PrimeTime swing, Item #12583, or equal. Top rail and arch must have a minimum 3 ½ " OD; arch must be a minimum of 11 gauge galvanized steel tubing; must include a minimum of 3 ½ " OD galvanized steel sleeve; must be polyester powder coat; must be a minimum of 8 foot high with finished surface; must have a minimum of a 12 foot top rail; and must accommodate two (2) free standing swings.

PrimeTime swing add-a-bay, Item #12584, or equal. Top rail and arch must have a minimum 3 ½ " OD; arch must be a minimum of 11 gauge galvanized steel tubing; must include a minimum of 3 ½ " OD galvanized steel sleeve; must be polyester powder coat; must be a minimum of 8 foot high with a finished surface; must have a minimum of a 12 foot top rail; and must accommodate two (2) free standing swings.

PrimeTime swing belt seat package 3 ½" OD, item #8910, or equal. Package must include all hardware necessary to attach to a minimum of a 3 ½ " top rail.

PrimeTime tot seat package 3 ½" OD, Item #8696, or equal. Package must include all hardware necessary to attach seat to a minimum of a 3 ½ " top rail.

GameTime tuffclad 6' bench with back in-ground (PS), Item #28009, or equal. Bench must have a minimum of 2 3/8" OD galvanized powder coat; and seat bench and back must have punched steel with a plastic coating.

One (1) day of supervision by successful vendor. Park personnel will install all playground equipment and this will provide oversight to ensure that all equipment is assembled and installed properly according to manufacturer's guidelines.

WVDNR210030
North Bend State Park
Playground Equipment

All playground equipment and engineered wood fiber must meet the following requirements:

- Compliance with U.S. Consumer Product Safety Commission, Handbook for Public Playground Safety.
- Compliance with ASTM Standard F 1487.
- Compliance with Architectural and Transportation Barriers Compliance Board, Americans with Disabilities Act (ADA) Accessibility Guidelines for Buildings and Facilities; Play Areas.
- Compliance with Consumer Product Safety Improvement Act (CPSIA) Section 101 lead limits.

Vendors must submit the following attachments:

- Complete manufacturer's parts specifications and warranties.
- Layout drawing to scale of the proposed play structure or equipment.
- ASTM and CPSC Statement of Compliance

Warranties:

- All equipment and engineered wood fiber must be guaranteed to be free of defects in workmanship and material for a minimum of one year from date of acceptance. However, if manufacturer warranty periods are longer than the required minimum one year warranty, those warranties shall apply.

Color scheme of equipment must be coordinated with North Bend State Park. Color of items will be selected from manufacturer's standard colors.

WVDNR210030
North Bend State Park
PLAYGROUND EQUIPMENT SHEET

Please complete the below information concerning the brand(s) of equipment being bid in relation to this project. If bidding "or equal" brands, please attach manufacturer's literature documenting that it meets the mandatory requirements stated in the specifications. Vendors should note the areas of the provided manufacturer's literature that adheres to the mandatory requirements outlined in the Request For Quotation.

Item No.	Equipment	Manufacturer	Item
1	Recreation Area Playground PowerScape plus Fitness Fair, Item #85214, or equal.	LANDSCAPE STRUCTURES, INC.	34175-1-1
	One (1) stepped platform or equal gauge punched steel.	LANDSCAPE STRUCTURES, INC.	152907D
	One (1) double wilder slide or equal.	LANDSCAPE STRUCTURES, INC.	130800G
	One (1) zip slide or equal.	LANDSCAPE STRUCTURES, INC.	124863G
	One (1) crunch bar or equal.	LANDSCAPE STRUCTURES, INC.	120902A
	One (1) wavy tree climber or equal.	LANDSCAPE STRUCTURES, INC.	123291A
	One (1) ADA gizmo panel or equal.	LANDSCAPE STRUCTURES, INC.	127439A
	Two (2) slate roof or equal.	LANDSCAPE STRUCTURES, INC.	118110A
	One (1) wishbone slide or equal.	LANDSCAPE STRUCTURES, INC.	130800D
	One (1) giant wave climber or equal.	LANDSCAPE STRUCTURES, INC.	152908C
	One (1) overhead ladder access package or equal.	LANDSCAPE STRUCTURES, INC.	119806A
	One (1) triangle transfer platform or equal.	LANDSCAPE STRUCTURES, INC.	122197A
	One (1) arch bridge or equal.	LANDSCAPE STRUCTURES, INC.	1143677B
	One (1) flip slide with universal hood or equal.	LANDSCAPE STRUCTURES, INC.	124863D
	One (1) rockwall climber or equal.	LANDSCAPE STRUCTURES, INC.	122570B
	One (1) cargo net wall attachment (single and double) or equal.	LANDSCAPE STRUCTURES, INC.	126194A
	One (1) overhead tree climber or equal.	LANDSCAPE STRUCTURES, INC.	119806A
	One (1) track ride or equal.	LANDSCAPE STRUCTURES, INC.	111353A

North Bend State Park

PLAYGROUND EQUIPMENT SHEET

Item No.	Equipment	Manufacturer	Item
	One (1) challenge station base or equal.	LANDSCAPE STRUCTURES, INC.	142891A
	One (1) crazy eight climber or equal.	LANDSCAPE STRUCTURES, INC.	100037B
	One (1) poly climbing wall or equal.	LANDSCAPE STRUCTURES, INC.	158678A
	One (1) clover climber or equal.	LANDSCAPE STRUCTURES, INC.	136159A
	One (1) 8' cosmix climber or equal.	LANDSCAPE STRUCTURES, INC.	150977A
	One (1) bubble climber or equal.	LANDSCAPE STRUCTURES, INC.	142891A
	One (1) cargo net wall attachment or equal.	LANDSCAPE STRUCTURES, INC.	126194A
2	Recreation Area Playground PrimeTime swing frame, Item #12583, or equal.	LANDSCAPE STRUCTURES, INC.	100050C
3	Recreation Area Playground PrimeTime swing add-a-bay, Item #12584, or equal.	LANDSCAPE STRUCTURES, INC.	111579C
4	Recreation Area PrimeTime tot seat package 3 1/2" OD, Item #8696, or equal.	LANDSCAPE STRUCTURES, INC.	111579C
5	Recreation Area Playground PrimeTime swing belt seat package 3 1/2" OD, item #8910, or equal.	LANDSCAPE STRUCTURES, INC.	100050C
6	Recreation Area Playground GameTime tuffclad in-ground bench, Item #28009, or equal.	LANDSCAPE STRUCTURES, INC.	141683A
7	Recreation Area Playground one (1) day of supervision by successful vendor. Park personnel will install all playground equipment and this will provide oversight to ensure that all equipment is assembled and installed properly according to manufacture's guidelines.	DYNAMIC INSTALLATION	1 DAY SUPERVISION
8	Lodge Area Playground PrimeTime kid coral, Item #g11823, or equal.	LANDSCAPE STRUCTURES, INC.	34175-2-1
	One (1) crunch bar or equal.	LANDSCAPE STRUCTURES, INC.	120902A

WVDNR210030
North Bend State Park
PLAYGROUND EQUIPMENT SHEET

Item No.	Equipment	Manufacturer	Item
	One (1) nature panel or equal.	LANDSCAPE STRUCTURES, INC.	123483B
	One (1) transfer point with access attachment or equal.	LANDSCAPE STRUCTURES, INC.	152911C
	One (1) wallcano vert wall climber or equal.	LANDSCAPE STRUCTURES, INC.	122570A
	One (1) slate roof or equal.	LANDSCAPE STRUCTURES, INC.	118110A
	One (1) mini arch bridge or equal.	LANDSCAPE STRUCTURES, INC.	114665A
	One (1) clover leaf climber or equal.	LANDSCAPE STRUCTURES, INC.	148432A
	One (1) double zip slide or equal.	LANDSCAPE STRUCTURES, INC.	123331B
	One (1) ADA gizmo panel with three (3) gizmos or equal.	LANDSCAPE STRUCTURES, INC.	127439A
	One (1) double steering wheel enclosure or equal.	LANDSCAPE STRUCTURES, INC.	119514A
9	Lodge Area Playground PrimeTime swing frame, Item #12583, or equal.	LANDSCAPE STRUCTURES, INC.	100050C
10	Lodge Area Playground PrimeTime swing-a-bay, item #12584, or equal.	LANDSCAPE STRUCTURES, INC.	111579C
11	Lodge Area PrimeTime tot seat package 3 ½" OD, Item #8696, or equal.	LANDSCAPE STRUCTURES, INC.	111579C
12	Lodge Area Playground PrimeTime swing belt seat package 3 ½" OD, item #8910, or equal.	LANDSCAPE STRUCTURES, INC.	100050C
13	Lodge Area Playground GameTime tuffclad in-ground bench Item #28009, or equal.	LANDSCAPE STRUCTURES, INC.	141683A
14	Lodge Area Playground one (1) day of supervision by successful vendor. Park personnel will install all playground equipment and this will provide oversight to ensure that all equipment is assembled and installed properly according to manufacture's guidelines.	DYNAMIC INSTALLATION	1 DAY SUPERVISION

North Bend State Park Playground Equipment
PRICING SHEET

Item No.	Quantity	Description	Unit Price	Amount
1	1	Recreation Area Playground PowerScape plus Fitness Fair, Item #85214, or equal.	41,226.00	41,226.00
2	1	Recreation Area Playground PrimeTime swing frame, Item #12583, or equal.	1,883.00	1,883.00
3	1	Recreation Area Playground PrimeTime swing add-a-bay, Item #12584, or equal.	1,439.00	1,439.00
4	2	Recreation Area PrimeTime tot seat package 3 ½" OD, Item #8696, or equal.	INCLUDED IN ITEM 2	
5	2	Recreation Area Playground PrimeTime swing belt seat package 3 ½" OD, item #8910, or equal.	INCLUDED IN ITEM 3	
6	4	Recreation Area Playground GameTime tuffclad in-ground bench Item #28009, or equal.	1,008.00	4,032.00
7	1	Recreation Area Playground one (1) day of supervision by successful vendor. Park personnel will install all playground equipment and this will provide oversight to ensure that all equipment is assembled and installed properly according to manufacture's guidelines.	WEEKDAY ONLY	1,050.00
8	1	Lodge Area Playground PrimeTime kid coral, Item #g11823, or equal.	11,922.00	11,922.00
9	1	Lodge Area Playground PrimeTime swing frame, Item #12583, or equal.	1,883.00	1,883.00
10	1	Lodge Area Playground PrimeTime swing-a-bay, item #12584, or equal.	1,439.00	1,439.00
11	2	Lodge Area Playground PrimeTime tot seat package 3 ½" OD, Item #8696, or equal.	INCLUDED IN ITEM 9	

North Bend State Park Playground Equipment
PRICING SHEET

Item No.	Quantity	Description	Unit Price	Amount
12	2	Lodge Area Playground PrimeTime swing belt seat package 3 1/2" OD, item #8910, or equal.	INCLUDED IN ITEM 10	
13	1	Lodge Area Playground GameTime tuffclad in-ground bench Item #28009, or equal.	1,008.00	1,008.00
14	1	Lodge Area Playground one (1) day of supervision by successful vendor. Park personnel will install all playground equipment and this will provide oversight to ensure that all equipment is assembled and installed properly according to manufacture's guidelines.	WEEKDAY ONLY	1,050.00
		TOTAL		\$71,378.00

State of West Virginia
VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37 (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.


1. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4. **Application is made for 5% resident vendor preference for the reason checked:**
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: SERVICE SUPPLY LTD., INC.

Signed: 

Date: 09/15/09

Title: JANET KLETECKA, BOARD MEMBER

*Check any combination of preference consideration(s) indicated above which you are entitled to receive

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

If this is a solicitation for a public improvement construction contract, the vendor, by its signature below, affirms that it has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the **West Virginia Code**. The vendor **must** make said affirmation with its bid submission. Further, public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the **West Virginia Code** and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the **West Virginia Code** may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.

Under penalty of law for false swearing (**West Virginia Code §61-5-3**), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name: SERVICE SUPPLY LTD., INC.

Authorized Signature: Janet Kletecka Date: 09/15/09

CONTRACTOR LICENSE

Authorized by the

West Virginia Contractor Licensing Board

Number:

WV013333

Classification:

SPECIALTY

SERVICE SUPPLY LTD INC
DBA SERVICE SUPPLY LTD INC
1524 S HAMILTON RD
COLUMBUS, OH 43227-2493


Date Issued

JANUARY 24, 2009

Expiration Date

JANUARY 24, 2010


Authorized Company Signature


Chair, West Virginia Contractor
Licensing Board



WEST VIRGINIA
CONTRACTOR
LICENSING
BOARD

This license, or a copy thereof, must be posted in a conspicuous place at every construction site where work is being performed. This license number must appear in all advertisements, on all bid submissions and on all fully executed and binding contracts. This license cannot be assigned or transferred by licensee. Issued under provisions of West Virginia Code, Chapter 21, Article 11.



WORKERS COMPENSATION AND EMPLOYERS LIABILITY POLICY

INFORMATION PAGE WC 00 00 01 (A)

RENEWAL OF POLICY NUMBER: WC10102907-04
POLICY NUMBER: WC10102907-05

INSURER: BRICKSTREET MUTUAL INSURANCE COMPANY

- 1. INSURED: SERVICE SUPPLY LTD INC, 1524 SOUTH HAMILTON ROAD, COLUMBUS, OH 43227
PRODUCER: BRICKSTREET MUTUAL INSURANCE COMPANY, 400 QUARRIER STREET, CHARLESTON, WV 25301-2010

Insured is a(n) CORPORATION

Other work places and identification numbers are shown in the schedule(s) attached.

2. The policy period is from 11/30/2008 to 11/30/2009 12:01 A.M. at the insured's mailing address

3. A. WORKERS COMPENSATION INSURANCE: Part One of the policy applies to the Workers Compensation Law of the state(s) listed here:

WEST VIRGINIA

B. EMPLOYERS LIABILITY INSURANCE: Part Two of the policy applies to work in each state listed in item 3.A. The limits of our liability under Part Two are:

Table with 2 columns: Injury Type and Limit. Rows include Bodily Injury by Accident (\$100,000 Each Accident), Bodily Injury by Disease (\$500,000 Policy Limit), and Bodily Injury by Disease (\$100,000 Each Employee).

C. OTHER STATES INSURANCE: Part Three of the policy applies to the states, if any, listed here:

See West Virginia Limited Other States Insurance Endorsement WC 99 03 05

D. This policy includes these endorsements and schedules:

SEE LIST OF ENDORSEMENTS - EXTENSION OF INFORMATION PAGE

4. The premium for this policy will be determined by our Manuals of Rules, Classifications, Rates and Rating Plans. All required information is subject to verification and change by audit to be made in accordance with Part Five of the Policy.

DATE OF ISSUE: 12/29/2008
ISSUING OFFICE: Charleston, WV
PRODUCER: BRICKSTREET MUTUAL INSURANCE COMPANY

Ohio**Bureau of Workers'
Compensation**30 W. Spring St.
Columbus, OH 43215**Certificate of Premium Payment**

This certifies the employer listed below has paid into the Ohio State Insurance Fund as required by law. Therefore, the employer is entitled to the rights and benefits of the fund for the period specified. For more information, call 1-800-OHIOBWC.

This certificate must be conspicuously posted

Policy No and Employer

Period Specified Below

406937

01/01/2009 Thru 08/31/2009

SERVICE SUPPLY LTD., INC.
1524 S HAMILTON RD
COLUMBUS, OH 43227-2429

ohiobwc.com

Maude P. Repp
Administrator

You can reproduce this certificate as needed.

Ohio Bureau of Workers' Compensation**Required Posting**

Effective Oct. 13, 2004, Section 4123.54 of the Ohio Revised Code requires notice of rebuttable presumption. Rebuttable presumption means an employee may dispute or prove untrue the presumption (or belief) that alcohol or a controlled substance not prescribed by the employee's physician is the proximate cause (main reason) of the work-related injury.

The burden of proof is on the employee to prove the presence of alcohol or a controlled substance was not the proximate cause of the work-related injury. An employee who tests positive or refuses to submit to chemical testing may be disqualified for compensation and benefits under the Workers' Compensation Act.

Ohio**Bureau of Workers'
Compensation**

You must post this language with the certificate of premium payment.

Home | About Us | Ohio Employers | Medical Providers | BWC Library | Contact Us



Ohio Bureau of Workers' Compensation

Governor: Ted Strickland
Administrator: CEO Marsha P. Ryan

Focus on
Ohio Employers

- Accident/Injury Info »
- Claim Info »
- Claim Payment »
- Claim Reference Info »
- Coverage look-up
- Employer Services »
- Quick Pay
- Safety Services »
- Self-Insured »
- Forms
- Section Map

Live support available
Monday through Friday
7:30 a.m. - 5:30 p.m.
[Click here to get help!](#)

log on

? help print search glossary

Service: State construction contractor search results

Policy number: 406937-0
 Company name: SERVICE SUPPLY LTD , INC.
 Construction contractor status: APPROVED
 Construction contractor status date: 5/4/2007 12:00:00 AM

[search again](#)

Note: BWC has designed this database for those responsible for ensuring that a construction contractor or subcontractor has a drug-free program that complies with the governor's executive order requiring a drug-free workplace. A contractor or subcontractor in an APPROVED status has agreed to implement a drug-free workplace program which makes the company compliant with the governor's executive order. Therefore, you can print this page for your records.

Click the Help tab in the upper-right hand corner for more status definitions



[Help](#) | [Contact Us](#) | [Site Map](#) | [Search](#) | [Your Privacy](#) | [PL](#)

A CORD CERTIFICATE OF LIABILITY INSURANCE

PRODUCER Phone: 6168783351
 The Campbell Group
 PO Box 1788
 Grand Rapids MI 49501

Fax: 8008473129

SERVICE SUPPLY LTD

DATE (MM/DD/YYYY)
 12/10/2008

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

INSURED
 Service Supply Ltd Inc
 1524 S Hamilton Road
 Columbus OH 43227

IN BUSINESS FOR FUN AND SAFETY

INSURERS AFFORDING COVERAGE		NAIC #
INSURER A:	Continental Casualty Co	
INSURER B:	American Casualty Co of Read	
INSURER C:		
INSURER D:		
INSURER E:		

COVERAGES

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR ADD'L LTR INSRD	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YYYY)	POLICY EXPIRATION DATE (MM/DD/YYYY)	LIMITS
B	GENERAL LIABILITY <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY CLAIMS MADE <input type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input checked="" type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC	2088184534	12/10/2008	12/10/2009	EACH OCCURRENCE \$1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$100,000 MED EXP (Any one person) \$5,000 PERSONAL & ADV INJURY \$1,000,000 GENERAL AGGREGATE \$2,000,000 PRODUCTS - COMPI/OP AGG \$2,000,000
A	AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS	2088184498	12/10/2008	12/10/2009	COMBINED SINGLE LIMIT (Ea accident) \$1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ AUTO ONLY - EA ACCIDENT \$ OTHER THAN AUTO ONLY: EA ACC AGG \$
A	EXCESS/UMBRELLA LIABILITY <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS MADE DEDUCTIBLE <input checked="" type="checkbox"/> RETENTION \$10,000	2088184453	12/10/2008	12/10/2009	EACH OCCURRENCE \$2,000,000 AGGREGATE \$2,000,000 \$ \$ WC STATU-TORY LIMITS <input type="checkbox"/> OTH-ER E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? If yes, describe under SPECIAL PROVISIONS below				
	OTHER Installation Floater	2088184534	12/10/2008	12/10/2009	\$120,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES / EXCLUSIONS ADDED BY ENDORSEMENT / SPECIAL PROVISIONS

CERTIFICATE HOLDER

Service Supply Ltd Inc
 1524 South Hamilton Road
 Columbus OH 43227

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING INSURER WILL ENDEAVOR TO MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO DO SO SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE
Wmna Fitzpatrick



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
06/02/2009

PRODUCER
Aon Risk Services Central, Inc.
Minneapolis MN Office
8300 Norman Center Drive
Suite 1000
Minneapolis MN 55437 USA

PHONE: (952) 656-8000 FAX: (312) 381-0536

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALIER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

INSURED
Landscape Structures, Inc.,
Basics, Inc., Skatewave, a
Division of Landscape Structures, Inc.
601 7th Street South
DeLano MN 55328 USA

INSURERS AFFORDING COVERAGE		NAIC #
INSURER A:	ACE American Insurance Company	22667
INSURER B:	National Union Fire Ins Co of Pittsburgh	19445
INSURER C:		
INSURER D:		
INSURER E:		

Holder Identifier:

COVERAGES SIR applies per terms and conditions of the policy

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS. LIMITS SHOWN ARE AS REQUESTED

INSR LTR	ADD'L INSRD	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YYYY)	POLICY EXPIRATION DATE (MM/DD/YYYY)	LIMITS	
A		GENERAL LIABILITY <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY CLAIMS MADE <input checked="" type="checkbox"/> OCCUR <input checked="" type="checkbox"/> BFPD Incl. <input checked="" type="checkbox"/> Bkt Contractual Incl GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input checked="" type="checkbox"/> PROJECT <input type="checkbox"/> LOC	PMIG23860971002 GL & Products Liability	06/01/2009	06/01/2010	EACH OCCURRENCE	\$2,000,000
						DAMAGE TO RENTED PREMISES (Ea occurrence)	\$50,000
						MED EXP (Any one person)	Excluded
						PERSONAL & ADV INJURY	\$2,000,000
						GENERAL AGGREGATE	\$4,000,000
						PRODUCTS - COMP/OP AGG	\$4,000,000
		AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS <input type="checkbox"/> NON OWNED AUTOS				COMBINED SINGLE LIMIT (Ea accident)	
						BODILY INJURY (Per person)	
						BODILY INJURY (Per accident)	
						PROPERTY DAMAGE (Per accident)	
		GARAGE LIABILITY <input type="checkbox"/> ANY AUTO				AUTO ONLY - EA ACCIDENT	
						OTHER THAN AUTO ONLY: EA ACC	
						AGG	
B		EXCESS / UMBRELLA LIABILITY <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS MADE <input type="checkbox"/> DEDUCTIBLE <input type="checkbox"/> RETENTION \$10,000	BE1058477	06/01/2009	06/01/2010	EACH OCCURRENCE	\$5,000,000
						AGGREGATE	\$5,000,000
		WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR / PARTNER / EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) <input type="checkbox"/> If yes, describe under SPECIAL PROVISIONS below				WC STATUTORY LIMITS	OTHER
						E.L. EACH ACCIDENT	
						E.L. DISEASE-EA EMPLOYEE	
						E.L. DISEASE-POLICY LIMIT	
		OTHER					


Certificate No : 570034779361

DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/EXCLUSIONS ADDED BY ENDORSEMENT/SPECIAL PROVISIONS
Broad Form Vendors Endorsement

CERTIFICATE HOLDER
Service Supply Ltd., Inc.
1524 South Hamilton Road
Columbus OH 43227 USA

CANCELLATION
SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING INSURER WILL ENDEAVOR TO MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT BUT FAILURE TO DO SO SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE *Aon Risk Services Central, Inc.*



**WEST VIRGINIA
CONTRACTOR
LICENSING
BOARD**

CONTRACTOR LICENSE

Authorized by the
West Virginia Contractor Licensing Board

Number:
WV040115

Classification:
GENERAL BUILDING

DYNAMIC INSTALLATIONS INC
DBA DYNAMIC INSTALLATIONS INC
10093 ALSPACH RD
CANAL WINCHESTER, OH 43110

Date Issued

Expiration Date

JANUARY 10, 2009	JANUARY 30, 2010
------------------	------------------

Authorized Company Signature

Michael A. Carl

Chair, West Virginia Contractor
Licensing Board

This license, or a copy thereof, must be posted in a conspicuous place at every construction site where work is being performed. This license number must appear in all advertisements, on all bid submissions and on all fully executed and binding contracts. This license cannot be assigned or transferred by licensee. Issued under provisions of West Virginia Code, Chapter 21, Article 11.



Ohio

Bureau of Workers' Compensation

30 W. Spring St
Columbus, OH 43215

Certificate of Premium Payment

This certifies the employer listed below has paid into the Ohio State Insurance Fund as required by law. Therefore, the employer is entitled to the rights and benefits of the fund for the period specified. For more information, call 1-800-OHIOBWC.

This certificate must be conspicuously posted.

Policy No. and Employer

Period Specified Below

1208203

1/1/2009 Thru 8/31/2009

DYNAMIC INSTALLATIONS INC
PO BOX 349
CARROLL, OH



ohiobwc.com

Mark P. Ryan
Administrator

You can reproduce this certificate as needed.

Ohio Bureau of Workers' Compensation

Required Posting

Effective Oct. 13, 2004, Section 4123.54 of the Ohio Revised Code requires notice of rebuttable presumption. Rebuttable presumption means an employee may dispute or prove untrue the presumption (or belief) that alcohol or a controlled substance not prescribed by the employee's physician is the proximate cause (main reason) of the work-related injury.

The burden of proof is on the employee to prove the presence of alcohol or a controlled substance was not the proximate cause of the work-related injury. An employee who tests positive or refuses to submit to chemical testing may be disqualified for compensation and benefits under the Workers' Compensation Act.

Ohio

Bureau of Workers' Compensation

You must post this language with the certificate of premium payment

ACORD CERTIFICATE OF LIABILITY INSURANCE

OP ID PL
DYNAINS

DATE (MM/DD/YYYY)
05/07/09

PRODUCER
Benchmark Insurance, LLC
P O Box 2700
Westerville OH 43086-2700
Phone: 614-891-7791 Fax: 614-891-5801

INSURED
Dynamic Installations, Inc.
Anthony Shadwick
P.O. Box 349
Carroll OH 43112

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

INSURERS AFFORDING COVERAGE	NAIC #
INSURER A: Frankenmuth Mutual Insurance	013986
INSURER B: Nautilus Insurance Company	
INSURER C:	
INSURER D:	
INSURER E:	

COVERAGES

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	ADD'L INSRD	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS
B		GENERAL LIABILITY	BN897495	04/10/09	04/10/10	EACH OCCURRENCE \$ 2,000,000
		<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY				DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 100,000
		<input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR				MED EXP (Any one person) \$ 5,000
		GEN'L AGGREGATE LIMIT APPLIES PER:				PERSONAL & ADV INJURY \$ 2,000,000
		<input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC				GENERAL AGGREGATE \$ 4,000,000
						PRODUCTS - COMP/OP AGG \$ 4,000,000
A		AUTOMOBILE LIABILITY	BA 3029468	05/11/09	05/11/10	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000
		<input checked="" type="checkbox"/> ANY AUTO				BODILY INJURY (Per person) \$
		<input type="checkbox"/> ALL OWNED AUTOS				BODILY INJURY (Per accident) \$
		<input type="checkbox"/> SCHEDULED AUTOS				PROPERTY DAMAGE (Per accident) \$
		<input type="checkbox"/> HIRED AUTOS				
		<input type="checkbox"/> NON-OWNED AUTOS				
		GARAGE LIABILITY				AUTO ONLY - EA ACCIDENT \$
		<input type="checkbox"/> ANY AUTO				OTHER THAN EA ACC \$
						AUTO ONLY: AGG \$
		EXCESS/UMBRELLA LIABILITY				EACH OCCURRENCE \$
		<input type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS MADE				AGGREGATE \$
		<input type="checkbox"/> DEDUCTIBLE				\$
		<input type="checkbox"/> RETENTION \$				\$
		WORKERS COMPENSATION AND EMPLOYERS' LIABILITY				WC STATU-TORY LIMITS OTHER
		ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED?				E.L. EACH ACCIDENT \$
		If yes, describe under SPECIAL PROVISIONS below				E.L. DISEASE - EA EMPLOYEE \$
		OTHER				E.L. DISEASE - POLICY LIMIT \$

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES / EXCLUSIONS ADDED BY ENDORSEMENT / SPECIAL PROVISIONS

CERTIFICATE HOLDER	CANCELLATION
SERVICES	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING INSURER WILL ENDEAVOR TO MAIL <u>30</u> DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT. BUT FAILURE TO DO SO SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER ITS AGENTS OR REPRESENTATIVES.
Service Supply Limited 1524 S. Hamilton Road Columbus OH 43242	AUTHORIZED REPRESENTATIVE David C. Kotary

**LANDSCAPE
STRUCTURES INC**

This Certificate Approves

Dynamic Installations, Inc.


As having met the high standards necessary to become a

Certified Installer

of equipment provided by Landscape Structures Inc.

6-1-98

Date



Official Validation

SERVICE SUPPLY LTD., INC.



1524 SOUTH HAMILTON ROAD ~ COLUMBUS, OHIO 43227 ~ TELEPHONE 614 / 861 - 3681
FAX 614/863-0113

June 1, 2005

Service Supply Ltd., Inc. - founded in 1959 in Columbus, Ohio. We originally had offices in the Bryson Building in Columbus, Ohio, and have been in our present facilities, 1524 South Hamilton Road, Columbus, Ohio since 1967.

Ralph Groves, my brother, founded Service Supply Ltd., Inc. and was president until his death in 1973.

Our employees at this time are:

Mary G. Groves (wife) President (1960)
Jerry Groves (son) Vice President (1969)
Janet Kletecka (daughter) Board of Directors (1974)
Alan Kletecka (son-in law) Sales Manager (1973)
Ben Groves (husband) Secretary-Treasurer (1961)
Donna Hetzner - Secretary (1999)
Linda Groves (daughter-in-law) Secretary (1977)
Linda Kroonemeyer - Secretary (1986)
Medrith Mollenkamp - Secretary (1988)
Connie Triplett - Secretary (2003)

We have five (5) sales persons located in various areas of Ohio, Indiana and West Virginia that are on straight commission basis. Some of these sales persons also offer other lines that are related to the same market that we service. This gives us a total of seven (7) sales persons on the road.

Service Supply Ltd., Inc. originally sold items pertaining to Traffic and Highway Safety such as paint stripers, traffic paint, signs, and sign posts We expanded into the park and recreation market and then into the school market which includes all grade 1-12 and colleges. We also call on the private sector where our site amenities, signs, and play structures are popular. Our early childcare play equipment is designed for institutional and corporate facilities that have become involved in day care centers.

A partial list of our suppliers and their principals, addresses, phone numbers, and products to follow:

- Landscape Structures, Inc., Barb and Steve King, Route #3, 601 7th Street, South, Delano, MN 55328
612-479-2546 PLAYGROUND EQUIPMENT
- Wabash Valley Manufacturing, Inc., Jerry Shilling, P. O. Box 5, Silver Lake, IN 46982
219-352-2102 SITE AMENITIES (expanded metal)
- DuMor, Inc., Steve Richard, P. O. Box 142, Mifflintown, PA 17059
717-436-2106 SITE AMENITIES (wood)
- American Aluminum Seating, Inc., Bob Palmer, P. O. Box 1468, Marshalltown, IA 50158
515-753-5366 PORTABLE BLEACHERS, STADIUM GRANDSTANDS
- Interkal LLC, Richard Patterson, P. O. Box 2107, Kalamazoo, MI 49003
616-349-1521 TELESCOPIC GYM BLEACHERS

We are listed in D&B; any late payments that may be listed on these reports are the result of problems in delivery of total order, which in turn holds up payment to the manufacturer. This would only appear if it were a very large order, which would involve telescopic bleachers.

Our bank, which we have been with since 1959, is National City Bank, Bexley Office, 2594 East Main Street, Bexley, OH 43209- phone 614-238-7100.

Our accountant is Schwartz, Adleman, Kellerman & Marks, (Mr. Sam Schwartz) 145 North Reynoldsburg-New Albany Road, Blacklick, OH 43004-9701. Phone number is 614-866-1600.

Our legal counsel is the firm of Kahn, Kleinman, Yanowitz & Arnson (contact for Service Supply is Mr. Neil Kurit, The Tower at Erievew, Suite 2600, 1301 East Ninth Street, Cleveland, OH 44114-1824. Neil Kurit's phone number is 216-736-3452.

SERVICE SUPPLY LTD., INC.

ACTION BY UNANIMOUS WRITTEN CONSENT OF THE BOARD OF DIRECTORS

December 12, 1988

Pursuant to Section 1701.54 of the Ohio Revised Code, the undersigned, being all of the members of the Board of Directors of SERVICE SUPPLY LTD., INC. (the "Corporation"), do hereby take and adopt the following actions by this unanimous written consent:

RESOLVED: That the following persons be, and they hereby are, elected to the offices of the Corporation set opposite their respective names, each to serve in such capacity until his or her successor is duly elected and qualified:

Mary G. Groves	President
Jerry L. Groves	Vice President
Oscar B. Groves	Secretary/Treasurer
Alan Kletecka	Sales Manager

RESOLVED: That the officers of the Corporation select a bank to be the official depository of the Corporation and that the corporate resolutions required by such institution be, and they same hereby are, adopted by the Corporation as part of this resolution and that any one of the officers be, and they hereby are, authorized to execute, acknowledge, and deliver in the name and on behalf of the Corporation, any and all agreements, documents and certificates, and to do and perform all such acts and things as may be deemed by them necessary or appropriate to effectuate the purpose of this resolution;

RESOLVED
FURTHER: That said bank be, and it hereby is, authorized to pay out the funds of the Corporation on deposit with it from time to time upon checks, drafts or other withdrawal orders drawn upon it and signed in the name of the Corporation by any one of the following persons:

Oscar B. Groves
Mary G. Groves

whether the checks, drafts or other withdrawal orders are payable to cash, bearer, the orders of any third party, the order of the signing officers or employees of the Corporation, or to the order



2009 Play Equipment Warranty

You have our word.

100-Year Limited Warranty for all stainless steel fasteners, aluminum posts, clamps, beams and caps, against structural failure due to corrosion/natural deterioration or manufacturing defects. This warranty does not include any cosmetic issues or wear and tear from normal use.

15-Year Limited Warranty for all plastic and steel components, including TuffTimbers™, against structural failure due to corrosion/natural deterioration or manufacturing defects. TenderTuff™-coating against structural failure due to natural deterioration or manufacturing defects. (Except Wiggle Ladders, Chain Ladders and Swing Chain). TuffTurf® against material or manufacturing defects when properly installed. Corocord® cable on Spacenet™ climbers against breakage.

10-Year Limited Warranty for all CoolToppers® structural steel frames and Mobius® climbers against structural failure due to natural deterioration or manufacturing defects.

8-Year Limited Warranty for CoolToppers® fabric against failure from significant fading, deterioration, breakdown, mildew, outdoor heat, cold, or discoloration. This warranty is limited to the design loads as stated in the specifications found in the technical information.

5-Year Limited Warranty for Corocord cables on Spacenet climbers against natural deterioration or manufacturing defects. The Natural Elements™ climbers exterior GFRC material, against structural failure due to natural deterioration or manufacturing defects.

3-Year Limited Warranty for all other parts, ie: CableCore™ products, Swing seats and hangers, Mobius climber handholds, Wiggle Ladders, Chain Ladders and Swing Chain, Track Ride trolleys and bumpers, all rocking equipment including Sway Fun™; PVC belting material, HealthBeat™ hydraulic cylinders, Seesaws, Wiggle Ring Bridge, etc. against failure due to corrosion, natural deterioration or manufacturing defects.

This warranty does not include any cosmetic issues or wear and tear from normal use.

Landscape Structures Inc. warrants that all playstructures and/or equipment sold will conform in kind and in quality to the specifications manual for the products identified in the Acknowledgment of Order and will be free of defects in manufacturing and material. Seller further warrants:

All the warranties commence on date of Seller's invoice. Should any failure to conform to the above express warranties appear within the applicable warranty period, Seller shall, upon being notified in writing promptly after discovery of the defect and within the applicable warranty period, correct such nonconformity either by repairing any defective part or parts, or by making available a replacement part within 60 days of written notification. Seller shall deliver the repaired or replacement part or parts to the site free of charge, but will not be responsible for providing labor or the cost of labor for the removal of the defective part or parts and the installation of any replacement part or parts. Replacement parts will be warranted for the balance of the original warranty.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE.

The remedies hereby provided shall be the exclusive and sole remedies of the purchaser. Seller shall not be liable for any direct, indirect, special, incidental or consequential damages.

Seller neither assumes nor authorizes any employee, representative or any other person to assume for Seller any other liability in connection with the sale or use of the structures sold, and there are no oral agreements or warranties collateral to or affecting this agreement. The warranty stated above is valid only if the structures and or equipment are erected in conformance with Landscape Structures' installation instructions and maintained according to the maintenance procedures furnished by Landscape Structures Inc.; have been subjected to normal use for the purpose for which the goods were designed; have not been subject to misuse, negligence, vandalism, or accident; have not been subjected to addition or substitution of parts; and have not been modified, altered, or repaired by persons other than Seller or Seller's designees in any respect which, in the judgement of Seller, affects the condition or operation of the structures. To make a claim, send your written statement of claim, along with the original job number or invoice number to: Landscape Structures Inc. 601 7th Street South Delano, Minnesota, 55328-8605

Signed:  Chairman

Date: 06/04/09

QUOTE SHEET

Quote No: 34175-1-1

Date: 04-16-09
By: GDW

Rep Organization: SERVICE SUPPLY
Contact Person: JERRY GROVES

Project Title: NORTH BEND STATE PARK
Location: CAIRO, WV
Style: Playbooster
Age: 5-12 Unless Otherwise Noted.

Posts: Aluminum
Phone No:
Bury Type: Direct Bury

QTY NO.	DESCRIPTION
POSTS	
3	111404Z 180 STEEL POST D.B.
4	111404C 132 ALUM. POST D.B.
7	111404E 116 ALUM. POST D.B.
2	111404F 108 ALUM. POST D.B.
1	111404H 92 ALUM. POST D.B.
4	111403A 182 ALUM. POST FOR ROOF
4	111403C 166 ALUM. POST FOR ROOF
DECKS	
1	121948A KICK PLATE FOR 8 RISE
1	121949A KICK PLATE FOR 8 RISE - TRI DK
2	111228A SQUARE TENDERDECK
1	112471A TRANSFER STEP
2	111231A TRIANGULAR TENDERDECK
2	122197A TRIANGULAR TENDERDECK 90 DEG
ROOFS	
2	118110A SQUARE POLY ROOF STD LOGO
PERMALENE PANELS	
1	115236A BALL MAZE [GROUND LEVEL]
1	127439A NAVIGATOR PANEL [GROUND LEVEL]
SLIDES	
1	124863A SLIDEWINDER2 32 DECK
1	124863D SLIDEWINDER2 56 DECK
1	124863G SLIDEWINDER2 96 DECK
1	130800D GEMINI SLIDE 56 DECK
1	130800G GEMINI SLIDE 96 DECK
BRIDGES	
1	143677B ARCH BRIDGE W/BARRIER
CLIMBERS	
1	123291A CENTIPEDE CLIMBER W/PERM 56 DECK

Material Specifications

Quote: 34175-1-1.QSd

9/15/2009

General Specifications: Material: All materials shall be structurally sound and suitable for safe play. Durability shall be ensured on all steel parts by the use of time-tested coatings such as zinc plating, galvanizing, ProShield finish, TenderTuff coating, etc. Colors shall be specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F879 unless otherwise indicated (see specific product installation/specifications). All primary fasteners shall include a locking patch-type material that will meet the minimum torque requirements of IFI-125. Manufacturer to provide special tools for pinned tamperproof fasteners.

TenderTuff Coating: Metal components to be TenderTuff-coated shall be thoroughly cleaned in a hot phosphatizing pressure washer, then primed with a water-based thermosetting solution. Primed parts shall be preheated prior to dipping in UV-stabilized, liquid polyvinyl chloride (PVC), then salt cured at approximately 400 degrees. The finished coating shall be approximately .080" thick at an 85 durometer hardness and have a matte finish. Four standard colors are available (brown only for HealthBeat). Not applicable for Evos.

ProShield Finish: All metal components with ProShield finish shall be thoroughly cleaned and phosphatized through a five-stage power washer. Parts are then thoroughly dried, preheated and processed through a set of automatic powder spray guns where a minimum .002" of epoxy primer is applied. The parts are allowed to cool and then pass through a second set of automatic powder spray guns. A minimum .004" of architectural-grade Super-Durable polyester TGIC powder is applied. The parts are oven-cured at 400 degrees F metal temperature for 10-minutes. The average ProShield film thickness is .006".

ProShield is formulated and tested per the following ASTM standards. Each color must meet or exceed the ratings listed below:

- Hardness (D3363) rating 2H
- Impact (D2794) rating minimum 80 inch-pounds
- Salt Fog Resistance (B117 and D1654) 4,000 hours and rating 7 or greater
- UV Exposure (G154, 340 bulb) 3,000 hours, rating delta E of 2, and 90 percent gloss retention
- Adhesion (D3359, Method B) rating 5B

The Paint Line shall employ a "checkered" adhesion test daily.

Eighteen standard colors are available.

Decks: All Tenderdecks shall be of modular design and have 5/16" diameter holes on the standing surface. There shall be a minimum of (4) slots in each face to accommodate face mounting of components. Tenderdecks shall be manufactured from a single piece of low carbon 12 GA (.105") sheet steel conforming to ASTM specification A-569. The sheet shall be perforated then flanged formed and reinforced as necessary to ensure structural integrity. The unit shall then be TenderTuff-coated brown only. Tenderdecks shall be designed

so that all sides are flush with the outside edge of the supporting posts.
Not applicable for Evos, Weevos or HealthBeat.

Rotationally Molded Polyethylene Parts: These parts shall be molded using prime compounded linear low-density polyethylene with a tensile strength of 2500 psi per ASTM D638 and with color and UV-stabilizing additives. Wall thickness varies by product from .187" (3/16") to .312" (5/16"). Five standard colors are available (Black only for HealthBeat).

Permalene Parts: These parts shall be manufactured from 3/4" high-density polyethylene that has been specially formulated for optimum UV stability and color retention. Products shall meet or exceed density of .960 G/cc per ASTM D1505, tensile strength of 2400 PSI per ASTM D638. Five standard solid colors are available. Some Permalene parts are available in a two-color product with (2) .100" thick exterior layers over a .550" interior core of a contrasting color. Eight standard two-color options are available.
Not applicable for Evos or HealthBeat.

Footings: Unless otherwise specified, the bury on all footings shall be 34" below Finished Grade (FG) on all in-ground play events/posts. Other types of anchoring are available upon request.

Hardware Packages: All shipments shall include individual component-specific hardware packages. Each hardware package shall be labeled with the part number, description, a component diagram showing the appropriate component, package weight, a bar code linking the hardware package to the job number, assembler's name, date and time the package was assembled, work center number, and work order number.

Installation Documentation: All shipments shall include a notebook or packet of order-specific, step-by-step instructions for assembly of each component, including equipment assembly diagrams, estimated hours for assembly, footing dimensions, concrete quantity for direct bury components, fall height information, area required information and detailed material specifications.

Packing List: All shipments shall include a packing list for each skid/container, specifying the part numbers and quantities on each skid or within each container.

Packaging: PlayBooster posts shall be individually packaged in sturdy, water-resistant, mar-resistant cardboard boxes. Other components shall be individually wrapped or bulk wrapped to provide protection during shipment. Small parts and hardware packages will be placed in crates for shipment. The components and crates are then shrink-wrapped to skids (pallets) to ensure secure shipping.

Maintenance Kit: An order-specific maintenance kit shall be provided for each structure order. The kit will include a notebook or packet with a second set of installation documents and order-specific maintenance documentation with recommendations on how often to inspect, what to look for and what to do to keep the equipment in like-new condition. The kit also includes touch-up primer, appropriate

color touch-up paint, sandpaper, appropriate color touch-up PVC, graffiti remover and additional installation tools for the tamperproof fasteners.

(PB) General Specifications: Posts: Post length shall vary depending upon the intended use and shall be a minimum of 42" above the deck height. All posts shall be powdercoated to specified color. All posts shall have a "finished grade marker" positioned on the post identifying the 34" bury line required for correct installation and the top of the loose fill protective surfacing. Top caps for posts shall be aluminum die cast from 369.1 alloy and powdercoated to match the post color. All caps shall be factory installed and secured in place with (3) self sealing rivets. A molded low-density polyethylene cap, with drain holes, shall be pressed onto the bottom end of the post to increase the footing area.

Steel Posts: All steel PlayBooster posts are manufactured from 5" O.D. tubing with a wall thickness of .120" and shall be galvanized after rolling and shall have both the I.D. and the cut ends sprayed with a corrosion resistant coating.

Steel Post Mechanical Properties:

Yield Strength (min): 50,000 PSI
Tensile Strength (min): 55,000 PSI
% Elongation in 2 inches: 25
Modulus of Elasticity: 29.5 x 1,000,000 PSI

Aluminum Posts: All aluminum PlayBooster posts are manufactured from 6005-T5 extruded tubing conforming to ASTM B-221. Posts shall have a 5" outside diameter with a .125" wall thickness.

Aluminum Post Mechanical Properties:

Yield Strength (min): 35,000 PSI
Tensile Strength (min): 38,000 PSI
% Elongation in 2 inches: 10
Modulus of Elasticity: 10 x 1,000,000 PSI

Arch Posts: Aluminum arch posts shall be manufactured from 6005-T5 alloy. The arch shall be formed to a 21" center line radius to complement the 42" center to center module. The arch shall be of one continuous piece construction. There shall be no welds or additional pieces mechanically fastened to manufacture the arch. Each arch shall be designed to provide a minimum of 90 1/2" clear span from the deck to the inside of the arch at the radius peak. Arches shall be powdercoated to a specified color.

Clamps: All clamps, unless otherwise noted, shall be die cast using a 369.1 aluminum alloy and have the following mechanical properties:

Ultimate Tensile: 47,000 PSI
Yield Strength: 28,000 PSI
Elongation: 7% in 2 inches
Shear Strength: 29,000 PSI
Endurance Limit: 20,000 PSI

Each functional clamp assembly shall have an appropriate number of half clamps and shall be fastened to mating parts with (2) 3/8" x 1 1/8" pinned button head cap screws (SST) and (2) stainless steel (SST) recessed "T" nuts. A 1/4"

aluminum drive rivet w/stainless steel pin is used to ensure a secure fit to the post.

PlayBooster clamps have three functional applications and shall be named as follows:

- 1.) Offset hanger clamp assembly.
- 2.) Deck hanger clamp assembly.
- 3.) Hanger clamp assembly.

Material Specifications:

111404Z

Posts For Decks 182"/96" Deck (44" Bury), (Available for Direct Bury Only)

Post: See PlayBooster (PB) General Specifications.

111404C

Posts For Decks 132"/56" Deck

Post: See PlayBooster (PB) General Specifications.

111404E

Posts For Decks 116"/40" Deck

Post: See PlayBooster (PB) General Specifications.

111404F

Posts For Decks 108"/32" Deck

Post: See PlayBooster (PB) General Specifications.

111404H

Posts For Decks 92"/16" Deck

Post: See PlayBooster (PB) General Specifications.

111403A

Posts For Roofs 182"/72" Deck

Post: See PlayBooster (PB) General Specifications.

111403C

Posts For Roofs 166"/56" Deck

Post: See PlayBooster (PB) General Specifications.

121948A

Kick Plate 8" Rise

Kick Plate: Fabricated from 11 GA (.120") HR flat steel. Finish: TenderTuff, brown in color.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

121949A

Kick Plate 8" Rise, 90* Tri-Deck

Kick Plate: Fabricated from 11 GA (.120") HR flat steel. Finish: TenderTuff, brown in color.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

111228A

Decks Square Tenderdeck, Brown Only

Square Deck: Flange formed from 12 GA (.105") sheet steel conforming to ASTM A569. Standing surface is perforated with 5/16" diameter holes. Deck face has (4) slotted holes for face mounting components. The finished size measures 2 5/8" x 47" x 47". Finish: TenderTuff, brown in color.

Deck Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

112471A

Decks Transfer Step, Brown Only

Step: Formed from 12 GA (.105") sheet steel conforming to ASTM A569. Finish: TenderTuff, brown in color.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

111231A

Decks Iriangular Tenderdeck, Brown Only

Triangular Deck: Flange formed from 12 GA (.105") sheet steel conforming to ASTM A569. Standing surface is perforated with 5/16" diameter holes. Deck face has (4) slotted holes for face mounting components. The finished size measures 2 5/8" x 37 3/4". Finish: TenderTuff, brown in color.

Deck Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

122197A

Decks 90* Triangular Tenderdeck

Triangular Deck: Flange formed from 12 GA (.105") sheet steel conforming to ASTM A569. Standing surface is perforated with 5/16" diameter holes. Deck face has (4) slotted holes for face mounting components. The finished size measures 2 5/8" x 37 3/4". Finish: TenderTuff, brown in color.

Deck Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

118110A

Square Poly Roof w/Logo Panels*

Poly Roof: Rotationally molded from U.V. stabilized linear low density polyethylene, color specified.

Roof Logo: Two color roof logo measures 41" wide x 5 1/8" high, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Roof Sleeve: Cast from 319 almag.

115236A

Ball Maze Panel (2-Color Permalene)

Permalene Panel: Two color panel measures 35 5/8" wide x 41" high, color specified.

Cover: Made from .177" thick x 18 5/16" diameter clear polycarbonate.

Ball: 1/2" in diameter, SST.

Angled Panel Bracket: Weldment comprised of .190" thick 5052 aluminum formed angle with (2) 6061-T6 aluminum threaded tubes 1 1/8" O.D. x 1 1/2" long. Finish: Powdercoat, color specified.

Spacer Tube: Made from 6061-T6 aluminum 7/8" O.D. x 1 11/16". Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Offset Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

127439A

Reach Panels Navigator

Permalene Panel: Two color panel measures 34" wide x 13" high, color specified.

Hub: Solid color Permalene, color specified.

Angle: Fabricated from formed 11 GA (.120") HRPO sheet steel. Finish: Powdercoat, color specified.

Wheel: 12" diameter cast 319.1 aluminum alloy. Shaft-303 stainless steel. Finish: TenderTuff, color specified.

Wheel Bracket: Weldment comprised of formed 3/16" plate and 5/8" O.D. shaft. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Access Clamp: Weldment comprised of 1/4" flat steel and 1/4" x 1 3/4" wide steel clamp. Finish: Powdercoat, color specified.

Half Clamp: Cast aluminum. Finish: Powdercoat, color specified.

124863A

SlideWinder2 32" Deck

Slide Sections: Rotationally molded from U.V. stabilized linear low density polyethylene, color specified.

Rail: 1 1/8" O.D. 6061-T6 aluminum extrusion with 5/16" walls. Finish: Powdercoat, color specified.

Mid-Support: Weldment comprised of 1.900" O.D. RS-20 (.090" - .100") galvanized steel tubing and 3/16" x 1 1/4" zinc plated steel strap. Finish: Powdercoat, color specified.

Support Base (SM): Weldment comprised of 1.660" O.D. RS-20 (.085" - .095") galvanized steel tubing and 1/4" x 3" x 8" mounting plate. Finish: Powdercoat, color specified.

Exit Footer: Weldment comprised of 2.375" O.D. RS-20 (.095" - .105") galvanized steel tubing and 1/4" x 3" x 7 1/2" mounting plate. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Offset Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

124863D

SlideWinder2 56" Deck

Slide Sections: Rotationally molded from U.V. stabilized linear low density polyethylene, color specified.

Rail: 1 1/8" O.D. 6061-T6 aluminum extrusion with 5/16" walls. Finish: Powdercoat, color specified.

Mid-Support: Weldment comprised of 1.900" O.D. RS-20 (.090" - .100") galvanized steel tubing and 3/16" x 1 1/4" zinc plated steel strap. Finish: Powdercoat, color specified.

Support Base (SM): Weldment comprised of 1.660" O.D. RS-20 (.085" - .095") galvanized steel tubing and 1/4" x 3" x 8" mounting plate. Finish: Powdercoat, color specified.

Exit Footer: Weldment comprised of 2.375" O.D. RS-20 (.095" - .105") galvanized

steel tubing and 1/4" x 3" x 7 1/2" mounting plate. Finish: Powdercoat, color specified

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Offset Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

124863G

SlideWinder2 96" Deck, Use 182" Steel Posts Only, Order Separately

Slide Sections: Rotationally molded from U.V. stabilized linear low density polyethylene, color specified.

Rail: 1 1/8" O.D. 6061-T6 aluminum extrusion with 5/16" walls. Finish: Powdercoat, color specified.

Mid-Support: Weldment comprised of 1.900" O.D. RS-20 (.090" - .100") galvanized steel tubing and 3/16" x 1 1/4" zinc plated steel strap. Finish: Powdercoat, color specified

Support Base (SM): Weldment comprised of 1.660" O.D. RS-20 (.085" - .095") galvanized steel tubing and 1/4" x 3" x 8" mounting plate. Finish: Powdercoat, color specified.

Exit Footer: Weldment comprised of 2.375" O.D. RS-20 (.095" - .105") galvanized steel tubing and 1/4" x 3" x 7 1/2" mounting plate. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Offset Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

130800D

Gemini SlideWinder2 56" Deck

Slide Sections: Rotationally molded from U.V. stabilized linear low density polyethylene, color specified.

Mid-Support: Weldment comprised of 1.900" O.D. RS-20 (.090" - .100") galvanized steel tubing and 3/16" x 1 1/4" zinc plated steel strap. Finish: Powdercoat, color specified.

Exit Footer: Weldment comprised of 2.375" RS-20 (.095" - .105") galvanized steel tubing and 1/4" x 4" x 11 3/4" mounting plate. Finish: Powdercoat, color specified.

Support Base (SM): Weldment comprised of 1.660" O.D. RS-20 (.085" - .095") galvanized steel tubing and 1/4" x 3" x 8" mounting plate. Finish: Powdercoat, color specified.

Rail: 1 1/8" O.D. 6061-T6 aluminum extrusion with 5/16" walls. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Offset Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

130800G

Gemini SlideWinder2 96" Deck, Use 182" Steel Posts Only, Order Separately

Slide Sections: Rotationally molded from U.V. stabilized linear low density polyethylene, color specified.

Mid-Support: Weldment comprised of 1.900" O.D. RS-20 (.090" - .100") galvanized steel tubing and 3/16" x 1 1/4" zinc plated steel strap. Finish: Powdercoat, color specified.

Exit Footer: Weldment comprised of 2.375" RS-20 (.095" - .105") galvanized steel tubing and 1/4" x 4" x 11 3/4" mounting plate. Finish: Powdercoat, color specified.

Support Base (SM): Weldment comprised of 1.660" O.D. RS-20 (.085" - .095") galvanized steel tubing and 1/4" x 3" x 8" mounting plate. Finish: Powdercoat, color specified.

Rail: 1 1/8" O.D. 6061-T6 aluminum extrusion with 5/16" walls. Finish: Powdercoat, color specified

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Offset Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified

143677B

Arch Bridges 123" Module, Brown Only, w/Barrier, Max. 72" Decks

Barrier: Weldment comprised of 1.029" O.D. RS-20 (.070" - .080") galvanized steel vertical rungs and 1.900" O.D. RS-20 (.090" - .100") galvanized steel rails. Finish: Powdercoat, color specified.

Arch Bridge Deck: Weldment comprised of 12 GA (.105") sheet steel conforming to

ASTM A569 and 3/16" HR flat steel. Standing surface is perforated with 1/4" diameter holes. Finish: TenderTuff, brown in color.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Offset Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

123291A

Centipede Climber 48"-56" Deck

Climber: Weldment comprised of 2.375" O.D. RS-40 (.130" - .140") galvanized steel tubing, 1.315" O.D. RS-20 (.080" - .090") galvanized steel tubing and 1/4" flat steel. Finish: Powdercoat, color specified.

Support: Formed from 2.375" O.D. RS-40 (.130" - .140") galvanized steel tubing. Finish: Powdercoat, color specified.

Handhold Panel: Solid color Permalene, color specified.

Spacer Tube: Made from 6061-T6 aluminum 7/8" O.D. x 1 11/16" Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Offset Hanger Clamp Assembly: Cast aluminum Finish: Powdercoat, color specified.

122570B

Cliff Climber 56" Deck

Climber Plank: Flange formed from 11 GA (.120") sheet steel conforming to ASTM A569 Standing surface is perforated with 5/16" diameter holes. Finish: TenderTuff, brown in color.

Climber Bracket: Fabricated from formed 3/16" x 2" HR flat steel. Finish: Powdercoat, brown in color.

Climber Steps/Panels: Solid color Permalene, color specified.

Chain: 3/16" Chain zinc plated. Finish: TenderTuff, brown in color.

Footer: Weldment comprised of 1.660" O.D. RS-20 (.085" - .095") galvanized steel tubing and 3/16" x 2" HR flat steel. Finish: Powdercoat, brown in color.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see

specific product installation/specifications).

Upper Bracket: Weldment comprised of formed 1.660" O.D. RS-20 (.085" - .095") galvanized steel tubing and 1/4" x 1 3/4" wide steel half clamps. Finish: Powdercoat, color specified.

Offset Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

126194A

CableCore Climbing Cable Fish Net Climber, 16"-32" Deck

CableCore Cable: Made from 3/16" 7-19 galvanized aircraft cable. Coated with U.V. stabilized polyvinyl chloride (PVC) measuring 1" in diameter, red in color.

Hub/Cover: Formed from 12 GA (.105") HRPO low carbon sheet steel. Finish: Powdercoat, color specified.

30" Cable: Made from 3/16" 7-19 galvanized aircraft cable. Coated with U.V. stabilized polyvinyl chloride (PVC), red in color.

Footer: Fabricated from 1.315" O.D. RS-20 (.080" - .090") galvanized steel tubing. Finish: Powdercoat, red in color.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Half Clamp: Cast aluminum. Finish: Powdercoat, color specified.

Beam: Weldment comprised of formed 2.375" O.D. RS-20 (.095" - .105") galvanized steel tubing and 1/4" x 3" wide steel clamps. Finish: Powdercoat, color specified.

120901A

Grab Bar, TenderTuff-coated Brown

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Grab Bar: Weldment comprised of formed 7/8" O.D. x 11 GA (.120") and 1/4" x 1 3/4" stainless steel half clamps. Finish: TenderTuff, brown in color.

Half Clamp: Cast aluminum. Finish: Powdercoat, color specified.

120902A

Handhold/Leg Lift, TenderTuff-coated Brown

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Half Clamp: Cast aluminum. Finish: Powdercoat, color specified.

Hand Hold: Weldment comprised of formed 7/8" O.D. x 11 GA (.120") and 1/4" x 1 3/4" steel half clamps. Finish: TenderTuff, brown in color.

111275A

Handloop Assembly

Handloop: Weldment comprised of 1.125" O D x 11 GA (.120") steel tubing with 203 or 303 stainless steel inserts, with 5/8" internal thread. Finish: TenderTuff, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Offset Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

120818A

Playstructure Seat, TenderTuff-coated Brown

Seat: Flange formed from 11 GA (.120") sheet steel. Seating surface is perforated with 1/4" diameter holes. Finish: TenderTuff, brown in color.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Deck Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat, color specified.

158678A

CLIMBING WALL

Post: See PlayBooster (PB) General Specifications.

Clamps: Cast aluminum. Finish: Powdercoat, color specified.

Support Beam: Weldment comprised of 2.375" O.D. RS-20 (.095" - .105") galvanized steel tubing, 1/4" x 3" wide half clamps and zinc plated chain rings. Finish: Powdercoat, color specified.

Ladder: Comprised of 4/0 zinc plated chain. Finish: TenderTuff, color specified, and 13/16" O.D. 6061 aluminum rails.

Support (DB): Weldment comprised of 1.900" O.D. RS-20 (.090" - .100") galvanized steel tubing and 11 GA (.120") x 4" x 30" zinc plated steel strap. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

142891A

Circular Horizontal Ladder, Max. 32" Decks

Horizontal Ladder: Weldment comprised of 2.375" O.D. RS-40 (.130" - .140") galvanized steel tubing, 1.125" O.D. x 11 GA (.120") zinc plated steel and cast 535 aluminum magnesium attachment brackets. Finish: Powdercoat, color specified.

Support: Weldment comprised of 2.750" O.D. x .125" wall zinc plated steel tubing and 2.375" O.D. RS-20 (.095" - .105") galvanized steel tubing. Finish: Powdercoat, color specified.

Half Clamp: Cast aluminum. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

119806A

Single Beam Loop Horizontal Ladder, 123" Module, Max. 32" Decks

Loop Ladder: Weldment comprised of 2.875" O.D. RS-40 (.160" - .170") galvanized steel tubing, 2.375" O.D. RS-40 (.130" - .140") galvanized steel tubing, 1.315" O.D. RS-20 (.080" - .090") zinc plated steel and 1/4" HRPO flat steel. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Half Clamp: Cast aluminum. Finish: Powdercoat, color specified

111353A

Track Ride, 10' Module, No Supports w/ (2) Crossovers, Max. 16" Decks

Trolley Assembly: Steel body with a 7/8" O.D. x .120" W steel tubing handle assembly. Four urethane roller skate wheels and tivar guide block. Completely assembled. Steel Body Finish: TenderTuff, brown in color.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Half Clamp: Cast aluminum. Finish: Powdercoat, color specified.

Beam: Extruded from 6005-T5 aluminum alloy. Finish: Powdercoat, color specified.

152907D

Deck Links 4-Steps, w/Barrier

SteelX Panels: Zinc plated 7 GA (.179") HR flat steel. Finish: Powdercoat, color specified.

Step Section: Formed from 12 GA (.105") sheet steel conforming to ASTM A569. Standing surface is 24 1/4" wide x 14" deep and is perforated with 5/16" diameter holes. Finish: TenderTuff, brown in color.

Barrier: Weldment comprised of 1.125" O.D. x 11 Ga. (.120" wall) steel tubing, 5/8" O.D. steel bar with 203 or 303 stainless steel 3/8" threaded inserts. Finish: TenderTuff, color specified.

Spacer Tube: Made from 6061-T6 aluminum 7/8" O.D. x 1 11/16". Finish: Powdercoat, color specified.

Clamps: Cast aluminum. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

152908C

Deck Links 3-Steps, w/Handrail

Panels: Solid color Permalene, color specified.

Handrail: Weldment comprised of 1.125" O.D. x 11 GA (.120") steel tubing with 203 or 303 stainless steel welded inserts with 3/8" internal threads. Finish: TenderTuff, color specified.

Step Section: Formed from 12 GA (.105") sheet steel conforming to ASTM A569. Standing surface is 24 1/4" wide x 14" deep and is perforated with 5/16" diameter holes. Finish: TenderTuff, brown in color.

Spacer Tube: Made from 6061-T6 aluminum 7/8" O.D. x 1 11/16". Finish: Powdercoat, color specified.

Clamps: Cast aluminum. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in

design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

100050C

Arch Belt Swings Arch Belt Swing, 2-Place, Uncoated Chain

Arch Posts: See PlayBooster (PB) General Specifications.

Swing Beam: Weldment comprised of tee clamps and 5" O.D. extruded 6005-I5 aluminum alloy tube with a .125" W. Finish: Powdercoat, color specified.

Chain: Steel 3/16" straight link chain, 800 lb. working load limit. Finish: Hot galvanized.

Belt Seat: Molded from UV stabilized black EPDM rubber encapsulating a weldment comprised of a 22 GA (.029") spring stainless steel sheet and (4) .105 thick stainless steel washers. The belt seat elliptical shape measures 7" wide x 26" long x .700" thick.

Hanger Clamp Assembly: Cast aluminum. Finish: Powdercoat color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

111579C

Arch Belt Swings Additional 2-Place Bay, Uncoated Chain

141683A

TenderTuff-coated Benches 72", TenderTuff-coated Steel, w/Back, Direct Bury

Seat Planks: Fabricated from formed 11 GA (.120") HRPO sheet steel perforated, planks measure 10 3/4" wide x 72" long and 10 3/4" wide x 92" long with 5/16" diameter holes on surface. Finish: TenderTuff, color specified

Back Plank: Fabricated from formed 11 GA (.120") HRPO sheet steel perforated, plank measures 6 3/4" wide x 72" long and 6 3/4" wide x 92" long with 5/16" diameter holes on surface. Finish: TenderTuff, color specified.

Leg: Weldment comprised of 2.375" O.D. RS-40 (.130" - .140") galvanized steel tubing and 3/8" x 4" HR steel straps. Finish: Powdercoat, color specified.

Fasteners: Primary fasteners shall be socketed and pinned tamperproof in design, stainless steel (SST) per ASTM F 879 unless otherwise indicated (see specific product installation/specifications).

Warranty: You have our word.

Landscape Structures Inc. warrants that all playstructures and/or equipment sold will conform in kind and in quality to the specifications manual for the products identified in the Acknowledgement of Order and will be free of defects in manufacturing and material. Seller further warrants:

100-Year Limited Warranty for all stainless steel fasteners, aluminum posts, clamps, beams and caps, against structural failure due to corrosion/natural deterioration or manufacturing defects. This warranty does not include any cosmetic issues or wear and tear from normal use.

15-Year Limited Warranty for all plastic and steel components, including TuffTimbers™, against structural failure due to corrosion/natural deterioration or manufacturing defects. TenderTuff®-coating against structural failure due to natural deterioration or manufacturing defects. (Except Wiggle Ladders, Chain Ladders and Swing Chain). TuffTurf® against material or manufacturing defects when properly installed. Corocord® cable on Spacenet climbers against breakage.


10-Year Limited Warranty for all CoolToppers® structural steel frames and Mobius climbers against structural failure due to natural deterioration or manufacturing defects.

5-Year Limited Warranty for Corocord cables on Spacenet climbers and CoolToppers® fabric against natural deterioration or manufacturing defects. This warranty is limited to the design loads as stated in the specifications found in the technical information. The Natural Elements™ climbers exterior GFRC material, against structural failure due to natural deterioration or manufacturing defects.

3-Year Limited Warranty for all other parts, ie: CableCore™ products, Swing seats and hangers, Mobius climber handholds, Wiggle Ladders, Chain Ladders and Swing Chain, Track Ride trolleys and bumpers, all rocking equipment including Sway Fun™, PVC belting material, HealthBeat hydraulic cylinders, Seesaws, Wiggle Ring Bridge, etc. against failure due to corrosion/natural deterioration or manufacturing defects.

This warranty does not include any cosmetic issues or wear and tear from normal use.

The warranty stated above is valid only if the structures and/or equipment are erected in conformance with Landscape Structures' installation instructions and maintained according to the maintenance procedures furnished by Landscape Structures Inc. For a full text of the warranty, contact your local sales representative



slr
landscape
structures




SERVICE SUPPLY LTD. INC.

NORTH BEND STATE PARK

4/16/2009

17434175-1-1

CAIRO, WV



Star
landscape
structures®



SLS
SERVICE SUPPLY LTD. INC.

NORTH BEND STATE PARK

4/16/2009

17434175-1-1

CAIRO, WV



The play components identified on this plan are IPEDMA certified. This use of IPEDMA certified components complies with the requirements of Section 119.2.


THIS PLAY AREA IS DESIGNED TO BE USED FOR A MINIMUM OF 10 YEARS UNLESS OTHERWISE NOTED ON PLAN.

IT IS THE MANUFACTURER'S OPINION THAT THIS PLAY AREA DOES COMPLY TO THE ASTM AND IPEDMA STANDARDS. THE ASSURANCE OF ACCESSIBLE PLAY SURFACING IS PROVIDED AS INDICATED ON WITHIN THE ENTIRE USE ZONE.


THIS CONCEPTUAL PLAN WAS BASED ON INFORMATION PROVIDED BY THE MANUFACTURER. LANDSCAPE STRUCTURES, INC. DOES NOT WARRANT THE ACCURACY OF THE INFORMATION PROVIDED. LANDSCAPE STRUCTURES, INC. DOES NOT WARRANT THE ACCURACY OF THE INFORMATION PROVIDED. LANDSCAPE STRUCTURES, INC. DOES NOT WARRANT THE ACCURACY OF THE INFORMATION PROVIDED.

DESIGNED BY:
GUY
LANDSCAPE STRUCTURES, INC.
801 W. MARKET STREET - P.O. BOX 100
P.O. BOX 100
P.O. BOX 100

TOTAL ELEVATED PLAY COMPONENTS	9	0	REQUIRED	0
TOTAL ELEVATED COMPONENTS ACCESSIBLE BY RAMP	0	0	REQUIRED	0
TOTAL ELEVATED COMPONENTS ACCESSIBLE BY TRANSFER	9	5	REQUIRED	5
TOTAL ACCESSIBLE GROUND LEVEL COMPONENTS SHOWN	11	3	REQUIRED	3
TOTAL DIFFERENT TYPES OF GROUND LEVEL COMPONENTS	8	8	REQUIRED	8



SCALE IN FEET:



SYSTEM TYPE:
PLAYBOOSTER
DRAWING #:
34175-i-1

SERVICE SUPPLY
JERRY GROVES

NORTH BEND
STATE PARK
CAIRO, WV





The play components identified on this plan are IPEMA certified. This use and layout of these components complies with the requirements of IPEMA 11.07.


THE PLAY AREA IS DESIGNED TO BE USED FOR A MINIMUM OF 15 YEARS UNLESS OTHERWISE NOTED ON PLAN.

IT IS THE MANUFACTURER'S OPINION THAT THIS PLAY AREA DOES CONFORM TO THE CURRENT MANUFACTURER'S SPECIFICATIONS AND THE ASSUMING AN ACCESSIBLE PRECEDENT OR SURVIVAL IS PROVIDED AS INDICATED ON WITHIN THE ENTIRE USE ZONE.

THE CONCEPTUAL PLAN WAS BASED ON THE CONSTRUCTION DETAILS PROVIDED BY THE MANUFACTURER. THE MANUFACTURER'S CONSTRUCTION DETAILS SHOULD BE REVIEWED AND APPROVED BY THE LOCAL HEALTH DEPARTMENT. THE MANUFACTURER'S CONSTRUCTION DETAILS SHOULD BE REVIEWED AND APPROVED BY THE LOCAL HEALTH DEPARTMENT. THE MANUFACTURER'S CONSTRUCTION DETAILS SHOULD BE REVIEWED AND APPROVED BY THE LOCAL HEALTH DEPARTMENT.

DESIGNED BY:
GEM
LANDSCAPE ARCHITECTS, INC.
801 W. BERRY AVE. - 4TH FLOOR
PH: 1-402-525-2222 FAX: 1-402-525-2222

TOTAL ELEVATED PLAY COMPONENTS	9	0	REQUIRED	5
TOTAL ELEVATED COMPONENTS ACCESSIBLE BY RAMP	0	0	REQUIRED	5
TOTAL ELEVATED COMPONENTS ACCESSIBLE BY TRANSFER	9	0	REQUIRED	5
TOTAL ACCESSIBLE GROUND LEVEL COMPONENTS SHOWN	11	11	REQUIRED	8
TOTAL DIFFERENT TYPES OF GROUND LEVEL COMPONENTS	8	8	REQUIRED	8



SYSTEM TYPE
PLAYBOOSTER
DRAWING #:
34176-1-1

SERVICE
SUPPLY
JERRY GROVES

NORTH BEND
STATE PARK
CALRO, WY

SCALE IN FEET:
0' 5' 10' 20'