



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 DNR210080

PAGE
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF
 FRANK WHITTAKER
 304-558-2316

PROPERTY

*709040719 304-766-6277
 ELECTRONIC SPECIALTY COMPANY
 PO BOX 400
 1325 DUNBAR AVE
 DUNBAR WV 25064

SHIP TO

DIVISION OF NATURAL RESOURCES
 PARKS & RECREATION SECTION
 324 4TH AVENUE
 SOUTH CHARLESTON, WV
 25303-1228 304-558-3397

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/17/2009	Net 30	Our Truck	Job Site	

BID OPENING DATE: 01/14/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		990-22		
<p>CCTV, SECURITY, AND ACCESS CONTROL SYSTEM</p> <p>THE WEST VIRGINIA PURCHASING DIVISION, FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF NATURAL RESOURCES IS SOLICITATION BIDS TO FURNISH AND INSTALL A CLOSED CIRCUIT TELEVISION (CCTV) SYSTEM, ACCESS CONTROL, AND INTRUSION DETECTION FOR THE CHEIF LOGAN RECREATION CENTER, LOGAN WV.</p> <p>MANDATORY PRE-BID A MANDATORY PRE-BID WILL BE HELD ON 12/29/09 @ 1:30 PM AT THE CHEIF LOGAN RECREATION CENTER, LOGAN, WV. ALL INTERESTED PARTIES ARE REQUIRED TO ATTEND THIS MEETING. FAILURE TO ATTEND THE MANDATORY PRE-BID SHALL RESULT I DISQUALIFICATION OF THE BID. NO ONE PERSON MAY REPRESENT MORE THAN ONE BIDDER.</p> <p>AN ATTENDANCE SHEET WILL BE MADE AVAILABLE FOR ALL POTENTIAL BIDDERS TO COMPLETE. THIS WILL SERVE AS THE OFFICIAL DOCUMENT VERIFYING ATTENDANCE AT THE MANDATOR PRE-BID. FAILURE TO PROVIDE YOUR COMPANY AND REPRESENTATIVE NAME ON THE ATTENDANCE SHEET WILL RESULT IN DISQUALIFICATION OF THE BID. THE STATE WILL NOT ACCEPT ANY OTHER DOCUMENTATION TO VERIFY ATTENDANCE. THE BIDDER IS RESPONSIBLE FOR ENSURING THEY HAVE COMPLETED THE INFORMATION REQUIRED ON THE ATTENDANCE SHEET. THE PURCHASING DIVISION AND THE STATE AGENCY WILL NOT ASSUME ANY RESPONSIBILITY FOR A BIDDER-S FAILURE TO COMPLETE THE PRE-BID ATTENDANCE SHEET. IN ADDITION, WE REQUEST THAT ALL POTENTIAL BIDDERS INCLUDE THEIR E-MAIL ADDRESS AND FAX NUMBER.</p>						

RECEIVED
 2010 JAN 14 PM 12:54
 WV PURCHASING DIVISION

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
	304-766-6277	1/14/2010	
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	
Sr. Sales Executive	55-0452548		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210080

PAGE
2

ADDRESS: CORRESPONDENCE TO ATTENTION OF:
FRANK WHITTAKER 304-558-2316

VENDOR

*709040719 304-766-6277
 ELECTRONIC SPECIALTY COMPANY
 PO BOX 400
 1325 DUNBAR AVE
 DUNBAR WV 25064

SHIP TO

DIVISION OF NATURAL RESOURCES
 PARKS & RECREATION SECTION
 324 4TH AVENUE
 SOUTH CHARLESTON, WV
 25303-1228 304-558-3397

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/17/2009				

BID OPENING DATE: 01/14/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>ALL POTENTIAL BIDDERS ARE REQUESTED TO ARRIVE PRIOR TO THE STARTING TIME FOR THE PRE-BID. BIDDERS WHO ARRIVE LATE, BUT PRIOR TO THE DISMISSAL OF THE TECHNICAL PORTION OF THE PRE-BID WILL BE PERMITTED TO SIGN IN. BIDDERS WHO ARRIVE AFTER CONCLUSION OF THE TECHNICAL PORTION OF THE PRE-BID, BUT DURING ANY SUBSEQUENT PART OF THE PRE-BID WILL NOT BE PERMITTED TO SIGN THE ATTENDANCE SHEET.</p> <p>ALL TECHNICAL QUESTIONS MUST BE SUBMITTED IN WRITING TO FRANK WHITTAKER IN THE PURCHASING DIVISION VIA EMAIL AT FRANK.M.WHITTAKER@WV.GOV OR VIA FAX AT 304-558-4115 DEADLINE FOR TECHNICAL QUESTIONS IS 01/05/2010 @ 4:00 PM ALL TECHNICAL QUESTIONS WILL BE ADDRESSED BY ADDENDUM AFTER THE DEADLINE.</p> <p>EXHIBIT 5</p> <p>WEST VIRGINIA CODE 21-1D-5 PROVIDES THAT: ANY SOLICITATION FOR A PUBLIC IMPROVEMENT CONSTRUCTION CONTRACT REQUIRES EACH VENDOR THAT SUBMITS A BID FOR THE WORK TO SUBMIT AT THE SAME TIME AN AFFIDAVIT OF COMPLIANCE WITH THE BID. THE ENCLOSED DRUG-FREE WORKPLACE AFFIDAVIT MUST BE SIGNED AND SUBMITTED WITH THE BID AS EVIDENCE OF THE VENDOR'S COMPLIANCE WITH THE PROVISIONS OF ARTICLE 1D, CHAPTER 21 OF THE WEST VIRGINIA CODE. FAILURE TO SUBMIT THE SIGNED DRUG-FREE WORKPLACE AFFIDAVIT WITH THE BID SHALL RESULT IN DISQUALIFICATION OF SUCH BID.</p> <p>NOTICE TO PROCEED: THIS CONTRACT IS TO BE PERFORMED WITHIN 30 CALENDAR DAYS AFTER THE NOTICE TO PROCEED IS RECEIVED. UNLESS OTHERWISE SPECIFIED, THE FULLY EXECUTED PURCHASE ORDER WILL BE CONSIDERED NOTICE TO PROCEED.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210080

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
FRANK WHITTAKER 304-558-2316

PROPERTY

*709040719 304-766-6277
 ELECTRONIC SPECIALTY COMPANY
 PO BOX 400
 1325 DUNBAR AVE
 DUNBAR WV 25064

SHIP TO

DIVISION OF NATURAL RESOURCES
 PARKS & RECREATION SECTION

 324 4TH AVENUE
 SOUTH CHARLESTON, WV
 25303-1228 304-558-3397

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B	FREIGHT TERMS
12/17/2009				

BID OPENING DATE: 01/14/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE MATERIALS OR WORKMANSHIP SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HERE IN.</p> <p>WAGE RATES: THE CONTRACTOR OR SUBCONTRACTOR SHALL PAY THE HIGHER OF THE U.S. DEPARTMENT OF LABOR MINIMUM WAGE RATES AS ESTABLISHED FOR LOGAN COUNTY, PURSUANT TO WEST VIRGINIA CODE 21-5A, ET, SEQ. (PREVAILING WAGE RATES APPLY TO THIS PROJECT)</p> <p>ARBITRATION: ANY REFERENCES MADE TO ARBITRATION OR INTEREST FOR PAYMENTS DUE (EXCEPT FOR ANY INTEREST REQUIRED BY STATE LAW) CONTAINED IN THIS CONTRACT OR IN ANY AMERICAN INSTITUTE OF ARCHITECTS DOCUMENTS PERTAINING TO THIS CONTRACT ARE HEREBY DELETED.</p> <p>WORKERS' COMPENSATION: VENDOR IS REQUIRED TO PROVIDE A CERTIFICATE FROM WORKERS' COMPENSATION IF SUCCESSFUL.</p> <p>ALL OF THE ITEMS CHECKED BELOW WILL BE A REQUIREMENT OF THIS CONTRACT:</p> <p>(XX) INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF OF COMMERCIAL GENERAL LIABILITY INSURANCE PRIOR TO ISSUANCE OF CONTRACT. UNLESS OTHERWISE SPECIFIED IN THE BID DOCUMENTS, THE MINIMUM AMOUNT OF INSURANCE COVERAGE REQUIRED IS \$250,000.</p> <p>() BUILDERS RISK INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF OF BUILDERS RISK - ALL RISK INSURANCE IN AN AMOUNT EQUAL TO 100% OF THE AMOUNT OF THE CONTRACT.</p> <p>(XX) BONDS: FIVE PERCENT (5%) OF THE TOTAL AMOUNT OF THE BID PAYABLE TO THE STATE OF WEST VIRGINIA, SHALL B</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210080

PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF
FRANK WHITTAKER 304-558-2316

VENDOR

*709040719 304-766-6277
 ELECTRONIC SPECIALTY COMPANY
 PO BOX 400
 1325 DUNBAR AVE
 DUNBAR WV 25064

SHIP TO

DIVISION OF NATURAL RESOURCES
 PARKS & RECREATION SECTION

 324 4TH AVENUE
 SOUTH CHARLESTON, WV
 25303-1228 304-558-3397

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/17/2009				

BID OPENING DATE:

01/14/2010

BID OPENING TIME

01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>SUBMITTED WITH EACH BID AS A BID BOND. . THE SUCCESSFUL BIDDER SHALL ALSO FURNISH A PERFORMANCE BOND AND LABOR/MATERIAL BOND FOR 100% OF THE AMOUNT OF THE CONTRACT. BONDS MAY BE PROVIDED IN THE FORM OF A CERTIFIED CHECK, IRREVOCABLE LETTER OF CREDIT, OR BOND FURNISHED BY A SOLVENT SURETY COMPANY AUTHORIZED TO DO BUSINESS IN TH STATE OF WEST VIRGINIA. A LETTER OF CREDIT SUBMITTED IN LIEU OF A BOND WILL ONLY BE ALLOWED FOR PROJECTS UNDER \$100,000. PERSONAL OR BUSINESS CHECKS ARE NOT ACCEPCTABLE IN LIEU OF THE 5% BID BOND, PERFORMANCE BOND, OR LABOR AND MATERIAL BOND.</p> <p>() MAINTENANCE BOND: A TWO (2) YEAR MAINTENANCE BOND COVERING THE ROOFING SYSTEM WILL BE A REQUIREMENT OF THE SUCCESSFUL VENDOR.</p> <p>REV. 11/00</p> <p>EXHIBIT 7</p> <p>DOMESTIC ALUMINUM, GLASS & STEEL IN PUBLIC WORKS PROJECTS</p> <p>IN ACCORDANCE WITH WEST VIRGINIA CODE 5-19-1 ET., SEQ., EVERY CONTRACT FOR CONSTRUCTION, RECONSTRUCTION, ALTERATION, REPAIR, IMPROVEMENT OR MAINTENANCE OF PUBLIC WORKS, WHERE THE COST IS MORE THAN \$50,000 AND, IN THE CASE OF STEEL ONLY, WHERE THE COST OF STEEL IS MORE THAN \$50,000 OR WHERE MORE THAN 10,000 POUNDS OF STEEL ARE REQUIRED, THE STATE WILL ACCEPT ONLY ALUMINUM GLASS, OR STEEL PRODUCTS PRODUCED IN THE UNITED STATES. IN ADDITION, ITEMS OF MACHINERY OR EQUIPMENT PURCHASED FOR USE AT THE SITE OF PUBLIC WORKS SHALL BE MADE OF DOMESTIC ALUMINUM, GLASS OR STEEL, UNLESS THE COST OF THE PRODUCT IS LESS THAN \$50,000 OR LESS THAN 10,000</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210080

PAGE
5

ADDRESS CORRESPONDENCE TO ATTENTION OF:
FRANK WHITTAKER 304-558-2316

VENDOR

*709040719 304-766-6277
 ELECTRONIC SPECIALTY COMPANY
 PO BOX 400
 1325 DUNBAR AVE
 DUNBAR WV 25064

SHIP TO

DIVISION OF NATURAL RESOURCES
 PARKS & RECREATION SECTION
 324 4TH AVENUE
 SOUTH CHARLESTON, WV
 25303-1228 304-558-3397

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/17/2009				

BID OPENING DATE: 01/14/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>POUNDS OF STEEL ARE USED IN PUBLIC WORKS PROJECTS.</p> <p>FOREIGN MADE ALUMINUM, GLASS OR STEEL PRODUCTS MAY BE ACCEPTED ONLY IF THE COST OF DOMESTIC PRODUCTS IS FOUND TO BE UNREASONABLE. SUCH COST IS UNREASONABLE IF IT IS 20% OR MORE HIGHER THAN THE BID PRICE FOR FOREIGN MADE PRODUCTS. IF THE DOMESTIC ALUMINUM, GLASS OR STEEL PRODUCTS TO BE SUPPLIED OR PRODUCED IN A "SUBSTANTIAL LABOR SURPLUS AREA", AS DEFINED BY THE UNITED STATES DEPARTMENT OF LABOR, FOREIGN PRODUCTS MAY BE SUPPLIED ONLY IF DOMESTIC PRODUCTS ARE 30% OR MORE HIGHER IN PRICE THAN THE FOREIGN MADE PRODUCTS.</p> <p>IF, PRIOR TO THE AWARD OF A CONTRACT UNDER THE ABOVE PROVISIONS, THE SPENDING OFFICER OF THE SPENDING UNIT DETERMINES THAT THERE EXISTS A BID FOR LIKE FOREIGN ALUMINUM, GLASS OR STEEL THAT IS REASONABLE AND LOWER THAN THE LOWEST BID DOMESTIC PRODUCTS, THE SPENDING OFFICE MAY REQUEST, IN WRITING, A REEVALUATION AND REDUCTION IN THE LOWEST BID FOR SUCH DOMESTIC PRODUCTS. ALL VENDORS MUST INDICATE IN THEIR BID IF THEY ARE SUPPLYING FOREIGN ALUMINUM, GLASS OR STEEL.</p> <p>REV. 3/88</p> <p>EXHIBIT 9</p> <p>NOTICE FOR ISSUANCE & ACKNOWLEDGEMENT OF CONSTRUCTION PROJECT ADDENDA</p> <p>THE ARCHITECT/ENGINEER AND/OR AGENCY SHALL BE REQUIRED TO ABIDE BY THE FOLLOWING SCHEDULE IN ISSUING CONSTRUCTION PROJECT ADDENDA FOR STATE AGENCIES:</p> <p>(1) THE ARCHITECT/ENGINEER SHALL PREPARE THE ADDENDUM</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 DNR210080

PAGE
 6

ADDRESS CORRESPONDENCE TO ATTENTION OF
 FRANK WHITTAKER
 304-558-2316

VENDOR

*709040719 304-766-6277
 ELECTRONIC SPECIALTY COMPANY
 PO BOX 400
 1325 DUNBAR AVE
 DUNBAR WV 25064

SHIP TO

DIVISION OF NATURAL RESOURCES
 PARKS & RECREATION SECTION
 324 4TH AVENUE
 SOUTH CHARLESTON, WV
 25303-1228 304-558-3397

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/17/2009				

BID OPENING DATE: 01/14/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>AND A LIST OF ALL PARTIES THAT HAVE PROCURED DRAWINGS AND SPECIFICATIONS FOR THE PROJECT. THE ADDENDUM AND LIST SHALL BE FORWARDED TO THE BUYER IN THE STATE PURCHASING DIVISION. THE ARCHITECT/ENGINEER SHALL ALSO SEND A COPY OF THE ADDENDUM TO THE STATE AGENCY FOR WHICH THE CONTRACT IS ISSUED.</p> <p>(2) THE BUYER SHALL SEND THE ADDENDUM TO ALL INTERESTED PARTIES AND, IF NECESSARY, EXTEND THE BID OPENING DATE. ANY ADDENDUM SHOULD BE RECEIVED BY THE BUYER WITHIN FOURTEEN (14) DAYS PRIOR TO THE BID OPENING DATE.</p> <p>(3) ALL ADDENDA SHOULD BE FORMALLY ACKNOWLEDGED BY ALL BIDDERS AND SUBMITTED TO THE STATE PURCHASING DIVISION. THE SAME RULES AND REGULATIONS THAT APPLY TO THE ORIGINAL BIDDING DOCUMENT SHALL ALSO APPLY TO AN ADDENDUM DOCUMENT. THE ONLY EXCEPTION MAY BE FOR AN ADDENDUM THAT IS ISSUED FOR THE SOLE PURPOSE OF CHANGING A BID OPENING TIME AND/OR DATE.</p> <p>REV. 11/96</p> <p>EXHIBIT 10</p> <p>ADDENDUM ACKNOWLEDGEMENT</p> <p>I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.</p> <p>ADDENDUM NOS. :</p> <p>NO. 1 1/6/2010</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 DNR210080

PAGE
 7

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 FRANK WHITTAKER
 304-558-2316

VENDOR

*709040719 304-766-6277
 ELECTRONIC SPECIALTY COMPANY
 PO BOX 400
 1325 DUNBAR AVE
 DUNBAR WV 25064

SHIP TO

DIVISION OF NATURAL RESOURCES
 PARKS & RECREATION SECTION
 324 4TH AVENUE
 SOUTH CHARLESTON, WV
 25303-1228 304-558-3397

DATE PRINTED 12/17/2009	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
----------------------------	---------------	----------	--------	---------------

BID OPENING DATE: 01/14/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
NO. 2						
NO. 3						
NO. 4						
NO. 5						
<p>I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF THE BIDS.</p> <p>VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.</p> <p>.....SIGNATURE</p> <p>Electronic Specialty CompanyCOMPANY</p> <p>1/14/2010DATE</p> <p>REV. 11/96</p> <p>CONTRACTORS LICENSE</p> <p>WEST VIRGINIA STATE CODE 21-11-2 REQUIRES THAT ALL PERSONS DESIRING TO PERFORM CONTRACTING WORK IN THIS STATE MUST BE LICENSED. THE WEST VIRGINIA CONTRACTORS LICENSING BOARD IS EMPOWERED TO ISSUE THE CONTRACTORS LICENSE. APPLICATIONS FOR A CONTRACTORS LICENSE MAY B</p>						

SIGNATURE		TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER:
DNR210080

PAGE:
8

ADDRESS CORRESPONDENCE TO ATTENTION OF:
FRANK WHITTAKER
304-558-2316

VENDOR

*709040719 304-766-6277
 ELECTRONIC SPECIALTY COMPANY
 PO BOX 400
 1325 DUNBAR AVE
 DUNBAR WV 25064

SHIP TO

DIVISION OF NATURAL RESOURCES
 PARKS & RECREATION SECTION
 324 4TH AVENUE
 SOUTH CHARLESTON, WV
 25303-1228 304-558-3397

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/17/2009				

BID OPENING DATE: **01/14/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>MADE BY CONTACTING THE WEST VIRGINIA DIVISION OF LABOR CAPITOL COMPLEX, BUILDING 3, ROOM 319, CHARLESTON, WV 25305. TELEPHONE: (304) 558-7890.</p> <p>WEST VIRGINIA STATE CODE 21-11-11 REQUIRES ANY PROSPECTIVE BIDDER TO INCLUDE THE CONTRACTORS LICENSE NUMBER ON THEIR BID.</p> <p>BIDDER TO COMPLETE:</p> <p>CONTRACTORS NAME: Electronic Specialty Company</p> <p>CONTRACTORS LICENSE NO.: WV 010229</p> <p>THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FURNISH A COPY OF THEIR CONTRACTORS LICENSE PRIOR TO ISSUANCE OF A PURCHASE ORDER/CONTRACT</p> <p style="text-align: center;">APPLICABLE LAW</p> <p>THE WEST VIRGINIA STATE CODE, PURCHASING DIVISION RULES AND REGULATIONS, AND THE INFORMATION PROVIDED IN THE "REQUEST FOR QUOTATION" ISSUED BY THE PURCHASING DIVISION IS THE SOLE AUTHORITY GOVERNING THIS PROCUREMENT.</p> <p>ANY INFORMATION PROVIDED IN SPECIFICATION MANUALS, OR ANY OTHER SOURCE, VERBAL OR WRITTEN, WHICH CONTRADICTS OR ALTERS THE INFORMATION PROVIDED FROM THE SOURCES AS DESCRIBED IN THE ABOVE PARAGRAPH IS VOID AND OF NO EFFECT.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER.</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 DNR210080

PAGE
 10

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 FRANK WHITTAKER
 804-558-2316

VENDOR

*709040719 304-766-6277
 ELECTRONIC SPECIALTY COMPANY
 PO BOX 400
 1325 DUNBAR AVE
 DUNBAR WV 25064

SHIP TO

DIVISION OF NATURAL RESOURCES
 PARKS & RECREATION SECTION
 324 4TH AVENUE
 SOUTH CHARLESTON, WV
 25303-1228 304-558-3397

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/17/2009				

BID OPENING DATE: 01/14/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
				Kevin Mercer		
***** THIS IS THE END OF RFQ DNR210080 ***** TOTAL:						\$60,517.00

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE		TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210080

PAGE
1

ADDRESS: CORRESPONDENCE TO ATTENTION OF:
FRANK WHITTAKER 304-558-2316

VENDOR

*709040719 304-766-6277
 ELECTRONIC SPECIALTY COMPANY
 PO BOX 400
 1325 DUNBAR AVE
 DUNBAR WV 25064

SHIP TO

DIVISION OF NATURAL RESOURCES
 PARKS & RECREATION SECTION
 324 4TH AVENUE
 SOUTH CHARLESTON, WV
 25303-1228 304-558-3397

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/06/2010	Net 30	Our Truck	Job Site	

BID OPENING DATE: 01/14/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
***** ADDENDUM NO. 1 *****						
THIS ADDENDUM IS ISSUED TO PROVIDE THE ATTACHED MANDATORY PRE-BID SIGN IN SHEET AND THE TECHNICAL QUESTIONS & ANSWERS.						
THE BID OPENING DATE AND TIME HAVE NOT CHANGED.						
0001	1	LS		990-22		
CCTV, SECURITY, AND ACCESS CONTROL SYSTEM						
***** THIS IS THE END OF RFQ DNR210080 ***** TOTAL:						\$60,517.00

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
	304-766-6277	1/14/2010	
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	
Sr. Sales Executive	55-0452548		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

DNR210080 - Chief Logan Recreation Center
 CCTV Project at Chief Logan Recreation Center, Logan, WV
 EQUIPMENT LIST

Please complete the below information concerning the brand(s) of equipment being bid in relation to this project. If bidding "equal" products, please attach manufacturer's literature (in the form of technical specification cut sheets) documenting the adherence to the mandatory requirements stated in the specifications.

Item Description	Manufacturer	Model	Literature Attached
DVR	Samsung	7162-1.5T	Yes
Cameras for Harsh Environment (pool)	Samsung	SCC-B5399H	Yes
Bricks for the Parking Lot (outside)	Samsung	SCC-B2335	Yes
Lense for Brick Camera	Samsung	GC-2.8-12ADCIR	Yes
Interior Dome camera	Samsung	SCC-5368	Yes
Brick Enclosures for Outside	Samsung	GV-HOU3512HB	Yes
Bracket for Domes	Samsung	SADT-102MM	Yes
Ditek Outdoor Lightning Protection	Ditek	DP4P	Yes
Camera Power Supply	Samsung	GV-M244816UL	YES
Cyberpower Battery Back UP	Cyberpower	OL1000RMXL2U	Yes
32" Wall Mount	ProMount		Yes
40" Wall Mount	ProMount		Yes
32" LCD in Offices	Samsung	SMT-3222	Yes
40" LDC in Manger Office	Samsung	SMT-4222	Yes
Vicon Ground Loop Transformer	Vicon	V235GLTA	Yes
Brivo Hardware for Access Control	Brivo	ACS	Yes
Mag Lock	GE Security	M62	Yes
Bracket for mag lock	GE Security	SEC-CWB62CL	Yes
Card Reader w/J Box Grey (940)	GE Security	520836001	Yes
Pushbutton with timer	GE Security	EEB2	Yes
Request to Exit PIR	GE Security	RCR-REX-B	Yes
HID Reader	GE Security		Yes
Burg Panel	GE Security	NX-848E-KIT	Yes
12 7ah battery	Interstate	SLA1075	Yes
16 Zone Expander Module	GE Security	NX-216E	Yes
Digital Voice Dialer	GE Security	AD2000	Yes

DNR210080 - Chief Logan Recreation Center
 CCTV Project at Chief Logan Recreation Center, Logan, WV
 EQUIPMENT LIST

Ceiling Mount PIR	GE Security	AP669	Yes
Ceiling Plate	GE Security	AP669BP	Yes
Wall Mount PIR	GE Security	AP633A	Yes
Wall Plate	GE Security	BR601	Yes
Remote Power Supply	GE Security	NX320E	Yes



Chief Logan Recreation Center, Logan

CCTV, Access Control, & Intrusion Detection

RFQ: DNR210080

Thank for you for this opportunity to partner with you. Electronic Specialty has installed thousand's of CCTV systems in the Tri-State area. We pride ourselves on being the best, and delivering the best solution to our customer. We have twenty nine technicians that are available 24-7 if a problem should arise.

All Cameras, DVR's, and Monitors come with a 3 Year Warranty.

All products in this bid are exact matching product per spec.

All questions concerning this bid can be directed to;

Kevin Mercer
Sr. Sales Executive
Electronic Specialty Company

1325 Dunbar Ave.
Dunbar, WV 25064
(304) 951-2239 Cell
(304) 766-6270 Fax

Project Total **\$60,517.00**

LIFE SAFETY • SECURITY • PROFESSIONAL SOUND • VIDEO CRITICAL • COMMUNICATIONS
SERVICE/SALES LOCATIONS: DUNBAR, WV • MORGANTOWN, WV • ASHLAND, KY

WV Contractors License #WV 010229



1325 DUNBAR AVENUE • P.O. BOX 400 • DUNBAR, WV 25064
 PHONE 304-766-6277 • 800-642-5500 • FAX 304-766-6270

DIVISION OF NATURAL RESOURCES
 Attn: Brad Leslie
 324 4th Avenue
 South Charleston, WV 25303

DATE: January 14th, 2010 (Our 63rd Year)

QUOTATION NO. 10-0113-09

REFERENCE: CCTV, Access, Intrusion

WE ARE PLEASED TO SUBMIT OUR QUOTATION FOR THE ABOVE PROJECT.

Chief Logan Recreation Center

Summary of System Cost Information

system, and technical service.....\$60,517.00 plus any applicable taxes

Approved By _____ Date _____ PO# _____

Terms for the above:

- Invoice equipment & installation material upon delivery, net 30 days each invoice
- Invoice balance of upon completion of unit, net 30 days each invoice

CCTV, Samsung DVR's, Cameras, and Monitors

2	Samsung 7162 DVR's with 1.5TB Hard Drive
4	Samsung SCC-B5399 Cameras for harsh environment (pool area)
6	Samsung SCC-B2335 Cameras for Parking Lot Area
6	Samsung GC-2.8-12ADCIR, Lens for Parking Lot Cameras
22	Samsung SCC-5368 Interior Dome Cameras
6	Samsung GV-HOU3512HB, Brick Enclosures with Heater for Parking Lot Cameras
2	Samsung GV-M244816UL, Power Supply for Cameras
2	Samsung SMT-3222, 32" LCD for front office area
1	Samsung SMT-4222, 40" LCD for Managers office
2	32" Flat Panel Wall Mounts
1	40" Flat Panel Wall Mount
12	Ditek Outdoor Lightening Surge protectors for Outdoor cameras, Need 2 for every single outdoor camera
2	Cyberpower OL1000RMXL2U, battery back up
6	Vicon Ground Loop Transformer for Outdoor Area Cameras

Access Control Integration with EZ Facility 4.0

1	Brivo Hardware for Integration with EZ Facility 4.0 - Comes with one year subscription of web hosted service for access control
2	M62 Mag Locks for Front Doors
1	HID card Reader
1	Push button with timer
1	Request to Exit PIR

Intrusion Detection System, with one year of monitoring

1	GE Security NX-8 Panel
1	GE Security NX 16 Zone Expander Module
1	GE Security Digital Voice Dialer
2	GE Security Ceiling Mount PIR's, with Plate
3	GE Security Wall Mount PIR's, with wall plate
1	GE Security NX-8 Power Supply
27	GE Security Alum Housing Armored cable, heavy duty contact
1	GE Security Siren, screamer

Technical Services included in the above;

Lot	Technical Services	Technical service to be onsite to assist Chief Logan Recreation personnel to program, test & certify proper operation
Lot	Warranty	One (1) Year factory sponsored equipment warranty One (1) Year on-site labor warranty
Lot	Manuals	Factory Prepared operations manual and installation manual to be turned over to Chief Logan Recreation upon completion
Lot	Training	On-Site "Operational Training" for Chief Logan Recreation upon completion

Notes;

Owner will provide power.

Thank you for this opportunity to be involved. Please give me a call when you are ready to review in more detail.

Since 1947 Electronic Specialty Company has provided quality local service for life safety & critical communication systems
 Authorized sales and service for Edwards Fire Alarm equipment since 1964 (now a division of GE Security)
 Authorized sales and service for Rauland Communication equipment since 1959
 Authorized Strategic Partner with GE Security for Fire Alarm/Access Control/CCTV & Security
ELECTRONIC SPECIALTY COMPANY HAS A "SUBSTANCE DETECTION" POLICY AND A "DRUG FREE" WORKPLACE IN EFFECT.
ELECTRONIC SPECIALTY COMPANY IS A MEMBER OF THE AMERICAN SOCIETY OF INDUSTRIAL SECURITY (ASIS)
ELECTRONIC SPECIALTY COMPANY IS AN ASSOCIATE MEMBER OF THE WV SOCIETY OF HEALTHCARE ENGINEERS (WVSHE)

DELIVERY: Equipment 8 weeks A.R.O. or sooner

Your Consideration will be very much appreciated.

FOB: Project Site

ELECTRONIC SPECIALTY CO.

TERMS: 30 days, Each Invoice

Authorized by: Kevin Mercer

This quotation is offered for your acceptance within 30 days

WV Contractors License #WV 010229



State of West Virginia
DRUG FREE WORKPLACE CONFORMANCE AFFIDAVIT
West Virginia Code §21-1D-5

STATE OF West Virginia

COUNTY OF Kanawha, TO-WIT:

I, Kevin Mercer, after being first duly sworn, depose and state as follows:

- 1. I am an employee of Electronic Specialty Company; and,
2. I do hereby attest that Electronic Specialty Company

maintains a valid written drug free workplace policy and that such policy is in compliance with West Virginia Code §21-1D-5.

The above statements are sworn to under the penalty of perjury.

Electronic Specialty Company
(Company Name)


By: Kevin Mercer [Signature]

Title: Sr. Sales Executive

Date: 1/14/2010

Taken, subscribed and sworn to before me this 14 day of January, 2010

By Commission expires December 30, 2018



[Signature]
(Notary Public)

THIS AFFIDAVIT MUST BE SUBMITTED WITH THE BID IN ORDER TO COMPLY WITH WV CODE PROVISIONS. FAILURE TO INCLUDE THE AFFIDAVIT WITH THE BID SHALL RESULT IN DISQUALIFICATION OF THE BID.

BID BOND

KNOW ALL MEN BY THESE PRESENTS, That we, the undersigned, Electronic Specialty Company
of Dunbar, WV, as Principal, and Ohio Farmers Insurance Company
of Westfield Center, OH, a corporation organized and existing under the laws of the State of
OH with its principal office in the City of Westfield Center, as Surety, are held and firmly bound unto the State
of West Virginia, as Obligee, in the penal sum of Five Percent of Amount Bid (\$ 5%) for the payment of which,
well and truly to be made, we jointly and severally bind ourselves, our heirs, administrators, executors, successors and assigns.

The Condition of the above obligation is such that whereas the Principal has submitted to the Purchasing Section of the
Department of Administration a certain bid or proposal, attached hereto and made a part hereof, to enter into a contract in writing for
Furnish & Install a CCTV System, Access Control Intrusion Detection for the Chief Logan Recreation Center,
Logan, WV - According to Plans and Specifications

NOW THEREFORE,

(a) If said bid shall be rejected, or
(b) If said bid shall be accepted and the Principal shall enter into a contract in accordance with the bid or proposal attached
hereto and shall furnish any other bonds and insurance required by the bid or proposal, and shall in all other respects perform the
agreement created by the acceptance of said bid, then this obligation shall be null and void, otherwise this obligation shall remain in full
force and effect. It is expressly understood and agreed that the liability of the Surety for any and all claims hereunder shall, in no event,
exceed the penal amount of this obligation as herein stated.

The Surety, for the value received, hereby stipulates and agrees that the obligations of said Surety and its bond shall be in no
way impaired or affected by any extension of the time within which the Obligee may accept such bid, and said Surety does hereby
waive notice of any such extension.

IN WITNESS WHEREOF, Principal and Surety have hereunto set their hands and seals, and such of them as are corporations
have caused their corporate seals to be affixed hereunto and these presents to be signed by their proper officers, this
14th day of January, 2010

Principal Corporate Seal

Electronic Specialty Company
(Name of Principal)
By William R. Mullis
(Must be President or
Vice President)
V.P.
(Title)

Surety Corporate Seal

Ohio Farmers Insurance Company
(Name of Surety)
By Kimberly J. Wilkinson
Kimberly J. Wilkinson, WV Resident Agent Attorney-in-Fact

IMPORTANT – Surety executing bonds must be licensed in West Virginia to transact surety insurance. Corporate seals must be affixed,
and a power of attorney must be attached.

THIS POWER OF ATTORNEY SUPERCEDES ANY PREVIOUS POWER BEARING THIS SAME POWER # AND ISSUED PRIOR TO 06/25/08, FOR ANY PERSON OR PERSONS NAMED BELOW.

POWER NO. 4752152 06

General Power of Attorney

Westfield Insurance Co. Westfield National Insurance Co. Ohio Farmers Insurance Co. Westfield Center, Ohio

CERTIFIED COPY

Know All Men by These Presents, That WESTFIELD INSURANCE COMPANY, WESTFIELD NATIONAL INSURANCE COMPANY and OHIO FARMERS INSURANCE COMPANY, corporations, hereinafter referred to individually as a "Company" and collectively as "Companies," duly organized and existing under the laws of the State of Ohio, and having its principal office in Westfield Center, Medina County, Ohio, do by these presents make, constitute and appoint LARRY D. KERR, GREGORY T. GORDON, STEPHEN B. STODGEN, PATRICIA A. MOYE, ALLAN L. MC VEY, KIMBERLY J. WILKINSON, JOINTLY OR SEVERALLY

of CHARLESTON and State of WV its true and lawful Attorney(s)-in-Fact, with full power and authority hereby conferred in its name; place and stead, to execute, acknowledge and deliver any and all bonds, recognizances, undertakings, or other instruments or contracts of suretyship;

LIMITATION: THIS POWER OF ATTORNEY CANNOT BE USED TO EXECUTE NOTE GUARANTEE, MORTGAGE DEFICIENCY, MORTGAGE GUARANTEE, OR BANK DEPOSITORY BONDS.

and to bind any of the Companies thereby as fully and to the same extent as if such bonds were signed by the President, sealed with the corporate seal of the applicable Company and duly attested by its Secretary, hereby ratifying and confirming all that the said Attorney(s)-in-Fact may do in the premises. Said appointment is made under and by authority of the following resolution adopted by the Board of Directors of each of the WESTFIELD INSURANCE COMPANY, WESTFIELD NATIONAL INSURANCE COMPANY and OHIO FARMERS INSURANCE COMPANY:

"Be It Resolved, that the President, any Senior Executive, any Secretary or any Fidelity & Surety Operations Executive or other Executive shall be and is hereby vested with full power and authority to appoint any one or more suitable persons as Attorney(s)-in-Fact to represent and act for and on behalf of the Company subject to the following provisions:

The Attorney-in-Fact may be given full power and authority for and in the name of and on behalf of the Company, to execute, acknowledge and deliver, any and all bonds, recognizances, contracts, agreements of indemnity and other conditional or obligatory undertakings and any and all notices and documents canceling or terminating the Company's liability thereunder, and any such instruments so executed by any such Attorney-in-Fact shall be as binding upon the Company as if signed by the President and sealed and attested by the Corporate Secretary."

"Be It Further Resolved, that the signature of any such designated person and the seal of the Company heretofore or hereafter affixed to any power of attorney or any certificate relating thereto by facsimile, and any power of attorney or certificate bearing facsimile signatures or facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached." (Each adopted at a meeting held on February 8, 2000).

In Witness Whereof, WESTFIELD INSURANCE COMPANY, WESTFIELD NATIONAL INSURANCE COMPANY and OHIO FARMERS INSURANCE COMPANY have caused these presents to be signed by their Senior Executive and their corporate seals to be hereto affixed this 25th day of JUNE A.D., 2008.

Corporate Seals Affixed



WESTFIELD INSURANCE COMPANY WESTFIELD NATIONAL INSURANCE COMPANY OHIO FARMERS INSURANCE COMPANY

Richard L. Kinnaird, Jr.

By: Richard L. Kinnaird, Jr., Senior Executive

State of Ohio County of Medina ss.:

On this 25th day of JUNE A.D., 2008, before me personally came Richard L. Kinnaird, Jr. to me known, who, being by me duly sworn, did depose and say, that he resides in Medina, Ohio; that he is Senior Executive of WESTFIELD INSURANCE COMPANY, WESTFIELD NATIONAL INSURANCE COMPANY and OHIO FARMERS INSURANCE COMPANY, the companies described in and which executed the above instrument; that he knows the seals of said Companies; that the seals affixed to said instrument are such corporate seals; that they were so affixed by order of the Boards of Directors of said Companies; and that he signed his name thereto by like order.

Notarial Seal Affixed



William J. Kahelin, Attorney at Law, Notary Public My Commission Does Not Expire (Sec. 147.03 Ohio Revised Code)

State of Ohio County of Medina ss.:

I, Frank A. Carrino, Secretary of WESTFIELD INSURANCE COMPANY, WESTFIELD NATIONAL INSURANCE COMPANY and OHIO FARMERS INSURANCE COMPANY, do hereby certify that the above and foregoing is a true and correct copy of a Power of Attorney, executed by said Companies, which is still in full force and effect; and furthermore, the resolutions of the Boards of Directors, set out in the Power of Attorney are in full force and effect.

In Witness Whereof, I have hereunto set my hand and affixed the seals of said Companies at Westfield Center, Ohio, this 14th day of JANUARY A.D., 2010.



Frank A. Carrino Secretary

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, Limited Liability Company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code §61-5-3*), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: Electronic Specialty Company

Authorized Signature: [Signature] Date: 1/14/2010

State of West Virginia

County of Kanawha, to-wit:


Taken, subscribed, and sworn to before me this 14 day of January, 2010

My Commission expires December 30, 2012.

AFFIX SEAL HERE

NOTARY PUBLIC

[Signature]




SHR-7160/7162

16 Ch CIF Resolution Real-time Standalone DVR

Dimensions (unit : in)

Front/Rear Panel



Summary

SAMSUNG Electronics' SHR-7000 series DVRs are a lower cost alternative to a PC Based DVR, and they are easy to use. The SHR-7000 series DVRs are designed to achieve CIF quality of real time recording and playback @ 480IPS high quality recording for any demanding security application.

Net-i, the free and user-friendly client software of the DVRs, gives the convenience of high definition video display and control over the entire video system. The dual codec function of the SHR series DVRs from SAMSUNG Electronics also comes into play with this new series and allows the user to record live video onto a hard drive while reviewing the previously recorded images without compromising on speed.

Other outstanding features of the series are; built in DVD-RW option, 500GB SATA HDD standard with the maximum of 6X 1TB HDD capacity, web based monitoring & search, simultaneous BNC output, VGA/ BNC output and HDMI.

Features

- Standard MPEG-4 compression
- Rec. Real-time on 16 cameras:480ips (NTSC)
- Built in Internal DVD R/W option
- Simultaneous recording & transmission : dual codec function
- Net-i connected
- Support POS(I/FVSI - pro)(option)
- Web based monitoring & search
- Simultaneous BNC output & VGA / BNC output & HDMI
- Stable system operation : remote diagnosis function

Recommended Accessories

GV-500GBSATA, 500Gb SATA Hard Drive
GV-1000GBSATA, 1Tb SATA Hard Drive

NET-i - User-friendly client software!

Specifications

Model		SHR-7160	SHR-7162
Video	Input	16 Channels	
	Output	Composite	2 Channels (Normal 1ch ,SPOT 1ch)
		VGA	800 x 600 / 1024 x 768 / 1280 x 1024 (60Hz)
	HDMI	1080P	
Audio	Input / Output	16Ch / 1Ch	
Recording	Audio CH	16Ch	
	Resolution & Frame Rate	NTSC : CIF(352x240):480ips Half D1 (704x240):240ips D1(704x480):120ips	
Play Back	Resolution & Frame Rate	NTSC : CIF(352x240):480ips Half D1 (704x240):240ips D1 (704x480):120ips	
Storage	Internal	Without DVD-RW:HDD Max 6TB(1TB x 6)	With DVD-RW: HDD Max 5TB(1TB x 5)
	Extended I/F	SATA I/F(2Port) / 1Port:Max 1 HDD I/F / Max 2TB I/F(1TBx2)	
Network	Interface	LAN 1 port(10/100/1000 Base-T Ethernet)	
	Protocol	ADSL(PPPoE), DHCP, DNS, NTP	
Control	RS-485	1 port	
	Support Mouse	Support(USB)	
Backup	DVD-RW	-	DVD RW(-R,+R,-RW,+RW)
	USB	USB 2.0(3 ports)	
	Back up Viewer Format	Power Player (include Player)	
Client S/W	Support OS	Windows 2000, Windows XP, Windows Vista	
	Web Viewer	Support Live / REC / Search	
	Remote Viewer	Net-i	
Power Requirement	AC 100~230V, 50/60Hz / 60W		
Power Consumption	approx 70W		
Operating Temperature	0°C ~ 40°C		
Operating Humidity	20% ~ 85% RH		
Dimensions	17.32(W) x 3.46(H) x 16.93(D) in 440(W) x 88(H) x 430(D) mm		
Weight	16.98 lbs / 7.7 kg		

SAMSUNG

SAMSUNG | GVI Security • Toll Free: 888-595-2288 • Fax: 972-245-7333
 This product specifications and manual are also available in pdf format at www.gviss.com
 The information is subject to change without notice • v2.6.09


GVI Security

SCC-B5397H/B5399H

1/3" Progressive Scan CCD, 600TV Lines, WDR, Day/Night, Anti-Vandal, Extreme Weather, Vari-Focal Dome Camera



Dimensions (unit : in)



Summary

The New AI Chip Cameras from SAMSUNG Electronics with their Leading Edge Analog Video Technology set the bar high! The SCC-B5397H/B5399H is one of the advanced cameras from this line featuring 600TV Lines of Resolution, Wide Dynamic Range Function, Adaptive Digital Noise Reduction and a Multi Language On Screen Display. Ultra Easy Installation and CCVC capability allows the installer to access camera menu fast to save time and money! All of these features are packed into a IP66 Rated, Anti Vandal, Weather Resistant Dome Housing with the 3 Axis Gimbal Design for flexible installations, making the Samsung AI Chip Analog Camera Line truly the Best Next Generation Technology.

Features

- 1/3" 410K/470K Pixels Super-HAD PS CCD
- High Resolution : 600 TV Lines
- Min. Illumination: 0.0002Lux (F1.2, 15 IRE, Sens-Up 512x, Color), 0.00002Lux (F1.2, 15 IRE, Sens-Up 512x, B/W)
- SCC-B5397H: f=2.5~6mm, Auto Iris Lens;
- SCC-B5399H: f=2.8~11 mm, Auto Iris Lens
- Wide Dynamic Range (WDR)
- Virtual Progressive Scan (VPS)
- Internal/Line-lock (Phase Control) Function
- True Day/Night Function (ICR), Sens-Up Function (512x)
- Motion Adaptive Digital Noise Reduction (3D+2D)
- Back Light Compensation (Area Setting)
- Extended Dynamic Range (XDR)
- Privacy Mask Function (Polygonal Mosaic)
- DIS (Digital Image Stabilization)
- CCVC (Camera Control Via Coaxial cable, Controller : SCX-RD100)
- Multi-Language OSD support
- Horizontal & Vertical Image Mirroring
- Positive / Negative Imaging
- Extreme Weather Resistant, Anti Vandal type, IP-66, Surface type
- DC12V & AC24V 60Hz(50Hz)

Recommended Accessories

SADT-102WM, Wall Mount Adapter

*See accessories page for more options

High Resolution (600 TV Lines)

This camera can achieve a high resolution of 600 TV Lines using the full digital image processing and special algorithm technologies.



Conventional



600 TV Lines

Wide Dynamic Range (WDR)

WDR utilizes high shutter speed in bright areas and low shutter speed in dark areas increasing the range of luminance.



SAMSUNG

SAMSUNG | GVI Security • Toll Free: 888-595-2288 • Fax: 972-245-7333

This product specifications and manual are also available in pdf format at www.gviss.com
The information is subject to change without notice • v6.17.09c

 **GVI Security**

SCC-B5397H/B5399H

1/3" Progressive Scan CCD, 600TV Lines, WDR, Day/Night, Anti-Vandal, Extreme Weather, Vari-Focal Dome Camera




Specifications


Model		SCC-B5397H	SCC-B5399H	
Camera Type	Color/BW	Color		
Image	Device	1/3" SONY Super-HAD PS CCD		
	Pixels	Effective	768 x 494	
Scanning	System		Interface / Progressive	
	Horizontal Frequency	Internal Mode	15,734 Hz	
		Line-Lock Mode	15,750 Hz	
	Vertical Frequency	Internal Mode	59.94 Hz	
Line-Lock Mode		60 Hz		
Resolution	Horizontal	600 TV Lines		
Min. Scene Illumination	Color	Sens-Up off	0.12 Lux (15 IRE), 0.2 Lux (30 IRE), 0.4 Lux (50 IRE) @ F1.2	
		Sens-Up	0.00023 Lux (15 IRE), 0.0005 Lux (30 IRE), 0.0008 Lux (50 IRE) @ F1.2	
	B/W	Sens-Up off	0.012 Lux (15 IRE), 0.02 Lux (30 IRE), 0.04 Lux (50 IRE) @ F1.2	
		Sens-Up	0.000023 Lux (15 IRE), 0.00005 Lux (30 IRE), 0.00008 Lux (50 IRE) @ F1.2	
Functions	Number of Privacy Zone	12 (Polygonal Method)		
	True Day/Night	Color/BW/Auto/EXT (ICR)		
	Wide Dynamic Range	Off/On		
	D-Zoom	1x ~ 16x (0.1x STEP)		
	High Speed Shutter	1/100 ~ 1/10K /sec. (OSD)		
	Sens-Up	2x ~ 512x		
	BLC	Off/On		
	AGC	Off/On (Max. 42dB, 16 Possible Levels)		
	Line-Lock	Off/On (Phase Control)		
	Anti-Vandal	Yes		
	Camera ID	Off/On (Max. 54ea/2 Lines)		
	White Balance	ATW1/ATW2/AWC/3200K/5600K		
	Extended Dynamic Range	Off/Low/Mid/High		
	Digital Noise Reduction	Off/On		
	Digital Image Stabilization	Off/On		
	PJP	Off/On		
	Virtual Progressive Scan	Off/On		
Etc. Function	Detail, Mirror (H/V), Posi/Nega			
Video Output	VBS 1.0Vp-p	VBS 1.0Vp-p		
S/N Ratio	52dB			
Lens	Focal Length	2.5~6mm	2.8 - 11mm	
	Zoom Ratio	2.4x	3.4x	
	Aperture Ratio	F1.2		
	Viewing Angle	Tele	44.1°(H)x33.2°(V)	24.7°(H)x18.6°(V)
		Wide	93.9°(H)x70.6°(H)	87.7°(H)x65.9°(V)
	Lens Drive Type	AI(DC)		
	Mount Type	Board Type		
OSD	Yes			
Remote Control	CCVC	Yes (with SCX-RD100)		
Environmental Conditions	Operating Temperature	-58°F ~ 122°F (-50° ~ 50°C)		
	Operating Humidity	Less than 90%		
Power	Power Requirement	24 VAC ± 10% / 12 VDC ± 10%		
Physical Specification	Dimensions	150(Ø) x 121 (H) mm		
	Weight	1,000g		
	Color	Body	White	

SCC-B2335

1/3" Progressive Scan CCD, Built-In Analytics,
600TV Lines, WDR, True Day/Night Camera



Dimensions (unit : in)



Summary


The New AI Chip Cameras from SAMSUNG Electronics with their Leading Edge Analog Video Technology set the bar high! The SCC-B2335 is one of the advanced cameras from this line featuring Built in Analytics for Intelligent Video Tracking, 600TV Lines of Resolution, Wide Dynamic Range Function, Adaptive Digital Noise Reduction and Multi Language On Screen Display. Ultra Easy Installation and CCVC control capability allows the installer to access camera menu fast to save time and money!

Features

- 1/3" 410K/470K Pixels Super-HAD PS CCD
- High Resolution : 600 TV Lines
- Min . illumination 0.0002Lux (F1.2, 15 IRE, Sens-Up 512x), 0.00002Lux (F1.2, 15IRE Sens-Up 512x, B/W)
- Internal/Linelock (Phase Control) Function
- ALC (Video/DC) / ELC
- Wide Dynamic Range (WDR)
- Virtual Progressive Scan (VPS)
- Day/Night (ICR), Sens-Up Function (512x)
- Motion Adaptive Digital Noise Reduction (3D+2D)
- Back Light Compensation (Area Setting)
- Extended Dynamic Range (XDR)
- Privacy Mask Function (Polygonal Mosaic)
- High Shutter Speed Control by External Trigger
- DIS (Digital Image Stabilization)
- CCVC (Camera Control Via Coaxial cable, Controller: SCX-RD100)
- RS-485 (Half) Control (Multi-Protocol Support)
- Multi-Language OSD support
- Intelligent Video
(Moved / Fixed / Fence [Area and Line Mode] / Area / Tracking)
- Horizontal & Vertical Image Mirroring
- Positive / Negative Imaging
- C/CS Lens Mount Compatible
- DC12V & AC24V 60Hz(50Hz)

High Resolution (600 TV Lines)

This camera can achieve a high resolution of 600 TV Lines using the full digital image processing and special algorithm technologies.



Conventional



600 TV Lines

Built-In Analytics

The AI Chip cameras are capable of Intelligent Video Tracking due to its built-in analytics, making it easier to monitor changes in a variety of situations. Operational modes include: Moved, Fixed, Fence (Area and Line Mode), Area and Tracking.



Fixed Mode - Before



Fixed Mode - After

Wide Dynamic Range (WDR)

WDR utilizes high shutter speed in bright areas and low shutter speed in dark areas increasing the range of luminance.



SAMSUNG


SAMSUNG | GVI Security • Toll Free: 888-595-2288 • Fax: 972-245-7333

This product specifications and manual are also available in pdf format at www.gviss.com
The information is subject to change without notice • v6.12.09

GVI Security

SCC-B2335

1/3" Progressive Scan CCD, Built-In Analytics,
600TV Lines, WDR, True Day/Night Camera



Specifications


Model		SCC-B2335	
Camera Type	Color/BW	Color	
Image	Device	1/3" SONY Super-HAD PS CCD	
	Pixels	Effective 768 x 494	
Scanning	System	Interlace / Progressive	
	Horizontal Frequency	Internal Mode	15,734 Hz
		Line-Lock Mode	15,750 Hz
	Vertical Frequency	Internal Mode	59.94 Hz
Line-Lock Mode		60 Hz	
Resolution	Horizontal	600 TV Lines	
Min. Scene Illumination	Sens-Up off	0.12 Lux (15 IRE), 0.2 Lux (30 IRE), 0.4 Lux (50 IRE) @ F1.2	
	Sens-Up	0.0002 Lux (15 IRE), 0.0005 Lux (30 IRE), 0.0008 Lux (50 IRE) @ F1.2	
Functions	Number of Privacy Zone	12 (Polygonal Method)	
	Day/Night	Day/Night/AUTO/EXT (ICR)	
	D-Zoom	1x ~ 16x (0.1x STEP)	
	High Speed Shutter	1/60 ~ 1/10K sec. (OSD External Control)	
	Sens-Up	2x ~ 512x	
	BLC	Off/On	
	AGC	Off/On (Max 42dB, 16 Possible Levels)	
	ELC	Off/On (~ 1/200K sec.)	
	Line-Lock	Off/On (Phase Control)	
	Camera ID	Off/On (Max. 54ea/2 Lines)	
	White Balance	ATW1/ATW2/AWC/3200K/5600K	
	Extended Dynamic Range	Off/Low/Mid/High	
	Digital Noise Reduction	Off/On	
	Digital Image Stabilization	Off/On	
	Intelligent Video	Off/On (Moved / Fixed / Fence [Area & Line Mode] / Area / Tracking)	
	PIP	Off/On	
Etc. Function	Detail, Mirror (H/V), Posi/Nega		
Video Output	VBS 1.0Vp-p	VBS 1.0Vp-p	
S/N Ratio		52 dB	
Lens	Lens Drive Type	Manual / A(VIDEO/DC)	
	Mount Type	CS/C	
Remote Control	CCVC	Yes (with SCX-RD100)	
	RS485	Yes (Multi Protocol, 8ea)	
Environmental Conditions	Operating Temperature	Absolute: -20°C ~ +60°C Sustained: -10°C ~ +50°C	
	Operating Humidity	Less than 90%	
Power	Power Requirement	24 VAC ± 10% / 12 VDC ± 10%	
Physical Specification	Dimensions (WxHxD)	64x56x109.2 mm	
	Weight	305g	
	Color	Body Silver	

SCC-B5366/B5368

1/3", 600TV Lines, XDR, Electronic Day/Night,
Vari-Focal Dome Camera



Dimensions (unit : in)



Summary


The New AI Chip Cameras from SAMSUNG Electronics with their Leading Edge Analog Video Technology set the bar high! The SCC-B5366/B5368 is one of the advanced cameras from this line featuring 600TV Lines of Resolution, Adaptive Digital Noise Reduction and a Multi Language On Screen Display. Ultra Easy Installation and CCVC control capability allows the installer to access camera menu fast to save time and money! All of these features are packed into a stylish plastic dome housing with the 3 Axis Gimbal Design for flexible indoor installations, making the Samsung AI Chip Analog Camera Line truly the Best Next Generation Technology.

Features


- 1/3" 410K/470K Pixels Super-HAD IT CCD
- High Resolution : 600 TV Lines
- Min . illumination 0.00023Lux (F1.2, 15 IRE, Sens-Up 512x)
- SCC-B5366: f=2.5~6mm, Auto Iris Lens; SCC-B5368 f=2.8~11mm, Auto Iris Lens
- Internal/Linelock (Phase Control) Function
- Electronic Day/Night Function, Sens-Up Function (512x)
- Motion Adaptive Digital Noise Reduction (3D+2D)
- Back Light Compensation (Area Setting)
- Extended Dynamic Range (XDR)
- Privacy Mask Function (Polygonal Mosaic)
- DIS (Digital Image Stabilization)
- CCVC (Camera Control Via Coaxial cable, Controller: SCX-RD100)
- Multi-Language OSD support
- Horizontal & Vertical Image Mirroring
- Positive / Negative Imaging
- DC12V & AC24V 60Hz(50Hz)

High Resolution (600 TV Lines)

This camera can achieve a high resolution of 600 TV Lines using the full digital image processing and special algorithm technologies.




Conventional




600 TV Lines

Digital Image Stabilization

Digital Image Stabilization provides automatic image stabilizing for a perfect image in any situation.



Conventional



Digital Image Stabilization

Extended Dynamic Range (XDR)

Detail is often lost in darker or strong backlit areas. Challenges in lobbies with windows and heavily shadowed walkways can be eliminated by XDR.



Conventional



XDR

SAMSUNG

SAMSUNG | GVI Security • Toll Free: 888-595-2288 • Fax: 972-245-7333

This product specifications and manual are also available in pdf format at www.gviss.com
The information is subject to change without notice • v6.17.09b

GVI Security

SCC-B5366/B5368

1/3", 600TV Lines, XDR, Electronic Day/Night,
Vari-Focal Dome Camera




Specifications

Model	SCC-B5366		SCC-B5368	
Camera Type	Color/BW		Color	
Image	Device		1/3" SONY Super-HAD IT CCD	
	Pixels	Effective	768 x 494	
Scanning	System		Interlace	
	Horizontal Frequency	Internal Mode	15,734 Hz	
		Line-Lock Mode	15,750 Hz	
	Vertical Frequency	Internal Mode	59.94 Hz	
Line-Lock Mode		60 Hz		
Resolution	Horizontal		600 TV Lines	
Min. Scene Illumination	Sens-Up off		0.12 Lux (15 IRE), 0.2 Lux (30 IRE), 0.4 Lux (50 IRE) @ F1.2	
	Sens-Up		0.00023 Lux (15 IRE), 0.0005 Lux (30 IRE), 0.0008 Lux (50 IRE) @ F1.2	
Functions	Number of Privacy Zone		12 (Polygonal Method)	
	Electronic Day/Night		Color/BW/AUTO (Soft)	
	D-Zoom		1x ~ 16x (0.1x STEP)	
	High Speed Shutter		1/100 ~ 1/10K /sec. (OSD)	
	Sens-Up		2x ~ 512x	
	BLC		Off/On	
	AGC		Off/On (Max. 42dB, 16 Possible Levels)	
	Line-Lock		Off/On (Phase Control)	
	Camera ID		Off/On (Max. 54ea/2 Lines)	
	White Balance		ATW1/ATW2/AWC/3200K/5600K	
	Extended Dynamic Range		Off/Low/Mid/High	
	Digital Noise Reduction		Off/On	
	Digital Image Stabilization		Off/On	
	PIP		Off/On	
	Etc. Function		Detail, Mirror (H/V), Posi/Nega	
	Video Output	VBS 1.0Vp-p		VBS 1.0Vp-p
S/N Ratio	52 dB			
Lens	Focal Length		2.5~8mm 2.8~11mm	
	Aperture Ratio		F1.2	
	Viewing Angle	Tele	44.1°(H)x33.2°(V)	24.7°(H)x18.6°(V)
		Wide	93.9°(H)x70.6°(H)	87.7°(H)x65.9°(V)
	Lens Drive Type		AI(DC)	
	Mount Type		Board Type	
Remote Control	CCVC		Yes (with SCX-RD100)	
Environmental Conditions	Operating Temperature		Absolute: -10°C~+50°C Sustained: -20°C~+60°C	
	Operating Humidity		Less than 90%	
Power	Power Requirement		24 VAC ± 10% / 12 VDC ± 10%	
Physical Specification	Dimensions		102(Ø) x 78(H) mm	
	Weight		330g	
	Color	Body	White	

Housing and Mounts


GV-HOU3512/HB

IP66 Indoor/Outdoor Housing w/Heater & Blower Option



Dimensions (unit : in)

Front/Rear Panel



Summary

This low cost IP66 housing is designed as a medium sized environmental enclosure. It can accommodate all CCD cameras with a length no greater than 9". Constructed of extruded aluminum and equipped with a hinged, latching cover, this housing serves well for general surveillance applications.

Equipped with a removable sled the cameras can be set up, adjusted and then re-mounted in the housing. The front cover hinge makes adjustment and service to the camera very accessible.

Features

- Indoor/Outdoor applications - IP66
- Adjustable position bracket mount
- Extruded Aluminum Construction
- Gasket protected cover
- Stainless Steel Latch
- Glass window

Specifications

Viewing Material: Plate Glass 5mm, 0.2"
Construction: Extruded Aluminum
Cable Entry: Gland fitting on bottom of housing
Latch: Located at rear of housing. Accepts padlock for security
Camera Mounting: Removable camera sled
Weight: 3.52kg, 7.76lbs
Dimensions: (D) 390mm, 15.35"x(W) 140mm, 5.51"x (H) 115mm, 4.53"
Maximum Camera Size: (D) 240mm, 9.45"x (W) 105mm, 4.13" x (H) 80mm, 3.15"
Bracket: GV-Bracket, Metal Bracket for GV-HOU3512/HB
Material: Aluminum
Length: 240mm (9.45")
Max Load: 10kg
Swivel Angle: 360°
Tilt Angle: -80° ~ +45°

GV-HOU3512HB

Heater/Blower Module: 24VAC, Less than 10VA
Heater: On = Less than 15oC / Off = More than 25oC
Maximum Current Draw: 900mA
Average Current Draw: 350 mA
Fan: On = 35oC or more / Off = Less than 25oC
Average Current Draw: 150 mA



GV-IDWMBG

Indoor Camera Mount

Features

- Size: 6.25"
- Adjustable Head
- Plastic
- Beige
- Indoor Applications



GV-IDWMBG-5

Indoor Camera Mount


Features

- 4.25" Ceiling Mounted
- 3.5" Wall Mounted
- Adjustable Head
- Metal and Plastics
- Beige
- Indoor Applications

CyberPower®

Model #: OL1000RMXL2U

UPC: 649532832347
MSRP: \$549.99



Title

OL1000RMXL2U UPS - 1000VA/700W Online Dual Conversion 2U RM/T Puresine 5-15R

Description

The Paragon Online (OL) series is designed for those applications requiring maximum power protection. With its double conversion design and Zero transfer time, it provides clean and seamless Pure Sinewave power to the critical loads. The front LED panel displays all major UPS vitals which significantly increase manageability and ease of control. The Paragon series offers three choices for communication including RS232, RS232-USB, or SNMP/AS400 card. Auxiliary battery packs can also be added to these units which boost run-times, in event of a power outage. The input and output EMI filters increase the immunity of the load to disturbances and surges, even in bypass. The Paragon's also incorporate microprocessor-based fully digital control, and include PowerPanel Business Edition™ which gives the user ultimate control and flexibility of power management options. The OL1000RMXL2U comes with 3 (three) 12V/7Ah batteries (36V), and 8 x NEMA 5-15R receptacles. Through its advanced and smart power management, the PARAGON Series is the ideal power solution for Network, Servers, Telecommunications, Storage, as well as Industrial application protection.

Features

- Pure Sinewave – The UPS generates energy that is identical to or cleaner than the utility company's power grid. Benefits include: low total harmonic distortion, minimal electrical noise, optimal line clarity.
- Microprocessor-based Digital Control – Digital routing is maintained through a network of integrated circuitry and discrete values are used for internal system processing, which significantly increases efficiency and response of CyberPower UPS's.
- RM/T Configuration – The PR series can be mounted either in Tower or Rackmount (2U) form.
- Full AVR – Boost/Buck – Boost/Buck topology will both increase low voltages and decrease high voltages, without switching to battery-mode. This not only conserves battery life, but also delivers a more stable signal to your connected equipment.
- Dual PC Support – The unit has 2 (two) communication ports that allow the user full control of dual PCs or servers.
- LED Front Panel – Immediate system vital information: load capacity, battery capacity, fault status, and bypass status.
- PowerPanel Business Edition – Supporting up to 25 UPS's, the Business Edition also has application/OS shutdown, event logging (power, surge, voltage variations), hibernation mode, internal reports and analysis, and remote management.
- Metal Housing – Rigid metal construction allows for placement in areas with a demanding environment.
- Audible Alarms - Audible tones identify when the unit is running off battery power, unit overloads and low battery.
- Resettable Circuit Breaker - Convenient unit reset switch in case of an overload.
- 3-year Warranty - CyberPower will replace damaged units if within 3 years of purchase date. We stand behind our products and guarantee quality. CyberPower also offers a #1 rated technical support team that will assist you with product, installation, or warranty concerns --- Free of Charge!
- ISO & Safety Certifications - All CyberPower's manufacturing facilities are ISO-9001 Quality Tested. Our products are also certified by the FCC, cUL, and UL.
- Windows Vista™ Compliant - Our Power Management software has been fully tested and compliant with Windows 9x, 200x, Server, XP, and Vista.


Technical Specifications

Technical Information	
Product Type	Dual Online Conversion, Pure Sinewave UPS
Plug/Connector Type	NEMA 5-15P
Receptacles	8 x NEMA 5-15R - Backup/Surge-protected
Switching Time	0 ms
AVR	N/A
Power Description	
Load Capacity	1000VA / 700W
Input Voltage	120V AC
Input Voltage Range	60V AC to 142V AC Single-phase
Output Voltage	110V AC to 127V AC Single-phase
Frequency	40 to 70Hz Input
Voltage Handling	±5% Output
Waveform Type	Sine Wave
Surge Energy Rating	736J
Circuit Breaker	1 x 15A
Management	
Network Manageability	SNMP Manageable Included
Overload Protection	<ul style="list-style-type: none"> • Internal Current Limiting
Audible Alarms	<ul style="list-style-type: none"> • Battery Low • Over Voltage • Battery Fault • AC Input Failure
Bypass Switch	Automatic
Emergency Power OFF	Yes
Controls/Indicators	
Status Indicators	<ul style="list-style-type: none"> • Power On • Battery • Inverter • Bypass • Critical Outlet 1 • Critical Outlet 2 • Wiring Fault • Battery Alarm • Alarm • Overload • Load
Interfaces/Ports	
Interfaces/Ports	<ul style="list-style-type: none"> • 1 x DB-9 RS-232 Serial • 1 x USB
Modular Slots	<ul style="list-style-type: none"> • 1 x Modular Slot
Battery Information	
Batteries	3 x 12V/7Ah Maintenance Free Lead-acid User-replaceable Hot-swappable
Backup/Run Time	<ul style="list-style-type: none"> • 7 Minute(s) 700W Full-load • 19 Minute(s) 350W Half-load ** Additional Battery Pack available - ABP36VRM-2U
Battery Life	3 Year(s) to 6
Battery Recharge Time	3 Hour(s) Typical
Additional Battery Connections	1 Additional Connection

Environmental Conditions	
Temperature	<ul style="list-style-type: none"> • 32 °F (0 °C) to 95 °F (35 °C) Operating • 5 °F (-15 °C) to 113 °F (45 °C) Non-operating
Humidity	<ul style="list-style-type: none"> • 0 to 95% Non-condensing Operating Humidity • 0 to 95% Non-condensing Non-operating
Altitude	<ul style="list-style-type: none"> • 0 ft to 10000 ft Operating • 0 ft to 50000 ft Non-operating
Physical Characteristics	
Color	Black
Form Factor	2U Tower/Rack Mountable
Power Cord/Cable	6 ft
Dimensions	3.25" Height x 17.25" Width x 19" Depth
Shipping Dimensions	9" Height x 25.25" Width x 21.25" Depth - Display Box
Weight	43 lb
Shipping Weight	54.5 lb - Display Box
Miscellaneous	
Package Contents	<ul style="list-style-type: none"> • OL1000RMXL2U UPS Unit • Rack Mount Rails • User Manual • Power Management Software • Warranty Card • Serial Cable • USB Cable
Certifications & Standards	<ul style="list-style-type: none"> • FCC Class B certified • cUL • UL 1778
Software Included	PowerPanel Business Edition Software
Country of Origin	China
Warranty	
Standard Warranty	3 Year(s) Parts & Labor
Additional Warranty Information	<ul style="list-style-type: none"> • CyberPower stands behind its products by offering an industry leading 3-year warranty. CyberPower also has a #1 rated technical support team that will assist you with product, installation, or warranty concerns --- Free of charge. • Connected Equipment Guarantee of \$400,000

SMT-3222/4022


32"/40" Large Format LCD Monitor w/ HDMI Input




Dimensions (unit : in)

Front/Rear Panel

SMT-3222



SMT-4022



Matrix Display for Video Wall

The SMT-3222/4022 monitors feature built-in image enlarging that supports 2x2, 3x3, 4x4, 5x5, 2x1, 1x2, 5x1, and 1x5 video walls. You don't need any video controller device. An additional input signal distributor is not necessary to use video and PC interface.



Multiple Connections

Many monitors have limited feature sets and lack the versatility to connect to the video devices in a system. SAMSUNG Electronics LCD Displays provide multiple video format connections such as HDMI, D-Sub, DVI-D, S-Video, CVBS Video, composite (RCA), BNC, and two RCA audio inputs that may be missing from a lower cost monitor.

Summary

The SMT-3222/4022 large format monitors provide a Multi Display Control (MDC) function that allows you to control up to 10 units from your PC with the supplied MDC software.

SAMSUNG Electronics large format monitors make video wall setups easy. The Built-in Image Enlarging Processor supports matrix displays of 2x2, 3x3, 4x4, 5x5, 2x1, 1x2, 5x1, and 1x5 video walls. You don't need any additional Video Controller Device or Input Signal Distributor.

The 2-Way Video Wall Display in "Full" mode displays the picture regardless of cabinet bezel and in "Natural" mode considers the bezel's depth and adjusts for a properly proportioned picture.

Features

- Support up to 1366 x 768 / 1920 x 1080 resolution
- High contrast ratio: 4000:1
- Fast response time 8ms
- 178 degree horizontal and vertical viewing angle
- Superior image quality DNle
- HDMI, DVI, RGB and composite RCA inputs
- Built-in speaker
- Extended video wall format

Anti Image Burn


The anti image timer function and the Scroll Pixel, Bar and Eraser type screen scroll modes prevent the image burn on these monitors.



Bar Type



Pixel Type



Eraser Type