



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210150

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
FRANK WHITTAKER
304-558-2316

VENDOR

R G Honda Yamaha
1619 Buckhannon Pike
Nutter Fort WV 26301

SHIP TO

DIVISION OF NATURAL RESOURCES
WILDLIFE RESOURCES

219/250 WARD ROAD
ELKINS, WV
26241 **304-637-0245**

DATE PRINTED 02/16/2010	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
-----------------------------------	---------------	----------	--------	---------------

BID OPENING DATE: **03/16/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		070-48-50-001		48,704.
VEHICLE, ALL TERRAIN OR UTILITY REQUEST FOR QUOTATION (RFQ) THE WEST VIRGINIA STATE PURCHASING DIVISION FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF NATURAL RESOURCES, IS SOLICITING BIDS TO PROVIDE THE AGENCY WITH (5) UTILITY VEHICLES (ATV'S) FOR VARIOUS WILDLIFE MANAGEMENT AREAS PER THE ATTACHED SPECIFICATIONS. TECHNICAL QUESTIONS CONCERNING THIS SOLICITATION MUST BE SUBMITTED IN WRITING TO FRANK WHITTAKER IN THE WEST VIRGINIA STATE PURCHASING DIVISION VIA MAIL AT THE ADDRESS SHOWN IN THE BODY OF THIS RFQ, VIA FAX AT 304-558-4115, OR VIA EMAIL AT FRANK.M.WHITTAKER@WV.GOV. DEADLINE FOR ALL TECHNICAL QUESTIONS IS 03/02/2010 AT THE CLOSE OF BUSINESS. ALL TECHNICAL QUESTIONS RECEIVED, IF ANY, WILL BE ANSWERED BY ADDENDUM AFTER THE DEADLINE HAS LAPSED. QUESTIONS CONCERNING THE ACTUAL PROCESS BY WHICH A VENDOR MAY SUBMIT A BID TO THE STATE OF WEST VIRGINIA ARE NOT CONSIDERED TO BE TECHNICAL QUESTIONS AND MAY BE SUBMITTED AT ANY TIME PRIOR TO THE BID OPENING AND IN ANY FORMAT. EXHIBIT 10						

RECEIVED
2010 MAR 16 AM 9:28
WV PURCHASING DIVISION

SIGNATURE *[Signature]* SEE REVERSE SIDE FOR TERMS AND CONDITIONS TELEPHONE **304 624-5420** DATE **3/15/2010**

TITLE **Gen Mgr** FEIN **550579197001** ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210150

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
FRANK WHITTAKER
304-558-2316

VENDOR


RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

DIVISION OF NATURAL RESOURCES
 WILDLIFE RESOURCES
 219/250 WARD ROAD
 ELKINS, WV
 26241
 304-637-0245

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
02/16/2010				

BID OPENING DATE: **03/16/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
REQUISITION NO.:						
ADDENDUM ACKNOWLEDGEMENT						
I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.						
ADDENDUM NO.'S:						
NO. 1						
NO. 2						
NO. 3						
NO. 4						
NO. 5						
I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.						
VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.						
				 SIGNATURE R G Honda COMPANY		

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210150

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF:
FRANK WHITTAKER
304-558-2316

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

DIVISION OF NATURAL RESOURCES
 WILDLIFE RESOURCES
 219/250 WARD ROAD
 ELKINS, WV
 26241
 304-637-0245

DATE PRINTED 02/16/2010	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
-----------------------------------	---------------	----------	--------	---------------

BID OPENING DATE: **03/16/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
				3/15/2010 DATE		
<p>NOTE: THIS ADDENDUM ACKNOWLEDGEMENT SHOULD BE SUBMITTED WITH THE BID.</p> <p>REV. 09/21/2009</p> <p>THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER.</p> <p style="text-align: center;">NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p style="text-align: center;">DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

Division of Natural Resources
Wildlife Resources Section
Utility Vehicles
DNR210150

The West Virginia Division of Purchasing for the West Virginia Division of Natural Resources is requesting bids for the purchase of a five (5) utility vehicles. All items are to be F.O.B Destination Freight or delivery charges must be included in the price of the goods. Delivery must be made within thirty (30) days of purchase order award. The award may be split if it is in the best interest of the West Virginia Division of Natural Resources.

General Specifications:

The utility vehicles must be manufactured for commercial use. All items must be new.

Information for Bidders:

Bidders must submit a unit price bid for each item to furnish all items specified.

Damaged Items:

Damaged or defective items must be replaced at no additional expense to Wildlife Resources.

Warranty:

The utility vehicle must be guaranteed to be free of defects in workmanship and material for a minimum of one (1) year from date of acceptance. However, if manufacturer warranty periods are longer than the required minimum one year warranty, those warranties shall apply.

Division of Natural Resources
Wildlife Resources Section
Utility Vehicles
DNR210150

4 WD Automatic Utility Vehicles

Yamaha Rhino 700 FI Auto 4X4 Utility Vehicle or equal. Utility vehicle must meet the following specifications:

- Must be 4x4 wheel drive;
- Must have minimum 686 cc 4 – stroke engine with fuel injection;
- Must have electronic ignition;
- Must have automatic transmission;
- Must have rack and pinion steering;
- Must have a minimum 12" ground clearance;
- Must have padded bucket seats with seatbelts and headrests;
- Must have instrument panel with speedometer, odometer, fuel gauge, trip meter, 4 WD indicator, and transmission position indicator;
- Must have a minimum seven (7) gallon fuel tank;
- Must have dual minimum 30 watt headlights and dual minimum 5 watt/21 watt tail/brake lights;
- Must have stainless steel exhaust with heat shields and spark arrestor;
- Must have front and rear double wishbone suspension with 5-way preload adjustable shocks;
- Must have a minimum 2" receiver style hitch with minimum 1,200 lbs. towing capacity;
- Must have all terrain tires with 25 X 8-12 minimum front and 25 X 10-12 minimum rear;
- Must have a stamped steel dump bed with minimum 400 lb capacity front grab bar (bumper);
- Must have front bask/skid plate;
- Must have a rear skid plate;
- Must have a safety glass windshield; 2877392-067
- Must have a molded roof; 2.878048
- Must be fully assembled; and
- Must be green or olive colored.

(1) To be delivered to: Elk River Wildlife Management Area, Braxton County, WV - 1125 Stoney Creek, Sutton, WV

Contact: Rob Silvester (304) 924-6211 for additional information and directions

(1) To be delivered to: Burnsville Wildlife Management Area, Braxton County, WV - US Route 19, Falls Mill

Contact: Rob Silvester (304) 924-6211 for additional information and directions

Division of Natural Resources
Wildlife Resources Section
Utility Vehicles
DNR210150

4 WD Automatic All Terrain Vehicles

Suzuki King Quad FS 4X4 utility vehicle or equal Utility vehicle must meet the following specifications:

- Must be 4x4 wheel drive;
- Must have minimum 375 cc single cylinder, four (4) valve and four (4) stroke engine;
- Must have an electronic ignition with backup recoil start and "in gear" starting capability;
- Must have five (5) speed transmission with automatic clutch, high/low range and reverse;
- Must have 2 WD/4WD selectability with limited slip front differential;
- Must have independent double A-arm front suspension with coil spring and shocks;
- Must have skid plate and bumper guard;
- Must have minimum nine (9)" ground clearance
- Must have twin 35 watt minimum fender mounted headlights with a 5/21 watt minimum combination tail/brake light;
- Must have a 12 volt automotive style electrical outlet;
- Must have front and rear cargo lights;
- Must have an instrument display that includes speedometer, odometer, trip odometer, and neutral, reverse, and oil temperature indicator lights;
- Must have 190 mm minimum front disc brakes and rear drum brakes;
- Must have a minimum four (4) gallon fuel tank;
- Must have all terrain tires, front – 25X8-12 minimum and rear – 25X10-12 minimum;
- Must be fully assembled; and
- Must be green or olive colored.

(1) Delivered to Elkins Operations Center, Randolph County, Routes 219/250 South, Ward Road, Elkins, WV

Contact: Steve Wilson (304) 637-0245 for additional information and directions

(1) Delivered to: Shenandoah Wildlife Management Area, Pendleton County, WV – HC 74-Box 2 B, Brandywine, WV

Contact: Rich Rogers (304) 822-3551 for additional information and directions

Division of Natural Resources
Wildlife Resources Section
Utility Vehicles
DNR210150

4 WD Utility Vehicle

Kawasaki Mule Model 4010 4X4 utility vehicle or equal Utility vehicle must meet the following specifications:

- Must be 4x4 wheel drive;
- Must have a four (4) stroke liquid cooled overhead valve V-twin engine;
- Must have a minimum 600 cc displacement;
- Must have an electronic ignition;
- Must have a minimum 12 V DC, 18 amp-hour battery, alternator;
- Must have continuous variable transmission with high/low ranges, forward and reverse, 2WD/4WD;
- Must have shaft drive;
- Must have a muffler exhaust with United States Forrest Service (USFS) approved spark arrestor;
- Must have a minimum 23X11-10 tubeless tires;
- Must have independent front suspension with struts with front heavy load springs;
- Must have semi-independent front suspensions with leaf springs and shocks;
- Must have electronic power assisted rack and pinion steering;
- Must have hydraulic drum brakes;
- Must have a minimum six (6) gallon fuel tank;
- Must have a minimum 6.8 inches ground clearance;
- Must have a minimum 15 cubic feet cargo bed;
- Must have a minimum 800 lbs cargo bed capacity;
- Must have a minimum 1,200 lbs towing capacity;
- Must have a minimum thirty (30) watt sealed beam headlights, two taillights/brake lights;
- Must have a parking brake warning light, coolant temperature warning light, horn, and 12 V DC outlet;
- Must have roll over protective structure;
- Must have a cab structure with safety glass windshield;
- Must have steel front doors;
- Must have a windshield wiper kit;
- Must have an oil pressure gauge;
- Must have a trailer hitch and pin;
- Must have a cab cooling defrost fan;
- Must have a cab heater;
- Must be completely dealer prepped and ready to operate; and
- Must be green or olive colored

(1) Delivered to: WV Wildlife Center, Route 20 South, French Creek, WV, Upshur County
Contact: Rob Silvester (304) 924-6211 for additional information and directions

**DNR210150- Wildlife Resources
Purchase of Utility Vehicles
Manufacturer's List**

Please complete the below information concerning the brand(s) of equipment being bid in relation to this project. If bidding "or equal" brands, please attach manufacturer's literature documenting that it meets each of the mandatory requirements stated in the specifications. Vendors should note the areas of the provided manufacturer's literature that adheres to the mandatory requirements outlined in the Request For Quotation.

Item No.	Equipment	Manufacturer	Model
1	Yamaha Rhino 700 FI Auto 4X4 Utility Vehicle or equal	Polaris	Ranger XP 800 EFI
2	Suzuki King Quad FS 4X4 Utility Vehicle or equal.	Honda Yamaha	YFM40F Big Bear 4x4
3	Kawasaki Mule Model 4010 4X4 or equal.	Polaris	Ranger XP 800 EFI EPS

Utility Vehicles

PRICING SHEET

Item No.	Quantity	Description	Unit Price	Amount
1	2	Yamaha Rhino 700 FI Auto 4X4 Utility Vehicle or equal.	10,967	21,934.
2	2	Suzuki King Quad FS 4X4 Utility Vehicle or equal.	5748.	11,496.
3	1	Kawasaki Mule Model 4010 4X4 or equal	15,274.	15,274.
		TOTALS		48,704.

2010

SPECIFICATIONS

RANGER®

RANGER 800 XP®

RANGER 800 XP® W/EPS

RANGER 500 H.O.

S.N.A.P. FIND YOUR POLARIS® (Pg. 42)				
S.N.A.P. FIND YOUR POLARIS® (Pg. 42)	Steering Wheel or Handle Bars			
	Number of People			
	Application			
	Price	\$\$\$	\$\$\$\$	\$\$\$
ENGINE	Engine Type	1-Stroke Twin Cylinder	4-Stroke Twin Cylinder	4-Stroke Single Cylinder
	Displacement	710cc	760cc	498cc High Output (H.O.)
	Fuel System	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection
	Cooling	Liquid	Liquid	Liquid
DRIVE TRAIN	Transmission/Final Drive	Automatic PVT H/L/N/R. Shaft	Automatic PVT H/L/N/R. Shaft	Automatic PVT H/L/N/R. Shaft
	Drive System	On-Demand True AWD/2WD/VersaTrac Turf Mode	On-Demand True AWD/2WD/VersaTrac Turf Mode	On-Demand True AWD/2WD/VersaTrac Turf Mode
SUSPENSION	Front Suspension	Dual A-Arm 9.6 in. (24.4 cm) Travel	Dual A-Arm 9.6 in. (24.4 cm) Travel	Dual A-Arm 9.6 in. (24.4 cm) Travel
	Rear Suspension	Dual A-Arm IRS 9 in. (22.9 cm) Travel	Dual A-Arm IRS 9 in. (22.9 cm) Travel	Dual A-Arm IRS 9 in. (22.9 cm) Travel
BRAKES	Front/Rear Brakes	4-Wheel Hydraulic Disc with Dual-Bore Front Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front Calipers
	Parking Brake	Hand-Actuated	Hand-Actuated	Hand-Actuated
TIRES AND WHEELS	Front Tires	25 x 10-12; 489	26 x 9-12; PXT	25 x 10-12; Terrathon
	Rear Tires	25 x 11-12; 489	26 x 11-12; PXT	25 x 11-12; Terrathon
	Wheels	Stamped Steel	Aluminum	Stamped Steel
DIMENSIONS/CAPACITIES	Wheelbase	76 in. (193 cm)	76 in. (193 cm)	76 in. (193 cm)
	Dry Weight	1,231 lb. (561 kg.)	1,257 lb. (570 kg.)	1,214 lb. (551 kg.)
	Length/Width/Height	114 in./60 in./76 in. (290 cm/152 cm/193 cm)	114 in./60 in./76 in. (290 cm/152 cm/193 cm)	114 in./60 in./76 in. (290 cm/152 cm/193 cm)
	Fuel Capacity	9 gal. (34.1 ltr.)	9 gal. (34.1 ltr.)	9 gal. (34.1 ltr.)
	Bed Box Dimension/Capacity	42 in x 58 in x 10 in./1,000 lb. (107 cm x 147 cm x 25 cm/453.6 kg.)	42 in x 58 in x 10 in./1,000 lb. (107 cm x 147 cm x 25 cm/453.6 kg.)	42 in x 58 in x 10 in./1,000 lb. (107 cm x 147 cm x 25 cm/453.6 kg.)
	Payload Capacity	1,500 lb. (680.4 kg.)	1,500 lb. (680.4 kg.)	1,500 lb. (680.4 kg.)
	Hitch Towing Rating	2,000 lb. (907.2 kg.)	2,000 lb. (907.2 kg.)	1,500 lb. (680.4 kg.)
	Cargo System	Lock & Ride	Lock & Ride	Lock & Ride
	Ground Clearance	12 in. (30.5 cm)	12 in. (30.5 cm)	12 in. (30.5 cm)
	Hitch/Type	Std./Receiver	Std./Receiver	Std./Receiver
	FEATURES	Instrumentation	Digital Gauge, Speedometer, Odometer, Tachometer Two Tripmeters, Hour Meter, Gear Indicator Fuel Gauge, Hi-Temp/Low-Batt Lights, DC Outlets (2)	Digital Gauge, Speedometer, Odometer, Tachometer Two Tripmeters, Hour Meter, Gear Indicator Fuel Gauge, Hi-Temp/Low-Batt Lights, DC Outlets (2)
COLORS	Colors	Solar Red, Sage Green, Mossy Oak Break-Up	Sunset Red	Solar Red, Sage Green



BIG BEAR® 400 5-SPEED 4X4 IRS

UTILITY ATV

KEY SELLING POINTS

1
Potent, 386cc air/oil-cooled SOHC four-stroke single delivers reliable, class-leading low-end and midrange power to tackle the hardest chores and toughest trails.

2
Independent rear suspension offers excellent terrainability and all-day comfort.

3
Class-exclusive pushbutton On-Command® with Diff Lock makes switching from 2WD to 4WD to 4WD Diff Lock a snap.

4
Constant-mesh five-speed transmission with automatic clutch, reverse and super-low stump-pulling first gear means this is one hard-working ATV.

5
Sealed wet brake out back provides long-lasting, consistent stopping power in even the harshest conditions.

6
Full floorboards and high ground clearance keep the rider high and as dry as possible.

7
Pushbutton electric starting in any gear is backed up by an auxiliary recoil starter.

FEATURES & BENEFITS

ENGINE:

- Simple yet powerful 386cc air/oil-cooled, SOHC engine inhales through a heated, semi-oval slide 33mm BSR Mikuni® carburetor for seamless throttle response and excellent all-weather performance.
- DC-CDI ignition system ensures dependable starting and puts out consistent spark at all rpm for optimal engine performance.
- Large-capacity oil cooler with cooling fan helps maximize engine efficiency even under heavy loads.
- Stainless steel muffler and header provide superior power characteristics, exhaust sound and unmatched durability.
- Tool-free, easy-access air filter box.
- Automatic cam chain tensioner reduces engine maintenance and helps extend engine life.

CHASSIS/SUSPENSION:

- Special compact frame design uses fewer components to reduce weight and provide lighter steering, a tighter turning radius and superior durability.
- Class-leading turning radius provides maximum maneuverability on tight trails and while working with heavy equipment.
- Independent rear suspension provides excellent handling and all-day comfort.
- High-tech sealed wet brake provides consistent, long-lasting braking performance in hostile environments.
- On-Command® drive selection with Diff Lock lets you access full power from 4WD locked.
- Low seat height for great handling.
- Plenty of ground clearance and a high mount air intake makes this machine ready for muddy conditions.
- Independent double-wishbone front suspension with five-way preload-adjustable shocks and 5.8 inches of travel.
- Large-diameter ventilated hydraulic front disc brakes and a sealed rear wet brake provide plenty of stopping power in a variety of conditions.
- Reliable, low-maintenance front and rear shaft drive.
- Huge 25x8-12 front and 25x10-12 rear ITP® Mud Lite tires further boost ground clearance while providing great handling and traction.

- Specially designed A-arms with removable ball joints provide smooth operation and outstanding reliability.

- Built-in winch mounts.

ADDITIONAL FEATURES:

- Wrinkle-finish cargo racks are super-durable and can pack a class-leading total of 264 pounds (88 front, 176 rear) of payload.
- Speedometer with odometer/tripmeter adds greater versatility and allows rider to keep track of engine maintenance intervals.
- Standard center-mounted trailer hitch can hook up more than 900 pounds of payload.
- Full floorboards, lots of ground clearance and a high-mount air intake are ready for mud.
- Flat-style handlebars help provide light steering effort and great rider comfort.
- Large front and rear fenders with inner splash guards offer excellent mud and splash protection.
- Water-resistant, large-capacity underseat storage box provides added convenience.
- Heavy-duty, full-coverage A-arm and CV joint boot protectors help prevent damage to boot covers.
- Specially designed, thickly padded seat is widely contoured for incomparable rider comfort.

SPECIFICATIONS

Model	YFM40FB2L; YFM40FBZGR; YFM40FBZH
Engine Type	386cc 4-stroke air/oil-cooled single; SOHC
Bore x Stroke	83.0 x 71.5mm
Compression Ratio	8.6:1
Fuel Delivery	Mikuni® 33mm BSR
Ignition	DC-CDI
Starting System	Electric w/auxiliary pull
Transmission	5-speed w/reverse; automatic clutch; front- and rear-wheel engine braking
Drive Train	Yamaha On-Command® pushbutton; 3-way locking differential; 2WD, 4WD, locked 4WD; shaft drive
Suspension/Front	Independent double wishbone; 5-way preload adjustment, 5.8-in travel
Suspension/Rear	Independent double wishbone; 5-way preload adjustment, 7.6-in travel
Brakes/Front	Dual hydraulic disc
Brake/Rear	Sealed oil bathed multi disc
Tire/Front	AT25 x 8-12 ITP® Mud Lite
Tire/Rear	AT25 x 10-12 ITP® Mud Lite
L x W x H	79.4 x 43.9 x 46.7 in
Seat Height	35.2 in
Wheelbase	48.4 in
Turning Radius	126 in
Ground Clearance	10.5 in
Fuel Capacity	4.0 gal
*Wet Weight	628 lb
Rack Capacity	88 lb Fr./176 lb Rr
Towing Capacity	904 lb
Instrumentation	Speedometer, odometer, fuel gauge
Lighting	Dual 30W Krypton multi-reflector headlights & 21W/5W brake light
Color	Steel Blue; Hunter Green; Realtree® AP Camouflage

- Large-capacity 4-gallon fuel tank has a built-in gauge.
- Mud and water-resistant automotive-type DC power outlet powers a wide range of accessories.
- Rugged, serrated footrests provide excellent grip and rider comfort with superb durability.
- Maintenance-free 18-amp-hour battery provides extra starting power.
- Underseat marine-spec electrical components ensure maximum protection from the elements and easy access.
- Bright multi-reflector 30-watt headlights feature wide positioning to maximize low-light and nighttime visibility.
- Easy-to-use handlebar-mounted parking brake and choke lever.
- Built in Newnan, GA, USA.

AVAILABLE ACCESSORIES:

Please refer to the Yamaha Utility ATV Accessories & Apparel Catalog or go to yamaha-outdoors.com

* Wet weight includes the vehicle with all standard equipment and all fluids, including oil, coolant (as applicable) and a full tank of fuel. It does not include the weight of options or accessories. Wet weight is useful in making real-world comparisons with other models.

ATVs with engines 90cc or greater are recommended for use only by riders age 16 years and older.

Specifications subject to change without notice.

BUILT FOR XTREME PERFORMANCE



RANGER 500 XP 500 H.O.

NEW! MORE POWER: 46 HP, 600 THIN EFI OR 35 HP, 500 I.G.O. ENGINE delivers more power than ever with easy introduction. This year, we've added a new 600 cc engine to our line-up. The new 600 cc engine is powered in the RANGER XP 500 H.O. by a 47-hp, 600 cc engine. The 600 cc engine also has a 13.5-hp motor, a 47-hp motor and a 47-hp motor. It's also got a 13.5-hp motor, a 47-hp motor and a 47-hp motor. It's the ultimate choice for power, comfort, and value—and it comes with many of the features found on the XP, including O-Demand, Fuel Injection, and more.



*** AVAILABLE ELECTRIC POWER STEERING (RANGER XP)**
Variable assist power steering helps you steer easily at slow speeds, giving you ultimate control so you can even steer with one hand, and adjusts as speeds increase for more responsiveness.



DUAL-ARM FRONT SUSPENSION
Adjustable front dual-arm allows you to take the bumps out of your ride. The dual-arm suspension is independent for each side, and heavy-duty 25mm shocks.




LEGENDARY SMOOTH INDEPENDENT REAR SUSPENSION (IES)
Our smooth IES keeps the ride smooth with an adjustable shock, and two top-mounting beams for each axle, which let you "tweak" the suspension for heavy loads. It also conveniently splits the highest loaded ground clearance. 19 inches of ground clearance, 22.4 inches in the rear and 19 inches in the front and 7 inches in the middle.

SUPERIOR ERGONOMICS

With extra-large comfort and seating for three, the machines are as user-friendly as they are rugged. Steering with the highest range of motion (110°) allows for a more customized ride, while the backrest can be tilted for extra more headroom, so you don't have to use an extra.

MORE POLARIS FEATURES

- Available 600 cc engine
- Available 46 HP motor
- Available 47 HP motor
- Available 13.5 HP motor
- Available 19 inch ground clearance
- Available 22.4 inch ground clearance
- Available 7 inch ground clearance



COMPARE THE FACTS	RANGER 500 XP	RANGER 500	RANGER 500 H.O.	RANGER 500 H.O.
The Speed (mph) (Max)	53 (65.3) ✓	37 (46.3)	27 (34.2)	29 (36.4)
Weight (lbs) (Max)	2,000	1,700	1,200	1,200
Weight (lbs) (Max) (With Operator)	1,907.21	1,587.7	1,087.41	1,087.41
Ground Clearance (Inch) (Max)	10 (25.4) ✓	7 (17.8)	4.5 (11.3)	4.5 (11.3)
Seat Height (Inch) (Max)	1,500	1,400	1,300	1,300
Wheelbase (Inch) (Max)	65.0 (1,651)	65.0 (1,651)	65.0 (1,651)	65.0 (1,651)
Wheelbase (Inch) (Max) (With Operator)	64.4 (1,645.6)	64.4 (1,645.6)	64.4 (1,645.6)	64.4 (1,645.6)

MSRP includes destination charge, tax, title, license, and dealer prep. Dealer price may vary. ©2006 Polaris Industries, Inc.

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts) *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

- 1. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or**,
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or** 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or**,
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; **or**,
- 2. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or**,
- 3. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or**,
- 4. **Application is made for 5% resident vendor preference for the reason checked:**
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; **or**,
- 5. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; **or**,
- 6. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential

Under penalty of law for false swearing (*West Virginia Code*, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: R G Honda Signed: [Signature]
 Date: 3/15/2010 Title: Gen Mgr

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code* §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: RG Hoada

Authorized Signature: [Signature] Date: 3/15/2010

State of WV

County of Harrison, to-wit:

Taken, subscribed, and sworn to before me this 15th day of March, 2010

My Commission expires 4/10, 2016

AFFIX SEAL HERE

NOTARY PUBLIC [Signature]

