



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DRS100570

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
SHELLY MURRAY 304-558-8801

VENDOR

*A14153146 412-331-8703
 BETSON PITTSBURGH DISTRIBUTION
 2707 WEST CARSON STREET
 PITTSBURGH PA 15204

SHIP TO

DIV OF REHABILITATION SERVICES
 WV REHABILITATION CENTER
 ATTENTION: RECEIVING
 INSTITUTE, WV
 25112 766-4621

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/04/2010				

BID OPENING DATE: 02/10/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		740-85		
<p>THE WEST VIRGINIA PURCHASING DIVISION, FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF REHABILITATION SERVICES, IS SOLICITING BIDS FOR FOOD MERCHANDISER VENDING MACHINES PER THE ATTACHED SPECIFICATIONS.</p> <p>TECHNICAL QUESTIONS MUST BE SUBMITTED IN WRITING TO SHELLY MURRAY IN THE WEST VIRGINIA PURCHASING DIVISION VIA MAIL AT THE ADDRESS SHOWN AT THE TOP OF THIS RFQ, VIA FAX AT 304-558-4115, OR VIA EMAIL AT SHELLY.L.MURRAY@WV.GOV. DEADLINE FOR ALL TECHNICAL QUESTIONS IS 01/26/2010 AT THE CLOSE OF BUSINESS. ALL TECHNICAL QUESTIONS RECEIVED, IF ANY, WILL BE ADDRESSED BY ADDENDUM AFTER THE DEADLINE.</p> <p>REFRIGERATED VENDING MACHINE</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM TO THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER.</p> <p>NOTICE</p>						

RECEIVED

2010 JAN 22 AM 10:19

WV PURCHASING DIVISION

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
<i>[Signature]</i>	800-858-2705	1/21/10
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
SALES MGR	25-1272602	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DRS100570

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF
SHELLY MURRAY 304-558-8801

VENDOR

*A14153146 412-331-8703
 BETSON PITTSBURGH DISTRIBUTION
 2707 WEST CARSON STREET
 PITTSBURGH PA 15204

SHIP TO

DIV OF REHABILITATION SERVICES
 WV REHABILITATION CENTER
 ATTENTION: RECEIVING
 INSTITUTE, WV
 25112 766-4621

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/04/2010				

BID OPENING DATE: **02/10/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p>DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER: SHELLY MURRAY</p> <p>RFQ. NO.: DRS100570</p> <p>BID OPENING DATE: 02/10/2010</p> <p>BID OPENING TIME: 1:30 PM</p> <p>PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:</p> <p>(412) 331 0712</p> <p>CONTACT PERSON (PLEASE PRINT CLEARLY):</p> <p>LEE IVORY 800-858-2705 x 7105</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
	800-858-2705	2/1/10
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
SALES MGR.	25-1272662	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

DRS100570
Specifications

To provide 14 Crane Shopper Food Merchandiser Vending Machines, Model 432, or equal, to the WV Division of Rehabilitation Services Randolph Sheppard Program per the below specifications.

1. Refrigeration requirements
 - A. minimum ½ HP Refrigeration System with adequate air distribution.
 - B. Unit must have ability to be serviced from the front.
 - C. Unit must have the ability to allow reading of the temperature from the display board without opening the door.
 - D. Unit must have tamper proof Health Control Function.
2. Unit must have additional refrigerated storage area
 - A. Must be minimum 7"W x 16"D x 35" H.
3. Unit must have high visibility drum for product contents.
 - A. shelves must be minimum 5" high
 - B. shelves must be adjustable for different product use
 - C. Must have shopper preference mode ensuring the drum returns to the view with the most products for sale
 - D. Turret Drum must have a minimum of 5 zones
 - E. Turret Drum must have two way rotation
4. Unit must be 115 Volt and have a maximum of 12 Amp draw.
5. Control Board must have the following minimum functions
 - A. Preventing a previously sold item door from re-opening at a previously sold position
 - B. Automatic self-diagnostic display
 - C. Data recall for each selection, tray level, or zone units sold and dollars received.
 - D. Must keep record of power off situations and main door openings
 - E. Capability to set pricing by level, tray selection, or whole machine.
6. Unit must have the capability of Vending Full Entrees, Combo Meals, and deli-style sandwiches.
 - A. When unit is at its maximum it must have a minimum of 225 food items.
7. Unit must have MDB system with Mars, or equal, Bill Validator and Mars, or equal, Coin Changer installed.
 - A. Must be software downloadable for new Treasury Currency updates
 - B. Must be blind friendly, i.e., must NOT have any LCD type screens for MDB readout information.

8. Unit shall be a maximum 39" wide, 32" deep.
9. Any vendor bidding alternates shall provide all pertinent manufacturer literature upon request of the Buyer. Vendors are encouraged to include the literature with the bid.
10. Vendor shall provide a quote for the vending machine with installed validator and changer, inclusive of shipping.
11. Award shall be made to the lowest bid vendor meeting specifications.

Vendor to Complete:

Item	Quantity	Description	Unit Price	Extended Price
1	14	Shopper inclusive of installed Validator and Changer with Shipping.	\$ 7,120 ⁰⁰	\$ 99,680. ⁰⁰

or equal, * CRANE/API 962

*"or equal" model number

* SEE ATTACHED LITERATURE.

RFQ No. DES100570

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code* §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: BELSON MISSOURIA DISTRIBUTING


Authorized Signature: [Signature] G.m. Date: 1/21/10

State of Pennsylvania

County of Allegheny, to-wit: _____

Taken, subscribed, and sworn to before me this 21 day of JAN, 2009

My Commission expires _____, 20____



AFFIX SEAL HERE

PUBLIC Rita Ladish

State of West Virginia VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or**,
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or** 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or**,
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; **or**,
2. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or**,
3. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or**,
4. **Application is made for 5% resident vendor preference for the reason checked:**
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; **or**,
5. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; **or**,
6. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: _____ Signed: _____

Date: _____ Title: _____

**Check any combination of preference consideration(s) indicated above, which you are entitled to receive.*

CCM5G Series Coin Changer

CONLUX®

Designed to simplify your business through reliable, field-proven performance.

Five-Tube Cassette

Greater capacity eliminates change starvation. Sell more product and avoid costly service calls.

Auto Cassette Programming

Cassettes snap into place and coin configurations are automatically recognized by the changer. No programming needed by service technician, no possibility of error. Optimize sales by interchanging cassettes according to vend price.

3-Coin Payout System

Simultaneous payout of three coins speeds transactions and increases throughput in high-volume locations.

Smart Payout

Unit makes multiple attempts to pay out coins if necessary, virtually ensuring transaction; results in fewer service calls.

Anti-Salting Channel

Unique diversion path protects changer and vendor from salt water vandalism and damage.

Memory Back-Up

Non-volatile memory ensures that changer will retain its settings and transaction history in case of a power failure.

No Tools Required

Designed for easy assembly/disassembly and maintenance, even at vend site.

Swing-Open Payout Base


Swing-open cassette base makes for easy collection and change replenishment. No tools required. Expedites cleaning and removal of foreign material.

Last Coin Payout

No dead inventory.

Warranty

Limited 2-year warranty.



**CCM5G Series
Five-Tube Changer**

Field Tested, Field Proven

Conlux . . . Simply the right choice

**Conlux ...
the MEI value brand of bill and
coin validator products.**

mei.
www.meigroup.com

MEI is ISO 9001:2000 Certified



CCM5G Series Coin Changer





*Simple operation.
Maximum durability.*

CCM5G Specifications

Interface	Multi-Drop-Bus (M.D.B.)	
Operating Voltage	+34VDC	
Power Consumption	Standby 0.10A	
Operating State	Motor Operation 0.66A Peak Max. 5 sec. 0.92A	
Operating Temperature Range	5° F (-15° C) to 140° F (+60° C)	
Insulation Resistance	20M Ohm or more	
Weight	4.2 lbs. (1.9 Kg)	
Dimensions	HxWxD: 14.83" x 5.43" x 3.23" (376mm x 137mm x 82mm)	
Number of Motors	1 Motor - 15VDC	
Number of Solenoids	5 for Coin Selection - 15VDC	
Coin Acceptance	U.S.: 5¢, 10¢, 25¢, \$1 CAN: 5¢, 10¢, 25¢, \$1, \$2 Switch Selectable for U.S. only, Canadian only, or both	
Cassette Tube	US-1 Cassette: 1N, 1D, 3Q	PN 5030004030
	US-2 Cassette: 2N, 2D, 1Q	PN 5030004040
	US-4 Cassette: 1N, 1D, 2Q, \$1	PN 5030004050
	US-5 Cassette: 2N, 3D	PN 5030004060

"We have used Conlux coin mechs and validators since June of 2001. I have not come across another brand as reliable and inexpensive as Conlux. Even in the dirtiest conditions, you can count on Conlux to work every time. I would highly recommend their products to everyone in the vending industry."

Darryl Martin
Service Department Manager
D&S/Davians



Simple Touch Pad
Inventory Panel

About the Conlux product line

Conlux is the MEI value brand of bill and coin validator products, acquired by MEI in 2003. The Conlux brand is the leading payment systems product in Japan, and has been distributed in North America since 1985. Established in Japan in 1967 to produce and sell coin mechanisms for vending machines, Conlux products are designed to simplify business through reliable, field-proven performance.

MEI Corporate Headquarters

1301 Wilson Drive
West Chester, Pennsylvania 19380
1-610-430-2700
1-800-345-8215



Mixed Sources
Cert no 5W-COC-002607
© 1996 FSC

mei
www.meigroup.com



NBM-3000 Series Bill Validator

CONLUX®

Designed to simplify your business through reliable, field-proven performance.

Vertical Sensing

Magnetic head and optical sensors are positioned away from dirt and protected from salting, resulting in longer life and fewer service calls. Vertical configuration enables easy cleaning, if required.

Anti-Salting System

Built-in protection includes water drain and no electronics in lower chute; saltwater never reaches bill path or electronics.

Pullback, "Yank Cheat" Protection

Motor-driven shutter remains closed when in standby mode, protecting validator from salting, vandalism and cheating.

Unique Bill Stacking Method

Two cam design stacks more bills in less space than conventional validators.

High Acceptance Rate

\$1, \$5 Bills and Coupons.

Optional Security Bezel

Metal bezel protects validator from vandalism. Available factory-installed or as a retrofit kit.

All-Plastic Construction

Lightweight, easy to clean and service.

Swing-Open Stacker

One latch opens bill stacker, making it easy to collect bills.

LED Diagnostics


Indicates status of validator, making field service easier.

Two-Belt Bill Transport

Contributes to longer belt life and easier servicing — system rated at over 200,000 operations.

Warranty

Limited 2-year warranty.



**NBM-3000 series
Bill Validator**

Field Tested, Field Proven

Conlux . . . Simply the right choice

**Conlux ...
the MEI value brand of bill and
coin validator products.**

mei.
www.meigroup.com

MEI is ISO 9001:2000 Certified



NBM-3000 Series Bill Validator



*Simple operation.
Maximum durability.*


NBM-3000 Specifications

Interface	Multi-Drop Bus (M.D.B.)
Operating Voltage	+34VDC
Power Consumption	Standby 0.30A or less
Operating State	Motor Operation 0.60A or less Peak Max. 4 sec. 1.20A or less
Operating Temperature Range	5° F (-15° C) to 140° F (+60° C)
Insulation Resistance	20M Ohm or more
Weight	400 Stacker: 2.24 lbs. (1.02 Kg) 700 Stacker: 2.48 lbs. (1.12 Kg)
Dimensions	400 Stacker HxWxD: 10.92" x 3.62" x 5.59" (277.3mm x 92.0mm x 141.0mm) 700 Stacker HxWxD: 10.92" x 3.62" x 7.16" (277.3mm x 92.0mm x 181.9mm)
Pullback Prevention	Shutter System
Escrow Function	Available
Front Mask	Bottler Mask and Full-line Mask available
Front Mask Lamp	Available for Bottler Mask and Metal Mask
Bill Acceptance	<ul style="list-style-type: none"> • 2-Way Face-up • \$1, \$5 and Coupon • Switch Selectable for \$5 and Coupon

"We have used Conlux coin mechs and validators since June of 2001. I have not come across another brand as reliable and inexpensive as Conlux. Even in the dirtiest conditions, you can count on Conlux to work every time. I would highly recommend their products to everyone in the vending industry."

Darryl Martin
Service Department Manager
D&S/Davians

NBM- 3000 Vertical Sensing



About the Conlux product line

Conlux is the MEI value brand of bill and coin validator products, acquired by MEI in 2003. The Conlux brand is the leading payment systems product in Japan, and has been distributed in North America since 1985. Established in Japan in 1967 to produce and sell coin mechanisms for vending machines, Conlux products are designed to simplify business through reliable, field-proven performance.

MEI Corporate Headquarters

1301 Wilson Drive
West Chester, Pennsylvania 19380
1-610-430-2700
1-800-345-8215



Mixed Sources
Cert no SW-COC-002607
© 1996 FSC

mei
www.meigroup.com



Think of it as a food court
at the end of the hall.

API/CRANE
DIRECT REFRIG
IS...
96Z MODEL
FOR:
CRANE
43Z



Enjoy your favorite cold beverages, dairy products, fruits, sandwiches,
ethnic foods and more — at the convenient touch of a button.

*Buy
Directly*





The Shopper is a 24-hour fresh food solution providing your employees variety, freshness and great taste.



Shopper

SPECIFICATIONS:

Height: 72 in.

Depth: 30.75 in.

Width: 38.13 in.

Shipping Weight: 710 lbs.

Electrical: 115V, 60Hz, 12A
(15A circuit required).

Listings: cULus, CE, FCC, NAMA approved.

▶ **HEARTY APPETITES**

The Shopper is the only machine truly capable of "feeding" a workforce. A hard working group of employees requires sustenance to get the job done and the Shopper delivers.

▶ **ARRAY OF PRODUCTS**

Full entrées, combo meals, ethnic foods, salads and delicatessen style sandwiches are the fuel to keep the engine of your workplace humming along.

▶ **EVERYONE SATISFIED**

Have more than one shift? The Shopper has "selling zones" that gives each shift its slice of the pie. The turret can be segmented by time to give each group of employees a full stock of items for their time on the clock.


▶ **FOOD SAFETY**

With the tightest temperature control in the industry, you can rest assured products will be at their best. The Health Control Temperature Setting is computer monitored to guarantee freshness.

▶ **PERFORMANCE & RELIABILITY**

The Shopper boasts class-leading design and durability. You can count on the Shopper to perform for associates day after day without the nuisance of service calls burdening your business.

The average age of food equipment in locations today is estimated to be more than 8 years old. The Shopper's contemporary styling, merchandising capabilities and reliable performance leave competitors and used equipment as severely inadequate alternatives.



CONTACT US:

Make National Vendors equipment your choice to give your employees what they want, when they want it, where they want it.

currenza®

CHANGER

Reliable Coin Functionality



High Durability. Good product should last a long time. Global field experience shows excellent durability of both the acceptor and dispenser. The Currenza® Coin Changer reflects the international vending experience of over 50 years in a full range of environments.

Enables "Bill Recycling". The Currenza® Coin Changer is the key that enables the Currenza® Recycler. Bring the benefits of Recycling to your business via the Currenza® Coin Changer.

Simple Replenishment. The Currenza® Coin Changer has the simplest cassette replenishment. The "Tilt and Fill" mode is simple and fast.

Simple Diagnostics. The Red, Yellow, Green diagnostic LEDs intuitively convey the status of the changer. If an issue is present, they will indicate where it is located.

Reliable Tube Sensing. The optical sensing works well in all vending environments. The unique system tracks tube contents using four level sensors. It "knows" if there are enough coins to reliably pay change. The Currenza® Coin Changer avoids "exact change" service calls when the tube has coins.

Flexible Change Cassette Configuration. Multiple tube configurations to meet the needs of your locations. Some locations need \$1 coins dispensed; others need lots of quarters. The Currenza® Coin Changer can meet those needs.

CRANE® PAYMENT SOLUTIONS

12955 Enterprise Way • Bridgeton, MO • 63044-1200
Toll Free: 1 (800) 325-8811 • www.craneps.com

Easy to use, reliable coin changer performance
that can work with either a bill validator
or a bill recycler

Currenza[®]

CHANGER


The Currenza[®] Coin Changer is durable and easy to use. It requires minimal training to enable your staff to operate it, to replenish it and to solve simple troubles. Interactive diagnostic lights provide clear information to keep simple problems from turning into service calls. The Currenza[®] Coin Changer handles coin directly, simply and reliably. Most importantly, it is the "key" to the Currenza[®] Recycler – a game changing technology to help improve the profitability of your business.

Functional Capabilities

- ✓ Accepts .05, .10, .25, .50 and \$1 US Coins.
- ✓ 24 validation parameters provide high security coin recognition.
- ✓ Operates over full US temperature and humidity ranges.
- ✓ Switches from dispensing \$1 to 25¢ with software. Does not need a new cassette or tube.
- ✓ Uses flash based software - no chip changing.
- ✓ Full Token Support - Tokens can be added with on location teach or via downloading the profile.
- ✓ Enables Currenza[®] Bill Recycler.
- ✓ DEX Audit Board option for recycling accountability.

Service Features

- ✓ Simple LED diagnostics for field troubleshooting.
- ✓ "Tilt and Fill" feature provides easiest manual fill method in the industry.
- ✓ DIP Switch programmable for payout configuration.
- ✓ Easy to use Palm handheld to update firmware and configuration changes.
- ✓ Will not jam on 50¢ coin. Accepts them to cashbox.
- ✓ Product design life time of over eight years.




Four Optical Level Sensors

100% Level Sensor


75% Level Sensor

50% Level Sensor

Low Level Sensor



LED Diagnostics



Tilt and Fill

Currenza[®] Coin Changer Specifications

Coins Accepted	US .05, .10, .25, .50, \$1.00
Coins Dispensed	US .05, .10, .25, \$1.00
Protocol	MDB
Operating Voltage	22 to 40 Volts (AC or DC)
Coin Processing Time	500 milliseconds per coin
Regulatory Approvals	UL Listed
Dimensions	14 5/8" x 5.25" x 3" (US Standard)
Operating Temperature	-4° F to 140° F / -18° C to 60° C
Cassette Options	2 Cassettes and tube sleeves
DEX Ready	Option for Bill Recycler interface
Validation Rate	95%

CRANE PAYMENT SOLUTIONS


12955 Enterprise Way • Bridgeton, MO • 63044-1200
Toll Free: 1 (800) 325-8811 • www.craneps.com

AVAILABLE FROM

currenza®

VALIDATOR

Ready to Light Up your Cash Box?



Consumer Attraction. The pulsing blue LED lights of the Currenza Validator are like a magnet to consumers. In the blink of the an eye, consumers know: "This is something new. This machine is working. I can insert my bill with confidence".

Reliability. It's not just "flashy". The Currenza® Validator is backed by world class performance. Non-contact sensing to minimize jams and maintenance. The Currenza® Validator delivers on a rock solid reputation for reliability.

Consumer Trust. With industry leading 96% first pass acceptance and 1.7 second acceptance speed, the Currenza® Validator changes the consumer experience. Consumers face less delay, less uncertainty and trust your machines to satisfy their impulse.

Efficient. Currenza® boasts the most convenient and cost effective method for currency upgrades with BlueChip™ SIM. Upgrades are simple – power down the vendor, slip in the BlueChip™ SIM, power up and the software is upgraded in ten seconds flat versus the countless minutes competitor's products require.

Profitability. The Currenza® Validator gives consumers new reasons to visit your machines... and you have new reason to visit them less. Together, this adds up to increased profitability for your business.

CRANE® PAYMENT SOLUTIONS

12955 Enterprise Way • Bridgeton, MO • 63044-1200
Toll Free: 1 (800) 325-8811 • www.craneps.com

Easy to use, reliable bill validator performance that attracts consumers, has high acceptance, fast through put and provides simple diagnostics.

Currenza[®]

VALIDATOR

The Currenza[®] Validator is a proven money maker. With innovative features to attract consumers, build their trust, and satisfy their impulse, your business can see sales increase. Simple diagnostics, the swiftest currency upgrade and world class durability keep your costs low - adding up to maximum profitability. Bring Currenza[®] to your operation today.

Functional Capabilities

- ✓ Accepts all bills up to \$20.
- ✓ 96%+ Acceptance Rate.
- ✓ High security non-contact magnetic ink sensing via inductive sensors.
- ✓ Fastest bill recognition in the industry 1.7 seconds.
- ✓ Full accountability with Streamware[®]VendMax System.
- ✓ Optional locking cash vault – when collected the driver does not have access to the bills, only the cash room with its key.
- ✓ Optional armored bezel – Metal bezel for security against break-ins.
- ✓ Cash box locking lid – prevents “no evidence” tweezer fraud.

Service Features


- ✓ 10-second firmware updates use BlueChip[®] SIM card.
- ✓ LED flash diagnostics give status in a blink and details about any issue.
- ✓ Convenient DIP switches to customize configuration.
- ✓ Service mode setting for convenient trouble shooting.
- ✓ Non-contact recognition means less frequent routine maintenance of sensor array.
- ✓ Unibody metal chassis delivers unmatched durability.
- ✓ Pinch rollers vs. belts to transport bill means fewer service calls.
- ✓ Lightweight removable drop-resistant cashbox.

Consumer Features


- ✓ Dramatic Blue LED's attract consumers from across the room and create confidence with vendor functionality.
- ✓ Superior acceptance rates reduce consumer frustration.
- ✓ Accepts the bills consumers want to spend up to \$20.
- ✓ Recognition speed reduces transaction time and increases confidence and through put.
- ✓ Coupon capable to generate consumer loyalty and reward programs.




Pulsing Blue LED lights attract consumers




Coupon capability to reward consumers



BlueChip[™] for convenient updates



Locking Cash Vault reduces driver temptation



CURRENZA VALIDATOR SPECIFICATIONS

Validation Rate	96% or higher
Bill Acceptance Directions	Up to 4 Way acceptance
Escrow	One bill
Sensors	Patented optical, inductive, dielectric and cross-channel (anti-stringing)
Protocol	MDB
Memory Programming	BlueChip [™] SIM Card
Operating Voltage	22 to 40 VDC
Operating Temperature	-4° F to 140° F / -18° C to 60° C
Transport Cycle	1.7 seconds
Weight	3.5 lbs
Cassette Sizes	300, 400, 600 capacity
Dimensions	104 x 266 x 140mm

CRANE[®] PAYMENT SOLUTIONS

12955 Enterprise Way • Bridgeton, MO • 63044-1200
Toll Free: 1 (800) 325-8811 • www.craneps.com

AVAILABLE FROM



REVOLUTION™

A Fresh Outlook

revolution™

It's Turning Heads.


Now serving fresh deli fare, favorite entrees, and break-time bites for convenient dining at facilities everywhere.

Revolution™ dishes up the best in high-volume foodservice, satisfying big appetites – in one sleek design.

STATE-OF-THE-ART CUISINE

Revolution spins modern looks with consumer-friendly features to nourish sales over older carousel models.


- Large turret-forward viewing window showcases product
- Dynamic styling communicates heightened quality
- “Auto-merchandising” maintains the fullest presentation
- Tall food compartments make reading labels easier
- Bi-directional tray rotation for quick selection
- Small footprint expands on-site placement options
- Health control monitors refrigeration and ensures product safety
- High-efficiency ½ HP refrigeration unit runs on a standard 15A circuit



VARIETY, VELOCITY, AND VALUE

Mix it up in our roomy interior. Offer favorite staples, healthy foods, and specialty cuisines for diversity equal to the local deli.

- High capacity with nine serving trays and 115 selections (average)
- 5” high compartments and off-center dividers fit more products
- 9” platter capability keeps items flat – no shifting or spilling
- Perfect for custom commissary foods
- Serve a “full meal deal” from one selection – with a 12 oz. drink (standing up!)



KEEP THEM ENERGIZED

Impress accounts and win business. Revolution sets you apart from other service providers, offering locations added benefits.

- More convenient than C-store and quick-service food runs (and keeps employees productively on site)
- Gets staff in on time knowing they can grab breakfast at work
- Provides a full menu when the cafeteria is closed
- Serves a high volume in a short time – perfect for limited lunch breaks
- Reserve sections by time-of-day, so even the night shift enjoys a full menu
- “Sold Out” mode recognizes empty slots, preventing accidental selection



The Choice of Vending Professionals

Invest in the finest fresh-food merchandiser, created by a company with over 70 years of experience. Backed by a two-year parts warranty and local A/E distributor support, you can't afford Revolution – 24/7.

Model	Dimensions	Avg. No. Selections/Capacity	Shipping Weight	Electrical	Regulatory Approvals
962	72”H x 38.13”W x 30.75”D	9 trays, 115 selections	710 lbs.	115V, 60Hz, 12A (15A circuit req.)	NAMA Approved, UL, FCC

Contact your local distributor for details

AUTOMATIC PRODUCTS
A Crane Co. Company

CRANE

163 Bridgepoint Drive, South Saint Paul, MN 55075
Phone: 651.288.2975 In USA: 800.523.8363 Fax: 651.224.5359

www.automaticproducts.com

©2007 Automatic Products, A Crane Co. Company. Printed in USA. Part #9620005