

VEZDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

SH-P

Ţ

RFQ NUMBER 6611C028

ADDRESS CORRESP	ONDENCE	TOATTEN	TION OF
HODITOO OOMEON	CHDCHOC	- IVALIEN	TIVIN OF

BUYER 33

304-558-2402

**\*709023508** 740-484-0331 BBR DRILLING COMPANY INC 41462 PALMER ROAD

**BELMONT OH** 43718 DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRIN	TED	TER	RMS OF SAL	E	SHIP VIA		F.O.B.	FREIGHTTERMS
04/12/								
BID OPENING DATE:	-	05/17/	2011	************	BID	OP	ENING TIME	01:30PM
LINE	QUA	NTITY	UOP	CAT. NO:	ITEM NUMBER		UNITPRICE	AMOUNT
				<u> Maratagaratan da parangga</u>				
0001			EA		765-08			
		1						
	POWER	EARTH	& ROC	K AUG	ERS DRILL WITH	OPE	RATOR	
				RE	QUEST FOR QUOTA	TIO	N	
					(RFQ) OPEN END CONTR	ACT	•	
					OFEN END CONIK	ALI		
	THE WE	ST VIR	GINIA	STAT	E PURCHASING DI	VIS	ION FOR THE	
	1				NIA DIVISION OF			
					OPEN END CONTR			
		TACHED	1 :		UGER/DRILL WITH	OP	ERATORS PER	
	IIIE AI	ACHED	SIEC	IFICA	I TOMS.			
					NCERNING THIS S			•
·					G TO SHERI SLON			
					ING DIVISION VI ODY OF THIS RFQ			
					MAIL AT SHERI.D			
					EN PROVIDED FOR			E
							FOR ALL	
	1				05/02/2011 AT			
	BUSINE				AL QUESTIONS RE ENDUM TO BE ISS	i i		
	4				TER THE DEADLIN			24504 (in the control of the control
							,	
	EXHIBI	. 1 1					<b>Ž</b>	
	LIFE O	F CONT	RACT:	тнт	S CONTRACT BECO	MES	FEFFCTIVE	**************************************
					FOR A PERIOD O			
	1			SEERE	 VERSE SIDE FOR TERMS AND C	ONDIT	TONS	
SIGNATURE TALL P	Boloo		<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>		TELEPHONE			TE 5/12/11
TITLE PAGE	land.	FE	EIN 2	1. 200		- 40		GES TO BE NOTED ABOVE
	C/I/	ONDING:		0-399	TAME AND ADDRESS	2 181 6	1	

### GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- **12. BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

#### **INSTRUCTIONS TO BIDDERS**

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
- 5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



TITLE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

#### Request for Quotation

þ

Ţ

RFQ NUMBER 6611C028

ADDRESS CORRESPONDENCE TO ATTENTION OF

BUYER 33

304-558-2402

740-484-0331 BBR DRILLING COMPANY INC 41462 PALMER ROAD

BELMONT OH 43718

\*709023508

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

ADDRESS CHANGES TO BE NOTED ABOVE

FREIGHT TERMS F.O.B. DATE PRINTED TERMS OF SALE SHIP VIA 04/12/2011 01:30PM BID OPENING DATE: 05/17/2011 BID OPENING TIME CAT. UNIT PRICE AMOUNT QUANTITY UOP. ITEM NUMBER LINE YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE THE "REASONABLE TIME" PERIOD SHALL DRIGINAL CONTRACT. DURING THIS "REASONABLE NOT EXCEED TWELVE (12) MONTHS. TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING 30 DAYS WRITTEN NOTICE. UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT BY THE STATE OF WEST VIRGINIA, ITS AGENCIES, OR POLITICAL SUBDIVISIONS, THE TERMS, CONDITIONS AND PRICING SET FORTH HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT. RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) SUCCESSIVE ONE (1) YEAR PERIODS. THE DIRECTOR OF PURCHASING RESERVES THE CANCELLATION: RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN. OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK). SEE REVERSE SIDE FOR TERMS AND CONDITIONS TELEPHONE SIGNATURE C Botton

20-3991479

FEIN



VENDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

RFO NUMBER
6611C028

PAGE 3

ADD	RESS CORRESPONDENCE TO ATTENTION OF
UYER	33
04-55	9-2402

DIVISI SH VARIO BY OR

В

Ţ

\*709023508 740-484-0331 BBR DRILLING COMPANY INC 41462 PALMER ROAD

BELMONT OH 43718

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

DATE PRINT	red .	TÉ	RMS OF SAL	E	SH	P VIA		F.O.B		FREIGHTTERMS
04/12/										
BID OPENING DATE:		05/17	/2011			BID	OPENIN	G TIME	01	:30PM
LINE	QUAI	NTITY	UOP	CAT. NO.	ITEMI	NUMBER	Į	JNITPRICE		AMOUNT
						SHALL FUR				
						LIABILI				
						RACT. UN				
	SPECIF	TED II	N THE	BID D	DCUMENTS	S, THE MI	NIMUM	AMOUNT	0F	
	INSURA	NCE C	VERAG	E REQ	OTKED IS	\$ \$250,00	0.			
	WORKER	's cor	MPFNSA	TION:	VENDOR	IS REQUI	PED TO	PPOVID	E A	
						PENSATION				
				MORRE		LIISATION	11 30	CCESSIO	••	
	BANKRU	PTCY:	IN T	HE EV	ENT THE	VENDOR/C	ONTRAC	TOR FILE	ES	
	FOR BA	NKRUP'	TCY PR	OTECT	ION, TH	IS CONTRA	CT IS	AUTOMAT	I -	
	CALLY	NULL A	AND VO	ID, A	ND IS TE	ERMINATED	WITHO	UT FURT	HER	
	ORDER.		ŀ							
	DEV 6	400								
	REV. 9	/98								
							,			
	PURCHA	SING	CARD A	CCEPT	ANCE	THE STATE	OE WE	ST VIDE	TALTA	
						CHASING C				
						SUCCESS				
-	MUST A	CCEPT	THE S	TATE	OF WEST	VIRGINIA	VISA	PURCHAS	TNG	
						S PLACED				
					OF AWARI				j	
	1									
		<b>T</b> /	·							
	EXHIBI	1 4								
	LOCAL	GOVERI	MENT	BODIF	S: IINI	ESS THE	VENDOR	TNDTCA	TEC	
						ND THE P			'L'S	
						COUNTY, S			PAL	
						DIES, THE				
	TO POL	ITICAL	SUBD	IVISI	ONS OF	THE STATE	OF WE	ST		
	VIRGIN	IA.	IF THE	VEND	OR DOES	NOT WISH	TO EX	TEND TH	E	
	PRICES	, TERI	MS, AN	D CON	DITIONS	OF THE B	ID TO	ALL		
			1	SEE RE	VERSE SIDE FO	R TERMS AND CO	 NDITIONS			
SIGNATURE LANGE	e hav					TELEPHONE		· 1	DATE	5/12/11
TITLE DOS	dent	Ţ,	EIN	10 10	3000	190-4	84-033		ANOSS:	<del></del>
PIESI	ACNT			20-39	191479		, P	いいいにっち CH/	ANGES	TO BE NOTED ABOVE



SIGNATURE

TITLE

Tal P Balcon

**\*709023508** 

BELMONT OH

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

BBR DRILLING COMPANY INC

43718

41462 PALMER ROAD

740-484-0331

#### Request for Quotation

6611C028

ADDRESS CORRESPONDENCE TO A TENTION OF

BUYER 33

304-558-2402

Ö

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

DATE

ADDRESS CHANGES TO BE NOTED ABOVE

5/12/11

DATE PRINTED TERMS OF SALE SHIP VIA FREIGHT TERMS F.O.B. 04/12/2011 BID OPENING DATE: BID OPENING TIME 01:30PM 05/17/2011 QUANTITY ITEM NUMBER UNIT PRICE AMOUNT LINE UOP POLITICAL SUBDIVISIONS OF THE STATE, THE VENDOR MUST CLEARLY INDICATE SUCH REFUSAL IN HIS BID. SUCH REFUSAL SHALL NOT PREJUDICE THE AWARD OF THIS CONTRACT IN ANY MANNER. REV. 3/88 NOTICE A SIGNED BID MUST BE SUBMITTED TO: DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130 THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED: SEALED BID BUYER: *33* SHERI SLONE - FILE 33 RFQ. NO .: 66//CO38 6611C028 BID OPENING DATE: 05/17/2011 BID OPENING TIME: 1:30 PM

20-3991479

SEE REVERSE SIDE FOR TERMS AND CONDITIONS



VENDOR

State of West Virginia
Department of Administration
Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

S H - P P ⊤ O

 	*	.=	13.0	7,5	•••		••••	شد
,	,	1	7	^	^	2	0	

	PAGE
,	5

ADDRESS CORRESP	ONDENCE TO ATTENTION OF
BUYER 33	
304-558-2402	

**\*709023508** 740-484-0331 BBR DRILLING COMPANY INC 41462 PALMER ROAD

BELMONT OH 43718 DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRI	NTED	TE	RMS OF SAI	E	SHIP	VIA	F.O.B.		FREIGHT TERMS
04/12									
BID OPENING DATE	≣: 80 00000000000000000000000000000000000	<u>05/17/</u>	<u>'2011</u>	la constantina	1	BID	OPENING TIME	01	:30PM
LINE	QUAN	NTITY	UOP	CAT. NO.	ITEM NU	MBER	UNITPRICE		AMOUNT
					umber in ng your e _741-484	BID:	IS NECESSARY		
	CONTAC -	T PERS	ON (P	LEASE	PRINT CL				
							·		
	*****	THIS	IS T	HE EN	D OF RFQ	6611C	028 ***** TO	TAL:	
			1	SEE RÉ	L Verse side for:	TERMS AND CO	i Nditions		<u> </u>
SIGNATURE faul	P Baloon					TELEPHONE	-484-0331	DATE	5/12/11
TITLE Pres	l Baloon sident	F	EIN	0-399	1479	1	<del></del>	ANGES	TO BE NOTED ABOVE



#### CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 11/2/2010

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

	Temouto motaer in mea er er			,-,-		CONTAC	YT _				
PROD	DUCER					NAME:	T Annette	Dearth	FAY		
Μοι	intain State Insui	rance A	gen	су		PHONE (A/C, No, Ext): (304) 720-2000 FAX (A/C, No): (304) 720-2002					
120	06 Kanawha Blvd. I	Ĕ.				E-MAIL ADDRESS: adearth@mountainstateinsurance.com					
						CUSTO	CER MERID#0001	2451			
Cha	arleston	WV 25	301				INS	URER(S) AFFOR	DING COVERAGE		NAIC#
INSU	RED					INSURE	RA:BrickS	Street I	nsurance		
						INSURE	RB:				
B.E	3.R. Drilling Comp	pany, I	nc.			INSURE	RC:				
414	162 Palmer Road					INSURE	RD:				
						INSURE	RE:				
Be]	Lmont	OH 43	718			INSURE	RF:				
CO	VERAGES	CER	TIFIC	ATE	NUMBER:CL1011206	715			REVISION NUMBER:		
TL	HE IS TO CEPTIEN THAT THE	E POLICIES	OF	MSHE	PANCE LISTED BELOW HA	VE BEE	N ISSUED TO	THE INSURI	ED NAMED ABOVE FOR	HE PO	LICY PERIOD
161	DICATED. NOTWITHSTANDII ERTIFICATE MAY BE ISSUED	NG ANV DE	CHIR		NT TERM OR CONDITION	OF AN	Y CONTRACT	OR OTHER	DOCUMENT WITH RESPE	:C1 10	WHICH THIS I
Ct F)	CLUSIONS AND CONDITION:	S OF SUCH	POLIC	AIN, CIES.	LIMITS SHOWN MAY HAVE	E BEEN I	REDU CED BY	PAID CLAIMS	6.	0 / 122	1112 12111101
INSR	TYPE OF INSURANCE		ADDL INSR	SUBR	POLICY NUMBER		POLICY EFF	POLICY EXP (MM/DD/YYYY)	LIMIT	s	
LTR	GENERAL LIABILITY	-	INSK	VVVD	POLIOT HOMBLER		(MINISON TO TO	(11111111111111111111111111111111111111	EACH OCCURRENCE	\$	
	COMMERCIAL GENERAL LIA	DILITY							DAMAGE TO RENTED PREMISES (Ea occurrence)	\$	
		OCCUR							MED EXP (Any one person)	\$	
	CLAIMS-MADE	JCCUR							PERSONAL & ADV INJURY	\$	
									GENERAL AGGREGATE	\$	
	OFFINI A CORPORTE LIMIT APPLIE	e pep		1					PRODUCTS - COMP/OP AGG	\$	
	GEN'L AGGREGATE LIMIT APPLIE POLICY PRO- JECT	LOC							111000010 001111011100	\$	
	AUTOMOBILE LIABILITY	LCC							COMBINED SINGLE LIMIT	\$	
									(Ea accident)	<u> </u>	
	ANY AUTO								BODILY INJURY (Per person)	\$	
	ALL OWNED AUTOS								BODILY INJURY (Per accident)	\$	
	SCHEDULEDAUTOS								PROPERTY DAMAGE (Per accident)	\$	
	HIRED AUTOS									\$	
	NON-OWNED AUTOS									\$	
	UMBRELLA LIAB								EACH OCCURRENCE	\$	
	H`	OCCUR							AGGREGATE	\$	
		CLAIMS-MADE	1							\$	
	DEDUCTIBLE									\$	
_	RETENTION \$ WORKERS COMPENSATION								X WC STATU- OTH-		
A	AND EMPLOYERS' LIABILITY	CUTIVE Y/N							E.L. EACH ACCIDENT	\$	1,000,000
	ANY PROPRIETOR/PARTNER/EXE OFFICER/MEMBER EXCLUDED?		N/A		WC1010196607		11/6/2010	11/6/2011	E.L. DISEASE - EA EMPLOYE	E \$	1,000,000
	(Mandatory in NH)  If yes, describe under  DESCRIPTION OF OPERATIONS I								E.L. DISEASE - POLICY LIMIT	T	1,000,000
	DESCRIPTION OF OPERATIONS	Delow									
DES	CRIPTION OF OPERATIONS / LOCA	TIONS / VEHIC	CLES	Attacl	ACORD 101, Additional Remark	ks Schedu	le, if more space	e is required)			
	cification of Insuran										
ŀ											
	DTICIOATE HOLDED					CAN	CELLATION		······································		
<u>UE</u>	RTIFICATE HOLDER					T-///					
						SHO	OULD ANY OF	THE ABOVE	DESCRIBED POLICIES BE	CANCE	LLED BEFORE
									IEREOF, NOTICE WILL	ם ט	EFIAEVED IN

**AUTHORIZED REPRESENTATIVE** 

annite M. Dearth

State of West Virginia Department of Administration

2019 Washington Street East

Purchasing Division

PO Box 50130



#### CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 5/12/2011

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

illis of Ol 245 North I olumbus OH ISURED B R Drill: 1452 Palme: elmont OH	Bank Drive 43220  ing Company, Inc. r Rd.			PHONE (A/C, N E-MAIL	E 0 C1 4 3				
olumbus OH  ISURED  B R Drill: 1452 Palme:	ing Company, Inc.			E-MAIL	0, EXU: 614.3	26.4899	FAX (A/C, No):	514.7	766.8999
ISURED B R Drill: 1452 Palme:	ing Company, Inc. r Rd.			I AUUNE	ss: jackki	e.straigh	t@willis.com		
B R Drill: 1452 Palme:	r Rd.			PRODU CUSTO	CER MER ID #:				
B R Drill: 1452 Palme:	r Rd.					URER(S) AFFOR	IDING COVERAGE		NAIC#
1452 Palme:	r Rd.			INSURE	RA:Travel	ers Ind (	Co		25658
				INSURE	RB:Travel	ers Prop	Cas Co of Americ	a	25674
ermone on	/371B			INSURE	RC:Travel	ers Ind (	Co Of Amer		25666
	15/10			INSURE	RD:				
				INSURI	RE:				
				INSURE	RF:				
OVERAGES	CER	TIFIC	ATE	NUMBER: 1894398847			REVISION NUMBER:		
THIS IS TO CER PERIOD INDICA WHICH THIS CE TO ALL THE TE	TIFY THAT THE POLICIES OF TED. NOTWITHSTANDING A RTIFICATE MAY BE ISSUED RMS, EXCLUSIONS AND CON	: INSL NY RE OR M IDITIC	JRANO EQUIR AY PE ONS O	CE LISTED BELOW HAVE BEEN ISS REMENT, TERM OR CONDITION OF RTAIN, THE INSURANCE AFFORDE F SUCH POLICIES. LIMITS SHOWN	UED TO THE II ANY CONTRACED BY THE POI MAY HAVE BE	NSURED NAM OT OR OTHER LICIES DESCR EN REDUCED	ED ABOVE FOR THE POLIC DOCUMENT WITH RESPEC IBED HEREIN IS SUBJECT BY PAID CLAIMS.	Y OT TO	
SR TY	YPE OF INSURANCE	ADDL INSR	SUBR	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMIT	s	
GENERAL LIA		INSK	WVD	DTC0291D1516IND10		5/23/2011	EACH OCCURRENCE	\$1,00	0,000
	RCIAL GENERAL LIABILITY						DAMAGE TO RENTED PREMISES (Ea occurrence)	\$50,0	000
1 3 3 1 1 1	IMS-MADE X OCCUR						MED EXP (Any one person)	\$5,00	0
	INIO-INIABE GOOGIA						PERSONAL & ADV INJURY	\$1,00	0,000
							GENERAL AGGREGATE	\$2,00	0,000
GEN'I AGGRE	GATE LIMIT APPLIES PER:						PRODUCTS - COMP/OP AGG	\$2,00	00,000
POLICY	PRO- JECT LOC							\$	
AUTOMOBILE				DT810291D1516TIL10	5/23/2010	5/23/2011	COMBINED SINGLE LIMIT (Ea accident)	\$1,00	00,000
X ANY AUT	·o						BODILY INJURY (Per person)	\$	
ALL OW	NED AUTOS						BODILY INJURY (Per accident)	\$	
SCHEDU	ILED AUTOS						PROPERTY DAMAGE	\$	
X HIRED A	UTOS						(Per accident)		
X NON-OW	NED AUTOS							\$	
		↓	<u> </u>					\$	
X UMBREL	0000K			DTCUP291D1516IND10	5/23/2010	5/23/2011	EACH OCCURRENCE		00,000
EXCESS	LIAB CLAIMS-MADE						AGGREGATE	· · · · · · · · · · · · · · · · · · ·	00,000
DEDUCT	IBLE							\$	
RETENT	ION \$ OMPENSATION	+	┼				WC STATU- OTH- TORY LIMITS ER	\$	
AND EMPLOY	'ERS' LIABILITY V/N						E.L. EACH ACCIDENT	s	
ANY PROPRIE	TOR/PARTNER/EXECUTIVE //	N/A					E.L. DISEASE - EA EMPLOYER	<u> </u>	
(Mandatory In	NH) e under		1				E.L. DISEASE - POLICY LIMIT		
DESCRIPTION	N OF OPERATIONS below	+	+	DTC0291D1516IND10	5/23/2010	5/23/2011	Ea. Accident	\$1,00	00,000
Employers	Hiability for		1				Ea Employee Aggregate	\$1,00	00,000

© 1988-2009 ACORD CORPORATION. All rights reserved.

Barry Loai

Charleston WV 25305-0130

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718. Take exit 208 off I-70, go South on Rt. 149 for 2 miles, take next road to right, go I mile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	1981 Watson 2000
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on International Carrier has 3 axles leveling derrick for rapid hillside leveling
SERIAL NUMBER	2000-50
HOLE DIAMETER	Minimum
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	55,000
DOWN PRESSURE/CROWDING FORCE	25,000
HOLE DEPTH	60'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate 9/80, b0
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate 4 55.00
MOBILIZATION	Per Mile Rate // /D. DO
CASING PIPE	# 00
(Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot
CRANE MATS 4'x16'x8"	Per Mat Per Project Site #2, 600, 00
(Used when requested by the Division of Highways Engineer or his designee)	

BASE OF OPERATIONS (Exact Physical Location)  MANUFACTURER	41348 Palmer Road, Belmont, OH 43718. Take exit 208 off I-70, go South on Rt. 149 for 2 miles, take next road to right, go I mile, Shop on left side of road.
MODEL NUMBER	2001 Texoma 700
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on International Carrier has 2 axles leveling derrick for rapid hillside leveling
SERIAL NUMBER	1974895
HOLE DIAMETER	Minimum/4" Maximum36"
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	55,000
DOWN PRESSURE/CROWDING FORCE	25,000
HOLE DEPTH	40'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate # 180. 60
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate
MOBILIZATION	Per Mile Rate // / D / OO
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718. Take exit 208 off I-70, go South on Rt. 149 for 2 miles, take next road to right, go Imile, Shop on left side of road
MANUFACTURER	
MODEL NUMBER	1989 Texoma 900
EQUIPMENT MODIFICATIONS AND ADDITIONS	On Hendrickson Carrier with 2-way outriggers.
SERIAL NUMBER	1090524
HOLE DIAMETER	Minimum/8" Maximum48"
DEGREE OF ROTATION	360
SLIDE STROKE	5'
FOOT POUNDS OF TORQUE	105,000
DOWN PRESSURE/CROWDING FORCE	40,000
HOLE DEPTH	80'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate
MOBILIZATION	Per Mile Rate *10.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 2,000.00

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718. Take Exit 208 off I-70, go South on Rt. 149 for 2 miles, take next road to right, go 1 mile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	Watson 3100
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on 1999 Tor Truck Carrier 1-way derrick and 2-way with outriggers
SERIAL NUMBER	3100-47
HOLE DIAMETER	Minimum <u>20"</u> Maximum <u>60"</u>
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	113,000
DOWN PRESSURE/CROWDING FORCE	50,000
HOLE DEPTH	80'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate # 250.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate * 55, 60
MOBILIZATION	Per Mile Rate 5/0,00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot #20.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site *2,000.00

16. BID SCHEDULE

<u>District 2</u> - Cabell County, Lincoln County, Logan
County, Mingo County and Wayne County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43918. Take Exit 208 off I-70, go South on Rt. 149 for 2 miles, take next road to right, go I mile, Shop on left side of Mad.
MANUFACTURER	
MODEL NUMBER	1981 Watson 2000
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on International Carrier has 3 axles leveling derrick for rapid hillside leveling
SERIAL NUMBER	2000-50
HOLE DIAMETER	Minimum
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	<b>5</b> 5, 000
DOWN PRESSURE/CROWDING FORCE	25,000
HOLE DEPTH	60'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate # 180, 00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate
MOBILIZATION	Per Mile Rate # /0.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot #20.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 2, 500, 00

16. BID SCHEDULE

District 2 - Cabell County, Lincoln County, Logan
County, Mingo County and Wayne County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, DH 43718. Take Exit 208 off I-70, go South on Rt. 149 for 2 miles, take next road to right, go I mile, Shop on left side of road
MANUFACTURER	
MODEL NUMBER	2001 Texoma 700
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on International Carrier has a whe leveling derrick for rapid hillside leveling
SERIAL NUMBER	1174895
HOLE DIAMETER	Minimum
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	55,000
DOWN PRESSURE/CROWDING FORCE	25,000
HOLE DEPTH	40'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate
MOBILIZATION	Per Mile Rate # /0,00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 2, 000, 00

16. BID SCHEDULE

District 2 - Cabell County, Lincoln County, Logan
County, Mingo County and Wayne County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718. Take Exit 208 off I-10, go South on Rt. 149 for 2 miles, take next road to right, go I mile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	1989 Texoma 900
EQUIPMENT MODIFICATIONS AND ADDITIONS	On Hendrickson Carrier with 2-way outriggers
SERIAL NUMBER	1090524
HOLE DIAMETER	Minimum
DEGREE OF ROTATION	360
SLIDE STROKE	5'
FOOT POUNDS OF TORQUE	105,000
DOWN PRESSURE/CROWDING FORCE	40,000
HOLE DEPTH	80'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate # 250, 00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate
MOBILIZATION	Per Mile Rate # /0.00
CASING PIPE	
(Used when requested by the Division	Per Lineal Foot 20.00
of Highways Engineer or his designee)	
CRANE MATS 4'x16'x8"	# 0 440 00
(Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 42, 000, 00

16. BID SCHEDULE

<u>District 2</u> - Cabell County, Lincoln County, Logan
County, Mingo County and Wayne County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718. Take Exit 208 off I-10, go South on Rt. 149 for 2 miles, take next road to right, go / mile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	Watson 3100
EQUIPMENT MODIFICATIONS  AND ADDITIONS	Mounted on 1999 Tor Truck Carrier 1-way derrick and 2-way with outriggers.
SERIAL NUMBER	3100-47
HOLE DIAMETER	Minimum <u>30"</u> Maximum <u>60"</u>
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	113,000
DOWN PRESSURE/CROWDING FORCE	50,000
HOLE DEPTH	80'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate 4250,00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate # 55,00
MOBILIZATION	Per Mile Rate 10.00
CASING PIPE	.K
(Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site

<u>District 3</u> - Calhoun County, Jackson County, Pleasants County, Ritchie County, Roane County, Wirt County and Wood County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718. Take Exit 208 off I-10, go South on Rt. 149 for 2 miles, take next road to right, go I mile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	1981 Watson 2000
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on International Carrier has 3 axes leveling derrick for rapid hillside leveling.
SERIAL NUMBER	2000-50
HOLE DIAMETER	Minimum 14" Maximum 36"
DEGREE OF ROTATION	240
SLIDE STROKE	4811
FOOT POUNDS OF TORQUE	55,000
DOWN PRESSURE/CROWDING FORCE	25,000
HOLE DEPTH	60'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate 4/70, 60
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate 440,00
MOBILIZATION	Per Mile Rate 4/0,00
CASING PIPE	
(Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot
CRANE MATS 4'x16'x8"	0
	Per Mat Per Project Site 2, 000, 00

<u>District 3</u> - Calhoun County, Jackson County, Pleasants County, Ritchie County, Roane County, Wirt County and Wood County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718. Take Exit 208 off I-70, go South on Rt. 149 For 2 miles, take next road to right, go I mile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	2001 Texoma 700
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on International Carrier has a ayles leveling derrick for rapid hillside leveling.
SERIAL NUMBER	1P74B95
HOLE DIAMETER	Minimum
DEGREE OF ROTATION	240
SLIDE STROKE	4811
FOOT POUNDS OF TORQUE	55,000
DOWN PRESSURE/CROWDING FORCE	25, 000
HOLE DEPTH	40'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate # 180.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate # 55,00
MOBILIZATION	Per Mile Rate
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot 20.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 2, 000, 00

<u>District 3</u> - Calhoun County, Jackson County, Pleasants County, Ritchie County, Roane County, Wirt County and Wood County

BASE OF OPERATIONS (Exact Physical Location)	4)348 Palmer Road, Belmont, OH 43718. Take Exit 208 off I-10, go South on Rt. 149 Br 2 miles, take next road to right, go I mile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	1989 Texoma 900
EQUIPMENT MODIFICATIONS AND ADDITIONS	On Hendrickson Carrier with 2-way outriggers.
SERIAL NUMBER	1090524
HOLE DIAMETER	Minimum
DEGREE OF ROTATION	360
SLIDE STROKE	5'
FOOT POUNDS OF TORQUE	105,000
DOWN PRESSURE/CROWDING FORCE	40,000
HOLE DEPTH	80'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate # 250,00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate 455,00
MOBILIZATION	Per Mile Rate
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot 20, w
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 2,000,00

<u>District 3</u> - Calhoun County, Jackson County, Pleasants County, Ritchie County, Roane County, Wirt County and Wood County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718. Take Exit 208 off I-70, go South on Rt. 149 for 2 miles, take next road to right, go I mile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	Watson 3100
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on 1999 Tor Truck Carrier 1-way derrick and 2-way with outriggers
SERIAL NUMBER	3100-41
HOLE DIAMETER	Minimum <u>20"</u> Maximum <u>60"</u>
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	113,000
DOWN PRESSURE/CROWDING FORCE	50,000
HOLE DEPTH	80'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate # 250.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate 55,00
MOBILIZATION	Per Mile Rate 4/8,00
CASING PIPE	*
(Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 2, 600, 00

<u>District 4</u> - Doddridge County, Harrison County, Marion County, Monongalia County, Preston County and Taylor County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road. Belmont, OH 43718. Take Exit 208 off I-10, go South an Rt. 149 for 2 miles, take next road to right, go I mile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	1981 Watson 2000
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on International Carrier has 3 axles leveling derrick for rapid hillside leveling.
SERIAL NUMBER	2000-50
HOLE DIAMETER	Minimum/4"
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	<b>5</b> 5, 000
DOWN PRESSURE/CROWDING FORCE	25,000
HOLE DEPTH	60'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate #170.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate 40,00
MOBILIZATION	Per Mile Rate ///0,00
CASING PIPE	4
(Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot 20.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 2,000,00

<u>District 4</u> - Doddridge County, Harrison County, Marion County, Monongalia County, Preston County and Taylor County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718. Take Exit 208 off I-70, go South on Rt. 149 for 2 miles, take next road to right, go I mile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	2001 Texoma 700
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on International Carrier has Jaxle leveling derrick for rapid hillside leveling
SERIAL NUMBER	1P74B95
HOLE DIAMETER	Minimum
DEGREE OF ROTATION	240
SLIDE STROKE	48 "
FOOT POUNDS OF TORQUE	<b>55</b> ,000
DOWN PRESSURE/CROWDING FORCE	25,000
HOLE DEPTH	40'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate 4/20,00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate 40.00
MOBILIZATION	Per Mile Rate // /0, //
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot 20, 60
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site #2, 000, 00

<u>District 4</u> - Doddridge County, Harrison County, Marion County, Monongalia County, Preston County and Taylor County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718. Take Exit 208 off I-10, go South on Rt. 149 for 2 miles, take next road to right, go I mile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	1989 Texoma 900
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on Hendrickson Carrier with 2-way outriggers
SERIAL NUMBER	1090524
HOLE DIAMETER	Minimum 18" Maximum 48"
DEGREE OF ROTATION	360
SLIDE STROKE	5'
FOOT POUNDS OF TORQUE	105,000
DOWN PRESSURE/CROWDING FORCE	40,000
HOLE DEPTH	80'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate # 250, 00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate 255,00
MOBILIZATION	Per Mile Rate */0.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot 20.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 2,000.00

<u>District 4</u> - Doddridge County, Harrison County, Marion County, Monongalia County, Preston County and Taylor County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718. Take Exit 208 off I-10, go South on Rt. 149 for 2 miles, take next road to right, go I mile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	Watson 3100
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on 1999 Tor Truck Carrier 1-way derrick and 2-way with outriggers
SERIAL NUMBER	3100-47
HOLE DIAMETER	Minimum <u>20"</u> Maximum <u>60"</u>
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	113, 000
DOWN PRESSURE/CROWDING FORCE	50,000
HOLE DEPTH	80'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate #250, 00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate 455, 60
MOBILIZATION	Per Mile Rate 4/0,00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 42, 000, 00

<u>District 5</u> - Berkeley County, Grant County, Hampshire County, Hardy County, Jefferson County, Mineral County and Morgan County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont. OH 43718. Take Exit 208 off I-70, go South on Rt. 149 for 2 miles, take next road to right, go I mile Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	1981 Watson 2000
EQUIPMENT MODIFICATIONS  AND ADDITIONS	Mounted on International Corrier has 3 axles leveling derrick for moral hillside leveling
SERIAL NUMBER	2000-50
HOLE DIAMETER	Minimum 14" Maximum 36"
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	<b>5</b> 5,000
DOWN PRESSURE/CROWDING FORCE	25,000
HOLE DEPTH	60'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate 4250,00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate
MOBILIZATION	Per Mile Rate 10, 00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 2, 000. 00

<u>District 5</u> - Berkeley County, Grant County, Hampshire County, Hardy County, Jefferson County, Mineral County and Morgan County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718. Take Exit 208 off I-10, go South on Rt. 149 for 2 miles, take Next road to right, go Imile Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	2001 Texoma 700
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on International Carrier has 2 axle leveling derrick for rapid hillside leveling.
SERIAL NUMBER	1974895
HOLE DIAMETER	Minimum 14" Maximum 36"
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	55,000
DOWN PRESSURE/CROWDING FORCE	25,000
HOLE DEPTH	40'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate # 250, 00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate #55, 40
MOBILIZATION	Per Mile Rate # 10, 60
CASING PIPE	At .
(Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot 20,00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 2, 000, 00

<u>District 5</u> - Berkeley County, Grant County, Hampshire County, Hardy County, Jefferson County, Mineral County and Morgan County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718. Take Exit 208 off I-70, go South on Rt. 149 for 2 miles, take next road to right, go I mile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	1989 Texoma 900
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on Hendrickson Carrier with 2-way outriggers.
SERIAL NUMBER	1090524
HOLE DIAMETER	Minimum/8" Maximum48"
DEGREE OF ROTATION	360
SLIDE STROKE	5'
FOOT POUNDS OF TORQUE	105,000
DOWN PRESSURE/CROWDING FORCE	40,000
HOLE DEPTH	80'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate 4380, 50
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate 455,00
MOBILIZATION	Per Mile Rate # 10, 00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot 20.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 2, 000, 00

<u>District 5</u> - Berkeley County, Grant County, Hampshire County, Hardy County, Jefferson County, Mineral County and Morgan County

BASE OF OPERATIONS (Exact Physical Location)	41348 falmer Road, Belmont, OH 43718. Take Exit 208 off I-10, go South on Rt. 149 for 2 miles, take next road to right, go I mile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	Watson 3100
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on 1999 Tor Truck Carrier 1-way derrick and 2-way with outriggers.
SERIAL NUMBER	3100-47
HOLE DIAMETER	Minimum
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	113,000
DOWN PRESSURE/CROWDING FORCE	50,000
HOLE DEPTH	80'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate *300, 00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate #55,00
MOBILIZATION	Per Mile Rate 4/0.00
CASING PIPE	
(Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 42, 100, 00

<u>District 6</u> - Brooke County, Hancock County, Marshall County, Ohio County, Tyler County and Wetzel County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718. Take Exit 208 off I-70, go South on Rt. 149 for 2 miles, take next road to right, go I mile, Shop on 10ft side of road.
MANUFACTURER	
MODEL NUMBER	1981 Watson 2000
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on International Carrier has 3 axles leveling derrick for rapid hillside leveling.
SERIAL NUMBER	2000-50
HOLE DIAMETER	Minimum/4" Maximum36"
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	55,000
DOWN PRESSURE/CROWDING FORCE	25,000
HOLE DEPTH	60'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate #170,00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate 40,00
MOBILIZATION	Per Mile Rate #/0,00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site *2,000,00

<u>District 6</u> - Brooke County, Hancock County, Marshall County, Ohio County, Tyler County and Wetzel County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718. Take Exit 208 off I-70, go South on Rt. 149 for 2 miles, take next road to right, go I mile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	2001 Texoma 700
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on International Carrier has 2 axles leveling destrick for rapid hillside leveling
SERIAL NUMBER	1914895
HOLE DIAMETER	Minimum/4" Maximum36"
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	<i>55,000</i>
DOWN PRESSURE/CROWDING FORCE	25,000
HOLE DEPTH	40'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate #170, 00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate 440.00
MOBILIZATION	Per Mile Rate # 10.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot 420,00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site #2, 000,00

<u>District 6</u> - Brooke County, Hancock County, Marshall County, Ohio County, Tyler County and Wetzel County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718. Take Exit 208 off I-70, go South on Rt. 149 for 2 miles, take next road to right, go Imile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	1989 Texoma 900
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on Hendrickson Carrier with 2-way Outriggers.
SERIAL NUMBER	1090524
HOLE DIAMETER	Minimum/8" Maximum48"
DEGREE OF ROTATION	360
SLIDE STROKE	5'
FOOT POUNDS OF TORQUE	105,000
DOWN PRESSURE/CROWDING FORCE	40,000
HOLE DEPTH	80'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate #200, 00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate #55.00
MOBILIZATION	Per Mile Rate # 16.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 2, 000,00

<u>District 6</u> - Brooke County, Hancock County, Marshall County, Ohio County, Tyler County and Wetzel County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718. Take  Exit 208 off I-70, go South on Rt. 149  for 2 miles, take next road to right, go Imile,  Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	Watson 3100
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on 1999 Tor Truck Carrier 1-way derrick and 2-way with outriggers.
SERIAL NUMBER	3100-47
HOLE DIAMETER	Minimum 20" Maximum 60"
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	113,000
DOWN PRESSURE/CROWDING FORCE	50,000
HOLE DEPTH	80'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate 4200, 00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate #55,00
MOBILIZATION	Per Mile Rate # 10,00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 42, 000, 00

<u>District 7</u> - Barbour County, Braxton County, Gilmer County, Lewis County, Upshur County and Webster County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718. Take Exit 208 off I-10, go South on Rt. 149 for 2 miles, take next road to right, go Imile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	1981 Watson 2000
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on International Carrier has 3 axles leveling derrick for rapid hillside leveling.
SERIAL NUMBER	2000-50
HOLE DIAMETER	Minimum 14" Maximum 36"
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	<b>5</b> 5,000
DOWN PRESSURE/CROWDING FORCE	25,000
HOLE DEPTH	60'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate 4/80.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate #55,00
MOBILIZATION	Per Mile Rate
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 2, 000,00

<u>District 7</u> - Barbour County, Braxton County, Gilmer County, Lewis County, Upshur County and Webster County

BASE OF OPERATIONS (Exact Physical Location)	41348 Anlmer Road, Belmont, OH 43718, Take  Exit 208 off I-70, go South on Rt. 149 For  2 miles, take next road to right, go I mile,  Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	2001 Texoma 700
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on International Carrier has 2 axles leveling derrick for rapid hillside leveling.
SERIAL NUMBER	1P74B95
HOLE DIAMETER	Minimum
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	<b>55</b> ,000
DOWN PRESSURE/CROWDING FORCE	25,000
HOLE DEPTH	40'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate #180.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate \$55,00
MOBILIZATION	Per Mile Rate /0,00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot 20,00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 2, 000, 00

<u>District 7</u> - Barbour County, Braxton County, Gilmer County, Lewis County, Upshur County and Webster County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718, Take Exit 208 off I-70, go South on Rt. 149 for 2 miles, take next road to right, go Imile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	1989 Texoma 900
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on Hendrickson Carrier with 2-way Outriggers.
SERIAL NUMBER	1090524
HOLE DIAMETER	Minimum/8"
DEGREE OF ROTATION	360
SLIDE STROKE	5'
FOOT POUNDS OF TORQUE	105,000
DOWN PRESSURE/CROWDING FORCE	40,000
HOLE DEPTH	80'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate # 200, 00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate #55,00
MOBILIZATION	Per Mile Rate 4/0.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot 20,00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site *2, 000, 00

<u>District 7</u> - Barbour County, Braxton County, Gilmer County, Lewis County, Upshur County and Webster County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718. Take Exit 208 off I-70, go South on Rt. 149 for 2 miles, take next road to right, go Imile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	Watson 3100
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on 1999 Tor Truck Carrier 1-way dernick and 2-way with outriggers
SERIAL NUMBER	3100-47
HOLE DIAMETER	Minimum <u>20"</u> Maximum <u>60"</u>
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	113,000
DOWN PRESSURE/CROWDING FORCE	50,000
HOLE DEPTH	80'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate 4200,00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate #55,00
MOBILIZATION	Per Mile Rate
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot 20,00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 2, 000, 00

BASE OF OPERATIONS (Exact Physical Location)	4/348 Palmer Road, Belmont, OH 43718. Take Exit 208 off I-70, go South on Rt. 149 for 2 miles, take next road to right, go I mile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	1981 Watson 2000
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on International Carrier has 3 axles leveling derrick for rapid hillside leveling.
SERIAL NUMBER	2000-50
HOLE DIAMETER	Minimum 14" Maximum 36"
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	55,000
DOWN PRESSURE/CROWDING FORCE	25,000
HOLE DEPTH	60'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate 4 250, 00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate 55,00
MOBILIZATION	Per Mile Rate # 10, 00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 2, 000, 00

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718. Take Exit 208 off I-70, go South on Rt. 149 for 2 miles, take next road to right, go I mile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	2001 Texoma 700
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on International Carrier has 2 axles leveling dernick for rapid hillside leveling.
SERIAL NUMBER	1974895
HOLE DIAMETER	Minimum
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	<b>5</b> 5,000
DOWN PRESSURE/CROWDING FORCE	25,000
HOLE DEPTH	40'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate #250, 00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate #55.00
MOBILIZATION	Per Mile Rate # 10.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot 20.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site * 2, 000, 00

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718. Take Exit 208 off I-70, go South on Rt.149 for 2 miles, take next road to right, go I mile, Shap on left side of road.
MANUFACTURER	
MODEL NUMBER	1999 Texoma 900
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on Hendrickson Carrier with 2-way outriggers.
SERIAL NUMBER	1090524
HOLE DIAMETER	Minimum 18" Maximum 48"
DEGREE OF ROTATION	360
SLIDE STROKE	5'
FOOT POUNDS OF TORQUE	105,000
DOWN PRESSURE/CROWDING FORCE	40,000
HOLE DEPTH	80'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate #300, 00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate
MOBILIZATION	Per Mile Rate # 10.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot 20,00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 2, 000, 00

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718. Take Exit 208 off I-70, go South on Rt. 149 for 2 miles, take next road to right, go I mile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	Watson 3100
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on 1999 For Truck Carrier 1-way derrick and 2-way with outriggers.
SERIAL NUMBER	3100-47
HOLE DIAMETER	Minimum <u>20"</u> Maximum <u>60"</u>
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	113, 000
DOWN PRESSURE/CROWDING FORCE	50,000
HOLE DEPTH	80'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate #300. **
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate \$55,00
MOBILIZATION	Per Mile Rate 5/0, 10
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot #20.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 2, 600, 00

# 16. BID SCHEDULE <u>District 9</u> - Fayette County, Greenbrier County, Monroe County, Nicholas County and Summers County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718. Take Exit 208 off I-70, go South on Rt. 149 for 2 miles, take next road to right, go Imile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	1981 Natson 2000
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on International Carrier has 3 axles leveling derrick for rapid hillside leveling
SERIAL NUMBER	2000-50
HOLE DIAMETER	Minimum
DEGREE OF ROTATION	<i>2</i> 40
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	<b>5</b> 5,000
DOWN PRESSURE/CROWDING FORCE	25,000
HOLE DEPTH	60'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate #250, 00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate #55.00
MOBILIZATION	Per Mile Rate # 10,00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot 20,00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site *2, 000, 00

# 16. BID SCHEDULE <u>District 9</u> - Fayette County, Greenbrier County, Monroe County, Nicholas County and Summers County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, OH 43718. Take Exit 208 off I-70, go South on Rt. 149 For 2 miles, take next road to right, go I mile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	2001 Texoma 700
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on International Carrier has 2 axies leveling derrick for rapid hillside leveling.
SERIAL NUMBER	1P74B95
HOLE DIAMETER	Minimum 14" Maximum 36"
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	<b>5</b> 5,000
DOWN PRESSURE/CROWDING FORCE	<i>35,0</i> 00
HOLE DEPTH	40'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate \$ 250,60
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate #55, 60
MOBILIZATION	Per Mile Rate # 10.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot # 20.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 2, 000,00

#### 16. BID SCHEDULE

<u>District 9</u> - Fayette County, Greenbrier County, Monroe County, Nicholas County and Summers County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, Ohio 43718, Take Exit 208 off I-70, go South on Rt. 149 for 2 miles, take next road to right, go Imile Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	1989 Texoma 900
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on Hendrickson Carrier with 2-way putriggers.
SERIAL NUMBER	1090524
HOLE DIAMETER	Minimum/8 " Maximum46 "
DEGREE OF ROTATION	360
SLIDE STROKE	5'
FOOT POUNDS OF TORQUE	105,000
DOWN PRESSURE/CROWDING FORCE	40,000
HOLE DEPTH	80'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate 4300,00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate # 55,00
MOBILIZATION	Per Mile Rate 4/0,00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot 420, 00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 2, 600, 60

# 16. BID SCHEDULE <u>District 9</u> - Fayette County, Greenbrier County, Monroe County, Nicholas County and Summers County

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, Ohio 43718. Take Exit 208 off I-70, go South on Rt. 149 for 2 miles, take next road to right, go Imile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	Watson 3100
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on 1999 Tor Truck Carrier 1-way derrick and 2-way with outriggers.
SERIAL NUMBER	3100-47
HOLE DIAMETER	Minimum 20" Maximum 60"
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	113,000
DOWN PRESSURE/CROWDING FORCE	50,000
HOLE DEPTH	80'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate *388 . 00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate *55,00
MOBILIZATION	Per Mile Rate 10.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot # 20.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 2, 000.00

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, Ohio 43718. Take Exit 208 off I-10, go South on Rt. 149 for 2 miles, take next road to right, go Imile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	1981 Watson 2000
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on International Carrier has 3 axles leveling derrick for rapid hillside leveling
SERIAL NUMBER	2000-50
HOLE DIAMETER	Minimum 14" Maximum 36"
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	55,000
DOWN PRESSURE/CROWDING FORCE	25,000
HOLE DEPTH	60'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate #300.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate 455,00
MOBILIZATION	Per Mile Rate
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot # 20,00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site # 2,000,00

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, Onio 43718. Take Exit 208 off I-70, go South on Rt. 149 for 2 miles, take next road to right, 90 / mile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	2001 Texoma 700
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on International Carrier has 2 axles leveling derrick for rapid hillside leveling.
SERIAL NUMBER	1P74B95
HOLE DIAMETER	Minimum 14" Maximum 36"
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	55,000
DOWN PRESSURE/CROWDING FORCE	25,000
HOLE DEPTH	40"
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate # 250,00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate 4 53.00
MOBILIZATION	Per Mile Rate # 10.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot 20,00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 42, 000, 00

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, Ohio 43718. Take Exit 208 off I-70, go south on Rt. 149 for 2 miles, take next road to right, go I mile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	1989 Texoma 900
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on Hendrickson Carrier with 2-way Outriggers
SERIAL NUMBER	1090524
HOLE DIAMETER	Minimum 18" Maximum 46"
DEGREE OF ROTATION	360
SLIDE STROKE	5'
FOOT POUNDS OF TORQUE	105,000
DOWN PRESSURE/CROWDING FORCE	40,000
HOLE DEPTH	80'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate #300, 00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate #55.00
MOBILIZATION	Per Mile Rate # 10,00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot #20,00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site #2,000,00

BASE OF OPERATIONS (Exact Physical Location)	41348 Palmer Road, Belmont, Ohio 43718. Take Exit 208 off I-70, go South on Rt. 149 for 2 miles, take next road to right, go I mile, Shop on left side of road.
MANUFACTURER	
MODEL NUMBER	Watson 3100
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on 1999 Tor Truck Carrier 1-way derrick and 2-way with outriggers
SERIAL NUMBER	3100-47
HOLE DIAMETER	Minimum <u>20"</u> Maximum <u>60"</u>
DEGREE OF ROTATION	240
SLIDE STROKE	48"
FOOT POUNDS OF TORQUE	113,000
DOWN PRESSURE/CROWDING FORCE	50,000
HOLE DEPTH	80'
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate # 300,00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate #55, 00
MOBILIZATION	Per Mile Rate
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot # 20,00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat Per Project Site 42,000,00



### State of West Virginia DRUG FREE WORKPLACE CONFORMANCE AFFIDAVIT West Virginia Code §21-1D-5

STATE OF
COUNTY OF BELMONT, TO-WIT:
I, Paul C Balcar, after being first duly sworn, depose and state as follows:
1. I am an employee of BBR Drilling Company Inc ; and, (Company Name)
2. I do hereby attest that BBR Drilling Company Inc. (Company Name)
maintains a valid written drug free workplace policy and that such policy is in compliance with <b>West Virginia Code</b> §21-1D-5.
The above statements are sworn to under the penalty of perjury.  BBR Drilling Company Inc.  (Company Name)
(Company Name)
By: For C Balcor
Title: President
Date:
Taken, subscribed and sworn to before me this $\frac{1}{2}$ day of $\frac{1}{2}$ .
By Commission expires 6/13/15
MOLLIE M. HANNAHS NOTARY PUBLIC, STATE OF OHIO MY COMMISSION EXPIRES 6/13/15  (Notary Public)

THIS AFFIDAVIT MUST BE SUBMITTED WITH THE BID IN ORDER TO COMPLY WITH WV CODE PROVISIONS. FAILURE TO INCLUDE THE AFFIDAVIT WITH THE BID SHALL RESULT IN DISQUALIFICATION OF THE BID.

Rev March 2009

RFQ No. 66110028

### STATE OF WEST VIRGINIA Purchasing Division

#### **PURCHASING AFFIDAVIT**

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

#### **DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

**EXCEPTION:** The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code* §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

####