



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
7011EC05

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
BUYER 33
304-558-2402


***709051756 304-346-5301**
WV TRACTOR COMPANY
PO BOX 473
CHARLESTON WV 25322

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 304-472-1750

DATE PRINTED 09/29/2010	TERMS OF SALE Net 30 Days	SHIP VIA Truck	F.O.B. Buckhannon	FREIGHT TERMS Prepaid
-----------------------------------	-------------------------------------	--------------------------	-----------------------------	---------------------------------

BID OPENING DATE: **11/10/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		760-75		
	DOUBLE DRUM	VIBRATORY		ROLLER/COMPACTOR Sakai SW320-1		
				OPEN END CONTRACT		
	TO PROVIDE DOUBLE DRUM VIBRATORY ROLLER/COMPACTOR FOR THE WEST VIRGINIA DIVISION OF HIGHWAYS. PER THE ATTACHED SPECIFICATIONS.					
	MANDATORY PRE-BID					
	A MANDATORY PRE-BID WILL BE HELD ON THURSDAY, 10/28. AT 10 AM, 2019 WASHINGTON ST E., CHARLESTON WV 25305. ALL INTERESTED PARTIES ARE REQUIRED TO ATTEND THIS MEETING FAILURE TO ATTEND THE MANDATORY PRE-BID SHALL RESULT IN DISQUALIFICATION OF THE BID. NO ONE PERSON MAY REPRESENT MORE THAN ONE BIDDER.					
	AN ATTENDANCE SHEET WILL BE MADE AVAILABLE FOR ALL POTENTIAL BIDDERS TO COMPLETE. THIS WILL SERVE AS THE OFFICIAL DOCUMENT VERIFYING ATTENDANCE AT THE MANDATORY PRE-BID. FAILURE TO PROVIDE YOUR COMPANY AND REPRESENTATIVE NAME ON THE ATTENDANCE SHEET WILL RESULT IN DISQUALIFICATION OF THE BID. THE STATE WILL NOT ACCEPT ANY OTHER DOCUMENTATION TO VERIFY ATTENDANCE. THE BIDDER IS RESPONSIBLE FOR ENSURING THEY HAVE COMPLETED THE INFORMATION REQUIRED ON THE ATTENDANCE SHEET. THE PURCHASING DIVISION AND THE STATE AGENCY WILL NOT ASSUME ANY RESPONSIBILITY FOR A BIDDER-S FAILURE TO COMPLETE THE PRE-BID ATTENDANCE SHEET. IN ADDITION, WE REQUEST THAT ALL POTENTIAL BIDDERS INCLUDE THEIR E-MAIL ADDRESS AND FAX NUMBER.					



SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE <i>Gary L. Knox</i>	TELEPHONE 346-5301	DATE 11-16-10	
TITLE President	FAX 550-21655	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

1. Awards will be made in the best interest of the State of West Virginia.
 2. The State may accept or reject in part, or in whole, any bid.
 3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
 5. Payment may only be made after the delivery and acceptance of goods or services.
 6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
 7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
 10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
 12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
 13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
 14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
 15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
 16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.
- I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
7011EC05

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF
BUYER 33
304-558-2402

VENDOR

*709051756 304-346-5301
 WV TRACTOR COMPANY
 PO BOX 473

 CHARLESTON WV 25322

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/29/2010				

BID OPENING DATE: **11/10/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>ALL POTENTIAL BIDDERS ARE REQUESTED TO ARRIVE PRIOR TO THE STARTING TIME FOR THE PRE-BID. BIDDERS WHO ARRIVE LATE, BUT PRIOR TO THE DISMISSAL OF THE TECHNICAL PORTION OF THE PRE-BID WILL BE PERMITTED TO SIGN IN. BIDDERS WHO ARRIVE AFTER CONCLUSION OF THE TECHNICAL PORTION OF THE PRE-BID, BUT DURING ANY SUBSEQUENT PART OF THE PRE-BID WILL NOT BE PERMITTED TO SIGN THE ATTENDANCE SHEET.</p> <p>QUESTIONS: WRITTEN QUESTIONS WILL BE ACCEPTED THROUGH CLOSE OF BUSINESS (5:00 PM, EST) ON THURSDAY, 10/21/10.</p> <p>SEND QUESTIONS TO: PURCHASING DIVISION ATTENTION SHERI SLONE/CHUCK BOWMAN 2019 WASHINGTON STREET EAST CHARLESTON, WV 25305</p> <p>QUESTIONS MAY BE SENT VIA FAX, E-MAIL, OR REGULAR MAIL. E-MAIL: SHERI.D.SLONE@WV.GOV FAX: 304-558-4115</p> <p>IT IS THE VENDOR'S RESPONSIBILITY TO VERIFY THAT THEIR QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402.</p> <p>EXHIBIT 2</p> <p>LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ. INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
7011EC05

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
BUYER 33 304-558-2402

VENDOR

*709051756 304-346-5301
 WV TRACTOR COMPANY
 PO BOX 473
 CHARLESTON WV 25322

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/29/2010				

BID OPENING DATE: 11/10/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING THIRTY (30) DAYS WRITTEN NOTICE.</p> <p>UNLESS SPECIFIC PROVISIONS ARE STIPULATED IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS, AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.</p> <p>RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICE SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p>OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK).</p> <p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIES BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
7011EC05

PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF
**BUYER 33
 304-558-2402**

VENDOR
 *709051756 304-346-5301
WV TRACTOR COMPANY
PO BOX 473

CHARLESTON WV 25322

SHIP TO
DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/29/2010				

BID OPENING DATE: **11/10/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN EQUIPMENT CONTRACT ORDER (FORM NUMBER WV-35) FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL WV-35 MUST BE SENT TO THE PURCHASING DIVISION OF THE DEPARTMENT OF ADMINISTRATION. AFTER APPROVAL AND ENCUMBRANCE, ONE COPY OF THE PURCHASE ORDER WILL BE RETURNED TO THE SPENDING UNIT AND ONE COPY FORWARDED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT. NO ORDER IS VALID UNLESS APPROVED AND ENCUMBERED BY THE PURCHASING DIVISION.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FUTHER ORDER.</p> <p>REV. 5/2009</p> <p>EXHIBIT 10</p> <p style="text-align: right;">7011EC05</p> <p style="text-align: center;">REQUISITION NO.:</p> <p>ADDENDUM ACKNOWLEDGEMENT</p> <p>I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.</p> <p>ADDENDUM NO.'S:</p> <p>NO. 1^x.....</p> <p>NO. 2</p> <p>NO. 3</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ INSERT NAME AND ADDRESS IN SPACE ABOVE LABELLED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
7011EC05

PAGE
5

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 BUYER 33
 304-558-2402

VENDOR

*709051756 304-346-5301
 WV TRACTOR COMPANY
 PO BOX 473
 CHARLESTON WV 25322

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED 09/29/2010	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
-----------------------------------	---------------	----------	--------	---------------

BID OPENING DATE: **11/10/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
	NO. 4					
	NO. 5					
<p>I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF TH ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.</p> <p>VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.</p> <p style="text-align: right;"> <i>Gary Tracy</i> SIGNATURE West Virginia Tractor Company COMPANY 11-16-10 DATE </p> <p>NOTE: THIS ADDENDUM ACKNOWLEDGEMENT SHOULD BE SUBMITTED WITH THE BID.</p> <p>REV. 09/21/2009</p> <p>EXHIBIT 4</p> <p>LOCAL GOVERNMENT BODIES: UNLESS THE VENDOR INDICATES IN THE BID HIS REFUSAL TO EXTEND THE PRICES, TERMS,</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
7011EC05

PAGE
7

ADDRESS CORRESPONDENCE TO ATTENTION OF
BUYER 33
304-558-2402

VENDOR
 *709051756 304-346-5301
WV TRACTOR COMPANY
PO BOX 473
CHARLESTON WV 25322

SHIP TO
DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 **304-472-1750**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/29/2010				

BID OPENING DATE: **11/10/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
BID OPENING DATE:				11/10/2010		
BID OPENING TIME:				1:30 PM		
PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:				346-5305		
CONTACT PERSON (PLEASE PRINT CLEARLY):				Gary Grady		
***** THIS IS THE END OF RFQ 7011EC05 ***** TOTAL:						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 7011EC05

PAGE
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF
 BUYER 33
 304-558-2402

VENDOR

RFQ COPY

TYPE NAME/ADDRESS HERE

West Virginia Tractor Company
 P.O. Box 473
 Charleston, WV 25322

BUYER

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
11/10/2010	Net 30 Days	Truck	Buckhannon	Prepaid

BID OPENING DATE: 11/17/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 1						
THIS ADDENDUM IS ISSUED TO:						
1.) ADDRESS CHANGES AND CONCERNS TO SPECIFICATIONS AS DISCUSSED AND AGREED UPON DURING MANDATORY PRE-BID MEETING, SEE ATTACHED.						
2.) TO EXTEND BID OPENING DATE FROM 11/10/2010 TO 11/17/2010.						
3.) PROVIDE A COPY OF THE MANDATORY PRE-BID ATTENDEE LIST.						
NO OTHER CHANGES						
001	1	EA		760-75		
DOUBLE DRUM VIBRATORY ROLLER/COMPACTOR						
***** THIS IS THE END OF RFQ 7011EC05 ***** TOTAL:						

SIGNATURE <i>Gary W. Gray</i>			TELEPHONE 346-5301	DATE 11-16-10
TITLE President	FEIN 550621655	ADDRESS CHANGES TO BE NOTED ABOVE		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
EQUIPMENT DIVISION

BIDDER'S EVALUATION REPORT

PROCUREMENT SPECIFICATIONS FOR OPEN END CONTRACT
NO. 591-2-M

OPEN END CONTRACT
DOUBLE DRUM VIBRATORY ROLLER/COMPACTOR

NOTE TO BIDDER: Procurement Specification No. 591-2-M, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. Addendums in order, along with a summary of exception as a separate attachment, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

Reference Requisition No.: 7011EC05

Bidder's Name: West Virginia Tractor Company

Address: P.O. Box 473 Charleston, WV 25322

Telephone Number: 346-5301

Years Bidder has been registered to do business with the State of West Virginia: 28 YRS.

Years Company has been an authorized dealer for proposed unit: 4 YRS.

X3.2 Have you complied with all mandatory specifications? YES NO

X4.2 DELIVERY:

X4.2.1 Delivery date of completed representative unit: 45 Calendar Days After
Receipt of Purchase Agreement

X4.2.2 Delivery date of balance of completed units: 120 Calendar Days After Receipt of
Purchase Agreement

X5.0 AWARD CRITERIA;

X5.1 Price per unit:

\$31,990 per unit

X6.0 SPECIFICATIONS - GENERAL

X6.1 Manufacturer, model, series, and date of manufacture of proposed unit:

Sakai SW320-1 2010 or later as ordered
Is descriptive literature, fully describing proposed unit attached to your bid? YES NO

If not, why? _____

X6.2 Will the required number of service manuals, and complete parts list be delivered to the Equipment Division at Buckhannon upon completion of delivery of total units?

YES NO

Will the required Equipment Preventive Maintenance Form (Section X6.2 of Bidders Evaluation Report) be provided upon inspection of the pilot unit?

YES NO

EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH.

DESCRIPTION: _____ MAKE: _____

MODEL: _____ YEAR: _____ PURCHASE AMOUNT: _____

ENGINE: MAKE: _____ MODEL: _____ FUEL TYPE: _____

HORSEPOWER: _____ CYLINDER: _____ ENGINE SERIAL: _____

COOLING SYSTEM CAPACITY: _____

BELTS: DESCRIPTION: _____ PART NUMBERS: _____

GVW: _____ AXLE CAPACITY:FRONT: _____ REAR: _____

TIRES: FRONT MAKE & SIZE: _____

REAR MAKE & SIZE: _____

DIMENSIONS OF UNIT: LENGTH: _____ WIDTH: _____ LENGTH: _____

VENDOR CONTACT PERSON: _____ PHONE: _____

PARTS:

BATTERY MAKE: _____ MODEL: _____ CCA: _____

TOP OR SIDE POST: _____ DIMENSIONS: LENGTH _____ WIDTH _____ HEIGHT _____

SPARK PLUGS OR FUEL INJECTORS MAKE: _____ PART # _____

FUEL PUMP OR INJECTION PUMP MAKE: _____ MODEL: _____

ALTERNATOR MAKE: _____ PART #: _____

STARTER MAKE: _____ PART #: _____

TURBO CHARGER MAKE: _____ PART #: _____

TRANS. MAKE: _____ MODEL: _____ AUTO/MANUAL: _____

HYDRAULIC PUMP MAKE: _____ MODEL: _____

FILTERS	MAKE	PART NO.	LUBRICANT	MANUFACTURER TYPE
OIL	_____	_____	ENGINE	_____
AIR INNER	_____	_____	TRANSMISSION	_____
AIR OUTER	_____	_____	POWER STEERING	_____
FUEL PRIMARY	_____	_____	HYDRAULIC	_____
FUEL SECONDARY	_____	_____	DIFFERENTIALS	_____
COOLANT	_____	_____	BRAKE FLUID	_____
HYDRAULIC	_____	_____	COOLANT	_____
OTHER	_____	_____	OTHER	_____

X6.3 TRAINING:

Will training seminar be conducted on Preventive Maintenance, Operator and Mechanic Training
 YES NO

Will you conduct training with each purchase order against this open end contract?
 YES NO

Will training be conducted within 2 working days from the delivery of the pilot unit on the individual purchase order?
 YES NO

If NO, explain time frame _____

Will an Operator's Manual be furnished directly to Training Academy prior to the delivery of the pilot?
 YES NO

X6.4 If you are the successful vendor, will you furnish all training aids, i.e., videos, projectors, required in conducting the training?
 YES NO

X6.4.1 Will all manuals, booklets, etc. explaining preventive maintenance, operator procedures, and service schedule be delivered with each unit?
 YES NO
If NO, explain _____

X6.5 WARRANTY AND SERVICE POLICY

Will the warranty and service you provide comply with all areas as stated in Section 6.5 of specifications
 YES NO

Is warranty literature attached?
 YES NO

Is a minimum two (2) year bumper to bumper basic parts and labor warranty excluding abuse and normal wear items included?
 YES NO

Describe:
_____ Two years bumper to bumper parts and labor _____

X6.6 EVALUATION COMMITTEE REQUIREMENTS

Is all component specifications, product literature, component models provided for Evaluation Committee bid determination? YES NO

X6.7 Will all parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, be furnished with the unit and conform in strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry?
 YES NO

X6.7.1 Are all parts and accessories adequate and regularly supplied as standard to be included except those which may be duplications of specifications herein, and except these by specification are not to be furnished?
 YES NO

X6.7.2 Are all standard safety features that are required by Federal and State statutes of law included?
 YES NO

X7.0 SPECIFICATIONS OF THE QUOTED UNIT

The bidder should complete the following schedule in order for the Division to compare the actual bid unit to the specifications. Should the bidder except a requirement, then such exception may be only on the basis that such feature is not offered by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specifications.

Manufacturer: Sakai Model: SW320-1

X7.1 Are roller(s) equipped with ROPS and FOPS canopy? YES NO

X7.2 Is engine manufacturer's water/air cooled diesel powered YES NO

HP: 34 and has sufficient torque to operate machine and hydraulic system at maximum efficiency YES NO

X7.3 Is steering of hydraulic, full power, articulated design? YES NO

X7.4 Is unit a low profile design? YES NO

X7.5 Unit weight: 6545 pounds

X7.6 Wheel base: 77 inches

X7.7 Does unit have dual drum drive with hydrostatic propulsion? YES NO

X7.8 Is unit equipped with manufacturer's vandalism package? YES NO

X7.9 Unit has travel 0-7.5 MPH to 0-7.5 MPH forward and reverse

X7.10 Engine:

X7.10.1 Is manufacturer heaviest duty dual fuel filtering system offered? YES NO

X7.10.2 Has full pressure lubrication with oil filter and oil by pass system? YES NO

X7.10.3 Is governor manufacturer's standard with key shut off, wire sealed by manufacturer?
 YES NO

X7.10.4 Is cooling system filled with permanent type Dex-Cool extended life (or equal) to a freeze point of -34° if unit is water cooled YES NO

X7.11 Brakes:

X7.11.1 Is service brake through hydrostatic propulsion system YES NO

X7.11.2 Is parking brake spring-applied, hydraulically released on each drum drive?
 YES NO

X7.12 Drums:

X7.12.1 Are drums manufacturers heavy duty design YES NO

X7.12.2 Drum width: 47.2 inches

X7.12.3 Drum diameter: 28 inches

X7.12.4 Are wiper bars mounted front and rear of each drum? YES NO

X7.12.5 Are wiper bars spring loaded, self adjusting YES NO

X7.12.6 Do wiper bars have replaceable rubber/neoprene drum cleaners? YES NO

X7.12.7 Are front and rear drums of vibratory compaction type? YES NO

X7.12.8 Are vibrating parts isolated from rest of roller? YES NO

X7.12.9 Are vibrating system isolators replaceable? YES NO

X7.12.10 Will unit be equipped with automatic vibration switch? YES NO

X7.13 Electrical:

X7.13.1 Does electrical system have manufacturer's heavy duty 12 volt D.C. negative ground?
 YES NO

- X7.13.2 **Is manufacturers recommended heavy duty maintenance free battery provided?** YES NO
- X7.13.3 **Battery CCA:** 675
- X7.13.4 **Alternator:** 60 AMP with internal regulator
- X7.14 **Will gauges be illuminated and equipped with visual or audible warning that will advise operator when manufacturer recommended safe operating ranges are exceeded?** YES NO
- X7.14.1 **Is unit provided with hour meter operable from engine operation (not key switch)?** YES NO
- X7.14.2 **Is ignition switch water sealed?** YES NO
- X7.14.3 **Fuel gauge?** YES NO
- X7.14.4 **Volt/amp meter gauge or light** YES NO
- X7.14.5 **Oil pressure gauge or light** YES NO
- X7.14.6 **Engine temperature gauge or light** YES NO
- X7.14.7 **Does operators station have manufacturer's fully adjustable isolation mounted seat with seat belt** YES NO
- X7.14.8 **Is OSHA approved back-up alarm provided and installed by manufacturer** YES NO
- X7.14.9 **Does unit have a parking brake "on" indicator?** YES NO
- X7.14.10 **Is a neutral start safety switch provided** YES NO
- X7.15 **Water System:**
- X7.15.1 **Tank capacity:** 48 gallons
- X7.15.2 **Is water system pressurized?** YES NO
- X7.15.3 **Is water flow variable?** YES NO
- X7.15.4 **Water filter(s) provided in system?** YES NO
- X7.15.5 **Screened back nozzle type sprayers on drums** YES NO
- X7.15.6 **Is empty water tank indicator provided?** YES NO

- X7.15.7 Is water pump capable of "Run Dry" situation without damage to pump or components? YES NO
- X7.15.8 Is water tank and complete water system constructed of rust proof materials YES NO
- X7.15.9 Does water tank have drain plug? YES NO
- X7.16 Lighting:
- X7.16.1 Is unit equipped with flashers visible from front and rear of roller YES NO
- X7.16.2 Are work lights installed front and rear of roller YES NO
 Are there 2 in front and two in rear YES NO
- X7.16.3 Is a low profile high intensity dual flash strobe light mounted on top of cab/canopy YES NO
 Manufacturer: _____ Model: _____ SEE ADDENDUM
- X7.17 Will unit be delivered to WVDOH with all manufacturers recommended safety related decals and safety features intact YES NO
- X7.18 Is one (1) complete set of replacement filters provided with each unit upon delivery? YES NO
- X7.19 Paint:
- X7.19.1 Is manufacturer's recommended paint preparation and color provided? YES NO
- X7.20 Does vendor certify that roller offered meets or exceed the "OSHA of 1970" or changes that are in effect at time of manufacturer of unit? YES NO
- X7.21 Does unit conform to the advertising guidelines? YES NO
- X7.22 Preventive Maintenance and Operators Orientation/Training:
- X7.22.1 Have you attached a copy of proposed training program along with schedule of course. Will you furnish all training aids? YES NO

Training schedule for operators and maintenance personnel should take about 6 hours in Buckhannon. We would like to limit the class size to 15-20 maximum participants per class.

Paint is manufacturer's standard construction equipment yellow enamel. Metal parts will be cleaned and degreased prior to application of primer and finish coats.

PREBID ADDENDUM
70-11-EC05

DOUBLE DRUM VIBRATORY ROLLER/COMPACTOR

CHANGES TO BIDDER'S EVALUATION REPORT:

NO CHANGE REQUIRED:

X7.1 Are roller(s) equipped with ROPS and FOPS canopy? YES NO

This is not a ROPS with a sun shade attached. It is a true all steel ROPS/FOPS canopy that meets federal specs.

NO CHANGE REQUIRED:

X7.15.6 Is empty water tank indicator provided? YES NO

NO CHANGE REQUIRED:

X7.15.7 Is water pump capable of "Run Dry" situation without damage to pump or components? YES NO

FROM:

X7.16.3 Is a low profile high intensity dual flash strobe light mounted on top of cab/canopy YES NO

Manufacturer: _____ Model: _____

TO:

X7.16.3 Is a Class 1 LED beacon mounted on top of cab/canopy? YES NO

Manufacturer: Federal Signal Model: LED

State of West Virginia
VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.


- 1. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
- 2. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
- 3. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
- 4. **Application is made for 5% resident vendor preference for the reason checked:**
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
- 5. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
- 6. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (*West Virginia Code*, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: West Virginia Tractor Company
11-16-10
Date: _____

Signed: 
Title: President

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

701EC05

RFQ No. _____

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, Limited Liability Company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code* §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: West Virginia Tractor Company

Authorized Signature: *Tracy* Date: 11/12/10

State of West Virginia


County of Kanawha, to-wit:

Taken, subscribed, and sworn to before me this 12 day of ~~December 29~~ November, 2010

My Commission expires August 12, 2012

AFFIX SEAL HERE

NOTARY PUBLIC *Steven B. Basham*



WEST VIRGINIA TRACTOR COMPANY

7011EC05 Exceptions to Specifications

- 7.6 Our wheelbase is 77" instead of 68". However, the inside and outside turn radius is shorter than other rollers you have purchased.
- 7.12.2 Our drum width is 47.2" rather than 48".
- 7.13.4 Our alternator is 60 amp rather than 65 amp.
- 7.15.1 Our water tank capacity is 48 gallons rather than 50 gallons.

SW/TW300-1 SERIES
Vibratory Asphalt Rollers

SAKAI



SAKAI
SW320-1
4000 VPM

Double Drum and
Drum/Tire Models

High Frequency for Faster Compaction

Counter-Rotating Eccentric Weights

Dual Drum Hydrostatic Drive

Independent Drum Vibration

Fuel Efficient Engines



Triple Filtration Spray System

SAKAI
SW330


The Sakai SW/TW300-1 Series

are designed for small to medium range applications — municipal streets and county roads, highway shoulders and widening, driveways, parking lots, bike paths, and tennis courts. Sakai offers its SW300-1 Series double drum rollers in three different sizes for use on virtually any small or medium size job.


The TW300-1 Series offers combination drum/tire rollers in two different sizes. These models feature vibratory drums on the front end of the roller for rapid compaction and four complementary pneumatic tires on the rear for a kneading action and smooth surface finish.




SW300-1
39-Inch Double
Drum Vibratory
Roller




SW320-1
47-Inch
Double Drum
Vibratory Roller



SW330-1
51-Inch Double
Drum Vibratory



TW320-1
47-Inch
Combination
Vibratory Drum
and Tire Roller



TW330-1
51-Inch Combination
Vibratory Drum and
Tire Roller

Powerful Performance


- **Compaction System** — The High Frequency Difference — Sakai offers the highest productivity of any compact vibratory rollers on the market. The SW/TW300-1 Series feature the same high frequency — 4,000 vpm — as larger Sakai machines. The eccentric weights rotate faster — permitting faster ground speeds while maintaining the customary 10-12 impacts per foot. Or the ground speed can be maintained, increasing the impacts per foot and achieving density in fewer passes.

Sakai vibratory rollers are engineered from the ground up to produce a true 4,000 vpm — unlike competitors' models that attempt to get faster compaction at the expense of the machine's components. Plus, smooth machined drums, excellent drum edge visibility, and a high 21-1/2" curb clearance permit smooth finishes in even the most confined applications. Tight side frame clearances permit work up close to walls, guard rails and other obstructions.


- **Unique Eccentric Weight Design** — All Sakai vibratory compactors offer our unique eccentric weight design. Sakai eccentric weights spin in a counter-rotational direction. This feature directs the forces downward into the material, eliminating pavement showing, scuffing and hairline cracks.

The Sakai hydrostatic vibration system consists of few moving parts. The hydraulic motor directly drives the eccentric shaft-type vibrator. The vibrator bearings are

automatically lubricated by an oil bath — providing long life and easy maintenance.



Sakai
Counter-Rotating Weights



Competitive
Unidirectional Weights


- **Traction** — The SW/TW300-1 Series rollers offer dual drum or drum/tire drive to ensure excellent traction and eliminate bow wave build-up in front of the machine. The drive system is independent from the vibration system — ensuring that all the vibration force is applied to the material. The drive and vibration motors are cross-mounted between the front and rear axles, balancing the weight from front to rear as well as left to right — and keeping the machines rolling straight even at slower speeds.

- **Efficient Engine** — The SW/TW300-1 Series are powered by a fuel efficient, 35 hp Kubota water-cooled, diesel engine. This engine fully complies with current

US emission standards. The engine is mounted on rubber isolators to absorb vibration. The engine hood is noise-suppressed and fully opens for simplified maintenance and safety.


Heavy-Duty Components

• **Patented Shock Isolation** – Sakai is well known for its patented shock isolation systems. These custom designed shock isolators are stronger than any other on the market today. Located between the chassis frame and the drive motors, the shock isolators reduce the transmission of vibration back to critical machine components as well as the operator.



Competitive machines place the shock isolators between the drum and the drive motor – meaning these isolators wear out faster because the drive torque is transferred to the drum through the rubber isolators – whether the vibration system is on or off. This wear then causes the machine to jerk with changes in direction. This irregular movement can cause pushing/pulling of the asphalt material, rough surfaces or hairline cracks.

• **Unsurpassed Spray System** – Sakai asphalt rollers offer the most reliable pressurized spray systems available. The system consists of rustproof tanks, stainless pipes, and brass (not plastic) nozzles that can simply be cleaned or replaced by hand with a one-quarter turn twist. A triple filtration system consists of filters at the reservoir intake, in line, and at the nozzles to prevent contamination and debris from clogging the system. The system also provides a pressurized water spray across the full width of the drums, and spring-loaded, reinforced rubber scrapers swing open for easy clean-out. A release agent is available to help prevent asphalt from sticking to the tires during warm-up. All components in this system are easy to maintain on site.



• **Unique Hitch Design** – All Sakai vibratory compactors feature a unique heavy-duty hitch design that is exceptionally stronger than competitive models. This joint system provides better control, smoother steering and unmatched chassis stability while vertical oscillation provides uniform compaction on uneven surfaces. Lubrication intervals are only required every 250 hours vs. competitive models that require daily service.

High Safety Standards

• **ROPS and Seat Belts** – Sakai believes that operator safety is a high priority. ROPS and seat belts are standard equipment on every Sakai roller sold in North America.

• **Failsafe Braking System** – The SW/TW300-1 Series are equipped with a two-brake, three-way failsafe system. A hydrostatic service brake is located at the forward-reverse lever. A wet disc, spring-applied, hydraulically-released (SAHR) parking brake switch is located on the instrument panel. An emergency brake foot pedal activates both the hydrostatic and the SAHR brakes, and will automatically apply in the event of an engine or hydraulic system failure.

Operator Comfort

The SW/TW300-1 Series operator's station is a rubber-isolated deck designed to minimize the transmission of vibration to the operator and to reduce fatigue. Accessible from both sides of the machine, the operator's station, instrumentation and controls are conveniently located and within easy reach and view of the operator. The machines also provide an excellent view of all drum edges, and 360° visibility from the operator's seat.



Superior Serviceability – Fast Support

The SW/TW300-1 Series rollers provide a fully opening engine hood for easy access to all main components including the engine, radiator and hydraulic components. The hydraulic system includes conveniently located pressure gauge ports. The vibrator bearing lubrication system consists of an oil bath that keeps the system lubricated regardless of conditions or terrain. ROPS fold down for simplified site-to-site transport.

Sakai has been building high quality construction equipment since 1918. We manufacture more vibratory compactors annually than anyone else in the world. Sakai stocks component parts for all its products and if necessary, these parts are available via over-night dispatch from their North American headquarters in Georgia. Call (800) 323-0535 for prompt assistance with all your application and service needs.



Models		SW300	SW320	SW330	TW320	TW330
Operating Weight	lbs	6,235	6,560	6,730	6,031	6,135
	kg	2,825	2,976	3,053	2,732	2,783
On Front Drum	lbs	2,880	3,110	3,195	3,132	3,217
	kg	1,305	1,410	1,450	1,417	1,459
On Rear Drum	lbs	3,355	3,450	3,535	2,899	2,918
	kg	1,520	1,566	1,603	1,315	1,324
Vibration Frequency	VPM	4,000	4,000	4,000	4,000	4,000
	Hz	67	67	67	67	67
Centrifugal Force per Drum	lbs	7,055	7,055	7,055	7,055	7,055
	kN	31	31	31	31	31
Nominal Amplitude	inches	0.013	0.013	0.013	0.013	0.013
	mm	0.33	0.33	0.33	0.33	0.33
Engine/Model Type	Kubota D 1703-M-ET01 Water-cooled, Tier IV Diesel					
Power	hp / kW	35 / 26	35 / 26	35 / 26	35 / 26	35 / 26
	rpm / min-1	2,800 / 2,800	2,800 / 2,800	2,800 / 2,800	2,800 / 2,800	2,800 / 2,800
Tires (4)	9.5/65-15-6PR Smooth Tread					
Gradability	percent / degree	44 / 23	40 / 21	38 / 20	40 / 21	38 / 20
Fuel Tank Capacity	gallons / liters	13.2 / 50	13.2 / 50	13.2 / 50	13.2 / 50	13.2 / 50
Spray System Capacity	gallons / liters	48 / 180	48 / 180	48 / 180	48 / 180	48 / 180
Liquid Tank for Tires	gallons / liters	N/A / N/A	N/A / N/A	N/A / N/A	2.6 / 10	2.6 / 10
Brake Types	Hydrostatic, Wet Disc, SAHR, Footbrake					
Steering Types	Articulated with Heavy-Duty Hitch					
Dimensional Data						
Drum Diameter A	inches / mm	28 / 700	28 / 700	28 / 700	28 / 700	28 / 700
Drum Width B	inches / mm	39 / 1,000	47 / 1,200	51 / 1,300	47 / 1,200	51 / 1,300
Overall Length C	inches / mm	104 / 2,650	104 / 2,650	104 / 2,650	104 / 2,650	104 / 2,650
Overall Width D	inches / mm	44 / 1,120	52 / 1,330	56 / 1,430	52 / 1,330	56 / 1,430
Overall Height E	inches / mm	96 / 2,440	96 / 2,440	96 / 2,440	96 / 2,440	96 / 2,440
Wheelbase F	inches / mm	77 / 1,950	77 / 1,950	77 / 1,950	77 / 1,950	77 / 1,950
Curb Clearance G	inches / mm	21.5 / 550	21.5 / 550	21.5 / 550	21.5 / 550	21.5 / 550
Side Overhang H	inches / mm	2.6 / 65	2.6 / 65	2.6 / 65	2.6 / 65	2.6 / 65
Ground Clearance	inches / mm	10 / 250	10 / 250	10 / 250	10 / 250	10 / 250
Outside Turning Radius	inches / mm	150 / 3,800	150 / 3,800	150 / 3,800	150 / 3,800	150 / 3,800
Inside Turning Radius	inches / mm	111 / 2,820	103 / 2,615	99 / 2,515	103 / 2,615	99 / 2,515



SAKAI

MASTERS OF COMPACTION

Your authorized Sakai dealer:

Sakai America Inc.
90 International Parkway, Adairsville, GA 30103
Tel 770-877-9433 or toll free 800-323-0535
Fax 770-877-9886 • www.sakaiamerica.com

SW/TW300BROC808



STANDARD WARRANTY CERTIFICATE - This will be extended
to two years bumper to bumper parts and labor

Sakai America Inc.

WARRANTY CERTIFICATE

SAKAI WARRANTS that all products manufactured by SAKAI are free from any defects in material and workmanship subject to the following terms and conditions.

Warranty Period One

For the period of 12 months or 1,000 hours on the meter, whichever comes first.

Standard Warranty Policy

If any defects should be found in the original performance or function of SAKAI products within the period stipulated in the preceding clause, replacements and necessary repairs shall be made only when the manufacturer acknowledges that such defects are attributable to faulty material or workmanship of SAKAI products.

Extended Warranty Period

Any New Sakai Machine delivered to the dealer after April 1st 2005 comes with a **Power Train Warranty** for months 13 thru 36 or 1001 thru 3000 hours which ever comes first. A \$250 deductible will apply per occurrence under the extended period.

Warranty Does Not Apply.

SAKAI's warranty does not apply to the following cases even if they occur during the warranty period.

- a. Claim for damage or defects attributable to faulty assembly work and/or defective substitute parts locally procured.
- b. When repair is required due to accident, misuse or negligence.
- c. Where modifications have been made without any prior approval by SAKAI.
- d. When user does not file claim within the period of fifteen (15) days from the date of repair.
- e. Bulb, fuses, glass, clutch facing, brake lining, fuel injection nozzle, filter element, or other similar parts.

SAKAI

COMMERCIAL EQUIPMENT SERVICE CONTRACT

rev 05/09/06

SAKAI COMMERCIAL EQUIPMENT SERVICE CONTRACT, hereafter referred to as Sakai, will take effect immediately upon expiration of base factory warranty and will continue until the expiration date specified on Service Contract Certificate. This Service Contract will be void if Sakai has not received a Transaction Report Registration at the time the machine is placed in service.

NATURE OF INSURANCE: To indemnify the Assured against their contractual liability to the original purchaser of the Machinery described in the schedule to which this insurance applies for damage to such Machinery by Breakdown as defined occurring during the period of insurance specified on Evidence Certificate.

THE TERM "PRODUCTS": Shall include only the following equipment models sold by Sakai: CV, GW, SW, SV, TS and TW Compaction Equipment.

DEDUCTIBLE: \$250.00 USD per occurrence - (Deductible waiver available for purchase at time of machine purchase)

Parts Warranty: Sakai warrants the parts ordered from the parts department to be free of defect in manufacture or materials for a period of 90 days from date of purchase from Sakai.

DEFINITION OF BREAKDOWN: Breakdown shall mean any electrical, hydraulic or mechanical breakdown of a Covered Component shown to be due solely to defective materials or factory workmanship necessitating repair or replacement before it can resume work

POWER TRAIN COVERAGE:

- ENGINE:** Block, Cylinder Liners, Front & Rear Engine Covers, Crankshaft, Crankshaft Bearings & Gears, Front & Rear Crankshaft Seals, Damper, Flywheel Ring Gear, Cylinder Heads, Rocker Arm Assembly, Valves (Intake/Exhaust), Valve Cover & Gasket, Camshaft & Bearings, Camshaft Drive Gear, Timing Gears, accessory Gears, Pistons & Rings, Connecting Rods & Bearings, Water Pump, Fuel Lift Pump, Injection Pump, Turbocharger, Oil Pump, Oil Pan & Gaskets. All parts within the above systems.
- TRANSMISSION:** Transmission Case, Counter Shaft Clutch, Clutch Plates (wet only), Clutch Discs (wet only), Internal Wet Service Brakes, Transmission Pump, Torque Converter, Wet Steering Clutches, Splitter Drive, Transfer Drive, Electronic/Hydraulic Transmission Control Valves, Hydrostatic Transmission Charge Pump, Hydrostatic Transmission Variable Displacement Pump, Hydrostatic Transmission Rotary Group, Internal Transmission Control Linkage.
- DIFFERENTIAL / FINAL DRIVE:** Differential Housing, Differential Pinion Gear / Ring Gear, Drive Axle Hub, Final Drive Planetary Gears, Final Drive Pinion, Planetary Gear Carrier and all parts contained in the above system.
- DIFFERENTIAL / FINAL DRIVE HYDROSTATIC (Hydrostatic Units):** Hydraulic Drive Pump, Hydraulic Drive / Travel Motor, Swing Motor & Swing Gear Box, Control Valve (Travel and Swing functions only).
- COMPACTION PAVING EQUIPMENT:** Propulsion System Hydraulic Components, Torque Hubs, Pump Drive, Splitter Box, Reduction Unit, Vibration System Hydraulic Components, Eccentric Mechanism, &

Bearings, Steering Valve, Steering Cylinder, rod, a& Packing.

STANDARD EXCLUSIONS/ITEMS NOT COVERED

The following items are not covered under the Service Contract (the following list is not exhaustive):

- Items sold** by an individual, corporation, partnership or any other organization or legal entity that is not an authorized Sakai Distributor or Sakai America, Inc.
- Replacement of Assemblies:** Sakai has the option to repair or replace any defective part or assembly. It is Sakai's policy to refuse claims for the replacement of a complete assembly that is field repairable by the replacement or repair of defective part(s) within the assembly.
- Normal Operational Maintenance Services and Wear Parts:** Maintenance services and wear parts are excluded from Service Contract claims. Maintenance services not covered include, but are not limited to, such items as: tune up, lubrication, fuel or hydraulic system cleaning, brake inspection or adjustment, or the replacement of any service items such as filters or brake linings made in connection with normal maintenance services.
- Deterioration:** Work required or parts exposed as a result of age, storage, weathering, lack of use, demonstration use.
- Secondary Failures:** Should the buyer continue to operate a machine after it has been noted that a failure has occurred, Sakai will not be responsible under the service contract for resultant damage to other parts due to that continued operation.
- Workmanship of Others:** Sakai does not accept responsibility for improper installation or labor costs of personnel other than authorized Sakai America, Inc. Distributor personnel.
- Incidental or Consequential Damage:** Sakai will not be liable for any Incidental or Consequential Damage of any kind, including, but not limited to, lost profits, loss of production, increased overhead, loss of business opportunity, delays in production, costs of replacement components and increased costs of operation that may arise from the breach of this Service Contract. Customer's sole remedy shall be limited to (at Sakai's sole option) repair or replacement of the defective part.
- Diagnostic Labor:** Sakai shall be responsible for maxim of 4 hours of diagnostic labor.
- Expense.** Travel expenses such as meals and lodging or over time and premium labor rates.

APPLICATION FOR SERVICE CONTRACT: This SERVICE Contract shall apply to new Machinery declared to and agreed by Sakai and for which full details have been supplied. Upon agreement of a declaration hereunder Sakai will issue to the End User a numbered Service Contract Certificate incorporating full detail of the risk(s) declared and upon payment of the premium shown thereon.

TRANSFERABILITY OF SERVICE CONTRACT: The unused portion of this Service Contract may be transferred to a New Owner, provided that (i) the Contract has not been voided or breached by the transfer or prior to transfer, (ii) Sakai has received a Transaction Report registration for the relevant product, (iii) the transferee complies and returns to Sakai the appropriate Contract transfer documentation, which shall be provided upon request and a one time US \$50.00 transfer fee has been paid. Please contact your local Sakai America Distributor for additional details if needed.