



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
 7011EC08

PAGE  
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF  
 BUYER 33  
 304-558-2402

\*709054014 304-776-4406  
 STATE EQUIPMENT INC  
 PO BOX 3939  
 CHARLESTON WV 25339

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750

DATE PRINTED 12/10/2010	TERMS OF SALE NET 30	SHIP VIA OUR TRUCK	F.O.B. BUCKHANNON, WV	FREIGHT TERMS PREPAID
----------------------------	-------------------------	-----------------------	--------------------------	--------------------------

BID OPENING DATE: 01/27/2011 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA	SR220	760-50 SKID STEER LOADER WITH ATTACHMENTS	\$35,863.00	\$35,863.00
<p>REQUEST FOR QUOTATION (RFQ)            OPEN END CONTRACT</p> <p>THE WEST VIRGINIA STATE PURCHASING DIVISION FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF HIGHWAYS, IS SOLICITING BIDS FOR AN OPEN END CONTRACT TO PROVIDE SKID STEER LOADER WITH ATTACHMENTS, PER THE ATTACHED SPECIFICATIONS.</p> <p>TECHNICAL QUESTIONS CONCERNING THIS SOLICITATION MUST BE SUBMITTED IN WRITING TO SHERI SLONE IN THE WEST VIRGINIA STATE PURCHASING DIVISION VIA MAIL AT THE ADDRESS IN THE BODY OF THIS RFQ, VIA FAX AT 304-558-2596, OR VIA EMAIL AT SHERI.D.SLONE@WV.GOV. DEADLINE FOR TECHNICAL QUESTIONS IS 01/06/2011 AT THE CLOSE OF BUSINESS. ANY TECHNICAL QUESTIONS RECEIVED WILL BE ANSWERED BY FORMAL ADDENDUM TO BE ISSUED BY THE PURCHASING DIVISION AFTER THE DEADLINE HAS LAPSED.</p> <p>MANDATORY PRE-BID            A MANDATORY PRE-BID WILL BE HELD ON 01/13/2011 AT 11 AM, 2019 WASHINGTON ST. E., CHARLESTON, WV 25305. ALL INTERESTED PARTIES ARE REQUIRED TO ATTEND THIS MEETING. FAILURE TO ATTEND THE MANDATORY PRE-BID SHALL RESULT IN DISQUALIFICATION OF THE BID. NO ONE PERSON MAY</p>						

RECEIVED  
 2011 MAR 23 P 1:19  
 PURCHASING DIVISION  
 STATE OF WV

SEE REVERSE SIDE FOR TERMS AND CONDITIONS		
SIGNATURE 	TELEPHONE 304-776-4405	DATE 3/22/11
TITLE GENERAL MANAGER	FEIN 550658298	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFP NUMBER
7011EC08

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF
BUYER 33 304-558-2402

\*709054014 304-776-4406  
 STATE EQUIPMENT INC  
 PO BOX 3939  
 CHARLESTON WV 25339

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/10/2010	NET 30	OUR TRUCK	BUCKHANNON, WV	PREPAID

BID OPENING DATE: 01/27/2011 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	GAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>REPRESENT MORE THAN ONE BIDDER.</p> <p>AN ATTENDANCE SHEET WILL BE MADE AVAILABLE FOR ALL POTENTIAL BIDDERS TO COMPLETE. THIS WILL SERVE AS THE OFFICIAL DOCUMENT VERIFYING ATTENDANCE AT THE MANDATORY PRE-BID. FAILURE TO PROVIDE YOUR COMPANY AND REPRESENTATIVE NAME ON THE ATTENDANCE SHEET WILL RESULT IN DISQUALIFICATION OF THE BID. THE STATE WILL NOT ACCEPT ANY OTHER DOCUMENTATION TO VERIFY ATTENDANCE. THE BIDDER IS RESPONSIBLE FOR ENSURING THEY HAVE COMPLETED THE INFORMATION REQUIRED ON THE ATTENDANCE SHEET. THE PURCHASING DIVISION AND THE STATE AGENCY WILL NOT ASSUME ANY RESPONSIBILITY FOR A BIDDER-S FAILURE TO COMPLETE THE PRE-BID ATTENDANCE SHEET. IN ADDITION, WE REQUEST THAT ALL POTENTIAL BIDDERS INCLUDE THEIR E-MAIL ADDRESS AND FAX NUMBER.</p> <p>ALL POTENTIAL BIDDERS ARE REQUESTED TO ARRIVE PRIOR TO THE STARTING TIME FOR THE PRE-BID. BIDDERS WHO ARRIVE LATE, BUT PRIOR TO THE DISMISSAL OF THE TECHNICAL PORTION OF THE PRE-BID WILL BE PERMITTED TO SIGN IN. BIDDERS WHO ARRIVE AFTER CONCLUSION OF THE TECHNICAL PORTION OF THE PRE-BID, BUT DURING ANY SUBSEQUENT PART OF THE PRE-BID WILL NOT BE PERMITTED TO SIGN THE ATTENDANCE SHEET.</p> <p>EXHIBIT 10</p> <p>ADDENDUM ACKNOWLEDGEMENT</p> <p>I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.</p>						
				7011EC08	REQUISITION NO.: .....	

SIGNATURE			TELEPHONE	DATE	
TITLE			304-776-4405	3/22/11	
GENERAL MANAGER		550658298	ADDRESS CHANGES TO BE NOTED ABOVE		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
 7011EC08

PAGE  
 3

ADDRESS CORRESPONDENCE TO ATTENTION OF  
 BUYER 33  
 304-558-2402

\*709054014 304-776-4406  
 STATE EQUIPMENT INC  
 PO BOX 3939  
 CHARLESTON WV 25339

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
12/10/2010	NET 30	OUR TRUCK	BUCKHANNON, WV	PREPAID

BID OPENING DATE: 01/27/2011 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
------	----------	-----	--------	-------------	------------	--------

ADDENDUM NO. S:

NO. 1  
 NO. 2  
 NO. 3  
 NO. 4  
 NO. 5

NO. 6  
 NO. 7  
 NO. 8  
 NO. 9

I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM (S) MAY BE CAUSE FOR REJECTION OF BIDS.

VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.

SIGNATURE

STATE EQUIPMENT, INC.  
 COMPANY

3/22/11

DATE

NOTE: THIS ADDENDUM ACKNOWLEDGEMENT SHOULD BE SUBMITTED WITH THE BID.

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE TELEPHONE 304-776-4405 DATE 3/22/11

TITLE GENERAL MANAGER FEIN 550658298 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
 7011EC08

PAGE  
 4

ADDRESS CORRESPONDENCE TO ATTENTION OF  
 BUYER 33  
 304-558-2402

**VENDOR**  
 \*709054014 304-776-4406  
 STATE EQUIPMENT INC  
 PO BOX 3939  
 CHARLESTON WV 25339

**SHIP TO**  
 DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750

DATE PRINTED 12/10/2010	TERMS OF SALE NET 30	SHIP VIA OUR TRUCK	F.O.B. BUCKHANNON, WV	FREIGHT TERMS PREPAID
----------------------------	-------------------------	-----------------------	--------------------------	--------------------------

BID OPENING DATE: 01/27/2011 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
REV. 09/21/2009						
EXHIBIT 2						
LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON ..... AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING THIRTY (30) DAYS WRITTEN NOTICE.						
UNLESS SPECIFIC PROVISIONS ARE STIPULATED IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS, AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.						
RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.						
CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.						
OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE 	TELEPHONE 304-776-4405	DATE 3/22/11
TITLE GENERAL MANAGER	FEIN 550658298	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
 7011EC08

PAGE  
 5

ADDRESS CORRESPONDENCE TO ATTENTION OF  
 BUYER 33  
 304-558-2402

**VENDOR**  
 \*709054014 304-776-4406  
 STATE EQUIPMENT INC  
 PO BOX 3939  
 CHARLESTON WV 25339

**SHIP TO**  
 DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/10/2010	NET 30	OUR TRUCK	BUCKHANNON, WV	PREPAID
BID OPENING DATE: 01/27/2011		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK).</p> <p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIES BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p> <p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN EQUIPMENT CONTRACT ORDER (FORM NUMBER WV-35) FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL WV-35 MUST BE SENT TO THE PURCHASING DIVISION OF THE DEPARTMENT OF ADMINISTRATION. AFTER APPROVAL AND ENCUMBRANCE, ONE COPY OF THE PURCHASE ORDER WILL BE RETURNED TO THE SPENDING UNIT AND ONE COPY FORWARDED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT. NO ORDER IS VALID UNLESS APPROVED AND ENCUMBERED BY THE PURCHASING DIVISION.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FUTHER ORDER.</p> <p>REV. 5/2009</p> <p>EXHIBIT 4</p> <p>LOCAL GOVERNMENT BODIES: UNLESS THE VENDOR INDICATES IN THE BID HIS REFUSAL TO EXTEND THE PRICES, TERMS,</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE 304-776-4405	DATE 3/22/11
TITLE GENERAL MANAGER	FEIN 550658298	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
 7011EC08

PAGE  
 6

ADDRESS CORRESPONDENCE TO ATTENTION OF  
 BUYER 33  
 304-558-2402

\*709054014 304-776-4406  
 STATE EQUIPMENT INC  
 PO BOX 3939  
 CHARLESTON WV 25339

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750

DATE PRINTED 12/10/2010	TERMS OF SALE NET 30	SHIP VIA OUR TRUCK	F.O.B. BUCKHANNON, WV	FREIGHT TERMS PREPAID
----------------------------	-------------------------	-----------------------	--------------------------	--------------------------

BID OPENING DATE: 01/27/2011 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>AND CONDITIONS OF THE BID TO COUNTY, SCHOOL, MUNICIPAL AND OTHER LOCAL GOVERNMENT BODIES, THE BID SHALL EXTEND TO POLITICAL SUBDIVISIONS OF THE STATE OF WEST VIRGINIA. IF THE VENDOR DOES NOT WISH TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO ALL POLITICAL SUBDIVISIONS OF THE STATE, THE VENDOR MUST CLEARLY INDICATE SUCH REFUSAL IN HIS BID. SUCH REFUSAL SHALL NOT PREJUDICE THE AWARD OF THIS CONTRACT IN ANY MANNER.</p> <p>REV. 3/88</p> <p style="text-align: center;">NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p style="text-align: center;">DEPARTMENT OF ADMINISTRATION          PURCHASING DIVISION          BUILDING 15          2019 WASHINGTON STREET, EAST          CHARLESTON, WV 25305-0130</p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER: SHERI SLONE - FILE 33</p> <p>RFQ. NO.: 7011EC08</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE 	TELEPHONE 304-776-4405	DATE 3/22/11	
TITLE GENERAL MANAGER	FEIN 550658298	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
 7011EC08

PAGE  
 7

ADDRESS CORRESPONDENCE TO ATTENTION OF  
 BUYER 33  
 304-558-2402

\*709054014 304-776-4406  
 STATE EQUIPMENT INC  
 PO BOX 3939  
 CHARLESTON WV 25339

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B	FREIGHT TERMS
12/10/2010	NET 30	OUR TRUCK	BUCKHANNON, WV	PREPAID

BID OPENING DATE: 01/27/2011 BID OPENING TIME: 01:30PM

LINE	QUANTITY	UOP	CAT. NO	ITEM NUMBER	UNIT PRICE	AMOUNT
BID OPENING DATE: 01/27/2011 BID OPENING TIME: 1:30 PM  PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: ----- 304-776-4409 -----  CONTACT PERSON (PLEASE PRINT CLEARLY): ----- EDDIE ROWAN, JR. -----   ***** THIS IS THE END OF RFQ 7011EC08 ***** TOTAL: <u>\$35,863.00</u>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: TELEPHONE: 304-776-4405 DATE: 3/22/11

TITLE: GENERAL MANAGER FEIN: 550658298 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS  
EQUIPMENT DIVISION

PROCUREMENT SPECIFICATIONS  
NO. 351-2-G

OPEN END CONTRACT  
SKID STEER LOADER WITH ATTACHMENTS

1.0 PURPOSE

It is the purpose of these specifications to describe a Skid Steer Loader with Attachments (hereinafter referred to as a "unit") to be purchased for use by the West Virginia Division of Highways (DOH) on an Open End Contract basis.

2.0 BIDDING PROCEDURES

**The current purchasing procedures regarding bidding as established by the Department of Administration, Purchasing Division, shall apply.** Failure to submit the "Request for Quotation" forms, complete in its entirety and according to directions indicated, may subject the bidder to disqualification. **Each bid submitted shall also be accompanied by a Bidder's Evaluation Report completed in detail.** Addendums in order, along with exception sheets, should be with Bidder's Evaluation Report. **FAILURE TO SUBMIT THE BIDDER'S EVALUATION REPORT, COMPLETE IN ITS ENTIRETY, WILL RESULT IN AUTOMATIC DISQUALIFICATION.**

3.0 SPECIFICATIONS

The specifications named herein, mandatory and non-mandatory, establish the acceptable level of quality only and are not intended to reflect a preference or favor any particular brand or vendor.

3.1 EXCEPTIONS TO NON-MANDATORY SPECIFICATIONS

Exception to a non-mandatory unit specification may be made by the bidder, providing the exception is not available from the manufacturer. **Any such exception must be noted on the bidder's evaluation report and should be accompanied by supporting documentation/literature from the manufacturer. Any exception must be indicated on a separate attachment to the bidder's evaluation report and labeled as "Exception to Specifications".** The state reserves the right to waive minor irregularities in bids or specifications in accordance with §148-1-4(f) of the WV Legislative Rules and Regulations.



### 3.2 MANDATORY SPECIFICATIONS

**All specifications preceded by "shall, will, and/or must" or are stated as a "minimum and/or maximum" are mandatory as stated in Purchasing Divisions Policies and Procedures. Any bid failing to meet any mandatory item shall be immediately disqualified.** Failure to respond in the appropriate evaluation section will also be grounds for immediate disqualification at the discretion of the State.

A mandatory pre-bid conference is scheduled for this equipment purchase as stated in the RFQ. Vendors having products with variations or exceptions in specified mandatory items are expected to address any such variations or exceptions during the pre-bid conference. **The State shall review and consider any such variation or exception, and may at its sole discretion, issue an addendum to change mandatory specifications deemed to be in the State's best interest. Bids from any vendor failing to attend the mandatory pre-bid shall be disqualified. Bids containing any variation or exception to a mandatory specification that was not addressed during the pre-bid conference and accepted by the issuance of an Addendum shall be disqualified.**

### 4.0 REPRESENTATIVE UNIT FOR TEST

**The successful vendor must (if specified) provide DOH one (1) completed representative unit to be observed and evaluated on each order to insure compliance with specification. If requested, the time period for testing and evaluation shall be seven (7) working days following receipt of the unit.** DOH will incur no obligation for deterioration of surfaces, finishes, seals, and mechanical or electrical parts on the unit resulting from operation and testing within the limits of these specifications; nor will DOH incur obligation for damage to the unit resulting from failure to meet specifications when due care and attention is given by DOH and testing is done within the limits of these specifications. Failure of the pilot unit to satisfactorily meet specifications as bid may be cause for cancellation of the purchase order, and return of the delivered unit along with all associated equipment to the vendor at the vendor's expense.

#### 4.1 CONDITION OF UNIT(S) UPON DELIVERY

**All units must arrive at the prescribed delivery point having been completely preserviced with oil, lubricants, and coolant.** All prescribed precautions pertaining to first operations and break-in of the unit are to be posted conspicuously on the unit for ready observance by the operator.

#### 4.2 DELIVERY

Delivery point of the completely assembled representative unit will be the DOH, Equipment Division, Route 33 at Brushy Fork Road, Buckhannon, West Virginia (26201).

The vendor is responsible for guaranteeing delivery of the completed units within the time specified and agreed to by the State. Delivery is preferred within 90 calendar days after receipt of purchase agreement. The vendor is responsible for establishing and coordinating delivery terms with allied manufacturers or suppliers. Delivery terms should be stated in the bid and the State reserves the right to accept or reject such terms. Failure to reach an agreement may result in rejection of the bid. **The successful bidder shall provide their manufacturer's confirmation of the order to the WVDOH contact person within seven (7) working days after receiving the approved purchase order.**

**A completed pilot model for inspection must be provided within 45 calendar days after receipt of the purchase agreement by the successful vendor.**

Delivery is an integral part of this specification and failure to comply will be cause to initiate a D.O.T. Administrative Form WV-82, Vendor Performance Form. The WV-82 Form will provide a means of officially notifying the Purchasing Division and the vendor of unsatisfactory performance; such as late deliveries, poor service, inadequate parts supplies, etc.

The decision to initiate subject Form will be at the sole discretion of the D.O.H. Commissioner's established Equipment Review Board.

Issuance of the WV-82 Vendor Complaint Form on unsatisfactory delivery against any vendor will be cause to refuse to consider similar items from those vendors on future Request For Quotations.

(NOTE: Delivery time could be altered due to labor strikes, severe inclement weather conditions, etc.)

## 5.0 AWARD CRITERIA

5.1 DOH will recommend the award in accordance with the RFQ evaluation criteria described in the requisition. **The award shall be made to the lowest unit cost vendor that meets or exceeds the specifications.** DOH reserves the right to place multiple orders in any quantity.

## 6.0 SPECIFICATIONS AND GUIDELINES - GENERAL

### 6.1 IDENTIFICATION OF THE UNIT BEING PROPOSED

**The bidder must identify the unit by manufacturer, model, series, and year of manufacture, to enable identification by DOH in the manufacturer's specifications of the proposed unit.** The bidder will submit complete descriptive literature of the proposed unit, to establish that the bid is the manufacturer's most current model, including latest engineering improvements, which have been, or will imminently be, regularly advertised and sold on the open market. The unit specified herein and offered

to be manufactured after January 1, 2010 and be clearly identified and marked with date of manufacture.

## 6.2 OPERATING AND SERVICE MANUALS AND PARTS LISTS

An operator's manual must be included with each unit upon delivery. A "line sheet" (if applicable) and Equipment Preventative Maintenance Questionnaire (as shown in X6.2 of the Bidder's Evaluation Report) must be with pilot unit upon delivery. In addition, there must be 12 service, shop, or maintenance manuals; ten (10) to be distributed to the Districts and two (2) for the Equipment Division. Also, there must be 14 parts manuals; ten (10) to be distributed to the Districts and four (4) for Equipment Division use. CD ROM is preferred in lieu of parts or service manuals.

\* NOTE: MANUALS SHALL BE DELIVERED UPON COMPLETION OF DELIVERY OF TOTAL UNITS. FAILURE TO DO SO WILL DELAY PAYMENT.

## 6.3 TRAINING:

Manufacturers and/or dealers will be required to stage a thorough seminar on the subjects of Preventative Maintenance, Operator and Mechanic Training. **In order to keep the operators and mechanics updated, the successful vendor shall conduct training with each purchase order against this open end contract.** Training is preferred within 2 working days after delivery of the pilot unit on the individual purchase order.

**Manufacturers and/or dealers shall be required to furnish the Training Academy with one (1) Operator's Manual to be shipped direct to WVDOH Training Academy, Post Office Box 610, Buckhannon, West Virginia 26201 prior to delivery of the pilot.**

The seminar to be held at the W. Va. Division of Highways, Equipment Division, Buckhannon, West Virginia.

## 6.4 PREVENTIVE MAINTENANCE AND OPERATOR PROCEDURES:

**Manufacturers and/or dealers will be required to submit to the Equipment Division, in addition to the operating and service manuals, booklets and pamphlets explaining the Preventive Maintenance and Operator Procedures to be used by the operators of this equipment, and must include such things as daily prestart inspection procedure, service schedule, and routine maintenance required, safety precautions, etc.**

**The successful vendor shall furnish all training aids; i.e., videos, projectors, etc. required in conducting the training.**

## 6.5 WARRANTY AND SERVICE POLICY

The Manufacturers warranty or service policy is to apply to the unit. Such warranty or service policy is to be recognized at any authorized unit dealer, representing manufacturer of proposed unit throughout the State of West Virginia. The applicable warranty or service policy will not be contingent upon obtaining routine service, lubrication, and servicing of the unit from factory authorized agencies. It will be the responsibility of the bidder to have available labor to repair or replace any defective replacement parts, components and materials, and to have available those replacement parts, components, and/or materials found to be defective during the terms of the warranty period. The bidder should state the labor rates, locations where parts will be stocked, availability of parts, and discounts offered for parts, when terms of the warranty offer a pro-rated cost for parts and labor. In addition, the successful bidder should offer field work to repair or replace defective parts, components, and materials found to be defective during the terms of the warranty and should provide mechanic's travel rates, mileage charges, field mechanic rates, and any surcharge for miscellaneous items, if applicable, for field work during the warranty period. Submit to Division of Highways any technical or engineering improvements during the term of the warranty. **The unit must be accompanied upon delivery by the unit's manufacturer's executed warranty or service policy.**

**A mandatory minimum two (2) year bumper to bumper basic parts and labor warranty excluding abuse and normal wear items is required for this unit.**

**THE "WARRANTY AND SERVICE POLICY QUESTIONNAIRE" ATTACHED IN THE BIDDER'S EVALUATION REPORT MUST BE COMPLETED IN ITS ENTIRETY BY THE SUCCESSFUL BIDDER OR MANUFACTURER PRIOR TO DELIVERY OF THE PILOT MODEL. (SEE SECTION X6.5 OF BIDDER'S EVALUATION REPORT).**

## 6.6 EVALUATION COMMITTEE REQUIREMENTS

Detailed component specifications, product literature, component models, required for specification compliance determination by the Evaluation Committee should be provided with each bid. Any information supplied that is contrary to/or conflicting with the specifications and/or attached Bidders Evaluation Report may be sufficient cause for rejection of bid.

## 6.7 UNSPECIFIED ACCESSORIES & FEATURES

**All parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, must be furnished with each unit and required to conform to strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry.**

**All parts and accessories advertised and regularly supplied as standard shall be included, except those which would represent duplication of these specified, and except those which, by specification, are not to be furnished. All standard safety features, required by Federal and State Law, shall be included.**

SPECIFICATIONS OF THE QUOTED UNIT ARE AS FOLLOWS:

### 7.0 SPECIFICATIONS OF THE QUOTED UNIT ARE AS FOLLOWS:

**The unit furnished under this specification shall be of the latest improved model in current production as offered to commercial trade and to be of good quality as to workmanship and material used. This bid represents that all the equipment offered in this advertisement shall be new.**

**The unit will be completely assembled, adjusted with all equipment including standard and extra equipment installed and ready for continuous operation.**

**All parts not specifically mentioned which are necessary for the unit to be complete and ready for operation or which are normally furnished as standard equipment shall be included. All parts to conform in strength, quality and workmanship to the accepted standards of the industry. Any variation from these specifications must be indicated on the bid or on a separate attachment to the bid. This sheet must be labeled as such.**

**8.1 Operating weight of skid steer unit shall be a minimum of 6875 lbs.**

**8.2 Wheelbase: 41.8 inches minimum**

**8.3 Diesel Engine:**

**8.3.1 Horsepower (Net) 68 HP minimum**

**8.3.2 Engine pre-heat system shall be provided**

- 8.3.3 Manufacturer's recommended fuel filter with water separator to be provided
- 8.3.4 **Unit shall be equipped with automatic engine shutdown for low oil pressure and engine/hydraulic temperature**
- 8.3.5 Dry type air filtration with primary and secondary elements
- 8.4 Hydraulic System:
  - 8.4.1 **Auxiliary hydraulics 19.3 GPM minimum**
  - 8.4.2 **Unit shall have high flow hydraulic system (30 GPM minimum).**
  - 8.4.3 Filtration approximately 3 micron
  - 8.4.4 Adequately sized hydraulic reservoir for the prime mover as well as any and all attachments. **Must include gallons label and sight gauge.**
  - 8.4.5 Hydraulic hoses to be cordorva wrapped for operator protection
  - 8.4.6 **Auxiliary front hydraulics with couplers shall be provided with easy access with controls at operation station.**
- 8.5 Electrical System:
  - 8.5.1 Manufacturer's heavy duty 12 volt system
  - 8.5.2 **Alternator 70 Amps minimum**
  - 8.5.3 Battery to be manufacturers heavy duty maintenance free 12 volt approximately 850 CCA
  - 8.5.4 **Work lights, dual front halogen; one rear halogen minimum**
- 8.6 **Instrumentation: Shall be provided with audible and/or lighted warnings**
  - 8.6.1 Fuel level
  - 8.6.2 Battery voltage
  - 8.6.3 Engine coolant temperature
  - 8.6.4 Transmission charge pressure
  - 8.6.5 Hydraulic oil temperature

- 8.6.6 Engine oil pressure
- 8.6.7 Engine air cleaner restriction
- 8.6.8 Park brake reminder
- 8.6.9 Seat belt reminder
- 8.7 Tires:
  - 8.7.1 Manufacturers standard pneumatic lug tires with 12 ply rating
- 8.8 Safety:
  - 8.8.1 Backup alarm (OSHA approved)
  - 8.8.2 **Certified ROPS and FOPS shall be provided**
  - 8.8.3 Parking brake manufacturers standard
  - 8.8.4 **All manufacturers safety related decals and safe operation recommendations shall be affixed to each unit upon delivery**
  - 8.8.5 **Rear view mirror shall be provided**
  - 8.8.6 **Unit shall be equipped with rear window emergency escape**
  - 8.8.7 **Low profile strobe light must be mounted for 360° visibility (Aero-Flash M-420 or equal)**
  - 8.8.8 **Front and rear emergency flashers shall be provided**
  - 8.8.9 Fire extinguisher bracket
- 8.9 Accessories:
  - 8.9.1 Quick-Tatch 2 level attachment mounting design compatible with 90% of BobCat, New Holland, John Deere, and Case attachments
  - 8.9.2 **Rear counterweights must be provided to adequately balance unit with heaviest attachment mounted.**
  - 8.9.3 **Vinyl suspension seat with automotive type seat belt shall be provided**
  - 8.9.4 Cab-all-weather enclosure with sliding side glasses

- 8.9.5 **Front door with wiper, washer shall be provided**
- 8.9.6 **Unit must have manufacturers heater/defroster/with air conditioner**
- 8.9.7 **Unit shall be hydrostatic all wheel drive**
- 8.9.8 Integral belly plate
- 8.10 Paint:
  - 8.10.1 Manufacturers recommended paint preparation and color to be provided
- 9.0 Attachments with attachment control kit:
  - 9.1 **All attachments must be mounted on a quick-change mechanism. (Ref. 8.9.1)**
  - 9.2 **Backhoe operation must be possible with the lift arms in the down position.**
  - 9.3 A single control unit should be provided which will control all available attachments.
  - 9.4 **The following attachments shall be available and must be priced to award contract:**



## 9.4.1

**AUGER – WOODS  
EQUIPMENT  
CORPORATION OR  
EQUAL**

**Drive Type**

**Flow Range**

**Pressure Range**

**Maximum Bit Size**

**Approximate Weight**

**Performance Guide**

**HA 25**

Planetary

10 – 30 gpm

3500 psi

36"

620 lb.

Heavy Duty

**HA30**

Planetary

10 – 40 gpm

3500 psi

36"

650 lb.

Heavy Duty

**BIT SPECIFICATIONS  
FOR BOTH MODELS**

**Bit Specification – Hex –  
Single Flight Extension**

6" x 50" Head

12" x 50" Head

24" x 50" Head

**Single Flight Extension**

12" extension

24" extension

48" extension

## 9.4.2

<b>BACKHOE WITH 12 INCH BUCKET- ATTACHMENT TECHNOLOGIES INC. OR EQUAL</b>	<b>509</b>	<b>511</b>	<b>609</b>	<b>611</b>
<b>Transport Height</b>	7 ft. 9 in.	8 ft. 10 in	7 ft. 9 in	8 ft. 10 in
<b>Transport Width</b>	5 ft. 0 in	5 ft. 0 in	4 ft. 9 in.	4 ft. 9 in
<b>Ground Clearance</b>	11 ft	11 ft	11 ft	11 ft
<b>Overall Length</b>	7 ft. 7 in	7 ft 9 in	7 ft 7 in	7 ft 9 in
<b>Boom Pivot Height</b>	16 in.	16 in.	16 in.	16 in.
<b>Operating Weight w/12 in. Bucket</b>	1425 lb.	1594 lb.	1702 lb.	1847 lb.
<b>Digging Depth Maximum</b>	9 ft. 8 in.	11 ft. 1 in.	9 ft. 8 in	11 ft. 1 in.
<b>Digging Depth (2 ft.) Flat Bottom</b>	9 ft. 7 in.	11 ft. 0 in.	9 ft. 7 in.	11 ft. 0 in.
<b>Digging Depth (8 ft.) Flat Bottom</b>	8 ft. 3 in.	9 ft. 11 in	8 ft. 3 in.	9 ft. 11 in
<b>Overall Operating Height – Fully Raised</b>	12 ft 10 in	14 ft. 5 in	12 ft. 10 in	14 ft. 5 in
<b>Loading Height</b>	6 ft. 10 in	8 ft 0 in	6 ft. 10 in	8 ft. 0 in
<b>Loading Reach</b>	4 ft. 2 in.	5 ft 0 in	4 ft. 2 in	5 ft. 0 in
<b>Reach from Swing Post</b>	12 ft. 9 in	14 ft. 5 in	12 ft. 10 in	14 ft. 5 in
<b>Bucket Rotation</b>	180 degrees	180 degrees	180 degrees	180 degrees
<b>Swing Arc</b>	180 degrees	180 degrees	180 degrees	180 degrees
<b>Straight Wall Digging Depth</b>	7 ft. 3 in	8 ft. 2 in	7 ft. 3 in	8 ft. 2 in
<b>Stabilizer Spread</b>	7 ft. 11 in.	7 ft 11 in	9 ft. 11 in	9 ft. 11 in
<b>Operating Position Stabilizer Down</b>	16 in	16 in	17 in	17 in
<b>Below Grade System Relief Valve Setting</b>	2500 psi	2500 psi	2500 psi	2500 psi
<b>Digging Force – Bucket Cylinder</b>	5676 lb.	5676 lb.	5908 lb.	6167 lb.
<b>Digging Force – Dipper Cylinder</b>	2754 lb.	3056 lb.	3232 lb	4160 lb.

## 9.4.3

<b>BACKHOE – MINI – FFC ATTACHMENTS OR EQUAL</b>	<b>MB 12</b>	<b>MB 18</b>	<b>MB 24</b>
<b>Digging Depth</b>	5 ft. 6 in	5 ft. 6 in	5 ft. 6 in
<b>Bucket Width</b>	12 in	18 in	24 in
<b>Weight</b>	635 lb.	665 lb	695 lb.

## 9.4.4

<b>BLADE – DOZER – ATTACHMENT TECHNOLOGIES INC. OR EQUAL</b>	<b>DB 96</b>
<b>Width from Centerline to Inside Edge @ 15 degree Angle</b>	49.31 in
<b>Width from Centerline to Inside Edge @ 30 degree Angle</b>	47.38 in
<b>Dozer Blade Width @15 degree Angle</b>	92.73 in.
<b>Dozer Blade Width @ 30 degree Angle</b>	83.56 in
<b>Width from Centerline to Outside Edge @ 15 degree Angle</b>	43.41 in.
<b>Width from Centerline to Outside Edge @ 30 degree Angle</b>	36.16 in.
<b>Overall Width</b>	96.00 in
<b>Angle Left and Right</b>	30 degrees
<b>Overall Length</b>	36.68 in
<b>Overall Height</b>	29.89 in.
<b>Approximate Weight</b>	1460 lb.

## 9.4.5

<b>BOOM – MATERIAL HANDLING – ATTACHMENT TECHNOLOGIES INC. OR EQUAL</b>	<b>MH 66</b>
<b>Rated Load Capacity</b>	1500 lb.
<b>Height</b>	66 in.

9.4.6

**BREAKER – HYDRAULIC – KOMATSU  
OR EQUAL****JPB 210**

<b>CIMA Tool Energy Rating</b>	212 ft. lb.
<b>Flow Range</b>	22 gpm
<b>Striking Rate</b>	1375 bpm
<b>Operating Pressure</b>	2059 psi
<b>Working Weight</b>	527 lb.
<b>Striking Rate (blows per minute)</b>	1040 min
<b>Adjusted Breaker Pressure</b>	2000 psi
<b>Max. Operating Pressure</b>	2100 psi
<b>Tool Diameter</b>	2.5 in.

9.4.7

**BROOM – ANGLE – POLY/WIRE  
BRISTLES – ATTACHMENT  
TECHNOLOGIES INC. OR EQUAL****AB 84**

<b>Overall Width</b>	94 in.
<b>Sweeping Width</b>	88 in
<b>Overall Height</b>	35.5 in.
<b>Length Coupler to Brush Front</b>	59.60 in.
<b>Transport Height On Stand</b>	40.0 in.
<b>Maximum Angle (Left and Right)</b>	30 degrees
<b>Sweeping Width @ 30 degree Angle</b>	76 in.
<b>Weight</b>	1031 lb.
<b>Brush Diameter</b>	32 in.
<b>Wafers (Quantity)</b>	45
<b>Optional Water Kit with 25 Gallon Tank</b>	
<b>Manual/Hydraulic Angle</b>	

9.4.8

**BROOM – GENERAL PURPOSE PICK-  
UP –  
WOODS EQUIPMENT CORP. OR  
EQUAL****PB68**

<b>Brush Width</b>	60 in.
<b>Overall Width</b>	68.5 in
<b>Height</b>	25.25 in
<b>Length</b>	67.7 in
<b>Approximate Weight</b>	714 lb.
<b>Hopper Capacity</b>	13.5 cu. Ft
<b>Optional Gutter Broom</b>	Cleaning next to curbs

## 9.4.9

<b>BRUSH CUTTER – FFC ATTACHMENTS</b>	<b>LAF 3772</b>
<b>OR EQUAL</b>	
<b>Overall Width</b>	75.5 in
<b>Cutting Width</b>	72 in
<b>Height</b>	27 in
<b>GPM Range</b>	15-30 gpm
<b>Max PSI Range</b>	3500 psi
<b>Blade Speed Min/Max</b>	12474/19127 ft/min
<b>Weight Approximate</b>	1653 lb.

## 9.4.10

<b>BUCKET – BRUSH GRAPPLE –</b>	<b>BG 84</b>
<b>ATTACHMENT TECHNOLOGIES INC.</b>	
<b>OR EQUAL</b>	
<b>Overall Width</b>	84 in
<b>Overall Depth</b>	35.9 in
<b>Grapple Width</b>	20.5 in
<b>Tine Spacing</b>	6 in.
<b>Grapple Height – Closed</b>	26.4 in.
<b>Grapple Hook – Opening</b>	42 in.
<b>Overall Weight (lbs)</b>	826 lb.
<b>Clamping Force (lbs)</b>	1250 lb.
<b>Number of Grapple Teeth</b>	4
<b>Number of Cylinders</b>	2
<b>Tines &amp; End Plates</b>	1/2 in. T1 steel (100,000 lb. yield)
<b>Bore</b>	2.00 in
<b>Stroke</b>	8.25 in
<b>Rod Diameter</b>	1.25 in.

## 9.4.11

<b>BUCKET – FORKED SCRAP GRAPPLE – FFC ATTACHMENTS OR EQUAL</b>	<b>FSG 63</b>	<b>FSG 72</b>
<b>Opening Height</b>	41 in.	41 in.
<b>Height Closed</b>	20 in.	20 in.
<b>Usable Tooth Width</b>	24.13 in. 63.44 in.	24.13 in. 73.06 in.
<b>Number of Teeth</b>	8	10
<b>Approximate Weight</b>	990 lb.	1100 lb.
<b>Cylinder Bore</b>	2 in.	2 in.
<b>Cylinder Stroke</b>	8 in.	8 in.

## 9.4.12

<b>BUCKET – GENERAL PURPOSE – WOODS EQUIPMENT CORP. OR EQUAL</b>	<b>GP 68S</b>	<b>GP 73S</b>	<b>GP 68L</b>	<b>GP 73L</b>
<b>Type of Bottom</b>	Short	Short	Long	Long
<b>Width</b>	68 in	73 in	68 in	73 in
<b>Height</b>	19 in	19 in	19 in	19 in
<b>Length</b>	29 in	29 in	35 in	35 in
<b>Approximate Weight</b>	440 lb.	469 lb.	475 lb.	508 lb.
<b>Heaped Capacity</b>	13.4 cu ft	14.4 cu ft	16.5 cu ft	17.8 cu ft
<b>Optional Teeth</b>	Weld on	Weld on	Weld on	Weld on
<b>Optional Bolt on Cutting Edge</b>	5/8 in x 8 in reversible	5/8 in x 8 in reversible	5/8 in x 8 in reversible	5/8 in x 8 in reversible
<b>Optional Bolt on Toothbar</b>	66 3/8 in – 66 3/4 in	71 3/8 in – 71 3/4 in	66 3/8 in – 66 3/4 in	71 3/8 in – 71 3/4 in
<b>Inside Bucket Width</b>				

## 9.4.13

<b>BUCKETS – GENERAL PURPOSE UTILITY &amp; LIGHT MATERIAL – WOODS EQUIPMENT CORPORATION OR EQUAL</b>	<b>UT 72</b>	<b>LM 72</b>	<b>LM 78</b>	<b>LM 84</b>
<b>Type</b>	GPU	LM	LM	LM
<b>Width</b>	72 in	72 in	78 in	84 in
<b>Height</b>	25 in	26 in	26 in	26 in
<b>Length</b>	35 in	38 in	38 in	38 in
<b>Approximate Weight</b>	553 lb.	585 lb.	617 lb.	660 lb.
<b>Heaped Capacity</b>	22.8 cu. ft	25.8 cu ft	28.1 cu ft	30.3 cu ft
<b>Optional Bolt on Cutting Edge</b>	5/8 in x 8 in reversible	5/8 in x 8 in reversible	5/8 in x 8 in reversible	5/8 in x 8 in reversible
<b>Optional Bolt on Toothbar Inside Bucket Width</b>	70 3/8 in – 70 3/4 in	NA	NA	NA

## 9.4.14

<b>BUCKET – HEAVY DUTY SCRAP GRAPPLE – WOODS EQUIPMENT CORP. OR EQUAL</b>	<b>SG 72</b>	<b>SG 78</b>
<b>Width</b>	72 in	78 in
<b>Height</b>	28 in	28 in
<b>Length</b>	27 1/4 in	27 1/4 in
<b>Capacity</b>	14 cu ft	15.2 cu ft
<b>Approximate Weight</b>	856 lb.	886 lb.
<b>Cylinder Bore Diameter</b>	2 in.	2 in.
<b>Cylinder Stroke</b>	8 1/4 in	8 1/4 in
<b>Optional Bolt on Cutting Edge</b>	5/8 in x 8 in reversible	5/8 in x 8 in reversible

## 9.4.15

<b>BUCKET – MULTI-PURPOSE – WOODS EQUIPMENT CORP. OR EQUAL</b>	<b>MP 73</b>	<b>MP 78</b>
<b>Width</b>	73 in	78 in
<b>Height</b>	31 in	31 in
<b>Length</b>	33 in	33 in
<b>Heaped Capacity</b>	14.2 cu ft	15.5 cu ft
<b>Approximate Weight</b>	644 lb.	688 lb.
<b>Cylinder Rod Diameter</b>	1 1/2 in	1 1/2 in
<b>Cylinder Bore</b>	2 1/2 in	2 1/2 in
<b>Cylinder Stroke</b>	8 in	8 in
<b>Optional Bolt on Reversible Cutting Edge</b>	5/8 in x 8 in reversible	5/8 in x 8 in reversible
<b>Optional Bolt on Toothbar</b>	71 3/8 in –	76 3/8 in –
<b>Inside Bucket Width</b>	71 3/4 in	76 3/4 in

## 9.4.16

<b>BUCKET – ROCK – ATTACHMENT TECHNOLOGIES INC. OR EQUAL</b>	<b>RB 75</b>
<b>Overall Width</b>	74.35 in
<b>Overall Depth</b>	42.45 in
<b>Depth with Skid Steer Mounting</b>	49.80 in
<b>Overall Height</b>	21.77 in
<b>Tine Spacing (Center to Center)</b>	4.25 in
<b>Tine Spacing (Between Tines)</b>	3.125 in
<b>Overall Weight (lbs.)</b>	619 lb.
<b>Number of Tines</b>	18
<b>Tine Rod Diameter</b>	1.125 in



## 9.4.17

<b>COLD PLANER – WOODS EQUIPMENT CORP. OR EQUAL</b>	<b>CP 12</b>	<b>CP 16</b>	<b>CP 18</b>	<b>CP 24</b>	<b>CP 30</b>
---	--------------	--------------	--------------	--------------	--------------

<b>Depth of Cut</b>	0-6 in	0-6 in	0-6 in	0-6 in	0-6 in
<b>Width of Cut</b>	12 in	16 in	18 in	24 in	30 in
<b>Number of Teeth</b>	28	50	56	70	77
<b>Sideshift</b>	22 in	22 in	22 in	22 in	22 in
<b>Tilt</b>	19 degrees	19 degrees	19 degrees	15 degrees	11 degrees
<b>Weight</b>	1200 lb.	1750 lb	2000 lb.	2300 lb.	2450 lb
<b>Hydraulic Depth Control</b>	Std	Std	Std	Std	Std
<b>Hydraulic Tilt Control</b>	Std	Std	Std	Std	Std

## 9.4.18

**COLD PLANER- HIGH FLOW  
CAT PC-210 OR EQUAL**

**Width of Cut        40 in.**

## 9.4.19

**COLD PLANER – HIGHFLOW  
BRADCO HP1000 OR EQUAL**

**Width of Cut        40 in.**

## 9.4.20

**COLD PLANER – HIGHFLOW  
FFC AF5436 OR EQUAL**

**Width of Cut        36 in.**

9.4.21

<b>CONCRETE CLAW – FFC ATTACHMENTS OR EQUAL</b>	<b>10024</b>
<b>Working Width</b>	24 in
<b>Working Depth</b>	48 in
<b>Height OD</b>	21 in
<b>Rear Opening Height</b>	7.5 in
<b>Weight Approximate</b>	575 lb.

9.4.22

<b>FORKS – PALLET – ATTACHMENT TECHNOLGIES INC OR EQUAL</b>	<b>PF 48</b>
<b>Weight (Including mounting)</b>	370 lb.
<b>Fork Length</b>	48 in
<b>Fork Capacity</b>	4000 lb.
<b>Fork Spread Range</b>	4 3/8 – 40 3/8 in
<b>High Visibility Back Guard</b>	Yes
<b>Tooth Double Lock Downs</b>	Yes

9.4.23

<b>GRAPPLE – LOG FORK – FFC ATTACHMENTS OR EQUAL</b>	<b>LG 28</b>
<b>Tine Length</b>	28.4 in
<b>Opening Height</b>	43.1 in
<b>Capacity</b>	6400 lb.
<b>Weight</b>	610 lb.

9.4.24

<b>HITCH – THREE POINT – WOODS EQUIPMENT CORP. OR EQUAL</b>	<b>TH3000</b>
<b>Overall Width</b>	46 in
<b>Height</b>	26 in
<b>Length</b>	11 in
<b>Approximate Weight</b>	180 lb.

9.4.25

**POSTMASTER WITH  
TILT ATTACHMENT  
BRADCO 4800 OR EQUAL**

9.4.26

**POWER RAKE – FFC ATTACHMENTS  
OR EQUAL**      **PRA 90**

<b>Working Width</b>	90 in
<b>Overall Width</b>	101 in
<b>Fully Angled Width</b>	86 in
<b>Height</b>	30.3 in
<b>Angle Option</b>	Manual Hydraulic
<b>Weight</b>	1075 lb.

9.4.27

**PREPARATOR – FFC ATTACHMENTS  
OR EQUAL**      **P 76**

<b>Bucket Capacity</b>	12.5 cu ft
<b>Overall width</b>	85.25 in
<b>Bucket Swath Width</b>	76 in
<b>Overall Bucket Height</b>	25.53 in
<b>Overall Bucket Length</b>	53 in
<b>RPM-r/min@16 gpm Nominal Flow</b>	0-100
<b>Overall Drum Diameter</b>	21.5 in
<b>Tooth Thickness</b>	.19 in
<b>Tooth Length</b>	2.19 in
<b>Number of Teeth</b>	340
<b>Rake Drive</b>	#80H Roller Chain
<b>Brush Drive</b>	#50H Roller Chain
<b>Overall Weight</b>	1465 lb.

9.4.28

<b>ROCK WHEEL WITH 50 GALLON WATER KIT – WOODS EQUIPMENT CORP. OR EQUAL</b>	<b>RW 12</b>	<b>RW 18</b>	<b>RW 24</b>
<b>Depth of Cut</b>	0-12 in	0-18 in	0-24 in
<b>Width of Cut</b>	2.5/4.5 in	2.5/4.5 in	2.5/4.5 in
<b>Number of Teeth</b>	28/33	42/44	56/66
<b>Side Shift</b>	22 in	22 in	22 in
<b>Weight</b>	1600 lb.	1800 lb.	2100 lb.
<b>Wheel Speed</b>	60 rpm	60 rpm	60 rpm
<b>Cutting Speed</b>	Up to 15 fpm	Up to 15 fpm	Up to 15 fpm

9.4.29

<b>ROLLER – VIBRATORY – WOODS EQUIPMENT CORP. OR EQUAL</b>	<b>VR 66A</b>	<b>VR 73A</b>
<b>Drum Width</b>	66 in	73 in
<b>Overall Width</b>	73 in	80.5 in
<b>Drum Oscillation</b>	+/-50 degrees	+/-15 degrees
<b>Overall Height</b>	27 in	27 in
<b>Overall length</b>	33 in	33 in
<b>Drum Diameter</b>	24 in	24 in
<b>Total Output</b>	8740 lb.	10,240 lb.
<b>Frequency VPM</b>	2000 @ 15 gpm	2000 @ 15 gpm
<b>Weight lbs. Smooth</b>	1633 lb.	1762 lb.
<b>Weight lbs. Padded</b>	1850 lb.	2100 lb.

9.4.30

<b>SCARIFIER – WOODS EQUIPMENT CORP. OR EQUAL</b>	<b>SF 3000</b>
<b>Working Width</b>	40 in
<b>Overall Width</b>	63 in
<b>Height</b>	27 in
<b>Length</b>	20 in
<b>Approximate Weight</b>	350 lb.
<b>Number of Shanks</b>	5

## 9.4.31

**SNOW BLADE – FFC ATTACHMENTS  
OR EQUAL** **SB 96**

<b>Length</b>	96 in
<b>Height with Edge</b>	23.25 in
<b>Angled Width</b>	82.9 in
<b>Weight</b>	525 lb.

## 9.4.32

**SNOW BLOWER – FFC** **84** **84H**  
**ATTACHMENTS OR**  
**EQUAL**

<b>Cutting Width</b>	84 in	84 in
<b>Shroud Opening</b>	25 in	36 in
<b>Overall Depth</b>	38 in	43 in
<b>Overall Height</b>	56.75 in	74 in
<b>Weight</b>	720 lb.	1230 lb.

## 9.4.33

**STUMP GRINDER** **SG 20** **SG 40** **SG 60**  
**– WOODS**  
**EQUIPMENT**  
**CORP. OR EQUAL**

<b>Overall Length</b>	64.1 in	64.1 in	64.1 in
<b>Telescopic Extension</b>	7 in	7 in	7 in
<b>Horsepower</b>	To 20 HP	To 40 HP	To 60 HP
<b>Delivered</b>			
<b>Cutting Height</b>	21 in	21 in	21 in
<b>Above Ground</b>			
<b>Cutting Depth Below</b>	16 in	16 in	16 in
<b>Ground</b>			
<b>Cutting Wheel</b>	3.25 in	3.25 in	3.25 in
<b>Width</b>			
<b>Cutting Width</b>	60 in	60 in	60 in
<b>Swing Range</b>	140 degrees	140 degrees	140 degrees
<b>Type of Teeth</b>	0.5 in slanted, carbide	0.5 in slanted, carbide	0.5 in slanted, carbide
	tip	tip	tip
<b>Number of Teeth</b>	32	32	32
<b>Wheel Diameter</b>	18 in	18 in	18 in
<b>Wheel Speed</b>	700 rpm	900 rpm	900 rpm
<b>(Approx</b>			
<b>Weight</b>	765 lb.	775 lb.	840 lb.

## 9.4.34

<b>TILLER – WOODS EQUIPMENT CORP. OR EQUAL</b>	<b>TL 73</b>	<b>TL 84</b>
<b>Overall Width</b>	86 in	97 in
<b>Cutting Width</b>	73 in	84 in
<b>Working Depth</b>	6 in	6 in
<b>Overall Height</b>	31 in	31 in
<b>Number of Tines</b>	36	40
<b>Tine Rotation</b>	Bi-directional	Bi-directional
<b>Weight</b>	1050 lb.	1228 lb.
<b>Driveline</b>	(2) in-line gerotor motors	(2) in-line gerotor motors
<b>Maximum Tine Speed</b>	121 rpm	121 rpm
<b>Max Flow</b>	25 gpm @ 2000 psi	46 gpm @ 3500 psi

## 9.4.35

<b>TREE SPADE – FFC ATTACHMENTS OR EQUAL</b>	<b>TS36</b>	<b>TS40</b>	<b>TS42</b>	<b>TS44</b>	<b>TS48</b>
<b>Maximum Ball Size</b>	36 in	40 in	42 in	44 in	48 in
<b>Weight</b>	258 lb.	312 lb.	360 lb.	378 lb.	425 lb./

## 9.4.36

<b>TRENCHER – ATTACHMENT TECHNOLOGIES INC. OR EQUAL</b>	<b>615</b>	<b>625</b>	<b>650C</b>
<b>Boom Size</b>	36 in	48 in	48 in
<b>Trench Depth @ Recommended Angle</b>	36 in	48 in	48 in
<b>Chain Width Recommended Trenching Angle</b>	6 in 65 degrees	6 in 65 degrees	6 in 65 degrees
<b>Length</b>	65 in	86 in	84 in
<b>Width</b>	42 in/50.5 in	53 in	43 in
<b>Height</b>	28 in	32 in	37 in
<b>Spoil Discharge Reach</b>	24 in	18 in	27 in
<b>Weight</b>	495 lb/775 lb	N/A	N/A

- 10.0 Vendor must certify that unit offered will meet or exceed the “Occupational Safety and Health Act of 1970” or subsequent changes that are in effect at time of manufacturer of unit.
- 11.0 Advertising: Only one (1) manufacturer name plate, which must include model number, may appear on exterior of unit. Logos created through the stamping or casting process of manufacturer are also acceptable. No logo will interfere with the Department’s striping and logo.
- 12.0 Preventive Maintenance and Operators Orientation/Training:  
The manufacturer or dealer shall provide a minimum of one (1) day preventive maintenance/operator orientation seminar to be conducted at the Equipment Division, Buckhannon. All training aids; i.e., videos, charts, manuals, etc. to be furnished by successful vendor. The successful vendor shall furnish all training aids; i.e. videos, projectors, etc. required in conducting the training.

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS  
EQUIPMENT DIVISION

BIDDER'S EVALUATION REPORT

PROCUREMENT SPECIFICATIONS FOR OPEN END CONTRACT  
NO. 351-2-G

SKID STEER LOADER WITH ATTACHMENTS

NOTE TO BIDDER: Procurement Specification No. 351-2-G, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. Addendums in order, along with a summary of exception as a separate attachment, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

Reference Requisition No.: 7011EC08

Bidder's Name: STATE EQUIPMENT, INC.

Address: P.O. BOX 3939 CHARLESTON, WV 25339

Telephone Number: 304-776-4405

Years Bidder has been registered to do business with the State of West Virginia: 25 YRS.

Years Company has been an authorized dealer for proposed unit: 25 YRS.

X3.2 Have you complied with all mandatory specifications?  YES  NO

X4.2 DELIVERY:

X4.2.1 Delivery date of completed representative unit: 90 Calendar Days After  
Receipt of Purchase Agreement

X4.2.2 Delivery date of balance of completed units: 120 Calendar Days After Receipt of  
Purchase Agreement



## X5.0 AWARD CRITERIA;

X5.1 Price for loader only: \$35,863.00 per unit

Price for one (1) loader with one (1) of each of the attachments: \$357,823.00

## X6.0 SPECIFICATIONS - GENERAL

## X6.1 Manufacturer, model, series, and date of manufacture of proposed unit:

2011CASE SR220 MANUFACTURED AFTER JAN.1,2011

Is descriptive literature, fully describing proposed unit attached to your bid?  YES  NO

If not, why? \_\_\_\_\_

X6.2 Will the required number of service manuals, and complete parts list be delivered to the Equipment Division at Buckhannon upon completion of delivery of total units?

YES  NO

Will the required Equipment Preventive Maintenance Form (Section X6.2 of Bidders Evaluation Report) be provided upon inspection of the pilot unit?

YES  NO

X6.2  
2-10-00

**EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE**

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOT.

DESCRIPTION: \_\_\_\_\_ MAKE: \_\_\_\_\_

MODEL: \_\_\_\_\_ YEAR: \_\_\_\_\_ PURCHASE AMOUNT: \_\_\_\_\_

ENGINE: MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_ FUEL TYPE: \_\_\_\_\_

HORSEPOWER: \_\_\_\_\_ CYLINDER: \_\_\_\_\_ ENGINE SERIAL: \_\_\_\_\_

COOLING SYSTEM CAPACITY: \_\_\_\_\_

BELTS: DESCRIPTION: \_\_\_\_\_ PART NUMBERS: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

GVW: \_\_\_\_\_ AXLE CAPACITY: FRONT: \_\_\_\_\_ REAR: \_\_\_\_\_

TIRES: FRONT MAKE & SIZE: \_\_\_\_\_

REAR MAKE & SIZE: \_\_\_\_\_

DIMENSIONS OF UNIT: LENGTH: \_\_\_\_\_ WIDTH: \_\_\_\_\_ LENGTH: \_\_\_\_\_

VENDOR CONTACT PERSON: \_\_\_\_\_ PHONE: \_\_\_\_\_

**PARTS:**

BATTERY MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_ CCA: \_\_\_\_\_

TOP OR SIDE POST: \_\_\_\_\_ DIMENSIONS: LENGTH \_\_\_\_\_ WIDTH \_\_\_\_\_ HEIGHT \_\_\_\_\_

SPARK PLUGS OR FUEL INJECTORS MAKE: \_\_\_\_\_ PART # \_\_\_\_\_

FUEL PUMP OR INJECTION PUMP MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_

ALTERNATOR MAKE: \_\_\_\_\_ PART #: \_\_\_\_\_

STARTER MAKE: \_\_\_\_\_ PART #: \_\_\_\_\_

TURBO CHARGER MAKE: \_\_\_\_\_ PART #: \_\_\_\_\_

TRANS. MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_ AUTO/MANUAL: \_\_\_\_\_

HYDRAULIC PUMP MAKE: \_\_\_\_\_ MODEL: \_\_\_\_\_

FILTERS	MAKE	PART NO.	LUBRICANT	MANUFACTURER TYPE
OIL	_____	_____	ENGINE	_____
AIR INNER	_____	_____	TRANSMISSION	_____
AIR OUTER	_____	_____	POWER STEERING	_____
FUEL PRIMARY	_____	_____	HYDRAULIC	_____
FUEL SECONDARY	_____	_____	DIFFERENTIALS	_____
COOLANT	_____	_____	BRAKE FLUID	_____
HYDRAULIC	_____	_____	COOLANT	_____
OTHER	_____	_____	OTHER	_____

## X6.3 TRAINING:

Will training seminar be conducted on Preventive Maintenance, Operator and Mechanic Training  
 YES  NO

Will you conduct training with each purchase order against this open end contract?  
 YES  NO

Will training be conducted within 2 working days from the delivery of the pilot unit on the individual purchase order?  
 YES  NO

If NO, explain time frame \_\_\_\_\_

Will an Operator's Manual be furnished directly to Training Academy prior to the delivery of the pilot?  
 YES  NO

X6.4 If you are the successful vendor, will you furnish all training aids, i.e., videos, projectors, required in conducting the training?  
 YES  NO

X6.4.1 Will all manuals, booklets, etc. explaining preventive maintenance, operator procedures, and service schedule be delivered with each unit?  
 YES  NO  
 If NO, explain \_\_\_\_\_

## X6.5 WARRANTY AND SERVICE POLICY

Will the warranty and service you provide comply with all areas as stated in Section 6.5 of specifications  
 YES  NO

Is warranty literature attached?  
 YES  NO

Is a minimum two (2) year bumper to bumper basic parts and labor warranty excluding abuse and normal wear items included?  
 YES  NO

Describe:

SEE ATTACHED

2 YEARS OR 2,000 HOURS WORK TO BE PREFORMED AT STATE EQUIPMENT, INC. FACILITIES

**X6.5 WARRANTY AND SERVICE POLICY QUESTIONNAIRE****THIS FORM MUST BE COMPLETED IN ITS ENTIRETY AND SUBMITTED WITH YOUR BID.**

(If additional lines are needed, make copies of form.)

1. Define the terms of the standard warranty. If not offered, so state. (Attach copy)

TWELVE MONTH UNLIMITED HOURSTWENTY FOUR MONTHS OR 2,000 HOUR (ENGINE)

2. Define warranty service to be performed at DOH facilities and warranty service to be performed at manufacturer's representative facility. List name and location of manufacturer's representative.

WARRANTY SERVICE TO BE PREFORMED AT STATE EQUIPMENT, INC. LOCATIONS IN CROSS LANES, WV, BRIDGEPORT, WV, PARKERSBURG, WV, BECKLEY, WV.

3. List locations for parts inventories that are within the State of West Virginia. Also, list availability levels, if known.

CROSS LANES, WV      BRIDGEPORT, WV      PARKERSBURG, WV      BECKLEY, WV

4. During the term of warranty, list the guarantee discount to manufacturer's published list price for parts that bidder will sell the parts to owner.

A.	Terms: Net 30	Manufacturer's published list price less: <u>0</u> % discount
B.	Terms: Net 60	Manufacturer's published list price less: <u>0</u> % discount
C.	Terms: Net 90	Manufacturer's published list price less: <u>0</u> % discount

5. During the term of warranty, will all manufacturers or engineering improvements be submitted to Division of Highways?  X  YES   NO

6. During the term of warranty, list the guaranteed rates charged for repair to the unit.

A. Shop Rate \$ 90.00 per mechanic hourB. Travel Time Charge \$ 90.00 per mechanic hour  
(Specify if one-way)  X ; port to port  X C. Mileage Charge \$ 1.25 per vehicle mile  
(Specify if one-way)  X ; port to port  X D. Field Mechanic Rate \$ 90.00 per mechanic hourE. Specify period of time that prices are in effect: 12 MONTHSF. Surcharge for miscellaneous items: 0 %

## X6.6 EVALUATION COMMITTEE REQUIREMENTS

Is all component specifications, product literature, component models provided for Evaluation Committee bid determination?  YES  NO

**X6.7 Will all parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, be furnished with the unit and conform in strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry?**

YES  NO

**X6.7.1 Are all parts and accessories adequate and regularly supplied as standard to be included except those which may be duplications of specifications herein, and except these by specification are not to be furnished?**

YES  NO

**X6.7.2 Are all standard safety features that are required by Federal and State statutes of law included?**

YES  NO

## X7.0 SPECIFICATIONS OF THE QUOTED UNIT

The bidder should complete the following schedule in order for the Division to compare the actual bid unit to the specifications. Should the bidder except a requirement, then such exception may be only on the basis that such feature is not offered by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specifications.

Manufacturer: CASE

Model: SR220

Will the unit be completely assembled, adjusted with all equipment including standard and extra equipment installed and ready for continuous operation  YES  NO

Are all parts not specifically mentioned which are necessary for the unit to be complete and ready for operation or which are normally furnished as standard equipment be included?  YES  NO

X8.1 Operating weight of skid steer unit: 7,580 lbs.

X8.2 Wheelbase: 52 inches

## X8.3 Diesel Engine:

X8.3.1 Horsepower (Net): 76 HPX8.3.2 Is engine pre-heat system provided  YES  NOX8.3.3 Is manufacturer's recommended fuel filter with water separator provided?  YES  NOManufacturer: FIAT POWER TRIANX8.3.4 Is unit equipped with automatic engine shutdown for low oil pressure and engine/hydraulic temperature  YES  NOX8.3.5 Dry type air filtration with primary and secondary elements  YES  NO

## X8.4 Hydraulic System:

X8.4.1 Auxiliary hydraulics: 22.5 GPMX8.4.2 Does unit have high flow hydraulic system  YES  NOGPM: 34.5X8.4.3 Filtration: 6 micronX8.4.4 Adequately sized hydraulic reservoir for the prime mover as well as any and all attachments  YES  NOIs gallons label and sight gauge included  YES  NOX8.4.5 Are hydraulic hoses cordova wrapped for operator protection  YES  NOX8.4.6 Are auxiliary front hydraulics with couplers provided with easy access with controls at operator station  YES  NO

## X8.5 Electrical System:

X8.5.1 Manufacturers heavy duty 12 volt system  YES  NO Manufacturer: ISKRAX8.5.2 Alternator: 95 ampsX8.5.3 Battery manufacturers heavy duty maintenance free 12 volt  YES  NO CCA: 1000X8.5.4 Work lights, dual front halogen; at least one rear halogen  YES  NO

X8.6 Instrumentation: Audible and/or lighted warnings  YES  NO

X8.6.1 Fuel level  YES  NO

X8.6.2 Battery voltage  YES  NO

X8.6.3 Engine coolant temperature  YES  NO

X8.6.4 Transmission charge pressure  YES  NO

X8.6.5 Hydraulic oil temperature  YES  NO

X8.6.6 Engine oil pressure  YES  NO

X8.6.7 Engine air cleaner restriction  YES  NO

X8.6.8 Park brake reminder  YES  NO

X8.6.9 Seat belt reminder  YES  NO

X8.7 Tires:

X8.7.1 Manufacturers standard pneumatic lug tires with 12 ply rating  YES  NO

Manufacturer: GALAXY

X8.8 Safety:

X8.8.1 Backup alarm (OSHA approved)  YES  NO

X8.8.2 Certified ROPS and FOPS  YES  NO

X8.8.3 Parking brake manufacturers standard  YES  NO

X8.8.4 All manufacturers safety related decals and safe operation recommendations affixed to each unit upon delivery  YES  NO

X8.8.5 Rear view mirror  YES  NO

X8.8.6 Equipped with rear window emergency escape  YES  NO

X8.8.7 Low profile strobe light mounted for 360° visibility  YES  NO

Manufacturer/Model: ECCO EC7460A

- X8.8.8 Front and rear emergency flashers  YES  NO
- X8.8.9 Fire extinguisher bracket  YES  NO
- X8.9 Accessories:
- X8.9.1 Quick-Tatch 2 level attachment mounting design compatible with 90% of BobCat, New Holland, John Deere, and Case attachments  YES  NO
- X8.9.2 Rear counterweights provided to adequately balance unit with heaviest attachment mounted  YES  NO
- X8.9.3 Vinyl suspension seat with automotive type seat belt  YES  NO
- X8.9.4 Cab-all-weather enclosure with sliding side glasses  YES  NO
- X8.9.5 Front door with wiper, washer  YES  NO
- X8.9.6 Does unit have manufacturers heater/defroster/with air conditioner  YES  NO
- X8.9.7 Is unit hydrostatic all wheel drive  YES  NO
- X8.9.8 Integral belly plate  YES  NO
- X8.10 Paint:
- X8.10.1 Describe manufacturers recommended paint preparation and color: \_\_\_\_\_
- SEE ATTACHED FORM
- 
- X9.0 Attachments with attachment control kit:
- X9.1 Are all attachments mounted on a quick-change mechanism  YES  NO
- X9.2 Backhoe operation possible with the lift arms in the down position  YES  NO
- X9.3 Is a single control unit provided which will control all available attachments  YES  NO
- X9.4 Are you supplying all attachments as listed in the specifications:  YES  NO



X9.4.1 Does the **AUGER** you are providing meet or exceed the specification?  
 YES  NO

Manufacturer: MCMILLEN

	MODEL: X1475	MODEL: X1975
Auger	\$ 1,468.00	\$ 1,608.00
<b>BITS - HEX:</b>		
6" X 50" Head	\$ 141.00	\$ 141.00
12" x 50" Head	\$ 237.00	\$ 237.00
24" x 50" Head	\$ 473.00	\$ 473.00
<b>SINGLE FLIGHT EXTENSIONS:</b>		
12" Extension	\$ 152.00	\$ 152.00
24" Extension	\$ 176.00	\$ 176.00
48" Extension	\$ 220.00	\$ 220.00

**TOTAL PRICE:**                      \$ 2,867.00                      \$ 3,007.00

X9.4.2 Does the **BACKHOE WITH 12 INCH BUCKET** you are providing meet or exceed the specification?  
 YES  NO

Manufacturer: BRADCO

	MODEL: 509	MODEL: 511	MODEL: 6100	MODEL: 6120
Bucket with 12 Inch Bucket	\$ 7,361.00	\$ 8,179.00	\$ 7,361.00	\$ 7,261.00

**TOTAL PRICE:** \$ 7,361.00      \$ 8,179.00      \$ 7,361.00      \$ 7,261.00

X9.4.3 Does the **BACKHOE-MINI** you are providing meet or exceed specifications?  
 YES  NO

Manufacturer: BRADCO

	MODEL: LAF2301-0022	MODEL: LAF2302-0022	MODEL: LAF2303-0022
Backhoe - Mini	\$ 1,588.00	\$ 1,620.00	\$ 1,647.00
<b>TOTAL PRICE:</b>	<u>\$ 1,588.00</u>	<u>\$ 1,620.00</u>	<u>\$ 1,647.00</u>

X9.4.4 Does the **BLADE - DOZER** you are providing meet or exceed specifications?  
 YES  NO

Manufacturer: BRADCO

	MODEL: 89681
Blade - Dozer	\$ 3,864.00
<b>TOTAL PRICE:</b>	<u>\$ 3,864.00</u>

X9.4.5 Does the **BOOM - MATERIAL HANDLING** you are providing meet or exceed the specifications?  
 YES  NO

Manufacturer: BRADCO

	MODEL: 12203
Boom - Material Handling	\$635.00

**TOTAL PRICE:** \$ 635.00

X9.4.6 Does the **BREAKER – HYDRAULIC** you are providing meet or exceed the specifications?  
 YES  NO

Manufacturer: MAGNUM

	MODEL: 304
Breaker – Hydraulic	\$ 5,388.00

**TOTAL PRICE:** \$ 5,388.00

X9.4.7 Does the **BROOM – ANGLE – POLY/WIRE BRISTLES – WATER KIT WITH 25 GALLON TANK** you are providing meet or exceed the specifications?

YES  NO

Manufacturer: WOODS

	MODEL: 1026751
Broom – Angle – Poly/Wire Bristles – Std. Manual Angle	\$ 4,161.00
Optional Water Kit with 25 Gallon Tank	\$ 715.00
Optional Hydraulic Angle	\$ 1,218.00

**TOTAL PRICE:** \$ 6,094.00

X9.4.8 Does the **BROOM – GENERAL PURPOSE PICK-UP** you are providing meet or exceed the specifications?  
 YES  NO

Manufacturer: SWEEPSTER

	MODEL: SB60
Broom – General Purpose Pick-Up	\$ 3,638.00

**TOTAL PRICE:** \$ 3,638.00

(\*INCLUDES OPTIONAL GUTTER BROOM)

X9.4.9 Does the **BRUSH CUTTER** you are providing meet or exceed the specifications?  
 YES  NO

Manufacturer: BRADCO

	MODEL: 15330
Brush Cutter	\$ 2,900.00

**TOTAL PRICE:** \$ 2,900.00

X9.4.10 Does the **BUCKET - BRUSH GRAPPLE** you are providing meet or exceed specifications?  
 YES  NO

Manufacturer: BRADCO

Manufacturer: \_\_\_\_\_

	MODEL: 11384
Bucket - Brush Grapple	\$ 2,400.00

**TOTAL PRICE:** \$ 2,400.00

X9.4.11 Does the **BUCKET - FORKED SCRAP GRAPPLE** you are providing meet or exceed specifications?  
 YES  NO

Manufacturer: FFC

	MODEL:
Bucket-Forked Scrap Grapple	\$

**TOTAL PRICE:** \$ SEE ADDENDUM #9 FOR PRICING

X9.4.12 Does the **BUCKET – GENERAL PURPOSE** you are providing meet or exceed the specifications?  
 YES  NO

Manufacturer: WOODS

	MODEL: 101444066	MODEL: 101444073	MODEL: 101491566	MODEL: 101491573
Bucket – General Purpose	\$642.00	\$660.00	\$750.00	\$ 771.00
Optional Teeth	\$227.00	\$227.00	\$227.00	\$ 227.00
Optional Bolt on Cutting Edge	\$125.00	\$135.00	\$125.00	\$ 135.00
Optional Bolt on Toothbar Inside				
Bucket Width	\$238.00	\$ 255.00	\$ 238.00	\$ 255.00

(NOTE: ADD ALL LINES FOR EVALUATION PURPOSES)

TOTAL PRICE \$ 1,232.00      \$ 1,277.00      \$ 1,340.00      \$ 1,388.00

X9.4.13 Do the **BUCKETS – GENERAL PURPOSE UTILITY & LIGHT MATERIAL** meet or exceed the specifications?  
 YES  NO

Manufacturer: WOODS

	MODEL (GPU): 102400073	MODEL (LM): 102400173	MODEL (LM): 102400178	MODEL (LM): 102400184
Bucket (GPU)	\$ 957.00			
Bucket (LM)		\$ 1,100.00	\$ 1,166.00	\$ 1,252.00
Optional Bolt on Cutting Edge	\$ 135.00	\$135.00	\$146.00	\$ 166.00
Optional Bolt on Toothbar Inside				
Bucket Width	\$ 255.00	N/A	N/A	N/A

(NOTE: ADD ALL LINES FOR EVALUATION PURPOSES)

TOTAL PRICE \$ 1,347.00      \$ 1,235.00      \$ 1,312.00      \$ 1,418.00

X9.4.14 Does the **BUCKET – HEAVY DUTY SCRAP GRAPPLE** you are providing meet or exceed the specifications?  X  YES   NO

Manufacturer:  FFC

	MODEL: 11872	MODEL: 11876
Bucket – Heavy Duty Scrap Grapple	\$ 4,095.00	\$ 4,384.00
Optional Bolt on Cutting Edge	\$ 220.00	\$ 263.00

(NOTE: ADD ALL LINES FOR EVALUATION PURPOSES)

**TOTAL PRICE:** \$ 4,315.00 \$ 4,647.00

X9.4.15 Does the **BUCKET – MULTI PURPOSE** you are providing meet or exceed the specifications?  X  YES   NO

Manufacturer:  BRADCO

	MODEL: 108022	MODEL: 108026
Bucket-Multi Purpose	\$ 2,078.00	\$ 2,178.00
Optional Bolt on Reversible Cutting Edge	\$ 275.00	\$ 325.00
Optional Bolt on Toothbar Inside Bucket Width	\$ 421.00	\$ 486.00

(NOTE: ADD ALL LINES FOR EVALUATION PURPOSES)

**TOTAL PRICE:** \$ 2,774.00 \$ 2,989.00

X9.4.16 Does the **BUCKET – ROCK** you are providing meet or exceed the specifications?  X  YES   NO

Manufacturer:  BRADCO

	MODEL: 89646
Bucket – Rock	\$ 940.00

**TOTAL PRICE:** \$ 940.00

X9.4.17 Does the **COLD PLANER** you are providing meet or exceed the specifications?  
 YES  NO

Manufacturer: FFC

	MODEL: LAF5412	MODEL: LAF5416	MODEL: LAF5418	MODEL: LAF5424	MODEL: LAF5430
Cold Planer	\$ 6,407.00	\$9,800.00	\$ 10,400.00	\$12,273.00	\$12,900.00

**TOTAL PRICE:**      \$ 6,407.00      \$ 9,800.00      \$ 10,400.00      \$ 12,273.00      \$ 12,900.00

X9.4.18 Does the **COLD PLANER** you are providing meet or exceed the specification?  
 YES  NO

Manufacturer: (DELETED)

	MODEL:
Cold Planer	\$

**TOTAL PRICE:**      \$ N/A

X9.4.19 Does the **COLD PLANER** you are providing meet or exceed the specification?  
 YES  NO

Manufacturer: WOODS

	MODEL: GP40G
Cold Planer	\$ 17,606.00

**TOTAL PRICE:**      \$ 17,606.00

X9.4.20 - Does the **COLD PLANER** you are providing meet or exceed the specification?

YES  NO

Manufacturer: FFC

	MODEL: AF5436
Cold Planer	\$ 13,400.00

**TOTAL**

**PRICE:**      \$ 13,400.00

X9.4.21 Does the **CONCRETE CLAW** you are providing meet or exceed the specifications?

YES  NO

Manufacturer: FFC

	MODEL: 10024
Concrete Claw	\$ 1,275.00

**TOTAL PRICE:**      \$ 1,275.00

X9.4.22 Do the **FORKS - PALLET** you are providing meet or exceed the specifications?

YES  NO

Manufacturer: WOODS

	MODEL: 1022780
Forks - Pallet	\$ 583.00

**TOTAL PRICE:**      \$ 583.00



X9.4.23 Does the **GRAPPLE – LOG FORK** you are providing meet or exceed the specifications?  
 YES  NO

Manufacturer: FFC

	MODEL: LAF1142
Grapple-Log Fork	\$ 2,648.00

TOTAL PRICE: \$ 2,648.00

X9.4.24 Does the **HITCH – THREE POINT** you are providing meet or exceed the specifications?  
 YES  NO

Manufacturer: FFC

	MODEL: LAF1702
Hitch-Three Point	\$ 307.00

TOTAL PRICE: \$ 307.00

X9.4.25 Does the **POSTMASTER WITH TILT ATTACHMENT** you are providing meet or exceed the specifications?  
 YES  NO

Manufacturer: BRADCO

	MODEL: 11487
Postmaster with Tilt Attachment	\$ 6,754.00

X9.4.26 Does the **POWER RAKE** you are providing meet or exceed the specifications?  
 YES  NO

Manufacturer: FFC

	MODEL: LAF5690
Power Rake	\$ 4,800.00
Manual Angling	\$ (STANDARD)
Hydraulic Angling	\$ 5,600.00

TOTAL MANUAL ANGLING PRICE: \$ 4,800.00

TOTAL HYDRAULIC ANGLING PRICE: \$ 5,600.00

X9.4.27 Does the **PREPARATOR** you are providing meet or exceed the specifications?  
 YES  NO

Manufacturer: FFC

	MODEL: LAF3576
Preparator	\$ 5,625.00

TOTAL PRICE: \$ 5,625.00

X9.4.28 Does the **ROCK WHEEL WITH 50 GALLON WATER KIT** you are providing meet or exceed the specifications?  
 YES  NO

Manufacturer: WOODS

	MODEL: RW1225	MODEL: RW1825	MODEL: RW2425
Rock Wheel with 50 Gallon Water Kit	\$ 11,030.00	\$ 11,954.00	\$ 12,303.00

TOTAL PRICE: \$ 11,030.00      \$ 11,954.00      \$ 12,303.00

X9.4.29 Does the **ROLLER – VIBRATORY** you are providing meet or exceed the specifications?  
 YES  NO

Manufacturer: WOODS

	MODEL: VR66A	MODEL: VR73A
Roller – Vibratory	\$VIBRATORY STD.	\$ VIBRATORY STD.
Smooth Drum	\$ 6,814.00	\$ 7,541.00
Padded Drum	\$ 7,087.00	\$ 7,949.00

TOTAL SMOOTH DRUM: \$ 6,814.00                      \$ 7,541.00

TOTAL PADDED DRUM: \$ 7,087.00                      \$ 7,949.00

X9.4.30 Does the **SCARIFIER** you are providing meet or exceed the specifications?  
 YES  NO

Manufacturer: FFC

	MODEL: LAF2201
Scarifier	\$ 713.00

TOTAL PRICE: \$ 713.00

X9.4.31 Does the **SNOW BLADE** you are providing meet or exceed the specifications?  
 YES  NO

Manufacturer: FFC

	MODEL: LAF1496
Snow Blade	\$ 1,802.00

TOTAL PRICE: \$ 1,802.00

X9.4.32 Does the **SNOW BLOWER** you are providing meet or exceed the specifications?

YES  NO

Manufacturer: FFC

	MODEL: 11007D	MODEL: LAF6780
Snow Blower	\$ 3,902.00	\$ 5,700.00
<b>TOTAL PRICE:</b>	\$ <u>3,902.00</u>	\$ <u>5,700.00</u>

X9.4.33 Does the **STUMP GRINDER** you are providing meet or exceed the specifications?

YES  NO

Manufacturer: WOODS

	MODEL: SG20B	MODEL: SG40B	MODEL: SG60B
Stump Grinder	\$ 4,073.00	\$ 4,209.00	\$ 5,458.00
<b>TOTAL PRICE:</b>	\$ <u>4,073.00</u>	\$ <u>4,209.00</u>	\$ <u>5,458.00</u>

X9.4.34 Does the **TILLER** you are providing meet or exceed the specifications?

YES  NO

Manufacturer: WOODS

	MODEL: TL73A	MODEL: TL84A
Tiller	\$ 3,753.00	\$ 4,577.00
<b>TOTAL PRICE:</b>	\$ <u>3,753.00</u>	\$ <u>4,577.00</u>

X9.4.35 Does the **TREE SPADE** you are providing meet or exceed the specifications?  
 YES  NO

Manufacturer: FFC

	MODEL: LAF1836	MODEL: LAF1840	MODEL: LAF1842	MODEL: LAF1844	MODEL: LAF1848
Tree Spade	\$846.00	\$ 890.00	\$ 890.00	\$ 953.00	\$ 953.00

**TOTAL PRICE:**      \$ 846.00      \$ 890.00      \$ 890.00      \$ 953.00      \$ 953.00


X9.4.36 Does the **TRENCHER** you are providing meet or exceed the specifications?  
 YES  NO

Manufacturer: BRADCO

	MODEL: 625	MODEL: 625	MODEL: 640
Trencher	\$ 3,180.00	\$ 3,180.00	\$ 3,514.00

**TOTAL PRICE:**      \$ 3,180.00      \$ 3,180.00      \$ 3,514.00

**GRAND TOTAL FOR ALL ATTACHMENTS:**      \$ 321,960.00



# STATE EQUIPMENT, INC.

PO BOX 3939  
CHARLESTON WV 25339

PHONE: 304-776-4405  
FAX: 304-776-4409  
INFO@STATEEQUIPMENT.COM  
WWW.STATEEQUIPMENT.COM

---

## Exception to Specifications

9.4.17 Depth of cut on LAF5412 12" Cold Planner is 0-5. The Specification list a Woods CP12 which also has a 0-5 Depth cut not 0-6".

**Woods Equipment Company**

Construction Equipment Division  
 1962 Queensland Drive  
 Mosinee, WI 54455



**WainRny**

**Sales Quotation**

PHONE NO. 800-848-3447

FAX NO. 715-692-5987

<b>Dealer</b>	STATE EQUIPMENT 560 New Goff Mt Road Cross Lanes, WV 25313
<b>Dealer Acct #</b>	533001
<b>Attention</b>	Eddie Rowland
<b>Dealer Phone #</b>	304-776-4405
<b>Dealer Fax #</b>	
<b>Dealer Email</b>	
<b>Dealer PO #</b>	

<b>Quotation No.</b>	113-110216-001 (Page 5 of 13)
<b>Prepared by</b>	Eric
<b>Phone No.</b>	715-692-5920
<b>Territory</b>	113
<b>Quotation Date</b>	16-Feb-11
<b>Est. Ship Date</b>	
<b>Trade Discount</b>	30% + 5% Governmental Disc.
<b>Terms</b>	Net 45 days
<b>Freight</b>	FOB Oregon, IL

**Machine Model** Case SR200 (22.5/30.7 gpm @ 3,000 psi)

Part Number	Width	Cap	Wt	Description
CP12LFA	12"	-	1,300 lbs	Cold Planer; Standard flow 0-6" mechanical milling depth; 36 teeth; 22" hydraulic side shift (rt); +/-19° mechanical tilt; 13-23 gpm @ 1,500 - 3,000 psi; Hoses & QD couplers Incl.
CP16ATD/S/C	16"	-	1,750 lbs	Cold Planer; High-Flow Single Circuit; 0-6" hydraulic milling depth; 44 teeth; 22" hydraulic side shift (rt); +/-15° hydraulic tilt; 22-32 gpm @ 2,000 -3,500 psi; Includes hoses.
E0055 HC212				14-Pin Wiring Harness Optional QD Coupler Kit
CP18ATDS/C	18"	-	1,801 lbs	Cold Planer; High-Flow Single Circuit; 0-6" hydraulic milling depth; 48 teeth; 22" hydraulic side shift (rt); +/-15° hydraulic tilt; 25-32 gpm @ 2,000 -3,500 psi; Includes hoses.
E0055 HC212				14-Pin Wiring Harness Optional QD Coupler Kit

1. All prices valid for 30 days from quotation date.
2. Ship dates valid at time of quotation, and are subject to change.
3. Capacities of bucket are SAE standard J296 ratings (bucket teeth not included in ca
4. Products are designed to OEM specifications. Any specification deviation requeste... , the "Customer" will result in non-returnable product that will not be warranted by WEC.
5. Freight pre-paid on orders of 13 units, 6,000 lbs or \$25,000 @ net. (See Woods Freight Policy for qualifications and exceptions.)
6. Confirmation provided upon receipt of order.



Rev: 30 Sep, 2010

WOODS CP12 PLANNER HAS A CUTTING DEPTH OF 0-5". SPECS SHOW IT AS 0-6".



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFO NUMBER
7011EC08

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
BUYER 33 304-558-2402

\*709054014      304-776-4406  
 STATE EQUIPMENT INC  
 PO BOX 3939  
 CHARLESTON WV 25339

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201      304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/17/2010	NET 30	OUR TRUCK	BUCKHANNON, WV	PREPAID

BID OPENING DATE: 01/27/2011      BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 1						
THIS ADDENDUM IS ISSUED TO ATTACH THE FOLLOWING DOCUMENTS TO THE BID:						
1.) PURCHASING AFFIDAVIT FORM						
2.) RESIDENT VENDOR PREFERENCE FORM						
***** END ADDENDUM NO. 1 *****						
0001	1	EA		760-50	\$35,863.00	\$35,863.00
SKID STEER LOADER WITH ATTACHMENTS						
***** THIS IS THE END OF RFQ 7011EC08 *****						TOTAL: \$35,863.00

SIGNATURE			SEE REVERSE SIDE FOR TERMS AND CONDITIONS		
TITLE GENERAL AMANGER		FEIN 550658298		TELEPHONE 304-776-4405	
				DATE 3/22-11	
ADDRESS CHANGES TO BE NOTED ABOVE					

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'





State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER
7011EC08

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
BUYER 33 304-558-2402

*709054014	304-776-4406
STATE EQUIPMENT INC	
PO BOX 3939	
CHARLESTON WV	25339

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201
304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
01/11/2011	NET 30	OUR TRUCK	BUCKHANNON, WV	PREPAID
BID OPENING DATE: 01/27/2011		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 2						
THIS ADDENDUM IS ISSUED TO:						
1.) CHANGE THE MANDATORY PRE-BID MEETING DATE FROM 01/13/2011 @ 11:00 AM TO 01/20/2011 @ 11:00 AM THE MANDATORY PRE-BID MEETING LOCATION WILL REMAIN 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305.						
2.) THE BID OPENING DATE WILL REMAIN 01/27/2011 @ 1:30 PM.						
*****END ADDENDUM NO. 2*****						
0001	1	EA		760-50	\$35,863.00	\$35,863.00
CASE SR220 SKID STEER LOADER WITH ATTACHMENTS						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS		
SIGNATURE	TELEPHONE	DATE
	304-776-4405	3/22/11
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
GENERAL MANAGER	550658298	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
 7011EC08

PAGE  
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF  
 BUYER 33  
 304-558-2402

\*709054014 304-776-4406  
 STATE EQUIPMENT INC  
 PO BOX 3939  
 CHARLESTON WV 25339

VENDOR

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750

SHIP TO

DATE PRINTED 01/26/2011	TERMS OF SALE NET 30	SHIP VIA OUR TRUCK	F.O.B. BUCKHANNON	FREIGHT TERMS PREPAID
----------------------------	-------------------------	-----------------------	----------------------	--------------------------

BID OPENING DATE: 02/10/2011 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 3						
THIS ADDENDUM IS ISSUED TO:						
1.) EXTEND THE BID OPENING DATE FROM 01/27/2011 AT 1:30 PM TO 02/10/2011 AT 1:30 PM						
2.) TO PROVIDE A COPY OF THE MANDATORY PRE-BID ATTENDEE LIST.						
*****END ADDENDUM NO. 3*****						
0001	1	EA		760-50 CASE SR220 SKID STEER LOADER WITH ATTACHMENTS	\$35,863.00	\$35,863.00
***** THIS IS THE END OF RFQ 7011EC08 ***** TOTAL:						\$35,863.00

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE 	TELEPHONE 304-776-4405	DATE 3/22/11
TITLE GENERAL MANAGER	FEIN 550658298	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

**Request for  
 Quotation**

BID NUMBER  
**7011EC08**

PAGE  
**1**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
**BUYER 33  
 304-558-2402**


\*709054014 304-776-4406  
 STATE EQUIPMENT INC  
 PO BOX 3939  
 CHARLESTON WV 25339

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
02/06/2011	NET 30	OUR TRUCK	BUCKHANNON	PREPAID

BID OPENING DATE: **02/17/2011** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 4 THIS ADDENDUM IS ISSUED TO CHANGE THE BID OPENING DATE FROM: 02/10/2011 AT 1:30 PM TO 02/17/2011 AT 1:30 PM *****END ADDENDUM NO. 4*****						
0001	1	EA		760-50	\$35,863.00	\$35,863.00
SKID STEER LOADER WITH ATTACHMENTS						
***** THIS IS THE END OF RFQ 7011EC08 ***** TOTAL:						\$35,863.00

SIGNATURE  TELEPHONE 304-776-4405 DATE 3/22/11  
 TITLE GENERAL MANAGER FEIN 550658298 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

WV PURCHASING DIVN. Fax 304-558-3970

Feb 8 2011 10:21am P001/007

**Request for  
 Quotation**

RFQ NUMBER  
 7011EC08

PAGE  
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF  
 BUYER 33  
 304-558-2402

\*709054014 304-776-4406  
 STATE EQUIPMENT INC  
 PO BOX 3939  
 CHARLESTON WV 25339

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750

DATE PRINTED 02/07/2011	TERMS OF SALE NET 30	SHIP VIA OUR TRUCK	FOB BUCKHANNON	FREIGHT TERMS PREPAID
BID OPENING DATE: 02/17/2011		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 5  THIS ADDENDUM IS ISSUED TO ADDRESS ITEMS DISCUSSED DURING MANDATORY PRE-BID MEETING AND ISSUE CHANGES PER THE ATTACHED.  THE BID OPENING DATE REMAINS 02/17/2011 AT 1:30 PM  *****END ADDENDUM NO. 5*****						
0001	1	EA	SR220	760-50 SKID STEER LOADER WITH ATTACHMENTS	\$35,863.00	\$35,863.00
***** THIS IS THE END OF RFQ 7011EC08 ***** TOTAL:						\$35,863.00

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE TELEPHONE 304-776-4405 DATE 3/22/11

TITLE GENERAL MANAGER FEIN 550658298 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
 7011EC08

PAGE  
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF  
 BUYER 33  
 304-558-2402

RFQ COPY

VENDOR

TYPE NAME/ADDRESS HERE

State Equipment, Inc  
 560 New Goff Mt. Road  
 Cross Lanes, WV 25313

SHIP TO

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B	FREIGHT TERMS
02/16/2011	NET 30	OUR TRUCK	BUCKHANNON	PREPAID

BID OPENING DATE: 02/24/2011 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 6						
THIS ADDENDUM IS ISSUED TO EXTEND THE BID OPENING DATE FROM: 02/17/2011 AT 1:30 PM TO 02/24/2011 AT 1:30 PM						
*****END ADDENDUM NO. 6*****						
0001	1	EA		760-50 CASE SR220 SKID STEER LOADER WITH ATTACHMENTS	\$35,863.00	\$35,863.00
***** THIS IS THE END OF RFQ 7011EC08 ***** TOTAL:						\$35,863.00

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE 	TELEPHONE 304-776-4405	DATE 3/22/11
TITLE GENERAL MANAGER	FEIN 550658298	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
 7011EC08

PAGE  
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF  
 BUYER 33  
 304-558-2402

\*709054014 304-776-4406  
 STATE EQUIPMENT INC  
 PO BOX 3939  
 CHARLESTON WV 25339

S H I P T O  
 DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750

DATE PRINTED 02/23/2011	TERMS OF SALE NET 30	SHIP VIA OUR TRUCK	F.O.B. BUCKHANNON	FREIGHT TERMS PREPAID
BID OPENING DATE: 03/10/2011		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 7						
THIS ADDENDUM IS ISSUED TO EXTEND THE BID OPENING DATE FROM 02/24/2011 AT 1:30 PM TO 03/10/2011 AT 1:30 PM						
*****END ADDENDUM NO. 7*****						
0001	1	EA	SR220	760-50 SKID STEER LOADER WITH ATTACHMENTS	\$35,863.00	\$35,863.00
***** THIS IS THE END OF RFQ 7011EC08 ***** TOTAL:						\$35,863.00

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: TELEPHONE: 304-776-4405 DATE: 3/22/11

TITLE: GENERAL MANAGER FEM: 550658298 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

**Request for  
 Quotation**

RFQ NUMBER  
**7011EC08**

PAGE  
**1**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
 BUYER 33  
 304-558-2402

\*709054014 304-776-4406  
 STATE EQUIPMENT INC  
 PO BOX 3939  
 CHARLESTON WV 25339

DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
03/07/2011	NET 30	OUR TRUCK	BUCKHANNON	PREPAID

BID OPENING DATE: 03/23/2011 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 8 THIS ADDENDUM IS ISSUED TO EXTEND BID OPENING FROM 03/10/2011 @ 1:30 PM TO 03/23/2011 @ 1:30 PM *****END ADDENDUM NO. 8*****						
0001	1	EA		760-50 CASE SR220 SKID STEER LOADER WITH ATTACHMENTS	\$35,863.00	\$35,863.00
***** THIS IS THE END OF RFQ 7011EC08 ***** TOTAL:						\$35,863.00

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: TELEPHONE: 304-776-4405 DATE: 3/22/11

TITLE: GENERAL MANAGER FEIN: 550658298 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

**Request for  
 Quotation**

RFQ NUMBER  
**7011EC08**

PAGE  
**1**

ADDRESS CORRESPONDENCE TO ATTENTION OF  
**BUYER 33  
 304-558-2402**

**RFQ COPY  
 TYPE NAME/ADDRESS HERE**

**DIVISION OF HIGHWAYS  
 EQUIPMENT DIVISION  
 ROUTE 33  
 BRUSHY FORK ROAD  
 BUCKHANNON, WV  
 26201 304-472-1750**

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
03/14/2011	NET 30	OUR TRUCK	BUCKHANNON	PREPAID

BID OPENING DATE: **03/23/2011** BID OPENING TIME: **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<b>ADDENDUM NO. 9</b>						
THIS ADDENDUM IS ISSUED TO ADDRESS TECHNICAL QUESTIONS PER THE ATTACHED.						
THE BID OPENING DATE REMAINS 03/23/2011 AT 1:30 PM						
*****END ADDENDUM NO. 9*****						
0001	1	EA		760-50	\$35,863.00	\$35,863.00
CASE SR220 SKID STEER LOADER WITH ATTACHMENTS						
***** THIS IS THE END OF RFQ 7011EC08 ***** TOTAL:						\$35,863.00

SEE REVERSE SIDE FOR TERMS AND CONDITIONS		
SIGNATURE	TELEPHONE 304-776-4405	DATE 3/22/11
TITLE GENERAL MANAGER	FEIN 550658298	ADDRESS CHANGES TO BE NOTED ABOVE

**WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'**



PREBID ADDENDUM #5  
7011EC08

OPEN END CONTRACT  
SKID STEER LOADER WITH ATTACHMENTS

CHANGES TO SPECIFICATIONS:

FROM:

- 4.2 DELIVERY -- 2nd Paragraph 2<sup>nd</sup> Sentence  
Delivery is preferred within 90 calendar days after receipt of purchase agreement.

TO:

- 4.2 DELIVERY -- 2<sup>nd</sup> Paragraph 2<sup>nd</sup> Sentence  
Delivery is preferred within 120 calendar days after receipt of purchase agreement.

FROM:

- 4.2 DELIVERY -- 3<sup>rd</sup> Paragraph  
**A completed pilot model for inspection must be provided within 45 calendar days after receipt of the purchase agreement by the successful vendor.**

TO:

- 4.2 DELIVERY -- 3<sup>rd</sup> Paragraph  
**A completed pilot model for inspection must be provided within 90 calendar days after receipt of the purchase agreement by the successful vendor,**

FROM:

- 6.1 IDENTIFICATION OF THE UNIT BEING PROPOSED -- Last Sentence  
The unit specified herein and offered to be manufactured after January 1, 2010 and be clearly identified and marked with date of manufacture.

TO:

- 6.1 IDENTIFICATION OF THE UNIT BEING PROPOSED -- Last Sentence  
The unit specified herein and offered to be manufactured after January 1, 2011 and be clearly identified and marked with date of manufacture.

701 IEC08

FROM:

**8.3.4 Unit shall be equipped with automatic engine shutdown for low oil pressure and engine/hydraulic temperature**

TO:

**8.3.4 Unit shall be equipped with automatic engine shutdown for low oil pressure and engine temperature and hydraulic temperature**

FROM:

**8.4.4 Adequately sized hydraulic reservoir for the prime mover as well as any and all attachments. Must include gallons label and sight gauge.**

TO:

**8.4.4 Adequately sized hydraulic reservoir for the prime mover as well as any and all attachments. Must include gallons label and sight gauge to verify hydraulic oil level.**

FROM:

**8.5.4 Work lights, dual front halogen; one rear halogen minimum**

TO:

**8.5.4 Work lights, dual front halogen and one (1) rear halogen minimum.**

DELETE:

**8.6.4 Transmission charge pressure**

FROM:

**8.8.7 Low profile strobe light must be mounted for 360° visibility (Aero-Flash M-420 or equal)**

TO:

**8.8.7 Low profile strobe light must be mounted for 360° visibility -- Class 1 LED beacon -- Amber**

7011EC08

FROM:

**8.9.7 Unit shall be hydrostatic all wheel drive**

TO:

**8.9.7 Unit shall be hydrostatic all wheel drive. Controls should be electric over hydraulic.**

FROM:

**9.1 All attachments must be mounted on a quick-change mechanism. (Ref. 8.9.1)**

TO:

**9.1 All attachments must be mounted on a manual quick change mechanism.(Ref. 8.9.1)**

FROM:

**9.4 The following attachments shall be available and must be priced to award contract:**

TO:

**9.4 The following attachments shall be available and include all mounting hardware, wiring harness, etc. for connection. Attachments must be priced to award contract.**

DELETE:

**9.4.18 COLD PLANER – HIGHFLOW**

**CAT PC-210 OR EQUAL**

**Width of Cut            40 in.**

PREBID ADDENDUM #5  
7011EC08

OPEN END CONTRACT  
SKID STEER LOADER WITH ATTACHMENTS

CHANGES TO BIDDER'S EVALUATION REPORT:

NO CHANGE REQUIRED:

X4.2 DELIVERY

X4.2.1 Delivery date of completed representative unit: 90 Calendar Days After  
Receipt of Purchase Agreement

X4.2.2 Delivery date of balance of completed units: 120 Calendar Days After  
Receipt of Purchase Agreement

NO CHANGE REQUIRED:

X6.0 SPECIFICATIONS -GENERAL

X6.1 Manufacturer, model, series, and date of manufacture of proposed unit:

CASE SR220 MANUFACTURED AFTER JAN. 1, 2011

Is descriptive literature, fully describing proposed unit attached to your bid?  
X YES      NO

If not, why? \_\_\_\_\_

FROM:

X8.3.4

Is unit equipped with automatic engine shutdown for low oil pressure and  
engine/hydraulic temperature      YES      NO

TO:

X8.3.4

Is unit equipped with automatic engine shutdown for low oil pressure and engine  
temperature and hydraulic temperature      X      YES      NO

7011EC08

FROM:

X8.4.4 Adequately sized hydraulic reservoir for the prime mover as well as any and all attachments  YES  NO

TO:

X8.4.4 Adequately sized hydraulic reservoir for the prime mover as well as any and all attachments  YES  NO

Is gallons label and sight gauge included to verify hydraulic oil level  YES  NO

FROM:

X8.5.4 Work lights, dual front halogen; at least one rear halogen  YES  NO

TO:

X8.5.4 Work lights, dual front halogen and one (1) rear halogen  YES  NO

DELETE:

X8.6.4 Transmission charge pressure  YES  NO

FROM:

X8.8.7 Low profile strobe light mounted for 360° visibility  YES  NO  
Manufacturer/Model: \_\_\_\_\_

TO:

X8.8.7 Low profile strobe light mounted for 360° visibility – Class 1 LED amber  YES  NO

Manufacturer/Model: ECCO EC7460A

FROM:

X8.9.7 Is unit hydrostatic all wheel drive  YES  NO

TO:

X8.9.7 Is unit hydrostatic all wheel drive  YES  NO

Are controls electric over hydraulic  YES  NO

7011EC08

## FROM:

X9.1 Are all attachments mounted on a quick change mechanism  YES  NO

## TO:

X9.1 Are all attachments mounted on a manual quick change mechanism  
 YES  NO

## FROM:

X9.4 Are you supplying all attachments as listed in the specifications  YES  NO

## TO:

X9.4 Are you supplying all attachments as listed in the specifications including all mounting hardware, wiring harness etc. for connection  YES  NO

## DELETE:

X9.4.18 Does the **COLD PLANER** you are providing meet or exceed the specification  
 YES  NO

Manufacturer: \_\_\_\_\_

Model: \_\_\_\_\_

Cold Planer Price: \_\_\_\_\_

**ADDENDUM #9  
7011EC08**

**SKID STEER LOADER WITH ATTACHMENTS**

**RESPONSES TO STATE EQUIPMENT QUESTIONS:**

**X4.2.1 I wanted to be clear on the delivery. Is X4.2.1 to be 90 days and X4.2.2 to be 120 days?**

**RESPONSE: That is correct**

**5.1 Where it says Skid Steer Loader with Attachments and has the line for pricing do we put in a price for just the Skid Steer or the Skid Steer with all of the attachments?**

**RESPONSE: One (1) line is for the unit and the second line for unit with one (1) each of all attachments**

**If I make no on a non-mandatory specification do I have to enclose a Bid Exception?**

**RESPONSE: Yes**

**Section 9.4.11 is asking for pricing on 2 different Forked Scrap Grapple Buckets. The section where we fill out the pricing has only one. Please advise.**

**RESPONSE:**

**X9.4.11 Does the BUCKET – FORKED SCRAP GRAPPLE you are providing meet or exceed specifications?   X   YES        NO**

**Manufacturer:   FFC**

	<b>MODEL: 10067-0022</b>	<b>MODEL: 10073-0022</b>
<b>Bucket-Forked Scrap Grapple</b>	<b>\$ 3,071.00</b>	<b>\$ 3,216.00</b>
<b>TOTAL PRICE:</b>	<b>\$ <u>3,071.00</u></b>	<b>\$ <u>3,216.00</u></b>

**1. 9.4.2 Says: Bucket with 12 inch bucket. Assuming Backhoe with 12 inch bucket.**

**RESPONSE: This is in the compliance response: yes it means backhoe.**

2. 9.4.26 Do you want both the manual angle and hydraulic angle models figured in the total price.

**RESPONSE: Yes**

3. 9.4.29 In the pricing section you are requesting prices on both smooth drum and padded foot drum rollers. In the spec. section it does not list anything regarding padded foot rollers.

**RESPONSE: The attachments are not individually discussed in the body of the section see 9.4**

4. Clarification on delivery time on completed representative unit and balance of completed units.

**RESPONSE: See previous response**





**The Case Warranty**

The Case Warranty is a limited warranty that is provided to the initial retail purchaser in return for consideration paid as part of the purchase price of the product. The selling dealer must review the warranty coverage with the initial retail purchaser and obtain signature on the reverse side of this document.

**New Limited Warranty**

The warranty described here is from CNH America LLC and in Canada, CNH Canada Ltd., both of which are referred to in this brochure as "Case". This warranty is for Case products sold and registered in the United States or Canada and normally operated in the United States or Canada. This warranty does NOT apply to any product normally operated outside of the United States and/or Canada, or to any unit purchased outside of the US or Canada and imported in for any reason other than a customer relocation/personal move.

**Warranty Period**

For the products listed below, the Warranty Period for all coverage begins at the time that any person, dealer or agent first places the unit into service. At the latest, a unit is considered to be placed into service when purchased or delivered to a initial retail purchaser. Certain demonstrator, rental, lease, and other used units may be eligible for a portion of a new unit warranty. The availability of the remaining portion of a new unit warranty does not mean that a unit is new or unused. The Warranty Period ends when either the month or machine hour limit is reached, whichever limit occurs first.

PRODUCT	WARRANTY COVERAGE
SKID STEER / COMPACT TRACK LOADERS Case Engines	12 Months / Unlimited Hours 24 Months / 2000 Hours
CRAWLER DOZERS Case Engines Cummins Engine (1650K / 1850K) <sup>1</sup>	12 Months / Unlimited Hours 24 Months / 2000 Hours 24 Months / 2000 Hours
LOADER BACKHOES – L and M SERIES Case Engines, Torque Converter, Transmission, Drive Shafts, & Drive Axles Backhoe Main Boom, Standard Dipper Arm, Inner Dipper of the Extendahoe, and Swing Tower Castings	12 Months / Unlimited Hours 24 Months / 2000 Hours 60 Months / Unlimited Hours
LOADER BACKHOES – N SERIES Case Engines, Torque Converter, Transmission, Drive Shafts, & Drive Axles	12 Months / Unlimited Hours 24 Months / 2000 Hours
TRACTOR LOADERS / FORKLIFTS Case Engines, Torque Converter, Transmission, Drive Shafts, & Drive Axles	12 Months / Unlimited Hours 24 Months / 2000 Hours
WHEEL LOADERS Case Engines Cummins Engine In 921 and 1221 Wheel Loader <sup>1</sup>	12 Months / Unlimited Hours 24 Months / 2000 Hours 24 Months / 2000 Hours
COMPACT WHEEL LOADERS Deutz Engines <sup>1</sup>	12 Months / Unlimited Hours 24 Months / 2000 Hours
ARTICULATED TRUCKS Case Engine Cummins Engine <sup>1</sup>	12 Months / Unlimited Hours 24 Months / 2000 Hours 24 Months / 2000 Hours
COMPACTION EQUIPMENT - SINGLE OR DOUBLE DRUM Cummins or Deutz Engines <sup>1</sup>	12 Months / Unlimited Hours 24 Months / 2000 Hours
MOTOR GRADERS Cummins Engine <sup>1</sup>	12 Months / Unlimited Hours 24 Months / 2000 Hours
EXCAVATORS <sup>2</sup> Case or Isuzu Engine	12 Months / 1800 Hours 24 Months / 2000 Hours
COMPACT EXCAVATORS Yanmar Engines	12 Months / 1000 Hours 12 Months / 1000 Hours
TELESCOPIC HANDLERS Case Engines, Torque Converter, Transmission, Drive Shafts, and Drive Axles	12 Months / Unlimited Hours 24 Months / 2000 Hours
SEVERE APPLICATIONS	6 Months / 1000 Hours

- 1) Coverage and terms provided by Cummins or Deutz dealer.
- 2) Warranty does not cover any configuration excavator equipped with feller buncher/accumulator attachments

Definition of Severe Application:

- 1) Severe duty applications include equipment used in Forestry, Demolition, Scrap & Waste Recycling, Mining and Landfills.
- 2) Misrepresenting the application in which the product will be used on the Warranty Registration, will void Base Warranty.

**Operator's Manual / Warranty Receipt Verification**

The correct operator's manual has been reviewed with me by the selling dealer and will be given to me upon delivery of the product.

YES  / NO

The correct operator's manual has been given to me. YES  / NO

The selling dealer explained safety precautions to me. YES  / NO

The selling dealer explained the warranty terms and coverage to me. YES  / NO

The answers checked above are correct. I acknowledge that I have read and I accept this warranty policy statement.

Model	Product identification number
-------	-------------------------------

## What's Covered

If a defect in material or workmanship is found in a unit and reported during the Warranty Period, Case will pay parts and labor costs to repair the defect if the services are performed by an authorized Case dealer at the dealer's location. If parts are needed during the repair, Case will, at its option, use genuine Case new or remanufactured parts. Case replacement parts that are used in a warranty repair are warranted until the end of the machine warranty or to the end of the Case Replacement Parts Warranty, whichever is longer.

CASE PROVIDES NO WARRANTY, EXPRESS OR IMPLIED, FOR A COMPONENT OR OTHER ITEM THAT IS SEPARATELY WARRANTED TO THE PURCHASER BY ITS MANUFACTURER, SUCH AS TIRES, BATTERIES AND FUEL INJECTION COMPONENTS. CHECK WITH YOUR DEALER FOR DETAILS.

## No Modification or Extension of Warranty

The Case Warranty is limited to the written terms in this document. Case does not authorize any person, dealer or agent to change or extend the terms of this warranty in any manner. Any assistance to the purchaser in the repair or operation of any Case product outside the terms or limitations or exclusions of this warranty will not constitute a waiver of the terms, limitations or exclusions of this warranty, nor will such assistance extend or re-establish the warranty.

### EXCLUSIVE REMEDY

**THE REMEDY OF REPAIRING A DEFECT IN MATERIALS OR WORKMANSHIP AT A CASE DEALERSHIP UNDER THE TERMS OF THIS WARRANTY IS THE PURCHASER'S EXCLUSIVE REMEDY AND IS IN LIEU OF ANY OTHER REMEDY OTHERWISE AVAILABLE.**

## This Warranty Is Void If

The unit's hour meter is changed or altered, unless a Case dealer, at the direction of Case, changed the meter. If the unit is used in an application for which it is not designed or the unit has been scrapped, salvaged, stolen, junked or totaled.

## Limitations and Exclusions

The Case Warranty gives you specific legal rights and you may also have other rights, which vary, from state to state.

**THIS DOCUMENT CONTAINS THE ENTIRE CASE WARRANTY. CASE MAKES NO OTHER REPRESENTATIONS OR WARRANTIES, EXPRESSED OR IMPLIED, AND SPECIFICALLY EXCLUDES THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE.\* CASE WILL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM A BREACH OF THE WRITTEN WARRANTY OR ANY IMPLIED WARRANTY IMPOSED BY LAW.\***

\* These limitations and exclusions may not be allowed by some states or provinces, and they shall not apply to the extent such limitations or exclusions are not allowed by applicable state/provincial law.

## Owner's Responsibility

The Case Warranty remains in effect during the Warranty Period if the owner performs the required maintenance at the recommended intervals outlined in the product's operator's manual and the unit is operated within its rated capacity. Genuine Case service parts or Case approved service parts that meet Case specifications must be used for maintenance and repairs.

## What's Not Covered

- Cost associated with performing pre-delivery or scheduled inspection service.
- Repairs arising from storage deterioration, failure to maintain the equipment, negligence, alteration, improper use of the equipment, collision or other accident, vandalism, or other casualty, or operation beyond rated capacity or specification.
- Repairs arising from abuse or neglect, including but not limited to: operation without adequate coolant or lubricants, adjustments to the fuel system outside equipment specifications, over-speeding, improper storage, starting, warm-up, or shutdown practices, incorrect fuel or contaminated fuel, oil or other fluids.
- Normal maintenance services, such as engine tune-ups, engine fuel system cleaning, checks, adjustments, shimming, etc.
- Replacement of non-defective wear items expected to be replaced during the warranty period, including but not limited to: light bulbs, spark plugs, ignition points, brake or clutch linings, slip clutches, belts, chains, knives, bucket cutting edges and teeth, crawler track pads and track components, crop processing and cutting components, external drive sprockets and chains, soil engaging tools and accessories.
- Items replaced due to customer demand.
- Labor charges performed by anyone except a dealer authorized by contract to repair the equipment, unless they qualify under special provisions (i.e. outside labor).
- Any and all travel costs for items such as towing, service calls, or transporting a unit to and from the place where the warranty service is performed, unless specifically covered by a campaign or program.
- Claims involving loss or damage during shipment or handling, including units subsequently sold as a "salvage" unit.
- "Salvage" or other units sold on an "as is" basis, unless otherwise specified in writing at the time of sale.
- Normal maintenance costs, including but not limited to: lubricants, coolants, fluids, fuel, filters, and associated labor. Lubricants, filters, and coolants may qualify for warranty reimbursement if they require replacement as a DIRECT RESULT of a defect in material or workmanship.
- Claims involving the inspection or reconditioning of units after storage or prior use.
- Components or items that are separately warranted directly by the manufacturer including but are not limited to: tires, tracks, engines, transmissions, batteries, fuel injection pumps, fuel injectors, etc.
- Shop comebacks: any duplicate, repeat, or comeback repair resulting from improper diagnosis, testing, or service work. This also includes repairs arising from service performed by agents not approved by Case.
- Repairs arising from any unauthorized modification to the product or the use of non-Case parts, implements or attachments.

## MASTER PARTS SCHEDULE - NEW CONSTRUCTION EQUIPMENT

*This plan excludes protection for any failure to any component caused by or resulting from the failure of a component not listed on the "Master Parts Schedule" including any resulting damage to a "covered component".  
See the Terms and Conditions document for complete plan details*

<b>POWERTRAIN PLUS HYDRAULIC COMPONENTS COVERED</b>	
<b>All components listed in Powertrain, plus:</b>	
Accumulator And Related Relief Valve Brake Accumulator Brake Pressure Sensor Brake Pump, Brake Valve Differential Lock Valve Fan Pumps And Motors Hydraulic Cylinders Hydraulic Hoses and Piping	Hydraulic Motors Hydraulic Oil Coolers Hydraulic Pumps Hydraulic Reservoir Hydraulic Valves Pilot Control Pressure Reducing Valves Unloading Valves
<b>POWERTRAIN PLUS HYDRAULIC EXCLUSIONS</b>	
<i>All Powertrain Exclusions, (except Hydraulic Hoses and Fittings), plus Air and Water Hoses (Including Fittings), External Hydraulic Seals, External O-Rings And Bonded Washers, Hydraulic Quick Couplers, Oil, Filters, Breathers, Hose Chafing, and Adjustments*</i>	
<b>PREMIER COMPONENTS COVERED</b>	
<b>All components listed in Powertrain and Powertrain + Hydraulics, plus:</b>	
<b>ENGINE</b> Engine Mounts And Supports Filter Mount Fuel Lines Fuel Tank Fuel Transfer Pump & Gasket Oil Filler Tube Oil Lines Pulleys Radiator Water Piping Fan And Fan Drive Air Intake Hose <b>Engine Components Covered after Emission Warranty</b> Catalytic Converter Diesel Particulate Filter Selective Catalytic Reduction System Diesel Exhaust Fluid Tank and Dispensing System Cold Start Enrichment Systems Sensors, Solenoids & Wiring Harnesses used in these systems  <b>FACTORY INSTALLED HEAT AND AIR CONDITIONING</b> Accumulator Clutch Compressor Condenser Dryer Evaporator Expansion Valve Heater Core Hoses Pulley Seals & Gaskets Temperature Control Programmers and Valves	<b>TRANSMISSION / AXLES / HYDROSTATICS</b> Control Rods External Oil Lines Filler Tubes (Transmission) Pneumatic Valves Undercarriage Roller And Idler Seals And Bearings Undercarriage Tensioners <b>UNDERCARRIAGE EXCLUSIONS:</b> <i>.....Sprocket, Tracks, Pads, Bolts, Chains, Or Any Failure Due To Wear, Or Breakage Caused By Wear</i>  <b>ELECTRICAL</b> Alternator Gauges Horn Indicators Instruments Electronic Joysticks Electric Motors Sensors Solenoid Valves Starter And Starter Solenoid Switches Traction Control System Voltage Regulator Wiring Harnesses <b>Wiring Harnesses Exclusions</b> <i>.....Rubbing, Chafing, Loose Or Corroded Connections</i>  <b>STRUCTURAL</b> Backhoe Booms Backhoe/Excavator Dipper Sticks Excavator Booms Wheel Loader/Skid steer Loader Arms
<b>PREMIER EXCLUSIONS</b>	
<i>Filters, Belts, Lubricants, Antifreeze, Burnt And/Or Pitted Valves, Breathers, Batteries, Electrical Components Not Listed Above, External Hydraulic Seals, Dry Clutches, External O-Rings And External Bonded Washers, Hydraulic Quick Couplers, Hose Chafing, and Adjustments*</i>	

Revised 2.1.2011

*This literature is descriptive only. The precise protection afforded is subject to the terms, conditions and exclusions of the contract as issued. Program participation is subject to customer credit qualification and/or other underwriting requirements. Programs may be changed or cancelled without notice. Capitalized terms used in this literature, unless defined herein, have the meanings assigned to them in the contract as issued.*

## MASTER PARTS SCHEDULE - NEW CONSTRUCTION EQUIPMENT

*This plan excludes protection for any failure to any component caused by or resulting from the failure of a component not listed on the "Master Parts Schedule" including any resulting damage to a "covered component".  
See the Terms and Conditions document for complete plan details*

### STRUCTURAL COMPONENTS COVERED

**This is a stand alone coverage and must be purchased separately**

Backhoe Booms

C Frame

Car Body

Chassis

Circle Frame

Dipper Stick

Engine Frame

Equipment Frame

Excavator Booms

Forklift Masts

Loader Arms

Main Frame

Moldboard Lift Arm

Rollover Protection Structure (Ropes)

Swing Frame

Track Frame

#### STRUCTURAL EXCLUSIONS

*Pivot Pins, Forks, Carriages, Swingpost, Pivot Pin Bushings, Loader/Backhoe Links, 3-Point Hitch Linkage, Extending Dipper Wear Strips, Deterioration Due To Use Of Non Factory Approved Attachments, Front Shovels/Buckets, Backhoe Buckets, Including Teeth/Side-Cutters, Wear Pads, Hose Routing Guides.\**

### BACKHOE STRUCTURAL COMPONENTS COVERED

**This is a stand alone coverage and must be purchased separately**

Backhoe Main Boom

Standard Dipper Arms

Inner and Outer Dipper Arms of the Extendable Boom

Swing Tower Castings

Revised 2.1.2011

*This literature is descriptive only. The precise protection afforded is subject to the terms, conditions and exclusions of the contract as issued. Program participation is subject to customer credit qualification and/or other underwriting requirements. Programs may be changed or cancelled without notice. Capitalized terms used in this literature, unless defined herein, have the meanings assigned to them in the contract as issued.*

## Master Parts Schedule- New Construction Equipment

(see exclusions in PPP Policy Document)

Powertrain Only	Powertrain Plus Electronics	Powertrain Plus Hydraulics	Premier
<p>The Powertrain Only coverage provides for the following engine and driveline Components. Any Component not listed below is not covered under the Powertrain Only Coverage.</p> <p><u>Engine</u> All internal, lubricated parts that are captured between the valve cover and oil pan, cylinder block and head, front cover and flywheel housing, turbocharger and water pump.</p> <p><u>Drive Line</u> Drive (flex) plates/flywheel Drive axle assembly Drive couplings Drive shafts Final drive/planetary Hydraulic Drive Motor (on Hydrostatically Driven units only, including Excavators) Hydraulic Drive Pump (on Hydrostatically driven units Only, including Excavators) Hydraulic Pump (when used as a Swing Reducer) Transmission Torque converter Track Steering Brakes Transfer Gear Group Transmission Charge Pump Transmission/Transmission Control Valve Turntable Bearing/ Swing Gear/ Hydraulic Swivel Electronic Engine Controls Injection Pumps Wet Brakes/Wet clutch MFWD Assemblies Sealed Universal Joints CV Joints</p> <p><u>Compaction Equipment</u> Propulsion System Hydraulic Components Torque Hubs Pump Drive Splitter Box Reduction Unit Vibration System Hydraulic Components Eccentric Mechanism &amp; Bearings</p>	<p>Powertrain Plus Electronics includes Powertrain Only Components along with the following Major Components systems:</p> <p><u>Drive Train Electronic Controls</u> Traction Control System Electronic Control Module Wheel Speed Sensor Brake Proportional Solenoid Valve On / Off Pilot Solenoid Valve Articulation Angle Position Sensor Brake Pressure Reducing Valve Drive Train Electronic Control Module Brake Position Sensor</p> <p><u>Implement Electronic Controls</u> Implement Electronic Control Module Frame Level Control Linkage Position Sensor Control Lever Position Sensor</p> <p><u>Exclusions:</u> Wiring Harnesses, Instruments Gauges Resistors Indicators Light Bulbs Circuit Breakers Fuses Switches Motors Electric Joysticks Batteries</p>	<p>Powertrain Plus Hydraulics includes the Powertrain Only components along with the following Major Component systems:</p> <p><u>Hydraulics</u> Main Hydraulic Pump Steering pump Main control valves Hydraulic lift cylinders Hydraulic lift/dump cylinders Hydraulic steering cylinders Hydraulic boom cylinders Hydraulic stick cylinders Hydraulic bucket cylinders</p> <p>Hoses, excluding external packing, seals, o-rings and bonded washers, quick connects.</p> <p>O-ring failures in hoses, not related to loose fittings or worn out seals, are covered.</p>	<p>Premier includes the Powertrain Only, Powertrain Plus Electronics, and Powertrain Plus Hydraulics, along with the following Major Component systems:</p> <p><u>Fuel system</u> Fuel Transfer/ lift pumps, Injection pumps and lines that do not fall into the Emissions Warranty guidelines.</p> <p><u>Electrical</u> Wiring harnesses Sensors Instruments Gauges Indicators Circuit Breakers Relays Switches Motors Joysticks</p> <p><u>Hydraulics</u> Steering Hydraulic Components</p> <p><u>Chassis/ Frame/Cab</u> Weldment failures A/C system (excludes Dryer Failures) Exhaust system: includes manifolds and muffler Internal door latch mechanisms/ Weldment failures Cooling System: Radiator and cooler failures not related to corrosion, decay, or deterioration</p> <p><u>Exclusions:</u> Comfort Items listed in policy document</p>

**\*Note: Emissions and Parts Warranty related failures should be filed back to the manufacturer, and NOT through PPP; in accordance with the manufacturer's operating guidelines and conditions**

**\*\*Note: Field Campaigns/factory directed repairs should NOT be filed through the PPP. Please direct to the Manufacturer.**


## MASTER PARTS SCHEDULE - NEW CONSTRUCTION EQUIPMENT

*This plan excludes protection for any failure to any component caused by or resulting from the failure of a component not listed on the "Master Parts Schedule" including any resulting damage to a "covered component".  
See the Terms and Conditions document for complete plan details*

<b>POWERTRAIN COMPONENTS COVERED</b>	
<p><b>ENGINE and all internal lubricated components within</b></p> <p>Accessory Gears Camshaft Camshaft Bearings Camshaft Drive Gear Connecting Rods &amp; Bearings Crankshaft Bearings &amp; Gear Crankshaft Including Front And Rear Crankshaft Seals Cylinder Heads/ Head Gaskets Cylinder Liners Engine Block Engine Oil Cooler Engine Speed Controls, Linkages, and Cables Flywheel, Ring Gear Front And Rear Engine Covers And Seals Front Damper Oil Pan And Gasket Oil Pump Pistons &amp; Rings Pressure/Temperature Sensors &amp; Sending Units Rocker Arm Assembly Thermostats Timing Gears Valve Cover And Gasket Water Pumps</p> <p><b>Engine Components Covered after Emission Warranty</b></p> <p>Charge Air Cooler Electronic Engine Control Module EGR System Manifold Injection Pump Injectors Intake and Exhaust Manifold And Gaskets Turbocharger And Gasket</p> <p><b>COMPACTION/PAVING EQUIPMENT</b></p> <p>Eccentric Mechanism &amp; Bearings Drum Seals Propulsion System Hydraulic Components Pump Drive Reduction Unit Splitter Box Torque Hubs Vibration System Hydraulic Components</p>	<p><b>TRANSMISSIONS/AXLES/HYDROSTATICS</b></p> <p>Axle Housing Axle Shaft Clutch Discs (Wet Only) Clutch Plates (Wet Only) Counter Shaft Clutch Differential Housing Differential Pinion Gear / Ring Gear Drive Axle Hub Drive Shaft with Universal Joints Drive Shaft Support Bearing Electronic Transmission Controller and Valve Enclosed Oil Immersed Chains and Sprockets Final Drive Pinion Final Drive Planetary Gears Front Wheel Drive Sensors Hydraulic Drive / Travel Motor Hydraulic Drive Pump Hydraulic Transmission-Control Valve Hydrostatic/Hydraulic Pump Drives Hydrostatic Motor Hydrostatic Transmission Charge Pump Hydrostatic Transmission Pump Internal Lubricated Clutch Housings Internal Transmission Control Linkage Internal Wet Service Brakes MFWD Axle/Differential Assembly including Driveshaft and U Joint Planetary Gear Carrier IPTO Clutch Housing (Scraper Tractors Only) Rotary Hydraulic Manifold Splitter Drive/Drop Box Swing Motor And Swing Gear Box Turntable Bearing Torque Converter Torque Converter Pump Transfer Drive Transmission Case Transmission Gears, Bearings, &amp; Shafts Transmission Pump Travel Control Valve Travel &amp; Swing Sections (only) Of Main Control Valve Wet Steering Clutches</p>
<b>POWERTRAIN EXCLUSIONS</b>	
<i>Engine/Transmission Mounts, Hoses And Fittings, Filters, Belts, Pulleys, Lubricants, Antifreeze, Burnt And/Or Pitted Valves, Radiator, Wiring Harnesses, Breathers, Adjustments, Dry Clutches, Batteries, Electrical Components Not Listed Above, Pipes, And Gauges*</i>	

Revised 2.1.2011

*This literature is descriptive only. The precise protection afforded is subject to the terms, conditions and exclusions of the contract as issued. Program participation is subject to customer credit qualification and/or other underwriting requirements. Programs may be changed or cancelled without notice. Capitalized terms used in this literature, unless defined herein, have the meanings assigned to them in the contract as issued.*



# STATE EQUIPMENT, INC.

PO BOX 3939  
CHARLESTON WV 25339

PHONE: 304-776-4405  
FAX: 304-776-4409  
INFO@STATEEQUIPMENT.COM  
WWW.STATEEQUIPMENT.COM

---

X8.10.0 describe manufacturers recommended paint preparation and color? ASTM-B117 spec. There are actually two ASTM-B117 test. One being the 500 hour salt spray testing on plant steel and the other being 700 hours salt spray on AST steel and the answer would be yes we do meet both of these requirements.

CNH standard procedure is to steel shot blast, followed by a pretreatment. Our process includes the following: (Cleaner, rinse, deox (phosphoric acid pickle), neutralizer rinse, rinse, sealer, rinse (R.O), rinse (R.O)), Directly after the Pretreatment, the steel goes through a “dry off oven” and follows with a “cool down tunnel”. Shortly after a primer and a thermal set acrylic top coat are applied. Lastly, the steel goes through a curing process in our oven that runs around 275 degrees F.

10.0 2011 CASE SR220 MEETS OR EXCEEDS THE OCCUPATIONAL SAFETY AND HEALTH CARE ACT OF 1970 AND SUBSEQUENT CHANGES.

STATE OF WEST VIRGINIA  
Purchasing Division

**PURCHASING AFFIDAVIT**

**West Virginia Code §5A-3-10a states:** No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

**DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

**EXCEPTION:** The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code §61-5-3*), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

**WITNESS THE FOLLOWING SIGNATURE**

Vendor's Name: STATE EQUIPMENT, INC.

Authorized Signature: *[Signature]* Date: 3/22/11

State of West Virginia


County of Kanawha, to-wit:

Taken, subscribed, and sworn to before me this 22<sup>nd</sup> day of MARCH, 2011.

My Commission expires March 27, 2011.

AFFIX SEAL HERE

NOTARY PUBLIC *Marie Eiler*





# VENDOR PREFERENCE CERTIFICATE

Certification and application\* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

- 1. **Application is made for 2.5% resident vendor preference for the reason checked:**  
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or**,  
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or** 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or**,  
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; **or**,
- 2. **Application is made for 2.5% resident vendor preference for the reason checked:**  
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or**,
- 3. **Application is made for 2.5% resident vendor preference for the reason checked:**  
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or**,
- 4. **Application is made for 5% resident vendor preference for the reason checked:**  
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; **or**,
- 5. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**  
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; **or**,
- 6. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**  
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

**Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.**

Bidder: STATE EQUIPMENT, INC.

Signed: 

Date: 3/22/11

Title: GENERAL MANAGER

\*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.