

VENDOR

\*709033433

PO BOX 7178

ROANOKE VA

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

VIRGINIA TRUCK CENTER INC

24019

703-366-8823

# Request for

RFQ NUMBER DNR211179 1

ADDRESS CORRESPONDENCE TO ATTENTION OF

FRANK WHITTAKER 304-558-2316

DIVISION OF NATURAL RESOURCES (IN CARE OF) SURPLUS PROPERTY 2700 CHARLES AVENUE

DUNBAR, WV 25064

766-2626

DATE P	RINTED	TEA	MS OF SAL	E	SHIP VIA	00000000	F.O.B.	FREIGHTTERMS
2011 CONTROL OF THE PROPERTY O	)/2011					000000000000000000000000000000000000000		
BID OPENING DA		06/01/2	2011			TD O	PENING TIME	01:30PM
LINE		NTITY	UOP	CAT. NO	ITEM NUMBER		UNIT PRICE	AMOUNT
001	TRUCKS	I 1 , DIESE	s L	(	70-54			
	THE WESSOLICITED FOR THE TEST	ST VIRG FING BI E ATTAC CHNICAI WHITTAP NK.M.WH NE FOR	INIA DS FO HED S QUES ER IN ITTAR ALL T	DIVIS PECIFICATIONS THE ER@WV	ION OF NATUR (2) 2011 38 ICATIONS. MUST BE SUE WV PURCHASIN GOV OR VIA CAL QUESTIONS WI	AL R ,000 MITT G DI FAX S IS	FOR THE AGENCY ESOURCES IS GVWR TRUCKS  ED IN WRITING VISION VIA EMA AT 304-558-411 05/19/2011 AT E ADDRESSED BY	TO IL 5.
	FOR BAI CONTRAC WITHOUT A SIGNI	NKRUPTO CT NULI T FURTH ED BID EPARTME	Y PRO AND ER OF MUST	VOID OF THE COURT	ON, THE STAT AND TERMINA ICE JBMITTED TO: INISTRATION	E MA	UCH CONTRACT 2011	NECEIVED MAY 31 AM 9: 32
	B1 20		15 HINGT	ON ST	REET, EAST 305-0130 VERSE SIDE FOR TERMS	AND CON		
SIGNATURE					TELEPI	IONE	D	ATE
TITLE		F	ΞIN				ADDRESS CHAN	IGES TO BE NOTED ABOVE

# Virginia Truck Center

Route 11 South, P.O. Box 96, Weyers Cave, Virginia 24486-0096 (540) 234-0999

May 25, 2011

Mr. Frank Whittaker

Please find enclosed the bid for the (2) 2012 Freightliners M2 Business Class.

Although we are not in the state of West Virginia we are only an hour away from Franklin. I feel we can provide exceptional service and parts delivery to your area. If you have any questions about the bid please feel free to contact me.

We look forward to doing business with you.

Sincerely,

Dan Smith

Sales Representative











VENDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

# Request for Quotation

DNR211179

PAGE 2

ADDRESS CORRESPONDENCE TO ATTENTION OF

FRANK WHITTAKER 304-558-2316

\*709033433 703-366-8823 VIRGINIA TRUCK CENTER INC PO BOX 7178

ROANOKE VA 24019

DIVISION OF NATURAL RESOURCES
(IN CARE OF)
SURPLUS PROPERTY
2700 CHARLES AVENUE
DUNBAR, WV
25064
766-2626

DATE PRIN	TED	TE	RMS OF SAL	Ē	SHIP	VIA	F.O.	B	FREIGHT TERMS
04/29/									
BID OPENING DATE	:	06/01/	2011			BID	OPENING T	TIME 01	:30PM
LINE	QUAN	ITITY	UOP	CAT. NO.	ITEM:NU	MBER	UNITI	PRICE	AMOUNT
		VELOPE			THIS INF D MAY NOT 44			FACE OF	
	RFQ. N	0.:			DNR2	11179			
	BID OP	ENING	DATE:	:	06/0	1/2011			
	BID OP	ENING	TIME:	:	1:30	PM			
					UMBER IN NG YOUR B		IS NECES	SSARY	
	CONTAC	r pers	ON (P:	LEASE	PRINT CL	EARLY):			
	*****	THIS	IS T	:	D OF RFQ			* TOTAL:	
SIGNATURE				ore at	VERSE SIDE FOR	TELEPHONE	MUNIONS	DATE	
								DATE	
TITLE		F	EIN				ADDF	RESS CHANGES	TO BE NOTED ABOVE

#### Truck

## 2011 Freightliner M2 106 or equal

## Truck must meet the following specifications:

- New conventional cab truck with a minimum GVWR of 38,000 pounds
- Wheel base: 170 inches
- Minimum 80,000psi yield strength steel frame, reinforcement of 50/80,000 frame
- Engine: Turbo charged diesel with a minimum of 300 horsepower and a minimum 860 ft lb. of torque. Also must have an engine compression brake (not exhaust)
- Transmission: Eaton Fuller 10-speed manual with provisions for power takeoff or equal. Control pad to be dash mounted.
- Front Axle: Minimum 12,000 pound capacity with a minimum of 12,000 pound capacity leaf springs and heavy duty shocks.
- Rear Axle: Minimum 26,000 pound capacity (Dana or equal), driver operated locking differential. Gear ratio should be so that the maximum speed is 75 miles per hour. Axle to be single speed.
- Brakes: Air, cam type anti-lock drum brakes with air compressor that has a minimum rating of 13
   CFM. Must also have air dryer and moisture ejector systems. Dust shields on rear brakes.
   Automatic slack adjusters on front and rear brakes. Automatic limiting valves on front brakes.
- Batteries: Dual 12 volt with a minimum 1,850 CCA
- Alternator: 12 volt with a minimum of 160 amp output
- Wheels: Steel, 22.5 x 8.25 front and rear
- Tires: Front: Minimum 12R22.5 G (14 ply) radial tubeless highway tread

# Rear: Minimum 12R22.5 G (14 ply) radial tubeless mud and snow tread Spare same as front

- Vehicle to have the following equipment:
  - o Reverse warning beeper
  - o Front tow hooks (2)
  - Single horizontal exhaust system
  - o Circuit breakers
  - Engine block heater
  - Fuel Capacity Minimum of 80 gallon and maximum 100 gallon
  - Fuel tank(s) must be mounted under cab
  - o Cruise control
  - Dual minimum 6" x 15" (maximum 8" X 17") heated exterior side mirrors
  - Cloth material high back air suspension drivers and passenger seats
  - RH/LH minimum 8" spot mirrors (mounted under primary mirrors)
  - Integral air conditioning
  - Auxiliary driving/fog lights to be mounted in or on the bumper
  - Cab assist entry handles (both sides)

- Full width steel bumper
- Auxiliary 12 volt plug mounted on dash

#### Color:

- Cab Dark forest green metallic or equal
- o Bed Black

#### **Bed Specs:**

- Steel platform type with a minimum 15-ton single cylinder hydraulic scissor hoist.
- Air shift PTO control to be mounted on dash of cab.
- Hoist pump control lever cable type not acceptable, to be mounted in an easily accessible location to the outside rear of cab on driver's side.
- Platform is to be 13 feet long by 8 feet wide, constructed of 3/16 smooth steel to be welded to bed sills. Cross members shall extend to and be welded to side rails except where cross member may interfere with wheel clearance. Bed cross members to be 4" x 1/5", 11 gauge steel channel on 12 inch centers and welded to bed sills. Front and rear cross members and every one in between to be braced to bed sill with 1/4" steel plates, triangular in shape with 6" edges. One edge of plate to be welded to sill and the other edge welded to underside of cross member to extend 6" toward outside of bed.
- Side rails and ends to be 6" high and to be 12 gauge metal. Bed sills to be 7" construction channel, sufficient height to allow enough clearance for the use of tire chains on a fully loaded truck.
- Bed to be mounted 8" from rear of cab. Bed to have clearance and marker lights and mud flaps that comply with WV state law.

Note: Manufacturer's standard warranty and service policy to be included and shall be honored by all the manufacturer's authorized dealers.

# West Virginia Division of Natural Resources Wildlife Resources Section DNR211179

# **Pricing Sheet**

Item	Quantity	Description	Unit Price	Total Amount
1	2	2011 Freightliner M2 106 or equal, trucks		
			\$77,039.00	\$154,078.0

# West Virginia Division of Natural Resources Wildlife Resources Section DNR211179

# Manufacturer's List

Item	Description	Manufacturer	Model No.
1	2011 Freightliner M2 106 or equal,		
	trucks	Freightliner	M2 106


Prepared by:
Dan Smith
V.T.C. FREIGHTLINER
3243 LEE HIGHWAY
WEYERS CAVE, VA 244860096
Phone: 540-234-0999

A proposal for State of West Virginia

Prepared by
V.T.C. FREIGHTLINER
Dan Smith

May 25, 2011

## **M2 106 CONVENTIONAL CHASSIS**



Components shown may not reflect all spec'd options and are not to scale



Prepared by:
Dan Smith
V.T.C. FREIGHTLINER
3243 LEE HIGHWAY
WEYERS CAVE, VA 244860096
Phone: 540-234-0999

# SPECIFICATION PROPOSAL

	Data Code	Description	Weight Front	Weight Rear	Retail Price
Price L	evel				
	PRL-01M	M2 PRL-01M (EFF:03/01/11)			STD
Data V	ersion				
Elimitaministica	DRL-011	SPECPRO21 DATA RELEASE VER 011			N/C
Vehicle	e Configurati	on			
Edition Line ( )	001-172	M2 106 CONVENTIONAL CHASSIS	5,205	3,055	\$73,328.00
	004-212	2012 MODEL YEAR SPECIFIED			STD
	002-004	SET BACK AXLE - TRUCK			STD
	019-002	STRAIGHT TRUCK PROVISION			STD
	003-001	LH PRIMARY STEERING LOCATION			STD
Genera	ıl Service				
######################################	AA1-002	TRUCK CONFIGURATION		original Ministration of the Library	STD
	AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			STD
	A85-002	PICKUP AND DELIVERY/SHORT HAUL SERVICE			STD
	A84-1GM	GOVERNMENT BUSINESS SEGMENT			N/C
	AA4-011	FIXED LOAD COMMODITY			N/C
	AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
	AB1-008	MAXIMUM 8% EXPECTED GRADE			STD
	AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			STD
	995-091	MEDIUM TRUCK WARRANTY			STD
	A66-99D	EXPECTED FRONT AXLE(\$) LOAD: 12000.0 lbs			
	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 26000.0 lbs			
	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY: 38000.0 lbs			
	GVWR	RATED MAXIMUM VEHICLE CAPACITY - GVWR : 38000.0 lbs			N/C
Truck S	Service				



Data Code	Description	Weight Front	Weight Rear	Retail Price
AA3-005	FLATBED/PLATFORM/STAKE BODY			N/C
A88-99D	EXPECTED TRUCK BODY LENGTH: 13.0 ft			
AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES: 32.0 in			
Engine				
101-13N	CUM ISC-300 300 HP @ 2000 RPM, 2200 GOV, 860 LB/FT @ 1300 RPM	510	-10	\$11,858.00
Electronic Paramet	ers			
79A-075	75 MPH ROAD SPEED LIMIT			STD
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			N/C
79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM			N/C
79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE ONLY ENABLED			N/C
79N-001	PTO MODE CLUTCH OVERRIDE - CLUTCH ENABLED			N/C
79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM			N/C
79Q-003	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM			N/C
79\$-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			N/C
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			N/C
80G-001	PTO MINIMUM RPM - 600			N/C
80J-002	REGEN INHIBITIT SPEED THRESHOLD - 5 MPH			N/C
80L-998	NO REGEN SYSTEM TAILORING			N/C
80N-998	NO REDUCED ENGINE SPEED ON VSS FAILURE			N/C
<b>Engine Equipment</b>				
99C-010	2010 EPA/CARB EMISSION CERTIFICATION	ACTION OF THE PROPERTY OF THE	And Andrew Str. C. And Street and Andrews of	STD
99D-010	NO 2008 CARB EMISSION CERTIFICATION			STD
105-001	ENGINE MOUNTED OIL CHECK AND FILL			STD
104-998	NO ENGINE OIL DRAIN/SAMPLE			STD
133-004	ONE PIECE VALVE COVER			STD
014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER			STD
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			STD
292-1D8	(2) ALLIANCE MODEL 1131, GROUP 31, 12 VOLT MAINTENANCE FREE 1850 CCA THREADED STUD BATTERIES			STD
290-017	BATTERY BOX FRAME MOUNTED			STD



Data Code	Description	Weight Front	Weight Rear	Retail Price
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB			STD
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			STD
289-001	NON-POLISHED BATTERY BOX COVER			ŞTD
180-049	EATON FULLER 14 INCH DAMPENED CERAMIC CLUTCH, 2 PLATE, STAMPED COVER SOLO (ADJUSTMENT FREE)	45		N/C
183-008	TORQUE LIMITING CLUTCH BRAKE			N/C
181-001	ZERK FITTING AT CLUTCH RELEASE BEARING			N/C
182-002	MECHANICAL CLUTCH CONTROL			N/C
107-032	CUMMINS 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			N/C
108-002	STANDARD AIR COMPRESSOR GOVERNOR			N/C
131-013	AIR COMPRESSOR DISCHARGE LINE			N/C
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			STD
128-032	C-BRAKE BY JACOBS WITH LOW/OFF/HIGH BRAKING DASH SWITCH	45		\$2,652.00
016-1C3	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE			STD
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			STD
239-001	STANDARD EXHAUST SYSTEM LENGTH			STD
237-052	RH STANDARD HORIZONTAL TAILPIPE			STD
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK			STD
273-018	HORTON DRIVEMASTER ON/OFF FAN DRIVE			N/C
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			N/C
110-003	CUMMINS SPIN ON FUEL FILTER			STD
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER			N/C
266-013	1100 SQUARE INCH ALUMINUM RADIATOR	20		N/C
103-004	ANTIFREEZE TO -34F, NOAT EXTENDED LIFE COOLANT			STD
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			STD
270-016	RADIATOR DRAIN VALVE			STD
168-002	LOWER RADIATOR GUARD			STD



	Data Code	Description	Weight Front	Weight Rear	Retail Price
	360-998	NO FRONT ENGINE PTO			ŞTD
	138-011	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4		\$130.00
	140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			N/C
	134-001	ALUMINUM FLYWHEEL HOUSING			STD
	132-004	ELECTRIC GRID AIR INTAKE WARMER			STD
	155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH	10		N/C
Transn	nission				
***************************************	342-407	EATON FULLER FRO-12210C TRANSMISSION	220	70	(\$498.00)
Transn	nission Equi	pment			
ANNUAR MENTAL PROPERTY OF THE	348-998	NO TRANSMISSION ACCESSORIES			STD
	347-001	CAST IRON CLUTCH HOUSING	40	10	N/C
	362-1BU	CUSTOMER INSTALLED CHELSEA 230/231/236 SERIES PTO			N/C
	363-003	PTO MOUNTING, BOTTOM OF MAIN TRANSMISSION			\$26.00
	341-017	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN			N/C
	345-001	PAINTED SHIFT LEVER, SOLID LINKAGE			N/C
	35T-002	ORGANIC SAE 50W TRANSMISSION LUBE			N/C
Front	Axle and Equ	ipment			
	400-1A6	AF-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE	60		\$241.00
	402-049	MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	60		\$227.00
	403-002	NON-ASBESTOS FRONT BRAKE LINING			STD
	419-023	CONMET CAST IRON FRONT BRAKE DRUMS			N/C
	409-021	SKF SCOTSEAL PLUS XL FRONT OIL SEALS			N/C
	408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			STD
	416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			STD
	405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS			N/C
	536-050	TRW THP-60 POWER STEERING	10		N/C
	539-003	POWER STEERING PUMP			STD
	534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			STD



Data Code	Description	Weight Front	Weight Rear	Retail Price
40T-001	ORGANIC SAE 80/90 FRONT AXLE LUBE			STD
ront Suspension				
620-1F0	12,000# TAPERLEAF FRONT SUSPENSION	82		\$69.00
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			STD
410-001	FRONT SHOCK ABSORBERS			STD
ear Axle and Equ	ipment			
420-022	RS-26-185 26,000# T-SERIES SINGLE REAR AXLE		440	\$6,194.00
421-430	4.30 REAR AXLE RATIO			STD
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			STD
386-076	MXL 17N MERITOR EXTENDED LUBE MAIN DRIVELINE WITH FULL ROUND YOKES	85	85	(\$65.00)
452-001	DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE		20	\$702.00
878-018	(1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE			N/C
87B-004	BLINKING LAMP WITH EACH MODE SWITCH, DIFFERENTIAL UNLOCK WITH IGNITION OFF, ACTIVE <5 MPH			N/C
423-010	MERITOR 16.5X7 P CAM REAR BRAKES, DOUBLE ANCHOR, CAST SHOES		50	N/C
433-002	NON-ASBESTOS REAR BRAKE LINING			STD
434-012	BRAKE CAMS AND CHAMBERS ON REAR SIDE OF DRIVE AXLE(S)			N/C
451-025	GUNITE HEAVY WEIGHT CAST IRON REAR BRAKE DRUMS		30	N/C
425-002	REAR BRAKE DUST SHIELDS		5	\$67.00
440-021	SKF SCOTSEAL PLUS XL REAR OIL SEALS			N/C
426-074	HALDEX GOLDSEAL LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS			N/C
428-008	GUNITE AUTOMATIC REAR SLACK ADJUSTERS			\$5.00
41T-001	ORGANIC SAE 80/90 REAR AXLE LUBE			STD
ar Suspension				
622-1DC	26,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD		210	N/C
621-001	SPRING SUSPENSION - NO AXLE SPACERS			STD
431-001	STANDARD U-BOLT PAD			STD
623-005	FORE/AFT CONTROL RODS		All and the second seco	N/C
ake System				



	Data Code	Description	Weight Front	Weight Rear	Retail Price
	018-002	AIR BRAKE PACKAGE	80	140	\$1,162.00
	490-100	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL			N/C
	871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			N/C
	904-001	FIBER BRAID PARKING BRAKE HOSE			N/C
	412-001	STANDARD BRAKE SYSTEM VALVES			N/C
	46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			N/C
	413-006	FRONT AXLE QUICK RELEASE VALVE @ 1 PSI CRACK PRESSURE			\$7.00
	432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			N/C
	480-047	BW AD-IS (DRM) BRAKE LINE AIR DRYER WITH SHIELD, HEATER AND INTEGRAL RESERVOIR	20		\$352.00
	479-014	AIR DRYER RESERVOIR MOUNTED			N/C
	460-001	STEEL AIR BRAKE RESERVOIRS			N/C
	477-011	PETCOCK DRAIN VALVES ON ALL AIR TANK(S)			N/C
Trailer	Connection	S. Carlotte and the second			
N. 100 100 100 100 100 100 100 100 100 10	919-998	NO OPTIONAL CHASSIS AIR SYSTEM PIPING, VALVES, OR AIR UNLOADER SYSTEM			STD
	335-004	UPGRADED CHASSIS MULTIPLEXING UNIT			N/C
	32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT			STD
Wheel	base & Fram	e			
	545-432	4325MM (170 INCH) WHEELBASE			N/C
	546-100	11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI	260	100	\$430.00
	552-030	1600MM (63 INCH) REAR FRAME OVERHANG			STD
	55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH	-10	40	N/C
	AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 104.449 in			
	AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 101.449 in			
	FSS-0LH	FRAME SPACE LH SIDE: 20.65000000000000 in			N/C
	FSS-0RH	FRAME SPACE RH SIDE: 81.710000000000002 in			N/C
	553-001	SQUARE END OF FRAME			STD
	550-001	FRONT CLOSING CROSSMEMBER			STD
	559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			STD
	562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			STD
	572-001	STANDARD REARMOST CROSSMEMBER			STD



Dat	a Code	Description	Weight Front	Weight Rear	Retail Price
565	-001	STANDARD SUSPENSION CROSSMEMBER			STD
Chassis Ec	juipment				
556	-1AN	THREE-PIECE 14 INCH STEEL CENTER BUMPER WITH FLEXIBLE PLASTIC ENDS	ng agustan an Politician dh'an Airdean Mhaille dha dh'ann a' fheil dh'an an chuir airdean an deil	dend de ville die der Verlande d	STD
558	-001	FRONT TOW HOOKS - FRAME MOUNTED	15		\$82.00
574	-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			STD
585	-998	NO MUDFLAP BRACKETS			STD
590	-998	NO REAR MUDFLAPS			STD
586	-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS			STD
607	'-001	CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD			N/C
551	-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			STD
970	-998	NO BODY TYPE			STD
Fuel Tanks					
204	-034	80 GALLON/302 LITER RECTANGULAR ALUMINUM FUEL TANK - LH	40	10	\$267.00
218	-005	RECTANGULAR FUEL TANK(S)			STD
215	5-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			STD
212	2-007	FUEL TANK(S) FORWARD			STD
664	-001	PLAIN STEP FINISH			STD
205	5-001	FUEL TANK CAP(S)			STD
122	2-075	ALLIANCE FUEL FILTER/WATER SEPARATOR	15		N/C
216	-020	EQUIFLO INBOARD FUEL SYSTEM			STD
202	2-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			STD
Tires					
093	8-0VM	GOODYEAR G288 12R22.5 16 PLY RADIAL FRONT TIRES	88	and the second section of the second section of the second section of the second section of the second section	\$846.00
	I-0VM	GOODYEAR G288 12R22.5 16 PLY RADIAL REAR TIRES		128	\$1,692.00
Hubs		a medicopia republika karaktura aras	100		
418	3-045	CONMET PRE-SET BEARING IRON FRONT HUBS			N/C
450	)-045	CONMET PRE-SET BEARING IRON REAR HUBS			N/C
Wheels					



	Data Code	Description	Weight Front	Weight Rear	Retail Price
	502-433	ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS	50		\$310.00
	505-445	ACCURIDE 29300 22.5X9.00 10-HUB PILOT 5- HAND STEEL DISC REAR WHEELS		120	\$648.00
	496-011	FRONT WHEEL MOUNTING NUTS			STD
	497-011	REAR WHEEL MOUNTING NUTS			STD
Cab E	(terior				1.0
	829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB	SERVICE SERVIC	231111112221123122323232323232333333333	STD
	650-008	AIR CAB MOUNTS			\$154.00
	754-998	NO FENDER EXTENSION			STD
	678-001	LH AND RH GRAB HANDLES			\$105.00
	646-009	PAINTED PLASTIC GRILLE			STD
	65X-001	ARGENT SILVER HOOD MOUNTED AIR INTAKE GRILLE			STD
	644-004	FIBERGLASS HOOD			STD
	726-001	SINGLE ELECTRIC HORN			STD
	657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			ŞTD
	575-001	REAR LICENSE PLATE MOUNT END OF FRAME			STD
	312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY			STD
	302-001	(5) AMBER MARKER LIGHTS			STD
	315-036	4 INCH ROUND CLEAR FOG LIGHTS RECESSED IN BUMPER	6		\$107.00
	294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS			STD
	300-015	STANDARD FRONT TURN SIGNAL LAMPS			STD
	744-1BG	DUAL WEST COAST MOLDED-IN COLOR HEATED MIRRORS			\$162.00
	797-001	DOOR MOUNTED MIRRORS			STD
	796-001	102 INCH EQUIPMENT WIDTH			STD
	743-1AP	LH AND RH 8" MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			N/C
	729-001	STANDARD SIDE/REAR REFLECTORS			STD
	677-998	NO CAB MOUNTED STEPS			STD
	768-043	63X14 INCH TINTED REAR WINDOW			STD
	661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS			STD
	654-003	MANUAL DOOR WINDOW REGULATORS			STD
	663-013	TINTED WINDSHIELD			STD



Data Code	Description	Weight Front	Weight Rear	Retail Price
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED			STD
Cab Interior				
707-1AM	OPAL GRAY CLOTH INTERIOR	an an Laure ann Laur II ann an Aireann a de Chaille an Aireann an Aireann an Aireann an Aireann an Aireann an	AND THE PERSON NAMED OF TH	STD
706-013	MOLDED PLASTIC DOOR PANEL			STD
708-013	MOLDED PLASTIC DOOR PANEL			STD
772-006	BLACK MATS WITH SINGLE INSULATION			STD
785-998	NO DASH MOUNTED ASH TRAYS AND LIGHTER			STD
691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING			STD
694-010	IN DASH STORAGE BIN			STD
742-007	(2) CUP HOLDERS LH AND RH DASH			STD
680-006	GRAY/CHARCOAL FLAT DASH			STD
700-002	HEATER, DEFROSTER AND AIR CONDITIONER	70		\$976.00
701-001	STANDARD HVAC DUCTING			STD
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			N/C
170-015	STANDARD HEATER PLUMBING			STD
130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR			N/C
702-002	BINARY CONTROL, R-134A			N/C
739-001	CAB INSULATION			STD
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			STD
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			STD
324-014	DOME LIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS			STD
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS			STD
284-023	(1) 12 VOLT POWER SUPPLY IN DASH			\$33.00
756-081	BOSTROM TALLADEGA 910 HIGH BACK AIR SUSPENSION DRIVER SEAT	40		\$208.00
760-081	BOSTROM TALLADEGA 910 HIGH BACK AIR SUSPENSION PASSENGER SEAT	30	10	\$339.00
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			\$TD
758-014	BLACK CORDURA PLUS CLOTH DRIVER SEAT COVER			\$22.00
761-014	BLACK CORDURA PLUS CLOTH PASSENGER SEAT COVER			\$22.00



Data Code	Description	Weight Front	Weight Rear	Retail Price
763-032	3 POINT FIXED D-RING RETRACTOR DRIVER AND PASSENGER SEAT BELTS			STD
532-001	FIXED STEERING COLUMN			STD
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL			STD
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD
Instruments & Con	trols			
732-004	GRAY DRIVER INSTRUMENT PANEL			STD
734-004	GRAY CENTER INSTRUMENT PANEL			STD
870-001	BLACK GAUGE BEZELS			STD
486-001	LOW AIR PRESSURE LIGHT AND BUZZER			N/C
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES			N/C
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS			STD
721-001	97 DB BACKUP ALARM		2	\$78.00
149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL			STD
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			STD
811-011	ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA LINKED, ICU3			STD
160-025	DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1939, LOCATED BELOW DASH			STD
844-001	2 INCH ELECTRIC FUEL GAUGE			STD
148-003	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE			STD
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			\$TD
372-035	(1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP	5		\$220.00
49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL			STD
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
746-1 <b>A2</b>	AM/FM/WB RADIO WITH FRONT AUXILIARY INPUT	10		\$296.00
747-001	DASH MOUNTED RADIO			N/C
750-002	(2) RADIO SPEAKERS IN CAB			N/C
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF			N/C



	Data Code	Description	Weight Front	Weight Rear	Retail Price
	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			ŞTD
	817-001	STANDARD VEHICLE SPEED SENSOR			STD
	812-001	ELECTRONIC 3000 RPM TACHOMETER			\$TD
	813-998	NO MPH AND/OR RPM GRAPH			STD
	81X-998	NO TELEMATICS AIR TIME			STD
	162-011	IDLE LIMITER, ELECTRONIC ENGINE			STD
	883-998	NO TRAILER HAND CONTROL BRAKE VALVE			\$TD
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			STD
	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			STD
	304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH			STD
	882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			N/C
	299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHERWIPER AND HAZARD IN HANDLE			STD
	298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS			STD
Design					
	065-000	PAINT: ONE SOLID COLOR		<u> </u>	\$1,043.00
Color					
	980-5T4	CAB COLOR A: L0368EB MIDNIGHT GREEN MET ELITE BC			N/C
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD
	962-970	VENDOR WHITE FRONT WHEELS/RIMS			STD
	966-970	VENDOR WHITE REAR WHEELS/RIMS			STD
	964-6 <b>Z</b> 7	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX			STD
Certific	ation / Comp	liance			
	996-001	U.S. FMVSS CERTIFICATION			STD
Perfori	nance Test			Billion III	
MARIETO LA LISTE DE LA CONTROL	PF_Left	LH Side View			N/C
Sales I	Programs				
	R1X-998	NO TELEMATICS AIR TIME			N/C



Prepared by:
Dan Smith
V.T.C. FREIGHTLINER
3243 LEE HIGHWAY
WEYERS CAVE, VA 244860096
Phone: 540-234-0999

#### TOTAL VEHICLE SUMMARY

#### **Adjusted List Price**

Adjusted List Price \*\*

\$104,497.00

Weight Summary			
	Weight	Weight	Total
	Front	Rear	Weight
Factory Weight <sup>⁺</sup>	7115 LBS	4515 LBS	11630 LBS
Total Weight <sup>+</sup>	7115 LBS	4515 LBS	11630 LBS

## ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE

#### **Other Factory Charges**

PMR-210 2010 ENGINE EMISSIONS ESCALATOR
DELIVERY & ORDER PROCESSING CHARGE

\$7,300.00 \$1,840.00

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(\*\*) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.



Prepared by:
Dan Smith
V.T.C. FREIGHTLINER
3243 LEE HIGHWAY
WEYERS CAVE, VA 244860096
Phone: 540-234-0999

#### QUOTATION

M2 106 CONVENTIONAL CHASSIS 12,000# TAPERLEAF FRONT SUSPENSION SET BACK AXLE - TRUCK CUM ISC-300 300 HP @ 2000 RPM, 2200 GOV, 860 LB/FT 106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB @ 1300 RPM 4325MM (170 INCH) WHEELBASE EATON FULLER FRO-12210C TRANSMISSION 11/32X3-1/2X10-3/16 INCH STEEL FRAME RS-26-185 26,000# T-SERIES SINGLE REAR AXLE (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI 26,000# FLAT LEAF SPRING REAR SUSPENSION WITH 1600MM (63 INCH) REAR FRAME OVERHANG HELPER AND RADIUS ROD AF-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE **PER UNIT TOTAL** TOTAL # OF UNITS (2) 77,039 \$ 154,078 \$ **VEHICLE PRICE** \$ 0 \$ 0 EXTENDED WARRANTY \$ 0 0 **DEALER INSTALLED OPTIONS** \$ 154,078 **CUSTOMER PRICE BEFORE TAX** 77.039 TAXES AND FEES 0 \$ 0 \$ TAXES AND FEES 0 0 \$ \$ OTHER CHARGES TRADE-IN (0)\$ (0)\$ TRADE-IN ALLOWANCE 77,039 154,078 **BALANCE DUE** (LOCAL CURRENCY) COMMENTS: Projected delivery on \_\_\_/ \_\_\_ provided the order is received before \_\_\_/ \_\_\_/ \_\_\_.

APPROVAL: Please indicate your acceptance of this quotation by signing below: Customer:

Date: / \_\_/



Rev. 09/08

# State of West Virginia

# VENDOR PREFERENCE CERTIFICATE

Certification and application\* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

Ŧ.	Application is made for 2.5% resident vendor preference for the reason checked:
1.	Application is made for 2.5% resident vehicle preference for the redson structure for four (4) years immediately preced- Bidder is an individual resident vehicle and has resided continuously in West Virginia for four (4) years immediately preced-
	ing the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately
	preceding the date of this certification; <b>or,</b> Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; <b>or,</b>
2.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3.	Application is made for 2.5% resident vendor preference for the reason checked:  Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4.	Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
requi agair	er understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the irements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty nst such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency educted from any unpaid balance on the contract or purchase order.
By so author the r	ubmission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and orizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information med by the Tax Commissioner to be confidential.
	ler penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate accurate in the term of the contract, Bidder will notify the Purchasing Division in writing immediately.
	der: Virginia Truck Center Signed: Duck
Date	e: May 25, 2011 Title: Sales Representative
*Che	eck any combination of preference consideration(s) indicated above, which you are entitled to receive.

RFQ No. <u>DNR 211179</u>

## STATE OF WEST VIRGINIA Purchasing Division

# **PURCHASING AFFIDAVIT**

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

#### **DEFINITIONS:**

WITNESS THE FOLLOWING SIGNATURE

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, Limited Liability Company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

**EXCEPTION:** The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (**West Virginia Code** §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

#