

*C22104611

SUITE 700

AZČAR USA INC

CANONSBURG PA

121 HILLPOINTE DRIVE

State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

724 873 0800

Request for

PAC	àΕ	(4)	
	7	_	_
	_		

ADDRESS CORRESPONDENCE TO ATTENTION OF

SHELLY MURRAY 504-558-8801

WNPB-TV

Ţ

191 SCOTT AVENUE

MORGANTOWN, WV

26505

293-6511

DATE PRINTED TERMS OF SALE SHIP VIA FREIGHTTERMS F.O.B. BID OPENING BATE 2010 11/16/2010 QUANTITY UOP OPENING TIME 01:30PM CAT. LINE ITEM NUMBER UNIT PRICE **AMOUNT** 1 11 m / Lun / V THE WEST VIRGINIA PURCHASING DIVISION, FOR THE AGENCY, 2010 NOV 10 AM 11:57 THE WEST VIRGINIA EDUCATIONAL BROADCASTING AUTHORITY, IS SOLICITING BIDS FOR A VIDEO SYSTEM PER THE ATTACHED SPECIFICATIONS. WV PUPOHASING DYSCR TECHNICAL QUESTIONS MUST BE SUBMITTED IN WRITING TO SHELLY MURRAY IN THE WEST VIRGINIA PURCHASING DIVISION VIA MAIL AT THE ADDRESS SHOWN AT THE TOP OF THIS RFQ, VIA FAX AT 304-558-4115, OR VIA E-MAIL|AT SHELLY.L.MURRAY@WV.GOV. DEADLINE FOR ALL TECHNICAL QUESTIONS IS 11/08/2010 AT THE CLOSE OF BUSINESS. TECHNICAL QUESTIONS RECEIVED, IF ANY, WILL BE ADDRESSED BY ADDENDUM AFTER THE DEADLINE. 0001 ĹS 840-70 \$44,605.48 \$44,605.48 7 VIDEO SYSTEM CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE right to cancel this contract immediately upon written NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES supplied are of an inferior quality or do not conform WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN. BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER. THE MODEL/BRAND/SPECIFTCATIONS NAMED HEREIN ESTABLISH SEE REVERSE SIDE FOR TERMS AND CONDITIONS TELEPHONE 724-813-0800 cxf 224 <u>//-02-10</u> ADDRESS CHANGES TO BE NOTED ABOVE 22-2531880

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing-in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
- 5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



*C22104611

SUITE 700

AZCAR USA INC

121 HILLPOINTE DRIVE

State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

724 873 0800

Request for

RFQ NUMBER ERAZOS

PAG	ЭE 🔆	
	2	

SHELLY MURRAY 504 558 8801

WNPB-TV

þ

191 SCOTT AVENUE

ŏ CANONSBURG PA 15317 MORGANTOWN, WV 26505 293~6511 DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. **FREIGHT TERMS** BID OPENING DATE: 2010 11/16/2010 OPENING TIME 01:30PM CAT. LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND DR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINDR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS. NOTICE A SIGNED BID MUST BE SUBMITTED TO: DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130

> THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:

SEALED BID

BUYER:

SIGNATURE

RFQ. NO.:

BID OPENING PATE:

SHELLY MURRAY

EBA309

11/16/2010

SEE REVERSE SIDE FOR TERMS AND CONDITIONS TELEPHONE

11-02-10

ADDRESS CHANGES TO BE NOTED ABOVE

DATE

22-2531880

724-873-0800 X 224



*C22104611

SUITE 700

AZCAR USA INC

CANONSBURG PA

121 HILLPOINTE DRIVE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for
Quotation

EBA30

EBA30

SHELLY MURRAY

15317

724 873 0800

, P,	AG	E	Ó	े	
		3			

ADDRESS CORRESPONDENCE TO ATTENTION OF

SHELLY MURRAY B04-558-8801

WNPB-TV

T O

191 SCOTT AVENUE

MORGANTOWN, WV

26505 293-6511

DATE PRIN	TED	TEA	MS OF SAL	E.		SHIP VIA			F.O.B		FREIGHT TERMS
BID OPENING DATE	2010										
LINE	QUAN	11/16/ ITITY	2010 UOP	CAT.	lT F	M NUMBER	0000000000000000	OPENIN	IG TIM UNIT PRICE	inntianistanisiani	- 3 O PM AMOUNT
				NO.		IN NO NIDE			ON 11 AICE		AWIGGIN
							•		•		
	BID OP	ENING	TIME:	-	1:30	PM					
											,
			•								
	PLEASE TO CON'			l 6				IS NE	CESSA!	RY	
	LO COM	IACII	OU KE	ļ							
					724-87	3-//	/ <i>C</i>			-	
	CONTAC'	מממ יו	מו) זוור	ים א אום ז	יויזאד כוכו	רד ביאו	I VV.TC				
	1							·ΛΛ	.1 22.1		
		Dan	- 5 <i>D</i> i	[681]		×4. 0	75 0		1 day	_	
,											
	*****	ਆਪਾਰ	TC T	ue em	ח חבי ם	E()	יע כים	200 **	****	יייאי.	\$441054a
•		TUTS	72 1	1112 12141	D OF R.	rΩ	EDA	309		IOIALI:	\$44,605.48
			ŀ								
					•						
,											
•											
		1									
			500000000000000000000000000000000000000	ം ഉള്ള ഇന്ദ്ര <i>ം</i>	ERSE SIDE I	On trong	N NEC SOLOT	INITIONS			***************************************
SIGNATURE)				occ.ncv	Ense Sive	TELE	PHONE		· •	DATE	
TITLE 1/2 1 C 1		FEI	N O C	4	0 - 6	72	<u>4-873-</u>	0800			TO BE MOTED ABOVE
40 Sal				1531		NID ADE	NDECO I				TO BE NOTED ABOVE

EBA309 Request for Quotations P2/DVCPRO HD Video System

The West Virginia Educational Broadcasting Authority (WVEBA) is conducting a request for quotations for one (1) Panasonic P2 / DVCPRO HD Video System or equivalent. This equipment must functionally provide video media interchangeability with existing WVEBA P2 and DVCPRO equipment.

Item 1

Camera shall be a Panasonic AG-HPX170 fully solid-state 1/3" 3-CCD P2 HD Camcorder, or equivalent and shall exhibit the following specifications:

Pick-Up Device (size & type) 1/3-inch 3-CCD Progressive

Picture Elements (pixels) Effective 1.1 million pixels

Quantization Video: 19bits; Audio: 16 bits/4ch

Signal Processing 14bits

Sensitivity ISO 500

Minimum Illumination 3lux (F1.6, +12dB gain and 1/24 sec. of

shutter speed)

Horizontal Resolution 650 lines

Aspect Ratio 16:9/4:3 Switchable

Leica Dicomar lens w/13x zoom, O.I.S.,

motorized/manual mode switching, F1.6-3.0 (f=3.9mm to 51mm/ 35mm

equivalent: 28mm to 368mm)

ND Filter 1/4, 1/16, 1/64

Focus Manual and Auto

Media Format P2 Memory Card

Recording Format DVCPRO HD:

1080/60i (30p over 60i, 24p over 60i,

24pA over 60i)

720/59.94p (30p over 24p over 60p)

720/30PN (Native) 720/24PN (Native)

DVCPRO 50/DVCPRO/DV:

480/60i (30p over 60i, 24p over 60i,

24pA over 60i)

Recording Playback Time

Approx. 16 mins. (using one 16GB P2

card, recording in DVCPROHD

1080/60i)

Approx. 32 mins. (using one 16GB P2

card, recording in DVCPROHD

1080/60i)

Frame Rates

Variable

12/15/18/20/21/22/24/25/26/27/28/30/32/34/36/40/44/48/54/60 fps (20steps)

Shutter Speeds (sec.)

60i/60p mode:

(Preset) 1/60 (off), 1/100, 1/120, 1/250,

1/500, 1/1000,1/2000 sec.

30p/30pN mode:1/30, 1/50 (off), 1/60,

1/120, 1/250, 1/500, 1/1000 sec.

24p/24pA/24pN mode:

1/24, 1/50 (off), 1/60, 1/120, 1/250,

1/500, 1/1000 sec

Slow Shutter Speeds (sec.)

60i/60p mode: 1/15, 1/30 sec.

30p/30pN mode: 1/15 sec.

24p/24pN mode: 1/12 sec. (in 720p

mode only)

Synchro-Scan Shutter (sec.)

60i/60p mode: 1/60.0 sec. to 1/249.8

sec.

30p/30pN mode: 1/30.0 sec. to 1/249.8

sec.

24p/24pA/24pN mode: 1/24.0 sec. to

1/249.8 sec.

Assignable Scene Files

6

Programmable User Buttons

Yes

Filter Wheels

3 Neutral Density

White Balance Selection

A, B, Preset or ATW

Gain Selection (dB)

60i/60p mode: 0/+3/+6/+9/+12/+18 dB,

30p/30pN/24p/24pA/24pN mode:

0/+3/+6/+9/+12 dB,

when using slow shutter (1/12 or 1/15),

0dB fixed.

when using under 23 fps flame rate,

0dB fixed

Color Matrix

4 preset

SMPT	-F	Color	Rar	Generator
OIVII I		JUIUI	wui	OCHUIGIO

Yes, 1kHz tone

Video Connections

HD/SD-SDI out, Analog Component out,

Analog Composite out

Audio Connections

XLR input (3-pin, dual), Line output (pinjack, 2-ch), Built-in microphone, stereo mini jack, Built-in speaker (20mm)

Other Connections

IEEE 1394 (6-pin), USB 2.0, Camera remote (2.5mm diameter super mini jack for zoom and rec start/stop; 3.5 mm diameter mini jack for focus and iris)

SD Memory Card Slot

Yes

LCD Screen

3.5-inch color LCD

Viewfinder

.44-inch color viewfinder

Power Supply

DC 7.2V (with Battery)
DC 7.9V (with AC adaptor)

Power Consumption

10.9W (when LCD monitor is not used.)

11.7W (when LCD monitor is used.)

13.8W (MAX)

Operating Temperature

32°F to +104°F (0°C to +40°C)

Operating Humidity

10% to 85% (No condensation)

Dimensions (H x W x D)

7.125" x 6.125" x 15.6875"

Weight

4.19 lbs

Warranty

Panasonic's 5-year limited warranty

^{*1} year regular warranty free parts and labor service

^{*}Years 2 through 5 warranty—after registering equipment on-line,

^{*}Free new or refurbished parts installed free of charge

^{*}Advise of necessary software updates via laptop connection

^{*}Free software download updates from Panasonic

^{*}Management of each P2 HD unit using P2 Asset Support System (PASS)

^{*}Ability to check hour meter and service history of each registered Unit.

Item 2

Lithium-Ion Battery

7.2V / 5,400mA snap on battery

Must have Panasonic approved coupling specifically designed to snap onto

Panasonic HPX 170 camcorder

Panasonic CGAD54SE/1B Mfr # CGAD54SE/1B, or equivalent

Item 3

VariZoom

Rocker-Style Controller Controls multi-speed zoom, focus, iris, and record/pause Panasonic ROCK-DVX-ZFI, or equivalent

Item 4

Production Monitor

Color LCD

25.5 Multi-Format

Native 1920 x 1200 IPS Panel

1920 x 1200 resolution (WUXGA)

Six color space settings for use in print to digital graphics to HD video: SMPTE, EBU, ITU-R BT.709, Adobe 2.2, Adobe 1.8, D-Cinema

Wider color space than CRT models with two new color space modes Adobe gamma 1.8, Adobe gamma 2.2 and D-Cinema gamma 2.6

Wide 178 horizontal and vertical viewing angles

New split-screen function plays dual live pictures (1 each: SDI, DVI, Component or Video)

Calibration hardware interface for chroma and luma (with built-in Application Software)

Built-in waveform monitor and vectorscope functions from SDI (HD/SD) input (representing all picture lines)

Exceptionally accurate color reproduction and improved contrast and black levels

Three-dimensional 10-bit 3D LUT offering virtually the same color

Offers a variety of professional functions including split-screen/freeze frame (live input vs. freeze frame), marker and blue-only, and cross hatch overlay display

Time code and closed caption capable (closed caption on video input only)

Embedded audio decoder on board (via Headphone Jack)

8 Channel audio level meters

Cine-gamma Film-Rec compensation function for use with cameras such as the Panasonic AJ-HDC27 VariCam HD Cinema Camera and the new AJ-HPX3700 and AJ-HPX2700 P2 HD VariCam camcorders

Inputs/outputs include: DVI-D input and two HD-SDI/SDI Auto switching inputs with switched output, component video (Y/Pb/Pr), RGB, PC RGB, external sync, RS-232C/GPI remote control terminals, speaker and headphone jack

Five programmable user buttons for easy access to functions

Desk stand included; compatible with VESA mounts (100mm x 100mm or 200mm)

Separate 24 Volt AC Adapter supplied; AC cord (5.58 ft.) and 4-pin XLR DC cord (6.56 ft.) included

One-year warranty (parts & labor)

Panasonic Panasonic BT-LH2550, or equivalent

<u>Item 5</u> DVCPRO HD Video Tape Recorder

The unit is intended for field recording; used in nonlinear edit suites; in-studio editing and production.

Compact DVCPRO HD® VTR with DVCPRO® 50/25, DVCAM and DV Playback, HD-SDI and IEEE 1394 Interface

The unit must record at 100 Mbps with 4:2:2 color sampling and intra-frame compression in multiple U.S. and worldwide HD/SD formats including 1080/59.94, 1080/50i, 720/60p, 720/59.94p and 720/50p.

Converts from a VariCam® 50p recording (over 60p) source with native 720p/50 or PAL output

The unit must be designed with comprehensive editing features.

The unit must feature HD SDI digital input/output and IEEE 1394 input/output, a 9-pin remote interface for use in assemble/insert editing, and a built-in up/down converter.

The lightweight VTR must offer a handle for on-the-go use and be compact in design for desktop use and in-studio editing.

IEEE 1394 input/output interface transfers DVCPRO HD native video to NLE systems without image quality degradation

HD-SDI input/output and SDI output for applications such as line recording and instudio production

Built-in up/down/cross converter for playing back DVCPRO 50/DVCPRO/DV/DVCAM tapes and for outputting a converted HD signal

Supports VANC metadata (UMID, CC, etc.)

Multi-format HD/SD system records in 1080/59.94p, 1080/50i, 720/60p, 720/59.94p and 720/50p Supports Encoder Remote (component style/composite style)

64 minutes of recording time on an AJ-P126L cassette or equivalent. Accepts DVCPRO (L/M) and Mini-DV cassettes (AJ-CS455 cassette adaptor required for Mini-DV cassette playback.)

Compact and lightweight

AC or DC operation

High-quality 16-bit digital audio with up to eight embedded channels

Panasonic AJ-HD 1400, or equivalent

Warranty: One-year parts and labor

Item 6

P2 Card

Solid State P2 memory cards shall have high-quality video recording and optimum flexibility, including:

Reliable performance and instant access

Compatibility with all P2 camcorders, P2 recorders and workflow tools

P2 cards can store all P2 frame rates and formats: HD, SD, DVCPRO HD/50/25 and AVC-Intra 100 / 50

Item 64GB Card

64GB "E"-Series w/ 1.2 Gb/s

Transfer Speed: 256/128/64 Minutes Panasonic AJ-P2E064XG, or equivalent

Item 32GB Card

32GB "E"-Series w/ 1.2 Gb/s

Transfer Speed: 128/64/32 Minutes
Panasonic AJ-P2E032XG, or equivalent

Item 7

Sunshade Kit 2

Must mount to Panasonic HMC-150 and AG-HPX-170 Camcorder via a
Panasonic approved clamp-on attachment
2 Rotating Filter Holders
French Flag
Rear Plate
72mm Step Down Ring
Lightweight Support System
Chrosziel R20-HMC150K2, MFR# AC-CMB-R20-HMC150K2, or equivalent

Item 8

Lens Protector Filter

72mm mounting threads UV filter type Tiffen MFR# 72UVP, or equivalent

Item 9

0.8x Wide Angle Adapter Lens

Must be specifically designed to fit the Panasonic AG-HPX170 20% Wider Angle Coefficient 102mm Filter Acceptance Century Precision Optics HD-08CV-AG MFR# 0HD-08CV-AG, or equivalent

Item 10

Hiker Backpack

Padded Nylon Backpack
Modi-Vers Divider System or equivalent
TST Protection
Omega Advanced Harness System
Hip Belt
Kata HB-207 GDC Mfr # KT HB-207, or equivalent

Item 11

Camcorder Weather cover

For Panasonic AG-HPX170 Camcorder
Thermo Pressed Fabric Lamination
Includes Flexible Viewfinder Sleeve
Kata DVG-62 Camcorder Guard Mfr # KT VA-605-62, or equivalent

Item 12

Mini AC/DC Battery Charger for Panasonic D54

Must charge Lithium-Ion Panasonic CGAD54SE/1B Battery

Battery Specs: 7.2V, 5,400mA

Pearstone MFR# CM-CGRD54 or equivalent

Item 13 LED On-Camera Light

Litepanels MicroPro Mfr # LP MICROPRO, or equivalent

Dimmable

Power Source

The MicroPro can be powered by either standard or rechargeable AA batteries, or be powered by a 5-16VDC source via an input jack by using the optional AC Power Adapter (which includes an International Plug Set). Part number is MACA, which works with both the LP-Micro and the LP-MicroPro.

Included with this kit are a gel set containing 1/4 correction, full correction, and diffusion filters, as well as a shoe mount and carrying bag.

Heat Free LED

This light uses LED technology which offers heat free operation only drawing 9 watts of power.

Daylight Balanced

The Micro is a 5600K daylight balance device with the option of using provided filters to warm the illumination or change to tungsten 3200K balancing.

Compact

Measuring less than 6" at its longest dimension this small light will easily work with small DV and other digital cameras.

Runtime

This light runs up to 1.5 hours on 6 AA batteries (HD Alkaline) and 5-6 hours on E2 lithium ion batteries.

Lamp Type LED Array

Mount Type

Ball Head Shoe Mount

Power Source

9VDC from 6 AA Batteries 5-16VDC from Optional Source (AC Power Adapter)

Power Consumption 9W

Power Connector

AA Batteries Internal Litepanels Proprietary External

Dimensions (WxDxH) -5.5 x 1.5 x 4" 13.9 x 3.8 x 10.2cm

Weight 10.5 oz 300G

Item 14

Quad Battery Power Charger

Size: 2.99 x 12.50 x 8.23 in (7.60 x 31.75 x 20.90 cm)

Weight: 4.1 lbs (1.9 kg)

2 amp DDM (Diagnostic Discharge Module) Standard

4 position sequential charging

70 Watt, 16VDC Power Supply Output

AC Input:100-240 VAC, 50/60 Hz. Wide Range Input

Multi-function LCD readout

7 full-time operating charge terminations

Field upgradable firmware for future compatibility

Meets regulatory requirements including CE and FCC

Compatible with any Anton/Bauer Logic Series battery

MAXX V Warranty - Five year conditional warranty

Anton Bauer Quad 2702 PowerCharger SKU: 8475-0057, or equivalent

Item 15

Lithium Ion Battery

Size: 3.75 x 5.25 x 4.00 in (9.53 x 13.34 x 10.16 cm)

Weight: 3.4 lbs (1.5 kg)

14.4v 160Wh Li Ion battery

Military grade cell technology

Integral digital features

REALTIME display

Meets regulatory requirements including CE

MAXX II Warranty - two year conditional warranty

Anton Bauer Dionic 160 SKU: 8675-0021, or equivalent

Item 16

Tripod and Fluid Head

Fluid Head that can handle lightweight cameras such as video DSLRs

16-step Counterbalance for fine tuning of weight adjustment for different cameras

7 levels of drag

Self-Illuminating bubble level

Speed Lock CF HD two-stage tripod made of twist resistant carbon fiber

Mid-level Spreader

Rubber Feet

Padded Bag

Supports 4-40 lbs (2-18kg)

Sachtler System 18 S1 SL MCF, or equivalent

General Specifications

Load Capacity 4-40 lbs (2-18kg)

Maximum Height 67.7" (172cm)

Minimum Height 24.8" (63cm)

Folded Length 35" (89cm)

Leveling Bubble/Illuminated Yes/Yes

Weight 18.3 lbs (8.3kg)

Head

Counter Balance System 16 Steps + Boost Button

Quick Release/Wedge Plate Touch & Go Plate 16

Balance Plate 4.7" (120mm)

Tilt Drag 7 Steps

Tilt Range +90° to -70°

Tilt Lock Independent

Pan Drag 7 Steps

Pan Range 360°

Pan Lock Independent

Legs

Material Carbon Fiber

Head Attachment Fitting 100mm

Leg Stages/Sections 2/3

Leg Lock Type

Quick Clamp Torque Lock

Independent Leg Spread Yes

Spiked/Retractable Feet Spiked

Center Brace Ground-level

Item 17 Shipping

Shipping charges shall be included in product pricing.

Delivery shall be FOB destination

Deliver to:

WV Public Broadcasting Attention: Bill Blaker 191 Scott Avenue Morgantown, WV 26505

Item 18 Invoicing

Send invoice to:

West Virginia Public Broadcasting Attention: Steve Chapman 600 Capitol St. Charleston, WV 25301

Pricing Page EBA309 P2/DVCPRO HD System

<u>Item</u>	Quantity	Description	Unit Price	Extended
1	1	Solid State HD 1/3" 3 CCD P2 Camcorder Panasonic AG-HPX170 or equal	<u> </u>	
2	2	Lithium-Ion Battery Panasonic CGAD54SE/1B or equal		
3	1	Vari zoom Panasonic ROCK-DVX-ZFI or equal		
4	4	Production Monitor Panasonic BT-LH2550 or equal		
5	1	DVCPRO HD Video Tape Recorder Panasonic AJ-HD 1400 or equal		
6	2	P2 Card 64GB Panasonic AJ-P2E064XG or equal		
	2	P2 Card 32GB Panasonic AJ-P2E032XG or equal		
7		Sunshade Kit 2 Chrosziel R20-HMC 150K2 or equal		
8		Lens Protector Filter Tiffen 72 UVP or equal		
9	1	Wide Angle Adapter Lens Century Precision Optics HD-08DV-AG or equal	•	
10		Hiker Backpack Kata HB-207 GDC Hiker Backpack or equal		
11	•	Camcorder Weather cover Kata DVG-62 Camcorder Guard or equal		

RFQ No.	
---------	--

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (**West Virginia Code** §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name:				_
Authorized Signature:		Date:		
State of				
County of, to-wit:				
Taken, subscribed, and sworn to before me this _	day of		, 20	
My Commission expires	, 20			
AFFIX SFAL HERE	NOTARY PUBLIC			

Rev. 09/08

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

against	such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency acted from any unpaid balance on the contract or purchase order.
Bidder	understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the ments for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty
6.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
4.	Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
3.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
2.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
	ing the date of this certification; or , Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or , Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or ,

^{*}Check any combination of preference consideration(s) indicated above, which you are entitled to receive.