

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130

# Charleston, WV 25305-0130

RFQ COPY TYPE NAME/ADDRESS HERE LH Jones Equipment Co 1825 Earl L. Core Road Morgantown, WV 26505

# Request for Quotation

AFO NUMBER 7012EC07

ADDRESS CORNESPONDENCE TO ATTENTION OF:

PAUL REYNOLDS 304-558-0468

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

304-472-1750

DATE PRIN	rëb	***************	MS OF SAI		SHIP VIA		F.O.B,	FREIGHT TERMS
11/17/		Net 3	-	S	Motor Freight		khannon, WV	No Charge
ID OPENING DATE:	Discount Medicators	12/21/		r sastant	LWCCar Clare to Control of the control	OPE		1:30PM
LINE	QUAN	TITY	UOP	CAT. NO.	ITEM NUMBER		UNITERICE	AMOUNT
001	SNOW P	LOWS,	EA MOTOR		765-59	(8)		10' \$7774.00 11' \$7893.00
			R	EQUES	T FOR QUOTATION			
				OPEN	END CONTRACT			
	AGENCY SOLICI	, THE TING B	WEST IDS T	VIRGI O PRO	E PURCHASING DIV NIA DIVISION OF VIDE 10 FT OR 11 R THE ATTACHED S	HIG FT	HWAYS IS POWER	
	BE REC MEETIN WRITIN DIVISI	EIVED G. TEC G TO P ON. V	THROU HNICA AUL R ENDOR	GH TH L QUE EYNOL S MAY	NCERNING THIS SO E CLOSE OF THE M STIONS MUST BE S DS WEST VIRGINIA SUBMIT QUESTION MAIL AT THE ADDR	AAND SUBM AST NS P	ATORY PRE-BID ITTED IN ATE PURCHASIN RIOR TO THE	
	EMAIL ALSO B FOR AL MEETIN	AT PAU E ACCE L TECH G. NO	L.REY PTED NICAL ADDI	NOLDS DURIN QUES TIONA	VIA FAX AT 304-9 aWV.GOV. WRITTE G THE MANDATORY TIONS IS THE CLO L QUESTIIONS WIL ING. ANY TECHNO	PRE PRE DSE LL B	UESTIIONS WIL -BID, DEADLIN OF THE PRE-BI E ACCEPTED	E
	RECEIV ISSUED PRE-BI	ED WIL BY TH D MEET	L BE E PUR ING.	ANSWE CHASI FOR	RED BY FORMAL ALMS DIVISION AFTE YOUR CONVENIENCE SUBMITTING TECHN	DDEN ER T E A	DUM TO BE HE MANDATORY WORD DOCUMENI	RESEIVED
±	A MAND	ATORY	PRE-B		DATORY PRE-BID LL BE HELD ON 12	2/08	/2011 AT 10	2012 JAN -5 P 12: 2
								STATE OF WV
		/	_	SEE RE	VERSE SIDE FOR TERMS AND CO		Intre	
SNATURE	11	- 1			TELEPHONE -	304-	292-1307 DATE	1/4/12

WHEN RESPONDING TO REQ. INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

# GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all. necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities,
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

#### INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL, to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
- 5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).

1110111



NOOK

TITLE

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

#### Request for Quotation

7012EC07

RFO NUMBER

PAGE	

ADDRESS CORRESPONDENCE TO ATTENTION OF

PAUL REYNOLDS

8H-P

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 304-4

304-472-1750

ADDRESS CHANGES TO BE NOTED ABOVE

DATE PRIN	TED	TÉR	MS OF SAL	É	\$HIP VIA		F.O.B.	FREIGHT TERMS
11/17/	2011							
BID OPENING DATE:		12/21/	2011			BID	OPENING TIME	01:30PM
LINE	QU	ΛΝΤΙΤΥ	UOP	CAT.	ITEM NUMBI	R	UNIT PRICE	AMOUNT
			<u> </u>	iii NO				
						SWINTSLIND SUNGER OF	ROWANDELINES AND	
					UCKHANNON,			
	The second secon				보다 하는데 하다 하다 있는데 하는데 하는데 하는데 하는데 하는데 하는데 하는데 하는데 하는데 하		END THIS MEETIN	
					MARKET STATE OF THE PARTY OF TH		D SHALL RESULT	IN
			The state of the s	Section 2	E BID. NO	ONF P	ERSUN MAY	
	KEPKE	SENI MU	KE IH	AN UN	E BIDDER.			
	AN AT	TENDANO	C CHE	er ur	II DE MADE	A 1/ A T I	ADIE EOD ALI	
							ABLE FOR ALL ILL SERVE AS TH	-
	Annual Control of the				[일이 맛집 하다 그렇게 얼굴이 먹으셨다. 그리다	H. 마음이 많은 그림을 보고 보다.	AT THE MANDATO	
	PRE-B	"(() () () () () () () () () () () () ()			ROVIDE YOU	A STATE OF THE PROPERTY OF THE PARTY OF THE	[2] : 사용하는 [2] :	
	The Mary Mary Control of the Control	The state of the s	The second second	78 0000 W		10011 110000000000000000000000000000000	SHEET WILL RESU	т
							TATE WILL NOT	- '
	1	88					FY ATTENDANCE.	
	1				BLE FOR EN			
	Marine Marine and a	. 하다 하다 보고 생각하다 그 그렇게				첫	THE ATTENDANCE	
	SHEET	. THE	PURCH	ASING	DIVISION	AND TH	E STATE AGENCY	
	WILL	NOT ASS	UME A	NY RE	SPONSIBILI.	ry for	A BIDDER-S	
	FAILU	RE TO C	OMPLE	TE TH	E PRE-BID /	ATTEND	ANCE SHEET. IN	
							L BIDDERS INCLU	DE
	THEIR	E-MAIL	ADDR	ESS A	ND FAX NUM	BER.		
							ARRIVE PRIOR TO	~~
					THE PRE-BII		DDERS WHO ARRIV	፤
	¥						E TECHNICAL	
							ED TO SIGN IN.	
	true of Malliman at the control of	The same and the same	이 얼마 아이 아이가 이번 아이, 나는데				THE TECHNICAL	_
		[전경 10 PM LE - 1 1 1 1 1 1 1 1	ATMENT STATISTICS	Same and the same		Access to the second	SUBSEQUENT PAR	
I .				LL NO	T BE PERMI	LIFD I	D SIGN THE	
	ATTEN	DANCE S	HEE ! .					
	EXHIB	TT 2						
	CVIII	11 6						
	LIFE	OF CONT	BACT.	TUT	TARTHON 2	BECOM	ES EFFECTIVE	
					FOR A PER			
							HEREAFTER AS IS	
					NEW CONTRAC			
			0010					
				SEERE	PERSE SIDE FOR TERI			
SIGNATURE					ITEL	EPHONE.	DAT	•



OR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

### Request for Quotation

7012EC07

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF:

PAUL REYNOLDS 304-558-0468 3

RF	COPY	
TYPE	NAME/ADDRESS	HERE

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
T BRUSHY FORK ROAD
BUCKHANNON, WV
26201 304-472-1750

DATE PRINTED TERMS OF SALE SHIP VIA F.O.B, FAEIGHT TERMS. 11/17/2011 BID OPENING DATE: 12/21/2011 BID OPENING TIME 01:30PM CAT. LINE QUANTITY YOP. ITEM NUMBER UNIT: PRICE THUOMA ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING THIRTY (30) DAYS WRITTEN NOTICE. UNLESS SPECIFIC PROVISIONS ARE STIPULATED IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS, AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT. RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS. CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN. OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMME-DIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES CINCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK). QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIES BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY SEE REVERSE SIDE FOR TERMS AND CONDITIONS

TITLE

SIGNATURE

FEIN

TELEPHONE

DATE

ADDRESS CHANGES TO BE NOTED ABOVE



NODZE

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

7012EC07

PAGE

,

ADDRESS CORRESPONDENCE TO ATTENTION OF:

PAUL REYNOLDS 304-558-0468

SHIP TO

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201 304-

304-472-1750

DATE POI	VTED.	RMS OF SALE	A DOSCOS AND A DATE OF THE PROPERTY OF THE PRO	(	
11/17		HMS OF SALE	SHIP VIA	F.O.B:	FREIGHT TEAMS
BID OPENING DATE		/2011	DID	ODENTHE A	1 . 7 n n M
LINE	QUANTITY	UOP CAT		<ul> <li>Supplies the supplier of the supp</li></ul>	L:30PM
Citie	QUANTITY	NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
	WHETHER MOR	E OR LESS 1	URING THE TERM ( HAN THE QUANTIT) PENDING UNIT(S)	ES SHOWN.	
	WRITTEN EQU FOR COMMODI EXHIBIT 4	IPMENT CONT	RACT ORDER (FORM D BY THIS CONTRA	NUMBER WV-35) CT, THE ORIGINA	
	IN THE BID I AND CONDITION AND OTHER LO TO POLITICAL VIRGINIA.	HIS REFUSAL DNS OF THE DCAL GOVERN - SUBDIVISI IF THE VEND	TO EXTEND THE F BID TO COUNTY, S MENT BODIES, THE ONS OF THE STATE OR DOES NOT WISH	CHOOL, MUNICIPAL BID SHALL EXTEN OF WEST TO EXTEND THE	
*	POLITICAL SU	JBDIVISIONS CATE SUCH	DITIONS OF THE B OF THE STATE, T REFUSAL IN HIS B E AWARD OF THIS	HE VENDOR MUST ID. SUCH REFUSAL	
	CURRENTLY UT IS ISSUED TH MUST ACCEPT	TILIZES A VIROUGH A BA THE STATE MENT OF AL	ISA PURCHASING C NK. THE SUCCESS OF WEST VIRGINIA L ORDERS PLACED	VISA PURCHASING	
		нот	ICE		
	A SIGNED BID	MUST BE S	UBMITTED TO:		
		ING DIVISI	INISTRATION ON		

SIGNATURE

SEE RÉVERSE SIDE FOR TERMS AND CONDITIONS

-

FEIN

DATE

TITLE

ADDRESS CHANGES TO BE NOTED ABOVE

# WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS EQUIPMENT DIVISION

#### BIDDER'S EVALUATION REPORT

### PROCUREMENT SPECIFICATIONS NO. 021-2-E

### OPEN END CONTRACT 10 FOOT OR 11 FOOT POWER REVERSIBLE SNOWPLOW (HYDRAULIC)

NOTE TO BIDDER: Procurement Specification No. 021-2-E, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. Addendums in order, along with a summary of exception as a separate attachment, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

	Reference Requisition No.: 7012EC07		
	Bidder's Name: LH Jones Equipment		
	Address: 1825 Earl L. Core Road, Morgantown, WV 26505		
	Telephone Number: 304-292-1307		
	Years Bidder has been registered to do business with the State of West Virginia:	34	YRS
	Years Company has been an authorized dealer for proposed unit:	7	YRS
X3.2	Have you complied with all mandatory specifications? X YES NO	0	
X4.2 <b>X4.2.1</b>	DELIVERY:  Delivery date of completed representative unit: 45 Calendar Receipt of Pu	Days After chase Agro	ement
X4.2.2	Delivery date of balance of completed units: Calendar Days	After Receip Purchase A	
	Vendors should type Bidder's Evaluation Report		

The "Bidder's Evaluation Report" is available for download on Purchasing's Web site at <a href="https://www.state.wy.us/admin/purchase">www.state.wy.us/admin/purchase</a>

X5.0	AWARD CRITERIA;	101	40004 00		
		10'	\$7774.00		
X5.1	Price per unit:	11'	\$7893.00		
		-		_per unit	
X6.0	SPECIFICATIONS - GENERAL				
X6.1	AND THE PROPERTY OF THE PROPER	eture of proi	osed unit:		
21011	Transmitted of money oction, and since or minimum.				
	Valk, WV1036-120DAPR/ECT & WV1136-	-120DAPR/H	ECT, 2012	Producti	on
	Is descriptive literature, fully describing proposed u	mit attached t	o your bid?	YES X	NO
	is descriptive increases, rang describing proposes of		o , o o . a		
	If not, why? Literature depicts standa:	rd unit.	Bid unit	build to	WV DOH
	specification.				
	specificación.				
X6.2	Will the required number of service manuals, an	nd complete i	varts list be d	elivered to t	he
A0.2	Equipment Division at Buckhannon upon compl				
	Equipment Division at Buckhamion upon compa	ietion of tiens		YES	NO
				_ 125	
	Will the required Equipment Preventive Mainte	manaa Form	(Section X62	of Ridders	Evaluation
				YES	
	Report) be provided upon inspection of the pilot	t tillit?		123	

X6.2 2-10-00

### EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH.

DESCRIPT	ION:			MA	KE:		
M	ODEL;	<u></u>	YEAR:	PUI	RCHASE AMOUNT:		
ENGINE:	MAKE:		MODEL:		FUEL TYPE:	****	
				EN	GINE SERIAL:		
	COOLING SYSTE	EM CAPACITY: _					
BELTS:	DESCRIPTION:			PART NUM	BERS:		
				S			
GVW:		AXLE CAPAC	ITY:FRONT:			REAR:	
TIRES:	FRONT MAKE &	SIZE:			<del>, .</del>		
	REAR MAKE & S	IZE:					
DIMENSIO	ONS OF UNIT:	LENGTH:		WIDTH:		LENGTH:	
VENDOR (	CONTACT PERSON	Į:	***		PHONE:		
PARTS:							
RATTERV	MAKE		MODEL:		CCA:		
TOP OR SI	DE POST:		DIMENSIONS	: LENGTH	WIDTH	HEIGHT	
SPARK PL	UGS OR FUEL INJ	ECTORS MAKE: _		PART#			
FUEL PUM	AP OR INJECTION I	PUMP MAKE:		MODEL: _			
ALTERNA	TOR MAKE:			PART #:			
STARTER	MAKE:			PART#:			
TURBO CI	HARGER MAKE: _	MODI		PART #:	ALITO/MANITA		
TRANS, M	IAKE: LIC PUMP MAKE:	MODI	sL:	MODEL:	_ AUTO/MANUA	L:	
					MANUFACTU	*	
OIL			ENGI	NE			
AIR INNE	R		TRAN	_MOISSIMS			
AIR OUTE	ER MARY CONDARY		POW:	ER STEERING	}		
FUEL PRI	MARY		HYDI	HYDRAULIC			
FUEL SEC	CONDARY		DIFF				
COOLANT			BKAI	The state of the s			
HYDRAUI	LIC						
OTHER			OTHI	ER			

X6.3	TRAINING:							
	Will training seminar be conducted on Preventive Maintenance, Operator and Mechanic Training  X YES NO							
	Will you conduct training with each purchase order against this open		ontract? _YES	_ NO				
	Will training be conducted within 2 working days from the delivery of the purchase order?		unit on the YES					
	If NO, explain time frame							
	Will an Operator's Manual be furnished directly to Training Academ delivery of the pilot?	y prio X	r to the _YES	_ NO				
X6.4	If you are the successful vendor, will you furnish all training aids, i.e., in conducting the training?  X YES NO	video	s, projecto	rs, required				
X6.4.1	Will all manuals, booklets, etc. explaining preventive maintenance service schedule be delivered with each unit?  If NO, explain	X	ator proce _YES	dures, and _NO				
X6.5	WARRANTY AND SERVICE POLICY							
	Will the warranty and service you provide comply with all areas as stated in Section 6.5 of specifications YES NO							
	Is warranty literature attached?X YES NO							
	Describe:	YES	NO	ng abuse				
	Two year parts & labor warranty per specif: See attached.	ıcati	lon.					
	see attached.							

## THIS FORM MUST BE COMPLETED IN ITS ENTIRETY AND SUBMITTED WITH YOUR BID. (If additional lines are needed, make copies of form.)

(If additional lines are needed, make copies of form.)			
1. Def	ine the terms of the sta See attached.	ndard wa	arranty. If not offered, so state. (Attach copy)
	acturer's representativ	e facility.	rmed at DOH facilities and warranty service to be performed at List name and location of manufacturer's representative. be performed at LH Jones Equipment Co.
	LH Jones, 1825 1	Earl L	. Core Road, Morgantown, WV 26505
2 [ ] -4	1		hat are within the State of West Vincinia. Also list availability lovels if
known		emories	hat are within the State of West Virginia. Also, list availability levels, if
		1825 E	Earl L. Core Road, Morgantown, WV 26505
<del></del>			1. Provide that the state of th
	ing the term of warran will sell the parts to o		e guarantee discount to manufacturer's published list price for parts that
A.	Terms: Net 30	Manufa	cturer's published list price less:% discount
B.	Terms: Net 60	manura	ottifer a published list price less,
C.	Terms: Net 90	Manufa	cturer's published list price less: 0 % discount
5. Dur Highw		ty, will al	Il manufacturers or engineering improvements be submitted to Division ofXYESNO
6. Dur	ing the term of warran	ty, list the	e guaranteed rates charged for repair to the unit.
A.	Shop Rate		80.00 per mechanic hour
В.	Travel Time Charge (Specify if one-way)		\$80.00 per mechanic hour ; port to portX
C.	Mileage Charge (Specify if one-way	-	per vehicle mile , port to port X
D.	Field Mechanic Rate	9	80.00 per mechanic hour
E.	Specify period of tim	e that pri	ces are in effect: of warranty
F.	Surcharge for miscell	aneous it	ems: Air Freight % Special Handling Expedited Service

X6.6	EVALUATION COMMITTEE REQUIREMENTS
	Is all component specifications, product literature, component models provided for Evaluation Committee bid determination?  X YES NO
X6.7	Will all parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, be furnished with the unit and conform in strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry?
X6.7.1	Are all parts and accessories adequate and regularly supplied as standard to be included except those which may be duplications of specifications herein, and except these by specification are not to be furnished?  X YESNO
X6.7.2	Are all standard safety features that are required by Federal and State statutes of law included? NO
X7.0	SPECIFICATIONS OF THE QUOTED UNIT The bidder should complete the following schedule in order for the Division to compare the actual bid unit to the specifications. Should the bidder except a requirement, then such exception may be only on the basis that such feature is not offered by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specifications. by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specifications.
	Is the snowplow designed for mounting on a single axle or tandem dump truck  YES NO
	Is the snowplow capable of plowing to the right or left at and angle approximately 35° discharging to the right or left  YES NO
	Is it a straight blade type with an integral type snow shield X YES NO
	Does it have two (2) trip springs setting inside the two (2) moldboard struts X YES NO
	Will you supply the hose and fittings to connect both systems to the valve located under the front bumper YES NO
	Is the blade section type, made up of three (3) and four (4) foot sections to total 10 feet or 11 feet wide, having a tungsten carbide inserted cutting edge YES NO
	Manufacturer: Valk Model: WV1036-120DAPR/ECT & WV1136-120DAPR/ECT

X7.1 M	Ioldboard:
X7.1.1	Overall Width:
X7.1.1.1	<b>OPTION</b> #1 – 10 Foot YES NO
X7.1.1.2	<b>OPTION #2</b> – 11 Foot YES NO
X7.1.2	Overall height: 36 inches
X7.1.3	Moldboard construction: U.S. Gauge 304 stainless steel and rolled to give the snow a free rolling action XYES NO
X7.1.4	Travel are: 35 each way; total 70 °
X7.1.5	Moldboard has a cutting edge attach angle with three (3) adjustments from 5 degree, 10 degree and 20 degree vertical measurement from ground using $\frac{X}{Y}$ inch pius $\frac{X}{Y}$ YES $\frac{X}{Y}$ NO
X7.1.6	Weight of plow: 10 foot Lbs. 11 foot Lbs.
X7.1.7	Number of vertical ribs 8 1/2" x 3-1/2" Formed steel
X7.1.8	Is an additional rubber snow shield provided? X YESNO
	Size of belting 3/8"x12 'Run entire length of plow? X YES NO  exceeds spec  Mounted so it won't add to overall height? X YES NO
X7.1.9	Continuously welded ribs, moldboard, and angles X YES NO
X7.1.10	Reinforced at top and bottom edges? X YES NO
	Top of moldboard reinforced with integrally structural channel? X YES NO
	Size of channel: 3-1/2" x 2-1/2" x 3/8"
	Bottom angle 4 x 4 x 3/4 angle gusseted.
X7.2 C	utting Edge:
X7.2.1	Sectioned, standard AASHO punched, in three (3) foot and four (4) foot lengths?  XYESNO

X7.2.2	Blade Sections:
X7.2.2.1	insert of approximately 88 Rockwell A scale hardness?  exceeds spec X_YES NO
X7.2.2.2	Insert silver soldered on all sides of a milled slot near the center of the working edge?
X7.2.2.3	Braze joint transverse rupture strength: 350,000PSI
X7.2.2.4	Blade section identifiable by manufacturer, name and part number stamped on the reverse side of each section?  YES NO
X7.2.2.5	Will wrap around curb guards be mounted on right and left side of plowX YES NO
X7.2.2.6	Curb guards are 5/8 inch thick, 6 inches high and 8 inches long
X7.3 Sa X7.3.1	nfety Trip Mechanism:  Tripping mechanism attached to semi-circle and moldboard ribs use two (2) compression springs
X7.3.2	Are springs two (2) external compression springs sitting inside (2) moldboard adjusting struts made from (2) ½ inch x 2.5 inch bars sliding to a ¾ x 2.5 inch center bar with an overall length of 39.5 inches
X7.3.3	Does the trip mechanism hold the plow rigid in plowing position and trip automatically when cutting edge comes in contact with an obstruction then returns to normal plowing position?
X7.4 Pt X7.4.1	ash Frame: All welded construction designed per manufacturer's heavy duty specifications?  X YES NO
	Push frame length for 10 foot: inches Structural tube size: 4 "x4 "x3/8"
	Push frame length for 11 foot: inches Structural tube size:4"x4"x3/8"
X7.4.2	Number of hinges in moldboard to push frame connection?
	Each hinge has a fully welded in bushing to house pin X YES NO
	Bushings are 1 1/4 inch mounted to two 5/8 inch mounting ears for total bearing surface per bushing of 2 1/4 inches NO

X7.4.3	Equipped with an oscillating center pin of plow portion hitch of 2 inch with push plate being 1 inch x 33 inches x 5 inches feature to permit plow to follow uneven road surfaces?  X YES NO
	Semi-circle is 3 ½ inches x 3 ½ inches x ½ inch
X7.4.4 H <b>X7.4.4.</b> 1	ydraulic Power Reversing Mechanism:  Consist of two (2) double acting 4 inch x 2 inch power reversing hydraulic cylinders fitted with the fixed base end in the center of the push frame? X YES NO
	Are cylinders mounted above the semi-circle X YES NO
X7.4.4.2	Does hydraulic power reverse mechanism include a dual cross-over relief cushion valve?  XYESNO
	Rated at 40 GPM
X7.4.4.3	The "A" frame is made from $4$ inch channel with $2.5$ inch flanges supporting a $2$ inch center reversing pin mounted in a $3$ inch, $1/2$ inch wall tube and having a grease fitting $X$ YES NO
	Push ends are welded to a1 inch x33 inch x5 inch base plate having a2 inch pivot hole for the oscillator bar to attach toX_YESNO
X7.4.5 X7.4.5.1	Skid Shoes:  Are caster mounted carbide mushroom type shoes included? X YES NO
	One on each side X YES NO
X7.4.5.2	Manufacturer's standard adjusting mechanism included? X YES NO
X7.5 Н X7.5.1	itch: Universal heavy duty type designed to carry plows of weight specified when mounted on a 32,000 pound class truck minimum?  X YES NO
X7.5.2	Bumper to frame type adaptable to any conventional truck and to accommodate a tilt front end on the carrier? YES NO
X7.5.2.1	Is hitch attached in truck's frame rails? X YESNO

X7.5.2.2	Does hitch include a lift system	X	YES_	NO	
	Designed at a rated capacity of 8000 lbs.				
	Is lift cylinder the same size as plows reversing cyli	inder for W	VES	interchange NO	eability
X7.5.3 Hit	tch to Bumper Attachment:		_ 1 m <sub>2</sub> _	NO	
X7.5.3.1	Is hitch frame height 33 5/8 inches and hitch width	26 inches	<u>X</u>	YES	NO
X7.5.3.2	Hitch members are 1/2 inches x 4 inches x 4	inches s	etructura _ YES _	l angle or tub NO	oing
	Hitch is low profile for access to the truck's engine co	ompartment	Х	YES	NO
X7.5.3.3	Is the lift arm and lift frame designed to accept a 4 tube?	inch lift ex	ylinder y N	with nitrided IO	l cylinder
	Cylinder pins are inch cold rolled steel	X YES	N	Ю	
X7.5.3.4	Does unit have self-storing arm X YES	NO			
	Is this accomplished by pulling one (1)- one (1) inch allows you to re-pin to store?	pin and fol	ding the _YES_	cylinder up NO	which
X7.5.3.5	Axle clamp allows longitudinal motion but not ver	tical and h	orizonta _ YES _	al motion? NO	
X7.5.4 Do	oes unit provide custom ½ inch Grade 50 or better cholted to main hitch and allows for bolting to truck's f	eck plates rame rail	which a	re bolted we _YES	elded or _NO
X7.6 Hydr Will	raulic System: you supply the following hydraulic components	X YES	r	NO.	
	ovide one (1) 4 inch lift cylinder with 10" stroke dou evis pinned top and bottom?	ble-acting	nitrided	l hydraulic l _XYES	ift cylinder, NO
X7.6.2 Pr	rovide two (2) four (4) inch double acting nitrided hy	draulic rev X	ersing o YES	ylinders? NO	
X7.6.3 Pr	rovide three (3) pieces of two (2) wire hydraulic press y approximately ten (10) feet long?	sure hose o	ne-quar X	ter (1/4) inc _ YES	h diameter _ NO
Ĭs	s each hose equipped with the following	X YES	1	OP	

X7.6.3.	1	Each hose equipped with one (1) quick coupler at pl		th dust cap's YES	NO	
		Manufacturer/Model: Snap-Tite VHC-8, VHN	1-8		•	
X7.6.3.	2	Each hose equipped with two (2) crimp-type fittings mate with swivel and the other to mate with quick c	s with male coupler?	JIC 370 th	reads ( S	(one (1) to _ NO
X7.6.3.	3	Each hose equipped with one (1) JIC 370 - swivel - 9	90°elbow/n X	nale JIC 370 YES	0? _NO	
X7.6.3.	4	Each hose equipped with one (1) adaptor to mate be	ank valve p X	ort to JIC : YES	swivel? NO	?
		Standard Features: ther standard features offered and not addressed abo				
X7.8	Does t	the proposed unit meet or exceeds the OSHA of 1970	and/or sul XYES_	osequent ch NO	anges?	
X7.9	possil		e within ro	easonable li NO	erate a mits	ns close as
			X YES			22
	which	th frame and/or hitch assembly designed with regard to convold jeopardize truck balance?	overall dista X YES_	ince of truck NO	to froi	it of plow
X7.10 X7.10.	Paint: 1 Wi	Il unit be sandblasted and prepped prior to painting as st	tated in 7.10	).1? X	_YES	NC
			oating See belo Urethano	YE ow and a e, not er	S <u>X</u> ttach namel	_NO ed.
X7.10. Plu	3 De	scribe painting of front of plow: See attached. component epoxy primer and plural comp	oonent u	rethane	top o	coat.
X7.10.	4 De	scribe painting of rear of plow: See attached. component epoxy primer and plural com				
X7.10. Plu	ıral	int for push frame and hitch See attached.  component epoxy primer and plural com  ill push frame and hitch be completely covered	ponent u	rethane	top _NO	coat.
X7.11		the unit conform to the advertising guidelines?	X	YES	NO	
		all loose hardware be in separate containers for each plo		nipped with	each p	low?

### State of West Virginia

### VENDOR PREFERENCE CERTIFICATE

Certification and application\* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). West Virginia Code, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the West Virginia Code. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

34	1. 	ing the date of this certification; or, Bidder is a partnership, association or corporation resident v business continuously in West Virginia for four (4) years important in the second of the second	ce for the reason checked: intrously in West Virginia for four (4) years immediately preced- endor and has maintained its headquarters or principal place of mediately preceding the date of this certification; or 80% of the artnership, association or corporation resident vendor who has a continuously in West Virginia for four (4) years immediately idiary which employs a minimum of one hundred state residents ce of business within West Virginia continuously for the four (4)
		years immediately preceding the date of this certification; of	or, ace for the reason checked:
	2.	Didden in a register transfer who cortified that during the	ife of the contract, on average at least 75% of the employees nia who have resided in the state continuously for the two years
	3.	affiliate or subsidiary which maintains its headquarters of	principal place of business within West Virginia employing a t, during the life of the contract, on average at least 75% of the as are residents of West Virginia who have resided in the state
	4. X	Application is made for 5% resident vendor preference Bidder meets either the requirement of both subdivisions (	ce for the reason checked: 1) and (2) or subdivision (1) and (3) as stated above; or,
	5.	Application is made for 3.5% resident vendor prefere Bidder is an individual resident vendor who is a veteran of the and has resided in West Virginia continuously for the fosubmitted; or,	nce who is a veteran for the reason checked: e United States armed forces, the reserves or the National Guard our years immediately preceding the date on which the bid is
19	6.	and a second producing or distributing the commodities of Cl	ompleting the project which is the subject of the vendor's bid and ge at least seventy-five percent of the vendor's employees are
	require against or dedu	er understands if the Secretary of Revenue determines that a rements for such preference, the Secretary may order the Dir nst such Bidder in an amount not to exceed 5% of the bid amo ducted from any unpaid balance on the contract or purchase	a Bidder receiving preference has failed to continue to meet the rector of Purchasing to: (a) reject the bid; or (b) assess a penally bunt and that such penally will be paid to the contracting agency order.
	authoris the req deeme	orizes the Department of Revenue to disclose to the Director of equired business taxes, provided that such information does ned by the Tax Commissioner to be confidential.	asonably requested.information to the Purchasing Division and Purchasing appropriate information verifying that Bidder has paid not contain the amounts of taxes paid nor any other information
	and as	er penalty of law for false swearing (West Virginia Code, accurate in all respects; and that if a contract is issued ages during the term of the contract, Bidder will notify the	§61-5-3), Bidder hereby certifies that this certificate is true to Bidder and if anything contained within this certificate ne Purchasing Division in writing immediately.
	Bidder	er: LH Jones Equipment Co. Signe	
		1	<u>COO</u>
	*Check	k any combination of preference consideration(s) indicated above, whi	ch you are entitled to receive.

	7012EC07
RFQ No.	, 011100,

#### STATE OF WEST VIRGINIA Purchasing Division

### **PURCHASING AFFIDAVIT**

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

#### DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, Limited Liability Company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more countles or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more countles or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent. of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE	20
Vendor's Name: LH Jones Equipment	
Authorized Signature:	Date:1/4/12
State of West Virginia	· · · · · · · · · · · · · · · · · · ·
County of Monongalia to-wit:	, January 20 <sup>12</sup>
Taken, subscribed, and sworn to before me this 4thay	ofZU
My Commission expires October 7	
	NOTORY PUBLIC Rae anne Winster
and the contraction of the contraction and the traction and the contraction and the co	

E OF WEST VIRGINIA

RAE ANNE WINSTON P. O. BOX 474 REEDSVILLE, WV 265 Converte van Expires October 7, 2013




www.valkmfg.com

PO Box 428

New Kingstown, PA 17072-0428

Ph: 717-766-0711

Fx: 717-697-6297






REVERSIBLE SNOWPLOWS




ONE WAY SNOWPLOWS






WORM GEAR





SPECIALTY



**ACCESSORIES** 

### REVERSIBLE SNOWPLOWS

alk Reversible snowplows are designed for rugged all urpose plowing. The plow can be adjusted for discharging now from the right or left end of the moldboard. Ideal for ty streets, parking lots, or any place where low cost snow smoval is required.

A fully enclosed dual trip spring assembly permits the moldboard to trip forward when the plow strikes an obstruction and automatically returns the moldboard to the normal plowing position. This prevents damage to the plow and truck and also safeguards the operator.

Adjustable caster assemblies equipped with wear shoes stabilize the plow, prevent chatter, and reduce cutting edge wear. Optional carbide wear shoes and wheels are also available

The plow can be adjusted for different cutting widths and plowing angles. The moldboard pitch is also adjustable

The plow comes equipped with an abrasive resistant cutting edge and wear shoes. Carbide blades, caster, and moldboard shoes are also available for increased abrasive wear resistance.

3/8 U.H.M.W. polyethylene moldboard available.


116" semicircle with 5 hookup points available on models 10 feet and above.

104" semicircle with 5 hookup points available on 9 foot models.

Built-in snowshield available

#### **RV** Series

										Cutting	Width	At		
ow Model No.	Overall Width	Height	Hinge Point Centers	Number of Vertical Ribs	Number of Horizontal Ribs	Enclosed Trip Cylinder Springs	Thickness of Moldboard	Cutting Edge Size	Approx. of Lbs.	0.	28*	35"	42"	Recommended Truck Size
RV801-60	8.	30"	60"	8	2	2	10 GA.	1/2" x 8"	950	8'	7'1"	6" 61/2"	5'	1 to 2 Ton
RV901-60	9.	30"	60"	8	2	2	10 GA.	1/2" x 6"	1070	9.	7'11"	7.5"	6'10"	2 to 4 Ton
RV101-60	10	30"	60"	8	2	2	10 GA.	1/2" x 8"	1120	10	8110	8.2	761	2 to 5 Ton
RV101-75	10"	30"	75"	8	2	2	10 GA.	1/2" x 6"	1180	10"	8'10"	8.2	7.6"	2 to 5 Ton
RV102-60	10"	367	60"	8	2	2	10 GA.	1/2" x 6"	1330	10"	81101	8'2"	7.61	2 to 5 Ton
RV102-75	10"	36"	75"	8	2	2	10 GA.	1/2" x 6"	1370	10"	8110	8.5.	7'8"	2 to 5 Ton
RV103-116	10"	42"	116"	\$	2	2	10 GA.	1/2" x 6"	1510	10"	8110	8.2	7.61	2 to 5 Ton
RV111-75	11"	30.	75"	8	2	2	10 GA.	1/2" x 6"	1210	11"	9'81/2"	9"	8.5.	2 to 5 Ton
RV112-75	11"	36"	75"	8	2	2	10 GA.	1/2" x 6"	1460	11"	9'81/2"	9"	8.5.	2 to 5 Ton
RV113-116	11"	42"	118"	8	2	2	10 GA.	1/2" x 8"	1805	111	9'81/2"	91	8.5.	2 to 5 Ton
RV121-75	12	30"	75"	8	2	2	10 GA.	1/2" x 6"	1280	12"	107"	10	8111	3 to 5 Ton
RV122-75	12	36"	75"	8	2	2	10 GA.	1/2" x 6"	1480	12	10'7"	10"	8'11"	3 to 5 Ton
RV123-116	12	42"	116	8	2	2	10 GA.	1/2" x 6"	1650	12	10.7	10"	811	3 to 5 Ton



#### **RV Power Reverse Series**

mechanical lock latch is featured on RV Series snowplows equipped with power angling. The reversing cylinders tomatically release the latch before angling. When the desired plowing angle is reached, the latch is moved back into sition mechanically to hold the desired angle and take pressure off of the hydraulic cylinders.

		1207								Cutting	Width	At		
Plow Model No.	Overall Width	Heigt	Hinge Point Centers	Number of Vertical Ribs	Number of Horizontal Ribs	Enclosed Trip Cylinder Springs	Iniokness	Cutting Edge Size	Approx of Lbs.	0,	281	35°	42'	Recommende Truck Size
RV801-60PR	8.	30.	60"	8	2	2	10 GA.	1/2" x 8"	1175	8,	7'1"	6. 61/2	5"	1 to 2 Ton
RV901-50PR	9'	30"	60"	8	2	2	10 GA.	1/2" x 6"	1295	9'	711	7'5"	6110	2 to 4 Ton
RV101-60PR	10"	30"	60"	8	2	2	10 GA.	1/2" x 8"	1345	10"	8'10"	8.5.	7'6"	2 to 5 Ton
RV101-75PR	10	30"	75"	8	2	2	10 GA.	1/2" x 6"	1385	10"	810	8.2	7.8"	2 to 5 Ton
RV102-50PR	10"	36"	601	8	2	2	10 GA.	1/2" x 6"	1555	10"	8"10"	8.2	7'8"	2 to 5 Ton
RV102-75PR	10"	38"	75*	8	2	2	10 GA.	1/2" x 6"	1595	10"	8°10°	8.5.	7'6"	2 to 5 Ton
RV103-116PR	10"	42"	116"	8	2	2	10 GA.	1/2" x 6"	1735	10"	8'10"	8.2	7.6"	2 to 5 Ton
RV111-75PR	11"	30"	75"	8	2	2	10 GA.	1/2" x 6"	1435	11'	9'81/2"	9"	8.2	2 to 5 Ton
RV112-75PR	11'	36"	75"	3	2	2	10 GA.	1/2" x 6"	1885	11"	9'81/2'	9.	8.5.	2 to 5 Ton
RV113-118PR	11'	42	116	8	2	2	10 GA.	1/2" x 6"	1830	11.	9'81/2'	9,	8'2"	2 to 5 Ton
RV121-75PR	12'	30"	75"	8	2	2	10 GA.	1/2" x 6"	1485	12	107	10"	8'11'	3 to 5 Ton
RV122-75PR	12	38"	75"	8	2	2	10 GA.	1/2" x 6"	1705	12	107	10"	8.11.	3 to 5 Ton
RV123-116PR	12"	42"	118"	8	2	2	10 GA.	1/2" x 6"	1875	12"	10.7"	10	8'11'	3 to 5 Ton

#### **RVS Power Reverse Series**

re RVS Series snowplows are power angled by means of 4x10 double acting cylinders. Both cylinders are used for versing in either direction without recourse to a locking device. This means more reversing power while the truck id plow are moving. Cylinders are attached by two 1 1/4" pins.

Also available with power angling by means of 4x22 double acting cylinders.

Optional cushion valve available for cylinder protection.

										Cutting	Width	At	
Now Model No.		Height	Hinge Point Centers	Number of Vertical Ribs	Number of Horizontal Ribs	Enclosed Trip Cylinder Springs	Thickness of Moldboard	Cutting Edge Size	Approx. of Lbs.	0,	35*	42*	Recommended Truck Size
RVS930PR	91	30"	84"	8	2	2	10 GA.	1/2" x 6"	1885	9"	7.5"	61101	3 to 5 Ton
RVS938PR	9'	38"	84"	8	2	2	10 GA.	1/2" x 6"	1745	9"	7.5"	8110	3 to 5 Ton
RVS1030PR	10	30"	84"	8	2	2	10 GA.	1/2" x 8"	1810	10"	8.5.	7'6"	5 to 10 Ton
RVS1036PR	10	36"	84"	8	2	2	10 GA.	1/2" x 6"	1860	10"	8.5.	7.6	5 to 10 Ton
RVS1042PR	10	42"	84"	8	2	2	10 GA.	1/2" x 6"	1925	10"	8.5.	7'8"	5 to 10 Ton
RVS1130PR	11	30"	84"	8	2	2	10 G.A.	1/2" x 6"	1935	11	9.	8.5.	5 to 10 Ton
RVS1138PR	11"	361	84"	8	2	2	10 GA.	1/2" x 6"	1995	11"	9.	8.5.	5 to 10 Ton
RVS1142PR	11"	42"	84"	8	2	2	10 GA.	1/2" x 6"	2100	11'	9.	8:2"	5 to 10 Ton

# NVALK MANUFACTURING COMPANY

#### SNOW PLOW WARRANTY

VALK MANUFACTURING COMPANY WARRANTS THAT EACH SNOW PLOW DELIVERED WILL BE WARRANTED FROM DEFECTS IN MATERIAL OR WORKMANSHIP FOR A PERIOD OF TWO YEARS

PHONE: (717) 766-0711

VALK MANUFACTURING COMPANY

Flour F. Clang

ROBERT P. LANG VICE PRESIDENT

SNOW PLOW DIVISION

FAX: (717) 697-6297 WEBSITE: www.valkmfg.com



NENDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

7012EC07

PAGE 1

eser Vo	ADDRESS CORRES	PONDENCE TO ATTENTION OF:
AUL	REYNOLDS	

PAUL REYNOLDS 304-558-0468

RFQ COPY TYPE NAME/ADDRESS HERE LH Jones Equipment 1825 Earl L. Core Road Morgantown, WV 26505

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 304-472-1750

DATE PRINTED	TEI	RMS OF SALE	SHIP VIA	F,O.B,	FREIGHT TERMS
12/14/201	1 Net 3	30 Days	Motor Freight	Buckhannon, WV	No Charge
BID OPENING DATE:	01/05/2	2012		OPENING TIME 0:	:30PM
LINE	QUANTITY	UOP CAT.	ITEM NUMBER	UNIT PRICE	AMOUNT
		ADDENDU	NO. 1		
СНА	NGES TO TI	HE SPECIFI	CATIONS ATTACHED		
BID	OPENING I	PATE CHANG	RD		
FROI	M: 12/21,	2011 @1:3	O P.M.		
TO:	01/05,	2012 1:30	P.M.		
ро (	OTHER CHAI	NGES			
001 SNO	W PLOWS, 1		765-59	See page 1 of	RFQ
***	*** THIS	IS THE EN	D OF RFQ 7012E	07 ***** TOTAL	See page 1 of RFÇ
					= ==
	1	SEER	EVERSE SIDE FOR TERMS AND CO	ONDITIONS	
SIGNATURE	110	1	TELEPHONE 3	04-292-1307 DATE	1/4/12
TITLE COO	F	55-0551	865		ES TO BE NOTED ABOVE

### GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.

3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.

- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

#### INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
- 5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).

#### PREBID ADDENDUM NO. 1 7012BC07

### 10 FOOT OR 11 FOOT POWER REVERSIBLE SNOWPLOW

#### CHANGES TO SPECIFICATIONS:

#### FROM:

2.0 BIDDING PROCEDURES - Last Séntence Only

FAILURE TO SUBMIT THE BIDDER'S EVALUATION REPORT, COMPLETE IN ITS ENTIRETY, MAY RESULT IN AUTOMATIC DISQUALIFICATION.

TO:

2.0 BIDDING PROCEDURES - Last Sentence Only

FAILURE TO SUBMIT THE BIDDER'S EVALUATION REPORT, COMPLETE IN ITS ENTIRETY, SHALL RESULT IN AUTOMATIC DISQUALIFICATION.

#### **VENDOR QUESTION:**

7.1.3 Can spee be changed to allow break force moldboard? RESPONSE: Spee remains as written.

#### VENDOR QUESTION:

7.1.7 Are tapered laser out ribs acceptable? RESPONSE: Spec remains as written.

#### FROM:

7.1.10 Shall be reinforced at the top and bottom edges. Top of the moldboard to be reinforced with an integrally structural channel 3 ½ inch x 2 ½ inch x 3/8 inch. Formed not acceptable. Bottom angle of not less than 4 inch x 4 inch x ¾ inch angle gusseted.

TO:

7.1.10 Shall be reinforced at the top and bottom edges. Top of the moldboard to be reinforced with an integrally structural angle 3 ½ inch x 2 ½ inch x 3/8 inch. Formed not acceptable. Bottom angle of not less than 4 inch x 4 inch x ½ inch angle gusseted.

#### DELETE:

- 7.6.3 Three (3) pieces of two (2) wire hydraulic pressure hose one-quarter (1/4) inch diameter and approximately ten (10) feet long. Each hose must be equipped with:
- 7.6.3.1 One (1) quick coupler at plow end with dust caps. Prefer Snap-Tite Couplers VHN-8 Nipple Hose, VHN-8 Nipple Reverse Cylinder, VHC-8 Nipple Reverse Cylinder 90 degree fitting.
- 7.6.3.2 Two (2) crimp-type hose fittings with male JIC 370 threads. One (1) to mate with swivel and the other to mate with quick coupler.
- 7.6.3.3 One (1) JIC-370 swivel 90 degree elbow/male JIC 370.
- 7.6.3.4 One (1) adaptor to mate bank valve port to JIC swivel.

#### **VENDOR QUESTION:**

7.10 Is another type paint process acceptable?
RESPONSE: This is a non-mandatory. A plural component epoxy primer and plural component urethane top coat system may be bid. List as exception with letter attached.

### PREBID ADDENDUM NO. 1 7012BC07

#### 10 FOOT OR 11 FOOT POWER REVERSIBLE SNOWPLOW

### CHANGES TO BIDDER'S EVALUATION REPORT:

FROM: CHANGE	"NOTE TO BIDDER" – Last Sentence Only
	TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT DER TO DISQUALIFICATION.
TO: CHANGE	"NOTE TO BIDDER" – Last Sentence Only
	TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, SHALL SUBJECT DER TO DISQUALIFICATION.
X7.1.3	Remains as written.
X7.1.7	Remains as written
FROM: <b>X7.1.10</b>	Reinforced at top and bottom edges? _YES _NO Top of moldboard reinforced with integrally structural channel? _YES _NO Size of channel: Bottom anglexx_angle gusseted
TO: <b>X7.1.10</b>	Reinforced at top and bottom edges? YES NO
	Top of moldboard reinforced with integrally structural angle? X YES NO
	Size of angle: 3-1/2" x 2-1/2" x 3/8"
	Bottom angle: 4" x 4" x 3/4 angle gussoted

DELE <b>X7.6.3</b>	TE: 3 THROUGH AND INCLUDING X7.6.3.3				
Add	OOR QUESTION  Will you be using another type of paint process	X	YES_	NO	
*	Are you using a plural component epoxy primer and System	l plura X	nl compoi _YES	nent urethane NO	top coa
	Have you listed as an exception with letter attached	_X	YES_	no	



January 4, 2012

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
PO Box 50130
Charleston, WV 25305-0130

As part of response to Request for Quotation No.: 7012EC07

RE: Request for Quotation No. 7012EC07 Exception to Specifications

Following are the exception(s) to specifications for the Valk snowplow

- 7.10 Paint will be a plural component epoxy primer and plural component urethane top coat as per the attached letter.
- 7.10.2 Plow front will be painted with same plural component epoxy primer and plural component urethane top coat if desired.

LH Jones Equipment Co.



Date: October 21, 2010

To: Bob Lang, Valk Manufacturing

From: Bruce Heffner, Sheboygan Paint

Subject: Paint Performance Statement

The Sheboygan plural component epoxy primer and plural component urethane top coat systems, when applied to properly prepared substrate, will equal or exceed the physical and weathering properties of powder coating.

This premium grade environmentally compliant low carbon foot print paint system provides the direct to metal corrosion barrier of an epoxy primer with the superb intercoat adhesion required for the urethane topcoat with its superior gloss retention, fade resistance, salt spray values, impact and chip resistance.

Sincerely,

Bruce Heffner Sheboygan Paint Senior Sales Representative