

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for REGNUMBER 7012EC07

	PAGE
****	1.050
	1

ADDRESS CORRESPONDENCE TO ATTENTION OF:

PAUL REYNOLDS 304-558-0468

RFQ COPY TYPE NAME/ADDRESS HERE ROPE, 121. P.O. BOX99 FALLING ROCK, WUZ5079

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

304-472-1750

DATE PRIN	TED	TER	MS OF SAL	É.	SHIP VIA		f.O.8,	FREIGHT TERMS
11/17/	*******	* ************************************	************	0	B.WAY		DESTIDATION	DELIVERED
BID OPENING DATE:		12/21/			BID	OPE	NING TIME	01:30PM
LINE	QUA	NTITY	YOP	CAT. NO.	ITEM NUMBER		UNIT PRICE	AMOUNT
0001	SNOW I	PLOWS,	EA MOTOR		765-59			
			R		T FOR QUOTATION	5	ER PAGE 18 For PRICING	
				OPEN	END CONTRACT			
	AGENC'	Y, THE	WEST	VIRGI O PRO	E PURCHASING DINIA DIVISION OF VIDE 10 FT OR 1	1 F7	GHWAYS IS F POWER	e, 9,
y	BE REMEETI WRITI DIVIS MANDA	CEIVED NG. TEC NG TO F ION. N TORY PF	THROU HNICA AUL R ENDOR E-BII THIS	GH TH L QUE EYNOL S MAN VIA RFO,	NCERNING THIS S E CLOSE OF THE STIONS MUST BE DS WEST VIRGINI SUBMIT QUESTIC MAIL AT THE ADI VIA FAX AT 304-	MANI SUBN (A S) ONS I ORES:	DATORY PRE-BI MITTED IN FATE PURCHASI PRIOR TO THE S LISTED IN -4115, OR VIA	NG
	EMAIL ALSO FOR A MEETI AFTER RECEI ISSUE	AT PAUBE ACCELL TECHNG. NO THE PEU WILLD BY THE DELLE BY THE BELLE	L.REY PTED NICAL D ADDI RE-BII L BE HE PUR	NOLDS DURIN QUES ITIONA D MEET ANSWERCHAS	SOWV.GOV. WRITT OF THE MANDATORY STIONS IS THE CLA AL QUESTIIONS WITT ING. ANY TECHNORIES ERED BY FORMAL ATT YOUR CONVENIENCE OF THE MANDATORY OF TH	FEN C PRI OSE ILL I NICA ADDE TER CE A	QUESTITONS WI E-BID, DEADLI OF THE PRE-E BE ACCEPTED & L QUESTIONS NDUM TO BE THE MANDATORY WORD DOCUMEN	T RECEIVED
	HAS B	EEN AT	CHE	FOR	SUBMITTING TECH	HNIC	AL QUESTIONS	
								2012 JAN - 5 PM 1: 25
·	A MAN	DATORY	PRE-1	MAI BID W	DATORY PRE-BID ILL BE HELD ON	12/0	8/2011 AT 10	A WV RURCHASING
			1		THE THE MEN BLETT ONE	8000	lave	
Α				SEER	EVERSE SIDE FOR TERMS AND TELEPHONE	CONDIT	0	ATE
SIGNATURE De	~	Hoov			The state of the s	304.	548-6701	1-5-12
TITLE SALIS C	Jan 6	۱	FEIN 50	5-0	704007			IGES TO BE NOTED ABOVE
W	HEN RES	PONDING	TORFO	Q, INSE	RT NAME AND ADDRES	SSINS	SPACE ABOVE LAE	ELED 'VENDOR'

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best Interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and Interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is matle without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
- 5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).

ROPZ, INC.



TITLE

RFQ COPY

TYPE NAME/ADDRESS HERE

KOPE, INC.

State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for BEQNUMBER Quotation

7012EC07

ADDRESS CORRESPONDENCE TO ATTENTION OF:

PAUL REYNOLDS 304-558-0468

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201

304-472-1750

ADDRESS CHANGES TO BE NOTED ABOVE

FREIGHT TERMS F.O.B. ... TERMS OF SALE SHIP VIA DATE PRINTED 11/17/2011 BID OPENING DATE: BID OPENING TIME 01:30PM 12/21/2011 UNIT PRICE AMOUNT ITEM NUMBER QUANTITY UOP LINE RT 33 BUSHY FORK RD, BUCKHANNON, WV 26201. ALL INTERESTED PARTIES ARE REQUIRED TO ATTEND THIS MEETING. FAILURE TO ATTEND THE MANDATORY PRE-BID SHALL RESULT IN NO ONE PERSON MAY DISQUALIFICATION OF THE BID. REPRESENT MORE THAN ONE BIDDER. AN ATTENDANCE SHEET WILL BE MADE AVAILABLE FOR ALL POTENTIAL BIDDERS TO COMPLETE. THIS WILL SERVE AS THE OFFICIAL DOCUMENT VERIFYING ATTENDANCE AT THE MANDATORY FAILURE TO PROVIDE YOUR COMPANY AND PRE-BID. REPRESENTATIVE NAME ON THE ATTENDANCE SHEET WILL RESULT THE STATE WILL NOT IN DISQUALIFICATION OF THE BID. ACCEPT ANY OTHER DOCUMENTATION TO VERIFY ATTENDANCE. THE BIDDER IS RESPONSIBLE FOR ENSURING THEY HAVE COMPLETED THE INFORMATION REQUIRED ON THE ATTENDANCE THE PURCHASING DIVISION AND THE STATE AGENCY WILL NOT ASSUME ANY RESPONSIBILITY FOR A BIDDER-S FAILURE TO COMPLETE THE PRE-BID ATTENDANCE SHEET. ADDITION, WE REQUEST THAT ALL POTENTIAL BIDDERS INCLUDE THEIR E-MAIL ADDRESS AND FAX NUMBER. ALL POTENTIAL BIDDERS ARE REQUESTED TO ARRIVE PRIOR TO THE STARTING TIME FOR THE PRE-BID. BIDDERS WHO ARRIVE LATE, BUT PRIOR TO THE DISMISSAL OF THE TECHNICAL PORTION OF THE PRE-BID WILL BE PERMITTED TO SIGN IN. BIDDERS WHO ARRIVE AFTER CONCLUSION OF THE TECHNICAL PORTION OF THE PRE-BID, BUT DURING ANY SUBSEQUENT PART OF THE PRE-BID WILL NOT BE PERMITTED TO SIGN THE ATTENDANCE SHEET. EXHIBIT 2 THIS CONTRACT BECOMES EFFECTIVE LIFE OF CONTRACT: UPON AWARD AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE SEE REVERSE SIDE FOR TERMS AND CONDITIONS TELEPHONE DATE SIGNATURE



REO COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for REQNUMBER Quotation

7012EC07

j.	PAGE
	7

ADDRESS CORRESPONDENCE TO ATTENTION OF:

PAUL REYNOLDS 304-558-0468

DIVISION OF HIGHWAYS EULIDMENT DIVICION

ROPE	,120,		TO TO	ROU BRU BUC	TE 33 SHY FORK KHANNON, 6201	ROAD WV	-472-1750
DATE PRINTED	TERMS OF SAL	Ė	SHIP VIA		F,O	.Ö,	FREIGHT TERM
11/17/2011							
IID OPENING DATE:	12/21/2011			BID	OPENING	TIME 0	1:30PM
LINE QUA	VIITY UOP	CAT.	ITEM NUMBER		UNIT	PRICE	AMOUNT

NO: THE "REASONABLE TIME" PERIOD SHALL ORIGINAL CONTRACT. NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING THIRTY (30) DAYS WRITTEN NOTICE. UNLESS SPECIFIC PROVISIONS ARE STIPULATED IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS, AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT. THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL RENEWAL: WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS. CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN. THE DIRECTOR OF PURCHASING MAY OPEN MARKET CLAUSE: AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMME-DIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK). QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIES BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE TELEPHONE

FEIN

TITLE

ADDRESS CHANGES TO BE NOTED ABOVE



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER 7012EC07 PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF:

PAUL REYNOLDS 304-558-0468

RFQ COPY TYPE NAME/ADDRESS HERE ROPE, NOC.

SH E

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 304-

304-472-1750

11/17/	*********	Jen	MS OF SAL	. C	SHIP V	18	r.v.a.	THEIGHT TENMO	
BID OPENING DATE:		12/21/	2011		<u> </u>	BID	OPENING TIME	01:30PM	
LINE	QUAI	de la companya de la	UOP	ÇAŤ, NÖ.	ITEM NUK		UNIT PRICE	AMOUNT	
			<u> </u>	NO.					
					URING THE HAN THE Q		F CONTRACT, ES SHOWN.		
2	WRITTE	N EQUI MMODIT	PMENT	CONT	RACT ORDE	R (FORM	SHALL ISSUE A NUMBER WV-35) CT. THE ORIGI	00 CO	
	IN THE AND CO AND OT TO POL VIRGIN PRICES POLITI CLEARL	BID H NDITIO HER LO ITICAL IA. I , TERM CAL SU Y INDI NOT PR	IS RE NS OF CAL G SUBD F THE S, AN BDIVI CATE	FUSAL THE OVERN IVISI VEND D CON SIONS SUCH	TO EXTEN BID TO CO MENT BODI ONS OF TH OR DOES N DITIONS O OF THE S REFUSAL I	D THE PUNTY, SES, THE ESTATE OT WISH FTHE BTATE, THE BT	VENDOR INDICAT RICES, TERMS, CHOOL, MUNICIP BID SHALL EXT OF WEST TO EXTEND THE ID TO ALL HE VENDOR MUST ID. SUCH REFU CONTRACT IN AN	AL EN	
	CURREN IS ISS MUST A CARD F	SING C TLY UT UED TH CCEPT OR PAY	ILIZE ROUGH THE S MENT	S A V A BA TATE OF AL	ISA PURCH NK, THE OF WEST V	ASING C SUCCESS IRGINIA	OF WEST VIRGI ARD PROGRAM WH FUL VENDOR VISA PURCHASI BY ANY STATE	ICH	
				NOT					
	A SIGN	FD BID	MUST	BE S	UBMITTED	101	•••		
	P B	URCHAS UILDIN	ING D G 15	IVISI					
SIGNATURE				SEE RE	/ERSE SIDE FOR T	TELEPHONE		DATE	
TITLE		FE	in				ADDRESS CHAN	NGES TO BE NOTED ABOVE	



TITLE

RFQ COPY

TYPE NAME/ADDRESS HERE

ROPE, INC.

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

7012EC07

PAGE 5

ADDRESS CORRESPONDENCE TO ATTENTION OF:

PAUL REYNOLDS 304-558-0468

D S H E F R T

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 304-

304-472-1750

ADDRESS CHANGES TO BE NOTED ABOVE

FREIGHT TERMS F.O.B, SHIP VIA DATE PRINTED TERMS OF SALE 11/17/2011 BID OPENING TIME 01:30PM 12/21/2011 BID OPENING DATE: THUOMA UNIT PRICE QUANTITY UOP ITEM NUMBER LINE 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130 THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED: SEALED BID FILE 33 PAUL REYNOLDS BUYER: RFQ. NO.: 7012EC07 12/21/2011 BID OPENING DATE: BID OPENING TIME: 01:30 P.M. PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: CONTACT PERSON (PLEASE PRINT CLEARLY): IS THE END OF RFQ 7012EC07 ***** TOTAL: THIS ***** SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE

FEIN

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS EQUIPMENT DIVISION

BIDDER'S EVALUATION REPORT

PROCUREMENT SPECIFICATIONS NO. 021-2-E

OPEN END CONTRACT 10 FOOT OR 11 FOOT POWER REVERSIBLE SNOWPLOW (HYDRAULIC)

NOTE TO BIDDER: Procurement Specification No. 021-2-E, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. Addendums in order, along with a summary of exception as a separate attachment, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.


	Reference Requisition No.: 7012ECO7
	Bidder's Name: ROPE, INC.
	Address: POBOX 99 FALLIDG ROCK, WV 25079
	Telephone Number: 304-548-6701
	Years Bidder has been registered to do business with the State of West Virginia: YRS.
	Years Company has been an authorized dealer for proposed unit:
X3.2	Have you complied with all mandatory specifications? YES NO 7.4.2 MFG, USIS ONLY 6 HINGES IN THEIR DESIGN WITH NO FAILURES DELIVERY: OUTER HINGE POINT WILL BE AT THE END OF EACH SIDE
X4.2 X4.2.1	Delivery date of completed representative unit: 75 Calendar Days After Receipt of Purchase Agreement
X4.2.2	Delivery date of balance of completed units:135 Calendar Days After Receipt of Purchase Agreement
	Vendors should type Bidder's Evaluation Report

The "Bidder's Evaluation Report" is available for download on Purchasing's Web site at www.state.wv.us/admin/purchase

X5.0	AWARD CRITERIA;		
X5.1	Price per unit:	101	\$11,747, per unit
		11,	\$ 11,904, perunt
X6.0 X6.1	SPECIFICATIONS - GENERA Manufacturer, model, series,		ure of proposed unit:
	FLINK - FSP - 10 Is descriptive literature, fully d	PA36 WV12/11 lescribing proposed uni	PA36WVIZ - ZOIZ t attached to your bid?YESNO
	If not, why? <u>LITERATURE</u> UDITS TO BEMADUFACTURE	PROVIDED 15 BA	EQUIREMENTS IN BID SPECIFICATIONS.
X6.2	Will the required number of Equipment Division at Buck	service manuals, and hannon upon complet	complete parts list be delivered to the on of delivery of total units? YES NO
	Will the required Equipmen Report) be provided upon in	t Preventive Maintena spection of the pilot u	nce Form (Section X6.2 of Bidders Evaluation nit? YES NO

ROPE, IXC.

X6.3	TRAINING:	
	Will training seminar be conducted on Preventive Maintenance, Operator and Mechanic TrainingYESNO	
	Will you conduct training with each purchase order against this open end contract? YESNO	
	Will training be conducted within 2 working days from the delivery of the pilot unit on the individual purchase order? YES NO	
	If NO, explain time frame	
	Will an Operator's Manual be furnished directly to Training Academy prior to the delivery of the pilot? YESNO	
X6.4	If you are the successful vendor, will you furnish all training aids, i.e., videos, projectors, required in conducting the training? YESNO	l
X6.4.1	Will all manuals, booklets, etc. explaining preventive maintenance, operator procedures, and service schedule be delivered with each unit? YESNO If NO, explain	
X6.5	WARRANTY AND SERVICE POLICY	
	Will the warranty and service you provide comply with all areas as stated in Section 6.5 of specification YESNO	18
	Is warranty literature attached?	
	Is a minimum two (2) year bumper to bumper basic parts and labor warranty excluding abuse and normal wear items included? VESNO Describe:	
8	THE PITTER	





502 N. Vermillion Street * Streator, Illinois 61364 (815) 673-4321 * Fax (815) 672-2678 Info@Illnkso.com * website: www.flinkco.com

WARRANTY

The Flink Company warrants that it will replace without charge within two years of date of sale, any part proven to the satisfaction of Flink Company to have been defective at the time it was sold or became defective through normal use. This warranty applies only to parts which have not been altered, changed, repaired or abused in any manner.

Component parts used in this equipment but furnished by other manufacturers are warranted only to the extent of the warranty supplied by such manufacturers.

The Flink Company is not responsible to any purchaser of our products for any warranty of guarantee made by dealers selling our products beyond that stated above.

FLINK COMPANY Streator, Illinois



X6.5 WARRANTY AND SERVICE POLICY QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY AND SUBMITTED WITH YOUR BID. (If additional lines are needed, make copies of form.)

1. Define the terms of the standard warranty. If not offered, so state. (1) TWO YEARS - SEE ATTACHED FLINK WARR	
2. Define warranty service to be performed at DOH facilities and warramanufacturer's representative facility. List name and location of manufacturer.	facturer's representative.
MINOR WARRANTY MAY BE PERFORMED AT DC	HFACILITIES - WASOR
WARRASTY SERVICE TO BE PERFORMED AT ROP.	E, INC. 5522 ELKRIVERKI
ELKUIEW. WU 25071	
3. List locations for parts inventories that are within the State of West \	rginia. Also, list availability levels, if
ROPE, INC. 5522 ELK RIVER ROAD, ELKVIE	W.WJ 25071
PANTS INCLUDE NORMALWELL ITEMS.	
4. During the term of warranty, list the guarantee discount to manufactubidder will sell the parts to owner.	arer's published list price for parts that
A. Terms: Net 30 Manufacturer's published list price less: B. Terms: Net 60 Manufacturer's published list price less: C. Terms: Net 90 Manufacturer's published list price less:	% discount
5. During the term of warranty, will all manufacturers or engineering in Highways?	nprovements be submitted to Division ofNO
6. During the term of warranty, list the guaranteed rates charged for rep	air to the unit.
A. Shop Rate \$ 75,00 per mechanic hour	
B. Travel Time Charge \$	
C. Mileage Charge \$ 1.25 per vehicle mile (Specify if one-way ; port to port	
D. Field Mechanic Rate \$ 95,50 per mechanic hour	
E. Specify period of time that prices are in effect: DURING U	DANRISTY PENIOD
F. Surcharge for miscellaneous items:	

X6.6	EVALUATION COMMITTEE REQUIREMENTS
	Is all component specifications, product literature, component models provided for Evaluation Committee bid determination? YESNO
X6.7	Will all parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, be furnished with the unit and conform in strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry? YESNO
X6.7.1	Are all parts and accessories adequate and regularly supplied as standard to be included except those which may be duplications of specifications herein, and except these by specification are not to be furnished? YESNO
X6.7.2	Are all standard safety features that are required by Federal and State statutes of law included? YESNO
X7.0	SPECIFICATIONS OF THE QUOTED UNIT The bidder should complete the following schedule in order for the Division to compare the actual bid unit to the specifications. Should the bidder except a requirement, then such exception may be only on the basis that such feature is not offered by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specifications. by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specifications.
	Is the snowplow designed for mounting on a single axle or tandem dump truck YES NO
	Is the snowplow capable of plowing to the right or left at and angle approximately 35° discharging to the right or left
	Is it a straight blade type with an integral type snow shield YESNO
	Does it have two (2) trip springs setting inside the two (2) moldboard struts
	Will you supply the hose and fittings to connect both systems to the valve located under the front bumper YESNO
	Is the blade section type, made up of three (3) and four (4) foot sections to total 10 feet or 11 feet wide, having a tungsten carbide inserted cutting edge YESNO
	Manufacturer: EVOLUTION EXCES Model: 3/4"X 6"

X7.1 M	oldboard:
X7.1.1	Overall Width:
X7.1.1.1	OPTION #1 – 10 Foot YES NO
X7.1.1.2	OPTION #2 – 11 Foot
X7.1.2	Overall height: inches
X7.1.3	Moldboard construction: # 10 U.S. Gauge STAINCESS steel and rolled to give the snow a free rolling action YES NO
X7.1.4	Travel arc: 35 ° each way; total 70 °
X7.1.5	Moldboard has a cutting edge attach angle with three (3) adjustments from 5 degree, 10 degree, and 20 degree vertical measurement from ground using ¾ inch pins YES NO
X7.1.6	Weight of plow: 10 foot 1980 Lbs. 11 foot 2,030 Lbs.
X7.1.7	Number of vertical ribs 8 2 X 3 X 4" PLASMA CUT Formed steel
X7.1.8	Is an additional rubber snow shield provided? YESNO
	Size of belting 5/16 Run entire length of plow? YES NO
	Mounted so it won't add to overall height? YESNO
X7.1.9	Continuously welded ribs, moldboard, and angles YESNO
X7.1.10	Reinforced at top and bottom edges?
	Top of moldboard reinforced with integrally structural channel? ANGUE Size of channel: 3'X 2/2' X 3/8" ANGUE Per ADDENDUM #1
	Bottom angle $4^{\prime\prime}$ x $4^{\prime\prime}$ x $3/4^{\prime\prime}$ angle gusseted.
X7.2 C	utting Edge:
X7.2.1	Sectioned, standard AASHO punched, in three (3) foot and four (4) foot lengths?

X7.2.2	Blade Sections:
X7.2.2.1	insert of approximately 88 Rockwell A scale hardness? YESNO
X7.2.2.2	Insert silver soldered on all sides of a milled slot near the center of the working edge?
X7.2.2.3	Braze joint transverse rupture strength: 350,000 PSI
X7.2.2.4	Blade section identifiable by manufacturer, name and part number stamped on the reverse side of each section? YES NO
X7.2.2.5	Will wrap around curb guards be mounted on right and left side of plow
X7.2.2.6	Curb guards are5/8 inch thick,6_ inches high and8_ inches long
X7.3 S X7.3.1	afety Trip Mechanism: Tripping mechanism attached to semi-circle and moldboard ribs use two (2) compression springs YES NO
X7.3.2	Are springs two (2) external compression springs sitting inside (2) moldboard adjusting struts made from (2) ½ inch x 2.5 inch bars sliding to a ¾ x 2.5 inch center bar with an overall length of 39.5 inches
X7.3.3	Does the trip mechanism hold the plow rigid in plowing position and trip automatically when cutting edge comes in contact with an obstruction then returns to normal plowing position? YESNO
X7.4 P X7.4.1	ush Frame: All welded construction designed per manufacturer's heavy duty specifications? NO
	Push frame length for 10 foot: 120 inches Structural tube size: 4"x 4"x 3/8"
	Push frame length for 11 foot: 132 inches Structural tube size: 4x4'x 78'
X7.4.2	Number of hinges in moldboard to push frame connection? 6 7 15 REQUIRED BY SPECS, MFG. HAS USED THIS DESIGN FOR YEME Each hinge has a fully welded in bushing to house pin YES NO
	Bushings are 1 ¼ inch mounted to two 5/8 inch mounting ears for total bearing surface per bushing of 2 ½ inchesNO

X7.4.3	Equipped with an oscillating center pin of plow portion hitch of 2 inch with push plate being 1 inch x 33 inches x 5 inches feature to permit plow to follow uneven road surfaces? YESNO
	Semi-circle is 3 ½ inches x 3 ½ inches x ½ inch
X7.4.4 H X7.4.4. 1	ydraulic Power Reversing Mechanism: Consist of two (2) double acting 4 inch x 2 inch power reversing hydraulic cylinders fitted with the fixed base end in the center of the push frame? YESNO
	Are cylinders mounted above the semi-circle
X7.4.4.2	Does hydraulic power reverse mechanism include a dual cross-over relief cushion valve?
	Rated at GPM
X7.4.4.3	center reversing pin mounted in a inch, inch wall tube and having a grease fitting YES NO
	Push ends are welded to a $\frac{1}{2}$ inch x $\frac{33}{2}$ inch x $\frac{5}{2}$ inch base plate having a $\frac{3}{2}$ incl pivot hole for the oscillator bar to attach to
X7.4.5 X7.4.5.1	Skid Shoes: Are caster mounted carbide mushroom type shoes included? YES NO
	One on each side YESNO
X7.4.5.2	Manufacturer's standard adjusting mechanism included?
X7.5 H X7.5.1	litch: Universal heavy duty type designed to carry plows of weight specified when mounted on a 32,000 pound class truck minimum? YES NO
X7.5.2	Bumper to frame type adaptable to any conventional truck and to accommodate a tilt front end on the carrier? YES NO
V7521	Is hitch attached in truck's frame rails? YESNO

X7.5.2.2	Does hitch include a lift system YES NO
	Designed at a rated capacity of $8,000$ lbs.
	Is lift cylinder the same size as plows reversing cylinder for WVDOH interchangeability YES NO
X7.5.3 H	itch to Bumper Attachment:
X7,5.3.1	Is hitch frame height 33 5/8 inches and hitch width 26 inches YES NO
X7.5.3.2	Hitch members areinches x inches x inches structural angle or tubing YES NO
	Hitch is low profile for access to the truck's engine compartment YESNO
X7.5.3.3	Is the lift arm and lift frame designed to accept a 4 inch lift cylinder with nitrided cylinder tube? YESNO
	Cylinder pins are inch cold rolled steel YES NO
X7.5.3.4	Does unit have self-storing arm YESNO
	Is this accomplished by pulling one (1)- one (1) inch pin and folding the cylinder up which allows you to re-pin to store? YES NO
X7.5.3.5	Axle clamp allows longitudinal motion but not vertical and horizontal motion? YES NO
X7.5.4 D	Does unit provide custom ½ inch Grade 50 or better check plates which are bolted welded or bolted to main hitch and allows for bolting to truck's frame rail YES NO
X7.6 Hyd Wil	draulic System: Il you supply the following hydraulic components
X7.6.1 P	Provide one (1) 4 inch lift cylinder with 10" stroke double-acting nitrided hydraulic lift cylinder, elevis pinned top and bottom?
X7.6.2 P	Provide two (2) four (4) inch double acting nitrided hydraulic reversing cylinders?
X7.6.3 I	Provide three (3) pieces of two (2) wire hydraulic pressure hose one-quarter (1/4) inch diameter by approximately ten (10) feet long? YES NO
]	is each hose equipped with the following YESNO

ROPE, IDC.

X7.6.3.1	Each hose equipped with one (1) qu	iick coupler at	plow en	d with	ı dust YES	cap? NO	
	Manufacturer/Model: PARKER	HANNAFIN	CORP	- 40	00-4	-	
X7.6.3.2	Each hose equipped with two (2) cr mate with swivel and the other to n	imp-type fittin nate with quick	gs with coupler	male r?	JIC 37	0 threads YES	(one (1) to NO
X7.6.3.3	Each hose equipped with one (1) JI	C 370 - swivel	- 90°elb	ow/m	ale JIC YES _	2 370? NO	
X7.6.3.4	Each hose equipped with one (1) ac	laptor to mate	bank va	lve po	ort to J YES	IIC swivel	?
X7.7	Other Standard Features: List other standard features offered and n	dard features offered and not addressed above: Description					
X7.8	Does the proposed unit meet or exceeds th	e OSHA of 197	70 and/o 	r sub	sequen N	it changes'	?
X7.9	Is snowplow close fitting, simple, reversible possible to the vehicle pushing it, to maint	tain truck bala	nce with	in rea	asonab	le limits	as close as
	Is it a relatively light weight compact unit		<u> </u>	ES_	N	0	
X7.10 X7.10.1	which would jeopardize truck balance? Paint: (いんかかんかしゅかせ) Will unit be sandblasted and prepped pric	or to painting as	stated in	'ES _ n 7.10.	N	× YES	NO
X7.10.2	Will complete assembly receive one (1) li Will front be sprayed in enamel	ayer of powder YES <u>/</u> NC	coating		X	YES	_ NO
X7.10.3		YER POWDE	R COAS	FE	EDER	xc Yeu	OW
X7.10.4	4 Describe painting of rear of plow: 1	YER POWDE	R C047	F	AT	BLACK	<u> </u>
X7.10.5	4 1 0-	LER POWDE	n Coas	FPI	AT	BUCK	
	Will push frame and hitch be complete	ely covered		X	YES	NO	
X7.11	Does the unit conform to the advertising	guidelines?	-	X	YES_	NO	
X7.12	Will all loose hardware be in separate conta	iners for each p	low and	be shi	pped v	vith each p	low?

Rev. 09/08

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). West Virginia Code, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the West Virginia Code. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

	1.	ing the date of this certification; or, Bidder is a partnership, association or corporation res business continuously in West Virginia for four (4) ye ownership interest of Bidder is held by another individ maintained its headquarters or principal place of bu preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate of and which has maintained its headquarters or princip years immediately preceding the date of this certification.	ident vendor and has maintained its headquarters or principal place of ears immediately preceding the date of this certification; or 80% of the dual, partnership, association or corporation resident vendor who has usiness continuously in West Virginia for four (4) years immediately or subsidiary which employs a minimum of one hundred state residents pal place of business within West Virginia continuously for the four (4) action; or,
	2.	working on the project being bid are residents of West immediately preceding submission of this bid; or,	g the life of the contract, on average at least 75% of the employees at Virginia who have resided in the state continuously for the two years
(*)	3.	affiliate or subsidiary which maintains its headquar minimum of one hundred state residents who certifi employees or Bidder's affiliate's or subsidiary's em continuously for the two years immediately precedi	ters or principal place of business within West Virginia employing a les that, during the life of the contract, on average at least 75% of the ployees are residents of West Virginia who have resided in the state and submission of this bid; or,
	4.	Application is made for 5% resident vendor pre Bidder meets either the requirement of both subdivi	sions (1) and (2) or subdivision (1) and (3) as stated above, or,
	5.	Application is made for 3.5% resident vendor p Bidder is an individual resident vendor who is a vetera and has resided in West Virginia continuously for submitted; or,	reference who is a veteran for the reason checked: an of the United States armed forces, the reserves or the National Guard the four years immediately preceding the date on which the bid is
	6.	Bidder is a resident vendor who is a veteran of the purposes of producing or distributing the commoditions and the project on	preference who is a veteran for the reason checked: United States armed forces, the reserves or the National Guard, if, for es or completing the project which is the subject of the vendor's bid and average at least seventy-five percent of the vendor's employees are state continuously for the two immediately preceding years.
	require agains or dedu	understands if the Secretary of Revenue determined ments for such preference, the Secretary may order I such Bidder in an amount not to exceed 5% of the b acted from any unpaid balance on the contract or pure	s that a Bidder receiving preference has failed to continue to meet the the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty id amount and that such penalty will be paid to the contracting agency chase order.
300	authori the req deeme	zes the Department of Revenue to disclose to the Dire uired business taxes, provided that such information d by the Tax Commissioner to be confidential.	any reasonably requested information to the Purchasing Division and ctor of Purchasing appropriate information verifying that Bidder has paid a does not contain the amounts of taxes paid nor any other information
		avente in all reconcter and that it a contract is it	Code, §61-5-3), Bidder hereby certifies that this certificate is true ssued to Bidder and if anything contained within this certificate of the Purchasing Division in writing immediately.
	Bidder		Signed: De XXXXX
	Date: ,	1-5-13	Title: SAUS CORDISATOR.

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

1012

STATE OF WEST VIRGINIA **Purchasing Division**

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, Limited Liability Company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more countles or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more countles or municipalities. "Related party" means a party, whether an Individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent. of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE Vendor's Name: Authorized Signature: to-wit: County of Taken, subscribed, and sworn to before me this _5 day of _ My Commission expires AFFIX SEAL HERE

OFFICIAL SEAL James Wallace Rollins Notary Public State of West Virginia My Commission Expires April 20, 2020 PO BOX 99 Falling Rock, WV 25079



NOOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

7012EC07

1

ADDRESS CORRESPONDENCE TO ATTENTION OF: PAUL REYNOLDS 04-558-0468

RFQ COPY TYPE NAME/ADDRESS HERE

ROPEINC. PO BOX 99 FALLING ROCK, WW 25079

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV

26201

304-472-1750

DATE PR		TERM	AS OF SAL	É	SHIP VIA		F.O.8,	FREIGHT TERMS
12/14] 01/05/2	012		רם	D OB	ENING TIME 01	:30PM
			W. 58. 58	CAT.		.D OF		AMOUNT
LINE	QUA	NTITY	UOP	CAT. NO.	ITEM NUMBER	فانسد	UNIT PRICE	AMOUNT
			ADD	ENDUM	NO. 1			
	CHANGE	S TO TH	E SPE	CIFIC	ATIONS ATTACH	IED		
	EID OP	ENING D	ATE C	HANGE	D			
	FROM:	12/21/	2011	@1:30	P.M.			
	10:	01/05/	2012	1:30	P.M.			
	по отн	ER CHAN	GES				ė	
001	SNOW PI	E. LOWS, M			65-59			
	****	THIS	IS TH	E ENC	OF RFQ 701	.2EC0'	7 ***** TOTAL:	
SIGNATURE	ζ.,	- 1		SEE RE	VERSE SIDE FOR TERMS A		ITIONS DATE	1 6 1-
16	June	FE	50m					1-5-12
TITLE SAUS	CoorDi	SATA	13				ADDRESS CHANGE	S TO BE NOTED ABOVE

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.

3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division

and have paid the required \$125 fee.

- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.

3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.

4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130

5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).

PREBID ADDENDUM NO. 1 7012EC07

10 FOOT OR 11 FOOT POWER REVERSIBLE SNOWPLOW

CHANGES TO SPECIFICATIONS:

FROM:

2.0 BIDDING PROCEDURES - Last Sentence Only

FAILURE TO SUBMIT THE BIDDER'S EVALUATION REPORT, COMPLETE IN ITS ENTIRETY, MAY RESULT IN AUTOMATIC DISQUALIFICATION.

TO:

2.0 BIDDING PROCEDURES - Last Sentence Only

FAILURE TO SUBMIT THE BIDDER'S EVALUATION REPORT, COMPLETE IN ITS ENTIRETY, SHALL RESULT IN AUTOMATIC DISQUALIFICATION.

VENDOR QUESTION:

7.1.3 Can spee be changed to allow break force moldboard? RESPONSE: Spee remains as written.

VENDOR QUESTION:

7.1.7 Are tapered laser out ribs acceptable? RESPONSE: Spec remains as written.

FROM:

7.1.10 Shall be reinforced at the top and bottom edges. Top of the moldboard to be reinforced with an integrally structural channel 3 ½ inch x 2 ½ inch x 3/8 inch. Formed not acceptable. Bottom angle of not less than 4 inch x 4 inch x ¾ inch angle gusseted.

TO:

7.1.10 Shall be reinforced at the top and bottom edges. Top of the moldboard to be reinforced with an integrally structural angle 3 ½ inch x 2 ½ inch x 3/8 inch. Formed not acceptable. Bottom angle of not less than 4 inch x 4 inch x ¾ inch angle gusseted.

DELETE:

- 7.6.3 Three (3) pieces of two (2) wire hydraulic pressure hose one-quarter (1/4) inch diameter and approximately ten (10) feet long. Each hose must be equipped with:
- 7.6.3.1 One (1) quick coupler at plow end with dust caps. Prefer Snap-Tite Couplers VHN-8 Nipple Hose, VHN-8 Nipple Reverse Cylinder, VHC-8 Nipple Reverse Cylinder 90 degree fitting.
- 7.6.3.2 Two (2) crimp-type hose fittings with male JIC 370 threads. One (1) to mate with swivel and the other to mate with quick coupler.
- 7.6.3.3 One (1) JIC-370 swivel 90 degree elbow/male JIC 370.
- 7.6.3.4 One (1) adaptor to mate bank valve port to JIC swivel.

VENDOR QUESTION:

7.10 Is another type paint process acceptable?
RESPONSE: This is a non-mandatory. A plural component epoxy primer and plural component urethane top coat system may be bid. List as exception with letter attached.

ROPE, (SC.

PREBID ADDENDUM NO. 1 7012BC07

10 FOOT OR 11 FOOT POWER REVERSIBLE SNOWPLOW

CHANGES TO BIDDER'S EVALUATION REPORT:

FROM; CHANGE	"NOTE TO BIDDER" – Last Sentence Only
	TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT DER TO DISQUALIFICATION.
TO: CHANGE	"NOTE TO BIDDER" – Last Sentence Only
FAILURE THE BIDI	TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, SHALL SUBJECT DER TO DISQUALIFICATION.
X7.1.3	Remains as written.
X7.1.7	Remains as written
PROM: K7.1.10	Reinforced at top and bottom edges? _YES_NO Top of moldboard reinforced with integrally structural channel? _YES_NO Size of channel: Bottom anglexxangle gusseted
ГО; К7.1.10	Reinforced at top and bottom edges? YES NO
	Top of moldboard reinforced with integrally structural angle? YESNO
	Size of angle: 3" x 2 /a" x 3/8" AGLE
	Bottom angle: 4" x 4" x 3/4 angle gusseted

ROPE, (NO.

X7.6.3	THROUGH AND INCLUDING X7.6.3.3	٠
	OR QUESTION Will you be using another type of paint process YESNO	
*	Are you using a plural component epoxy primer and plural component urethane top coat System YES NO	
	Have you listed as an exception with letter attachedYESX no	
	NO EXCEPTION TAKE	2
	USING POWDEN COAT	
	Os 598C5-	

DELETE:

ROPENDO.



FSP-CT REVERSIBLE PLOW

ual Compression Trip Spring Moldboard

Includes Special Features for use on:

- CITY STREETS
- INTERSECTIONS
- AIRPORTS
- PARKING LOTS
- TOWN AND COUNTRY HIGHWAYS

The FLINK FSP Series Snowplow features:

- · state of the art design
 - · the best value in the industry
 - · fast and efficient snow removal

Integral Shield

- · improves operator visibility
- · prevents snow from overriding
- aids discharge of snow to far end of moldboard


Paneled Steel Moldboard

- provides additional strength
- · designed for fast, efficient snow removal

Dual Compression Trip Mechanisms

- · adjustable for proper cutting edge to effectively attack road surface
- provide moldboard trip action when encountering unforeseen road obstruction.

Dependability, efficiency and durability are our traditional standards.



Options: (1) Jack Stand

Tapered Rubber Deflector Adjustable Wear Runners

Manufactured by Flink Company • 502 N. Vermillion St. • Streator, IL 61364 A PROVEN LEADER IN ICE AND SNOW REMOVAL EQUIPMENT





FSP-CT **REVERSIBLE PLOW**


Dual Compression Trip Spring Moldboard

SPECIFICATIONS


SNOWPLOW MODEL	MOLDBOARD			VERTICAL	PUSH	CUTTING	PATH CLEARED		
	LENGTH	HEIGHT	GAUGE	RIBS	TABLE	EDGE	@0°	@ 28°	@ 35
10PA	10'	38" or 48"	10	6	92*	5/8" x 8" x 120"	10'	8' 10"	8' 2"
11PA	11'	38" or 48"	10	6	92"	5/8' x 8" x 132"	11'	9' 8"	9' 0"
12PA	12'	38" or 48"	10	6	92"	5/8" x 8" x 144"	12'	10' 7"	9' 10'

FEATURES

- · Two double acting power reverse cylinders mounted above the power reverse circle.
- · Dual compression trip mechanisms, adjustable for proper cutting edge attack angle.
- · Captured end swivel bar allows plow to follow contour of road.



Option: (1) Jack Stand



OPTIONAL ACCESSORIES:

- Discharge Wings
- Caster Wheels
- Cushion Valve
- Wear Runners
- · Cutting Edge Shoes
- · Quick Link Swivel Bar
- Jack Stand
- Universal Curb Guards
- · Pneumatic Tired Wheels
- · Tapered Rubber Deflector
- · Manual Angle

Sales and Service By:

Manufactured by: Flink Company Phone: 815/673-4321 • Fax: 815/672-2678

Email: flinkco@mchsi.com

502 N. Vermillion St. • Streator, III 61364


Specifications Subject to Change Without Notice

020105



FDA PUSH FRAME SERIES HITCH


PIN CONNECTION or QUICK LINK HITCH WITH FOLD DOWN ARM



Manufactured by Flink Company • 502 N. Vermillion St. • Streator, IL. 61364

A PROVEN LEADER IN ICE AND SNOW REMOVAL EQUIPMENT

FDA PUSH FRAME HITCH SERIES



GENERAL: The New PF10FDA series bumper to frame hitch with a fold down lift arm feature was designed by FLINK for trucks with low profile - stationary grills. It offers the convenient pin type or the Quick Link connecting arrangement.


Features include:

- Low profile design with 8 adjustable mounting heights
- Special fold down arm allows the operator to manually tilt lift arm for storage with minimal effort when plow is unhooked or during off season.
- Plow remains coupled to the push frame when hood is in the tilt position
- Level lift feature allows the plow, when raised, to rotate left or right without major list in either direction
- Telescoping lift are from 34" to 46"
- No tools required for easy removal of top section and canister for off season storing, cleaning or repair
- Quick installation with the strength, durability and reliability needed for long term performance
- Universal mounting for trucks rated at 19,500 GVW and up

Options:

- Heavy Duty lift arm
- Single acting 3"X 10" cylinder
- Double acting 3"X 10" cylinder
- 21" and 23" center points on Pin Style
- Custom design for special applications
- Side Plate Mounting

Sold & Serviced By:



Manufactured by: Flink Company 502 N. Vermillion Street Streator, III 61364 Phone 815/673-4321 Fax • 815/672-2678 Email • info@flinkco.com