

VENDOR

RFQ COPY

PO BOX 880

TYPE NAME/ADDRESS HERE

KIDRON SALES OFFICE

911 WEST 5TH STREET

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

## Request for Quotation

RFQ NUMBER AGR1224

_	DAGE	-
	FAGE	_

ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER 304-558-2316

DEPARTMENT OF AGRICULTURE

FOOD DISTRIBUTION PROGRAM 1 CEDAR LAKES DRIVE RIPLEY, WV 25271

SHIP

304-558-2221

□ v	VASHINGTON,	NC 27889		3 (52/1	04-558-2221
DATE PRIN	ITED .	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/18					
BID OPENING DATE		8/2012	BID	OPENING TIME	01:30PM
LINE	QUANTITY	UOP CAT.		UNIT PRICE	AMOUNT
0001	REFRIGERAT	EA 1 ED TRAILER	070-59		
	THE WEST V SOLICITING TRAILER PE  ALL TECHNI FRANK WHIT AT FRANK.M DEADLINE F	IRGINIA DEF BIDS FOR C R THE ATTAC CAL QUESTIC TAKER IN TH .WHITTAKERS OR ALL TECH LL TECHNICA	CHASING DIVISION, PARTMENT OF AGRICU ONE (1) 36 FOOT RECHED SPECIFICATION ONS MUST BE SUBMIT HE WV PURCHASING I OWV.GOV OR VIA FAX HNICAL QUESTIONS VILL EADLINE.	LTURE, IS FRIGERATED IS. TED IN WRITING IVISION VIA EN AT 304-558-41 IS 04/03/2012	5 TO MAIL 115.
	FOR BANKRU	PTCY PROTECUL AND VO	EVENT THE VENDOR/OCTION, THE STATE NO., AND TERMINATE	AY DEEM THE	2012 APR -3 AM 9: 53
	THE ACCEPTAINTENDED TO PARTICULAR ALTERNATES LITERATURE INFORMATION REJECTION OF TO WAIVE METERS	ABLE LEVEL O REFLECT A BRAND OR N SHOULD SO AND SPECIF N FOR ANY A OF THE BID. INOR IRREGU	FICATIONS NAMED A OF QUALITY ONLY A PREFERENCE OR FA /ENDOR. VENDORS W STATE AND INCLUDE FICATIONS. FAILUR ALTERNATES MAY BE THE STATE RESER JLARITIES IN BIDS ECTION 148-1-4(F)	AND ARE NOT VOR ANY HO ARE BIDDING PERTINENT RE TO PROVIDE GROUNDS FOR VES THE RIGHT OR SPECIFICATI	DIVISION
		SEE	REVERSE SIDE FOR TERMS AND CO		
SIGNATURE			TELEPHONE		DATE
TITLE		FEIN		ADDRESS CHA	NGES TO BE NOTED ABOVE

## GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

#### **INSTRUCTIONS TO BIDDERS**

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
- 5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



VENDOR

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

## Request for

RFQ NUMBER AGR1224

ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER

304-558-2316

DEPARTMENT OF AGRICULTURE

FOOD DISTRIBUTION PROGRAM 1 CEDAR LAKES DRIVE T RIPLEY, WV 25271

304-558-2221

DATE PRI	NTED	TER	MS OF SAL	E	<u> </u>	SHIP VIA		F.	O.B.		FREIGHT TERMS
03/18	/2012	1				79.100 1.001			N. C. Carlotte, C. C.		
BID OPENING DATE		04/18/	2012			ВІД	OPEN	NING	TIME	01	:30PM
LINE	QUA	NTITY	UOP	CAT. NO.	IT	EM NUMBER		21.0	T PRICE	22	AMOUNT
	VIRGIN	NIA LEG	ISLAT	IVE R	ULES /	AND REGULA	TIONS	S.			
				NOT	ICE						
	A SIGN	NED BID	MUST	BE S	UBMIT	TED TO:					
	F	DEPARTM PURCHAS BUILDIN	ING D			RATION	-				
	2	2019 WA	SHING								
						INFORMATI				0F	
	SEALEI	BID									
	BUYER:	:				44					
	RFQ. N					AGR1224			#		
		PENING				04/18/201	12				
	BID OF	PENING	TIME:			1:30 PM					
	DIEVOE	: ppnvr	DE A	EAV N	HMDED	IN CASE I	T 70	NECT	CCADV		
						JR BID:	11 15	NECE	:33AK 1		
SIGNATURE				SEE RE	VERSE SIDE	FOR TERMS AND C	CONDITION	NS	<del></del>	DATE	ewitcher and a second control of the second
						TELEFTIONE				DATE	
TITLE		FE	EIN					ADI	DRESS CHA	ANGES	TO BE NOTED ABOVE



VENDOR

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

## Request for Quotation

**RFQ NUMBER** AGR1224

ADDRESS CORRESPONDENCE TO ATTENTION OF:

ADDRESS CHANGES TO BE NOTED ABOVE

FRANK WHITTAKER 304-558-2316

DEPARTMENT OF AGRICULTURE

FOOD DISTRIBUTION PROGRAM 1 CEDAR LAKES DRIVE RIPLEY, WV 304-558-2221 25271

DATE PRINTED FREIGHT TERMS TERMS OF SALE SHIP VIA F.O.B. 03/18/2012 BID OPENING DATE: 04/18/2012 BID OPENING TIME 01:30PM CAT. NO. LINE QUANTITY UNIT PRICE **AMOUNT** UOP ITEM NUMBER CONTACT PERSON (PLEASE PRINT CLEARLY): THIS IS THE END OF RFQ AGR1224 \*\*\*\*\* TOTAL: SEE REVERSE SIDE FOR TERMS AND CONDITIONS TELEPHONE -6271

#### **NEW REFFER TRAILER SPECIFICATIONS**

MAKE: UTILITY 3000R OR KIDRON EMPEROR OR EQUIVALENT TO MAINTAIN -10 DEGREES

36 FOOT X 102 INCHES WIDE, NOT TO EXCEED 13 FOOT HIGH FROM GROUND,

FRONT OF BOX REINFORCED FOR REFFER

INSULATION: 4 INICH ALL AROUND MIN. OR CERTIFIED RATING TO MAINTAIN -10 DEGREES OR

LOWER

**DIMENSIONS:** 

DOORS: FULL OPENING STAINLESS OVERHEAD DOOR ON REAR & SINGLE SWING DOOR CURB

SIDE, TWO PALLET LENGTHS FROM FRONT OF BOX, MIN. 36INCH WIDE X 78INCH TALL

WITH STIRRUP STEP.

INTERIOR: E-TRACK FLUSH MOUNTED AT 24 & 48 & 60 INCHES FROM FLOOR

INSULATED MOVEABLE BULKHEAD WITH E-TRACK LACHES

FLOOR: ALUMINUM BOX FLOOR FOR AIR CIRCULATION WITH EXTRUDED WEARSTRIPS ON SIDE

AND FRONT WALL MINIMUM 12 INCHES HIGH, DRAIN HOLES IN EACH CORNER WITH

PINCH TUBE

LIGHTING: 3 LED STRIP LIGHTS FLUSH MOUNTED WITH SWITCH AT BACK DOOR

AXLES: TANDEM AXLE FIXED AT REAR MOST OF TRAILER, AIR RIDE 38,000# MIN.

TIRES: 11R22.5 14PLY All Season tires MINIMUM NO LOW PROFILE

REEFER: THERMO KING SB-330 WITH FACTORY INSTALLED OPTIONS; WHISPER QUIET

TECHNOLOGY, FROST PLUG HEATER, FRESH AIR EXCHANGE AND COOLING & HEATING ON ENGINE USING R-404A REFRIGERANT, EVAPORATOR GUARD

50 GAL. FUEL TANK MIN.OR EQUAL REFFER MUST BE INSTALLED. VENDORS WHO

BID ALTERNATIVE EQUIPMENT MUST SUPPLY FACTORY SPECIFICATIONS TO

CERTIFY EQUAL REQUIREMENTS.

LIFT GATE: WALTCO RAILGATE WDV-66 MIN. 84" X 86" ALUMINUM DECK WITH FOLDING RAMP

AND TRAILCHARGER TO BE FACTORY INSTALLED, 6500# CAP. MIN. OR EQUAL

WARRENTY: ON BOTH TRAILER AND REEFER 3 YEAR FULL COVERAGE

**BID MUST INCLUDE DELIVERY** 

Equipment to be delivered and fully assembled and operational within ninety days of bid award.

West Virginia Department of Agriculture Food Distribution Program 4496 Cedar Lakes Drive Ripley, WV 25271

## **COST SHEET**

EQUIPMENT MAKE	MODEL	COST
Kidron Emperor	36RTPEASEW102	+41,970
	36/ X/02/borde X 13/ high	
ADDITIONAL EQUIPMENT FEES	, ,	
walter worlds	84" ×86" platform	\$17.637
Thermo King	SB-330 Installed	¥26.746
TOTAL COST	FOBRIPLEY WOV	\$86,353,00

## ALL BIDS MUST INCLUDE ALL FEES FOR DELIVERY TO:

West Virginia Department of Agriculture Food Distribution Program 4496 Cedar Lakes Drive Ripley, WV 25271

## **COST SHEET**

EQUIPMENT MAKE	MODEL	COST
ADDITIONAL EQUIPMENT FEES		
-		
TOTAL COST		

## ALL BIDS MUST INCLUDE ALL FEES FOR DELIVERY TO:

West Virginia Department of Agriculture Food Distribution Program 4496 Cedar Lakes Drive Ripley, WV 25271

## State of West Virginia

## **VENDOR PREFERENCE CERTIFICATE**

Certification and application\* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1.	Application is made for 2.5% resident vendor p Bidder is an individual resident vendor and has resid	reference for the reason checked: ed continuously in West Virginia for four (4) years immediately preced-
	business continuously in West Virginia for four (4) y ownership interest of Bidder is held by another indiv maintained its headquarters or principal place of businessed in the date of this certification; or.	sident vendor and has maintained its headquarters or principal place of ears immediately preceding the date of this certification; or 80% of the idual, partnership, association or corporation resident vendor who has business continuously in West Virginia for four (4) years immediately
	Ridder is a nonresident vendor which has an affiliate	or subsidiary which employs a minimum of one hundred state residents ipal place of business within West Virginia continuously for the four (4) cation; or,
2.	Application is made for 2.5% resident vendor possible is a resident vendor who certifies that, during working on the project being bid are residents of Weimmediately preceding submission of this bid; or,	preference for the reason checked:  In the life of the contract, on average at least 75% of the employees set Virginia who have resided in the state continuously for the two years
3.	affiliate or subsidiary which maintains its headqua	um of one hundred state residents or is a nonresident vendor with an rters or principal place of business within West Virginia employing a fies that, during the life of the contract, on average at least 75% of the apployees are residents of West Virginia who have resided in the state
4.	Application is made for 5% resident vendor pro Bidder meets either the requirement of both subdiv	eference for the reason checked: isions (1) and (2) or subdivision (1) and (3) as stated above; or,
5.	Application is made for 3.5% resident vendor problems is an individual resident vendor who is a veter and has resided in West Virginia continuously for submitted; or,	preference who is a veteran for the reason checked: an of the United States armed forces, the reserves or the National Guard r the four years immediately preceding the date on which the bid is
6.	Bidder is a resident vendor who is a veteran of the purposes of producing or distributing the commodition continuously over the entire term of the project, or	Dreference who is a veteran for the reason checked: United States armed forces, the reserves or the National Guard, if, for es or completing the project which is the subject of the vendor's bid and average at least seventy-five percent of the vendor's employees are state continuously for the two immediately preceding years.
require agains or dedu	understands if the Secretary of Revenue determine ments for such preference, the Secretary may order t such Bidder in an amount not to exceed 5% of the b acted from any unpaid balance on the contract or pur	s that a Bidder receiving preference has failed to continue to meet the the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty bid amount and that such penalty will be paid to the contracting agency chase order.
authori the req deeme	zes the Department of Revenue to disclose to the Dire uired business taxes, provided that such informatior d by the Tax Commissioner to be confidential.	any reasonably requested information to the Purchasing Division and octor of Purchasing appropriate information verifying that Bidder has paid not contain the amounts of taxes paid nor any other information
and ac	oursto in all respecter and that if a contract is i	Code, §61-5-3), Bidder hereby certifies that this certificate is true ssued to Bidder and if anything contained within this certificate otify the Purchasing Division in writing immediately.
Bidder	:	Signed:
Date:_		Title:
*Check	any combination of preference consideration(s) indicated abo	ove, which you are entitled to receive.

REQ No. AGRIZAY

#### STATE OF WEST VIRGINIA Purchasing Division

## **PURCHASING AFFIDAVIT**

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

#### **DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

**EXCEPTION:** The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE
Vendor's Name: VT Hack Ney- Kidron DVisión
3 -6-13
State of Ohio
County of Name, to-wit:
Taken, subscribed, and sworn to before me this 29 day of March , 20/2
My Commission expires <u>Mandio 13</u> , 20 <u>13</u> .
AFFIX SEAL HERE NOTARY PUBLIC Famue Stabungs

VT HACKNEY INC- KIDRON 911 W. 5TH STREET PO BOX 880 WASHINGTON NC 27889



Phone: (800) 763-0700 Fax: (252) 975-8378

Customer.STATE OF WEST VIRGINIA
DEPARTMENT OF ADMINISTRATION
2019 WASHINGTON STREET EAST
CHARLESTON, WV 25305-0130

Ship To......Ripley, WV

SalesPerson. John Sommer

F.O.B..... Ripley, WV

Built At.....Montgomery - PA

Terms...... Net 15

Dimensions O.L....36' 0"

O.W....102"

O.H....13'

I.L...35'.1"

I.W....92.5"

I.H..95.5"

Make... THERMO KING

Reefer Unit (Model)...SB-330

Evaporator Make...

Evaporator Model...

Heading	Qty	Feature #	Description	Model # 36RTPEASEW102SP
1AIN BODY	1	2B3602TL-E	EMPEROR Insulated Trailer 102" wide	
EXTERIOR PANELS	1	2N362202TL	WHITE ALUMINUM (.040) EXTERIOR PANELS	
CROSSILLS	1	3N3676TL	4" STEEL CROSSILLS 12" CTRS & 8" CTRS REAR 60"	
LOOR	1	3F3644TL	BOX (DUCT) SLIP RESISTANT FLOORS EXTRUDED ALUM	INUM 36'
LOOR DRAINS	1	3F5001TL	2 - 1" DRAINS IN FRONT W/RUBBER KAZOOS	
	1	3F5007TL	2 - 1" DRAINS IN REAR W/RUBBER KAZOOS	
LOOR REINFORCEMENTS	1	3F5011TL	50" ALUM. I BEAM INSERTS & 48" HARDWOOD SUBFLOO	R AT REAR
'EAR FRAME	1	2N0451	HEAVY DUTY STAINLESS STEEL REAR FRAME FOR INSU	JLATED
CURBSIDE PANEL DOOR(S)	1	2E3661C	1 PANEL SIDE DOOR 40" WIDE X STD HEIGHT, 4" INS F.I.	S.F Curbside
	1	3W0061	12" EXTRUDED ALUMINUM WEARBAND ON SIDE DOOR(	(S)
	1	2E4015	SAFETY RELEASE FOR PPS DOORS	
	1	4A0130TLC	15" STAINLESS STEEL GRABHANDLE	
	1	4A0120C	STEEL STIRRUP STEP SIDE OR REAR W/SLIP RESISTANT	SURFACE (SPECIFY LOCATION)
CEILING LINER	1	3L3649TL	3/32" 1 PC. GLASSBOARD CEILING 36'	
NTERIOR LINER	1	3L365998TL	3/32" 1 PC. GLASSBOARD SIDE AND END WALLS	
NSULATION	1	3I3600TL	FLOOR INSULATION 4" ABOVE CROSSILLS 36'	
	1	3I3608TL	ROOF INSULATION 4" CEILING 36'	
	1	3I3645TL	SIDE WALL INSULATION 4" 13' 0" O.A. HT. 36'	

e,	~ J = = =	0 0 <b>2</b> 0
	1 3I0004	4" POURED URETHANE FOAM INSULATION IN FRONT WALL
VEARBAND	1 3W3666TL	EXTRUDED ALUMINUM WEARBAND ON SIDES AND FRONT 12" HIGH
LECTRICAL	1 3N0191	TRUCKLITE INTERNAL GROUND HARNESS SYSTEM "PLUG AND PLAY" FOR TRUCKLITE 7-WAY CONNECTOR W/ SOLID PINS
	1 3N0189	TRUCKLITE (L.E.D.) MODEL 21 TRAILER LIGHT PACKAGE MEETS FEDERAL STANDARDS FOR 30' $\&$ OVER
NTERIOR LIGHTING	1 3N0172TL	3 TRUCKLITE RECESSED INTERIOR LED LIGHTS # 80251C (10 DIODE) W/SWITCH INSTALLED
	1 3N0144	TRAMEC AUXILLIARY POWER SWITCH FOR INTERIOR LIGHTS
CARGO CONTROL	3 3C3653TL	36' E TRACK REC W/O PAN, SIDES FISF = 0" F/C = 24",48",60"
'EFRIGERATION	1 2N0406	ADAPT FOR TRAILER BLOWER TYPE UNIT (THRU WALL) THERMO KING; Do cut hole; Opng x
	1 4A0323	INSTALL CUST. SUPPLIED TRAILER BLOWER TYPE UNIT WITH FUEL TANK & 12 VLT BATTERY
<i>ULKHEAD</i>	1 3A0060	Donovan Skinny Buns 50/50 Bifold Bulkhead w/2 straps
INDERCARRIAGE	1 4A0144	1 PAIR ANTI-SPRAY MUDFLAPS INSTALLED
1ISCELLANEOUS	1 4T0520B	MANIFEST BOX
	1 4T0540	REGISTRATION HOLDER
INDERCARRIAGE	1 3T0005	1/4" UPPER COUPLER PLATE 30" KING PIN SPACING FOR 102"WIDE
	1 3T0055	JOST 2-SPEED LANDING GEAR W/SQUARE CUSHION FOOT - installed 122" from front
USPENSION	1 3T0689	SUSPENSION TANDEM FIXED HENDRICKSON HT-190 AIR RIDE ADAPTED FOR RAMP
RAKES	1 3T0813	2S/1M ABS BRAKE VALVES, PLUMB KIT TANDEM AXLE SEALCO/WABCO 2S/1M ABS BRAKE VALVE
XLES	1 3T0658	TANDEM DANA HUB PIL,5/8" WALL AXLE,EXTRALIFE2, HALDEX SLACK, 30/30 BRK CH_"RMA - 40" back to center rear most axle
	1 3T0265	TANDEM AXLE WHEELS 22 1/2" DISC WHEELS (RIMS) W/5 HAND HOLES
QUICK E GLAD HAND	1 3T2601	INSTALL PHILLIPS QUICK E GLAD HAND
	1 3T2602	RAISE GLADHANDS 6" ABOVE LOWER RAIL FOR 13' AND 13' 6" MODELS ONLY
TRES	1 3T0294	RADIALS CONV FIRESTONE FT-455 11R22.5 (8)
PECIAL OPTION	1 K3R2398-EC001	WHITING 2" COLDSAVER INSUL. ROLL-UP DOOR 102" HIGH FULL OPEN, SSTL PANELS,
	0	(4" INSUL IN WALLS, FLOOR AND CEILING

#### LIFTGATE SPECIFICATIONS

WALTCO WDV-66 84" X 86" + 16 FOLDING RAMP, ALUMINUM PLATFORM W/ POWER & POWER DOWN, POWER UNIT & BATTERY ENCLOSURE, TRAIL CHARGER KIT, WALTCO INSTALL KIT, REAR IMPACT PROTECTION, (2) 12 VOLT BATTERIES

#### REFRIGERATION SPECIFICATIONS

THERMO KING SB-330 REFRIGERATION UNIT WITH HEATER FROST PLUG, WHISPER FACTORY INSTALLED, FRESH AIR EXCHANGE

TRAILER \$: 41,970.00

LIFTGATE \$: 17,637.00

REFRIGERATION \$: 26,746.00

GRAND TOTAL FOB RIPLEY, WV \$: 86.353.00

Authorized Signature from VT HACKNEY INC- KIDRON

age: 2

Date

Authorized Signature from Date
DEPARTMENT OF AGRICULTURE

**QUOTATION VALID FOR 30 DAYS** 

Proposal #: 12KHA01176

KQC Version: 04/02/12

Features Revision: 03/23/12

# Emperois

Kidron

KIDRON... THE INNOVATORS



Refrigerated
Distribution
Trailers



## Emperor.

## Adju for m

Kidron pi its ACMT easily rec refrigerate Remote e provide in product p How Kidron innovation can improve distribution efficiency

For more than a half century, Kidron has focused on designing and building the very best refrigerated distribution trailers and truck bodies. Industryfocused designs and advantages in step with the needs of demanding multi-stop, multi-temp routes.


Engineered to help control operating and labor costs, and to hold desired temperatures longer, Emperor trailers are built to provide years and years of valuable service.

Emperor refrigerated distribution trailers continue that tradition of quality while reflecting Kidron's knowledge of timely industry needs. Available in popular lengths from 28 to 53 feet, each trailer is light in weight, yet strong.

Emperor trailers are also equipped with a host of standard advantages to make operation and maintenance easy. And, they can be equipped with the industry's widest and most innovative collection of options to meet unique and specific needs on demanding multi-temp. multi-stop routes.


## Build the right Emperor trailer for your distribution requirements

Select the features, sizes and advantages you need to optimize your distributi profitability. Start with the right length - up to 53 feet. The right insulation package - either 2, 3, 4 or 5 inches of non-CFC insulation, foamed in place using Kidron's proprietary process. Pick any of the popular mechanical refrigerated units and, if needed, add an evaporator with recessed refrigeration lines.




## Air and electrical box

Electrical components are easy to access for routine maintenance. The design also easily accommodates future electrical accessories.



## Ultra-thermal walls

Choose 2, 3, 4 or 5 inches of foamed in place, non-CFC insulation. Using Kidron's proprietary process, the insulation is carefully installed between glassboard inner walls and aluminum outer walls. Units are scanned with an infrared camera to eliminate voids. This process sets the standard for the industry and assures optimum product protection.



## Suspension/running gear

Top quality suspensions are designed for either single or tandem axle trailers Specify either spring suspension or air ric









## Front corner casting built to last

Designed to resist trailer damage from common obstructions, the Emperor's aluminum front corner casting features high-visibility lighting. The casting also protects the corner marker light from damage. Tree branch deflectors on the front corner post are an option.




## Pressure-Pillow Seal™ Doors

Available only from Kidron, these are proven performers, virtually eliminating air passage. Combined with an innovative threshold design including frost break, trailers hold the cold longer and speed up recovery time.



## Bottom rail adds strength

The Emperor's unique exterior bottom rail complements and even enhances the trailer's strength. A full 12 inches wide, the rail provides for extra rivets to attach posts and understructure.




## Extra rugged landing

Emperor trailers have a landing gear that's engineered for superior strength and stability. In case of damage, the landing gear is designed for quick removal and replacement.



## Strong upper coupler assembly

A new concept in steel upper coupler design is strong enough to handle the rigors of rough roads or frequent yard movements. The one-piece, high-strength steel, full-width approach plate and pickup plate maintain fifth-wheel lubrication and build strength.



## Changing bumpers is quick and easy

Emperor trailers are available with a range of popular bumper designs. Rear-impact bumpers, bolted to the trailer, are easy to replace.

#### **REAR DOORS**

Choose from Kidron's full collection of pre-engineered door options for your Emperor distribution trailers. Call Kidron or your Kidron dealer for help in selecting the right options for your refrigerated distribution needs.



Full Opening Overhead Door



Part Opening Overhead Door



2 Panel Full Opening Door



1 Panel Part Opening Door



2 Panel Part Opening Door



3 Panel Full Opening Door




4 Panel Full Opening Door



Swing/Slider Door

### SIDE DOOR



I Panel Door


#### SIDE DOOR STEPS AND PLATFORMS



Steel Stirrup Step



Steel Stirrup Step with Slide-Out Platform




Self Storing Single Step



Self Storing Double Step



Deluxe Self Storing Step and Platform



Side Door Ramp with Pull-Out Platform



Anti Nose Dive Leg




Reefer Ladder



Manifest Box


## REAR IMPACT BUMPER AND STEP OPTIONS



Rear Impact Bumper




Rear Impact Bumper with Center Step



Full Width Rear Impact Bumper




Rear Impact Bumper with Oak Filled Dock Extension




Full Width Rear Impact Bumper with Oak Filled Dock Extension

## WATERTIGHT FLOOR SYSTEMS


Select the right extruded aluminum floor for your needs. Also available are non-skid surfaces and steel or aluminum treadplate floors.




Cargo Floors - Fully welded and watertight, they're built to withstand abuse and the stresses of palletized cargo. Two floor drains are standard.




Box Floors - Designed for air circulation under any cargo to keep products dry, they are fully welded and watertight. Four floor drains are standard.



Dairy Floors - Designed for milk cases and ice cream carts, these floors are fully welded and watertight. Two floor drains are standard.



Extruded Aluminum Wearstrips on Side and Front Walls - Available in 6, 12, 18 and 24-inch heights, these specially designed wearstrips are integral with the floor and secure the interior liner, assuring a watertight seal.



# Emperor

# An innovation in refrigerated distribution.

The Emperor by Kidron represents an engineering breakthrough in multi-temp refrigerated distribution. Uniquely engineered in every detail, Emperor trailers have the proven ability to increase payload by reducing weight but not strength. By maintaining desired temperatures in spite of frequent door openings. And by offering the industry's most extensive range of features, advantages and options to build actual distribution profitability.

> Stainless steel rear frame is designed to be light in weight, yet capable of

withstanding common abuses rugged to resist tree limb damage. encountered on multi-stop routes. The casting also features high visibility lighting. Front corner post tree branch deflectors are optional. High strength steel refrigeration frame, braced to side roof rail for extra support. Installed without rivets, the fiberglass interior walls resist dirt and grease while Bob's Foods simplifying cleanup. Upper coupler design Convenient recessed is both strong and grab handles are built light in weight, easily into the rear frame. able to withstand the stresses of pulling doubles on rough roads and frequent vard handling. Strong aluminum interior wearband is an integral part of the watertight Enclosed return-ground floor system. wiring system is well votected and easy to Bolt-on bumpers make routine repair and replacement fast and easy. Rugged, stable landing Ultra strong exterior gear is bolted onto the High-visibility rear lighting fixture bottom rail is 12 inches crossills for fast removal. has protective eyebrows. wide with extra rivet reinforcement.

Front corner casting is exceptionally

Refrigerated Distribution **Trailers** 

KIDRON...

**INNOVATORS** 

THE

# Emperor.

## Adjustable compartments for multi-temp efficiency

Kidron pioneered multi-temp distribution with its ACMT™ system of movable partitions, easily reconfigured for loads requiring frozen, refrigerated or ambient temperature products. Remote evaporators also may be added to provide individual compartment product protection.

create compartments that do not extend all the way to the Adjustable front of the trailer. Compartmentalized Walk-through doors in rear Multi-Temperature System. bulkheads provide easy access while minimizing air loss. Compartment sizes may be varied to meet space requirements for each load. Ramps and liftgates may be used to improve loading and unloading efficiency.

Forward bulkheads let you



Nobody knows cold like Kidron.

P.O. Box 17, Kidron, Ohio 44636 Call Toll-Free: 800-321-5421 Fax: (330) 857-8451

www.kidron.com