



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

### Request for Quotation

RFQ NUMBER
AGR1225

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
FRANK WHITTAKER 304-558-2316

VENDOR

RFQ COPY  
 TYPE NAME/ADDRESS HERE  
*DoD Contractors.org, LLC  
 322 Summers St. Ste B  
 Hinton, WV 25951*

SHIP TO

DEPARTMENT OF AGRICULTURE  
 FOOD DISTRIBUTION PROGRAM  
 1 CEDAR LAKES DRIVE  
 RIPLEY, WV  
 25271 304-558-2221

DATE PRINTED 03/18/2012	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
----------------------------	---------------	----------	--------	---------------

BID OPENING DATE: 04/18/2012 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		070-45	\$119,433.38	\$119,433.38
<p>TRUCK TRACTORS</p> <p>THE WEST VIRGINIA PURCHASING DIVISION, FOR THE AGENCY THE WEST VIRGINIA DEPARTMENT OF AGRICULTURE IS SOLICITING BIDS FOR ONE (1) 2012 OR NEWER CLASS 8 DAY CAB TANDEM TRACTOR PER THE ATTACHED SPECIFICATIONS.</p> <p>ALL TECHNICAL QUESTIONS MUST BE SUBMITTED IN WRITING TO FRANK WHITTAKER IN THE WV PURCHASING DIVISION VIA EMAIL AT FRANK.M.WHITTAKER@WV.GOV OR VIA FAX AT 304-558-4115. DEADLINE FOR ALL TECHNICAL QUESTIONS IS 04/03/2012 AT 4:00 PM, ALL TECHNICAL QUESTIONS WILL BE ADDRESSED BY A ADDENDUM AFTER THE DEADLINE.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER.</p> <p>THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.</p>						

RECEIVED  
 2012 APR 12 PM 3:10  
 WV PURCHASING DIVISION

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>William Ward</i>	TELEPHONE 304-300-2907	DATE 4-10-12
TITLE Office Manager	FEIN 26-0471735	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS**  
**REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. ~~In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.~~
5. Payment may only be made after the delivery and acceptance of goods or services.
6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at [www.state.wv.us/admin/purchase/vrc/hipaa.html](http://www.state.wv.us/admin/purchase/vrc/hipaa.html) and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

**INSTRUCTIONS TO BIDDERS**

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER
AGR1225

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
FRANK WHITTAKER 304-558-2316

VENDOR

RFQ COPY  
 TYPE NAME/ADDRESS HERE  
*DOD Contractors.org, LLC*  
*322 Summers St. Ste B*  
*Hinton, WV 25951*

SHIP TO

DEPARTMENT OF AGRICULTURE  
 FOOD DISTRIBUTION PROGRAM  
 1 CEDAR LAKES DRIVE  
 RIPLEY, WV  
 25271 304-558-2221

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/18/2012				

BID OPENING DATE: **04/18/2012** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p><b>NOTICE</b></p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p>DEPARTMENT OF ADMINISTRATION            PURCHASING DIVISION            BUILDING 15            2019 WASHINGTON STREET, EAST            CHARLESTON, WV 25305-0130</p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER: 44</p> <p>RFQ. NO.: AGR1225</p> <p>BID OPENING DATE: 04/18/2012</p> <p>BID OPENING TIME: 1:30 PM</p> <p>PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:</p> <p>----- <i>William Ward</i> -----</p> <p>CONTACT PERSON (PLEASE PRINT CLEARLY):</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>William Ward</i>	TELEPHONE <i>304-300-2907</i>	DATE <i>4-10-12</i>
TITLE <i>Office Manager</i>	FEIN <i>26-0471735</i>	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

### Request for Quotation

RFQ NUMBER
AGR1225

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF:
FRANK WHITTAKER 304-558-2316

VENDOR

RFQ COPY  
 TYPE NAME/ADDRESS HERE  
 DoD Contractors.org, LLC  
 322 Summers St. Ste B  
 Hinton, WV 25951

SHIP TO

DEPARTMENT OF AGRICULTURE  
 FOOD DISTRIBUTION PROGRAM  
 1 CEDAR LAKES DRIVE  
 RIPLEY, WV  
 25271 304-558-2221

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/18/2012				

BID OPENING DATE: 04/18/2012 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
				304-300-2907	VOICE #	
***** THIS IS THE END OF RFQ AGR1225 ***** TOTAL:						\$119,433.38

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
William Ward	304-300-2907	4-10-12
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
Office Manager	26-0471735	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

## NEW TRUCK SPECIFICATIONS

**MODEL:** 2012 OR NEWER CLASS 8 DAY CAB TANDEM TRACTOR  
**WHEELBASE:** TO ACCOMMODATE A 32 TO 48 FOOT REEFER TRAILER  
**ENGINE:** CUMMINS ISX15 OR DETROIT DD15 OR EQUAL  
 MIN. HP 450 TO MAX HP 500, JACCOBS ENGINE BRAKE OR  
 EQUIVALENT, NO EXHAUST ENGINE BRAKE  
 ENGINE BLOCK HEATER 1500 WATTS  
 EXHAUST SINGLE VERTICAL STAINLESS STEEL FROM MOTOR WITH GUARD  
**TRANSMISSION:** 10 SPEED OR EQUIVALENT  
  
**MUST MEET OR EXCEED THE FOLLOWING:**  
**CAB INTERIOR  
 AND EXTERIOR:** AIR CONDITIONER WITH HEAT AND FILTER  
 FULL GAUGE PACKAGE  
 POWER WINDOWS BOTH SIDES  
 MIRRORS--- REMOTE CONTROLLED WITH BUILT IN CONVEX AND HEATED  
 MIN. 10 INCH CONVEX MOUNTED ON LH & RH FRONT FENDER OR HOOD  
 RADIO--- AM-FM-CD-WEATHER-GPS AND BLUE TOOTH  
 PREWIRED FOR CB RADIO INCLUDING DUAL MOUNTED ANTENNA'S ON  
 MIRRORS  
 BOTH SEATS BOSTROM HIGH PROFILE (910 OR BAJH) OR EQUAL  
 SUN VISOR- INTERIOR BOTH SIDES PADDED  
 POWER STEERING  
 TILT & TELESCOPIC STEERING & SMALLEST STEERING WHEEL AVAILABLE  
 FOR UNIT  
 CRUISE CONTROL  
 ANTI SAIL MUD FLAPS WITH STAINLESS MOUNTS  
 ROOF MOUNTED AIR DEFLECTOR NOT TO EXCEED 12.5' TOTAL TRUCK  
 HIGHT  
 CAT WALK MOUNTED BEHIND CAB  
 ALL PIGTAILS SPRING MOUNTED ON BACK OF CAB WITH GLAD HAND  
 MOUNT, 12VOLT PIGTAIL TO CHARGE LIFTGATE ON TRAILER  
 STAINLESS FRONT BUMPER  
  
**FUEL TANKS:** MINIMUM 100 GAL. LH & 100 GAL. RH ALUM. WITH STAINLESS MOUNTS  
 AND STRAPS  
  
**FRONT AXLE:** MINIMUM 12,000# CAP. STEP BACK FOR TIGHT TURNING  
 SPRINGS: FLAT LEAF OR TAPERLEAF  
 HUBS: OIL SOAK

REAR AXLE: MINIMUM 40,000# CAP. TANDEM WITH DRIVER CONTROLLED  
DIFFERENTIAL LOCK SUSPENSION: AIR RIDE WITH INSIDE CAB MOUNT  
DUMP VALVE. GEARED TO MATAIN 70 MPH AT 300-RPM BELOW GOVENOR  
ON ENGINE

TIRES & WHEELS: 11R22.5 STEER & 11R22.5 ALL SEASON ON REAR (NO LOW PROFILE) 16 PLY  
WHEELS: ALLOY

BRAKES: "S" CAM BRAKES WITH AUTO ADJUSTERS  
AIR DRYER: BENDIX "SYSTEM GUARD" AD-9 OR EQUAL  
AIR RESERVOIRS: 3 TANKS MINIMUM  
(5690 CUBIC INCHES TOTAL MIN. CAP.)

ELECTRICAL: ALUM. BATTERY BOX & COVERS -- 12 VOLT SYSTEM

FIFTH WHEEL: FONTAINE NO-SLACK II, C7000 SERIES WITH AIR SLIDE 24 INCH TRAVEL  
OR EQUAL.

WARRENTY: 3 YEAR BUMPER TO BUMPER

**BID MUST INCLUDE DELIVERY**

Equipment to be delivered fully assembled and operational withln ninety days of bid award.

West Virginia Department of Agriculture  
Food Distribution Program  
4496 Cedar Lakes Drive  
Ripley, WV 25271



### COST SHEET

EQUIPMENT MAKE	MODEL	COST
Peterbilt	Model 386	\$119,433.38
ADDITIONAL EQUIPMENT FEES		
Shipping		Included
TOTAL COST		\$119,433.38

**ALL BIDS MUST INCLUDE ALL FEES FOR DELIVERY TO:**

West Virginia Department of Agriculture  
 Food Distribution Program  
 4496 Cedar Lakes Drive  
 Ripley, WV 25271

# State of West Virginia VENDOR PREFERENCE CERTIFICATE

Certification and application\* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1.  Application is made for 2.5% resident vendor preference for the reason checked:  
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,  
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,  
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2.  Application is made for 2.5% resident vendor preference for the reason checked:  
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3.  Application is made for 2.5% resident vendor preference for the reason checked:  
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4.  Application is made for 5% resident vendor preference for the reason checked:  
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5.  Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:  
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6.  Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:  
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (*West Virginia Code*, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: DoD Contractors, org, LLC Signed: William Ward  
Date: 4-10-12 Title: Office Manager

\*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.



RFQ No. AGR1225

STATE OF WEST VIRGINIA  
Purchasing Division

**PURCHASING AFFIDAVIT**

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

**DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, Limited Liability Company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentally established by a county or municipality; any separate corporation or instrumentally established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

**EXCEPTION:** The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code §61-5-3*), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

**WITNESS THE FOLLOWING SIGNATURE**

Vendor's Name: DoD Contractors, org, LLC

Authorized Signature: William Ward Date: 4-10-12

State of West Virginia


County of Summers, to-wit:

Taken, subscribed, and sworn to before me this 10<sup>th</sup> day of April, 2012.

My Commission expires June 19<sup>th</sup>, 2013.

AFFIX SEAL HERE

NOTARY PUBLIC Lola Maria Marvin



## Vehicle Summary

	<b>Unit</b>		<b>Chassis</b>
Model:	Model 386	Fr Axle Load (lbs):	12000
Type:	Tractor	Rr Axle Load (lbs)	40000
Description:	Peterbilt 386 Spec	G.C.W. (lbs):	80000
	<b>Application</b>	Road Conditions:	
Intended Serv.:	General Freight	Class A (Highway)	100
Commodity:	Processed Foods	Class B (Hwy/Mtn)	0
	<b>Body</b>	Class C (Off-Hwy)	0
Type:		Class D (Off-Road)	0
Length (ft):	0	Maximum Grade:	6
Height (ft):	0.0	Wheelbase (in):	205
Max Laden Weight (lbs):	0	Fr Axle to BOC (in):	76.8
	<b>Trailer</b>	Cab to Axle (in):	128.2
No. of Trailer Axles:	3	Cab to EOF (in):	185.2
Type:	Refrigerated Van		
Length (ft):	40	<b>Special Req.</b>	
Height (ft):	8.0		
Kingpin Inset (in):	36		
Corner Radius (in):	2		
	<b>Restrictions</b>		
Length (ft):	40		
Width (in):	102		
Height (ft):	13.5		

Approved by: \_\_\_\_\_ Date: \_\_\_\_\_

PETERBILT

Data	Code	Description	Weight	
<b>Base Model</b>				
0003861	O	<b>Model 386</b>		15,030
0091030	O	<b>Processed Foods</b>	0	0
0093170	O	<b>General Freight</b> Truck or tractor used in over-the-road hauling of general freight. Pickup to delivery distance is typically over 100 miles and annual mileage is typically over 60,000 miles per year. Operation is typically on-highway.	0	0
0096040	O	<b>Refrigerated Van</b>	0	0
<b>Configuration</b>				
0200614	O	<b>SmartWay Compliant - Not Selected or Unavailable</b> for this vehicle configuration	0	0
<b>Frame &amp; Equipment</b>				
0515020	O	<b>10-5/8in Steel Rails 286-325 in</b> 10.625 x 3.45 x .313 Dimension, 1,776,000 RBM		64
0644000	S	<b>EOF Tractor Tapered with Xmbr</b> Includes kingpin cutout for steel EOF crossmember only. (If kingpin cutout desired for alum xmbrs, also use Code 0611050 Steel EOF xmbr IPO Alum EOF xmbr.)	0	0
0651820	O	<b>PBILT Rear Mudflaps, Stainless Steel Hangers</b> Spring loaded (requires two additional inches on overhang for tractors)		0
0835840	O	<b>Holland FW17 Fifth Wheel Top Plate</b>		190
0870000	O	<b>Fifth Wheel Setting Behind C/L Bogie 0in</b> Fifth wheel setting 0" behind bogie	0	0
0890090	O	<b>LH Fifth Wheel Release</b>	0	0
0890550	O	<b>7.6-8in Fifth Wheel Height</b>	0	0
0890590	O	<b>20, 24, or 24.5 in Air Slide</b> For fifth wheel. Air rocker switch occupies the space of one gauge.		216
0890641	O	<b>Lightweight Air Slide</b>	0	0
0960000	O	<b>Frame Mounted Deck Plate and Access Pkg, LH Side</b>		41
<b>Front Axle &amp; Equipment</b>				
1011280	S	<b>Dana Spicer E1202I 12,000 lb</b> 3.5" drop. Factory front axle alignment to improve handling & reduce tire wear. Zerk fittings on tie rod ends, king pins, & draglink ball joints for ease of maintenance & help extend service life of components. Cognis EMGARD® FE75W-90 synthetic axle lube provides over 1% fuel economy improvement. Reduces wear & extends maintenance intervals, resulting in increased uptime. Provides improved fluid flow to protect components in extreme cold conditions & withstand the stress from high temperatures, extending component life.	0	0
1111190	S	<b>Taper Leaf Springs, Shocks 12,000 lb</b>	0	0
1233030	S	<b>Power Steering TRW TAS65</b> Glidekote splines on steering shaft extend service life of components.	0	0
1250180	S	<b>Power Steering Reservoir Frame Mounted</b>	0	0
1353500	S	<b>PHP10 Aluminum LMS Hubs</b> 11-1/4" bolt circle. Includes a supplier extended coverage up to 3 years / 350,000 miles for bearings & seals.	0	0
1380350	O	<b>Bendix Air Cam Front HP Drum Brakes 16.5x5</b> Complies with reduced stopping distance regulations. For use with 10,000-13,200 lb steer axles, up to and including 40,000 lb drive axles. Includes high performance drum brakes, automatic slack adjusters, outboard mounted brake drums.		0

1391390	O	<b>Long Stroke Brakes, Front Axle</b>	9	0
1391410	O	<b>Gusseted Cam Brackets, Steer Axle</b>		0
<b>Rear Axle &amp; Equipment</b>				
1523290	S	<b>Dana Spicer DSP40 40,000 lb</b> Interaxle diff lock air rocker occupies space of one gauge. Laser factory axle alignment to improve handling & reduce tire wear. Magnetic rear axle oil drain plug captures & holds any metal fragments in drive axle lube to extend service life. Parking brakes on all drive axles for optimal performance. Cognis EMGARD® FE 75W-90 synthetic axle lube provides over 1% fuel economy improvement. Reduces wear & extends maintenance intervals, resulting in increased uptime. Provides improved fluid flow to protect components in extreme cold conditions & withstand the stress from high temperatures, extending component life.	0	0
1616220	S	<b>PHP10 Alum LMS Hubs</b> 11-1/4" bolt circle. Includes a supplier extended coverage up to 3 years / 350,000 miles for bearings & seals.	0	0
1632650	S	<b>Long Stroke Parking Brakes, Drive Axle(s)</b>	0	0
1672630	O	<b>Diff Lock Both Axles</b> (Air Rocker Switch occupies the space of one gauge)		60
1673090	O	<b>Separate Dash Controls, Cont Trac Full Lock</b> Dana Spicer or Meritor - Tandem or TriDrive Axles (Air Rocker Switch occupies the space of two gauges for tandem axle and three gauges for tri-drive axle)		2
1680950	O	<b>Stability System Not Selected</b>	0	0
1682430	S	<b>Anti-Lock Braking System (ABS) 4S4M</b> ABS-6. Includes air braking system.	0	0
1684200	S	<b>Synthetic Axle Lubricant All Axles</b> The conventional model product line includes Fuel Efficient Cognis EMGARD FE75W-90 which provides customers performance advantages over current synthetic lubricants with reduced gear wear and extended maintenance intervals, resulting in increased uptime. In addition, the lubricant provides improved fluid flow to protect gears in extreme cold conditions and withstand the stress from high temperatures, extending component life.	0	0
1687010	S	<b>Bendix Air Cam Rear Drum Brakes 16.5x7</b> Inc automatic slack adjusters & outboard mounted brake drums.	0	0
1703550	O	<b>Ratio 3.55 Rear Axle</b>	0	0
1821980	O	<b>Peterbilt Low Air Leaf 40,000 lb, 54in AS</b> Light Weight		-59
1922260	O	<b>Dash Mounted Dump Valve with Indicator Light</b> For use with air suspension (occupies the space of one gauge)		2
<b>Engine &amp; Equipment</b>				
2059873	O	<b>ISX15 450/2100 1550@1100</b> (2010 Emissions) Includes alum flywheel housing. Chevron Delo LE SAE 15W40 engine oil is specially formulated for new low emissions engines. Magnetic engine oil drain plug captures and holds any metal fragments in engine oil to extend service life. N20300 P029 No....Idle Shutdown Enable N20380 P001 71....Max Speed in Top Gear N20400 P059 71....Maximum Cruise Speed N20440 P030 5.....Idle Shutdown Timer		295
2140200	O	<b>CARB Engine Idling Compliance</b> PACCAR PX-6, PX-8 and MX, Cummins ISL, ISM and ISX diesel engines will include the required factory installed serialized sticker on the drivers door to identify them as meeting the NOx idling standard.	0	0

2513760	S	<b>PACCAR 130 Amp Alternator, Brushless w/Voltage Regulator.</b> Remote Sense is not available or needed with the PACCAR Alternator. At low engine RPM, the PACCAR Alternator puts out 80 amps verses 60 amps on other alternators. 12 Volt system with circuit protection for reliable easy maintenance & service. Weather pack silicone sealed electrical chassis connectors enhance value, durability, reliability. Wires numbered every 4" or less.	0	0
2521090	O	<b>Immersion Type Pre-Heater 110-120V</b> Phillips		2
2522050	S	<b>PACCAR 12V Starter</b>	0	0
2538040	S	<b>3 PACCAR Premium 12V Dual Purpose Batt 2100 CCA</b> Threaded stud type terminal. Stranded copper battery cables are double aught (00) or larger to reduce resistance.	0	0
2621030	S	<b>On/Off Fan Clutch</b>	0	0
2723210	O	<b>18.7 CFM Air Compressor</b> Furnished on engine. Teflon lined stainless steel braided compressor discharge line.		0
2812170	O	<b>Intebrake (Furnished on Engine)</b>	0	0
2922040	S	<b>PACCAR Fuel Filter, Unheated</b> With water in fuel (WIF) sensor	0	0
3114270	S	<b>High Efficiency Cooling System</b> Silicone radiator & heater hoses enhance value, durability, & reliability. Constant tension band clamps reduce leaks. ClimaTech extended life coolant extends maintenance intervals which reduces maintenance costs. Anti-freeze effective to -30 degrees F helps protect the engine. Low coolant level sensor warns of low coolant condition to prevent engine damage.	0	0
3291680	S	<b>(1) Air Cleaner Firewall Mounted</b> Molded rubber air intake connections with lined stainless steel clamps seal to prevent contaminants in air intake.	0	0
3365040	S	<b>Exhaust Single RH Side Of Cab</b> (2010 Emissions) DPF/SCR RH under cab. Includes cab entry RH under cab and full round stainless steel exhaust guard.	0	0
3387890	O	<b>36in Ht, 5in Dia Chrome, Clear Coat Standpipe(s)</b>		4
<b>Transmission &amp; Equipment</b>				
4040720	O	<b>Fuller FR15210B 10 Speed</b> Includes iron bell housing, water-to-oil cooler and internal pump, direct shift pattern, 15.5in Ceramic 7-Spring Easy Pedal/3600# plate/1650 torque clutch. Synthetic lubricant to reduce friction, improve efficiency, & extend component life. Magnetic transmission oil drain plug captures & holds any metal fragments in transmission oil to extend service life. Torque limiting clutch brake.		54
4210190	O	<b>1810 HD Driveline, 1 Midship Bearing</b> 4.5in x .180 wall tubing		330
<b>Air &amp; Trailer Equipment</b>				
4510750	S	<b>Bendix AD-IS Air Dryer with Heater</b> An integrated system air dryer that incorporates the functions of the air dryer, purge reservoir (which increases the drying capacity), wet air tank, pressure relief valve, single check valves, and pressure protection valve for air susp and other air accessories. Includes easy-to-service spin-on dessicant cartridge.	0	0
4520420	O	<b>Berg Pull Cord Drain Valve(s) - All Air Tanks</b>		0
4540420	S	<b>Nylon Chassis Hose</b>	0	0
4543320	S	<b>Steel Painted Air Tanks</b> All air tanks are steel with painted finish except when Code 4543330	0	0

Polish Aluminum Air Tanks is also selected (then exposed air tanks outside the frame rails will be polished aluminum). Peterbilt will determine the optimal size and location of required air tanks. Narratives requesting a specific air tank size or location will not be accepted for factory installation. See ECAT to determine number or location of air tanks installed.

4611140	O	<b>12ft A&amp;E Lines Coiled &amp; Two 7-Way Plugs plus</b> 3-4 ft straight section		8
4611580	O	<b>Gladhand &amp; Plug Holder Mounted BOC/BOS</b>		0
4611660	O	<b>Slide Bar Hose Tender with Double Spring</b>		4
4612800	O	<b>Trailer Hand Valve</b>	0	0
4614810	S	<b>A&amp;E Connections BOC/BOS with Hose Tenna</b>	0	0

#### Tires & Wheels

5032520	O	<b>FF: GY 16ply 11R22.5 G661 HSA</b>		30
5132340	O	<b>RR: GY 16ply 11R22.5 G287 MSA</b>		176
5190008	O	<b>Code-rear Tire Qty 08</b>	0	0
5221740	O	<b>FF: Alcoa 883677 LvL1 22.5x8.25 Alm Whl</b>		-59
5321740	O	<b>RR: Alcoa 883677 LvL1 22.5x8.25 Alm Whl</b>		-200
5390008	O	<b>Code-rear Rim Qty 08</b>	0	0

#### Fuel Tanks

5552100	O	<b>26in Aluminum 70 Gallon Fuel Tank RH BOC</b> Paddle handle filler cap with threadless filler neck. Top draw fuel plumbing reduces chance of introducing air into the fuel system during low fuel level conditions due to the central placement of fuel pickup tube. Wire braid fuel lines increase durability & reduce potential for leaks.		2
5556340	O	<b>26in Aluminum 135 Gallon Fuel Tank LH BOC</b> Paddle handle filler cap with threadless filler neck. Top draw fuel plumbing reduces chance of introducing air into the fuel system during low fuel level conditions due to the central placement of fuel pickup tube. Wire braid fuel lines increase durability & reduce potential for leaks.		27
5603070	O	<b>Location RH BOC 70 Gallon</b>	0	0
5604135	O	<b>Location LH BOC 135 Gallon</b>	0	0
5652880	O	<b>DEF Tank Mounted RH BOC</b> You have selected a Diesel Exhaust Fluid (DEF) tank mounted on the right-hand (passenger) side of the vehicle. Note, some retail fuel distributors have chosen to standardize on DEF dispensing pumps oriented to the left-hand (driver) side of the vehicle. Please verify your selection for DEF tank mounting.	0	0
5655029	O	<b>DEF Tank Medium</b>		0

#### Battery Box & Bumper

6010030	S	<b>Aluminum Battery Box, Non-Slip Step LH Under Cab</b> Includes diamond pattern block shaped cover in traditional/vocational models and a smooth finish tapered cover on aerodynamic models	0	0
6040550	S	<b>DPF Cab Entry Aluminum Non-Slip Step RH Under Cab</b>	0	0
6113030	O	<b>Aero Alum Stainless Steel Clad Bumper</b> Bright Finish. Includes two tow pin cutouts.		0

#### Cab & Equipment

6510120	S	<b>Alum Cab 126in BBC Fiberglass Hood SBFA</b> fiberglass fenders, polished crown, spring tilt assist. Proprietary anti-blow-down locking mechanism that keeps hood open during servicing & prevents unintentional closing. Hood latch each side secures hood to cowl. Proprietary all-alum cab is light weight & durable for long service life. One-	0	0
---------	---	--	---	---



piece roof reduces potential for leaks. Two-piece windshield for cost effective windshield replacement. Lab seam construction & aircraft fasteners has greater clamp load than rivets. Bulkhead style doors provide virtually water-tight, rattle-free performance. Extruded alum door frames for strength & durability. Full length, heavy-duty piano-type stainless steel door hinges & pins provide durability. View window in RH door for safety. Electric windshield wipers & washers w/intermittent wiper function. Grab handles mtd on cab LH & RH for cab access. Convex mirror over RH door & below each rear view mirror for improved visibility & safety.

6911700	S	<b>Peterbilt UltraRide Driver Seat</b>	0	0
6921700	S	<b>Peterbilt UltraRide Passenger Seat</b>	0	0
6930800	O	<b>Black Seat Color ipo Standard Color</b>	0	0
6939400	S	<b>Air Ride Driver</b>	0	0
6939420	S	<b>High Back Driver</b>	0	0
6939470	S	<b>Vinyl Driver</b>	0	0
6939500	O	<b>Air Ride Passenger</b>		-30
6939520	S	<b>High Back Passenger</b>	0	0
6939570	S	<b>Vinyl Passenger</b>	0	0
7001520	O	<b>Adjustable Steering Column - Tilt/Telescope</b>		11
7001620	S	<b>Steering Wheel with Peterbilt Logo</b> Steering Wheel with embossed Peterbilt logo over horn button.	0	0
7039050	S	<b>ProBilt Interior - Arctic Gray</b> Includes rugged charcoal instrument panels, gray dash with glare-resistant, charcoal soft-touch upper, dark gray hard trim, black bezels on gauges, cigar lighter and ashtray with power port, monochromatic dark gray durable doorpads with map pocket on driver's side, dark gray molded back wall, 18 inch 4-spoke soft-touch steering wheel, soft-touch steering column cover, power lift passenger window, extruded rubber floor covering, header-mounted domelight, driver and passenger dome/reading lights, footwell lighting, integrated "dead pedal", (5) inside entry grab handles, (2) inside sunvisors, (2) coat hooks, cup holder and map bin in dash.	0	0
7210400	S	<b>Day Cab Rear Window</b>	0	0
7230350	S	<b>Two Piece Flat Windshield</b>	0	0
7230680	O	<b>Power Lift Windows - Both Doors</b> For use with ProBilt or Prestige Interior		0
7322010	S	<b>Combo Fresh Air Heater/Air Conditioner</b> With radiator mounted condenser, dedicated side window defrosters, Bi-Level Heater/Defroster Controls, 54,500 BTU/HR, and silicone heater hoses.	0	0
7410040	O	<b>Outside Sunvisor, Stainless Steel</b>		4
7560100	O	<b>SSTL Mirrors Ea Side Heated and Motorized</b> with Switch on Door		-2
7560850	O	<b>(2) Convex 8 Inch SS Mirror</b> Center mounted under mirror bracket. If rear view mirrors are heated, the convex mirrors will be heated.	0	0
7565140	O	<b>Eyeball 10 Inch SSTL LH/RH Hood</b> with one-piece bent arms.		11
7610250	O	<b>Air Horn None Furnished</b>		-4
7725440	O	<b>Standard SmartNav Speaker System</b> Daycabs: (2) speakers, no amp or subwoofer, antenna. Sleepers: (4) cab speakers, (2) tweeters, (2) sleeper speakers, powered subwoofer, and antenna.	0	4
7748140	O	<b>CB Terminals/Wiring Mtd Under Header</b>		0
7748680	O	<b>CB Antenna Brackets and Wire RH/LH Mirror</b>		0

7749500	O	<b>Sirius Satellite Radio Service Provider</b> Option designates Sirius Satellite Radio - subscription required (888-539-7474).	0	0
7788140	O	<b>Radio Antenna Mounted on LH Mirror Bracket</b>		0
7789620	O	<b>SmartNav</b> Telematics and infotainment system, including integrated Audio, provides an expandable list of features and capabilities. Please see the Product Portfolio for details.		4
7851480	S	<b>Peterbilt Electric Windshield Wipers</b> with Intermittent Feature	0	0
7871430	O	<b>PB Cab Roof Fairing- Painted</b> Roof Fairing Extenders Not Included		101
7900090	O	<b>Triangle Reflector Kit Shipped Loose</b>		13
7900270	O	<b>5 Lb 3A:40bc Fire Extinguisher Cab Mounted</b>		8
8011100	O	<b>Trans Temp Gauge Main</b>		0
8011220	O	<b>Axle Temp Gauges Tandem Drive</b>		2
8011390	O	<b>Oil Temperature Gauge - Engine</b>		0
8021380	S	<b>Air Restriction Indicator - Filterminder Mounted</b> on air cleaner or intake piping.	0	0
8071870	S	<b>Main Instrumentation Panel w/Graphics Display</b> Includes speedometer with trip odometer, tachometer with hourmeter and outside air temperature display, voltmeter, engine oil pressure, engine coolant temperature, fuel level, primary and secondary air pressure gauges. Includes standard warning light package: high water temperature, low oil pressure, and low air pressure warning lights w/audible alarms, high beam, turn signal, low fuel, parking brake, and ice warning indicators; seat belt reminder; rocker switches with long-life LED indicators; multi-function turn stalk with flash-to-pass feature (night mode flashes headlights and marker lights; day mode flashes headlights only), intermittent windshield wiper and headlamp beam control. Hydraulic braked trucks do not include air pressure gauges.	0	0
8111110	S	<b>Headlights Composite Fender Mounted w/Integral</b> Integral park, turn, and side marker	0	0
8120980	S	<b>Marker Lights (5) Aero LED</b> (Light Emitting Diodes)	0	0
8133960	O	<b>Daytime Running Lights</b> (Required on Canadian units)		0
8140720	O	<b>Trucklite Mounted Under EOF Xmbr</b> (2) Stop/turn/tail and backup light		19
<b>Paint</b>				
8500710	O	<b>Standard Paint Color Selection</b>		0
8530770	S	<b>(1) Color Dupont Two Stage - Cab/Hood</b> Base Coat/Clear Coat N85020 1 - L0006EB WHITE - Stand N85200 FRAME N0001EA BLACK N85300 WHEEL ALUM	0	0
<b>Options Not Subject To Discount</b>				
9400529	O	<b>Cummins 2010 ISX Protection Plan 1 (3/300)</b> ISX15 or ISX11.9 Under 460HP. Three Years/300,000 Miles/482,804 Kilometers. Coverage is 100 percent parts and labor with no deductibles on internally lubricated components and major engine systems including turbo charger, water pump, and fuel injectors.		0
9401706	O	<b>Basic Vehicle - U.S. (3/300)</b> Three Years/300,000 Miles. All components covered in the Standard Basic		0

Vehicle Warranty schedule plus Heater/Air Conditioner Warranty which includes all HVAC system except receiver-dryers, refrigerant leaks at o-rings, loose fittings or rubber hoses, or other maintenance-related items. Radiator/ATAC Warranty which includes radiator assembly and air-to-air aftercoolers only. Excludes leaks at hoses, hose connections and outlet neck gasket, mounting hardware and bushings, and radiator cap. Peterbilt Rear Suspension Warranty which includes brackets, beams, tie rods, track rods, air bags, and leveling valves. Excludes shocks, bushings, alignment, and fitting air leaks. General exclusions of Extended Warranty Program in all categories excludes batteries, chrome, paint, loose fitting leaks and wiring connections, fluids, component wear, and other items excluded from the Peterbilt standard warranty.

9408902	O	<b>Engine Surcharge - 2010 MX/ISX15/ISX11.9</b>		0
<b>Miscellaneous</b>				
9409000	O	<b>Day Cab / ProBilt Interior (DB)</b>	0	0
9409960	O	<b>Presentation Created Using Featured Spec for model</b>	0	0

**SEALED BID**

**Buyer: 44**

**RFQ. NO.: AGR1225**

**Bid Opening Date: 4/18/2012**

**Bid Opening Time: 1:30 PM**

**SEALED BID**