



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
AGR1225

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
FRANK WHITTAKER 304-558-2316

VENDOR	RFQ COPY
	TYPE NAME/ADDRESS HERE

SHIP TO	DEPARTMENT OF AGRICULTURE
	FOOD DISTRIBUTION PROGRAM 1 CEDAR LAKES DRIVE RIPLEY, WV 25271 304-558-2221

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/18/2012				

BID OPENING DATE: 04/18/2012 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		070-45	119,932.47	119,932.47
<p>TRUCK TRACTORS</p> <p>THE WEST VIRGINIA PURCHASING DIVISION, FOR THE AGENCY THE WEST VIRGINIA DEPARTMENT OF AGRICULTURE IS SOLICITING BIDS FOR ONE (1) 2012 OR NEWER CLASS 8 DAY CAB TANDEM TRACTOR PER THE ATTACHED SPECIFICATIONS.</p> <p>ALL TECHNICAL QUESTIONS MUST BE SUBMITTED IN WRITING TO FRANK WHITTAKER IN THE WV PURCHASING DIVISION VIA EMAIL AT FRANK.M.WHITTAKER@WV.GOV OR VIA FAX AT 304-558-4115. DEADLINE FOR ALL TECHNICAL QUESTIONS IS 04/03/2012 AT 4:00 PM, ALL TECHNICAL QUESTIONS WILL BE ADDRESSED BY A ADDENDUM AFTER THE DEADLINE.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER.</p> <p>THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.</p>						



SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE <i>Brooklyn Custer</i>	TELEPHONE 304-949-1600	DATE 4/12/12	
TITLE General Manager	FEIN 550352647	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. ~~In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.~~
5. Payment may only be made after the delivery and acceptance of goods or services.
6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
AGR1225

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
FRANK WHITTAKER 304-558-2316

V E N D O R
RFQ COPY TYPE NAME/ADDRESS HERE

S H I P T O
DEPARTMENT OF AGRICULTURE FOOD DISTRIBUTION PROGRAM 1 CEDAR LAKES DRIVE RIPLEY, WV 25271 304-558-2221

DATE PRINTED 03/18/2012	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
----------------------------	---------------	----------	--------	---------------

BID OPENING DATE: 04/18/2012 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p>DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER: 44</p> <p>RFQ. NO.: AGR1225</p> <p>BID OPENING DATE: 04/18/2012</p> <p>BID OPENING TIME: 1:30 PM</p> <p>PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: 304-949-7380</p> <p>-----</p> <p>CONTACT PERSON (PLEASE PRINT CLEARLY): Charles Evans</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Raymond Carter</i>	TELEPHONE 304 949 1600	DATE 4/12/12
TITLE General Mgr	FEIN 550352647	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
AGR1225

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF:
FRANK WHITTAKER 304-558-2316

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

DEPARTMENT OF AGRICULTURE
 FOOD DISTRIBUTION PROGRAM
 1 CEDAR LAKES DRIVE
 RIPLEY, WV
 25271 304-558-2221

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/18/2012				

BID OPENING DATE: 04/18/2012 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT

***** THIS IS THE END OF RFQ AGR1225 ***** TOTAL:						\$119,932.47

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Prohman Conterberry</i>	TELEPHONE 304 949 1600	DATE 4/12/12
TITLE General Mgr	FEIN 550352647	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

NEW TRUCK SPECIFICATIONS

MODEL: 2012 OR NEWER CLASS 8 DAY CAB TANDEM TRACTOR

WHEELBASE: TO ACCOMMODATE A 32 TO 48 FOOT REEFER TRAILER

ENGINE: CUMMINS ISX15 OR DETROIT DD15 OR EQUAL
 MIN. HP 450 TO MAX HP 500, JACCOBS ENGINE BRAKE OR
 EQUIVALENT, NO EXHAUST ENGINE BRAKE
 ENGINE BLOCK HEATER 1500 WATTS
 EXHAUST SINGLE VERTICAL STAINLESS STEEL FROM MOTOR WITH GUARD

TRANSMISSION: 10 SPEED OR EQUIVALENT

MUST MEET OR EXCEED THE FOLLOWING:

CAB INTERIOR
 AND EXTERIOR: AIR CONDITIONER WITH HEAT AND FILTER
 FULL GAUGE PACKAGE
 POWER WINDOWS BOTH SIDES
 MIRRORS--- REMOTE CONTROLLED WITH BUILT IN CONVEX AND HEATED
 MIN. 10 INCH CONVEX MOUNTED ON LH & RH FRONT FENDER OR HOOD
 RADIO--- AM-FM-CD-WEATHER-GPS AND BLUE TOOTH
 PREWIRED FOR CB RADIO INCLUDING DUAL MOUNTED ANTENNA'S ON
 MIRRORS
 BOTH SEATS BOSTROM HIGH PROFILE (910 OR BAJH) OR EQUAL
 SUN VISOR- INTERIOR BOTH SIDES PADDED
 POWER STEERING
 TILT & TELESCOPIC STEERING & SMALLEST STEERING WHEEL AVAILABLE
 FOR UNIT
 CRUISE CONTROL
 ANTI SAIL MUD FLAPS WITH STAINLESS MOUNTS
 ROOF MOUNTED AIR DEFLECTOR NOT TO EXCEED 12.5' TOTAL TRUCK
 HIGHT
 CAT WALK MOUNTED BEHIND CAB
 ALL PIGTAILS SPRING MOUNTED ON BACK OF CAB WITH GLAD HAND
 MOUNT, 12VOLT PIGTAIL TO CHARGE LIFTGATE ON TRAILER
 STAINLESS FRONT BUMPER

FUEL TANKS: MINIMUM 100 GAL. LH & 100 GAL. RH ALUM. WITH STAINLESS MOUNTS
 AND STRAPS

FRONT AXLE: MINIMUM 12,000# CAP. STEP BACK FOR TIGHT TURNING
 SPRINGS: FLAT LEAF OR TAPERLEAF
 HUBS: OIL SOAK

REAR AXLE: MINIMUM 40,000# CAP. TANDEM WITH DRIVER CONTROLLED
DIFFERENTIAL LOCK SUSPENSION: AIR RIDE WITH INSIDE CAB MOUNT
DUMP VALVE. GEARED TO MATAIN 70 MPH AT 300-RPM BELOW GOVENOR
ON ENGINE

TIRES & WHEELS: 11R22.5 STEER & 11R22.5 ALL SEASON ON REAR (NO LOW PROFILE) 16 PLY
WHEELS: ALLOY

BRAKES: "S" CAM BRAKES WITH AUTO ADJUSTERS
AIR DRYER: BENDIX "SYSTEM GUARD" AD-9 OR EQUAL
AIR RESERVOIRS: 3 TANKS MINIMUM
(5690 CUBIC INCHES TOTAL MIN. CAP.)

ELECTRICAL: ALUM. BATTERY BOX & COVERS -- 12 VOLT SYSTEM

FIFTH WHEEL: FONTAINE NO-SLACK II, C7000 SERIES WITH AIR SLIDE 24 INCH TRAVEL
OR EQUAL

WARRENTY: 3 YEAR BUMPER TO BUMPER

BID MUST INCLUDE DELIVERY

Equipment to be delivered fully assembled and operational within ninety days of bid award.

West Virginia Department of Agriculture
Food Distribution Program
4496 Cedar Lakes Drive
Ripley, WV 25271

COST SHEET

EQUIPMENT MAKE	MODEL	COST
CATERPILLAR	CT6605	\$119,932.47
ADDITIONAL EQUIPMENT FEES		
TOTAL COST		\$119,932.47

ALL BIDS MUST INCLUDE ALL FEES FOR DELIVERY TO:

West Virginia Department of Agriculture
Food Distribution Program
4496 Cedar Lakes Drive
Ripley, WV 25271

State of West Virginia VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or**,
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or** 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or**,
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; **or**,
2. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or**,
3. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or**,
4. **Application is made for 5% resident vendor preference for the reason checked:**
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; **or**,
5. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; **or**,
6. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (*West Virginia Code*, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: Walker Engine Power
Date: 4/12/12

Signed: *Proctor Campbell*
Title: General Manager

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

RFQ No. AGR1225

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, Limited Liability Company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; or any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code §61-5-3*), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: Cecil I Walker Machinery Co.

Authorized Signature: Rooney Canterbury Date: 4/12/12

State of West Virginia


County of Kanawha, to-wit:

Taken, subscribed, and sworn to before me this 12 day of April, 2012.

My Commission expires 2-22-, 2018.

AFFIX SEAL HERE

NOTARY PUBLIC Tabatha N. Beane





April 12, 2012

Prepared For:
WV Dept of Agriculture

Reference ID: N/A


Presented By:
CECIL I. WALKER MCHY CO
Charlie Evans
112 Carbide Drive
BELLE WV 25015 - 2427
(304)949-1600

We are pleased to have the opportunity to offer the following proposal for the application you requested.

Department of Administration
Purchasing Division
Building 15
2019 Washington Street, East
Charleston, WV 25305-0130

Sealed Bid
Buyer: 44
RFQ. No. AGR1225
Bid Opening Date: 01/18/2012
Bid Opening Time: 1:30 PM

- Alternates
1. Delivery Time 16 Weeks
 2. Our trucks have two air tanks only.



Model Profile
2013 CT660S SBA 6x4 (CF7AA)

APPLICATION: Heavy Hauler Tractor
MISSION: Requested GCWR: 120000. Calc. GVWR: 53200
Calc. Start / Grade Ability: 10.20% / 1.06% @ 55 MPH
Calc. Geared Speed: 88.6 MPH
FUEL ECONOMY: 5.09 MPG @ 55 MPH
DIMENSION: Wheelbase: 191.00, CA: 129.00, Axle to Frame: 65.00
ENGINE, DIESEL: {CT 13} EPA 10, 475 HP @ 1700 RPM, 1700 lb-ft Torque @ 1000 RPM, 2100 RPM Governed
Speed, 475 Peak HP (Max)
TRANSMISSION, MANUAL: {Fuller FRO-16210C} 10-Speed Manual, With Overdrive, With Air Shift, With Internal Lube Oil
Pump
CLUTCH: {Eaton Fuller Easy-Pedal Advantage} Manual Adjust, Two-Plate, Cast Angle Spring; Ceramic,
15.5" Diameter, 7-Spring Damper, Mechanical Pull-Type Control, 1700 lb-ft Torque Capacity



April 12, 2012

AXLE, FRONT NON-DRIVING: {Meritor MFS-13-143A} Wide Track, I-Beam Type, 13,200-lb Capacity
AXLE, REAR, TANDEM: {Meritor MT-40-14X-4DER-P} Single Reduction, 0.433"(11mm) Wall Housing Thickness, 40,000-lb Capacity R Wheel Ends, Driver Controlled Locking Differential in Rear-Rear Axle, Lube Oil Pump Gear Ratio: 3.90

CAB: Conventional
TIRE, FRONT: (2) 11R22.5 G661 HSA (GOODYEAR) 497 rev/mile, load range H, 16 ply
TIRE, REAR: (8) 11R22.5 HDL ECO PLUS (CONTINENTAL) 493 rev/mile, load range H, 16 ply
SUSPENSION, REAR, AIR, TANDEM: {Hendrickson HAS-402-55} 55" Axle Spacing; 40,000-lb Capacity, 9.5" Ride Height, With Shock Absorbers Mounted in Standard Location

PAINT: Cab schematic 100KT
Location 1: 9346, White (Custom)
Chassis schematic 931KT
Frame: 0001, Canyon Black (Std)



Vehicle Specifications

April 12, 2012

2013 CT660S SBA 6x4 (CF7AA)

<u>Description</u>	<u>List</u> (US DOLLAR)
Base Chassis, Model CT660S SBA 6x4 with 191.00 Wheelbase, 129.00 CA, and 65.00 Axle to Frame.	\$128,499.65
FRAME RAILS WITH TAPERED REAR	\$77.94
FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 12.250" x 3.380" x 0.375" (304.8mm x 85.6mm x 9.5mm); 543.0" (13793mm) Maximum OAL	\$0.00
BUMPER, FRONT Multi-piece Stainless Steel	\$0.00
<u>Includes</u>	
: FOG LIGHT OPENING (2) and with Rectangular Hole for Step	
DECK PLATE {Bustin} Aluminum; (2) Section	\$962.34
WHEELBASE RANGE 183" (465cm) Through and Including 228" (580cm)	\$704.13
AXLE, FRONT NON-DRIVING {Meritor MFS-13-143A} Wide Track, I-Beam Type, 13,200-lb Capacity	\$0.00
SUSPENSION, FRONT, SPRING Multileaf, Shackle Type; 14,000-lb Capacity; With Shock Absorbers	\$0.00
<u>Includes</u>	
: SPRING PINS Threaded	
BRAKE SYSTEM, AIR Dual System for Tractor Applications	\$297.56
<u>Includes</u>	
: BRAKE LINES Color and Size Coded Nylon	
: DRAIN VALVE Twist-Type	
: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster	
: GLAD HANDS (2) One for Service and One for Emergency; Trailer Hoses from Cab	
: HAND CONTROL VALVE, AIR Mounted on Steering Column	
: HOSE TENDER Back of Cab Mounted	
: PARKING BRAKE CONTROL Yellow and Red Knobs, Located on Instrument Panel	
: PARKING BRAKE VALVE Combination Valve for Tractor and Trailer	
: QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for Forward Rear Axle	
: SLACK ADJUSTERS, FRONT Automatic	
: SLACK ADJUSTERS, REAR Automatic	
: SWITCH, AUXILIARY Interrupter for Cab and Trailer Clearance/Marker Lights (Blinks Lights with Headlight Switch in "ON" Position); Instrument Panel Mounted	
: TRACTOR PROTECTION VALVE	
: TRAILER HOSES AND CABLES 15' Coiled Lighting Cable with 7-Way Connector and with 15' Coiled Nylon Brake Hose	
<u>Notes</u>	
: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	
BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers	\$0.00
DRAIN VALVE {Berg} Manual; With Pull Chain, for Air Tank	\$0.00
<u>Includes</u>	
: DRAIN VALVE Mounted in Wet Tank	
HOSE TENDER Slide Bar With Single Spring Bracket; Bar Extended 4.0" From Cab	\$122.98
BRAKE CHAMBERS, ADDITIONAL (2) {Haldex} Spring Brake Type; 30/30 SqIn	\$197.08
<u>Includes</u>	
: QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 Additional for Rear Rear Axle	
AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)	\$0.00
AIR DRYER {Bendix AD-9} With Heater	\$0.00



Vehicle Specifications

April 12, 2012

2013 CT660S SBA 6x4 (CF7AA)

Description

List
(US DOLLAR)

Includes

: AIR DRYER LOCATION Inside Left Rail, Back of Cab	
BRAKE CHAMBERS, FRONT AXLE {Haldex} 24 SqIn	\$11.65
BRAKE CHAMBERS, REAR AXLE {Haldex GC3030LHDHO} 30/30 Spring Brake	\$0.00
BRAKES, REAR, AIR CAM S-Cam; 16.5" x 8.625" Includes 30/30 Sq.In. Long Stroke Brake Chambers and Spring Actuated Parking Brake	\$198.88
AIR COMPRESSOR {Bendix} 15.9 CFM Capacity, Single Cylinder	\$0.00
STEERING COLUMN Tilting and Telescoping	\$0.00
STEERING GEAR {Sheppard M-100} Power	\$0.00
STEERING WHEEL {Caterpillar} 2-Spoke, 18" Diam., Dark Neutral, Leather Wrapped	\$0.00
EXHAUST SYSTEM Single, Vertical Aftertreatment Device Frame Mounted Right Side; Includes Vertical Tail Pipe & Guard	\$0.00

Includes

: EXHAUST HEIGHT 10' Exhaust Height - Based on Empty Chassis with Standard Components (+ or - 1" Height)	
: MUFFLER/TAIL PIPE GUARD Non-Bright Finish	
ENGINE COMPRESSION BRAKE {Jacobs} for CT 11 & CT 13 Engines, With Selector Switch and On/OFF Switch	\$1,933.21
TAIL PIPE (1) Turnback Type, Bright, for Single Exhaust	\$84.21
MUFFLER/TAIL PIPE GUARD (1) Bright Stainless Steel	\$119.15
ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00

Includes

: BATTERY BOX Aluminum	
: CIGAR LIGHTER Includes Ash Cup, Center Console Mounted	
: FUSES, ELECTRICAL SAE Blade-Type	
: HAZARD SWITCH Integral with Turn Signal Switch	
: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever	
: HEADLIGHTS (2) Composite with Halogen Projector Beam	
: HORN, AIR Single, Chrome	
: HORN, ELECTRIC Single	
: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light	
: READING LIGHT, CAB (2) with Individual Switches; One Above Each Door	
: STARTER SWITCH Electric, Key Operated	
: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector	
: TURN SIGNAL FLASHER	
: TURN SIGNAL SWITCH Manual Cancelling with Lane Change Feature	
: TURN SIGNALS, FRONT Includes Integral Reflectors and Side Marker Lights; Fender Mounted	
: WINDSHIELD WIPER SWITCH 2-Speed with Wash, Steering Column Mounted	
: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted	
: WIRING, CHASSIS Color Coded and Continuously Numbered	
HORN, AIR Single, Located Under Cab	\$0.00
POWER SOURCE Cigar Type Receptacle without Plug and Cord	\$0.00
ALTERNATOR {Bosch LH160} Brush Type, 12 Volt 160 Amp. Capacity, Pad Mount	\$0.00
BATTERY SYSTEM {Caterpillar} (3) 12 Volt 2130CCA Total	\$0.00
ANTENNA BASE (2) Single Function, (1) for CB and (1) for Entertainment Radio, Without Splitter, Separate Lead-Ins, With CB Antenna Mounted on Right Mirror and AM/FM Antenna Mounted on Left Mirror	\$0.00



Vehicle Specifications

April 12, 2012

2013 CT660S SBA 6x4 (CF7AA)

Description

List
(US DOLLAR)
\$0.00

RADIO Red Display, AM/FM/CD/WB/Clock with Alarm, Front & Rear Aux Input, USB Input, iPod Command and Control, With Multiple Speakers

Includes

: SPEAKERS IN CAB (4) Coaxial

POWER SOURCE, TERMINAL TYPE 2-Post \$0.00

TURN SIGNAL SWITCH Self-Canceling \$0.00

BATTERY BOX Aluminum with Aluminum Cover, 18" Wide, 2, 3 or 4 Battery Capacity, Mounted Right Side Back of Cab \$108.33

RUNNING LIGHT (2) Daytime \$0.00

STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start \$0.00

QUARTER FENDERS for Rear Wheels, Mirror-Finished Stainless Steel, Frame Mounted \$208.73

FRONT END Tilting Composite \$0.00

Includes

: GRILLE SURROUND Brushed Stainless Steel

INSULATION, UNDER HOOD for Sound Abatement \$143.62

INSULATION, SPLASH PANELS for Sound Abatement \$65.36

PAINT SCHEMATIC, PT-1 Single Color, Design 100 \$0.00

PAINT IDENTITY, PT-2 Single Color, Instruction No. 931. Frame/Running Gear & Fuel Tank (Aluminum Tank Will Not Be Painted) \$65.36

PAINT TYPE Base Coat/Clear Coat, 1-2 Tone \$0.00

PAINT CLASS Single Custom Color \$331.85

FIFTH WHEEL, AIR SLIDE {Fontaine SL7ATB775024} 24" Slide, Cast Top Plate, 7.75" Above Top of Frame; Left Side Release \$1,669.83

VEHICLE REGISTRATION IDENTITY ID for US States EXCLUDING: California, Connecticut, Delaware, Georgia, Maine, Massachusetts, New Jersey, New York, North Carolina, Pennsylvania \$0.00

MUD FLAPS, REAR Black Rubber, Anti-Sail "CAT" Silver Logo; Less Holders \$47.30

MUD FLAP HOLDER Spring Loaded, Painted Black; With Red and White Reflective Tape; Less Flaps \$71.38

CLUTCH {Eaton Fuller Easy-Pedal Advantage} Manual Adjust, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, 7-Spring Damper, Mechanical Pull-Type Control, 1700 lb-ft Torque Capacity \$0.00

Includes

: CLUTCH RELEASE BEARING Greasable

GREASE FITTINGS Remote; for Clutch Cross Shaft \$29.99

BLOCK HEATER, ENGINE {Phillips} 120 Volt/1500 Watt \$86.11

ENGINE, DIESEL {CT 13} EPA 10, 475 HP @ 1700 RPM, 1700 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 475 Peak HP (Max) \$3,092.42

FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed With Residual Torque Device for Disengaged Fan Speed \$0.00

RADIATOR Aluminum; Welded, Front to Back Down Flow System, 1564 SqIn, 1572 SqIn Dual CAC, 1293 SqIn 3 Core LTR \$0.00

AIR CLEANER Single Element, Heavy Duty \$0.00



Vehicle Specifications

April 12, 2012

2013 CT660S SBA 6x4 (CF7AA)

<u>Description</u>	<u>List</u> (US DOLLAR)
FEDERAL EMISSIONS for 2010; CT 13 Engines	\$8,000.00
HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type	\$29.99
COLD STARTING EQUIPMENT Automatic; With Engine ECM Control	\$0.00
FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted	\$0.00
EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Idle Regulations	\$0.00
TRANSMISSION, MANUAL {Fuller FRO-16210C} 10-Speed Manual, With Overdrive, With Air Shift, With Internal Lube Oil Pump	\$959.44
<u>Includes</u>	
: CLUTCH BRAKE Torque Limiting	
: FILL PLUG, MAGNETIC	
OIL COOLER, MANUAL TRANSMISSION Water to Oil Type Included in Radiator End Tank (REQUIRES TRANSMISSION LUBE PUMP)	\$211.88
TRANSMISSION OIL {EmGard 50W} Synthetic; 22 thru 33.99 Pints	\$101.23
SUSPENSION AIR CONTROL VALVE Pressure Release Control In Cab	\$146.02
AXLE, REAR, TANDEM {Meritor MT-40-14X-4DER-P} Single Reduction, 0.433"(11mm) Wall Housing Thickness, 40,000-lb Capacity R Wheel Ends, Driver Controlled Locking Differential in Rear-Rear Axle, Lube Oil Pump . Gear Ratio: 3.90	\$436.88
<u>Includes</u>	
: POWER DIVIDER LOCK Air Operated, Cab Control with Indicator Light in Cluster	
: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle	
SUSPENSION, REAR, AIR, TANDEM {Hendrickson HAS-402-55} 55" Axle Spacing; 40,000-lb Capacity, 9.5" Ride Height, With Shock Absorbers Mounted in Standard Location	\$168.56
AXLE, REAR, LUBE {EmGard 75W-90} Synthetic Oil; 50 thru 64.99 Pints	\$153.94
FUEL TANK STRAPS Bright Finish Stainless Steel, for Dual Fuel Tanks	\$503.10
FUEL TANK (2) Non-Polished Aluminum, 24" Diam., 100 U.S. Gal., 378L Capacity; Total Capacity 200 U.S. Gal., 757L; With Dual Supply & Return Lines and Less Equalizer Line, Mounted Left & Right, Under Cab	\$1,874.08
FUEL/WATER SEPARATOR {Racor} Fuel Pre-Filter and Filter Base, 10 Micron	\$0.00
CAB Conventional	\$0.00
<u>Includes</u>	
: COAT HOOK, CAB Located on Rear Wall, Behind Passenger Seat	
: CONSOLE, CENTER Plastic, Driver Convenience with a Cup and Change Holder, Ash Tray and Lower Storage Area	
: DOME LIGHT, CAB (2) Driver and Passenger Dome Lights with Individual Switches, in Headliner	
: DOOR CHECK STRAP (2) One Each Door	
: GLASS, ALL WINDOWS Tinted	
: GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side	
: GRAB HANDLE, EXTERIOR (2) Mounted Behind Driver and Passenger Doors	
: INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color	
: SKIN Riveted	
: STEP (4) Two Steps Per Door	
GAUGE CLUSTER English With English Electronic Speedometer	\$0.00
GAUGE, AIR PRESSURE for Pressure in Rear Air Suspension; Mounted In Instrument Panel	\$0.00



Vehicle Specifications

April 12, 2012

2013 CT660S SBA 6x4 (CF7AA)

<u>Description</u>	<u>List</u> (US DOLLAR)
SEAT, DRIVER {National 2000 Model 195} Air Suspension, High Back, Vinyl Boxing With Cloth Facing, 2 Arm Rests, Isolator, Adjuster, 3 Chamber Lumbar, 6 Position Front Cushion Adjust, 3 Position Rear Cushion Adj, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover	\$99.76
SEAT, PASSENGER {National 2000 Model 192} Non Suspension, High Back, Vinyl Boxing With Cloth Facing, 11 Degree Back Angle Adjust	\$499.88
MIRRORS (2) {Lang Mekra} Aero; Rectangular, 7.09" x 15.75" & Integral Convex Both Sides, 102" Inside Spacing, Breakaway Type, Heated Heads Thermostat Controlled, Power Both Sides, Amber Lens Clearance Light LED, Black Painted Finish Heads, Brackets & Arms	\$43.00
HEATER, ENHANCED CIRCULATION {Bergstrom} Control, for Extreme Cold Weather Climates	\$0.00
CAB INTERIOR TRIM Premium Level; for Caterpillar, Day Cab	\$0.00
<u>Includes</u>	
: "A" PILLAR COVER Molded Plastic	
: CAB INTERIOR TRIM PANELS Vinyl	
: CONSOLE, OVERHEAD Molded Plastic with Three Storage Pockets; One with Strap for CB Radio Mounting; Two with Netting, Courtesy Lights with Switches	
: COURTESY LIGHT (2) Driver and Passenger Door Mounted	
: DOOR TRIM PANELS Vinyl Upper with Power Locks and Windows, Upper and Lower Grab Handles, Both Sides	
: FLOOR COVERING Rubber, Black	
: HEADLINER Soft Padded Vinyl	
: HEATER BOX Metal, Painted Black	
: INSTRUMENT PANEL TRIM Vinyl	
: MIRROR, CONVEX, LOOK DOWN Black Finish; 6" x 10-1/4"; Located on Passenger Side	
: STORAGE POCKET, DOOR (2) Driver and Passenger Door	
: SUN VISOR (2) Vinyl with Molded Toll Ticket Retainer	
WINDOW, REAR 52.25" Wide	\$0.00
WINDOW, POWER (2) in Left and Right Doors	\$0.00
CAB DOOR LOCKS Power	\$0.00
AIR CONDITIONER {International Blend-Air} With Integral Heater & Defroster	\$0.00
WINDSHIELD Single Piece	\$0.00
CAB REAR SUSPENSION {Link Z9079D1} Dual Frame Mounted Cab Rear Air Suspension; Includes Special Crossmember Assembly	\$0.00
SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color; Includes Integral Clearance/Marker Lights	\$0.00
GRAB HANDLE Exterior; Towel Bar Type In Lieu Of Non-Bright Grab Handles; for use with Cab/Frame or Cab/Frame/ Sleeper Non-Bright Access, Without Chassis Skirts	\$47.41
ACCESS, FRAME {Bustin} Step Mounted Left Side, With One Deck Plate and Grab Handle	\$682.84
WHEELS, FRONT DISC; 22.5" Non-Polished Aluminum, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs	\$418.35
WHEELS, REAR DUAL DISC; 22.5" Non-Polished Aluminum, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs	\$1,720.00
(8) TIRE, REAR 11R22.5 HDL ECO PLUS (CONTINENTAL) 493 rev/mile, load range H, 16 ply	\$1,265.92
(2) TIRE, FRONT 11R22.5 G661 HSA (GOODYEAR) 497 rev/mile, load range H, 16 ply	\$171.42
FIFTH WHEEL LOCATION On Rear Axle Centerline	\$0.00
Total of Product Features	\$156,662.70



Vehicle Specifications

April 12, 2012

2013 CT660S SBA 6x4 (CF7AA)

Description

List
(US DOLLAR)

Cab schematic 100KT

Location 1: 9346, White (Custom)

Chassis schematic 931KT

Frame: 0001, Canyon Black (Std)

Total List Price Including Options:

\$156,662.70

Fuel, Fire Ext, Safety Kit

\$800.00

Air Deflector

\$1,200.00

Kaffenbarger Truck Equipment Co.

370 Clay Road

Sunnyvale, Texas 75182

Phone: 972-203-9110

Cell: 937-478-5250

Fax: 972-203-8637

Total Goods Purchased:

\$2,000.00



Financial Summary

March 28, 2012

2012 CT660S SBA 6x4 (CF7AA)
(USA DOLLAR)

<u>Description</u>		<u>Price</u>
Factory List Prices:		
Product Items	\$156,662.76	
Service Items	\$0.00	
Total Factory List Price Including Options:		\$156,662.76
Total Goods Purchased:		\$2,000.00
Freight Charge	\$1,925.00	
Total Freight:		\$1,925.00
Total Factory List Price Including Freight:		\$160,587.76
Less Customer Allowance:		(\$47,055.29)
Total Vehicle Price:		\$113,532.47
Total Warranty:		\$6,400.00
Total Sale Price:		\$119,932.47
Total Per Vehicle Sales Price:		\$119,932.47
Net Sales Price:		\$119,932.47

In accordance with our discussion, we are pleased to submit the following confirmation of our verbal quote. We propose to furnish this equipment at the attached quoted price.

Thank you for the opportunity of quoting this project. Our Dealership remains at your disposal for any additional information or assistance that you may require.

Approved by Seller:

Accepted by Purchaser:

General Manager 3-28-12
Official Title and Date

Firm or Business Name

Rodney Combs
Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date