



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER

AGR1239

PAGE

1

ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER
304-558-2316

VENDOR

UTILITY TRAILER SALES OF VIRGINIA
DIVISION OF C.R.T.S., INC
146 SIMMONS DRIVE
CLOVERDALE, VA 24077

SHIP TO

DEPARTMENT OF AGRICULTURE
FOOD DISTRIBUTION PROGRAM
1 CEDAR LAKES DRIVE
RIPLEY, WV
25271 304-558-2221

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS		
05/04/2012		DEALER ARRANGED	RIPLEY, WV	INCLUDED		
BID OPENING DATE: 05/24/2012		BID OPENING TIME 01:30PM				
LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	BA		070-59	85,755.31	85,755.31
REFRIGERATED TRAILER						
THE WEST VIRGINIA PURCHASING DIVISION, FOR THE AGENCY, THE DEPARTMENT OF AGRICULTURE, IS SOLICITING BIDS FOR A REFRIGERATED TRAILER PER THE ATTACHED SPECIFICATIONS.						
ALL TECHNICAL QUESTIONS MUST BE SUBMITTED IN WRITING TO FRANK WHITTAKER IN THE WV PURCHASING DIVISION VIA EMAIL AT FRANK.M.WHITTAKER@WV.GOV OR VIA FAX AT 304-558-4115. DEADLINE FOR ALL TECHNICAL QUESTIONS IS 05/10/2012 AT 4:00 PM. ALL TECHNICAL QUESTIONS WILL BE ADDRESSED BY ADDENDUM AFTER THE DEADLINE.						
BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER.						
THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4 (F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.						
NOTICE						
SEE REVERSE SIDE FOR TERMS AND CONDITIONS						
SIGNATURE		TELEPHONE		DATE		
		540-992-4314		5/21/12		
TITLE		FEIN		ADDRESS CHANGES TO BE NOTED ABOVE		
Sales						

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

RECEIVED

2012 MAY 22 AM 10:02

WV PURCHASING
DIVISION

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

1. Awards will be made in the best interest of the State of West Virginia.
 2. The State may accept or reject in part, or in whole, any bid.
 3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
 5. Payment may only be made after the delivery and acceptance of goods or services.
 6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
 7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
 10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
 12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
 13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
 14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
 15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
 16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.
- I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER

AGR1239

PAGE

2

ADDRESS CORRESPONDENCE TO ATTENTION OF

FRANK WHITTAKER
304-558-2316

RFQ COPY

TYPE NAME/ADDRESS HERE

V
E
N
D
O
R

DEPARTMENT OF AGRICULTURE

FOOD DISTRIBUTION PROGRAM
1 CEDAR LAKES DRIVE
RIPLEY, WV
25271 304-558-2221

S
H
I
P
T
O

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/04/2012				
BID OPENING DATE: 05/24/2012		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
A SIGNED BID MUST BE SUBMITTED TO:						
DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130						
THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:						
SEALED BID						
BUYER:				44		
RFQ. NO.:				AGR1239		
BID OPENING DATE:				05/24/2012		
BID OPENING TIME:				1:30 PM		
PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:						
-----540-992-2878-----						
CONTACT PERSON (PLEASE PRINT CLEARLY):						
-----KEVIN RILEY-----						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

COST SHEET

EQUIPMENT MAKE	MODEL	COST
UTILITY	3000 R	85,755.31
ADDITIONAL EQUIPMENT FEES		
TOTAL COST		

ALL BIDS MUST INCLUDE ALL FEES FOR DELIVERY TO:

West Virginia Department of Agriculture
Food Distribution Program
4496 Cedar Lakes Drive
Ripley, WV 25271



The First Name In Trailers

Utility Trailer Sales of VA

Kevin Riley
146 Simmons Drive
Cloverdale, VA 24077
Voice 540-992-4314
Fax 540-992-2878

Trailer Quote Prepared For

***WV DEPT OF AGRICULTURE
1 CEDAR LAKES DR
RIPLEY, WV 25271***

*Mr. FRANK WHITTAKER
1 - VS2RA
May 21, 2012*

Specifications (☞ = Option to Base Model)

1-Model & Payload Capacity

MODEL	VS2RA
PAYLOAD CAPACITY	55,000 LBS EVENLY DISTRIBUTED PAYLOAD CAPACITY
GROSS VEHICLE WEIGHT RATING	65,000 LBS GVWR

2-Dimensions

LENGTH	☞ 36'0" OVERALL LENGTH WITH SHORT RANGE SLIDER
OVERALL HEIGHT	☞ 13'0" O/A HEIGHT ON 48-1/2" FIFTH HT
WIDTH	102-3/8" OVERALL WIDTH

3-Deck

DECK TYPE	STRAIGHT DECK
-----------	---------------

4-Front Subframe

FRONT SUBFRAME	4-1/4" DEEP BOX BEAM DESIGN FRONT SUBFRAME
APPROACH PLATE	9GA HITEN 80 STEEL FULL WIDTH APPROACH PLATE
KINGPIN PLATE	3GA HIGH TENSILE STEEL FULL WIDTH KINGPIN PLATE
KINGPIN TYPE	AAR HARDNESS CRUCIFORM KINGPIN
KINGPIN LOCATION	36" KINGPIN LOCATION
CONDUIT	(1) CONDUIT THROUGH FRONT SUB 30-1/2" FROM C/L ON ROADSIDE
COVER PLATE	EXTRUDED ALUM COVER ON FRONT FACE OF APPROACH PLATE

5-Support Legs

SUPPORT LEG LOCATION	SUPPORT LEG LOCATION OF 105" FROM C/L OF KINGPIN
SUPPORT LEG CRANK LOCATION	ROADSIDE SUPPORT LEG CRANK LOCATION
SUPPORT LEG BRACING	BOLT ON SUPPORT LEG X-BRACING W/7GA 3-1/4" DEEP HIGH TENSILE STEEL CHANNEL
SUPPORT LEGS	JOST MODEL A401 ENHANCED 50,000 LBS CAPACITY SUPPORT LEGS WITH 10" X 10" CUSHION FOOT

6-Frame, Rails & Crossmembers

BOTTOM RAILS	11" DEEP HEAVY DUTY EXTRU ALUM BOTTOM RAILS, TAPERED FRT & REAR
CROSSMEMBERS FRONT SUB TO LEGS	4" ALUM I BEAM CMEMS W/(4) RIVET ENDCLIPS ON 12" C/L FRONT SUB TO SUPPORT LEGS

CROSSMEMBERS OVER
SUPPORT LEGS

CROSSMEMBERS LEGS TO
REAR SUB

CROSSMEMBERS OVER REAR
SUBFRAME

(5) 4" STEEL I BEAM CMEMS W/(4) RIVET ENDCLIPS ON 12" C/L OVER
SUPPORT LEGS.

5-1/2" ALUM I SHAPE CMEMS W/(4) RIVET ENDCLIPS ON 12" C/L
SUPPORT LEGS TO REAR SUB

4" STEEL I BEAM CMEMS W/(4) RIVET ENDCLIPS ON 12" C/L W/STD
REINF OF (1) ADDL CMEM IN REAR 34"

7-Rear Subframe

RUBBER DOCK BUMPERS

VERTICAL & HORIZONTAL
DOCK BUMPER

(1) PAIR RUBBER DOCK BUMPERS 2" PROUD

DOT HTN 50 VERT W/NONSLIP CORTEN HORIZ 22" MAX BTM OF
HORIZ TO GRD W/IN LESS THAN 4" O.A.W. EA SIDE

8-Suspension/Axles/Actuation

SLIDER SUSPENSION
LOCATION

OIL SEALS

AIR BRAKE CHAMBERS

AIR ACTUATION

SLACK ADJUSTERS

AIR RIDE DUMP VALVES

BRAKE LINING STYLE

AXLE SPINDLE NUTS

HUB PILOTED SYS
W/OUTBOARD DRUMS FOR
16-1/2" X 7" BRAKES

ANTILOCK BRAKE SYSTEMS
(ABS)

WHEEL BEARING
LUBRICATION

HUBCAPS

AXLE MANUFACTURER

AXLE SPINDLE TYPE

WHEEL BEARINGS (CONES)
AND RACES (CUPS)
MANUFACTURER

70" REAR SUSPENSION LOCATION AND 166" FORWARD SUSPENSION
LOCATION FOR 96" OF SLDR TRAVEL

STEMCO "GUARDIAN HP" OIL SEAL ** GUARDIAN HP OR DISCOVER
SEAL REQD FOR STEMCO PLAT PERFORM WARRANTY

BENDIX EVERSURE 3030 AIR BRAKE CHAMBERS

ONE TANK AIR ACTUATION SYSTEM W/SPRING BRAKES

BENDIX VERSAJUST AUTOMATIC SLACK ADJUSTERS

HENDRICKSON AUTOMATIC DUMP VALVE

HENDRICKSON HXS BRAKE LINING STYLE FOR USE W/ INTRAAX

STEMCO "PRO-TORQ" SPINDLE NUT *REQD FOR STEMCO PLATINUM
PERFORMANCE SYS WARRANTY*

10 STUD HUB-PILOTED SYSTEM WITH OUTBOARD CAST DRUMS
WITH 16-1/2" X 7" BRAKES

BENDIX TABS-6 2S/1M ABS SYSTEM WITH SR-5 SPRING BRAKE
VALVE

MOBIL LUBE HD PLUS 80W-90 OIL

STEMCO "VENTLESS" HUBCAP

HENDRICKSON "VENTED" AXLES

N-SPINDLE TYPE

GENERAL BEARINGS (CONES) AND RACES (CUPS)

HENDRICKSON AIRRIDE
SYSTEMS WITH INTEGRAL
AXLES

SLIDER PIN RELEASE
MECHANISM

HENDRICKSON HKANT 40K AIRRIDE/ SLIDER SYSTEM W/49" AXLE
SPACING ON HEAVY DUTY SLIDER

HENDRICKSON QUIK DRAW AIR OPERATED SLIDER REPOSITIONING
SYSTEM

9-Front Wall

FRONT CORNER POST

FRONT WALL POSTS

FRONT PANELS

ELECTRICAL NOSEBOX

GLADHANDS AND
RECEPTACLE

FRONT CORNER POST INSERTS

PREP FOR THERMO KING
FRONTMOUNT
REFRIGERATION UNIT

INSTALL THERMO KING FRONT
MOUNT REFRIGERATION UNIT

REFRIGERATION UNIT
OPENING COVER

.080 EXTRU ALUM 4-3/4" RADIUS FRONT CORNER POST

1" "J" EXTRU ALUM FRT WALL POST W/(2) ADDL 3-1/4" DEEP STEEL
REEFER UNIT SUPPORT POSTS

.040 ALUM FRONT PANELS

⇒ UTM MULTI-FUNCT ZINC RECEPT/BOX W/BRAKE ACT RELAY;DUAL
CIRCUIT; 60MIN TIMER;SWITCH;INDICATOR LGT

GLADHANDS (W/SCREEN) AND RECEPTACLE MOUNTED ON AN
ALUM EXTRU OFFSET TO R/S 30"

STAINLESS STEEL FRONT CORNER POST INSERTS

PREP FOR THERMO KING SB SERIES SINGLE COMPARTMENT FRONT
MOUNT REEFER UNIT W/O ELECTRIC STANDBY

⇒ SB-330 REEFER UNIT. INCLUDES INSTALL, REMOTE LIGHT BATTERY
BULKHEAD AND CHUTE INSTALLED BY DEAR

SHEET METAL COVER (INCLS SEALANT FULL PERIMETER OF
OPENING)

10-Side Walls

SIDE PANELS

SIDE POSTS

.040 ALUM FLAT SIDE PANELS

1" "J"SHAPE EXTRU ALUM SIDE POST W/16"MAX C/L FROM FRT TO
REAR OF SUPT LEGS W/24" C/L LEGS TO REAR

11-Roof

TOP RAILS

ROOF SKIN

ROOF BOWS

6-3/8" HEAVY DUTY EXTRUDED ALUM TOP RAILS

.025 ONE PIECE ALUM COIL ROOF SKIN

1" EXTRU ALUM "J" SHAPED ROOF BOWS ON 48" C/L

12-Rear Doors

REAR CASE & BUCKPLATE
MATERIAL

REAR DOOR ROLLUP TYPE

INSTALL REAR LIFT GATE

⇒ **NOTE** SST Rear Door Case for Roll-up Door

⇒ WHITING COLDSAVER ROLL UP DOOR 2" W/PPW ALUM FACE INCLS
LED ID/CLR LGTS

⇒ FURNISH AND INSTALL WALTCO WDV OR MAXON BMRA RAIL
LIFTGATE W/O HEADER KIT FOR USE W/PREP OPTION

PREP FOR REAR LIFT GATE

- ☞ PREP FOR MAXON BMR-A/WALTCO WDV (R/U DOOR ONLY)(INCLS LOWERED BOLT-ON S/T/T LIGHTS)

13-Side Door

SIDE DOOR

- ☞ SIDE DOOR TYPE "D" AT SPECIAL LOCATION

*SIDE DOOR STEP &
GRABHANDLE*

- ☞ MILD STEEL RETRACTING SIDE DOOR STEP W/EXPANDED METAL ON STEP INCL ALUM GRABHANDLE
REQUIRED INFORMATION:

If there is more than (1) side door on this order, please specify which side door gets this step/grabhandle

>>

14-Floor

FLOOR TYPE

- ☞ 1-3/8" NOM H.D. EXTRU ALUM DUCT FLOOR KNURLED

TROUGHS

- ☞ **NOTE** EXTRU ALUM TROUGH AT FRONT ONLY

DRAINS

(2) DRAINS FRONT AND (2) REAR

REAR THRESHOLD

- ☞ **NOTE** Roll up door Rear Threshold

FORK LIFT REINFORCING

BEARING GRID SYS AT REAR W/HDWD FILLERS FULL LENGTH & ALUM I CORES REAR 36" OF FLR IN CTR 68"

15-Insulation

INSULATION TYPE

POLYURETHANE INSULATION FOAMED IN PLACE

FRONT WALL THICKNESS

4" THICK FRONT WALL

SIDE WALL THICKNESS

- ☞ 3" SIDE WALL INSULATION

ROOF THICKNESS

3" THICK ROOF

FLOOR THICKNESS

3" THICK FLOOR

REAR DOOR THICKNESS

3" THICK REAR DOORS

*CROSSMEMBER FLOOR
FILLERS*

HARDWOOD FLOOR FILLERS FULL LENGTH

FLOOR UNDERSKIN

.040 VERSITEX COIL FLOOR UNDERSKIN

SIDE DOOR THICKNESS

- ☞ 3" SIDE DOOR INSULATION

16-Lining

FRONT WALL LINING

.065 (NOM) VERSITEX-UTILITY VR2 FRONT WALL LINING

SIDE WALL LINING

.065 (NOM) VERSITEX-UTILITY VR2 SIDE WALL LINING

ROOF LINING

.065 (NOM) VERSITEX-UTILITY VR2 ROOF LINING

WEARBAND

10" HIGH 3/16" HEAVY DUTY EXTRU ALUM NON-TAPERED W/B INTEGRAL W/FLOOR (INCLUDES REINFORCING)

LOGISTIC RAILS

- ➡ 3 - (1) ROW SERIES "E" GALV RECESS MTD LOG TRACK ON SIDE WALLS
REQUIRED INFORMATION:
Locate E-track _____ inches from centerline of track to top of floor.
>>

17-Electrical System

MAIN HARNESS

UTM MOISTURE RESISTANT "MULTI- PURPOSE" HARNESS
W/INTERNAL GROUND AND 7-WAY PLUG

ELECTRICAL RECEPTACLE

7-WAY ELECTRICAL RECEPTACLE W/O CIRCUIT BREAKERS

CLEARANCE LIGHT QUANTITY

0-1-2-5 D.O.T. MINIMUM CLEARANCE LIGHT QUANTITY

*DOMELIGHTS MOUNTED IN
CEILING*

- ➡ 2 - GROTE SUPERNOVA 6-DIODE L.E.D. DOMELIGHT W/O SWITCH
REC MTD IN CEILING PARALLEL TO SIDE WALL
REQUIRED INFORMATION:
Must specify location(s) of domelights, in inches, from the front wall and
from the side wall of the trailer to C/L of light.
>>

*SIDE MOUNTED DIRECTIONAL
LIGHT*

GROTE SUPERNOVA LED COMBO SIDE MTD DIR/CLRN LIGHT ON
BRACKET BELOW BOTTOM RAIL EACH SIDE

STOP/TAIL/TURN LIGHTS

GROTE 4" L.E.D. (3-DIODE) STOP/ TAIL/TURN LIGHTS (2) PER SIDE
WITH BLACK SNAP-IN FLANGE

LICENSE LIGHT

GROTE L.E.D. LICENSE LIGHT

*SWITCHES FOR DOME/SPOT
LIGHTS*

- ➡ (1) MOMENTARY SWITCH FOR DOME/ SPOT LIGHTS, RECESS MTD IN
INTERIOR C/S WALL AT REAR

CONSPICUITY TAPE LOCATION

CONSPICUITY TAPE ON BOTTOM RAILS AND AT REAR OF TRAILER
(FOR D.O.T. MINIMUM LOCATION)

CONSPICUITY TAPE

FACTORY CHOICE CONSPICUITY TAPE

UPPER CLEARANCE LIGHTS

FACTORY CHOICE LED UPPER SIDE RAIL CLEARANCE LIGHTS WITH
3" MOUNTING HOLE C/L

LOWER CLEARANCE LIGHTS

GROTE MICRONOVA LED PC RATED LIGHT

*ABS (ANTI-LOCK) WARNING
LIGHT*

GROTE MICRONOVA L.E.D. PC RATED LIGHT

*STOP/TAIL/TURN LIGHT
CONFIGURATION*

GROUPED STOP/TAIL/TURN LIGHTS

*REAR HEADER CLEARANCE
LIGHTS*

GROTE MICRONOVA L.E.D. PC RATED GROMMET MOUNTED REAR
HEADER ID/ CLR LIGHTS

18-Finish Specifications

TOP FRONT & TOP SIDE RAIL
FINISH

NATURAL ALUM FINISH TOP FRONT & TOP SIDE RAILS

BOTTOM SIDE RAIL FINISH

NATURAL ALUM FINISH BOTTOM SIDE RAILS

FRONT CORNER POST FINISH

NATURAL ALUMINIUM FINISH FRONT CORNER POSTS

FRONT PANEL FINISH

PREPPAINTED WHITE FRONT PANELS

SIDE PANEL FINISH

PREPAINTED WHITE SIDE PANELS

REAR DOOR PANEL FINISH

⇒ ****NOTE**** PREPAINTED WHITE ALUMINUM REAR DOOR PANELS

FRONT APPROACH PLATE
FINISH

NATURAL ALUM FINISH FRONT APPROACH PLATE

FRONT SUBFRAME ASSEMBLY
FINISH

FRONT SUBFRAME FULLY IMMERSSED IN BLACK RUST
PREVENTATIVE FINISH (ZERO VOC HOT DIP)

SUPPORT LEG FINISH

UTM BLACK SCHARPF ON SUPPORT LEGS

REAR SUBFRAME FINISH

UTM BLACK SCHARPF ON REAR SUBFRAME

REAR CASE FINISH

SATIN FINISH STAINLESS STEEL REAR CASE

VRTCL & HORZNTL DOCK
BMPR FINISH

UTM BLACK ENAMEL FINISH ON HORIZ DOCK BUMPER; BLACK
SCHARPF ON VERTICAL DOCK BUMPER

ROOF EXTERIOR FINISH

NATURAL ALUM ROOF EXTERIOR FINISH

FRONT CORNER POST INSERT
FINISH

STAINLESS STEEL FINISH FRONT CORNER POST INSERTS

19-Miscellaneous

MUDFLAP TYPE

WHITE PLASTIC ANTI-SAIL MUDFLAPS W/UTM LOGO, MOUNTED
WITH STEEL REINFORCING STRAPS

20-Tires, Wheels & Rims

Wheels & Rims

⇒ 8 - 22.5 X 8.25 Accuride Powder Coated White (Steel)-50487PKWHT21 10
Holes Hub-Piloted

Tires

⇒ 8 - 11R 22.5 Michelin-XT-1 14-Ply

Special Instructions

FOB RIPLEY WV

Pricing & Weight

Net Trailer Price	\$85,755.31	Total Weight 14,400 lbs. (+/- 3%)
x Unit(s)	<u>1</u>	
Selling Price	\$85,755.31	
Total Trades	<u>\$0.00</u>	
Total Selling Price	\$85,755.31	

Terms & Conditions