



State of West Virginia  
Department of Administration  
Purchasing Division  
2019 Washington Street East  
Post Office Box 50130  
Charleston, WV 25305-0130

## Request for Quotation

RFQ NUMBER

AGR1239

PAGE

1

ADDRESS CORRESPONDENCE TO ATTENTION OF

FRANK WHITTAKER  
304-558-2316

V  
E  
N  
D  
O  
R

KIDRON SALES OFFICE  
911 WEST 5TH STREET  
PO BOX 880  
WASHINGTON, NC 27889

S  
H  
I  
P  
T  
O

DEPARTMENT OF AGRICULTURE  
FOOD DISTRIBUTION PROGRAM  
1 CEDAR LAKES DRIVE  
RIPLEY, WV  
25271 304-558-2221

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS		
05/04/2012						
BID OPENING DATE: 05/24/2012		BID OPENING TIME 01:30PM				
LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		070-59		
REFRIGERATED TRAILER						
THE WEST VIRGINIA PURCHASING DIVISION, FOR THE AGENCY, THE DEPARTMENT OF AGRICULTURE, IS SOLICITING BIDS FOR A REFRIGERATED TRAILER PER THE ATTACHED SPECIFICATIONS.						
ALL TECHNICAL QUESTIONS MUST BE SUBMITTED IN WRITING TO FRANK WHITTAKER IN THE WV PURCHASING DIVISION VIA EMAIL AT FRANK.M.WHITTAKER@WV.GOV OR VIA FAX AT 304-558-4115. DEADLINE FOR ALL TECHNICAL QUESTIONS IS 05/10/2012 AT 4:00 PM. ALL TECHNICAL QUESTIONS WILL BE ADDRESSED BY ADDENDUM AFTER THE DEADLINE.						
BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER.						
THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4 (F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.						
NOTICE						
SEE REVERSE SIDE FOR TERMS AND CONDITIONS						
SIGNATURE		TELEPHONE		DATE		
TITLE		FEIN		ADDRESS CHANGES TO BE NOTED ABOVE		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

RECEIVED

2012 MAY 21 AM 9:26

WV PURCHASING  
5/21/12

## GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

1. Awards will be made in the best interest of the State of West Virginia.
  2. The State may accept or reject in part, or in whole, any bid.
  3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
  4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
  5. Payment may only be made after the delivery and acceptance of goods or services.
  6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
  7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
  8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
  9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
  10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
  11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
  12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
  13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at [www.state.wv.us/admin/purchase/vrc/hipaa.html](http://www.state.wv.us/admin/purchase/vrc/hipaa.html) and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
  14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
  15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
  16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.
- I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

### INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia  
Department of Administration  
Purchasing Division  
2019 Washington Street East  
Post Office Box 50130  
Charleston, WV 25305-0130

## Request for Quotation

RFQ NUMBER

AGR1239

PAGE

2

ADDRESS CORRESPONDENCE TO ATTENTION OF

FRANK WHITTAKER  
304-558-2316

RFQ COPY

TYPE NAME/ADDRESS HERE

V  
E  
N  
D  
O  
R

DEPARTMENT OF AGRICULTURE

FOOD DISTRIBUTION PROGRAM  
1 CEDAR LAKES DRIVE  
RIPLEY, WV  
25271 304-558-2221

S  
H  
I  
P  
T  
O

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/04/2012				
BID OPENING DATE: 05/24/2012		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
A SIGNED BID MUST BE SUBMITTED TO:						
DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130						
THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:						
SEALED BID						
BUYER:				44		
RFQ. NO.:				AGR1239		
BID OPENING DATE:				05/24/2012		
BID OPENING TIME:				1:30 PM		
PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:						
----- 330-857-8451 -----						
CONTACT PERSON (PLEASE PRINT CLEARLY):						
----- John Sommer Sr. -----						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
<i>John Sommer Sr.</i>	330-857-6271	5-17-12
TITLE	ADDRESS CHANGES TO BE NOTED ABOVE	
Exec V.P.		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

## NEW REFFER TRAILER SPECIFICATIONS

- MAKE:** UTILITY 3000R OR KIDRON EMPEROR OR EQUIVALENT TO MAINTAIN -10 DEGREES  
TRAILER MUST BE SET FOR A TANDEM TRACTOR
- DIMENSIONS:** 36 FOOT X 102 INCHES WIDE, NOT TO EXCEED 13 FOOT HIGH FROM GROUND,  
FRONT OF BOX REINFORCED FOR REFFER
- INSULATION:** 4 INCH ALL AROUND MIN. R-VALUE RATING TO MAINTAIN -10 DEGREES OR LOWER
- DOORS:** FULL OPENING OVERHEAD DOOR ON REAR & SINGLE SWING DOOR CURB  
SIDE, TWO PALLET LENGTHS FROM FRONT OF BOX, MIN. 36INCH WIDE X 78 INCHES  
TALL WITH STIRRUP STEP
- INTERIOR:** E-TRACK FLUSH MOUNTED AT 24 & 48 INCHES FROM FLOOR  
INSULATED MOVEABLE BULKHEAD WITH E-TRACK LACHES
- FLOOR:** ALUMINUM BOX FLOOR FOR AIR CIRCULATION WITH EXTRUDED WEARSTRIPS ON SIDE  
AND FRONT WALL MIN.12 INCHES HIGH, DRAIN HOLES IN EACH CORNER WITH PINCH  
TUBE
- LIGHTING:** 3 LED STRIP LIGHTS FLUSH MOUNTED WITH SWITCH AT BACK DOOR
- AXLES:** TANDEM AXLE FIXED AT REAR MOST OF TRAILER, 34,000# MIN.
- TIRES:** 11R22.5 14PLY MIN. NO LOW PROFILE
- REEFER:** THERMO KING SB-130 OR EQUAL, MUST MAINTAIN -10 DEGREES  
50 GAL. FUEL TANK MIN.OR EQUAL REFFER MUST BE INSTALLED VENDORS WHO  
BID ALTERNATIVE EQUIPMENT MUST SUPPLY FACTORY SPECIFICATIONS TO  
CERTIFY EQUAL REQUIREMENTS.
- LIFT GATE:** LEYMAN FOLD-A-VADOR (FDC 45AL) MIN. 80" X 72" ALUMINUM DECK WITH RAMP  
TO BE FACTORY INSTALLED, 4,500 # CAP. MIN. OR EQUAL
- WARRANTY:** ON BOTH TRAILER AND REEFER 3 YEAR FULL COVERAGE

BID MUST INCLUDE DELIVERY  
EQUIPMENT TO BE DELIVERED AND FULLY ASSEMBLED AND OPERATIONAL WITHIN 90 DAYS OF BID  
AWARD.

West Virginia Department of Agriculture  
Food Distribution Program  
4496 Cedar Lakes Drive  
Ripley, WV 25271

## COST SHEET

EQUIPMENT MAKE	MODEL	COST
Kidron Emperor	36 RTPEASEW102 36' x 102" wide x 13' high	41,746
ADDITIONAL EQUIPMENT FEES		
Leyman FDC45	72" x 86" platform + retention ramp	13,932
Thermo King	SB-130 Installed	22,629
TOTAL COST	FOB Ripley, WV	78,307

**ALL BIDS MUST INCLUDE ALL FEES FOR DELIVERY TO:**

West Virginia Department of Agriculture  
Food Distribution Program  
4496 Cedar Lakes Drive  
Ripley, WV 25271



911 W. 5TH STREET  
 PO BOX 880  
 WASHINGTON NC 27889  
 Phone: (800) 763-0700 Fax: (252) 975-8378

Proposal #..... 12KHA01180  
 Revision Date..... 05/17/2012 08:20:04 AM  
 Print Date..... 05/17/2012  
 Drawing Sent..... / /

Customer: DEPARTMENT OF AGRICULTURE 1 CEDAR LAKES DRIVE RIPLEY WV 25271  Phone..... (304) 558-2221 Fax..... Email..... Contact.....	000095  Ship To..... Ripley, WV Department Of Agriculture  SalesPerson. Kevin Amstutz F.O.B..... Ripley, WV Built At..... Montgomery - PA Terms..... Net 15	
<b>Dimensions</b> O.L....36' 0" O.W....102" O.H....13' I.L....35' 1" I.W....92.5" I.H....95.5" Make... THERMO KING Reefer Unit (Model)... SB-330 Evaporator Make... Evaporator Model...		

Heading	Qty	Feature #	Description	Model # 36RTPEASEW102SP
MAIN BODY	1	2B3602TL-E	EMPEROR Insulated Trailer 102" wide	
EXTERIOR PANELS	1	2N362202TL	WHITE ALUMINUM (.040) EXTERIOR PANELS	
CROSSILLS	1	3N3676TL	4" STEEL CROSSILLS 12" CTRS & 8" CTRS REAR 60"	
FLOOR	1	3F3644TL	BOX (DUCT) SLIP RESISTANT FLOORS EXTRUDED ALUMINUM 36'	
FLOOR DRAINS	1	3F5001TL	2 - 1" DRAINS IN FRONT W/RUBBER KAZOOS	
	1	3F5007TL	2 - 1" DRAINS IN REAR W/RUBBER KAZOOS	
FLOOR REINFORCEMENTS	1	3F5011TL	50" ALUM. I BEAM INSERTS & 48" HARDWOOD SUBFLOOR AT REAR	
REAR FRAME	1	2N045102	HEAVY DUTY STAINLESS STEEL REAR FRAME FOR INSULATED	
REAR DOOR	1	3R2398TL	WHITING 102"HIGH 2" INSUL. COLDSAVER FULL OPG.	
CURBSIDE PANEL DOOR(S)	1	2E3661C	1 PANEL SIDE DOOR 40" WIDE X STD HEIGHT, 4" INS F.I.S.F. - Curbside	
	1	3W0061	12" EXTRUDED ALUMINUM WEARBAND ON SIDE DOOR(S)	
	1	2E4015	SAFETY RELEASE FOR PPS DOORS	
	1	4A0130TLC	15" STAINLESS STEEL GRABHANDLE	
	1	4A0120C	STEEL STIRRUP STEP SIDE OR REAR W/SLIP RESISTANT SURFACE (SPECIFY LOCATION)	
CEILING LINER	1	3L3649TL	3/32" 1 PC. GLASSBOARD CEILING 36'	
INTERIOR LINER	1	3L365998TL	3/32" 1 PC. GLASSBOARD SIDE AND END WALLS	
INSULATION	1	3I3600TL	FLOOR INSULATION 4" ABOVE CROSSILLS 36'	
	1	3I3608TL	ROOF INSULATION 4" CEILING 36'	

	1	3I3645TL	SIDE WALL INSULATION 4" 13' 0" O.A. HT. 36'
	1	3I0004	4" POURED URETHANE FOAM INSULATION IN FRONT WALL
WEARBAND	1	3W3666TL	EXTRUDED ALUMINUM WEARBAND ON SIDES AND FRONT 12" HIGH
ELECTRICAL	1	3N0191	TRUCKLITE INTERNAL GROUND HARNESS SYSTEM "PLUG AND PLAY" FOR TRUCKLITE 7-WAY CONNECTOR W/ SOLID PINS
	1	3N0189	TRUCKLITE (L.E.D.) MODEL 21 TRAILER LIGHT PACKAGE MEETS FEDERAL STANDARDS FOR 30' & OVER
INTERIOR LIGHTING	1	3N0172TL	3 TRUCKLITE RECESSED INTERIOR LED LIGHTS # 80251C (10 DIODE) W/SWITCH INSTALLED
	1	3N0144	TRAMEC AUXILLIARY POWER SWITCH FOR INTERIOR LIGHTS
CARGO CONTROL	3	3C3653TL	36' E TRACK REC W/O PAN,SIDES FISF = 0" F/C = 24",48",60"
REFRIGERATION	1	2N0406	ADAPT FOR TRAILER BLOWER TYPE UNIT (THRU WALL) THERMO KING; Do cut hole; Opng ____ x _____
	1	4A0323	INSTALL CUST. SUPPLIED TRAILER BLOWER TYPE UNIT WITH FUEL TANK & 12 VLT BATTERY
BULKHEAD	1	3A0060	Donovan Skinny Buns 50/50 Bifold Bulkhead w/2 straps
UNDERCARRIAGE	1	4A0144	1 PAIR ANTI-SPRAY MUDFLAPS INSTALLED
MISCELLANEOUS	1	4T0520B	MANIFEST BOX
	1	4T0540	REGISTRATION HOLDER
UNDERCARRIAGE	1	3T0005	1/4" UPPER COUPLER PLATE 30" KING PIN SPACING FOR 102"WIDE
	1	3T0055	JOST 2-SPEED LANDING GEAR W/SQUARE CUSHION FOOT - installed 122" from front
SUSPENSION	1	3T0689	SUSPENSION TANDEM FIXED HENDRICKSON HT-190 AIR RIDE ADAPTED FOR RAMP
BRAKES	1	3T0813	2S/1M ABS BRAKE VALVES, PLUMB KIT TANDEM AXLE SEALCO/WABCO 2S/1M ABS BRAKE VALVE
AXLES	1	3T0658	TANDEM DANA HUB PIL,5/8" WALL AXLE,EXTRALIFE2, HALDEX SLACK, 30/30 BRK CH_"RMA - 40" back to center rear most axle
	1	3T0265	TANDEM AXLE WHEELS 22 1/2" DISC WHEELS (RIMS) W/5 HAND HOLES
QUICK E GLAD HAND	1	3T2601	INSTALL PHILLIPS QUICK E GLAD HAND
	1	3T2602	RAISE GLADHANDS 6" ABOVE LOWER RAIL FOR 13' AND 13' 6" MODELS ONLY
TIRES	1	3T0294	RADIALS CONV FIRESTONE FT-455 11R22.5 (8)

**LIFTGATE SPECIFICATIONS**

LEYMAN FDC-45 AL 4500#, 72" X 86" + ALUM. RETENTION RAMP, ALUMINUM PLATFORM,  
102" WIDE, POWER DOWN, MAINTENANCE MINDER, TOGGLE SWITCH, LED LIGHTS IN  
COLUMN, POWER KIT 45' WITH TRAILER PLUG, BATTERY BOX, REAR IMPACT PROTECTION,  
(2) 12 VOLT BATTERIES

**REFRIGERATION SPECIFICATIONS**

THERMO KING 2012 SB-130 REFRIGERATION UNIT WITH STANDARD FEATURES & 50 GALLON FUEL TANK

TRAILER \$: 41,746.00

LIFTGATE \$: 13,932.00

REFRIGERATION \$: 22,629.00

**GRAND TOTAL FOB RIPLEY, WV \$: 78,307.00**

 5-17-12  
*Authorized Signature from* *Date*

VT HACKNEY INC- KIDRON

\_\_\_\_\_  
*Authorized Signature from* *Date*  
DEPARTMENT OF AGRICULTURE

**QUOTATION VALID FOR 30 DAYS**

Page: 2

Proposal #: 12KHA01180

KQC Version: 04/02/12

Features Revision: 03/23/12



# Emperor

KIDRON...  
THE  
INNOVATORS

Kidron

Emperor

Kidron®

Refrigerated  
Distribution  
Trailers



## *How Kidron innovation can improve distribution efficiency*

For more than a half century, Kidron has focused on designing and building the very best refrigerated distribution trailers and truck bodies. Industry-focused designs and advantages in step with the needs of demanding multi-stop, multi-temp routes.


Engineered to help control operating and labor costs, and to hold desired temperatures longer, Emperor trailers are built to provide years and years of valuable service.

Emperor refrigerated distribution trailers continue that tradition of quality while reflecting Kidron's knowledge of timely industry needs. Available in popular lengths from 28 to 53 feet, each trailer is light in weight, yet strong.

Emperor trailers are also equipped with a host of standard advantages to make operation and maintenance easy. And, they can be equipped with the industry's widest and most innovative collection of options to meet unique and specific needs on demanding multi-temp, multi-stop routes.


## Build the right Emperor trailer for your distribution requirements

Select the features, sizes and advantages you need to optimize your distribution profitability. Start with the right length - up to 53 feet. The right insulation package - either 2, 3, 4 or 5 inches of non-CFC insulation, foamed in place using Kidron's proprietary process. Pick any of the popular mechanical refrigerated units and, if needed, add an evaporator with recessed refrigeration lines.




### Ultra-thermal walls

Choose 2, 3, 4 or 5 inches of foamed in place, non-CFC insulation. Using Kidron's proprietary process, the insulation is carefully installed between glassboard inner walls and aluminum outer walls. Units are scanned with an infrared camera to eliminate voids. This process sets the standard for the industry and assures optimum product protection.



### Air and electrical box

Electrical components are easy to access for routine maintenance. The design also easily accommodates future electrical accessories.




### Suspension/running gear

Top quality suspensions are designed for either single or tandem axle trailers. Specify either spring suspension or air ride.




### Front corner casting built to last

Designed to resist trailer damage from common obstructions, the Emperor's aluminum front corner casting features high-visibility lighting. The casting also protects the corner marker light from damage. Tree branch deflectors on the front corner post are an option.




### Bottom rail adds strength

The Emperor's unique exterior bottom rail complements and even enhances the trailer's strength. A full 12 inches wide, the rail provides for extra rivets to attach posts and understructure.




### Strong upper coupler assembly

A new concept in steel upper coupler design is strong enough to handle the rigors of rough roads or frequent yard movements. The one-piece, high-strength steel, full-width approach plate and pickup plate maintain fifth-wheel lubrication and build strength.




### Pressure-Pillow Seal™ Doors

Available only from Kidron, these are proven performers, virtually eliminating air passage. Combined with an innovative threshold design including frost break, trailers hold the cold longer and speed up recovery time.



### Extra rugged landing

Emperor trailers have a landing gear that's engineered for superior strength and stability. In case of damage, the landing gear is designed for quick removal and replacement.




### Changing bumpers is quick and easy

Emperor trailers are available with a range of popular bumper designs. Rear-impact bumpers, bolted to the trailer, are easy to replace.




## REAR DOORS


Choose from Kidron's full collection of pre-engineered door options for your Emperor distribution trailers. Call Kidron or your Kidron dealer for help in selecting the right options for your refrigerated distribution needs.




Full Opening Overhead Door




Part Opening Overhead Door




2 Panel Full Opening Door




1 Panel Part Opening Door




2 Panel Part Opening Door



3 Panel Full Opening Door




4 Panel Full Opening Door




Swing/Slider Door

## SIDE DOOR




1 Panel Door


## SIDE DOOR STEPS AND PLATFORMS




Steel Stirrup Step



Steel Stirrup Step with Slide-Out Platform




Self Storing Single Step




Self Storing Double Step




Deluxe Self Storing Step and Platform




Side Door Ramp with Pull-Out Platform



Anti Nose Dive Leg




Reefer Ladder



Manifest Box


## REAR IMPACT BUMPER AND STEP OPTIONS



Rear Impact Bumper




Rear Impact Bumper with Center Step



Full Width Rear Impact Bumper




Rear Impact Bumper with Oak Filled Dock Extension



Full Width Rear Impact Bumper with Oak Filled Dock Extension

## WATERTIGHT FLOOR SYSTEMS


Select the right extruded aluminum floor for your needs. Also available are non-skid surfaces and steel or aluminum treadplate floors.




Cargo Floors - Fully welded and watertight, they're built to withstand abuse and the stresses of palletized cargo. Two floor drains are standard.



Box Floors - Designed for air circulation under any cargo to keep products dry, they are fully welded and watertight. Four floor drains are standard.




Dairy Floors - Designed for milk cases and ice cream carts, these floors are fully welded and watertight. Two floor drains are standard.



Extruded Aluminum Wearstrips on Side and Front Walls - Available in 6, 12, 18 and 24-inch heights, these specially designed wearstrips are integral with the floor and secure the interior liner, assuring a watertight seal.

Steel or Aluminum Treadplate Floors - These optional floors are fully welded and offset to provide side wall protection. An integral formed wearband can be provided with varying heights and secured to the liner to form a watertight joint. Two floor drains are standard.




# Emperor



## *An innovation in refrigerated distribution.*

The Emperor by Kidron represents an engineering breakthrough in multi-temp refrigerated distribution. Uniquely engineered in every detail, Emperor trailers have the proven ability to increase payload by reducing weight but not strength. By maintaining desired temperatures in spite of frequent door openings. And by offering the industry's most extensive range of features, advantages and options to build actual distribution profitability.

KIDRON...  
THE  
INNOVATORS



Refrigerated  
Distribution  
Trailers

# Emperor

## Adjustable compartments for multi-temp efficiency


Kidron pioneered multi-temp distribution with its ACMT™ system of movable partitions, easily reconfigured for loads requiring frozen, refrigerated or ambient temperature products. Remote evaporators also may be added to provide individual compartment product protection.

Walk-through doors in rear bulkheads provide easy access while minimizing air loss.

Forward bulkheads let you create compartments that do not extend all the way to the front of the trailer.

### ACMT

Adjustable  
Compartmentalized  
Multi-Temperature System.



## Kidron®



## *Nobody knows cold like Kidron.*

P.O. Box 17, Kidron, Ohio 44636

Call Toll-Free: 800-321-5421

Fax: (330) 857-8451

[www.kidron.com](http://www.kidron.com)