

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

BEFK12006

PAGE 1

ADDRESS CORRESPONDENCE TO ATTENTION OF:	
TARA LYLE	
304-558-2544	

DIV ENGINEERING & FACILITIES VARIOUS LOCALES AS INDICATED BY ORDER

RFQ COPY TYPE NAME/ADDRESS HERE

DATE PRIN	TED	TEF	ims of sai	LE	SHIP VIA	F.O.B.	FREIGHT TERMS
10/24	/2011						
BID OPENING DATE	:	11/22/	2011		BID	OPENING TIME 01	L:30PM
LINE		VIITY	UOP	CAT, NO.	ITEM NUMBER	UNIT PRICE	ТИИОМА
0001	ICE AN	1 D SNOW	LS REMO	VAL C	192-46 HEMICALS	SEE	Altached
	TO VAR ENGINE	ND CON IOUS F ERING	TRACT ACILI AND F	TIES ACILI	RACT ROVIDE ICE MELTE FOR THE DIVISION TIES FOR THE WV D SPECIFICATIONS	OF NATIONAL	
	INQUIR WRITTE BUSINE USPS, VENDOR QUESTI	IES: N QUES SS ON FAX, C RECEI ONS WI	TIONS 11/07 OURIE VES A LL BE	WILL /2011 R OR N UNF ANSW	BE ACCEPTED UNT . QUESTIONS MAY E-MAIL. IN ORDE AIR ADVANTAGE, N ERED ORALLY. IF	FIL CLOSE OF BE SENT VIA TO ASSURE NO OUT OF THE SUBSTANTIVE	
	TARA L' DEPARTI PURCHAS 2019 WA CHARLES	MENT O SING D ASHING	IVISI TON S	ON TREET			CEIVED
	FAX: 3(EMAIL:				. GOV	(1)	V 22 A 10: 14PP ASING DIVISION ATE OF WV
	EXHIBIT	Г 3					
SIGNATURE ///	,	11	,	SEE RE	VERSE SIDE FOR TERMS AND CO		
SIGNATURE // leac	un l	1/2 1			TELEPHONE	7-775-7333 DATE	Inwroll
TITLE 3/1	Jeres 1	FE	IN Cal	0 110		Appress	TO DE MOTES ASSU
XICU	J		0/0	148	39227	ADDRESS CHANGES	TO BE NOTED ABOVE



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

TO

REGNUMBER DEFK12006 PAGE 5

ADDRESS CORRESPONDENCE TO ATTENTION OF:	_
ARA LYLE	
04-558-2544	

RFQ COPY TYPE NAME/ADDRESS HERE

DIV ENGINEERING & FACILITIES VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. FREIGHT TERMS 10/24/2011 BID OPENING DATE: 11/22/2011 BID OPENING TIME 01:30PM CAT. LINE QUANTITY UOP: ITEM NUMBER UNIT PRICE AMOUNT THIS TEAM EXHIBIT HAS BEEN REPLACED BY THE ONLINE JERSION WHICH IS AVAILABLE HERE: HTTP://WWW.STATE.WV.US/ADMIN/PURCHASE/VRC/VENPREF.PDF NOTICE A SIGNED BID MUST BE SUBMITTED TO: DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130 THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED: SEALED BID BID OPENING PATE: ---- -- 11/22/2011---BID OPENING TIME: |----|--1:30 PM-----PLEASE PROVIDE A PAX NUMBER IN CASE IT IS NECESSARY SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE COG-454-7105 DAY/RAZOU ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



>EZDOR

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER DEFK12006

_	PAGE
	PAGE
	6

ADDRESS CORRESPONDENCE TO ATTENTION OF:

TARA LYLE

304-558-2544

SHIP ŏ

DIV ENGINEERING & FACILITIES VARIOUS LOCALES AS INDICATED BY ORDER

DATE PR	INTED	TER	MS OF SA	LE	SHIP VIA		F.O.B.	FREIGHT TERMS
10/24	1/2011							
BID OPENING DAT		11/22/	2011		В	TD (OPENING TIME 01	:30PM
LINE	QUA	5 11 1	UOP	CAT. NO.	ITEM NUMBER		UNIT PRICE	AMOUNT
	TO CON	TACT Y	OU RE	GARDI	NG YOUR BID:			
	CONTAC	r pers	ON (P	LEASE	PRINT CLEARL	Y):	HACKET OFF	817.775 7333
	*****	THIS	IS T	HE EN	O OF RFQ DEF	K120	CCU 006 ***** TOTAL:	606-454- 7105
							F 406 780	1497
SIGNATURE				SEE REV	PERSE SIDE FOR TERMS AN	100000000000000000000000000000000000000	DITIONS DATE	
					TEEL HO!	20	DATE	
TITLE		FE	IN				ADDRESS CHANGES	TO BE NOTED ABOVE

RFQ No. DEFK12006

STATE OF WEST VIRGINIA **Purchasing Division**

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE
Vendor's Name: CAulier SEES Co. In Authorized Signature: March Mc Date: 2/M/2011
Authorized Signature: Mague the Date: Z/M/201/
State of
County of Rouge , to-wit:
Taken, subscribed, and sworn to before me this 21 day of November , 2011.
My Commission expires $Apc 1 + 1 + 2011 + 2011$.
AFFIX SEAL HERE NOTARY PUBLIC Josh Whith

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). West Virginia Code, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the West Virginia Code. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents
	years immediately preceding the date of this certification; or,
2.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3.	Application is made for 2.6% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4.	Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
require agains or ded	understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the aments for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penally at such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency sucted from any unpaid balance on the contract or purchase order.
author the red deeme	omission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and izes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid quired business taxes, provided that such information does not contain the amounts of taxes paid nor any other information and by the Tax Commissioner to be confidential.
and a chang	penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true curate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate ges during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.
Bidde	Cauchiel Seed Co. Signed: Graf Phil-
Date:	C/AW 204 Tille: O Sales
*Check	any combination of preference consideration(s) indicated above, which you are entitled to receive.

		CAUdill SEED. Com	Iress: MAACKER O
			Phone#: 871, 775,733/
			morehund of X0351
			Address: 1064 E. Main SI.
			Name CAUDINSEED FILE.
			Bidder / Vendor Information:
v	GRAND TOTAL:		Failure to use this form may result in disqualification
v		100 Pallets	UREA 46-0-0 CAS NUMBER 57-13-6 or equal
& All MAG Chill		100 Pallets	SSS ICE MELTER or equal
5 There are		100 Pallets S	WINTERSTORM MAG/ CHLORIDE 60580 or equal
5		100 Pallets	SAFE STEP EXTREME 8300 MAG/ CHLORIDE or equal
Bo Grade teche		100 Pallets S	SAFE STEP SELECT BLEND PRO 550 or equal
348 03 978°		100 Pallets \$	SAFE STEP PRO SERIES 370 ECONO BLEND BLUE or equal
Extended Amount	Unit Price	Yearly Estimates Quantity	Description
	100 °		
		DEFK12006 - BID FORM	



COMPANY, INCORPORATED

Serving the Seed Industry Since 1947

1064 E. MAIN STREET MOREHEAD, KENTUCKY 40351 PHONE (606) 780-0848 FAX (606) 780-7497

Equal products

Description - Eco Safe 49/50 pa: -8.75/69

Description - Professionis/ GRAD 49/50 pa - 7.25 bg

Mondon - Professionis/ GRAD 49/50 pa - 7.25 bg

Mondon - Safe-T-Saut 49/50 pa - 4.75 bg

Description cloride pecuts 50/50 pa - 12.00 bg

Mag Cloride pecuts 48/50 pa - 11.50 bg

Description Solso pa - 11.50 bg

Ober Combo therm 50/50 pa - 9.95 bg

The co-o- Cirla 50/50 pa - 18.25

Myrard /Ackar

Old 877-775, 7333

CM 606. 454-7/05

EMA' MARCKET D CAUDITISEED. Com

Go 606-780 1497

Morton® Eco Safe™ Product Efficacy



"Safe" Category

Testing Resource

Test Procedure

Chemical Oxygen

Demand Oxygen

University, Institute for Snow Research Technological

Concrete

Spalling

Tolerance Calculated

Tolerance

Ingestion

Rohm and Haas and MTU

Melting

Efficacy

Rohm and Haas

Germination

Plant

Scientific Material International

Michigan

National Academy of Sciences LD_{50}

Strategic Highway Research Program SHRP H-205.1

EPA 560/6-82/002 Protection Agency Environmental

Substantiated Claims

- Runoff from Safe-T-Plus melt is less from the other leading "safe" blend. harmful to groundwater than runoff
- Safe-T-Plus is safer for concrete than plain salt.

Concrete Spalling

AMS 1431B

Demand

ASTM C 672-91

Resistance

- Safe-T-Plus is safer for concrete than other leading ice melt blends.
- Higher ingestion tolerance for humans and pets to Safe-T-Plus than to plain melt blends. salt and the other leading "safe" ice
- Melting effectiveness of Safe-T-Plus is "safe" blends in the range of typical equal to or better than that of the leading melting usage temperatures
- Safe-T-Plus is better for plants than plain salt

Morton® Eco SafeTM Ingredients

Component	% By Weight
Salt	88.95
Potassium chloride	5.00
Urea	5.00
Water	0.35
Hydroxyethyl cellulose – Cellosize	0.50
Calcium Silicate -	0.20
Hubersorb 600	



MORTON SALT

Material Safety Data Sheet MSDS 7873, Revised 01/04/2010 Emergency Phone Number: 312/807-2000

> **Hazard Rating** (0=None, 4=Extreme)

Flammability

Reactivity

Health

PRODUCT IDENTIFICATION

Product Name:

Professional Grade Eco-Safe Ice Melter Blend >> Same as Sofe-T-Plus

COMPOSITION / INFORMATION ON INGREDIENTS

	CAS#	
Sodium Chloride	7647-14-5	Major Component
Potassium Chloride	7447-40-7	<10%
Urea	57-13-6	<10%
Hydroxyethyl Cellulose	9004-62-0	<1%
Calcium Silicate	1344-95-2	<1%

HEALTH HAZARD DATA

Effects of Overexposure:

Ingestion: Low Toxicity if swallowed in small amounts. Swallowing

large amounts can result in gastrointestinal irritation and

may cause vomiting and/or diarrhea.

Skin Contact: Brief Contact is non-irritating. Prolonged contact may cause

skin irritation.

Eye Contact: May cause eye irritation.

Inhalation: Dust may cause irritation to nose and throat, and symptoms may include coughing,

dryness and sore throat. Vapors are unlikely due to physical properties.

Acute Systemic Effects: Dehydration and congestion may occur in internal organs. Hypertonic salt solutions

> can produce inflammatory reactions in the gastrointestinal tract. For the major components: Salt LD₅₀ (rat) =3,000 mg/kg, KCl LD₅₀ (rat) = 2,600 mg/kg, Urea LD₅₀

(rat) = 8,500 mg/kg

Chronic Systemic Effects: Acute effects may be delayed.

EMERGENCY AND FIRST AID PROCEDURES

Eye Contact: Immediately flush eyes with plenty of water; remove contact lenses. Call a physician

if irritation persists.

Skin Contact: Wash exposed area with soap and water. Get medical advice if irritation develops.

Inhalation: Remove to fresh air. Get medical attention for any breathing difficulty.

Ingestion: Do not induce vomiting. If large amounts were swallowed, get medical advice.

SAFETY DATA SHEET





PELADOW[™] PREMIER SNOW AND ICE MELTER CALCIUM CHLORIDE

MSDS No.: M48005

Rev. Date: 2009-07-14

Rev. Num. 00

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Company Identification:

Occidental Chemical Corporation

5005 LBJ Freeway P.O. Box 809050 Dallas, Tx 75380-9050

24 Hour Emergency Telephone

Number:

1-800-733-3665 or 1-972-404-3228 (U.S.); 32.3.575.55.55 (Europe); 1800-033-111

(Australia)

To Request an MSDS:

MSDS@oxy.com or 1-972-404-3245

Customer Service:

1-800-752-5151 or 1-972-404-3700

Product Use:

Ice Melting

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

Color:

White

Physical State: Signal Word:

Pellets

Odor:

Odorless WARNING

MAJOR HEALTH HAZARDS: CAUSES EYE AND SKIN IRRITATION. HARMFUL IF SWALLOWED. ************************

POTENTIAL HEALTH EFFECTS:

Inhalation: Dust may cause irritation to upper respiratory tract (nose and throat).

Skin contact: Brief contact is essentially nonirritating to skin. Prolonged contact may cause skin irritation, even a burn. Not classified as corrosive to the skin according to DOT guidelines. May cause more severe response if skin is damp. May cause more severe response if skin is abraded (scratched or cut). May cause more severe response on covered skin (under clothing, gloves).

Eye contact: For solid: May cause slight eye irritation, mechanical injury only. Dust formation should be avoided, as dust can cause severe eye irritation with corneal injury.

Print date: 14-July-2009

Page: 1 of 9

MSDS No.: M48005

Rev. Date: 2009-07-14

Rev. Num. 00

Ingestion: Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury. Swallowing may result in gastrointestinal irritation or ulceration.

See Section 11: TOXICOLOGICAL INFORMATION

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Percentage	CAS Number
Calcium chloride	> 90 - < 92	10043-52-4
Potassium Chloride	> 2 - < 3	7447-40-7
Water	> 4 - < 6	7732-18-5
Sodium chloride	>1-<2	7647-14-5
Calcium bromide (CaBr2)	<1	7789-41-5

4. FIRST AID MEASURES

INHALATION: Move person to fresh air; if effects occur, consult a physician.

SKIN CONTACT: Wash off immediately with plenty of water.

EYE CONTACT: Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If effects occur, consult a physician, preferably an ophthalmologist. May cause injury due to mechanical action.

INGESTION: If swallowed, do not induce vomiting. Give one cup (8 ounces or 240 ml) of water or milk if available and transport to a medical facility. Never give anything by mouth to an unconscious or convulsive person.

Protection of First-Aiders: If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to Physician: Due to irritant properties, swallowing may result in burns/ulceration of mouth, stomach and lower gastrointestinal tract with subsequent stricture. Aspiration of vomitus may cause lung injury. Suggest endotracheal/esophageal control if lavage is done. If burn is present, treat as any thermal burn, after decontamination. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. FIRE-FIGHTING MEASURES

Fire Hazard: This material does not burn.

Extinguishing Media: Use extinguishing agents appropriate for surrounding fire.

Print date: 14-July-2009 Page: 2 of 9

MSDS No.: M48005

Rev. Date: 2009-07-14

Rev. Num. 00

Fire Fighting: Keep unnecessary people away, isolate hazard area and deny entry. This material does not burn. Fight fire for other material that is burning. Water should be applied in large quantities as fine spray. Wear NIOSH approved positive-pressure self-contained breathing apparatus operated in pressure demand mode. Wear protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections

Lower Flammability Level (air):

Not applicable

Upper Flammability Level (air):

Not applicable

Flash point:

Not applicable

Autoignition Temperature:

Not applicable

6. ACCIDENTAL RELEASE MEASURES

Occupational Release:

Small and large spills: Contain spilled material if possible. Collect in suitable and properly labeled containers. Flush residue with plenty of water. See Section 13, Disposal Considerations, for additional information.

Personal Precautions:

Isolate area. Keep unnecessary and unprotected personnel from entering the area. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection. Refer to Section 7, Handling, for additional precautionary measures.

Environmental Precautions:

Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

7. HANDLING AND STORAGE

Storage Conditions: Store in a dry place. Protect from atmospheric moisture.

Handling Procedures: Heat developed during diluting or dissolving is very high. Use cool water when diluting or dissolving (temperature less than 80°F, 27°C). Avoid contact with eyes, skin, and clothing. Do not swallow. Wash thoroughly after handling. Keep container tightly closed. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Regulatory Exposure limit(s):

Component	CAS Number	OSHA Final PEL TWA	OSHA Final PEL STEL	OSHA Final PEL Ceiling
Particulates not otherwise regulated	Not Assigned	TWA 15 mg/m³ (total) TWA 5 mg/m³ (resp)		

OEL: Occupational Exposure Level; OSHA: United States Occupational Safety and Health Administration; PEL: Permissible Exposure Level; TWA: Time Weighted Average; STEL: Short Term Exposure Level

Print date: 14-July-2009

Page: 3 of 9

MSDS No.: M48005

Rev. Date: 2009-07-14

Rev. Num. 00

Page: 4 of 9

Non-Regulatory Exposure Limit(s):

The Non-Regulatory United States Occupational Safety and Health Association (OSHA) limits shown in the table are the Vacated 1989 PEL's (vacated by 58 FR 35338, June 30, 1993).

The American Conference of Governmental Industrial Hygienists (ACGIH) is a voluntary organization of professional industrial hygiene personnel in government or educational institutions in the United States. The ACGIH develops and publishes recommended occupational exposure limits each year called Threshold

Limit Values (TLVs) for hundreds of chemicals, physical agents, and biological exposure indices

Component	CAS Number	ACGIH TWA	ACGIH STEL	ACGIH Ceiling	OSHA TWA (Vacated)	OSHA STEL (Vacated)	OSHA Ceiling (Vacated)
Particles Not Otherwise Specified (PNOS)	Not Assigned	TWA 10 mg/m³ (inhalable) TWA 3 mg/m³ (resp)					

Additional Advice: Ingestion: Use good personal hygiene. Do not consume or store food in the work area. Wash hands before smoking or eating.

ENGINEERING CONTROLS: Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

PERSONAL PROTECTIVE EQUIPMENT:

Eye Protection: Wear safety glasses with side-shields. For dusty operations or when handling solutions of the material, wear chemical goggles.

Skin and Body Protection: Wear clean, body-covering clothing.

Hand Protection: Use gloves chemically resistant to this material. If hands are cut or scratched, use gloves chemically resistant to this material even for brief exposures. Examples of preferred glove barrier materials include: Neoprene, Polyvinyl chloride ("PVC" or "vinyl"), Nitrile/butadiene rubber ("nitrile" or "NBR"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Respiratory Protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. In dusty or misty atmospheres, use an approved particulate respirator. The following should be effective types of air-purifying respirators: High efficiency particulate air (HEPA) N95. A respiratory protection program that meets 29 CFR 1910.134 must be followed whenever workplace conditions warrant use of a respirator.

9. PHYSICAL AND	O CHEMICAL P	ROPERTIES	
Physical State:	Pellets		
		60 ₁₂	

Print date: 14-July-2009

MSDS No.: M48005

Rev. Date: 2009-07-14

Rev. Num. 00

9. PHYSICAL AND CHEMICAL PROPERTIES

Color:

White

Odor:

Odorless

Freezing Point/Range:

Not applicable to solids

Melting Point/Range:

772 °C (1,422 °F) Literature Approximately

Decomposition temperature: Vapor Pressure:

Not applicable

Vapor Density (air=1):

Literature negligible at ambient temperature Not applicable

Specific Gravity (water=1):

Not applicable to solids

Bulk Density:

58 - 66 lb/ft3 Estimated

Water Solubility:

Readily soluble

pH: Flash point: Not applicable to solids

Not applicable

Lower Flammability Level (air): Upper Flammability Level (air):

NA NA

Autoignition Temperature:

Not applicable.

Hygroscopic:

Yes

10. STABILITY AND REACTIVITY

Reactivity/ Stability:

Stable, Hygroscopic,

Conditions to Avoid:

None known. Avoid moisture.

incompatibilities/ Materials to Avoid:

Heat is generated when mixed with water. Spattering and boiling can occur. Avoid contact with: Sulfuric acid. Corrosive when wet. Flammable hydrogen may be generated from contact with metals such as: Zinc. Sodium. Reaction of bromide impurity with oxidizing materials may generate trace levels of impurities such as bromate.

Hazardous Decomposition Products:

Does not decompose

Hazardous Polymerization:

Will not occur.

11. TOXICOLOGICAL INFORMATION

TOXICITY DATA:

LD50 Oral

Typical for this family of materials. LD50, Rat 918 - 1,668 mg/kg

LD50 Dermal For the major component(s): LD50, Rabbit > 5,000 mg/kg

GHRONIC TOXICITY:

For the minor component(s): Potassium chloride - In animals, effects have been reported on the following organs after ingestion: Gastrointestinal tract, Heart, and Kidney. Dose levels producing these effects were many times higher than any dose levels expected from exposure due to use. Medical experience with sodium chloride has shown a strong association between elevated blood pressure and prolonged dietary overuse. Related effects could occur in the kidneys.

Print date: 14-July-2009 Page: 5 of 9

MSDS No.: M48005

Rev. Date: 2009-07-14

Rev. Num. 00

CARCINOGENICITY: This product is not classified as a carcinogen by NTP, IARC or OSHA.

MUTAGENIC DATA: The data presented are for the following material: Calcium chloride (CaCl2) - In vitro genetic toxicity studies were negative. The data presented are for the following material: Potassium chloride - In vitro genetic toxicity studies were positive. However, the relevance of this to humans is unknown. For the minor component(s): Sodium chloride - In vitro genetic toxicity studies were predominantly negative.

DEVELOPMENTAL TOXICITY: For the major component(s): Did not cause birth defects or any other fetal effects in laboratory animals.

12. ECOLOGICAL INFORMATION

ECOTOXICITY DATA:

Aquatic Toxicity:

Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested)

Freshwater Fish Toxicity:

Calcium Chloride: LC50, bluegill (Lepomis macrochirus): 8,350 - 10,650 mg/l Potassium Chloride: LC50, rainbow trout (Oncorhynchus mykiss), 96 h: 4,236 mg/l Sodium Chloride: LC50, fathead minnow (Pimephales promelas): 10,610 mg/l

Invertebrate Toxicity:

Calcium Chloride: LC50, water flea Daphnia magna: 759 - 3,005 mg/l

Potassium Chloride: EC50, water flea Daphnia magna, 24 h, immobilization: 590 mg/l

LC50, water flea Ceriodaphnia dubia, 96 h: 3,470 mg/l

Sodium Chloride: LC50, water flea Daphnia magna: 4,571 mg/l

Microorganism Toxicity:

Sodium Chloride: IC50, OECD 209 Test; activated sludge, respiration inhibition: > 1,000 mg/l

FATE AND TRANSPORT:

BIODEGRADATION: Biodegradation is not applicable.

BIOCONCENTRATION: No bioconcentration is expected because of the relatively high water solubility. Potential for mobility in soil is very high (Koc between 0 and 50). Partitioning from water to n-octanol is not applicable.

13. DISPOSAL CONSIDERATIONS

Print date: 14-July-2009 Page: 6 of 9

MSDS No.: M48005

Rev. Date: 2009-07-14

Rev. Num. 00

Reuse or recycle if possible. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Report spills if applicable. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. AS YOUR SUPPLIER, WE HAVE NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN MSDS SECTION: Composition Information. FOR UNUSED & UNCONTAMINATED PRODUCT, the preferred options include sending to a licensed, permitted: Landfill and waste water treatment system.

14. TRANSPORT INFORMATION

U.S.DOT 49 CFR 172.101: Not regulated.

CANADIAN TRANSPORTATION OF DANGEROUS GOODS: Not regulated.

15. REGULATORY INFORMATION

U.S. REGULATIONS

- **OSHA REGULATORY STATUS:**
 - This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) (US)
- CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4): Not regulated.
- EPCRA EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.30): Not regulated
- EPCRA SECTIONS 311/312 HAZARD CATEGORIES (40 CFR 370.21): Acute Health Hazard
- EPCRA SECTION 313 (40 CFR 372.65):

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

OSHA PROCESS SAFETY (PSM) (29 CFR 1910.119): Not regulated

NATIONAL INVENTORY STATUS

- U.S. INVENTORY STATUS: Toxic Substance Control Act (TSCA): All components are listed or exempt
- TSCA 12(b): This product is not subject to export notification
- Canadian Chemical Inventory: All components are listed

STATE REGULATIONS

Frint date: 14-July-2009 Page: 7 of 9

MSDS No.: M48005

Rev. Date: 2009-07-14

Rev. Num. 00

California Proposition 65: This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute. WARNING: This oroduct (when used in aqueous formulations with a chemical oxidizer such as ozone) may react to form calcium bromate, a chemical known to the State of California to cause cancer.

Calcium chloride	
California Proposition 65 Cancer WARNING:	Not Liste
California Proposition 65 CRT List - Male reproductive toxin:	Not Liste
California Proposition 65 CRT List - Female reproductive toxin:	Not Liste
Massachusetts Right to Know Hazardous Substance List	Not Liste
New Jersey Right to Know Hazardous Substance List	Not Liste
New Jersey Special Health Hazards Substance List	Not List
New Jersey - Environmental Hazardous Substance List	Not Liste
Pennsylvania Right to Know Hazardous Substance List	Not Liste
Pennsylvania Right to Know Special Hazardous Substances	Not Liste
Pennsylvania Right to Know Environmental Hazard List	Not List
Rhode Island Right to Know Hazardous Substance List	Not List
Component Potassium Chloride	
California Proposition 65 Cancer WARNING:	Not List
California Proposition 65 CRT List - Male	Not List
reproductive toxin:	
California Proposition 65 CRT List - Female reproductive toxin:	Not List
Massachusetts Right to Know Hazardous Substance List	Not List
New Jersey Right to Know Hazardous Substance List	Not List
New Jersey Special Health Hazards Substance List	Not List
New Jersey - Environmental Hazardous Substance List	Not List
Pennsylvania Right to Know Hazardous Substance List	Not List
Pennsylvania Right to Know Special Hazardous Substances	Not List
Pennsylvania Right to Know Environmental Hazard List	Not List
Rhode Island Right to Know Hazardous Substance List	Not List
Component Sodium chloride	
California Proposition 65 Cancer WARNING:	Not List
California Proposition 65 CRT List - Male reproductive toxin:	Not List
California Proposition 65 CRT List - Female reproductive toxin:	Not List
Massachusetts Right to Know Hazardous Substance List	Not Lis
New Jersey Right to Know Hazardous Substance List	Not Lis
New Jersey Special Health Hazards Substance List	Not Lis
New Jersey - Environmental Hazardous Substance List	Not Lis
Pennsylvania Right to Know Hazardous Substance List	Not Lis
Pennsylvania Right to Know Special Hazardous Substances	Not Lis
Pennsylvania Right to Know Environmental Hazard List	Not Lis
Rhode Island Right to Know Hazardous Substance List	Not Lis

CANADIAN REGULATIONS

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Classification:	D2B
-----------------------	-----

Print date: 14-July-2009

MSDS No.: M48005

Rev. Date: 2009-07-14

Rev. Num. 00

16. OTHER INFORMATION

Prepared by: OxyChem Corporate HESS - Health Risk Management

Disclaimer:

A calcium chloride product - Snow and ice melting. We recommend that you use this product in a manner consistent with the listed use. If your intended use is not consistent with the stated uses in Section 1 of this SDS, please contact your sales or technical service representative.

This information is intended solely for the use of individuals trained in the NFPA and/or HMIS systems.

HMIS: (SCALE 0-4) (Rated using National Paint & Coatings Association HMIS: Rating Instructions, 2nd Edition) Health:

Flammability: NFPA 704 - Hazard Identification Ratings (SCALE 0-4)

Reactivity:

Health:

Flammability:

Reactivity:

0

IMPORTANT:

The information presented herein, while not guaranteed, was prepared by technical personnel and is true and accurate to the best of our knowledge. NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, OR WARRANTY OR GUARANTY OF ANY OTHER KIND, EXPRESS OR IMPLIED, IS MADE REGARDING PERFORMANCE, SAFETY, SUITABILITY, STABILITY OR OTHERWISE. This information is not intended to be allinclusive as to the manner and conditions of use, handling, storage, disposal and other factors that may involve other or additional legal, environmental, safety or performance considerations, and OxyChem assumes no liability whatsoever for the use of or reliance upon this information. While our technical personnel will be happy to respond to questions, safe handling and use of the product remains the responsibility of the customer. No suggestions for use are intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patents or to violate any Federal, State, local or foreign laws.

OSHA Standard 29 CFR 1910.1200 requires that information be provided to employees regarding the hazards of chemicals by means of a hazard communication program including labeling, material safety data sheets, training and access to written records. We request that you, and it is your legal duty to, make all information in this Material Safety Data Sheet available to your employees.

Print date: 14-July-2009 Page: 9 of 9

MATERIAL SAFETY DATA SHEET

Product Name

MAG pellets

Product id Revision date 8677-PL 08/09/2009

Supersedes

04/11/2007

Revision: 2

1. Identification of the substance & the company

Trade name

MAG Pellets

Chemical formula

Not applicable

Type of product and use

Ice and dust control

Company

Dead Sea Work Ltd

P.O.B. 75 Beer Sheva 84100, Israel

Tel: +972-8-6465347 Fax: +972-8-6280533 www.dswsalts.com

Emergency telephone number:

972-8-9977577

2. Hazards identification

Adverse human health effects

May irritate eyes

Not classified as dangerous

3. Composition / information on ingredients

Components	Weight %	Annex No.	-EC No.	EU Classification	Notes
Magnesium Chloride Hexahydrate 7791-18-6	46.5-47.5		2320946 (anhydrous CAS 7786-30-3)	None	
Sodium Chloride 7647-14-5	0.5-0.8		231-598-3	None	
Potassium Chloride 7447-40-7	0.2-0.5		231-211-8	None	
Calcium Chloride 10043-52-4	1.4-2.2	017-013-00-2	233-140-8	Xi;R36	
Water of crystallization 7732-18-5	49.2-51		231-791-2	None	

. First-aid measures

Eye contact

Holding the eyelids apart, flush eyes promptly with copious flowing water for at least 20 minutes.

Get medical attention if irritation persists.

MATERIAL SAFETY DATA SHEET

Product Name

Product id Revision date Supersedes **MAG** pellets

8677-PL 08/09/2009 04/11/2007

Revision: 2

Skin contact

Wash with water in case of irritation. Get medical attention if irritation occurs and

persists.

Inhalation

In case of dust inhalation or breathing fumes released from heated material, remove person to fresh air. Keep him quiet and warm. Apply artificial respiration if necessary

and get medical attention immediately.

Ingestion

If swallowed, wash mouth thoroughly with plenty of water. Get medical attention

immediately.

NOTE: Never give an unconscious person anything to drink.

Notes to the physician

In case of ingestion, the salt level in blood must be determined.

Treat symptomatically and supportively.

Fire - fighting measures

Fire fighting procedure

In closed stores, provide fire-fighters with self-contained breathing apparatus in

positive pressure mode

Unusual fire and explosion

hazards

When heated to decomposition, may release poisonous and corrosive fumes of HCl

Accidental release measures

Personal precautions

Wear protective clothing specified for normal operations (see section 8).

Methods for cleaning up

Sweep up, place in a bag and hold for waste disposal or possible re-use

7. Handling and storage

Handling

Keep containers tightly closed.

Storage

Keep in a dry, well-ventilated place away from incompatible materials

(see "materials to avoid").

MATERIAL SAFETY DATA SHEET

Product Name

MAG pellets

Product id Revision date Supersedes

8677-PL 08/09/2009 04/11/2007

Revision: 2

Exposure controls / personal protection

Exposure Limits:

Components	ACGIH-TLV Data	OSHA (PEL) Data
Magnesium Chloride Hexahydrate 7791-18-6	Not determined	Not determined
Sodium Chloride 7647-14-5	Not determined	Not determined
Potassium Chloride 7447-40-7	Not determined	Not determined
Calcium Chloride 10043-52-4	Not determined	Not determined
Water of crystallization 7732-18-5	Not determined	Not determined

Ventilation requirements

Good general ventilation.

Ventilation must be sufficient to maintain TLV-TWA below 3 mg/m³, respirable particles, and 10 mg/m³, inhalble particles (ACGIH recommendation for Particles (Insoluble or poorly soluble) Not Otherwise Specified (PNOS).

Personal protective equipment:

- Respiratory protection

- Hand protection

- Eye protection

- Skin and body protection

In case of significant or accidental dust emmisions, dust mask should be worn

Protective gloves

Chemical safety goggles

Body covering clothes and boots

Hygiene measures

Safety shower and eye bath should be provided. Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or

smoking.

MATERIAL SAFETY DATA SHEET

Product Name

MAG pellets

Product id Revision date 8677-PL 08/09/2009

Supersedes

04/11/2007

Revision: 2

Physical and chemical properties

Appearance

Boiling point/range Melting point/range

Flash point

Auto-ignition temperature

Vapour pressure Solubility:

- Solubility in water

Density

Not available

White pellets

Not applicable

118°C (244°F)

Not applicable

Non-combustible

167g/100g 1.6 g/cm3 (20°C)

Bulk density

pH

800-900 kg/m³

8.2 @ 10% aqueous solution

Decomposition temperature

>160°C

10. Stability and reactivity

Stability

Materials to avoid

Stable under normal conditions

Oxidising agents

Conditions to avoid

Exposure to moisture

Heating above decomposition temperature

Hazardous decomposition

products

Hazardous polymerization

Oxides of: potassium, calcium, magnesium, sodium and HCl

Will not occur

11. Toxicological information

Acute toxicity:

- Rat oral LD50 - Mouse oral LD50

8100 mg/kg (for MgCl2) 7600 mg/kg (for MgCl2)

Mutagenicity Not available

Carcinogenicity

Not classified by IARC

Not included in NTP 11th Report on Carcinogens

Ecological information

Information on ecological effects

MgCl2 is a seawater component

MATERIAL SAFETY DATA SHEET

Product Name

MAG pellets

Product id Revision date 8677-PL 08/09/2009

Supersedes

04/11/2007

Revision: 2

13. Disposal considerations

Waste disposal

Observe all federal, state and local environmental regulations when disposing of this

material.

Disposal of Packaging

Containers can be recycled after proper cleaning.

14. Transportation information

IMO

DOT

Not regulated

ADR/RID

Not regulated

ICAO/IATA

Not regulated Not regulated

15. Regulatory information

EU

Anhydrous MgCl2 is reported EINECS

- indication of danger

Not subject to labelling in accordance with EEC Directives.

USA

Reported in the EPA TSCA Inventory

Australia

Listed in AICS

Canada

Listed in DSL

China Inventory

Listed

Japan

Listed in ENCS

New Zealand Inventory

Listed in NZIoC

Philippines

Listed in PICCS

Switzerland

Listed in Giftliste 1

16. Other information

This data sheet contains changes from the previous version in section(s) $\boldsymbol{3}$

MATERIAL SAFETY DATA SHEET

Product Name

Product id Revision date Supersedes **MAG** pellets

8677-PL 08/09/2009 04/11/2007

Revision: 2

DEAD SEA WORKS Ltd, shall not be held liable for any damage resulting from handling or from contact with the above product. For further information, contact DEAD SEA WORKS Ltd. The information herein is based on the present state of our knowledge. It is believed to be correct but is not necessarily all- inclucive and shall be used only as a guide.

Prepared By

HSE Division in ISRAEL telephone: +/972-8-6297830 telefax: +/972-8-6297832

www.icl-ip.com

e-mail:msdsinfo@icl-ip.com

End of safety data sheet

SAFETY DATA SHEET





COMBOTHERM™ BLENDED DEICER

MSDS No.: M48008

Rev. Date: 2009-07-14

Rev. Num. 00

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Company Identification:

Occidental Chemical Corporation

5005 LBJ Freeway P.O. Box 809050 Dallas, TX 75380-9050

24 Hour Emergency Telephone

Number:

1-800-733-3665 or 1-972-404-3228 (U.S.); 32.3.575.55.55 (Europe); 1800-033-111

Australia

To Request an MSDS:

MSDS@oxy.com or 1-972-404-3245

Customer Service:

1-800-752-5151 or 1-972-404-3700

Product Use:

Ice Melting

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

Color:

White and green

Physical State:

Chips

Odor:

Odorless

Signal Word:

WARNING

MAJOR HEALTH HAZARDS: CAUSES EYE AND SKIN IRRITATION. HARMFUL IF SWALLOWED. PRECAUTIONARY STATEMENTS: Isolate area. Slipping hazard.

POTENTIAL HEALTH EFFECTS:

Inhalation: Dust may cause irritation to upper respiratory tract (nose and throat).

Skin contact: Brief contact is essentially nonirritating to skin. Prolonged contact may cause skin irritation, even a burn. Not classified as corrosive to the skin according to DOT guidelines. May cause more severe response if skin is damp. May cause more severe response if skin is abraded (scratched or cut). May cause more severe response on covered skin (under clothing, gloves).

Eye contact: For solid: May cause slight eye irritation, mechanical injury only. Dust formation should be avoided, as dust can cause severe eye irritation with corneal injury.

Print date: 14-July-2009 Page: 1 of 9

MSDS No.: M48008

Rev. Date: 2009-07-14

Rev. Num. 00

Ingestion: Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury. Swallowing may result in gastrointestinal irritation or ulceration.

See Section 11: TOXICOLOGICAL INFORMATION

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Percentage	CAS Number
Calcium chloride	> 75	10043-52-4
Potassium Chloride	> 2 - < 3	7447-40-7
Sodium chloride	> 2 - < 3	7647-14-5
Water	< 20	7732-18-5
Calcium bromide (CaBr2)	<1	7789-41-5

4. FIRST AID MEASURES

INHALATION: Move person to fresh air; if effects occur, consult a physician.

SKIN CONTACT: Wash off immediately with plenty of water.

EYE CONTACT: Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If effects occur, consult a physician, preferably an ophthalmologist. May cause injury due to mechanical action.

INGESTION: If swallowed, do not induce vomiting. Give one cup (8 ounces or 240 ml) of water or milk if available and transport to a medical facility. Never give anything by mouth to an unconscious or convulsive person.

Protection of First-Aiders: If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to Physician: Due to irritant properties, swallowing may result in burns/ulceration of mouth, stomach and lower gastrointestinal tract with subsequent stricture. Aspiration of vomitus may cause lung injury. Suggest endotracheal/esophageal control if lavage is done. If burn is present, treat as any thermal burn, after decontamination. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. FIRE-FIGHTING MEASURES

Fire Hazard: This material does not burn.

Extinguishing Media: Use extinguishing agents appropriate for surrounding fire.

Print date: 14-July-2009 Page: 2 of 9

COMBOTHERM™ BLENDED DEICER

MSDS No.: M48008

Rev. Date: 2009-07-14

Rev. Num. 00

Fire Fighting: Keep unnecessary people away, isolate hazard area and deny entry. This material does not burn. Fight fire for other material that is burning. Water should be applied in large quantities as fine spray. Wear NIOSH approved positive-pressure self-contained breathing apparatus operated in pressure demand mode. Wear protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

Lower Flammability Level (air):

Not applicable

Upper Flammability Level (air):

Not applicable

Flash point:

Not applicable

Autoignition Temperature:

Not applicable

6. ACCIDENTAL RELEASE MEASURES

Occupational Release:

Small and large spills: Contain spilled material if possible. Collect in suitable and properly labeled containers. Flush residue with plenty of water. See Section 13, Disposal Considerations, for additional information.

Personal Precautions:

Isolate area. Keep unnecessary and unprotected personnel from entering the area. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection. Refer to Section 7, Handling, for additional precautionary measures.

Environmental Precautions:

Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

7. HANDLING AND STORAGE

Storage Conditions: Store in a dry place. Protect from atmospheric moisture.

Handling Procedures: Heat developed during diluting or dissolving is very high. Use cool water when diluting or dissolving (temperature less than 80°F, 27°C). Avoid contact with eyes, skin, and clothing. Do not swallow. Wash thoroughly after handling. Keep container tightly closed. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Regulatory Exposure limit(s):

Component	CAS Number	OSHA Final PEL TWA	OSHA Final PEL STEL	OSHA Final PEL Ceiling
Particulates not otherwise regulated	Not Assigned	TWA 15 mg/m ³ (total) TWA 5 mg/m ³ (resp)		

OEL: Occupational Exposure Level; OSHA: United States Occupational Safety and Health Administration; PEL: Permissible Exposure Level; TWA: Time Weighted Average; STEL: Short Term Exposure Level

Print date: 14-July-2009 Page: 3 of 9

MSDS No.: M48008

Rev. Date: 2009-07-14

Rev. Num. 00

Non-Regulatory Exposure Limit(s):

- The Non-Regulatory United States Occupational Safety and Health Association (OSHA) limits shown in the table are the Vacated 1989 PEL's (vacated by 58 FR 35338, June 30, 1993).

- The American Conference of Governmental Industrial Hygienists (ACGIH) is a voluntary organization of professional industrial hygiene personnel in government or educational institutions in the United States. The ACGIH develops and publishes recommended occupational exposure limits each year called Threshold Limit Values (TLVs) for hundreds of chemicals, physical agents, and biological exposure indices

Component	CAS Number	ACGIH TWA	ACGIH STEL	ACGIH Ceiling	OSHA TWA (Vacated)	OSHA STEL (Vacated)	OSHA Ceiling (Vacated)
Particles Not Otherwise Specified (PNOS)	Not Assigned	TWA 10 mg/m³ (inhalable) TWA 3 mg/m³ (resp)					

Additional Advice: Ingestion: Use good personal hygiene. Do not consume or store food in the work area. Wash hands before smoking or eating.

ENGINEERING CONTROLS: Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

PERSONAL PROTECTIVE EQUIPMENT:

Eye Protection: Wear safety glasses with side-shields. For dusty operations or when handling solutions of the material, wear chemical goggles.

Skin and Body Protection: Wear clean, body-covering clothing.

Hand Protection: Use gloves chemically resistant to this material. If hands are cut or scratched, use gloves chemically resistant to this material even for brief exposures. Examples of preferred glove barrier materials include: Neoprene, Polyvinyl chloride ("PVC" or "vinyl"), Nitrile/butadiene rubber ("nitrile" or "NBR"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Respiratory Protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. In dusty or misty atmospheres, use an approved particulate respirator. The following should be effective types of air-purifying respirators: High efficiency particulate air (HEPA) N95. A respiratory protection program that meets 29 CFR 1910.134 must be followed whenever workplace conditions warrant use of a respirator.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:

Chips

Print date: 14-July-2009 Page: 4 of 9

MSDS No.: M48008

Rev. Date: 2009-07-14

Rev. Num. 00

9. PHYSICAL AND CHEMICAL PROPERTIES

Color:

White and green

Odor:

Odorless

Freezing Point/Range:

Not applicable to solids

Melting Point/Range:

260 °C (500 °F) Literature Approximately

Decomposition temperature:

Not applicable

Vapor Pressure:

Literature negligible at ambient temperature

Vapor Density (air=1):

Not applicable

Specific Gravity (water=1):

Not applicable to solids

Water Solubility:

Readily soluble

pH: Flash point:

Not applicable to solids

Lower Flammability Level (air):

Not applicable

Upper Flammability Level (air):

NA NA

Autoignition Temperature:

Not applicable.

Hygroscopic:

Yes

10. STABILITY AND REACTIVITY

Reactivity/ Stability:

Stable. Hygroscopic.

Conditions to Avoid:

None known. Avoid moisture.

Incompatibilities/ Materials to Avoid:

Heat is generated when mixed with water. Spattering and boiling can occur. Avoid contact with: Sulfuric acid. Corrosive when wet. Flammable hydrogen may be generated from contact with metals such as: Zinc. Sodium. Reaction of bromide impurity with oxidizing materials may generate trace levels of impurities such as bromate.

Hazardous Decomposition Products:

Does not decompose

Hazardous Polymerization:

Will not occur.

11. TOXICOLOGICAL INFORMATION

TOXICITY DATA:

LD50 Oral LD50 Dermal Typical for this family of materials. LD50, Rat 918 - 1,668 mg/kg

For the major component(s): LD50, Rabbit > 5,000 mg/kg

CHRONIC TOXICITY:

For the minor component(s): Potassium chloride - In animals, effects have been reported on the following organs after ingestion: Gastrointestinal tract, Heart, and Kidney. Dose levels producing these effects were many times higher than any dose levels expected from exposure due to use. Medical experience with sodium chloride has shown a strong association between elevated blood pressure and prolonged dietary overuse. Related effects could occur in the kidneys.

Print date: 14-July-2009 Page: 5 of 9

MSDS No.: M48008

Rev. Date: 2009-07-14

Rev. Num. 00

CARCINOGENICITY: This product is not classified as a carcinogen by NTP, IARC or OSHA.

MUTAGENIC DATA: The data presented are for the following material: Calcium chloride (CaCl2) - In vitro genetic toxicity studies were negative. The data presented are for the following material: Potassium chloride - In vitro genetic toxicity studies were positive. However, the relevance of this to humans is unknown. For the minor component(s): Sodium chloride - In vitro genetic toxicity studies were predominantly negative.

DEVELOPMENTAL TOXICITY: For the major component(s): Did not cause birth defects or any other fetal effects in laboratory animals.

12. ECOLOGICAL INFORMATION

ECOTOXICITY DATA:

Aquatic Toxicity:

Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested)

Freshwater Fish Toxicity:

Calcium Chloride: LC50, bluegill (Lepomis macrochirus): 8,350 - 10,650 mg/l Potassium Chloride: LC50, rainbow trout (Oncorhynchus mykiss), 96 h: 4,236 mg/l Sodium Chloride: LC50, fathead minnow (Pimephales promelas): 10,610 mg/l

Invertebrate Toxicity:

Calcium Chloride: LC50, water flea Daphnia magna: 759 - 3,005 mg/l

Potassium Chloride: EC50, water flea Daphnia magna, 24 h, immobilization: 590 mg/l

LC50, water flea Ceriodaphnia dubia, 96 h: 3,470 mg/l

Sodium Chloride: LC50, water flea Daphnia magna: 4,571 mg/l

Microorganism Toxicity:

Sodium Chloride: IC50, OECD 209 Test; activated sludge, respiration inhibition: > 1,000 mg/l

FATE AND TRANSPORT:

BIODEGRADATION: Biodegradation is not applicable.

BIOCONCENTRATION: No bioconcentration is expected because of the relatively high water solubility. Potential for mobility in soil is very high (Koc between 0 and 50). Partitioning from water to n-octanol is not applicable.

13. DISPOSAL CONSIDERATIONS

Reuse or recycle if possible. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Report spills if applicable. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. AS YOUR SUPPLIER, WE HAVE NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN MSDS SECTION: Composition Information. FOR UNUSED & UNCONTAMINATED PRODUCT, the preferred options include sending to a licensed, permitted: Landfill and waste water treatment system.

Print date: 14-July-2009 Page: 6 of 9

MSDS No.: M48008

Rev. Date: 2009-07-14

Rev. Num. 00

14. TRANSPORT INFORMATION

U.S.DOT 49 CFR 172.101: Not regulated.

CANADIAN TRANSPORTATION OF DANGEROUS GOODS: Not regulated.

15. REGULATORY INFORMATION

U.S. REGULATIONS

OSHA REGULATORY STATUS:

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) (US)

CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4):

Not regulated.

EPCRA EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.30):

Not regulated

EPCRA SECTIONS 311/312 HAZARD CATEGORIES (40 CFR 370.21):

Acute Health Hazard

EPCRA SECTION 313 (40 CFR 372.65):

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

OSHA PROCESS SAFETY (PSM) (29 CFR 1910.119):

Not regulated

NATIONAL INVENTORY STATUS

- U.S. INVENTORY STATUS: Toxic Substance Control Act (TSCA): All components are listed or exempt
- TSCA 12(b): This product is not subject to export notification
- Canadian Chemical Inventory: All components are listed

STATE REGULATIONS

California Proposition 65: This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute. WARNING: This product (when used in aqueous formulations with a chemical oxidizer such as ozone) may react to form calcium bromate, a chemical known to the State of California to cause cancer.

Component Calcium chlorid	le
California Proposition 65 Cancer WARNING:	Not Listed
California Proposition 65 CRT List - Male reproductive toxin:	Not Listed
California Proposition 65 CRT List - Female reproductive toxin:	Not Listed

Print date: 14-July-2009 Page: 7 of 9

MSDS No.: M48008

Rev. Date: 2009-07-14

Rev. Num. 00

Massachusetts Right to Know Hazardous Substance List	Not Listed
New Jersey Right to Know Hazardous Substance List	Not Listed
New Jersey Special Health Hazards Substance List	Not Listed
New Jersey - Environmental Hazardous Substance List	Not Listed
Pennsylvania Right to Know Hazardous Substance List	Not Listed
Pennsylvania Right to Know Special Hazardous Substances	Not Listed
Pennsylvania Right to Know Environmental Hazard List	Not Listed
Rhode Island Right to Know Hazardous Substance List	Not Listed
Component Potassium Chloride	
California Proposition 65 Cancer WARNING:	Not Listed
California Proposition 65 CRT List - Male reproductive toxin:	Not Listed
California Proposition 65 CRT List - Female reproductive toxin:	Not Listed
Massachusetts Right to Know Hazardous Substance List	Not Listed
New Jersey Right to Know Hazardous Substance List	Not Listed
New Jersey Special Health Hazards Substance List	Not Listed
New Jersey - Environmental Hazardous Substance List	Not Listed
Pennsylvania Right to Know Hazardous Substance List	Not Listed
Pennsylvania Right to Know Special Hazardous Substances	Not Listed
Pennsylvania Right to Know Environmental Hazard List	Not Listed
Rhode Island Right to Know Hazardous Substance List	Not Listed
Component Sodium chloride	Hot Eloto
California Proposition 65 Cancer WARNING:	Not Listed
California Proposition 65 CRT List - Male	Not Listed
reproductive toxin:	THO Elotod
California Proposition 65 CRT List - Female reproductive toxin:	Not Listed
Massachusetts Right to Know Hazardous Substance List	Not Listed
New Jersey Right to Know Hazardous Substance List	Not Listed
New Jersey Special Health Hazards Substance List	Not Listed
New Jersey - Environmental Hazardous Substance List	Not Listed
Pennsylvania Right to Know Hazardous Substance List	Not Listed
Pennsylvania Right to Know Special Hazardous Substances	Not Listed
Pennsylvania Right to Know Environmental Hazard List	Not Listed
Rhode Island Right to Know Hazardous Substance List	Not Listed

CANADIAN REGULATIONS

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

/HMIS Classification:	DOD
	DZB

16. OTHER INFORMATION

Prepared by: OxyChem Corporate HESS - Health Risk Management

Print date: 14-July-2009 Page: 8 of 9

MSDS No.: M48008

Rev. Date: 2009-07-14

Rev. Num. 00

Disclaimer:

A calcium chloride product - Snow and ice melting. We recommend that you use this product in a manner consistent with the listed use. If your intended use is not consistent with the stated uses in Section 1 of this SDS, please contact your sales or technical service representative.

This information is intended solely for the use of individuals trained in the NFPA and/or HMIS systems.

HMIS: (SCALE 0-4) (Rated using National Paint & Coatings Association HMIS: Rating Instructions, 2nd Edition)

Health: Flammability:

Reactivity:

NFPA 704 - Hazard Identification Ratings (SCALE 0-4) Health: 1

Flammability:

Reactivity:

0

IMPORTANT:

The information presented herein, while not guaranteed, was prepared by technical personnel and is true and accurate to the best of our knowledge. NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, OR WARRANTY OR GUARANTY OF ANY OTHER KIND, EXPRESS OR IMPLIED, IS MADE REGARDING PERFORMANCE, SAFETY, SUITABILITY, STABILITY OR OTHERWISE. This information is not intended to be allinclusive as to the manner and conditions of use, handling, storage, disposal and other factors that may involve other or additional legal, environmental, safety or performance considerations, and OxyChem assumes no liability whatsoever for the use of or reliance upon this information. While our technical personnel will be happy to respond to questions, safe handling and use of the product remains the responsibility of the customer. No suggestions for use are intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patents or to violate any Federal, State, local or foreign laws.

OSHA Standard 29 CFR 1910.1200 requires that information be provided to employees regarding the hazards of chemicals by means of a hazard communication program including labeling, material safety data sheets, training and access to written records. We request that you, and it is your legal duty to, make all information in this Material Safety Data Sheet available to your employees.

Print date: 14-July-2009 Page: 9 of 9 Occidental Chemical Corporation 5005 LBJ Freeway P.O. Box 809050 Dallas, TX 75380-9050 USA

11/4/2011 CAUDILL SEED & WAREHOUSE CO 1064 E MAIN ST MOREHEAD, KY 40351 United States

0000156307 0082974504

Attention: Health, Safety & Environment Officer

Thank you for your interest in our products. Enclosed is a Safety Data Sheet (SDS) for the product(s) purchased by your company.

The SDS provides important health and safety information. We suggest that you review this document prior to handling the product. For the SDS to serve as an effective means of hazard communication, it must be made available to all those who handle the product and are responsible for operations involving this product. We strongly urge you to distribute an SDS to all employees and any other handlers and users of this product. If you resell the product, please provide a copy of this SDS to your customers.

In addition to health and safety information, the SDS contains information that will help you comply with chemical control laws and regulations.

Safety Data Sheets are provided to current customers with the initial purchase of a product. SDSs are also provided with additional purchases of the product when the SDS has been revised.

In accordance with US EPA rules, should any of your employees allege or exhibit any new health effects related specifically to the product, please advise us in writing of the circumstances of the allegation according to 40 CFR, Chapter 1, Part 717 (TSCA Section 8(c)).

SDSs in various languages may be available upon request. If you desire any additional non-emergency health, safety or environmental information about our product(s), please write directly to the above address.

We appreciate your business and look forward to serving you in the future.

<u>Product Name</u> COMBOTHERM ™ BLENDED DEICER

5005 LBJ Freeway, Dallas, TX 75244-6119 P. O. Box 809050, Dallas, TX 75380-9050 Phone 972 404 3564 Fax 972 404 3287 steve_kemp@oxy.com

Stephen B. Kemp Vice President Health, Environment, Safety & Security

April 3, 2009

Dear Valued Customer,

As a multiple recipient of the American Chemistry Council's (ACC) Sustained Excellence Award, Occidental Chemical Corporation (OxyChem) is proud of its Health, Environment, Safety and Security (HESS) performance and accomplishments. The management systems that built our performance are synonymous with OxyChem's commitment to ACC's Responsible Care® initiative.

We are in the process of certifying our HESS systems to the Responsible Care® Management System technical specifications along with other American Chemistry Council member companies. Our commitment is to continually improve our HESS performance, and the certification process enables us to further refine our programs and systems for even better and more reliable performance.

On the reverse side of this letter is a copy of OxyChem's HESS Philosophy. It sets out for our employees and stakeholders the fundamental principals on which we operate our business. In sharing our HESS Philosophy with you, we emphasize that it is our expectation that without exception our products are transported, used and disposed of in a safe and environmentally friendly manner. If you have suggestions on how we may improve this commercial process, we are interested in hearing from you. In addition to your normal customer service and technical service contacts, feel free to contact Diane Larson, Director, Security and Responsible Care® at diane_e._larson@oxy.com or me at steve_kemp@oxy.com.

Together we will make our industry's performance even stronger.

Sincerely,

Stephen B. Kemp

Copies: Chuck Anderson, President

Mike Hassett, General Manager, International Sales

Barry Hendrix, VP Sales, Vinvls

Wally Simer, VP Sales, Basic Chemicals

EXHIBIT 10

REQUISITION NO.:

ADDENDUM ACKNOWLEDGEMENT

I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.

ADDENDUM NO.'S:

NO. 1.

NO. 2

NO. 3

NO. 4

NO. 5

I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS. VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.

SIGNATURE

COMPANY.

DATE

REV. 11/96



Serving the Seed Industry Since 1947

1064 E. MAIN STREET MOREHEAD, KENTUCKY 40351 PHONE (606) 780-0848 FAX (606) 780-7497

Magnard Marker

Bid.

Bid.

Was 1/05

What was



Seed . Blankets . Geotextiles . Gabions

Caudill Seed Company Incorporated Highway 60 East Morehead, Kentucky 40351 Toll Free 877-775-7333
Mobile 606-454-7105
mahacker1@live.com
mhacker@caudillseed.com

MAYNARD HACKER Territory Representative Erosion Specialist



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

T

RFQ NUMBER

DEFK12006

PΛ	GE	
	4	
	1	

	ADDRESS CORRESPONDENCE TO ATTENTION OF:
FAB	

TARA LYLE 304-558-2544

DIV ENGINEERING & FACILITIES VARIOUS LOCALES AS INDICATED BY ORDER

RFQ COPY TYPE NAME/ADDRESS HERE AENDOR A

DATE PR	RINTED	TEAMS OF	SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
	7/2011					
BID OPENING DAT		11/22/201	1	BID	OPENING TIME 0	l:30PM
LINE	QUA	VIITY UOI	, CAT. No.	ITEM NUMBER	UNIT PRICE	AMOUNT
		ADDE	ирим ио	. 1		
		ADD THE	REGIONS	INADVERTENTLY O	MITTED FROM THE	
	ON PAG "THE D USE OF	E 7 OF THI IVISION O	SPECI ENGIN ER AND	OWING SENTENCE I FICATIONS: EERING & FACILIT UREA IS APPROXIM	IES ESTIMATED	
	DOCUME	NT SHOULD FAILURE TO	BE SIG SIGN	GEMENT IS ATTACH NED AND RETURNED AND RETURN MAY R YOUR BID.	WITH YOUR	
		END OI	ADDEN	DUM NO. 1		
001		LS 1		192-46		
	ICE AN	D SNOW REA	10VAL C	HEMICALS		
	*****	THIS IS	THE EN	D OF RFQ DEFK12	006 ***** TOTAL:	
- An	01/		SEE REV	VERSE SIDE FOR TERMS AND CON	DITIONS	
SNATURE MI	11/16			TEMPHONE (CL THE DATE	
(E)	WV	FEIN /	1 4.6	1000.4	14-1003	
1100		ONDING TO RE	10 Y	89727	ADDRESS CHANGES N SPACE ABOVE LABELE	TO BE NOTED ABOVE



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for **Quotation**

SHIP

ď

RFQ NUMBER
DEFK12006

PAGE 1

ADDRESS CORRESPONDENCE TO ATTENTION OF:

'ARA LYLE

104-558-2544

TARA LYLE 304-558-2544

DIV ENGINEERING & FACILITIES VARIOUS LOCALES AS INDICATED BY ORDER

*C23112518 606-780-0848 CAUDILL SEED & WAREHOUSE CO IN 1064 EAST MAIN ST

MOREHEAD KY 40351

DATE PF 11/21	RINTED	TERMS OF SA	ALE	SHIP VI	١	F.O.B.		FREIGHT TERMS
BID OPENING DA	12	06/2011			BID (PENING TIME	01:3	0 DM
LINE	QUANTIT	Y UOP	CAT. NO.	ITEM NUM		UNIT PRICE		AMOUNT
		ADDEND	UM NO.	2				
	1. TO MO 12/06/201	OVE THE B	ID OPE	NING FROM	11/22/	2011 TO		
	DOCUMENT	SHOULD B	E SIGN SIGN A	EMENT IS A ED AND RET ND RETURN R BID.	TURNED	WITH YOUR		
		EN	OF A	DDENDUM NO). 2			REDEVED
	1						2011	DEC -5 AN IO: 14
001		LS 1		92-46		9	W	V PURCES LICE DIVISION
	ICE AND S	NOW REMOV	JAL CH	EMICALS				=
	***** T	HIS IS TH	HE END	OF RFQ D	EFK120	06 ***** TOTA	AL: _	S24 (47 M) M
						606780089 606780089	18	phow
//	1011		SEE RI	EVERSE SIDE FOR T	ERMS AND CO	DINDITIONS	ין ע	
SIGNATURE	WILL				TELEPHONE CLOCK	7802500	DATE	Jazoll
TITLE	, 4	FEIN (D/	nyag	7227		ADDRESS CH	ANGES 1	O BE NOTED ABOVE

EXHIBIT 10

REQUISITION NO. DEFK 12006

ADDENDUM ACKNOWLEDGEMENT

I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.

AD.	DEN	DU.	M	NO.	S
				/	

NO. 1

NO. 2

NO. 3

NO. 4

NO. 5

I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS. VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.

SIGNATURE

COMPANY

Z Dec 2011

DATE

REV. 11/96



State of West Virginia Department of Administration Quotation Purchasing Division. 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for REQUIRED NUMBER

Ç

DEFK12006

PAGE	
	•
1	

ADDRESS CORRESPONDENCE TO ATTENTION OF

TARA LYLE 304-558-2544

DIV ENGINEERING & FACILITIES VARIOUS LOCALES AS INDICATED BY ORDER

ADDRESS CHANGES TO BE NOTED ABOVE

*C23112518 606-780-0848 CAUDILL SEED & WAREHOUSE CO IN 1064 EAST MAIN ST MOREHEAD KY 40351

SHIP VIA DATE PRINTED TERMS OF SALE F.O.F. 12/05/2011 BID OPENING DATE: 12/20/2011 BID OPENING TIME 01:30PM ÇAT, NO **GUANTITY** UNIT PRICE LINE UOP ITEM NUMBER AMOUNT ADDENDUM NO. 3 TO MOVE THE BID OPENING FROM 12/6/2011 TO TO 12/20/2011. ADDENDUM ACKNOWLEDGEMENT IS ATTACHED. THIS DOCUMENT SHOULD BE SIGNED AND RETURNED WITH YOUR FAILURE TO SIGN AND RETURN MAY RESULT IN DISQUALIFICATION OF YOUR BID. END OF ADDENDUM NO. 3 S 7671 001 LB 192~46 Post-it" Fax Note 1 ICE AND SNOW REMOVAL CHEMICALS THIS IS THE END OF REQ DEFK12006 ***** TOTAL: SEE REVERSE SIDE FOR TERMS AND CONDITIONS FEIN

WHEN RESPONDING TO RED INSERT NAME AND ADDRESS IN SOACE ABOVE LABOUR DESCRIPTION OF THE TOTAL PROPERTY OF THE TOTAL PROPERTY AND ADDRESS IN SOACE ABOVE LABOUR DESCRIPTION OF THE TOTAL PROPERTY OF TH

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.

3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division

and have paid the required \$125 fee.

- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vandor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all hecessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and or the captaints of trade relating to the production of the captaints. West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may walve minor deviations to specifications,

2. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate

shipping terms are clearly identified in the quotation. 4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications; Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130

5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).

EXHIBIT 10

REQUISITION NO.: DEFK12006

ADDENDUM ACKNOWLEDGEMENT

I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.

ADI	DENDUM NO.'S:
NO.	1
NO.	2
NO.	3
NO.	4

NO. 5

I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS. VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.

SIGNATURE

COMPANY

n Zo U

DAIL

REV. 11/96