

DATE PRINTED

RFQ COPY

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for REGINUMBER Quotation

ø

SHIP VIA

DJS010341

P	AGE
	1

FREIGHTTERMS

ADDRESS CORRESPONDENCE TO ATTENTION OF

TARA LYLE

304-558-2544

TYPE NAME/ADDRESS HERE Gairplain Iractor Sales DIVISION OF JUVENILE SERVICES KENNETH HONEY RUBENSTEIN JUVENILE CENTER 141 FORESTRY CAMP ROAD DAVIS, WV 26260 304-259-2220

FOB.

TERMS OF SALE 06/22/2011 BID OPENING DATE: 07/21/2011 BID OPENING TIME 01:30PM ÇAT. NO QUANTITY. UOP ITEM NUMBER UNIT PRICE AMOUNT LINE 0001 LS 760-50 \$41,150.00 TRACTOR WITH LOADER, SNOW BLOWER AND HEATED CAB REQUEST FOR QUOTATION THE WEST VIRGINIA PURCHASING DIVISION FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF JUVENILE SERVICES, RUBENSTEIN CENTER IN DAVIS, WV, IS SOLICITING BIDS TO PROVIDE A JOHN DEERE TRACTOR, MODEL NO. 4120, OR EQUAL WITH A HEATED CAB, SNOW BLOWER AND LOADER ATTACHMENTS PER THE ATTACHED SPECIFICATIONS. INQUIRIES: WRITTEN QUESTIONS WILL BE ACCEPTED UNTIL CLOSE OF BUSINESS ON 07/08/2011. QUESTIONS MAY BE SENT VIA USPS, FAX, COURIER OR E-MAIL. IN ORDER TO ASSURE NO VENDOR RECEIVES AN UNFAIR ADVANTAGE, NO SUBSTANTIVE QUESTIONS WILL BE ANSWERED ORALLY. IF POSSIBLE, E-MAIL QUESTIONS ARE PREFERRED. ADDRESS INQUIRIES TO: TARA LYLE DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305 304-558-4115 FAX: SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE FEIN ADDRESS CHANGES TO BE NOTED ABOVE 55-0540441 WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may meem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
- 5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



MODZEN

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation DJS010341

DJS010341

***ADDRESS CONHESPONDENCE TO AT	TENTION	OF

TARA LYLE 304-558-2544

ō

DIVISION OF JUVENILE SERVICES KENNETH HONEY RUBENSTEIN JUVENILE CENTER 141 FORESTRY CAMP ROAD DAVIS, WV

26260

304-259-2220

DATE PRIN	TED	1 тен	IMS OF SAL	E	SHIP.	/IA	1	FOB	FREIGHTTERMS
06/22/									
BID OPENING DATE:	100000000000000000000000000000000000000	07/21/	300000000000000000000000000000000000000	PAT			OPEN		:30PM
LINE	QUA	NTITY	UOP	CAT. NO	ITEM NU	MBER		UNIT PRICE	AMOUNT
	E-MAIL	.: TAR	A.L.L	YLEƏW	v.gov			e E	
	RIGHT NOTICE SUPPLI	TO CAN TO THE	CEL T E VEN OF A	HIS C DOR I N INF	ONTRACT I F THE COM ERIOR QUA	MMEDIAT MODITIE LITY OR	ELY S AN DO	ESERVES THE UPON WRITTEN D/OR SERVICE NOT CONFORM ACT HEREIN.	
	FOR BA	NKRUPT	CY PR	OTECT VOID	ION, THE	STATE M	AY D	ACTOR FILES EEM THE CONTRACT	
	THE ACTIVITIES ALTERNALITERS	CEPTAB DED TO CULAR B NATES S ATURE A	LE LE REFLE RAND HOULD ND SP	VEL OCT AOR VESO SOS	F QUALITY PREFERENCE NDOR. VE TATE AND CATIONS.	Y ONLY A CE OR FA ENDORS W INCLUDE FAILUR	ND A VOR HO A PER E TO	ANY RE BIDDING TINENT PROVIDE	e e e e e e e e e e e e e e e e e e e
	REJECT TO WAS IN ACC	TION OF IVE MIN CORDANC	THE OR IR E WIT	BID. REGUL H SEC	the annual contraction of the contraction of	TE RESER IN BIDS -1-4(F)	VES OR S OF T	THE RIGHT PECIFICATION: HE WEST	S
			VENE	OR PR	EFERENCE	CERTIFI	CATE	920	
ť	VERSI	ON WHIC	HIS	AVAIL	BEEN REPI ABLE HERE /ADMIN/PI	Ξ:		VENPREF.PDF	v
×:	A SIGN	NED BII	MUST		ICE UBMITTED	то:			
SIGN TURE / Z			1	SEERE	VERSE SIDE FOR	TERMS AND CO	NOITION	S DATE	1
TITLE TO	ng Ke	efer	EIN				72-9875	5	7/19/2011
SALES P	ERSON		Į.	55-05404	41		¥	ADDRESS CHANGE	S TO BE NOTED ABOVE



RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for REGNUMBER

DJS010341

P	AGE
	755
8	2

ADDRESS:CORRESPONDENCE TO ATTENTION OF

TARA LYLE 304-558-2544

DIVISION OF JUVENILE SERVICES KENNETH HONEY RUBENSTEIN JUVENILE CENTER 141 FORESTRY CAMP ROAD DAVIS, WV 26260 304-259-2220

TERMS OF SALE SHIP VIA DATE PRINTED FREIGHTTERMS 06/22/2011 BID OPENING DATE: 07/21/2011 BID OPENING TIME 01:30PM LINE QUANTITY UOP ITEM NUMBER UNITABICE AMOUNT DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130 THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED: 212.21 SEALED BID ----|---TL/32**----**|-----BUYER: ----RFQ. NO.:------|----|--DJS010341----| BID OPENING DATE: -------07/21/2011----BID OPENING |TIME: |------1:30 PM-----PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: 304-372-2713 CONTACT PERSON (PLEASE PRINT CLEARLY): LARRY_KEEFER_____ SEE REVERSE SIDE FOR TERMS AND CONDITIONS: SIGNATURE TELEPHONE ADDRESS CHANGES TO BE NOTED ABOVE SALES PERSON 55-0540441

DJS010341

The West Virginia Division of Juvenile Services is soliciting bids for a tractor and attachments to be used at the Rubenstein Center in Davis, WV.

Specifications

TRACTOR (JOHN DEERE 4120 OR EQUAL)

ENGINE

Engine 43.0 (31.6) per ISO 97/68/EC
PTO HP (kW) gear transmission: 37.0 (27.6) per SAE
PTO HP (kW) hydrostatic transmission: 35.0 (26.1) per SAE
Rated engine speed, rpm: 2400
Operating range: 950-2600
Aspiration: Turbo

Aspiration: Turbo
Cylinders/displacement, cu. In (liters): 4/ 148.9 (2.44)
Cylinder liners: Cast in block
Bore and Stroke, mm (In.): 86 x 105 (3.39 x 4.13)
Compression ratio: 20:1

Lubrication: Pressurized
 Cooling system: water pump
 Air cleaner: dry type w/safety

Air cleaner: dry type w/safety element and air restriction indicator
 Engine shutoff: Key switch

Engine torque @ rated speed, ft./lb. (N/m): 95.0 (128.8)
 Fuel tank cap., US Gal. (L) (Open;Cab): Opem-14.5 (54.9)

Must have engine block heater

Must have Rear Work Light

Turf Tires

Do not need rear ballast

Do not need Hood guard

ELECTRICAL

Type:

irc. . .

Battery size (CCA)

12 volt 770

FUEL SYSTEM

Type

Injection pump type

U.S. gal./hr (L/hr) @ 100% load

Direct injection

In-line electric shutoff

2.46 (9.3)

TRANSMISSION

• Std. transmission; forward/reverse

Opt. Transmission; forward/reverse

Left-hand reverser

On-the-go shifting

Direction reverser

Final drive

Brakes

Steering

Clutch; wet/dry

Clutch disk diameter, in. (mm) wet clutch

Drawbar tongue weight capacity, lb. (kg)

Axle capacity (in operation)

Front, lb. (kg

Rear, Ib. (kg)

PowrReverser; 12F/12R

eHydro - 3 range

Yes

Yes

Yes

Planetary

Wet disk

Power steering

two wet multi-disk

5.1 (130)

1102 (500)

3527 (1600) or total combined front tire

capacity, whichever is less

5292 (2400)

HYDRAULICS

Type

Pump rated output, gpm (L/min.)

Steering Implement

Pump type

Maximum operating pressure (PSI)

Draft control type

· Remote controls valves available

Open Center

17.1 (64.6)

5.1 (19.3)

12 (45.3)

dual gear

2500

position control

5

3-POINT HITCH

Type

Lift capacity (24-in. behind link arms)

· Lift capacity @ lift link ends, lb (kg)

Category 1

2500 (1134)

3130 (1419)

POWER TAKE-OFF (PTO)

Standard

Optional

Control

rear @ 540 RPM

mid @ 2100 RPM

independent

Clutch

multi-disk, wet multi-disk, wet

Brake (for mid and rear PTO)

Brane (10) IIII alla care

FLUID CAPACITIES

Fuel tank, gal (I)

14.9 (54.9)

Cooling system

6.4 (6.2)

Crankcase with filter, qt

8 (7.5)

Transmission & hydraulic system, gal. (I) gear

10.3 (38.9)

Transmission & hydraulic system, gal. (I) hydrostatic

9.6 (36.1)

• Front axle gearcase (MFWD axle). Gal (I)

1.3 (5)

FINAL DRIVE

Type

Planetary

Engage on-the-go rear differential lock

Yes

OPERATOR STATION

 Rollover Protective Structure Rigid, foldable, telescopic OSHA, SAE, ASAE

foldable

Platform-flat/straddle

flat

Gear shift location

Left hand side

Must have Curtis Hard Side Cab or Equal with Mega burner tuck away heater.

- Curtis Model for Cab 1JD4120AS, or equal
- Full enclosure with pin hinged doors for easy removal
- Hard canopy top with acoustical headliner
- Sliding windows
- Key locking handles
- 12 volt heavy duty electric wiper
- Model for Mega burner heater 9PHWH205

SPECIFICATIONS FOR 400X LOADER, or equal

400X LOADER, JOHN DEERE OR EQUAL

73 in. materials bucket

73 III. IIIateriais bucker

Bucket weight

238 (108)

Lift capacity at full height, lb. (kg)

Measured at pivot (U)

2368 (1074)

Measured at 500 mm ahead of pivot (V)

1742 (790)

Lift capacity at 59 in (1500 mm(, lb (kg)

	Measured at pivot (W)	2734 (1240)
	Measured at 500 mm ahead of pivot (X)	2181 (981)
•	Boom breakout force, lbf (kgf)	
	Measured at pivot (Y)	3506 (1590.3)
	Measured at 500 mm ahead of pivot (Z)	2641 (1198)
•	Bucket rollback force capacity, lbf (kgf)	
	At maximum height (VV)	1992 (904)
	At 59-in (1500-mm) lift height (XX)	3262 (1480)
	At ground level line (ZZ)	3273 (1485)

DIMENSIONS

•	Maximum lift height, in (mm) (A)	112.8 (2864)
•	Clearance	
	At full height-bucket level, in. (mm) (B)	104.8 (2660)
	At full height bucket dumped, in. (mm) (C)	89.2 (2267)
0	Overall length (I+F), ft. (m)	11.316 (3,449)
0	Overall height in carry position (J), ft. (m)	4.98 (1,518)
•	Digging depth, in. (mm), (H)	6.6 (167)
0	Reach	
	At max. height, in. (mm), (D)	24.7 (628)
	At ground levelObucket level, in. (mm), (F)	64.3 (1634)
0	Bucket angle	
	Dump angle, degrees (E)	46
•	Rollback angle, degrees (G)	31
0	Dump angle, ground	

SPECIFICATIONS FOR LOADER MOUNT SNOWBLOWER

FRONTIER SB2176 OR EQUAL

76 IN HYDRAULIC, 400 SERIES CARRIER LOADER MOUNT SNOWBLOWER WITH HYDRAULIC CHUTE ROTATION AND HP2134 HYDRAULIC POWER UN IT-U.S. SB2176 HYDRAULIC CHUTE DEFLECTION, or equal

•	Working width	76 in. (1.9 m)
•	Working height	27 in. (0.7 m)
•	Auger diameter	15 in. (0.4 m)
0	Impeller diameter	24 in. (0.6 m)
•	Impeller Width	8.5 in. (0.2 m)
0	Number of impeller blades	4

Impeller RPM

Auger RPM

Skid Shoe

Skid shoe (material)

• End Plate Thickness

Fan blade thickness

Chute diameter

Chute type

Parking stand

Loader attachment carrier

• PTO HP rating (min.)

Snowblower weight (lbs.)

Chute Rotation

Hydraulic hoses and tips

580 RPM (9.7 Hz)

185 RPM (3.1 Hz)

Adjustable

Steel

3/16 in. (0.5 mm)

1/4 in. (6.4 mm)

12 in. (0.3 m)

Two part

Standard

Current 400 series

35 HP minimum

760 lbs. (with loader hitch)

Standard hydraulic

Standards

<u>Warranty:</u> There will be a standard 2- year warranty on all parts and or labor for the tractor. Standard 1 year warranty will apply to snow blower and the loader. Vendor must supply all user guides and manuals.

Award: Award will be based on low bidder meeting the specifications. There will be NO SPLIT award. Contractor must deliver tractor and all accessories/attachments within 30 days of Award. Delivery costs should be included in the bid.

Item# KUROTA : T. 14240 HST TRACEOR (10HN) DERKE Model 4120-OR EQUAL KUROTA JASA JANDER KUROTA JASA JANDER ADOR (10HN) DERKE OR EQUAL WITH HEATER KUROTA JASA JANDER ADOR (10HN) DERKE OR EQUAL WITH HEATER KUROTA JASA JANDER ADOR (10HN) DERKE OR EQUAL WITH HEATER RUBOTA JASA JANDER ADOR (10HN) DERKE OR EQUAL WITH HEATER RUBOTA JASA JANDER EATHER COLLEGE AND DERKE OR EQUAL WITH HEATER ADOR (10HN) DERKE OR EQUAL ADOR (10HN) DERKE OR EQUAL WITH HEATER ADOR (10HN) DERKE OR EQUAL ADOR (10HN)
--



VEZDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

DJS010341

PAGE 1

ADDRESS CORRESPONDENCE TO ATTENTION OF

TARA LYLE 804-558-2544

*709043435 304-372-9875 FAIRPLAIN TRACTOR SALES INC PO BOX 787 RIPLEY WV 25271

DIVISION OF JUVENILE SERVICES
KENNETH HONEY RUBENSTEIN
JUVENILE CENTER
1 141 FORESTRY CAMP ROAD

DAVIS, WV

26260 304-259-2220

DATE PRIN	TED TER	IMS OF SALE	SHIP VIA	F.O.B,	FREIGHT TERMS
07/11/	2011	la l			
BID OPENING DATE:	07/21/	2011	BID	OPENING TIME 01	:30PM
LINE	QUANTITY	UOP CAT.	ITEM NUMBER	UNIT PRICE	AMOUNT
The second secon	DOCUMENT SHOUM A PROPERTY OF THE PROPERTY OF T	AND ANSWE ACKNOWLEDG ULD BE SIG E TO SIGN TION OF YO	UM NO. 1 RS ARE ATTACHED. EMENT IS ATTACHE. NED AND RETURNED AND RETURN MAY R UR BID. ENDUM NO. 1	WITH YOUR	
0001	1	9 30	760-50 NOW BLOWER AND H	EATED CAB	\$41,150.00
	***** THIS	IS THE EN	D OF RFQ DJS010	341 ***** TOTAL:	\$41,150.00
4	1/1	SEE RI	EVERSE SIDE FOR TERMS AND CO		
SIGNATURE Jane	Keeler		TELEPHONE 304-372-0	DATE	7/19/2011
TITLE		EIN		York	S TO BE NOTED ABOVE
SALES PI	ERSON	55-054044		IN COACE ABOVE I ABEL	

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
- 5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).

DJS010341 Addendum No. 1

While going over the specification, I saw that the tractor is listed with a PTO HP gear Q1: transmission and a PTO HP hydrostatic transmission. Which do you want gear or hydrostatic transmisson? Hydrostatic A1: Which transmission 12F/12R w/ Reverser (standard) or hydrostatic (upcharge)? Q2: Hydrostatic A2: Any rear outlets SCV's (upcharge)? vrc/hipaa.htm A3: Yes Mid PTO on belly of tractor (upcharge)? Q4: A4: No Curtis cab Mega heater 9PHW205 should be 9PHW20S? Q5: A5: 9PHW20S Chute rotation is hydraulic but chute deflection is manual. Can go hydraulic (upcharge)? Q6: A6: No Drift cutter for when snow is taller than blower (upcharge)? Q7: A7: No Page # 4 Category: Tractor (John Deere 4120 or Equal) PTO Horsepower: Both Q8: transmission offerings are listed (Gear and Hydrostatic) - Which one is to be priced?

Entity

Oj

. . . 15

A8:

Hydrostatic

Q9: Page # 5 Category: Transmission Again, both transmissions are listed - Which one is to be priced?

A9: Hydrostatic

Q10: Power Take-Off (PTO) Category: Standard (Rear) Optional (Mid) - Rear is standard, is Mid requested for this tractor?

A10: Rear

Q11: Page # 6 - Fluid Capacities:Transmission & hydraulic system, gal. (I) gear Transmission & hydraulic system, gal. (I) hydrostatic - This will be defined based upon answer to requested transmission:

A11: Hydrostatic

23.0			-		
EX	TT	m	11	12.1	11
HX	н	ιк			

REQUISITION NO.: DJS010341

ADDENDUM ACKNOWLEDGEMENT

I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.

ADDENDUM 1	NO	.'S:
------------	----	------

NO. 1 ...X...

NO. 2

NO. 3

NO. 4

NO. 5

I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS. VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.

SIGNATURE

FAIRPLAIN TRACTOR SALES, INC.

my Leefer

COMPANY

JULY 19, 2011

DATE

REV. 11/96

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
<u>2.</u>	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4.	Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bld is submitted; or,
6.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
require agains	understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the ements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty st such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency ucted from any unpaid balance on the contract or purchase order.
author the rec	omission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and izes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid quired business taxes, provided that such information does not contain the amounts of taxes paid nor any other Information and by the Tax Commissioner to be confidential.
and a	penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true ccurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate jes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.
	r: FAIRPLAIN TRACTOR SALES, INC. Signed: Tony Legs
Date:	JULY 19,2011 Title: SALES PERSON
*Check	any combination of preference consideration(s) indicated above, which you are entitled to receive.

RFQ No.	DJS010341
111 00 110.	

Purchasing Affidavit (Revised 12/15/09)

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

RT. 1, BOX 154 C COTTAGEVILLE, WV 25239 My commission expires September 26, 2011

Vendor's Name: FAIRPLAIN TRACTOR SALES, INC.	
Authorized Signature: The Keeper	Date: <u>JULY</u> 19, 2011
State of West Virginia	
County of <u>Jackson</u> , to-wit:	
Taken, subscribed, and sworn to before me this 44 day	of <u>July</u> , 20 <u>//</u> .
My Commission expires September 26	, 20//
AFFIX SEAL HERE	NOTARY PUBLIC Levi & Hackney
OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA TERRI LEE HACKNEY	

HOME							
×							

Kubota Cabs

Request Info

Company Name

Phone #

Comments

E-mail

Curtis Industries, LLC offers a host of cab enclosures for Kubota compact tractors. We offer both a soft side cab enclosure and hard side cab enclosure wide range of compact tractor series. Below are specific attributes for each Kubota WorkPro cab system:

KUBOTA WORKPRO SOFT-SIDED CABS

- Structured steel frames of cab system follow contours of vehicle for custom fit
- · Formed steel roof designed with acoustical headliner
- · Clear form-fitting vinyl panel with Velcro strips or snaps tightly enclose the rear of the cab frame
- · Optional hard rear glass panel and wiper kits are available as updgrades to soft sided enclosures
- Key-locking vinyl covered doors with clear window inserts are reinforced with tubular steel frames
- Quick release pin-hinged door assembly for fast and easy removal
- · Custom clear removable vinyl panels enclose the rear framework
- Molded automotive style safety glass front windshield vents for selective air flow
- Equipped with 12 volt electrical wiper system allows for all weather visibility

Submit

KUBOTA WORKPRO HARD-SIDED CABS


- · Molded automotive style safety glass windshield vents for selective air flow
- · Heavy Duty 12v electrical wiper system allows for all weather visibility
- Formed steel roof with acoustical headliner
- Structured steel tubular frames follow the vehicle's contours for optimal fit
- · Key-locking steel doors with sliding glass windows and lower glass inserts are reinforced with steel tubular frames
- · Quick release pin-hinge doors for fast and easy removal
- · Sub-compact models have steel framed stationary glass rear panels factory drilled for optional wiper installation
- Compact models feature hinged pop-out vented rear glass panels factory drilled for optional wiper installation

Please note: Some models may vary in specifications.

Kubota 3200 WorkPro Soft Side Cabs

Kubota 3130 WorkPro Hard Side and Soft Side Cab Systems

Kubota Mard Side and Soft Side Cab Systems



Home | Cab Enclosures for Polaris Ranger | Steel Cab Enclosures for Polaris Ranger | Poly Cab Enclosures for Polaris Ranger | Cab Enclosur

All contents it copyright 2011 Cures Industries, LLC. All rights reserved.

Powered by DreamingCode.

Our newest product is a hydraulically powered blower designed for skid steer loaders and compact tractors up to 40HP with quick mount loaders. A minimum of about 14 gal./min. flow is required to power this blower. Consequently the higher the flow, the better. Presently, we offer five different sizes of drive motors to accommodate different flow rates. See table below. For higher than 30 gal./min. flow rate, <u>call</u> or <u>email</u> for other options. A close coupled mount is also incorporated for increased stability. The cutting widths are 66 and 78". The fan is 24" Dia., top auger is 11" Dia., and the bottom auger is



Fits Popular Skid Steers Fitted with High Oil Flow



Fits Popular **Compact Tractors** shown w/optional 18 Gal. reservoir *



Close Mount to Loader for More Stability



Well-Balanced six Blade Fan



Electric Spout Rotation Included



Float or Solid Pin Holes



Deflector with Universal Actuator / Cylinder Mounts



Reinforced Lower Corners

Flow Rate, gal./min	Motor, cu. in./rev.				
14-16	4.9				
16-20	6.2				
20-24	8.0				
24 +	9.6				
**	High Flow motor w/ check valve				

* Optional 18 gallon tank and filter are used with PTO driven pump kit.

The term high-flow encompasses a wide category of skid loaders with varying flows and pressures. Flows range from 26 to 40 GPM and pressures range from 3,000 to 5,000 PSI.

Optional Extras

There are several options available for all blowers. These options include electric and hydraulic spout rotation and deflector kits, extra skid shoes (738 and up), truck loading spouts, etc.











Electric Spout Kit Hydraulic Spout Kit Electric Deflector Kit Hydraulic Deflector Truck Loading

Choosing the Best Model for Your Tractor

Care must be taken when choosing the model of snow blower that will best suit your tractor. There are a few important factors that will affect which model to choose. Tractor horsepower, width of the wheels, speeds, etc.

Tractor Horsepower - Never exceed the maximum rated HP of the blower. The power take-off (PTO) shaft will only handle a certain amount of power. Normally, tractors with higher HP ratings are higher above the ground, putting smaller PTO shafts at a greater angle. This angle greatly reduces the power being transmitted to the blower, and is absorbed into the PTO shaft in the form of friction. This friction greatly hinders the ability of the PTO shaft to telescope during use. This will put undue stress on the gearbox of the blower and the PTO output of the tractor. Therefore, the PTO shaft must be as straight as possible. Putting too large a tractor on a particular model of snow blower will cause premature wear and nothing but problems, and will void the warranty.

		9		
		¥		