



**MATHENY MOTOR TRUCK CO.**

Established 1922  
3rd & Ann Streets • P.O. Box 1304  
Parkersburg, WV 26102  
(304) 485-4418 • (304) 485-2577 fax  
[www.mathenymotors.com](http://www.mathenymotors.com)

May 21, 2012

Frank Whittaker  
State of WV  
Department of Administration  
Purchasing Division  
2019 Washington Street East  
Post Office Box 50130  
Charleston WV 25305-0130

Ref: DNR212114

Mr. Whittaker,

Thank you for this opportunity to submit a proposal on your vehicle needs.

Please find attached the specifications on a 2013 Freightliner M2 106 which meets or exceeds your requirements with the following exceptions:

Engine exceeds HP and Torque – 330 HP and 1000lb of torque. Cubic inches are 506.5 instead of the requested 570.

Rear Axle Ratio is 4.10, instead of 3.91. Freightliner does not offer the 3.91 ratio in conjunction with the requested transmission and rear axle. Vehicle will still have desired road speed.

Relays and fuses instead of circuit breakers.

Engine block heater is 115 volt instead of 120.

Thank you again.

Jack Cummings (Commercial Sales Consultant)  
Matheny Commercial Trucks  
4125 1<sup>st</sup> Avenue  
Nitro, WV 25143  
Office 304-769-5860  
Fax 304-769-5865  
Cell 304-539-3817  
[www.mathenymotors.com](http://www.mathenymotors.com)





State of West Virginia  
Department of Administration  
Purchasing Division  
2019 Washington Street East  
Post Office Box 50130  
Charleston, WV 25305-0130

# Request for Quotation

RFP NUMBER
DNR212114

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
FRANK WHITTAKER 304-558-2316

RFQ COPY  
TYPE NAME/ADDRESS HERE

Matheny Motors  
4125 1st Ave  
Nitro WV 25143

DIVISION OF NATURAL RESOURCES  
(IN CARE OF)  
SURPLUS PROPERTY  
2700 CHARLES AVENUE  
DUNBAR, WV  
25064 766-2626

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS		
04/11/2012						
BID OPENING DATE: 05/16/2012		BID OPENING TIME 01:30PM				
LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		070-54	\$77,678.00	\$155,356.00
TRUCKS, DIESEL						
THE WEST VIRGINIA PURCHASING DIVISION, FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF NATURAL RESOURCES, IS SOLICITING BIDS FOR A NEW CONVENTIONAL CAB TRUCK PER THE ATTACHED SPECIFICATIONS.						
ALL TECHNICAL QUESTIONS MUST BE SUBMITTED IN WRITING TO FRANK WHITTAKER IN THE WV PURCHASING DIVISION VIA EMAIL AT FRANK.M.WHITTAKER@WV.COM OR VIA FAX AT 304-558-4115. DEADLINE FOR ALL TECHNICAL QUESTIONS IS 04/25/2012 AT 4:00 PM. ALL TECHNICAL QUESTIONS WILL BE ADDRESSED BY ADDENDUM AFTER THE DEADLINE.						
BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER.						
THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.						
SEE REVERSE SIDE FOR TERMS AND CONDITIONS						
SIGNATURE <i>James S. ...</i>		TELEPHONE 304-769-5860		DATE 5/11/2012		
TITLE Sales Consultant		FEIN 55-032-0770		ADDRESS CHANGES TO BE NOTED ABOVE		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS  
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
5. Payment may only be made after the delivery and acceptance of goods or services.
6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at [www.state.wv.us/admin/purchase/vrc/hipaa.html](http://www.state.wv.us/admin/purchase/vrc/hipaa.html) and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

**INSTRUCTIONS TO BIDDERS**

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia  
Department of Administration  
Purchasing Division  
2019 Washington Street East  
Post Office Box 50130  
Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER
DNR212114

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF
FRANK WHITTAKER 304-558-2316

RFQ COPY

TYPE NAME/ADDRESS HERE

Matheny Motors  
4125 1st Ave  
Nitro WV 25143

DIVISION OF NATURAL RESOURCES  
(IN CARE OF)  
SURPLUS PROPERTY  
2700 CHARLES AVENUE  
DUNBAR, WV  
25064 766-2626

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/11/2012				

BID OPENING DATE: 05/16/2012 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
NOTICE						
A SIGNED BID MUST BE SUBMITTED TO:						
DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130						
THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:						
SEALED BID						
BUYER: 44						
RFQ. NO.: DNR212114						
BID OPENING DATE: 05/16/2012						
BID OPENING TIME: 1:30 PM						
PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: 304-769-5865						
-----						
CONTACT PERSON (PLEASE PRINT CLEARLY):						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
<i>James A. ...</i>	304-769-5860	5/17/2012
TITLE Sales Consultant	FEIN 55-032-0770	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

## DNR212114 Specifications

New conventional cab truck (2012 or current model year) with minimum GVWR of 36,000 pounds; (Dura Star 4400 or equivalent)

Wheel Base: 170 inches- minimum 120,000psi yield strength steel frame

Engine: (Maxx Force 9 or equal) turbo charged diesel with a minimum of 560 cubic inches, minimum 315 horsepower and 950lb of torque. Also must have engine compression brake (not exhaust).

Transmission: (Fuller FRO-11210C or equal) 10 speed manual with overdrive.  
Must have provisions for a power takeoff, PTO control pad to be dash mounted.

Front Axle: (Meritor MFS-13-143A or equal), minimum 13,000lb. capacity with minimum 13,000lb taper leaf springs and shocks absorbers

Rear Axle: (Meritor RS-23-186 or equal) single reduction, minimum 23,000lb and minimum 4500lb auxiliary springs. Axle to have driver controlled locking differential with dash mounted switch. GEAR RATIO TO BE 3.91 with a top speed of 75 mph.

Brakes: Air S-cam type anti-lock drum brakes with air compressor that has a minimum rating of 13.2CFM. Must also have air dryer and moisture ejector systems. Dust shields on front and rear brakes. Automatic slack adjuster on front and rear brakes.

Batteries: Dual 12-volt, minimum 1850 CCA

Alternator: 12-volt with 185amp output minimum

Wheels: Steel disc 5-handhold 22.5" painted steel

Tires: Front: 11R22.5 (load range G); Radial Highway Tread  
Rear: 11R22.5 (load range G); Radial Mud and Snow tread  
Spare tire and wheel to be same

Exhaust System: Single horizontal with two position switch to inhibit diesel particulate filter regeneration.

Fuel Tank: 70 gallon minimum capacity mounted under cab on left side. (clear frame from back of cab on left and right side to rear axles preferred; however, a protrusion (for consideration of fuel and DEF tank) beyond the cab on the left side is acceptable, providing right side is clear).

Color: Color of vehicle will be selected from manufacturer's standard colors.

Vehicle to have the following equipment:

- Reverse Warning Alarm
- Front Tow Hooks (2)
- 12-volt auxiliary plug (mounted on dash)
- AM/FM/CD Radio
- Single trumpet air horn with weather shield
- Circuit breakers
- Premium cab interior (cab sound insulation, sunvisor, padded headliner, etc,
- Wrench to fit front and rear wheel lugs
- Electric high idle switch or hand control throttle
- Engine block heater -- 120 volt
- Tilt steering column
- Exterior cab assist entry handles (both sides)
- Auxiliary driving/fog lights to be mounted in or on the bumper
- Air conditioning with heater and defroster
- Stop, turn, tail and backup lights (LED multi-function lamp)
- Cloth material high back air suspension seats
- Dual 7.5" x 14.8" heated exterior mirrors with power adjust passenger side and 7/5" convex mirrors mounted both sides under existing mirrors.
- Cruise control

**BED SPECS:**

- Steel platform type with a minimum 15-ton single cylinder hydraulic scissor hoist.
- Air shift PTO control to be mounted on dash of cab.
- Hoist pump control lever, cable type not acceptable, to be mounted in an easily accessible location to the outside rear of cab on driver's side.
- Platform is to be 13 feet long by 8 feet wide, constructed of 3/16" smooth steel to be welded to bed sills. Cross members shall extend to and be welded to side rails except where cross member may interfere with wheel clearance. Bed cross members to be 4" x 1/5", 11 gauge steel channel on 12 inch centers and welded to bed sills. Front and rear cross members and every one in between to be braced to bed sill with 1/4" steel plates, triangular in shape with 6" edges. One edge of plate to be welded to sill and the other edge welded to underside of cross member to extend 6" toward outside of bed.
- Side rails and ends to be 6" high and to be 12 gauge metal. Bed sills to be 7" construction channel, sufficient height to allow enough clearance for the use of tire chains on a fully loaded truck.
- Bed to be mounted 8" from rear of cab. Bed to have clearance and marker lights and mud flaps that comply with WV state law.

Note: Manufacturer's standard warranty and service policy to be included and shall be honored by all the manufacturer's authorized dealers.

West Virginia Division of Natural Resources  
Wildlife Resources Section  
DNR212114

**Manufacturer's List**

Item	Description	Manufacturer	Model No.
1	2012 International DuraStar 4400 or equal, trucks	Freightliner	M2 106

West Virginia Division of Natural Resources  
Wildlife Resources Section  
DNR212114

Pricing Sheet

Item	Quantity	Description	Unit Price	Total Amount
1	2	2012 International Dura Star 4400 or equal, trucks	\$77,678.00	\$155,356.00

## State of West Virginia

# VENDOR PREFERENCE CERTIFICATE

Certification and application\* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.


1. Application is made for 2.5% resident vendor preference for the reason checked:  
 \_\_\_\_\_ Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,  
 \_\_\_\_\_ Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,  
 \_\_\_\_\_ Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2. Application is made for 2.5% resident vendor preference for the reason checked:  
 \_\_\_\_\_ Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3. Application is made for 2.5% resident vendor preference for the reason checked:  
 \_\_\_\_\_ Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4. ☒ Application is made for 5% resident vendor preference for the reason checked:  
 \_\_\_\_\_ Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:  
 \_\_\_\_\_ Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:  
 \_\_\_\_\_ Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (*West Virginia Code*, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: Matheny Motors  
 Date: May 11, 2012

Signed:   
 Title: Sales Consultant

\*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

RFQ No. DNR212114STATE OF WEST VIRGINIA  
Purchasing Division**PURCHASING AFFIDAVIT**

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

**DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.


"Debtor" means any individual, corporation, partnership, association, Limited Liability Company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentally established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

**EXCEPTION:** The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

**WITNESS THE FOLLOWING SIGNATURE**Vendor's Name: Matheny MotorsAuthorized Signature: *James W. C.*Date: 5/11/2012State of WVCounty of Putnam, to-wit:Taken, subscribed, and sworn to before me this 11 day of MAY, 2012.My Commission expires NOV 9, 2021.

AFFIX SEAL HERE

NOTARY PUBLIC *Matt Scantlin*



State of West Virginia  
Department of Administration  
Purchasing Division  
2019 Washington Street East  
Post Office Box 50130  
Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER
DNR212114

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
FRANK WHITTAKER 304-558-2316

RFQ COPY

TYPE NAME/ADDRESS HERE

Matheny Motors  
4125 1st Ave  
Nitro WV 25143

DIVISION OF NATURAL RESOURCES  
(IN CARE OF)  
SURPLUS PROPERTY  
2700 CHARLES AVENUE  
DUNBAR, WV  
25064 766-2626

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS		
05/15/2012						
BID OPENING DATE: 05/24/2012		BID OPENING TIME 01:30PM				
LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
***** ADDENDUM NO. 1 *****						
THIS ADDENDUM IS ISSUED TO:						
1) EXTEND THE BID OPENING DATE AND TIME TO: 05/24/12 AT 1:30 PM						
2) PROVIDE THE ATTACHED TECHNICAL QUESTIONS AND ANSWERS						
***** END ADDENDUM NO. 1 *****						
0001	1	EA		070-54	\$77,678.00	\$155,356.00
TRUCKS, DIESEL						
***** THIS IS THE END OF RFQ DNR212114 ***** TOTAL:						\$155,356.00
SEE REVERSE SIDE FOR TERMS AND CONDITIONS						
SIGNATURE <i>Joshua D. [Signature]</i>				TELEPHONE 304-769-5860		DATE 5/11/2012
TITLE Sales Consultant		FEIN 55-032-0770		ADDRESS CHANGES TO BE NOTED ABOVE		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**ADDENDUM #1  
DNR212114**

On page 1 of the requisition change the number of trucks from one (1) to two (2).

**Question 1:**

The ratio requested is **3.91 to 1.0**; with the requested **overdrive** transmission FRO-11210-C, the maximum speed on this unit is 91 mph. We can set the electronics to a maximum of 75 mph or, would the buyer prefer a higher numerical ratio to slow the top speed down?

**Answer 1:**

The specification doesn't change. The required gear ratio is 3.91. If necessary, electronics can be set to limit top speed to 75mph.

**Question 2:**

There is **no clutch** specified.

**Answer 2:**

The clutch needed must be of a capacity to support the 10-speed transmission and torque capacity of engine.

**Question 3:**

The bid request is for 36,000 lb. GVWR; there is no way to get to this number using 11R22.5/G ply tires. This would rate to only 12,350 lbs added to the rear of 23,000 lbs. which equals 35,350 lbs. **Suggest the bid be amended to 11R22.5/H ply tires** which will give you 13,220 lbs. Add 23,000 lbs. for the rear and the total should be 36,220 lbs.

**Answer 3:**

Tire ply can be amended to 11R22.5/H.

**Question 4:**

Do you desire the **0.472" / 8.25 DC / 5-hand hole / Hub Piloted rims** that are being spec'd by the WVDOT? If so, this should be specified on the request.

**Answer 4:**

No; rims should be bid as specified.

**Question 5:**

Is the **spare tire** you desire should be the same Mud and Snow pattern as the rear tires?

**Answer 5:**

Spare tire should match front tire pattern.

**Question 6:**

Our **dual outside mirrors** have an integral convex section. They are 7.09" x 15.75" with heated heads, thermostatically controlled, and power both sides Flat Glass only with clearance lights, LED. Will this meet the specification stated in the bid?

**Answer 6:**

Yes. Clarification on dimensions for outside mirrors are to be minimum 7" x maximum 16". Integral convex section will meet specifications listed.

**Question 7:**

As a note, the Dura Star 4400 as indicated does not offer the MaxxForce 9 engine lineup. This will be the WorkStar 7500 series.

**Answer 7:**

The engine bid must meet the specifications as written.

**Question 8:**

I have a technical question. I want to bid a Ford F-750. The truck will meet most of the specs of the bid. However, The biggest engine available is a Cummins 6.7L 409 cubic inch engine. Horsepower is 325 @ 2300 rpm and torque is 750 ft. lbs @ 1800.00 rpm. Ford does not offer a 10speed transmission. The transmission would be a Fuller 6-Speed manual with overdrive. GVW will be 36,000 lb. Will this work?

**Answer 8:**

Minimum specification is 10-speed transmission with 950 pounds of torque.

**Question 9:**

I need to know the weight of the load of the truck.

**Answer 9:**

Actual weight of truck will vary, depending on type of tank construction – aluminum, fiberglass, or wood, and the number of tank compartments. As specified, 36,000 GVWR will accommodate the various loads.

**Question 10:**

I do have one additional question since it appears that you have purchased this truck before. What is the frame that you are using with this body setup? Was it an 80,000 psi rail or a 120,000 psi rail?

**Answer 10:**

This is a new requisition. Please bid in accordance with specifications.

Prepared for:  
 Frank Whittaker  
 Division of Natural Resources  
 2700 Charles Ave  
 DNR212114  
 Dunbar, WV 25064  
 Phone: 304-558-2316

Prepared by:  
 Jackie Cummings  
 MATHENY MOTOR TRUCK  
 COMPANY  
 50 Mtheny Lane  
 Mineral Springs, WV 26150  
 Phone: 3044854418

## S P E C I F I C A T I O N   P R O P O S A L

Data Code	Description	Weight Front	Weight Rear	Retail Price
<b>Price Level</b>				
PRL-03M	M2 PRL-03M (EFF:01/25/12)			STD
<b>Data Version</b>				
DRL-019	SPECPRO21 DATA RELEASE VER 019			N/C
<b>Vehicle Configuration</b>				
001-172	M2 106 CONVENTIONAL CHASSIS	5,205	3,055	\$86,600.00
004-213	2013 MODEL YEAR SPECIFIED			STD
002-004	SET BACK AXLE - TRUCK			STD
019-002	STRAIGHT TRUCK PROVISION			STD
003-001	LH PRIMARY STEERING LOCATION			STD
<b>General Service</b>				
AA1-002	TRUCK CONFIGURATION			STD
AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			STD
A85-002	PICKUP AND DELIVERY/SHORT HAUL SERVICE			STD
A84-1GM	GOVERNMENT BUSINESS SEGMENT			N/C
AA4-001	GENERAL FREIGHT COMMODITY			STD
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
AB1-008	MAXIMUM 8% EXPECTED GRADE			STD
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			STD
995-091	MEDIUM TRUCK WARRANTY			STD
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 13000.0 lbs			
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 23000.0 lbs			
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 36000.0 lbs			



Prepared for:  
 Frank Whittaker  
 Division of Natural Resources  
 2700 Charles Ave  
 DNR212114  
 Dunbar, WV 25064  
 Phone: 304-558-2316

Prepared by:  
 Jackie Cummings  
 MATHENY MOTOR TRUCK  
 COMPANY  
 50 Mtheny Lane  
 Mineral Springs, WV 26150  
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear	Retail Price
GVWR	RATED MAXIMUM VEHICLE CAPACITY - GVWR : 36000.0 lbs			N/C
<b>Truck Service</b>				
AA3-005	FLATBED/PLATFORM/STAKE BODY			N/C
AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES : 32.0 in			
<b>Engine</b>				
101-2G3	CUM ISC-330 330 HP @ 2000 RPM, 2200 GOV, 1000 LB/FT @ 1400 RPM	510	-10	\$13,392.00
<b>Electronic Parameters</b>				
79A-075	75 MPH ROAD SPEED LIMIT			STD
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			N/C
79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM			N/C
79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE ONLY ENABLED			N/C
79N-001	PTO MODE CLUTCH OVERRIDE - CLUTCH ENABLED			N/C
79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM			N/C
79Q-003	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM			N/C
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			N/C
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			N/C
80G-002	PTO MINIMUM RPM - 700			N/C
80J-002	REGEN INHIBITIT SPEED THRESHOLD - 5 MPH			N/C
<b>Engine Equipment</b>				
99C-010	2010 EPA/CARB EMISSION CERTIFICATION			STD
99D-010	NO 2008 CARB EMISSION CERTIFICATION			STD
105-001	ENGINE MOUNTED OIL CHECK AND FILL			STD
133-004	ONE PIECE VALVE COVER			STD
014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER			STD
124-1E1	DR 12V 200 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			\$276.00
292-1D8	(2) ALLIANCE MODEL 1131, GROUP 31, 12 VOLT MAINTENANCE FREE 1850 CCA THREADED STUD BATTERIES			STD
290-017	BATTERY BOX FRAME MOUNTED			STD

Prepared for:  
 Frank Whittaker  
 Division of Natural Resources  
 2700 Charles Ave  
 DNR212114  
 Dunbar, WV 25064  
 Phone: 304-558-2316

Prepared by:  
 Jackie Cummings  
 MATHENY MOTOR TRUCK  
 COMPANY  
 50 Mtheny Lane  
 Mineral Springs, WV 26150  
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear	Retail Price
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB			STD
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			STD
289-001	NON-POLISHED BATTERY BOX COVER			STD
180-049	EATON FULLER 14 INCH DAMPENED CERAMIC CLUTCH, 2 PLATE, STAMPED COVER SOLO (ADJUSTMENT FREE)	45		N/C
183-008	TORQUE LIMITING CLUTCH BRAKE			N/C
181-001	ZERK FITTING AT CLUTCH RELEASE BEARING			N/C
182-002	MECHANICAL CLUTCH CONTROL			N/C
107-032	CUMMINS 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			N/C
108-002	STANDARD AIR COMPRESSOR GOVERNOR			N/C
131-013	AIR COMPRESSOR DISCHARGE LINE			N/C
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			STD
128-032	C-BRAKE BY JACOBS WITH LOW/OFF/HIGH BRAKING DASH SWITCH	80		\$2,717.00
016-1C3	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE			STD
28F-007	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND DASH MOUNTED SINGLE REGENERATION REQUEST/INHIBITIT SWITCH			\$25.00
239-001	STANDARD EXHAUST SYSTEM LENGTH			STD
237-052	RH STANDARD HORIZONTAL TAILPIPE			STD
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK			STD
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			STD
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			STD
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			STD
273-018	HORTON DRIVEMASTER ON/OFF FAN DRIVE			N/C
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			N/C
110-003	CUMMINS SPIN ON FUEL FILTER			STD
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER			N/C
266-013	1100 SQUARE INCH ALUMINUM RADIATOR	20		N/C
103-036	ANTIFREEZE TO -34F, ETHYLENE GLYCOL PRE- CHARGED SCA HEAVY DUTY COOLANT			(\$94.00)

Prepared for:  
 Frank Whittaker  
 Division of Natural Resources  
 2700 Charles Ave  
 DNR212114  
 Dunbar, WV 25064  
 Phone: 304-558-2316

Prepared by:  
 Jackie Cummings  
 MATHENY MOTOR TRUCK  
 COMPANY  
 50 Mtheny Lane  
 Mineral Springs, WV 26150  
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear	Retail Price
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			STD
270-016	RADIATOR DRAIN VALVE			STD
168-002	LOWER RADIATOR GUARD			STD
360-998	NO FRONT ENGINE PTO			STD
138-011	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4		\$122.00
140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			N/C
134-001	ALUMINUM FLYWHEEL HOUSING			STD
132-004	ELECTRIC GRID AIR INTAKE WARMER			STD
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH	10		N/C
<b>Transmission</b>				
342-403	EATON FULLER FRO-11210C TRANSMISSION	220	70	\$48.00
<b>Transmission Equipment</b>				
352-998	NO AUXILIARY TRANSMISSION			STD
353-022	VEHICLE INTERFACE WIRING WITH BODY BUILDER CONNECTOR MOUNTED BACK OF CAB			\$79.00
347-001	CAST IRON CLUTCH HOUSING	40	10	N/C
362-1T7	CUSTOMER INSTALLED CHELSEA 221 SERIES PTO			N/C
363-003	PTO MOUNTING, BOTTOM OF MAIN TRANSMISSION			\$26.00
341-017	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN			N/C
345-001	PAINTED SHIFT LEVER, SOLID LINKAGE			N/C
35T-002	ORGANIC SAE 50W TRANSMISSION LUBE			N/C
<b>Front Axle and Equipment</b>				
400-1EA	DETROIT DA-F-13.0-3 13,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE	60		\$307.00
402-020	MERITOR 15X4 Q+ CAM FRONT BRAKES			N/C
403-002	NON-ASBESTOS FRONT BRAKE LINING			STD
419-023	CONMET CAST IRON FRONT BRAKE DRUMS			N/C
427-001	FRONT BRAKE DUST SHIELDS	5		\$80.00
409-021	SKF SCOTSEAL PLUS XL FRONT OIL SEALS			N/C
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			STD

Prepared for:  
 Frank Whittaker  
 Division of Natural Resources  
 2700 Charles Ave  
 DNR212114  
 Dunbar, WV 25064  
 Phone: 304-558-2316

Prepared by:  
 Jackie Cummings  
 MATHENY MOTOR TRUCK  
 COMPANY  
 50 Mtheny Lane  
 Mineral Springs, WV 26150  
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear	Retail Price
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			STD
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS			N/C
536-050	TRW THP-60 POWER STEERING	10		N/C
539-003	POWER STEERING PUMP			STD
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			STD
40T-001	ORGANIC SAE 80/90 FRONT AXLE LUBE			STD
<b>Front Suspension</b>				
620-1D8	13,300# TAPERLEAF FRONT SUSPENSION	95		\$389.00
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			STD
410-001	FRONT SHOCK ABSORBERS			STD
<b>Rear Axle and Equipment</b>				
420-227	RS-23-186 23,000# R-SERIES SINGLE REAR AXLE		390	\$2,734.00
421-410	4.10 REAR AXLE RATIO			N/C
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			STD
386-076	MXL 17N MERITOR EXTENDED LUBE MAIN DRIVELINE WITH FULL ROUND YOKES	85	85	(\$63.00)
452-001	DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE		20	\$702.00
878-018	(1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE			N/C
87B-004	BLINKING LAMP WITH EACH MODE SWITCH, DIFFERENTIAL UNLOCK WITH IGNITION OFF, ACTIVE <5 MPH			N/C
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			(\$93.00)
433-002	NON-ASBESTOS REAR BRAKE LINING			STD
434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)			N/C
451-023	CONMET CAST IRON REAR BRAKE DRUMS			N/C
425-002	REAR BRAKE DUST SHIELDS		5	\$58.00
440-021	SKF SCOTSEAL PLUS XL REAR OIL SEALS			N/C
426-074	HALDEX GOLDSEAL LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS			N/C
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			N/C
41T-001	ORGANIC SAE 80/90 REAR AXLE LUBE			STD

Prepared for:  
 Frank Whittaker  
 Division of Natural Resources  
 2700 Charles Ave  
 DNR212114  
 Dunbar, WV 25064  
 Phone: 304-558-2316

Prepared by:  
 Jackie Cummings  
 MATHENY MOTOR TRUCK  
 COMPANY  
 50 Mitheny Lane  
 Mineral Springs, WV 26150  
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear	Retail Price
<b>Rear Suspension</b>				
622-1MJ	23,000# 52 INCH VARIABLE RATE MULTI-LEAF SPRING REAR SUSPENSION WITH LEAF SPRING HELPER		150	\$245.00
621-001	SPRING SUSPENSION - NO AXLE SPACERS			STD
431-001	STANDARD U-BOLT PAD			STD
<b>Brake System</b>				
018-002	AIR BRAKE PACKAGE	80	140	\$1,162.00
490-100	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL			N/C
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			N/C
904-001	FIBER BRAID PARKING BRAKE HOSE			N/C
412-001	STANDARD BRAKE SYSTEM VALVES			N/C
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			N/C
413-002	STD U.S. FRONT BRAKE VALVE			N/C
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			N/C
480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	40		\$288.00
479-015	AIR DRYER FRAME MOUNTED			N/C
460-001	STEEL AIR BRAKE RESERVOIRS			N/C
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS			N/C
<b>Trailer Connections</b>				
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT			N/C
32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT			STD
<b>Wheelbase &amp; Frame</b>				
545-432	4325MM (170 INCH) WHEELBASE			N/C
546-100	11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI	260	100	\$502.00
552-030	1600MM (63 INCH) REAR FRAME OVERHANG			STD
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH	-10	40	N/C
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 104.45 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 101.45 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 262.39			
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 104.45 in			

Prepared for:  
 Frank Whittaker  
 Division of Natural Resources  
 2700 Charles Ave  
 DNR212114  
 Dunbar, WV 25064  
 Phone: 304-558-2316

Prepared by:  
 Jackie Cummings  
 MATHENY MOTOR TRUCK  
 COMPANY  
 50 Mtheny Lane  
 Mineral Springs, WV 26150  
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear	Retail Price
FSS-0LH	FRAME SPACE LH SIDE : 20.72 in			N/C
FSS-0RH	FRAME SPACE RH SIDE : 84.71 in			N/C
553-001	SQUARE END OF FRAME			STD
550-001	FRONT CLOSING CROSSMEMBER			STD
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			STD
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			STD
572-001	STANDARD REARMOST CROSSMEMBER			STD
565-001	STANDARD SUSPENSION CROSSMEMBER			STD
<b>Chassis Equipment</b>				
556-1AN	THREE-PIECE 14 INCH STEEL CENTER BUMPER WITH FLEXIBLE PLASTIC ENDS			STD
558-001	FRONT TOW HOOKS - FRAME MOUNTED	15		\$89.00
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			STD
585-998	NO MUDFLAP BRACKETS			STD
590-998	NO REAR MUDFLAPS			STD
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS			STD
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			STD
794-001	12 TON JACK WITH HANDLE AND WHEEL WRENCH	12		\$199.00
<b>Fuel Tanks</b>				
204-034	80 GALLON/302 LITER RECTANGULAR ALUMINUM FUEL TANK - LH	40	10	\$264.00
218-005	RECTANGULAR FUEL TANK(S)			STD
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			STD
212-007	FUEL TANK(S) FORWARD			STD
664-001	PLAIN STEP FINISH			STD
205-001	FUEL TANK CAP(S)			STD
122-075	ALLIANCE FUEL FILTER/WATER SEPARATOR	15		N/C
216-020	EQUIFLO INBOARD FUEL SYSTEM			STD
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			STD
<b>Tires</b>				
093-1GA	GOODYEAR G399 LHS FUEL MAX 11R22.5 16 PLY RADIAL FRONT TIRES (MATCH MARKED)	14		\$760.00
094-0JY	GOODYEAR G182 RSD 11R22.5 16 PLY RADIAL REAR TIRES		88	\$1,596.00

Prepared for:  
 Frank Whittaker  
 Division of Natural Resources  
 2700 Charles Ave  
 DNR212114  
 Dunbar, WV 25064  
 Phone: 304-558-2316

Prepared by:  
 Jackie Cummings  
 MATHENY MOTOR TRUCK  
 COMPANY  
 50 Mtheny Lane  
 Mineral Springs, WV 26150  
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear	Retail Price
510-2AA	GOODYEAR G399 LHS FUEL MAX 295/75R22.5 14 PLY RADIAL SPARE TIRE (MATCH MARKED)		115	\$587.00
<b>Hubs</b>				
418-045	CONMET PRE-SET BEARING IRON FRONT HUBS			N/C
450-045	CONMET PRE-SET BEARING IRON REAR HUBS			N/C
<b>Wheels</b>				
502-653	ACCURIDE 50487 ACCU-LITE 22.5X8.25 10-HUB PILOT 5-HAND STEEL DISC FRONT WHEELS	-16		(\$28.00)
505-653	ACCURIDE 50487 ACCU-LITE 22.5X8.25 10-HUB PILOT 5-HAND STEEL DISC REAR WHEELS		-32	(\$56.00)
496-011	FRONT WHEEL MOUNTING NUTS			STD
497-011	REAR WHEEL MOUNTING NUTS			STD
<b>Cab Exterior</b>				
829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			STD
650-003	LEAF SPRING REAR CAB SUSPENSION			\$232.00
754-998	NO FENDER EXTENSION			STD
678-001	LH AND RH GRAB HANDLES			\$61.00
646-009	PAINTED PLASTIC GRILLE			STD
65X-001	ARGENT SILVER HOOD MOUNTED AIR INTAKE GRILLE			STD
644-004	FIBERGLASS HOOD			STD
727-1AF	SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK	4		\$135.00
726-001	SINGLE ELECTRIC HORN			STD
728-001	SINGLE HORN SHIELD			N/C
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			STD
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			STD
312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY			STD
302-001	(5) AMBER MARKER LIGHTS			STD
315-036	4 INCH ROUND CLEAR FOG LIGHTS RECESSED IN BUMPER	6		\$107.00
294-042	FREIGHTLINER LED FLANGE MOUNTED STOP/TAIL/TURN LIGHTS WITH SEPARATE INCANDESCENT BACKUP LIGHTS		5	\$126.00
300-015	STANDARD FRONT TURN SIGNAL LAMPS			STD
744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE			\$498.00
797-001	DOOR MOUNTED MIRRORS			STD
796-001	102 INCH EQUIPMENT WIDTH			STD

Prepared for:  
 Frank Whittaker  
 Division of Natural Resources  
 2700 Charles Ave  
 DNR212114  
 Dunbar, WV 25064  
 Phone: 304-558-2316

Prepared by:  
 Jackie Cummings  
 MATHENY MOTOR TRUCK  
 COMPANY  
 50 Mtheny Lane  
 Mineral Springs, WV 26150  
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear	Retail Price
743-204	LH AND RH 8" BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			N/C
729-001	STANDARD SIDE/REAR REFLECTORS			STD
768-043	63X14 INCH TINTED REAR WINDOW			STD
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS			STD
654-003	MANUAL DOOR WINDOW REGULATORS			STD
663-013	TINTED WINDSHIELD			STD
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED			STD

#### Cab Interior

707-1AM	OPAL GRAY CLOTH INTERIOR			STD
055-002	INTERIOR CONVENIENCE PACKAGE			\$340.00
706-016	MOLDED DOOR PANEL WITH UPPER VINYL INSERTS			N/C
708-016	MOLDED DOOR PANEL WITH UPPER VINYL INSERTS			N/C
772-006	BLACK MATS WITH SINGLE INSULATION			STD
785-998	NO DASH MOUNTED ASH TRAYS AND LIGHTER			STD
691-014	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS AND ADDITIONAL CENTER COMPARTMENT WITHOUT NETTING			N/C
694-010	IN DASH STORAGE BIN			STD
742-007	(2) CUP HOLDERS LH AND RH DASH			STD
680-006	GRAY/CHARCOAL FLAT DASH			STD
860-004	SMART SWITCH EXPANSION MODULE			\$229.00
720-998	NO FIRE EXTINGUISHER			STD
700-002	HEATER, DEFROSTER AND AIR CONDITIONER	70		\$956.00
701-001	STANDARD HVAC DUCTING			STD
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			N/C
170-015	STANDARD HEATER PLUMBING			STD
130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR			N/C
702-002	BINARY CONTROL, R-134A			N/C
739-036	PREMIUM INSULATION WITH ADDED FLOOR HEAT AND NOISE INSULATION			\$273.00
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			STD

Prepared for:  
 Frank Whittaker  
 Division of Natural Resources  
 2700 Charles Ave  
 DNR212114  
 Dunbar, WV 25064  
 Phone: 304-558-2316

Prepared by:  
 Jackie Cummings  
 MATHENY MOTOR TRUCK  
 COMPANY  
 50 Mitheny Lane  
 Mineral Springs, WV 26150  
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear	Retail Price
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			STD
324-011	DOMED DOOR ACTIVATED LH AND RH, DUAL READING LIGHTS, FORWARD CAB ROOF			N/C
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS			STD
284-023	(1) 12 VOLT POWER SUPPLY IN DASH			\$13.00
756-081	BOSTROM T910 HIGH BACK AIR SUSPENSION DRIVER SEAT	40		\$264.00
760-081	BOSTROM T910 HIGH BACK AIR SUSPENSION PASSENGER SEAT	30	10	\$264.00
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			STD
758-025	GRAY MORDURA CLOTH DRIVER SEAT COVER			\$57.00
761-025	GRAY MORDURA CLOTH PASSENGER SEAT COVER			\$57.00
763-032	3 POINT FIXED D-RING RETRACTOR DRIVER AND PASSENGER SEAT BELTS			STD
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	10		\$478.00
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL			STD
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD

#### Instruments & Controls

732-003	WOODGRAIN DRIVER INSTRUMENT PANEL			N/C
734-003	WOODGRAIN CENTER INSTRUMENT PANEL			N/C
870-001	BLACK GAUGE BEZELS			STD
486-001	LOW AIR PRESSURE LIGHT AND BUZZER			N/C
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES			N/C
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS			STD
721-001	97 DB BACKUP ALARM		2	\$78.00
149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL			STD
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			STD
811-011	ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA LINKED, ICU3			STD
160-025	DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1939, LOCATED BELOW DASH			STD
844-001	2 INCH ELECTRIC FUEL GAUGE			STD

Prepared for:  
 Frank Whittaker  
 Division of Natural Resources  
 2700 Charles Ave  
 DNR212114  
 Dunbar, WV 25064  
 Phone: 304-558-2316

Prepared by:  
 Jackie Cummings  
 MATHENY MOTOR TRUCK  
 COMPANY  
 50 Mtheny Lane  
 Mineral Springs, WV 26150  
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear	Retail Price
148-003	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE			STD
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			STD
372-035	(1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP	5		\$62.00
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
35M-998	NO WRG-BDY MULTIPLEX EXPNSN UNIT			STD
746-1A0	AM/FM/WB RADIO WITH CD PLAYER AND FRONT AUXILIARY INPUT	10		\$464.00
747-001	DASH MOUNTED RADIO			N/C
750-002	(2) RADIO SPEAKERS IN CAB			N/C
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF	2		N/C
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			STD
817-001	STANDARD VEHICLE SPEED SENSOR			STD
812-001	ELECTRONIC 3000 RPM TACHOMETER			STD
162-011	IDLE LIMITER, ELECTRONIC ENGINE			STD
44R-998	NO ON/OFF LATCHING SMARTPLEX SWITCH			STD
44S-998	NO ON/OFF MOMENTARY SMARTPLEX SWITCH			STD
44T-998	NO ON/OFF/ON LATCHING SMARTPLEX SWITCH			STD
44U-998	NO ON/OFF/ON MOMENTARY SMARTPLEX SWITCH			STD
44V-998	NO PRE-DEFINED SMARTPLEX INDICATOR LAMPS			STD
44W-998	NO UNDEFINED SMARTPLEX INDICATOR LAMPS			STD
883-998	NO TRAILER HAND CONTROL BRAKE VALVE			STD
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			STD
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			STD
304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH			STD
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			N/C
299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE			STD

Prepared for:  
 Frank Whittaker  
 Division of Natural Resources  
 2700 Charles Ave  
 DNR212114  
 Dunbar, WV 25064  
 Phone: 304-558-2316

Prepared by:  
 Jackie Cummings  
 MATHENY MOTOR TRUCK  
 COMPANY  
 50 Mtheny Lane  
 Mineral Springs, WV 26150  
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear	Retail Price
298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS			STD

#### Design

065-000	PAINT: ONE SOLID COLOR			STD
---------	------------------------	--	--	-----

#### Color

980-5F6	CAB COLOR A: L0006EB WHITE ELITE BC			STD
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD
962-970	VENDOR WHITE FRONT WHEELS/RIMS (PW, TKWHT21, W, TW)			STD
966-970	VENDOR WHITE REAR WHEELS/RIMS (PW, TKWHT21, W, TW)			STD
964-6Z7	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX			STD

#### Certification / Compliance

996-001	U.S. FMVSS CERTIFICATION			STD
---------	--------------------------	--	--	-----

#### Sales Programs

NO SALES PROGRAMS HAVE BEEN SELECTED

### TOTAL VEHICLE SUMMARY

#### Adjusted List Price

Adjusted List Price \*\* \$117,607.00

#### Weight Summary

	Weight Front	Weight Rear	Total Weight
Factory Weight <sup>+</sup>	7016 LBS	4253 LBS	11269 LBS
Dealer Installed Options	0 LBS	0 LBS	
Total Weight <sup>+</sup>	7016 LBS	4253 LBS	11269 LBS

### ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE

Prepared for:  
Frank Whittaker  
Division of Natural Resources  
2700 Charles Ave  
DNR212114  
Dunbar, WV 25064  
Phone: 304-558-2316

Prepared by:  
Jackie Cummings  
MATHENY MOTOR TRUCK  
COMPANY  
50 Mtheny Lane  
Mineral Springs, WV 26150  
Phone: 3044854418

### Other Factory Charges

DELIVERY & ORDER PROCESSING CHARGE	\$1,950.00
------------------------------------	------------

### Dealer Installed Options

		Weight Front	Weight Rear	Price
BODY	13' 3" BODY BUILT PER SPEC	0	0	\$10,534.00
ALRAM	BACK UP ALARM	0	0	\$94.00
Total Dealer Installed Options		0 LBS	0 LBS	\$10,628.00

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(\*\*) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.

# BAKER TRUCK EQUIPMENT

RT. 60 @ MYNES RD/ PO BOX 482

HURRICANE, W.VA. 25526

PHONE: 800-342-3119(WV) FAX 304-722-3829

VIRGIL MAYSE: CUSTOMER SERVICE/TECH SUPPORT/SALES

WWW.BAKER WV.COM

E-MAIL: VIRGIL@BAKERWV.COM

MATHENY MOTORS  
PARKERSBURG, W.VA.

ATT: **JACK CUMMINGS**

E-MAIL: jcummings@mathenymotors.com

DATE: MAY 16, 2012

QUOTE# VM051612-00066

**" W.V. DNR "**

REFERENCE: 2012 FREIGHTLINER MEDIUM DUTY CAB AND CHASSIS,  
MANUAL TRANSMISSION WITH PTO PROVISION

1-PVMXS133C KNAPHEIDE VALUEMASTER X STEEL FLAT BED

\*13' 3" LONG X 96" WIDE

\*10 GA. SMOOTH STEEL FLOOR

\*FORMED CHANNEL SIDE & END RAILS

\*RECESSED STAKE POCKETS

\*FORMED CHANNEL CROSSMEMBERS

\*GUSSET ON EVERY CROSSMEMBER

\*7" STRUCTURAL CHANNEL LONG SILLS

\*RECESSED MARKER LIGHTS WITH RUBBER GROMETS

\*REAR MUD FLAPS

\*ICC BUMPER

\*UNDERCOATING

\*PAINTED BLACK

\*COMPLETE IMMERSION ELECTRO DEPOSITION FACTORY PRIMER

1-KH1527LDC KNAPHEIDE HOIST

\*DOUBLE ACTING CYLINDER-POWER UP AND DOWN

\*SCISSOR TYPE UNDER BODY HOIST

\*PTO WITH DIRECT MOUNT HYDRAULIC PUMP

\*HYDRAULIC OIL RESERVOIR AND DUMP VALVE

\*DUMP CONTROLS ACCESSIBLE BEHIND CAB

\*BODY SAFETY PROP

\*2" X 3" STEEL BOX TUBING FULL LENGTH SUBFRAME

\*INSTALLED \$10,534.00

**1-697097 VELVAC BACKUP ALARM**

**\*INSTALLED \$94.00**

**TERMS: NET 30 DAYS WITH APPROVED ACCOUNT**

**FOB HURRICANE, W.VA.**

**PRICE VALID FOR 30 DAYS**

**NOTE: QUOTED PRICE DOES NOT INCLUDE MOVING CHASSIS  
COMPONENTS IE: TANKS/BATTERIES/EXHAUST/ETC.**

**SIGNATURE REQUIRED TO CONFIRM AND VALIDATE ORDER**

**X** \_\_\_\_\_ **DATE** \_\_\_\_\_