



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

Scanned on 12/22/11

RFQ NUMBER
PC12

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
BUYER 42 304-558-8802

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

WHITESIDE CHEVROLET BUICK
 CADILLAC GMC
 50714 National Rd.
 St. Clairsville, OH 43950

SHIP TO

ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/08/2011	0% Net 30	Carrier	As Rec'd	N.E.
BID OPENING DATE: 12/22/2011		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		070-06-99-001		
ADDENDUM NO. 1 ADDENDUM ISSUED TO DISTRIBUTE THE Q&A'S AS A RESULT OF VENDOR'S QUESTIONS DURING Q&A PERIOD ENDING: 12/07/2011 BID OPENING DATE REMAINS UNCHANGED AS: 12/22/2011 AT 1:30PM. END OF ADDENDUM NO. 1 POLICE SEDAN PURSUIT CRUISER						
***** THIS IS THE END OF RFQ				PC12 ***** TOTAL: _____		

RECEIVED
 DEC 22 A 11:14
 PURCHASING DIVISION
 STATE OF WV

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE <i>[Signature]</i>	TELEPHONE 800-610-0211	DATE 12/21/11	
TITLE M62	FEIN 34-1398756	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

PC12
Question and answers
Addendum No.1

Q1. Is the State Police going with just All Wheel Drive Cruisers this year, or will there be a Rear Wheel Drive bid later?

A1. The West Virginia Purchasing Division will bid an all wheel drive automobile as requested by the West Virginia Department of Public Safety (State Police).

Q2. Could you please give me more information on the up-fit equipment on PC12, specifically plastic rear seat, full feature light bar, push bumper, push bumper with headlight wrap, front and rear corner led lamps, mirror lights, side lights, rear deck lights, rear deck full width lights. Are certain manufacturers required for these up-fits and name brand of equipment? Also, are Chevy Impala, Chevy Caprice, Chevy Tahoe PPV and SSV not considered on PC12?

A2. The West Virginia State Police would assume that this makes reference to options. We realize that not all manufacturers will be able to provide all options listed.

As far as the second part any vehicle will be considered if they meet the mandatory minimum specifications.

Q3. The Police Charger has a great following by West Virginia City Police and County Sheriff Departments. We were able to develop this following because your purchasing department has always maintained a Charger contract for the agencies to purchase from. I'm respectfully requesting that the West Virginia Purchasing department continue an annual Police Charger contract.

A3. The West Virginia Purchasing Division will bid an all wheel drive automobile as requested by the West Virginia Department of Public Safety (State Police).

Q4. Can additional equipment be added to the options for a trunk release that is disengaged when the key is out of the ignition?

A3. Yes, please provide the cost of this option as an addition to your bid proposal Cost Sheet.



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFO NUMBER
 PC12

PAGE
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 BUYER 42
 304-558-8802

RFQ COPY

TYPE NAME/ADDRESS HERE

V
E
N
D
O
R

WHITESIDE CHEVROLET BUICK
 CADILLAC GMC
 50714 National Rd.
 St. Clairsville, OH 43950

S
H
I
P
T
O

ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
11/15/2011	OK NET 30	Carrier	As Bids	N.C.
BID OPENING DATE: 12/22/2011		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
REQUEST FOR QUOTATION						
<p>THE PURCHASING DIVISION IS SOLICITING BIDS FOR A BLANKET OPEN-END STATEWIDE CONTRACT TO SUPPLY 2012 (OR CURRENT YEAR MODELS) POLICE VEHICLES FOR THE WEST VIRGINIA STATE POLICE AND ALL POLITICAL SUBDIVISIONS.</p> <p>ATTACHMENT TO THIS REQUEST FOR QUOTATION:</p> <ol style="list-style-type: none"> SPECIFICATIONS/PRICING PAGES FOR POLICE CRUISER, 6 PAGES. SPECIFICATIONS/PRICING PAGES FOR POLICE UTILITY VEHICLE, 3 PAGES. <p>VENDORS ARE REQUESTED TO COMPLETE PRICING AS REQUESTED ON THE SPECIFICATION/PRICING PAGES, AND BIDDERS NAME ON EACH PAGE.</p> <p>*****NOTICE*****NOTICE*****NOTICE*****</p> <p>ALL OPTION PRICING MUST BE AT DEALER COST. BIDDERS SHOULD COMPLETE AND RETURN THE INFORMATION CERTIFICATION PAGE WITH BID. CONTRACTS SHALL NOT BE AWARDED WITHOUT RECEIPT OF THIS CERTIFICATION.</p> <p>*****</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>[Signature]</i>	TELEPHONE 800-610-0211	DATE 12/21/11
TITLE <i>[Signature]</i>	FEIN 34 1398756	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 PC12

PAGE
 2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 BUYER 42
 304-558-8802

RFQ COPY

TYPE NAME/ADDRESS HERE

VENDOR

WHITESIDE CHEVROLET BUICK
 CADILLAC GMC
 50714 National Rd.
 St. Clairsville, OH 43950

SHIP TO

ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B	FREIGHT TERMS
11/15/2011	0% NET 30	CARRIER	As 1200 ¹	NC

BID OPENING DATE: 12/22/2011 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		070-06-99-001 AL1 POLICE SEDAN PURSUIT CRUISER	\$28459.00 \$21900.00 20900.00 R	\$28459.00 \$21900.00 20900.00 R
0002	1	EA		070-06-99-002 AL2 POLICE UTILITY PURSUIT VEHICLE *w/ WVSF T-Tone		

WRITTEN QUESTIONS SHALL BE ACCEPTED THROUGH CLOSE OF BUSINESS ON WEDNESDAY, DECEMBER 7, 2011. QUESTIONS MAY BE SENT VIA USPS, FAX, COURIER OR E-MAIL. IN ORDER TO ASSURE THAT NO ONE VENDOR RECEIVES AN UNFAIR ADVANTAGE ORALLY. IF POSSIBLE E-MAIL QUESTIONS ARE PREFERRED. ANY TECHNICAL QUESTIONS RECEIVED WILL BE ANSWERED BY FORMAL ADDENDUM TO BE ISSUED BY THE PURCHASING DIVISION AFTER THE DEADLINE CLOSE FOR SUBMITTING QUESTIONS.

ADDRESS INQUIRIES TO:
 GUY NISBET
 DEPARTMENT OF ADMINISTRATION
 PURCHASING DIVISION
 2019 WASHINGTON STREET, EAST
 CHARLESTON, WV. 25305
 FAX: 304.558.4115
 E-MAIL: GUY.L.NISBET@WV.GOV

EXHIBIT 3

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>[Signature]</i>	TELEPHONE 304-610-0011	DATE 12/21/11
TITLE <i>[Signature]</i>	FEIN 34-1398756	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFO NUMBER
PC12

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF:
BUYER 42 304-558-8802

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

WHITESIDE CHEVROLET BUICK
 CADILLAC GMC
 50714 National Rd.
 St. Clairsville, OH 43950

SHIP TO

ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED 11/15/2011	TERMS OF SALE <i>2% Net 30</i>	SHIP VIA <i>Carrier</i>	F.O.B. <i>As Loaded</i>	FREIGHT TERMS <i>NC</i>
BID OPENING DATE: 12/22/2011		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AWARD..... AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING 30 DAYS WRITTEN NOTICE.</p> <p>UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.</p> <p>RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM TO THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p>OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE <i>[Signature]</i>	TELEPHONE <i>800-610-0211</i>	DATE <i>12/22/11</i>	
TITLE <i>West Mon</i>	FAX <i>34-159 8756</i>	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 PC12

PAGE
 4

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 BUYER 42
 304-558-8802

RFQ COPY

TYPE NAME/ADDRESS HERE

V
E
N
D
O
R

WHITESIDE CHEVROLET BUICK
 CADILLAC GMC
 50714 National Rd.
 St. Clairsville, OH 43950

S
H
I
P
T
O

ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED 11/15/2011	TERMS OF SALE 0% NET 30	SHIP VIA Carrier	F.O.B. At Buyer	FREIGHT TERMS NC
BID OPENING DATE: 12/22/2011		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>OF WORK.)</p> <p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIED BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF THE CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p> <p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN EQUIPMENT CONTRACT ORDER (WV-35) FOR SERVICES COVERED BY THIS CONTRACT. THE ORIGINAL WV-35 SHALL BE SENT TO THE PURCHASING DIVISION ALONG WITH REQUIRED APPROVAL. THE PURCHASE ORDER WILL BE RETURNED TO THE SPENDING UNIT AND ONE COPY FORWARDED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT. NO ORDER IS VALID UNLESS APPROVED AND ENCUMBERED BY THE PURCHASING DIVISION.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER.</p> <p>THE TERMS AND CONDITIONS CONTAINED IN THIS CONTRACT SHALL SUPERSEDE ANY AND ALL SUBSEQUENT TERMS AND CONDITIONS WHICH MAY APPEAR ON ANY ATTACHED PRINTED DOCUMENTS SUCH AS PRICE LISTS, ORDER FORMS, SALES AGREEMENTS OR MAINTENANCE AGREEMENTS, INCLUDING ANY ELECTRONIC MEDIUM SUCH AS CD-ROM.</p> <p>REV. 05/26/2009</p> <p>THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>[Signature]</i>	TELEPHONE 800-610-0211	DATE 12/21/11
TITLE <i>[Signature]</i>	FEIN 134-1398756	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 PC12

PAGE
 5

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 BUYER 42
 304-558-8802

RFQ COPY

TYPE NAME/ADDRESS HERE

V
E
N
D
O
R

WHITESIDE CHEVROLET BUICK
 CADILLAC GMC
 50714 National Rd.
 St. Clairsville, OH 43950

S
H
I
P
T
O

ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED 11/15/2011	TERMS OF SALE O.P. Net 30	SHIP VIA Carrier	F.O.B. As Bids	FREIGHT TERMS N/C
BID OPENING DATE: 12/22/2011		BID OPENING TIME: 01:30PM		

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4 (F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.</p> <p>EXHIBIT 10</p> <p>REQUISITION NO.: PC12</p> <p>ADDENDUM ACKNOWLEDGEMENT</p> <p>I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.</p> <p>ADDENDUM NO.'S:</p> <p>NO. 1 <i>R</i>.....</p> <p>NO. 2</p> <p>NO. 3</p> <p>NO. 4</p> <p>NO. 5</p> <p>I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.</p> <p>VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>[Signature]</i>	TELEPHONE 800-610-0211	DATE 12/21/11
TITLE <i>[Signature]</i>	FEIN 34-1398756	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFO NUMBER
PC12

PAGE
6

ADDRESS CORRESPONDENCE TO ATTENTION OF:
BUYER 42 304-558-8802

RFQ COPY

TYPE NAME/ADDRESS HERE


VENDOR

WHITESIDE CHEVROLET BUICK
 CADILLAC GMC
 50714 National Rd.
 St. Clairsville, OH 43950


SHIP TO

ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
11/15/2011	0% NET 30	Caravan	At Buyer's	NC
BID OPENING DATE:	12/22/2011	BID OPENING TIME	01:30PM	

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.</p> <p style="text-align: center;">  SIGNATURE WHITESIDE CHEVROLET BUICK CADILLAC GMC 50714 National Rd. St. Clairsville, OH 43950 COMPANY DATE 12/21/11 </p> <p>NOTE: THIS ADDENDUM ACKNOWLEDGEMENT SHOULD BE SUBMITTED WITH THE BID.</p> <p>REV. 09/21/2009</p> <p style="text-align: center;">NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p style="text-align: center;"> DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130 </p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
	800-610-0211	12/21/11
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
Procurement	34-1398756	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
PC12

PAGE
7

ADDRESS CORRESPONDENCE TO ATTENTION OF:
BUYER 42
304-558-8802

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

WHITESIDE CHEVROLET BUICK
 CADILLAC GMC
 50714 National Rd.
 St. Clairsville, OH 43950

SHIP TO

ALL STATE AGENCIES
 AND POLITICAL SUBDIVISIONS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
11/15/2011	0% NET 30	Carriers	As Pkg'd	NC
BID OPENING DATE: 12/22/2011		BID OPENING TIME: 01:30PM		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
SEALED BID						
BUYER:-----			42	-----		
RFQ. NO.:-----			PC12	-----		
BID OPENING DATE:-----			12/22/2012	-----		
BID OPENING TIME:-----			1:30 PM	-----		
PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:						
			740-695-1756	-----		
CONTACT PERSON (PLEASE PRINT CLEARLY):						
Brian McWiley						
***** THIS IS THE END OF RFQ PC12 ***** TOTAL: _____						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
<i>[Signature]</i>	800-610-0211	12/21/11	
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	
<i>[Signature]</i>	34-1398756		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

2012 or present model year - 4 DOOR SEDAN POLICE CRUISER SPECIFICATIONS

The Purchasing Division is soliciting bids for a blanket open-end Statewide Contract to supply 2012 (or current year models) Police Vehicles for the West Virginia State Police and all Political Subdivisions.

Attachments to this request for Quotation:

1. Specifications/Pricing pages for AWD Police Pursuit Sedan.
 - a. Ford Police Interceptor or Equal
Order Code: P2M

2. Specifications/Pricing pages for AWD Police Pursuit SUV.
 - a. Ford Police Utility Interceptor or Equal
Order Code: K8A

Miscellaneous: Inspection of Sample Vehicle(s), within one week after the issuance of a Purchase Order, the successful bidder shall make arrangements to deliver to the West Virginia State Police, 725 Jefferson Road, South Charleston, West Virginia a sample vehicle having the same general body, chassis, engine and transmission as the vehicle on which the bid was submitted. It will be used as a prototype for determining the methods of attaching various items of police equipment.

The standard factory warranty of the vehicle bid shall be clearly specified within the body of the Vendor's Bid submission. **Note:** Equipment installation to be at the factory and not "add on" dealer accessories. Any exceptions will be clearly stated within the box of the respective Vendor's Bid submission.

Inspection, testing and Evaluation (State Police Vehicles Only)

Pre-delivery: Prior to delivery each new vehicle must be completely serviced in accordance with standard new car dealer "make ready" preparation and in accordance with these specifications and the manufactures recommendations. Crankcase, differential, transmission and fuel tank must be filled to capacity as recommended by the manufacture. Each vehicle shall contain a pre-delivery check sheet signed by the mechanic (s) or individuals that worked on the same prior to the department inspection. Vehicle owner's manuals must be delivered with the vehicle. When delivered to agency, vehicle must be clean inside and outside. No dealer insignia or dealer name is to be attached to vehicle in any form.

Delivery, testing and evaluation vehicles will be inspected, tested and evaluated to determine if they meet the requirements of this specification.

The Dealer will deliver vehicles: (Vehicles purchased by the West Virginia State Police will be delivered to 725 Jefferson Road, South Charleston, West Virginia during normal business hours).

Vehicles will not be accepted until inspected and approved by the Purchaser. All repairs and corrections will be the responsibility of the Dealer. Dealer will provide Dealer's license, insurance (as required for dealer license) and reasonable management assistance for pre-delivery acceptance inspections. If the successful bidder's car does not meet the requirements of this specification, it will be rejected by the Agency.

2012 or present model year - 4 DOOR SEDAN POLICE CRUISER SPECIFICATIONS

The West Virginia State Police is soliciting competitive bids for the purchase of 4 Door Sedan Police Cruisers. Vendors submitting bids do not need to be a registered vendor with the State of West Virginia to submit a bid, however the lowest bidder that meets the minimum specifications will have to register with the West Virginia State Purchasing Division and pay the \$125.00 Vendor Registration fee prior to being awarded this contract. This contract will be available for all State, County, and Municipal agencies to purchase from.

MAKE AND MODEL:

ALTERNATE ① 2012 CHEV CAPRICE 901 RWD

② 2012 CHEV IMPALA 901 FWD

Mandatory Minimum Equipment:

- *All-Wheel Drive (AWD)
- *Brakes-4-wheel heavy-duty disc
- *Engine-280 hp.
- *Power steering
- *Suspension- Police Suspension Pkg.
- *Transmission-6 speed automatic
- *Alternator-Heavy-duty (170amp)
- *Battery-Heavy-duty (700 cca)
- *Cooling System-Heavy-duty
- *Transmission and Oil Cooler-Heavy Duty
- *Engine-hour meter
- *Exterior key locks-Driver, front passenger and deck lid
- *Mirrors-Power side view, manual fold-away
- *Wheels-Heavy-duty 18" steel with full-size spare
- *Flooring-Heavy duty vinyl
- *Seat-Front heavy-duty cloth, with 6-way power driver's with manual lumbar
- *Seat-Rear vinyl bench
- *8" space between driver's seat and front-passenger seat for aftermarket consoles
- *Console mounting plate
- *Tilt steering column
- *Anti-knife stab protection front seats
- *Audio-AM/FM stereo/single-CD player with MP3 capability
- *Power windows with one-touch-up/down driver's side with disable feature
- *Power door locks
- *Spot Lamp(s)-Driver's side
- *Remote Keyless Entry
- *Windshield Wipers-Two speed with intermittent mode
- *Cruise Control
- *Electric Rear Window Defroster
- *Power Trunk Lid Release
- *License Plate Mounts-Front and Rear

2012 or present model year - 4 DOOR SEDAN POLICE CRUISER SPECIFICATIONS

State Police Paint Scheme

WV State Police Custom Paint Scheme – (Vehicles will be purchased from available stock colors for the above described model). All bumper coverings and/or body side moldings are to be of the same color. The vendor will customize the paint scheme by painting the traditional gold portion of the vehicle, which includes the roof of vehicle, front and rear pillars. The exact paint code and pattern may be obtained from the West Virginia State Police Procurement Section, Attention, F/Sgt. D. P. Kitzmiller (Phone 304-746-2136) prior to bid submission:

IMPORTANT NOTE: Prospective Vendors must include all profit margins for the vehicle bid in the "Base Vehicle Cost" below. Any and all options must be made available at actual Dealer Cost (the below listing is not all-inclusive) Pricing for all options listed below must be provided with the bid package. Failure to provide option-pricing information (at dealer cost) shall be grounds for disqualification of the bid. For bidding purposes, all options listed above must be included in the "Base Vehicle Cost."

Base Vehicle Cost:

Alt 1 \$ 28459⁰⁰
 Alt 2 \$ 20900⁰⁰ \$21900⁰⁰ Ben

End of Base Vehicle Cost

OPTION PRICING INFORMATION:

Ballistic door panels	-(2)	\$ <u>2732⁰⁰</u>
BLIS (Blind Spot Information System) With cross-traffic alert		\$ <u>NA</u>
Daytime running lamps		\$ <u>NC</u>
Dark car feature		\$ <u>NC</u>
Electronics tray		\$ <u>850⁰⁰</u>
Engine- _____; _____ hp.		\$ <u>—</u>
Engine block heater		\$ <u>66⁰⁰</u>
Factory-installed, integrated in-vehicle communications and entertainment system		\$ <u>NA</u>
Front-wheel-drive	Alt 2 only	\$ <u>NC</u>
Integrated police flashers-Headlamps and tail lamps		\$ <u>1280⁰⁰</u>
Keyed alike		\$ <u>NC</u>
Rear console delete		\$ <u>NC</u>
Rear door handles and locks inoperable		\$ <u>63⁰⁰</u>
Rear door handles inoperable/locks operable		\$ <u>63⁰⁰</u>

2012 or present model year - 4 DOOR SEDAN POLICE CRUISER SPECIFICATIONS

Rear view camera	\$ 415⁰⁰
Reverse Sensing System	\$ 350 ⁰⁰
Unique steering wheel-Up to 4 re-map able configurations	\$ NA
Push bumpers	\$ 890⁰⁰ 590 ⁰⁰
Push bumpers with headlight wraps	\$ 1260⁰⁰ 950 ⁰⁰
Front/rear wire harness	\$ 638 ⁰⁰
Power distribution center	\$ 375 ⁰⁰
Siren speaker and bracket	\$ 600⁰⁰ 325⁰⁰
Trunk tray and cooling fan	\$ 550 ⁰⁰
Police floor console	\$ 790 ⁰⁰
Front corner LED lamps	\$ 490 ⁰⁰
Rear corner LED lamps	\$ 490 ⁰⁰
Plastic rear seat	\$ 1300 ⁰⁰
Front corner LED lamps	\$ 490 ⁰⁰
Rear corner LED lamps	\$ 490 ⁰⁰
Exterior manual folding power heated mirrors	\$ 528 ⁰⁰
Mirror lights	\$ 420 ⁰⁰
Side lights	\$ 490 ⁰⁰
Rear deck lights	\$ 490 ⁰⁰
Rear deck full-width lights	\$ 850 ⁰⁰
Full-feature light bar	\$ 2100 ⁰⁰
Auxiliary battery (600 cca):	\$ 220 ⁰⁰
Head curtain side-impact air bags for front and rear seat Outboard positions:	\$ 66 ⁰⁰
Headlamp and tail lamp flashing system (includes flashing Module and control wire):	\$ 330 ⁰⁰
Heated outside rearview mirrors:	\$ 638 ⁰⁰

2012 or present model year - 4 DOOR SEDAN POLICE CRUISER SPECIFICATIONS

Remote start with content theft alarm system:	\$ <u>168⁰⁰</u>
Service Manuals (one set) (complete set of "dealer" shop manuals, Inclusive of any future updates)	\$ <u>290⁰⁰</u>
Vinyl rear seat:	\$ <u>NCBGM 96⁸⁰</u>
Heavy-duty vinyl flooring:	\$ <u>96⁸⁰</u>
Grille lamps and siren speaker wiring:	\$ <u>149⁶⁰</u>
Horn/Siren circuit wiring:	\$ <u>57²⁰</u>
Hole in roof (center or right) for wiring:	\$ <u>171⁶⁰</u>
Inoperative inside rear door handles, locks and window switches:	\$ <u>119⁶⁰</u>
Common fleet keyed alike:	\$ <u>NC</u>
Daytime running lamps/automatic lamp control delete:	\$ <u>NC</u>
Carpeted floor mats:	\$ <u>70⁴⁰</u>
Vinyl trunk mat:	\$ <u>83⁶⁰</u>
8-way power front passenger seat:	\$ <u>171⁶⁰</u>
Speed limiter (130 mph):	\$ <u>83⁶⁰</u>
West Virginia State Police Custom Paint Scheme (Credit)	\$ <u>800⁰⁰</u>

OPTIONAL EQUIPMENT TO BE PROVIDED AT DEALER COST

2012 or present model year - 4 DOOR SEDAN POLICE CRUISER SPECIFICATIONS

Exterior Color Pricing:

Important Note: The above specified base vehicle cost is for vehicles painted "standard factory colors" (no two tone).

The base price quoted above is for any of the specified "standard factory colors", and should include color keyed // matching body trim and bumper covering, if available.

The below listed paint schemes are optional and shall be priced as indicated:

Standard Factory Color in Two-Tone Paint Scheme: \$ 2800⁰⁰

If minimum order quantity required for Special Police paint schemes specify here:

Minimum # 1

2012 or current model year - POLICE UTILITY VEHICLE SPECIFICATIONS
(MID-SIZE, FOUR DOOR, ALL WHEEL DRIVE, UTILITY VEHICLE)

The West Virginia State Police is soliciting competitive bids for the purchase of 4 Door Mid-Size, All Wheel Drive Police Utility Vehicle. Vendors submitting bids do not need to be a registered vendor with the State of West Virginia to submit a bid, however the lowest bidder that meets the minimum specifications will have to register with the West Virginia State Purchasing Division and pay the \$125.00 Vendor Registration fee prior to being awarded this contract. This contract will be available for all State, County, and Municipal agencies to purchase from.

MAKE AND MODEL:

2012 CHEVROLET TAHOE 4WD SSV

Mandatory Minimum Equipment:

- *All-Wheel Drive (AWD)
- *Brakes-4-wheel heavy-duty disc
- *Engine-300 hp.
- *Power-assisted steering (heavy duty)
- *Independent front and rear suspensions
- *Rear recovery hooks
- *Transmission-6 speed automatic
- *Alternator-Heavy-duty (220 amp)
- *Battery-Heavy-duty (700 cca)
- *Cooling System-Heavy-duty
- *Cooling System -Heavy Duty for Transmission and Oil fluids
- *Engine-hour meter
- *Exterior key locks-Driver, front passenger and lift gate
- *Mirrors-Power side view, manual fold-away with integrated spotters
- *Wheels-Heavy-duty 18" steel with full-size spare
- *Column shifter
- *Flooring-Heavy duty vinyl
- *Seat-Front heavy-duty cloth, with 6-way power driver's with manual lumbar
- *Seat-Rear vinyl bench
- *Consistent "9" space between driver's seat and front-passenger seat for aftermarket consoles
- *Console mounting plate
- *Tilt steering column
- *Anti-knife stab protection front seats
- *Audio-AM/FM stereo/single-CD player with MP3 capability
- *Power windows with one-touch-down driver's side with disable feature
- *Power door locks
- *Spot Lamp, Driver's Side
- * Remote Keyless Entry System (key fob)

2012 or current model year - POLICE UTILITY VEHICLE SPECIFICATIONS
(MID-SIZE, FOUR DOOR, ALL WHEEL DRIVE, UTILITY VEHICLE)

IMPORTANT NOTE: Prospective Vendors must include all profit margins for the vehicle bid in the "Base Vehicle Cost" below. Any and all options must be made available at actual Dealer Cost (the below listing is not all-inclusive) Pricing for all options listed below must be provided with the bid package. Failure to provide option-pricing information (at dealer cost) shall be grounds for disqualification of the bid. For bidding purposes, all options listed above must be included in the "Base Vehicle Cost."

Base Vehicle Cost: \$ 29720⁰⁰

End of Base Vehicle Cost

OPTION PRICING INFORMATION:

Ballistic door panels (2)	\$ <u>2732⁰⁰</u>
BLIS (Blind Spot Information System) With cross-traffic alert	\$ <u>NA</u>
Daytime running lamps	\$ <u>NC</u>
Dark car feature	\$ <u>NC</u>
Engine block heater	\$ <u>6375</u>
Factory-installed, integrated in-vehicle communications and entertainment system	\$ <u>NA</u>
Front-wheel-drive	\$ <u>NA</u>
Integrated police flashers-Headlamps and tail lamps	\$ <u>1308⁰⁰</u>
Keyed alike	\$ <u>22⁰⁰</u>
Rear door handles and locks inoperable	\$ <u>58⁰⁰</u>
Rear door handles inoperable/locks operable	\$ <u>58⁰⁰</u>
Rear view camera	\$ <u>490⁰⁰</u>
Reverse Sensing System	\$ <u>370⁰⁰</u>
Unique steering wheel-Up to 4 re-map able configurations	\$ <u>NA</u>
Push bumpers	\$ <u>980⁰⁰</u>
Push bumpers with headlight wraps	\$ <u>1380⁰⁰</u>

2012 or current model year - POLICE UTILITY VEHICLE SPECIFICATIONS
(MID-SIZE, FOUR DOOR, ALL WHEEL DRIVE, UTILITY VEHICLE)

OPTIONAL EQUIPMENT TO BE PROVIDED AT DEALER COST

Exterior Color Pricing:

Important Note: The above specified base vehicle cost is for vehicles painted "standard factory colors" (no two tone).

The base price quoted above is for any of the specified "standard factory colors", and should include color keyed // matching body trim and bumper covering, if available.

Information/Option Certification

PC12

Vendor should complete the following: (Please Type)

Dealer: WHITESIDE CHEVROLET BUICK
CADILLAC GMC

Vendor Contact: 50714 National Rd.
St. Clairsville, OH 43950

Address: _____

Telephone Number: 800-610-0211 740-695-0211

Toll free Number: 800-610-0211

Fax Number: 740-695-1756

E-Mail: Fleet@whitesides.com

By signature below, certification is made that options quoted on PC12 are quoted at Dealer cost.

Brian G. McCully

(Print/Type Name)

[Signature]

(Signature)

Representing _____

(Print/Type Dealer Name)

WHITESIDE CHEVROLET BUICK
CADILLAC GMC
50714 National Rd.
St. Clairsville, OH 43950

Hereby certify under penalty of perjury that options quoted on PC12 are quoted at dealer cost.

NOTE: No Contracts shall be awarded unless this Certification is signed and returned with your Bid.

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). West Virginia Code, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the West Virginia Code. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1. Application is made for 2.5% resident vendor preference for the reason checked:

- Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,

2. Application is made for 2.5% resident vendor preference for the reason checked:

Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,

3. Application is made for 2.5% resident vendor preference for the reason checked:

N/A Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,

4. Application is made for 5% resident vendor preference for the reason checked:

Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,

5. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:

Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,

6. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:

Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: WHITESIDE CHEVROLET BUICK CADILLAC GMC 50714 National Rd. St. Clairsville, OH 43950 Date: 12/2/11

Signed: [Signature] Title: [Signature]

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code §61-5-3*), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: WHITESIDE CHEVROLET BUICK
CADILLAC GMC
Authorized Signature: 50714 National Rd. Date: 12/21/11
St. Clairsville, OH 43950
State of Ohio
County of Belmont, to-wit:
Taken, subscribed, and sworn to before me this 21 day of Dec, 2011.
My Commission expires 6-3, 2012

AFFIX SEAL HERE

NOTARY PUBLIC



Carla J. Spears
Notary Public, State of Ohio
My Commission Expires _____

Carla J. Spears

FLEET AND COMMERCIAL DIVISION

WHITESIDE'S OF ST CLAIRSVILLE

FRANCHISED FOR CHEVROLET - GMC TRUCKS-BUICK-CADILLAC

AVAILABLE E-FLEET AND BAILMENT POOL UNITS

CERTIFIED GM BUSINESS CENTRAL DEALER

EXPERTS IN COMMERCIAL VEHICLES NEW AND PREOWNED

SAFETY VAN DISTRIBUTOR AND DEALER

SHUTTLE BUSES DEALER

GM MOBILITY HANDICAPPED VEHICLE DEALER

LESS THAN 10% OF GM DEALERS HAVE BUSINESS CENTRAL CERTIFICATION

WE ARE ONLY GM BUSINESS CENTRAL DEALER IN TRI STATE

GM FLEET ELITE TOP PERFORMER AWARD WINNER

GM FLEET MARK OF EXCELLENCE AWARD WINNER

SPECIALISTS IN FLEET AND COMMERCIAL SPECIALTY VEHICLES

UPFIT PACKAGES AND GM ACCESSORIES AVAILABLE

AVAILABLE GM BUSINESS CHOICE PROGRAM

COMMERCIAL FINANCE PROGRAMS AVAILABLE

LEASING PROGRAMS AVAILABLE

EXTENDED SERVICE HOURS

SERVICE AND MAINTENANCE PACKAGES AVAILABLE

WE WILL SERVICE ALL MAKES AND MODELS OF CLIENTS CURRENT FLEET

WE WILL TAKE ON TRADE COMMERCIAL VEHICLES WHEN OTHER DEALERS WON'T

LOCALLY OWNED AND OPERATED

28 YEARS IN BUSINESS

CONVENIENT LOCATION

STATE OF THE ART FACILITIES

FRIENDLY PROFESSIONAL STAFF

COLLISION REPAIR CENTER

CHEVROLET-GMC TRUCK-BUICK-CADILLAC

FLEET AND COMMERCIAL SPECIALTY VEHICLES

"A GENERAL MOTORS BUSINESS CENTRAL DEALER"

PROUDLY SERVING CLIENTS LOCALLY AND 40 STATES NATIONWIDE

NOW INCLUDING ALASKA

PROUD RECIPIENT OF GENERAL MOTORS SUTHERLAND AWARD

800-610-0211

fleet@whitesides.com e mail

Whiteside Chevrolet and GMC is a GM Certified Business Central Dealer
Less than 10% of GM Dealers Have This Certification

Whiteside's Is The Only Local Certified Dealer

GM Mark of Excellence Award Winner

GM Fleet Elite Award Winner

Locally Owned and Operated

Specializing in Fleet and Commercial Specialty Vehicles

Exclusive Distributor For Safety Vans and Buses

GM Mobility Handicapped Vehicle Dealer

Cadillac Professional Vehicles

Police , Fire, And EMS Vehicles

All Makes PreOwned Commercial and Specialty Vehicles Available

Serving Public and Private Sectors Commercial and Fleet Clients

Clients Located In 40 States Nationwide
Literally Coast to Coast and Border to Border
NOW INCLUDING ALASKA

Service, Parts, Accessories, Collision Repair Locally Offered
Service Pick Up and Delivery Accommodations

3 year/36000 mile "Bumper-Bumper" Warranty
5 year/ 100000 mile Powertrain Warranty

PROUD RECIPIENT OF GENERAL MOTORS

WHITESIDE CHEVROLET-GMC-BUICK-CADILLAC
FIRE AND EMS DEPARTMENT CLIENTS

sample listing

Valley Grove WV VFD
Triadelphia WV VFD
West Liberty WV VFD
Wheeling WV FD
Bethany WV VFD
Dallas WV VFD
Fish Creek WV VFD
Limestone WV VFD
Flushing OH VFD
Brilliant OH VFD
Easton PA FD
Upper Makefield PA VFD
Walhonding Valley OH VFD
Warwick NY FD
Yardley Makefield VFD
Harmon Twsp IN FD
Kouts IN VFD
Forest Bend TX VFD
Eagle New Hope PA VFD
Benwood WV VFD
McMechen WV VFD
Gnadenhutten, OH FD
Harrisburg Int'l Airport FD
City of Harrisburg PA FD
Plumsteadville PA VFD
Liverpool NY FD
Brighton, IA VFD
Buckhall VFD, Mannasas, VA
West Carlisle, TX VFD
Harlowe, NC VFD
Harrison Twsp, IN VFD
Jamesburg, NJ VFD
Walhonding Valley, OH VFD

Mozart WV VFD
Brighton, IA First Responders
Port Authority of NY & NJ
Lewis County WV EMA
Berkeley County WV EMS
Brooke County WV EMA
Kanawha County WV EMA
Easton PA FD
Berkeley County WV Emergency Ambulance Authority
Canton Twsp, PA VFD
Cleveland, OH FD
Putnam County WV OES
Pelham NY FD
Eastchester NY Fire / EMS
Harrisburg International Airport FD
Fairview NY FD
Whitesboro NY FD'
Oradell NJ FD
Barren Hill NY FD
Greenville NY FD
Seaford NY FD
West Babylon NY FD
Brandywine PA FD
Wurtsboro NY FD
Chester PA FD
Towamensing PA VFD
Albany International Airport FD
Dublin OH FD
Pleasantville NY FD
Plumsteadville NY VFD
Goshen NY FD
Oak Hill WV Fire Dept
Bethel Twsp OH VFD
Greenbrier County WV EMA
Port Washington NY FD
Coshocton OH FD
Monroe NY FD
Circleville NY FD
Bethesda OH FD
Flower NY FD
Port Washington NY FD

WHITESIDE CHEVROLET-GMC-BUICK-CADILLAC LAW ENFORCEMENT CLIENTS

sample listing

Pennsylvania State Police

FBI

US Secret Service

US ARMY

West Liberty University WV Police

NY State Police

Pittsburgh Police

New Hampshire State Police

Clarksburg WV Police

Valley Grove WV Police

Mt Pleasant OH Police

Ridgeley WV Police

Ephrata PA Police

Bethany WV Police

New Holland PA Police

Bucks County PA Police

McKees Rocks PA Police

Camp Hill PA Police

Kennedy Twsp PA Police

Fairfax County VA Police

City Of Philadelphia PA Police

Mohave County AZ Sheriff

Belmont County OH Sheriff

Ohio County WV Sheriff

Marshall County WV Sheriff

Brooke County WV Sheriff

Hancock County WV Sheriff

Monongalia County WV Sheriff

Guernsey County, OH Sheriff

Indiana State Police

Watkins Glen NY Police

Fulton County GA Police

Elmira NY Police

Allegany NY Police

NY City, NY Police (NYPD)

Shepherd University WV PD

West Virginia University

Wood County WV Sheriff

State of West Virginia
Marshall County WV EMA
Lewis County, WV Sheriff
Kanawha County EMA
Barbour County, WV Sheriff
Avon, OH Police
Huntington WV Police
Putnam County OH Sheriff
Port Authority of NY and NJ Police
City of Wheeling WV Police
Springfield, OH Police
Trenton, OH Police
Vermont Dept of Corrections
Port Authority of NY & NJ Police
Ohio Highway Patrol
Preble County OH Sheriff
Indian Hills OH Police
Columbus OH Police
Chillicothe OH Police
Franklin County , OH Sheriff
Grove City, OH Police
Willoughby, OH Police
Shaker Heights, OH Police
Dublin, OH Police
Greenbrier County WV Sheriff
Trenton, OH PD
Lebanon, OH Police
Allegheny County PA Port Authority Police
Kennedy Township, PA Police
Patton Township, PA Police
Morgantown , WV Police
Lower Salford Township, PA Police
Montgomery County NY Sheriff
Rensselaer, NY Police
Montgomery , AL Housing Authority Police
Palmer Township, PA Police
Bethlehem, PA Police
Northampton County, PA Police
Cambria Township, PA Police
Lower Swatara Township, PA Police
Montgomery, PA Police
Whitesboro, NY Police

Rotterdam , PA Police
Greenburgh, NY Police
Birmingham, MI Police
Upper Makefield Township, PA Police
Allegany, NY Police
Quakertown , PA Police
Clarkstown, NY Police
NY State DNR Law Enforcement
Neville Township, PA Police
South Whitehall Township, PA Police
Chester, NY Police
Livingston County NY Sheriff
Lowr Gwynedd TowbnsHIP, PA Police
Elmira, NY Police
New Hartford, NY Police
Raritan, Nj Police
Delaware River Port Authority Police
Asharoken, NY Police
Springfield Township, PA Police
Niagara County NY Sheriff
Camp Hill PA Police
Fulton County GA Police
Indiana State Police
Goshen Twsp OH Police
Davenport IA Police
Grant County WV Sheriff
Hardy County WV Sheriff
Glen Dale WV Police
City of Moundsville WV Police
Nassau County NY Police
Wardensville, WV Police
Summers County WV Sheriff
Great Falls, MT Police
Hamburg NY Police
Wood County OH Park District Police

SUTHERLAND AWARD

800-610-0211

fleet@whitesides.com email

COMMERCIAL REFERENCES

Clay Battelle PSD
Ohio County PSD
Kalkreuth Roofing and Sheet Metal
Enterprise Rent A Car
Little Stream Auto Rental
MKB Leasing Corp
West Virginia University
Ohio County WV Schools
St Clairsville Richland Schools
Switzerland of Ohio Water Board
Liptak farms
Village of Gnadenhutten
Teter Inc.
Tri State Petroleum
Baker and Son Equipment
Allied Food Industries
Mcintire Cartage
Hohn & Sons Trucking
Cornerstone Full Gospel Church
Le Chaperon Rouge Daycare
Mcfarland Excavating
Reco Equipment, Inc.
Enterprise Leasing
Glass Unlimited of WV
Quality Environmental
Schumacher Contracting
Swans Sport Shop
Stoney Hollow Tire
St Clair Glo Tone Cleaners
Tim's Custom Installations
Lewis Financial Group
Lash Paving
Yoder Drilling and Geothermal
Appalachian Outreach

Hendershot Leasing
Strauss Industries
Detling Hay and Grain
J & M Electrical Supply
D and D Landscaping
Keener Farm
Ealy Electrical
TMK Construction
United Dairy
Shook Machine
Tra Det Laboratories
South Central Power
American Electric Power
St Clair Lawn care
Genisis Construction
Riesbeck Food Markets
Wilkie Contracting
Greenwood Cemetery
Mt Calvary Cemetery
Products and Components Inc
Mcadoo Service Center
Lighthouse Electrical
Musser Refrigeration
Companion Products
Timet Corp
Dunn Farms
Bashore Drapery
Shaeffer and Madama Inc
Lilly's LLC
New Horizon Animal Hospital
Ohio Valley Scale
Hidden Valley Outdoors LLC
Pfund Superior Sales
Cravat Coal Co
L & H Logging
Mead Township
Cornerstone Landscaping
MISSCO inc.
Carnay and Sloan Inc.
Gudenkauf Corp.
Varlas Trailer Park LLC
4th St United Methodist Church

Sidwell Materials
Bedway Development
Davison Electrical
Ponzani Nursery
University of Toledo

Pittsburgh Parking Authority
SHACOG
River PSD
West Virginia University

Prepared By:
Brian McCulley

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 Commercial CK1070

PRICING SUMMARY

PRICING SUMMARY - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 Commercial

Base Price

Total Options:

Vehicle Subtotal

Advert/Adjustments

Destination Charge

GRAND TOTAL

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 21, 2011 12:47:57 PM

Page 1

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 Commercial CK1070

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 Commercial

<u>Code</u>	<u>Description</u>
CK10706	2012 Chevrolet Tahoe 4WD 4dr 1500 Commercial

SELECTED VEHICLE COLORS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 Commercial

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 Commercial

CATEGORY

<u>Code</u>	<u>Description</u>
SUSPENSION PKG	
ZW7	SUSPENSION PACKAGE, PREMIUM SMOOTH RIDE (STD)
EMISSIONS	
FE9	EMISSIONS, FEDERAL REQUIREMENTS
ENGINE	
LMG	ENGINE, VORTEC 5.3L V8 SFI FLEXFUEL with Active Fuel Management, capable of running on unleaded or up to 85% ethanol (with gas - 320 hp [238.6 kW] @ 5400 rpm, 335 lb-ft of torque [452.2 N-m] @ 4000 rpm, with E85 ethanol - 326 hp [243.1 kW] @ 5300 rpm, 348 lb-ft of torque [469.8 N-m] @ 4400 rpm), iron block (STD)
TRANSMISSION	
MYC	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED with overdrive and tow/haul mode (STD)
AXLE	
GU6	REAR AXLE, 3.42 RATIO (Included and only available with (K5L) Heavy-Duty Trailering Package.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 Commercial CK1070

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 Commercial

CATEGORY

<u>Code</u>	<u>Description</u>
PREFERRED EQUIPMENT GROUP	
1FL	COMMERCIAL PREFERRED EQUIPMENT GROUP Includes Standard Equipment
WHEEL TYPE	
NX7	WHEELS, 4 - 17" X 7" (43.2 CM X 17.8 CM) STEEL
TIRES	
QGI	TIRES, P265/70R17 ALL-SEASON, BLACKWALL (STD)
SEAT TYPE	
A95	SEATS, FRONT BUCKET WITH PREMIUM CLOTH, (AG1) 6-WAY POWER DRIVER and (AG2) front passenger seat adjusters, adjustable head restraints, (AM1) driver manual lumbar control, floor console and rear storage pockets
SEAT TRIM	
19C	EBONY, PREMIUM CLOTH SEAT TRIM
RADIO	
US8	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume, TheftLock and auxiliary audio input jack (STD)
ADDITIONAL EQUIPMENT	
5W4	IDENTIFIER FOR SPECIAL SERVICE VEHICLE. Utilized to identify a vehicle as a police/fire special service vehicle for marketing, order-build process and emission certification purposes (Must be specified.)
K5L	TRAILERING PACKAGE, HEAVY-DUTY includes (KNP) auxiliary external transmission oil cooler and (KC4) engine oil cooler, provides increased trailering capabilities (Includes (GU6) 3.42 ratio rear axle. Required with (JL1) trailer brake controller.)
6J1	IGNITION 100-amp main power supply wiring at instrument panel and trunk cargo area. (Requires (5W4) Identifier for Special Service vehicle.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 Commercial CK1070

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 Commercial

CATEGORY

<u>Code</u>	<u>Description</u>
ADDITIONAL EQUIPMENT	
KNP	COOLING, AUXILIARY TRANSMISSION OIL COOLER, HEAVY-DUTY AIR-TO-OIL (Included and only available with (K5L) Heavy-Duty Trailing Package.)
KC4	COOLING, EXTERNAL ENGINE OIL COOLER, HEAVY-DUTY AIR-TO-OIL, INTEGRAL TO DRIVER SIDE OF RADIATOR (Included and only available with (K5L) Heavy-Duty Trailing Package.)
K47	AIR CLEANER, HIGH-CAPACITY
NQH	TRANSFER CASE, ACTIVE, 2-SPEED ELECTRONIC AUTOTRAC with rotary controls, includes neutral position for dinghy towing. (Requires 4WD models. Included and only available with (K5L) heavy-duty trailing package.)
6A6	BATTERIES, DUAL HEAVY-DUTY 730 COLD-CRANKING AMPS (Requires (5W4) Identifier for Special Service vehicle.)
—	KEY, SINGLE, 2-SIDED (Requires (5W4) Identifier for Special Service vehicle.)
—	LUGGAGE RACK, DELETE (Requires (5W4) Identifier for Special Service vehicle.)
B85	MOLDINGS, COLOR-KEYED BODYSIDE (Included and only available with (5T4) Victory Red exterior body colored parts or (5W4) Identifier for Special Service vehicle.)
7X6	SPOTLAMP, LEFT-HAND (Requires (5W4) Identifier for Special Service vehicle.)
—	WIPERS, FRONT INTERMITTENT WET-ARM with flat blade and pulse washers (Requires (5W4) Identifier for Special Service vehicle.)
UN9	RADIO SUPPRESSION, BRAIDED BRASS STRAPS attached to various body locations (Requires (5W4) Identifier for Special Service vehicle.)
AG2	SEAT ADJUSTER, FRONT PASSENGER 6-WAY POWER (With (5W4) Identifier for Special Service vehicle, included and only available with (A95) front bucket seat.)
ATD	SEAT DELETE, THIRD ROW PASSENGER (Requires a fleet or government order type.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 Commercial CK1070

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 Commercial

CATEGORY

<u>Code</u>	<u>Description</u>
ADDITIONAL EQUIPMENT	
UT7	GROUND STUDS, AUXILIARY 2 per vehicle in the rear compartment (Requires (5W4) Identifier for Special Service vehicle.)
UE0	ONSTAR, DELETE
SHIP THRU CODES	
VPV	SHIP THRU TO KERR INDUSTRIES REQUIRED FOR POST PLANT ASSEMBLY AND 2ND STAGE OPTIONAL CONTENT. Dealer "invoice only" charge for transportation costs to move vehicle from plant to 2nd stage activity and return vehicle to plant
SPECIAL EQUIPMENT OPTIONS	
9V7	EXTERIOR BODY COLORED PARTS - DARK BLUE METALLIC Provides Dark Blue Metallic, Provides Dark Blue Metallic special paint WA722J and Dark Blue Metallic special painted exterior body parts in lieu of glossy Black color normally installed with special paint. Dark Blue Metallic painted parts will consist of front fascia, rear bumper fascia, rear liftgate handle and liftgate applique above license plate. Door handles, mirrors, rear D-pillar applique and liftgate spoiler will remain Black. (B85) Body-side moldings are not available. (Requires SEO (TGK) Special Paint and (01U) Special Paint. Not available with PRO (V22) Grill insert, bright chrome, (UVC) Rear view camera system, (DRC) Auto-dimming inside rear view mirror, (PDD) Convenience Package, SEO (5T4) Exterior body colored parts, Victory Red, (PDA) Texas Edition or (PEB) Regional Value Edition.)
TGK	SPECIAL PAINT SOLID, ONE COLOR All normally body colored non-sheet metal parts will be gloss Black. This includes front and rear facias, liftgate handle and applique, 'D' Pillars and Upper liftgate applique. Mirrors and door handles will be grained Black parts. Body-side moldings will be deleted. May require extended lead time. (With 5W4, (B85) Body-side moldings are not available except with SEO option (5T4) Exterior body colored parts.) (Requires (01U) Special Paint with any SEO paint selection. With PPV, required with any SEO paint selection. May require lead time.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 Commercial CK1070

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 Commercial

CATEGORY

<u>Code</u>	<u>Description</u>
SPECIAL EQUIPMENT OPTIONS	
01U	SPECIAL PAINT
9N5	FLOOR CONSOLE DELETE Deletes the floor console and associated audio equipment that is included with premium cloth high back bucket seats. All exposed floor areas will remain untrimmed (With (5W4) Identifier for Special Service vehicle, requires (A95) front bucket seats.)
5T5	SEATS, REAR VINYL WITH FRONT CLOTH SEATS Provides vinyl rear seats and cloth front seats (Requires interior trim code (19C) Ebony and RPO (AZ3) front 40/20/40 split-bench with premium cloth seats or RPO (A95) front bucket with premium cloth seats.)

OPTIONS TOTAL

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 Commercial CK1070

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 Commercial

ENTERTAINMENT

- Audio system, AM/FM stereo with MP3 compatible CD player seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume, TheftLock and auxiliary audio input jack
- Audio system feature, 6-speaker system (With (5W4) Identifier for Special Service vehicle, includes 8-speaker system)
- SiriusXM Satellite Radio, delete

EXTERIOR

- Wheels, 4 - 17" x 7" (43.2 cm x 17.8 cm) steel
- Tires, P265/70R17 all-season, blackwall
- Wheel, 17" (43.2 cm) full-size, steel spare
- Tire carrier, lockable outside spare winch-type mounted under frame at rear
- Tire, spare P265/70R17 all-season blackwall
- Luggage rack side rails, roof-mounted, Black
- Fascia, front color-keyed
- Fascia, rear color-keyed
- Assist steps, Black
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Mirrors, outside heated power-adjustable, manual-folding (Mirror caps are Black.)
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)
- Wiper, rear intermittent with washer
- Door handles, Black
- Liftgate with liftglass rear door system with rear-window wiper/washer

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 Commercial CK1070

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 Commercial

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining, center fold-down armrest with storage, lockable storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets (With vinyl seats also includes (AM1) driver manual lumbar control. With vinyl seats requires (19V) Ebony vinyl and (BG9) Black rubberized-vinyl floor covering)
- Seats, second row 60/40 split-folding bench, 3-passenger with center armrest with 2 cup holders (Vinyl seats included and only available with (AZ3) front 40/20/40 vinyl split-bench seats, SEO (5T5) second and third row vinyl with front cloth seats or (9S1) seats, driver and passenger front, individual seats in vinyl trim.)
- Seat adjuster, driver 6-way power
- Seats, third row 50/50 split-bench, 3-passenger removable, all-belts-to-seat
- Headliner, cloth
- Floor covering, Black rubberized-vinyl
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, vinyl
- Steering wheel controls, mounted cruise controls
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure and tachometer
- Instrumentation, analog with 120 mph speedometer, odometer with trip odometer, engine hour meter, fuel level, voltmeter, engine temperature, oil pressure and tachometer
- Warning tones headlamp on, key-in-ignition, driver and right-front passenger safety belt unfasten and turn signal on
- Windows, power with driver Express-Down and lockout features
- Door locks, power programmable with lockout protection (With (5W4) Identifier for Special Service vehicle, Auto Lockout is disabled on Driver door.)
- Remote vehicle starter prep package includes Remote Keyless Entry (Remote vehicle starter fob available as a Chevy Accessory.)
- Cruise control, electronic with set and resume speed
- Theft-deterrent system, vehicle, PASS-Key III
- Heater, rear auxiliary with rear passenger heating ducts

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 Commercial CK1070

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 Commercial

- Air conditioning, tri-zone manual HVAC controls with individual climate settings for driver, right-front passenger and rear seat with rear controls located in floor console with front bucket seats and in the roof console with front bench seat (With 5W4, rear controls located in roof console)
- Air conditioning, rear auxiliary
- Defogger, rear-window electric
- Power outlets, 3 auxiliary, 12-volt includes 2 on the instrument panel and 1 in the cargo area
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger illuminated vanity mirrors, padded with cloth trim, extends on rod
- Assist handles, front passenger and second row outboard
- Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions (With (5W4) Identifier for Special Service vehicle, does not include driver- and passenger-side door switch with delayed entry feature.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 Commercial CK1070

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 Commercial

MECHANICAL

- Engine, Vortec 5.3L V8 SFI FlexFuel with Active Fuel Management, capable of running on unleaded or up to 85% ethanol (with gas - 320 hp [238.6 kW] @ 5400 rpm, 335 lb-ft of torque [452.2 N-m] @ 4000 rpm, with E85 ethanol - 326 hp [243.1 kW] @ 5300 rpm, 348 lb-ft of torque [469.8 N-m] @ 4400 rpm), iron block
- Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode
- Rear axle, 3.08 ratio (Not available with (K5L) Heavy-Duty Trailering Package.)
- Suspension Package, Premium Smooth Ride
- GVWR, 7300 lbs. (3311 kg) (Standard on 4WD models.)
- 4-wheel drive
- Transfer case, active, single-speed, electronic Autotrac with rotary controls, does not include neutral. Cannot be dinghy towed. (Requires (GU4) 3.08 rear axle ratio. Not available on 2WD models or with (K5L) heavy-duty trailering package.)
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 160 amps
- Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and (VR4) 2" trailering receiver
- Recovery hooks, front, frame-mounted (Standard on 4WD models. Available on 2WD models.)
- Suspension, front coil-over-shock with stabilizer bar
- Suspension, rear multi-link with coil springs
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc, VAC power

PACKAGE

- Fleet Package

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 Commercial CK1070

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 Commercial

SAFETY

- StabiliTrak, stability control system with traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, dual-stage frontal, driver and right-front passenger with Passenger Sensing System (right-front passenger air bag status on overhead console) (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the Owner's Manual and child safety seat instructions for more safety information.)
- Air bags, head curtain side-impact, first and second row outboard seating positions with rollover sensor, includes third row seating positions with (AS3) passenger third row bench seat (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat outboard occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- Air bags, seat-mounted side-impact, driver and right-front passenger for thorax and pelvic protection (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- OnStar, 6 months of Directions and Connections plan includes Automatic Crash Response, Emergency Services, Crisis Assist, Stolen Vehicle Assistance including Stolen Vehicle Slowdown and Remote Ignition Block, Remote Door Unlock, Turn-by-Turn Navigation with Destination Download (requires navigation radio) and OnStar eNav (where available), OnStar Vehicle Diagnostics, Roadside Assistance, Remote Horn and Lights, and Hands Free Calling. (Visit onstar.com for details and system limitations.)
- Automatic Crash Response (Deleted when (UE0) OnStar delete is ordered.)
- Stolen Vehicle Assistance (Deleted when (UE0) OnStar delete is ordered.)
- OnStar Turn-by-Turn Navigation (Deleted when (UE0) OnStar delete is ordered.)
- Safety belts, 3-point, driver and right-front passenger
- Safety belts, 3-point, driver and front passenger in all seating positions (Requires (5W4) Identifier for Special Service vehicle.)
- LATCH system (Lower Anchors and Top tethers for CHildren) for child safety seats

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared By:
Brian McCulley

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 Commercial CK1070

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 Commercial

- Tire Pressure Monitoring System air pressure sensors in each tire with pressure display in Driver Information Center (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 Commercial CK1070

WEIGHT RATINGS

WEIGHT RATINGS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 Commercial

Front Gross Axle Weight Rating:	3,600.00
Rear Gross Axle Weight Rating:	4,100.00
Gross Vehicle Weight Rating:	7,300.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 Commercial CK1070

WARRANTY INFORMATION

WARRANTY INFORMATION - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 Commercial

WARRANTY

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/100,000 Miles

Corrosion:

3 Years/36,000 Miles

Rust-Through

6 Years/100,000 Miles

Emissions:

Gas Engine

2 Years/24,000 Miles

Short Term California

3 Years/50,000 Miles

Roadside Assistance:

5 Years/100,000 Miles

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 Commercial CK1070

TECHNICAL SPECIFICATIONS

POWERTRAIN - BASIC SPECIFICATIONS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 Commercial

ENGINE

Engine Order Code	LMG
Engine Type	Gas/Ethanol V8
Displacement	5.3L/323 CID
SAE Net Horsepower @ RPM	320 @ 5400
SAE Net Torque (lb ft) @ RPM	335 @ 4000

TRANSMISSION

Transmission order code	MYC
Transmission Type Description	* 6-Speed Automatic w/OD
Drive Train	Four Wheel Drive

MILEAGE

City EPA fuel economy estimate (MPG)	15.00
Hwy EPA fuel economy estimate (MPG)	21.00
City cruising range (mi)	390.00
Hwy cruising range (mi)	546.00

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 Commercial CK1070

TECHNICAL SPECIFICATIONS

POWERTRAIN - ADVANCED SPECIFICATIONS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 Commercial

TRANSMISSION

Gear Ratio (:1)	
First Gear Ratio (:1)	4.03
Second Gear Ratio (:1)	2.36
Third Gear Ratio (:1)	1.53
Fourth Gear Ratio (:1)	1.15
Fifth Gear Ratio (:1)	0.85
Sixth Gear Ratio (:1)	0.67
Reverse Ratio (:1)	3.06
Clutch size (in)	
Power Take-Off	

TRANSFER CASE

Transfer case model	* Magna MP 3023/4
Gear Ratio (:1)	
Transfer case high gear ratio	1.00
Transfer case low gear ratio	* 2.69
Transfer case power take off	

DIFFERENTIAL

	Front	Rear
Axle Ratio (:1)	* 3.42	* 3.42

ELECTRICAL

Battery	1	2	3	Total
Battery cold cranking Amps @ 0 F	600.00			600.00
Alternator				
Alternator Amps	160.00			

COOLING SYSTEM

Cooling system capacity	16.60
Engine oil cooler	

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 Commercial CK1070

TECHNICAL SPECIFICATIONS

PAYLOAD/TRAILERING SPECIFICATIONS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 Commercial

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Wt Rating (lbs)	3,600.00	4,100.00	
Curb Weight (lbs)	2,926.00	2,701.00	5,627.00
Total Option Weight (lbs)	* 4.00	* -97.00	* -93.00
As Spec'd Curb Weight (lbs)	* 2,930.00	* 2,604.00	* 5,534.00
As spec'd payload (lbs)			* 1,766.00
Total Weight (lbs)	* 2,930.00	* 2,604.00	* 5,884.00
Reserve Axle Capacity (lbs)	* 670.00	* 1,496.00	* 2,166.00
Gross Vehicle Wt Rating (lbs)			7,300.00
Gross Combined Wt Rating (lbs)			* 14,000.00
TRAILERING	Max Trailer Wt.	Max Tongue Load	
Dead Weight Hitch (lbs)	* 5,000.00	* 500.00	
Weight Distributing Hitch (lbs)	* 8,166.00	* 979.92	
Fifth Wheel Hitch (lbs)		*	

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 Commercial CK1070

TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 Commercial

SUSPENSION	Front	Rear	
Spring			
Spring Type	Independent	5-Link	
Spring Capacity	3,600.00	4,200.00	
Axle			
Axle Type	Independent	Semi-floating	
Axle Capacity	3,925.00	4,200.00	
Shock Absorber Diameter (mm)	46.00	46.00	
Stabilizer Bar Diameter (in)	1.41	1.10	
BRAKES			
Brake type	Pwr		
ABS System	4-Wheel		
	Front	Rear	
Disc	Yes	Yes	
Rotor Diam x Thickness (in)	13.0 x 1.2	13.6 x 0.8	
Drum			
Drum Diam x Width (in)			
TIRES	Front	Rear	Spare
Tire Order Code	QGI	QGI	ZVL
Tire Size	P265/70R17	P265/70R17	P265/70R17
Capacity	2,135.00	2,135.00	2,135.00
Revolutions/Mile @ 45mph	- TBD -	- TBD -	- TBD -
WHEELS	Front	Rear	Spare
Wheel Size	17 x 7.0	17 x 7.0	17 x - TBD -
Wheel Type	Steel	Steel	Steel

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 Commercial CK1070

TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 Commercial

STEERING

Steering type	Pwr Rack & Pinion
Ratio (:1)	
On Center	17.80
At Lock	- TBD -
Turning Diameter	
Curb-to-Curb	39.00
Wall-to-Wall	- TBD -

FUEL TANK

	Main	Auxiliary
Capacity	26.00	
Location	- TBD -	

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 Commercial CK1070

TECHNICAL SPECIFICATIONS

DIMENSIONS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 Commercial

EXTERIOR DIMENSIONS

Wheelbase (in)	116.00
Length, Overall w/rear bumper (in)	202.00
Width, Max w/o mirrors (in)	79.00
Height, Overall (in)	76.90
Overhang	
Overhang, Front	- TBD -
Overhang, Rear w/o bumper	
Ground to Top of Load Floor (in)	31.60
Ground Clearance	
Ground Clearance, Front	10.5
Ground Clearance, Rear	9.1
Rear Door	
Rear Door Type	Liftgate
Rear Door Opening Height	- TBD -
Rear Door Opening Width	- TBD -
Side Door	
Side Door Type	
Side Door Opening Height (in)	
Side Door Opening Width (in)	
Step Up Height - Front (in)	
Step Up Height - Side (in)	

CARGO AREA DIMENSIONS

Length @ Floor	
Cargo Area Length @ Floor to Console (in)	- TBD -
Cargo Area Length @ Floor to Seat 1	81.4
Cargo Area Length @ Floor to Seat 2	49.4

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 Commercial CK1070

TECHNICAL SPECIFICATIONS

DIMENSIONS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 Commercial

CARGO AREA DIMENSIONS

Cargo Area Length @ Floor to Seat 3	
Cargo Area Length @ Floor to Console (in)	- TBD -
Width	
Cargo Area Width @ Beltline	- TBD -
Cargo Box Width @ Wheelhousings	49.1
Cargo Box (Area) Height (in)	41.70
Cargo Volume	
Cargo Volume to Seat 1	108.9
Cargo Volume to Seat 2	60.3
Cargo Volume to Seat 3	
Cargo Volume to Seat 4	

INTERIOR DIMENSIONS

Passenger Capacity	9		
Seating Position	Front	Second	Third
Head Room (in)	41.10	39.20	*
Leg Room (in)	41.30	39.00	*
Shoulder Room (in)	65.20	65.20	*
Hip Room (in)	60.30	60.60	*

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Impala Police 4dr Sdn Police 1WS19

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2012 Fleet/Non-Retail 1WS19 4dr Sdn Police

<u>Code</u>	<u>Description</u>
1WS19	2012 Chevrolet Impala Police 4dr Sdn Police

SELECTED VEHICLE COLORS - 2012 Fleet/Non-Retail 1WS19 4dr Sdn Police

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2012 Fleet/Non-Retail 1WS19 4dr Sdn Police

CATEGORY

<u>Code</u>	<u>Description</u>
EMISSIONS	
FE9	EMISSIONS, FEDERAL REQUIREMENTS
ENGINE	
LFX	ENGINE, 3.6L SIDI DOHC V6 VVT (302 hp [225.2 kW] @ 6800 rpm, 262 lb-ft of torque [353.7 N-m] @ 5300 rpm) (STD)
TRANSMISSION	
MX0	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE (STD)
PREFERRED EQUIPMENT GROUP	
3FL	PREFERRED EQUIPMENT GROUP
MODEL OPTION	
9C1	POLICE PACKAGE
PAINT	
37U	IMPERIAL BLUE METALLIC
PAINT SCHEME	
—	STANDARD PAINT

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

2012 Fleet/Non-Retail Chevrolet Impala Police 4dr Sdn Police 1WS19

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2012 Fleet/Non-Retail 1WS19 4dr Sdn Police

CATEGORY

<u>Code</u>	<u>Description</u>
SEAT TYPE	
AR9	SEATS, FRONT BUCKET (Requires 9C1 Police package) (STD)
SEAT TRIM	
19G	EBONY, CLOTH SEAT TRIM WITH VINYL REAR BENCH SEAT (Requires 9C1 Police package)
RADIO	
U1C	AUDIO SYSTEM, AM/FM STEREO WITH CD PLAYER seek-and-scan, digital clock, auto-tone control, automatic volume, TheftLock and auxiliary input jack (STD)
ADDITIONAL EQUIPMENT	
FHS	E85 FLEXFUEL CAPABLE (Standard with (FE9) Federal emissions requirements. Available For FBC or FGO order types only and requires YF5 or NE1 emissions.)
RUF	WHEEL, FULL-SIZE SPARE, 17" (43.2 CM) STEEL (Includes full-size police tire.)
9G8	HEADLAMPS, DAYTIME RUNNING LAMPS AND AUTOMATIC HEADLAMP CONTROL DELETE deletes standard Daytime Running Lamps and automatic headlamp control features from the vehicle for police stealth surveillance
7X6	SPOTLAMP, DRIVER-SIDE
VK3	LICENSE PLATE BRACKET, FRONT (Included on orders with ship-to states that require a front license plate.)
6A3	FLOOR COVERING, HEAVY-DUTY VINYL, FRONT AND REAR (Replaces production carpeting.)

OPTIONS TOTAL

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Impala Police 4dr Sdn Police 1WS19

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail 1WS19 4dr Sdn Police

ENTERTAINMENT

- Audio system, AM/FM stereo with CD player seek-and-scan, digital clock, auto-tone control, automatic volume, TheftLock and auxiliary input jack
- Audio system feature, 6-speaker system
- Antenna, integral rear, AM/FM

EXTERIOR

- Wheels, 17" (43.2 cm) steel
- Tires, P235/55R17, blackwall, W-rated
- Wheel, compact spare, 17" (43.2 cm) steel
- Moldings, body-color rocker
- Headlamps, halogen composite with automatic exterior lamp control
- Mirrors, outside power-adjustable, body-color
- Glass, Solar-Ray light-tinted
- Wipers, front intermittent
- Deck lock key cylinder (If (UA6) content theft-deterrent alarm system is ordered, an audible alarm will sound if key is used to open decklid)
- Door handles, body-color

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Impala Police 4dr Sdn Police 1WS19

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail 1WS19 4dr Sdn Police

INTERIOR

- Seats, front bucket (Requires 9C1 Police package)
- Cloth seat trim
- Seat adjuster, driver manual lumbar control
- Seat adjuster, driver 6-way power
- Seat adjuster, front passenger 6-way power
- Seat, rear fixed bench (Rear bench seat is vinyl when ordered with (19G) trim and cloth when ordered with (19E) trim)
- Steering wheel, urethane
- Steering column, Tilt-Wheel
- Shifter, column
- Instrumentation, "certified" analog 4-gauge cluster with speedometer, tachometer, coolant temperature, fuel, trip odometer and message center
- Oil life monitoring system
- Wiring provisions, headlamp flasher, forward lamp in-line connector with power for flasher, DRL control and flasher on/off control lead to interior compartment
- Windows, power with driver Express-Down and passenger lockout
- Door locks, power
- Door locks, single key locking system random key code for each vehicle. 1-key operates ignition and all locks.
- Remote Keyless Entry
- Cruise control, electronic with set and resume speed
- Trunk release, remote
- Theft-deterrent system, vehicle, PASS-Key III+
- Radio Suppression Package
- Air conditioning, single-zone manual with air filtration system
- Defogger, rear-window electric

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Impala Police 4dr Sdn Police 1WS19

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail 1WS19 4dr Sdn Police

- Applique, techno metallic on instrument panel and door
- Ignition, 100-amp main power supply wiring at instrument panel and trunk
- Mirror, inside rearview manual day/night with map lights
- Visors, driver and front passenger vanity mirrors, covered
- Assist handles, front passenger and rear outboard
- Lighting, interior with center-mounted dome and rear reading lights
- Cargo mat, trunk
- Ground stud, auxiliary, located in trunk

MECHANICAL

- Engine, 3.6L SIDI DOHC V6 VVT (302 hp [225.2 kW] @ 6800 rpm, 262 lb-ft of torque [353.7 N-m] @ 5300 rpm)
- Transmission, 6-speed automatic, electronically controlled with overdrive
- Axle, 2.44 ratio
- Front wheel drive
- Cooling, auxiliary heavy-duty engine and power steering system
- Cooling, auxiliary heavy-duty transmission system
- Battery rundown protection
- Alternator, 170 amps
- Suspension, Heavy-Duty Police
- Steering, power, rack-and-pinion
- Brakes, heavy-duty 4-wheel antilock, 4-wheel disc
- Exhaust, dual-outlet stainless-steel

PROCESSING-OTHER

- Conversion option, unique VIN
- Ship Thru to Kerr Industries Ship thru costs included in MSRP to transport vehicle from plant to second stage activity and return to plant.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Impala Police 4dr Sdn Police 1WS19

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail 1WS19 4dr Sdn Police

SAFETY

- StabiliTrak, stability control system includes Traction Control
- Air bags, dual-stage frontal, and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions includes Passenger Sensing System (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat outboard occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the Owner's Manual and child safety seat instructions for more safety information.)
- Safety belt pretensioners, front row seats
- Door locks, rear child security
- Tire Pressure Monitor

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Impala Police 4dr Sdn Police 1WS19

WEIGHT RATINGS

WEIGHT RATINGS - 2012 Fleet/Non-Retail 1WS19 4dr Sdn Police

Front Gross Axle Weight Rating:

Rear Gross Axle Weight Rating:

Gross Vehicle Weight Rating:

0

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Impala Police 4dr Sdn Police 1WS19

WARRANTY INFORMATION

WARRANTY INFORMATION - 2012 Fleet/Non-Retail 1WS19 4dr Sdn Police

WARRANTY

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/100,000 Miles

Corrosion:

3 Years/36,000 Miles

Rust-Through

6 Years/100,000 Miles

Roadside Assistance:

5 Years/100,000 Miles

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Impala Police 4dr Sdn Police 1WS19

TECHNICAL SPECIFICATIONS

POWERTRAIN - BASIC SPECIFICATIONS - 2012 Fleet/Non-Retail 1WS19 4dr Sdn Police

ENGINE

Engine Order Code	LFX
Engine Type	* Gas/Ethanol V6
Displacement	3.6L/217 CID
SAE Net Horsepower @ RPM	300 @ 6500
SAE Net Torque (lb ft) @ RPM	262 @ 5300

TRANSMISSION

Transmission order code	MX0
Transmission Type Description	* 6-Speed Automatic
Drive Train	Front Wheel Drive

MILEAGE

City EPA fuel economy estimate (MPG)	- TBD -
Hwy EPA fuel economy estimate (MPG)	- TBD -
City cruising range (mi)	- TBD -
Hwy cruising range (mi)	- TBD -

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Impala Police 4dr Sdn Police 1WS19

TECHNICAL SPECIFICATIONS

POWERTRAIN - ADVANCED SPECIFICATIONS - 2012 Fleet/Non-Retail 1WS19 4dr Sdn Police

TRANSMISSION

Gear Ratio (:1)	
First Gear Ratio (:1)	4.50
Second Gear Ratio (:1)	2.90
Third Gear Ratio (:1)	1.80
Fourth Gear Ratio (:1)	1.40
Fifth Gear Ratio (:1)	1.00
Sixth Gear Ratio (:1)	0.70
Reverse Ratio (:1)	2.90
Clutch size (in)	
Final Drive Axle Ratio (:1)	2.77

ELECTRICAL

Battery	1
Battery cold cranking Amps @ 0 F	- TBD -
Alternator	
Alternator Amps	170.00

COOLING SYSTEM

Cooling system capacity	- TBD -
-------------------------	---------

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Impala Police 4dr Sdn Police 1WS19

TECHNICAL SPECIFICATIONS

PAYLOAD/TRAILERING SPECIFICATIONS - 2012 Fleet/Non-Retail 1WS19 4dr Sdn Police

WEIGHT INFORMATION

Base curb weight (lbs)

- TBD -

TRAILERING

Max Trailer Wt. Max Tongue Load

Dead Weight Hitch (lbs)

Weight Distributing Hitch (lbs)

Fifth Wheel Hitch (lbs)

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Impala Police 4dr Sdn Police 1WS19

TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - 2012 Fleet/Non-Retail 1WS19 4dr Sdn Police

SUSPENSION	Front	Rear	
Suspension Type	- TBD -	- TBD -	
Suspension Type (cont.)	Heavy-Duty Police	Heavy-Duty Police	
Shock Absorber Diameter (mm)	- TBD -	- TBD -	
Stabilizer Bar Diameter (in)	- TBD -	- TBD -	
BRAKES			
Brake type	Pwr		
ABS System	4-Wheel		
	Front	Rear	
Disc	Yes	Yes	
Rotor Diam x Thickness (in)	- TBD -	- TBD -	
Drum			
Drum Diam x Width (in)			
TIRES			
	Front	Rear	Spare
Tire Order Code	QWM	QWM	* RUF
Tire Size	P235/55R17	P235/55R17	* P235/55R17
WHEELS			
	Front	Rear	Spare
Wheel Size	17 x - TBD -	17 x - TBD -	* 17 x - TBD -
Wheel Type	Steel	Steel	Steel
STEERING			
Steering type	Pwr Rack & Pinion		
Ratio (:1)			
Overall	13.30		
Lock-to-Lock Turns	2.40		
Turning Diameter			
Curb-to-Curb	38.00		
Wall-to-Wall	- TBD -		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Impala Police 4dr Sdn Police 1WS19

TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - 2012 Fleet/Non-Retail 1WS19 4dr Sdn Police

FUEL TANK	Main
Capacity	17.00

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Impala Police 4dr Sdn Police 1WS19

TECHNICAL SPECIFICATIONS

DIMENSIONS - 2012 Fleet/Non-Retail 1WS19 4dr Sdn Police

EXTERIOR DIMENSIONS

Wheelbase (in)	110.50
Length, Overall (in)	200.40
Width, Max w/o mirrors (in)	72.90
Height, Overall (in)	58.70
Tread Width	
Track Width, Front	62.4
Track Width, Rear	61.5
Min Ground Clearance (in)	- TBD -

CARGO AREA DIMENSIONS

Liftover Height (in)	- TBD -
Trunk Volume	18.6

INTERIOR DIMENSIONS

Passenger Capacity	5	
Passenger Volume (ft ³)	104.50	
EPA Classification	Large Cars	
Seating Position	Front	Second
Head Room (in)	39.40	37.80
Leg Room (in)	42.30	37.60
Shoulder Room (in)	58.70	58.60
Hip Room (in)	56.40	57.20

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared By:
Brian McCulley

2012 Fleet/Non-Retail Chevrolet Caprice Police Patrol Vehicle 4dr Sdn Polic

PRICING SUMMARY

PRICING SUMMARY - 2012 Fleet/Non-Retail 1EW19 4dr Sdn Police

Base Price

Total Options:

Vehicle Subtotal

Advert/Adjustments

Destination Charge

GRAND TOTAL

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 21, 2011 12:48:31 PM

Page 1

2012 Fleet/Non-Retail Chevrolet Caprice Police Patrol Vehicle 4dr Sdn Polic

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2012 Fleet/Non-Retail 1EW19 4dr Sdn Police

<u>Code</u>	<u>Description</u>
1EW19	2012 Chevrolet Caprice Police Patrol Vehicle 4dr Sdn Police

SELECTED VEHICLE COLORS - 2012 Fleet/Non-Retail 1EW19 4dr Sdn Police

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2012 Fleet/Non-Retail 1EW19 4dr Sdn Police

CATEGORY

<u>Code</u>	<u>Description</u>
EMISSIONS	
FE9	EMISSIONS, FEDERAL REQUIREMENTS
ENGINE	
LFX	ENGINE, 3.6L SIDI DOHC V6 VVT (301 hp [224.4 kW] @ 6700 rpm, 265 lb-ft of torque [357.8 N-m] @ 4800 rpm) (STD)
TRANSMISSION	
MX0	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED (STD)
PREFERRED EQUIPMENT GROUP	
1SB	POLICE PREFERRED EQUIPMENT GROUP
MODEL OPTION	
9C1	POLICE PACKAGE
PAINT	
GYW	HUGO BLUE (Extra cost. Orders of less than 20 will be delayed until 20 unit minimum for batch build.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Caprice Police Patrol Vehicle 4dr Sdn Polic

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2012 Fleet/Non-Retail 1EW19 4dr Sdn Police

CATEGORY

<u>Code</u>	<u>Description</u>
PAINT SCHEME	
—	STANDARD PAINT
SEAT TYPE	
AAW	SEATS, FRONT BUCKET, CLOTH WITH HEAVY-DUTY FOAM, CLOTH REAR BENCH includes seatback security panel (STD)
SEAT TRIM	
4BB	JET BLACK, CLOTH SEAT TRIM
RADIO	
UBW	AUDIO SYSTEM, AM/FM STEREO WITH CD PLAYER, SEEK-AND-SCAN, DIGITAL CLOCK AND AUTO-TONE CONTROL (STD)
ADDITIONAL EQUIPMENT	
SG8	WHEEL, FULL-SIZE SPARE AND TIRE (Includes (UJ6) Tire Pressure Monitor System sensor, not programmed. Includes full-size tire)
7X6	SPOTLAMP, DRIVER-SIDE

OPTIONS TOTAL

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Caprice Police Patrol Vehicle 4dr Sdn Polic

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail 1EW19 4dr Sdn Police

ENTERTAINMENT

- Audio system, AM/FM stereo with CD player, seek-and-scan, digital clock and auto-tone control
- Audio system feature, 4-speaker system with 2 tweeters
- Steering wheel controls, mounted audio and Driver Information Center controls
- Antenna, roof-mounted, fixed mast, radio

EXTERIOR

- Wheels, 18" (45.7 cm) heavy-duty steel
- Wheel center cap, bolt-on, forged aluminum
- Tires, P235/50R18 all-season blackwall, Goodyear
- Wheel, compact spare
- Fascias, front and rear body-color
- Headlamps, halogen with automatic exterior lamp control
- Lamp, center high-mounted stop/brake (CHMSL)
- Mirrors, outside power-adjustable, Black, manual-folding
- Glass, Solar-Ray light-tinted windshield, driver and front passenger, light-tinted rear backglass
- Wipers, front intermittent, variable
- Door handles, Black
- Lock cylinder, front passenger door
- Lock cylinder, trunk
- License plate bracket, front

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Caprice Police Patrol Vehicle 4dr Sdn Polic

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail 1EW19 4dr Sdn Police

INTERIOR

- Seats, front bucket, cloth with heavy-duty foam, cloth rear bench includes seatback security panel
- Cloth seat trim
- Seat adjuster, driver 8-way power tilt, height, recline and lumbar with manual fore/aft
- Seat adjuster, front passenger 4-way power tilt and height with manual recline, lumbar and fore/aft
- Console, front center with armrest, covered storage and 2 cup holders
- Steering column, tilt and telescopic
- Instrumentation, "certified" analog 160 mph, 1 mph increments digital display, trip odometer, warning lamps and Driver Information Center with Oil Life Monitor
- Driver Information Center, monochromatic display with customization features
- Oil life monitoring system
- Windows, power with driver and front passenger Express-Down and rear passenger lockout
- Door locks, power programmable with lockout protection
- Retained accessory power power windows and audio system remain operational after ignition is switched off for 10 minutes or until a door is opened
- Remote Keyless Entry with integrated blade, side-milled key, 2
- Trunk release, ignition controlled
- Cruise control, electronic with set and resume speed
- Theft-deterrent system, vehicle, PASS-Key III+
- Air conditioning, dual-zone automatic climate control with pollen air filtration
- Defogger, rear-window electric
- Glovebox, passenger-side lockable
- Power outlet, 1 located on instrument panel, 12-volt
- Ignition, 100-amp main power supply wiring at instrument panel and trunk
- Mirror, inside rearview with compass
- Visors, driver and front passenger vanity mirrors, covered

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Caprice Police Patrol Vehicle 4dr Sdn Polic

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail 1EW19 4dr Sdn Police

- Sunglass holder
- Lighting, interior with center-mounted dome and rear reading lights
- Lighting, trunk courtesy lamp
- Shift lever, floor-mounted without console

MECHANICAL

- Engine, 3.6L SIDI DOHC V6 VVT (301 hp [224.4 kW] @ 6700 rpm, 265 lb-ft of torque [357.8 N-m] @ 4800 rpm)
- Transmission, 6-speed automatic, electronically controlled
- Throttle control, electronic
- Rear axle, 2.92 ratio
- Rear-Wheel Drive (RWD)
- Cooling, engine oil cooler
- Cooling, power steering oil cooler
- Cooling, transmission oil cooler
- Battery, 700 cold-cranking amps located in trunk
- Battery rundown protection
- Alternator, 170 amps with idle boost
- Suspension, Heavy-Duty Police
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, 4-wheel disc, heavy-duty
- Exhaust system, dual, stainless-steel
- Tools, mechanical jack and wheel wrench

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Caprice Police Patrol Vehicle 4dr Sdn Polic

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail 1EW19 4dr Sdn Police

SAFETY

- Brake/transmission shift interlock
- Daytime Running Lamps, reduced intensity
- Air bags, dual-stage frontal, thorax side-impact, head curtain and knee, driver and front passenger includes Passenger Sensing System (Head Curtain Side Air Bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. A note about child safety: Always use safety belts and the correct child restraint for your child's age and size. Even with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See your vehicle Owner's Handbook for more information.)
- Safety belts, 3-point, all seating positions
- Safety belt pretensioners, front row seats
- Door locks, rear child security
- Tire Pressure Monitor System (including spare tire, must be programmed when mounted)
- Horn, dual-note high and low

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared By:
Brian McCulley

2012 Fleet/Non-Retail Chevrolet Caprice Police Patrol Vehicle 4dr Sdn Polic

WEIGHT RATINGS

WEIGHT RATINGS - 2012 Fleet/Non-Retail 1EW19 4dr Sdn Police

Front Gross Axle Weight Rating:

Rear Gross Axle Weight Rating:

Gross Vehicle Weight Rating:

0

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Caprice Police Patrol Vehicle 4dr Sdn Polic

WARRANTY INFORMATION

WARRANTY INFORMATION - 2012 Fleet/Non-Retail 1EW19 4dr Sdn Police

WARRANTY

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/100,000 Miles

Corrosion:

3 Years/36,000 Miles

Rust-Through

6 Years/100,000 Miles

Roadside Assistance:

5 Years/100,000 Miles

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Caprice Police Patrol Vehicle 4dr Sdn Polic

TECHNICAL SPECIFICATIONS

POWERTRAIN - BASIC SPECIFICATIONS - 2012 Fleet/Non-Retail 1EW19 4dr Sdn Police

ENGINE

Engine Order Code	LFX
Engine Type	Gas V6
Displacement	3.6/217 CID
SAE Net Horsepower @ RPM	301 @ 6700
SAE Net Torque (lb ft) @ RPM	265 @ 4800

TRANSMISSION

Transmission order code	MX0
Transmission Type Description	* 6-Speed Automatic w/OD
Drive Train	Rear Wheel Drive

MILEAGE

City EPA fuel economy estimate (MPG)	- TBD -
Hwy EPA fuel economy estimate (MPG)	- TBD -
City cruising range (mi)	- TBD -
Hwy cruising range (mi)	- TBD -

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Caprice Police Patrol Vehicle 4dr Sdn Polic

TECHNICAL SPECIFICATIONS

POWERTRAIN - ADVANCED SPECIFICATIONS - 2012 Fleet/Non-Retail 1EW19 4dr Sdn Police

TRANSMISSION

Gear Ratio (:1)	
First Gear Ratio (:1)	4.02
Second Gear Ratio (:1)	2.36
Third Gear Ratio (:1)	1.53
Fourth Gear Ratio (:1)	1.15
Fifth Gear Ratio (:1)	0.85
Sixth Gear Ratio (:1)	0.67
Reverse Ratio (:1)	3.06
Clutch size (in)	
Final Drive Axle Ratio (:1)	2.92

ELECTRICAL

Battery	1
Battery cold cranking Amps @ 0 F	700.00
Alternator	
Alternator Amps	170.00

COOLING SYSTEM

Cooling system capacity	- TBD -
-------------------------	---------

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Caprice Police Patrol Vehicle 4dr Sdn Polic

TECHNICAL SPECIFICATIONS

PAYLOAD/TRAILERING SPECIFICATIONS - 2012 Fleet/Non-Retail 1EW19 4dr Sdn Police

WEIGHT INFORMATION

Base curb weight (lbs) 4,259.00

TRAILERING

Max Trailer Wt. Max Tongue Load

Dead Weight Hitch (lbs)

Weight Distributing Hitch (lbs)

Fifth Wheel Hitch (lbs)

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Caprice Police Patrol Vehicle 4dr Sdn Polic

TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - 2012 Fleet/Non-Retail 1EW19 4dr Sdn Police

SUSPENSION	Front	Rear	
Suspension Type	Independent	Independent	
Suspension Type (cont.)	Heavy-Duty Police	Heavy-Duty Police	
Shock Absorber Diameter (mm)	- TBD -	- TBD -	
Stabilizer Bar Diameter (in)	- TBD -	- TBD -	
BRAKES			
Brake type	Pwr		
ABS System	4-Wheel		
	Front	Rear	
Disc	Yes	Yes	
Rotor Diam x Thickness (in)	13.6 x 1.2	12.8 x 0.9	
Drum			
Drum Diam x Width (in)			
TIRES			
	Front	Rear	Spare
Tire Order Code	R5M	R5M	* SG8
Tire Size	P235/50R18	P235/50R18	* P235/50R18
WHEELS			
	Front	Rear	Spare
Wheel Size	18 x 8	18 x 8	* 18 x 8
Wheel Type	Steel	Steel	Steel
STEERING			
Steering type	Pwr Rack & Pinion		
Ratio (:1)			
Overall	17.50		
Lock-to-Lock Turns	- TBD -		
Turning Diameter			
Curb-to-Curb	38.00		
Wall-to-Wall	- TBD -		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Caprice Police Patrol Vehicle 4dr Sdn Polic

TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - 2012 Fleet/Non-Retail 1EW19 4dr Sdn Police

FUEL TANK	Main
Capacity	19.00

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Caprice Police Patrol Vehicle 4dr Sdn Polic

TECHNICAL SPECIFICATIONS

DIMENSIONS - 2012 Fleet/Non-Retail 1EW19 4dr Sdn Police

EXTERIOR DIMENSIONS

Wheelbase (in)	118.50
Length, Overall (in)	204.20
Width, Max w/o mirrors (in)	74.80
Height, Overall (in)	58.70
Tread Width	
Track Width, Front	62.8
Track Width, Rear	63.2
Min Ground Clearance (in)	5.60

CARGO AREA DIMENSIONS

Liftover Height (in)	- TBD -
Trunk Volume	17.4

INTERIOR DIMENSIONS

Passenger Capacity	5	
Passenger Volume (ft ³)	112.00	
EPA Classification	Large Car	
Seating Position	Front	Second
Head Room (in)	38.70	37.60
Leg Room (in)	42.20	43.20
Shoulder Room (in)	59.10	59.00
Hip Room (in)	56.60	58.00

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 203.0, Data updated 12/13/2011 2:55:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: