

MOD ZEN

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER RMA12010

ADDRESS CORRESPONDENCE TO ATTENTION OF:

ADDRESS CHANGES TO BE NOTED ABOVE

FRANK WHITTAKER 304-558-2316

RFQ COPY TYPE NAME/ADDRESS HERE Atlas Railroad Construction, LLC 1253 State Route 519 Eighty Four, PA 15330

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE

MOOREFIELD, WV

26836 304-538-2305

DATE PRINTED TERMS OF SALE SHIP VIA F.O.B, FREIGHT TERMS 11/28/2011 BID OPENING DATE: 12/08/2011 BID OPENING TIME CAT. NO. AMOUNT QUANTITY ITEM NUMBER UNIT PRICE LINE UOP ***** ADDENDUMM NO. TO PROVIDE THE ATTACHED THIS ADDENDUM IS ISSUED TECHNICAL QUESTIONS AND ANSWERS. THE BID OPENING DATE AND TIME HAVE NOT CHANGED. 001 160-52 165,495.00 165,495.00 1 TWO TURNOUTS AND ASSOCIATED TRACKWORK ON SBVR SEE REVERSE SIDE FOR TERMS AND CONDITIONS TELEPHONE 228-4500 DATE 12/06/2011 SIGNATURE Gregory Suskø, Vice President

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.

3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.

- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, Including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment that the state of the sta purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.

3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.

4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications; Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130 5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division,

is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

State Rail Authority

120 Water Plant Drive, Moorefield, West Virginia 26836 (304) 538-2305 • TDD (800) 742-6991 • Fax (304) 538-7474

To: All Attendees of the October 26, 2011 Prebid Meeting for the Installation of Two Turnouts and Associated Trackwork on the South Branch Valley Railroad.

From: John Philbrick, Superintendent

Date: November 14, 2011

RE: Addendum #3 to RFQ #RMA12010 - Two Turnouts and Associated Trackwork on SBVR

NOTE: This addendum answers the following two questions. There are no other changes to the previous addendum.

Question 1: In the materials being provided by the contractor under Item #3 "crossties," is 1,100 crossties. Is this a typo? Should it be 110 crossties? It is our understanding that we will be required to install all new ties for the 100 foot track extension (say 50 ties) and track restoration for the turnout removal (say 66 ties).

Answer: The reference to 1,100 ties should not have been in the addendum. The number of new ties required for the 100-foot extension of the side track and for the main track where the existing turnout is removed will be determined by the tie spacing given under the "ties" section of the addendum.

Question 2: We can re-use the rail being removed for the new turnout location to restore the main track where the existing turnout is being removed? The 132# rail being furnished would be just for the 100 foot track extension and for the new turnouts?

Answer: That is correct.



Request for Quotation

RFQ NUMBER RMA12010

P	AGE	
	1	

ADDRESS CORRESPONDENCE TO ATTENTION OF: FRANK WHITTAKER

304-558-2316

RFQ COPY TYPE NAME/ADDRESS HERE Atlas Railroad Construction, LLC 1253 State Route 519 Eighty Four, PA 15330

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE MOOREFIELD, WV 26836 304-538-2305

DATE PRINTED	TEP	MS OF SALE	SHIP VI	Α	Ė.O.B.	FREIGHT TERMS
11/15/2011						
BID OPENING DATE:	12/08/2		F 10 10 10 10 10 10 10 10 10 10 10 10 10	BID C	PENING TIME	01;30PM
	UANTITY	UOP CAT.	ITEM NUM		UNIT PRICE	AMOUNT
****	*****	****** A]	DENDUM NO	. 2 ***	*****	*
		IS ISSUE 12/08/201:			D OPENING DATE	
		ADDENDUM V			A LATER DATE ANSWERS.	
****	*****	**** END	ADDENDUM	NO, 2 *	******	**
2001	I	A A	60-52			407.407.00
	1			_	165,495.00	165,495.00
r owr	URNOUTS	AND ASSOC	ATED TRAC	KWORK C	N SBVR	
		1 1				
			2 20 1 20 20 20 20 20 20 20 20 20 20 20 20 20	5000000000 to 8 /80		405 405 00
* * * * *	* THIS	IS THE ENI	OF RFQ	RMA120	10 ***** TOTA	L: 165,495.00
			1			
		1				
	of the gas have such a	l bet o	EVERSE SIDE FOR T	ERMS AND CO	 NOITIONS	
SIGNATURE	0	oee R	EVENSE SIDE FOR I	724-228	2 4500	DATEDecember 6, 2011
/ Jun	Sur	FEIN		124-220	7 1000	NGES TO BE NOTED ABOVE
Gregory Susko, Vice	President	80-06291	11	ADDDECO	IN SPACE ABOVE LAI	

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and vold, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hlpaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
- 5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



Request for Quotation

RMA12010

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER 304-558-2316

RFQ COPY
TYPE NAME/ADDRESS HERE
Atlas Railroad Construction, LLC
1253 State Route 519
Eighty Four, PA 15330

WV STATE RAIL AUTHORITY
(DBA) SOUTH BRANCH VALLEY
RAILROAD
120 WATER PLANT DRIVE

120 WATER PLANT DRIVE
MOOREFIELD, WV
26836 304-538-2305

DATE PRIN	ITED	TER	MS OF SAL	É	SHII	P VIA	orocine 2.30	F.O.B.		FREIGHT TERMS
11/07/	/2011									TODM
BID OPENING DATE	:	11/17/	2011			BID	OPE	NING TIME	01:	30PM
LINE		YTITY	UOP	CAT, NO.		UMBER		UNIT PRICE		AMOUNT
0001	****** THIS A 1) TO ATT 2) PRO SHE *****	****** DDENDU REPLAC ACHED VIDE T ET.	***** M IS E THE REVIS HE AT ****	*** A ISSUE ORIG ED SP TACHE * END	DDENDUM D TO: INAL SPECIFICAT D MANDAT ADDENDU	NO. 1 ** CIFICATITIONS. TORY PRE-	ons 81D ***	**************************************	**	165,495.00
		o de la companiona de l		SEE R	EVERSE SIDE FO	DR TERMS AND CO	ONDITI	ons ::		
SIGNATURE &	-1	1				TELEPHONE 22	8-45	500	^{DA} De	cember 6, 2011
Gregory Susk	o. Vice P	resident F	E80-06	29111						TO BE NOTED ABOVE
Torogory oddr	.0, 1,001	20140116						TARREST ABOUT LA	DELE	D IVICAIDOD!

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.

3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division

and have paid the required \$125 fee.

- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes vold and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, Including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and or transfer to the particular companies. West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.

3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.

4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130

5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division,

is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



NENDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RMA12010

PAGE 2

ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER

RFQ COPY
TYPE NAME/ADDRESS HERE
Atlas Railroad Construction, LLC
1253 State Route 519
Eighty Four, PA 15330

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE MOOREFIELD, WV

26836 304-538-2305

DATE PRIN	TED	TER	MS OF SA	LE		SHIP V	IA .		F.O.B.	FREIGHT TERMS
11/07/ BID OPENING DATE	2011									
BID OPENING DATE		11/17/	2011				BID	OPE	NING TIME	01:30PM
LINE	QUAI	ITITY	UOP	CAT. NO.		ITEM NUM	and the second s		UNIT PRICE	AMOUNT
	****			HE EN		11-18° a.h.;		010	***** TOT/	405 405 00
SIGNATURE				SEE RE	VERSE S	SIDE FOR T	ERMS AND CO	DNDITIO	ons Soo	December 6, 2011
/ //	2/1	into					124-22	8-45		
Gregory Susk	o, Vice Pr	esident F	"B0-08"	329111					ADDRESS CHA	NGES TO BE NOTED ABOVE



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION State Rail Authority

120 Water Plant Drive, Moorefield, West Virginia 26836 (304) 538-2305 • TDD (800) 742-6991• Fax (304) 538-7474

To: All Attendees of the October 26, 2011 Prebid Meeting for the Installation of Two Turnouts and Associated Trackwork on the South Branch Valley Railroad.

From: John Philbrick, Superintendent

Date: October 28, 2011

RE: Addendum to RFQ #RMA12010 - Two Turnouts and Associated Trackwork on SBVR

NOTE: This addendum replaces the original RFQ in its entirety.

DESCRIPTION OF WORK

Green Spring Turnout and Trackwork: Install a new or reconditioned 132RE #10 RBM turnout approximately 100 feet north of the existing turnout, remove the existing turnout, replace the old switch ties with new crossties and connect the side track with the new turnout. The point of switch for the turnout will be marked in the field.

Moorefield Turnout and Trackwork: Replace the existing feed mill switch with a new or reconditioned 132RE #8 RBM turnout.

CONDUCT OF WORK

General

The Green Spring site is located within yard limits. This is non-controlled track that is used jointly by SBVR and CSX train crews. The Moorefield site is also located within yard limits. SBVR will provide roadway worker protection and communication with the control office in Moorefield at both work sites. Contractor will be given a three-day window over a weekend for each location. SBVR must be given at least two weeks' notice to inform SBVR customers and CSX.

There will be a mandatory pre-construction meeting held with the successful contractor prior to the start of work. This meeting will be held with SRA and SBVR employees and the contractor's project manager. The purpose of this meeting is to assure that everyone understands the entire scope of work as outlined in the awarded purchase order.

A final inspection of all completed work will be conducted by the contractor, SRA and SBVR to assure that all work is completed as stated in the specifications. Final payment will be withheld until this inspection is complete.

The contractor will comply with all safety rules and regulations as required by the Federal Railroad Administration, SBVR and other parties as applicable.

The contractor is responsible for clean-up of the work site. All debris and refuse will be removed from SBVR property and disposed of properly. Old rail, switches and OTM will be placed in piles on the right of way clear of tracks and will remain the property of the SBVR.

On-track machinery and equipment can be stored on side tracks at Green Spring and Moorefield. There is no direct vehicular access to the Moorefield location. No materials or equipment may be placed on property adjacent to the SBVR right of way without the property owner's permission.

The contractor will use Heavy & Highway Construction Rates as established for Hampshire (Green Spring) and Hardy (Moorefield) Counties. These rates are pursuant to WV Code § 21-5A, et. Seq. and are available at www.wvsos.com/adlaw/wagerates. The contractor will be responsible for submitting certified payrolls to the SRA.

Site Preparation

The SBVR has widened the grade at Green Spring for the new turnout and the extension of the side track. The light pole at Green Spring will be relocated by SBVR.

Turnouts and Track Layout

Both turnouts will be built to AREMA design specifications. Filter fabric will be placed under the ballast and switch stands shall be placed eight feet from the center line of the track. The point of switch for the Green Spring turnout will be marked in the field. Both turnouts will use bolted joints. The side track extension at Green Spring will have rail joints welded.

Ties

All ties shall be placed in the track at right angles to the centerline of the track. The end of the tie on the line side shall be 4'3" from the centerline of the track. Switch ties shall be lined on the straight side, unless otherwise noted on plans. Crossties will not be spaced in excess of 21" centers in main track or in excess of 24" in side tracks. Switch ties will be spaced according to design. Where an existing tie is being respiked, it must be adzed, when necessary, to give the tie plate a full bearing across the tie and parallel with the plane of the track. Spike holes shall be plugged prior to placement of rail.

Before placing tie plates on the tie, dirt and other substances shall be removed from the bottom of the tie plate and the top of the tie. Care must be taken that canted tie plates incline toward the center of the track and that plates having a different amount of cant or flat plates are not mixed.

Rail

Rails shall be placed so that the joints in each line of rail shall be within the middle half of the opposite length of rail. To minimize the cutting of full length rails, short rails may be used in adjusting for proper spacing of joints, but no less than 33 feet in curves or 19'6" on tangents shall be used.

Flame cutting of rail shall not be permitted. Rail shall be cut with a rail saw. Bolt holes shall be drilled, not torch cut.

The bottom of the rail shall be cleaned before rail is laid. Rails shall be laid one at a time and, to ensure good adjustment, the rail ends brought squarely together against suitable rail expansion shims and bolted before spiking.

Bolted joints are to be centered between ties when possible. Field welded joints are to be centered between ties.

Contractor will perform any welding or grinding necessary to correct rail end mismatch.

Welded Rail Joints

Joints in the Green Spring side track extension are to be thermite welded per the manufacturer's instructions. Contractor will follow AREMA section 2.5 for thermite welding of rail joints. The quality of all welds shall be checked by the contractor using magnetic particle or ultrasound inspection in accordance with AREMA Specifications for Fabrication of Continuous Welded Rail. Test results are to be provided to the SBVR.

Spiking

Rail will be gaged to 56 ½ inches plus or minus ¼ inch measured on a plane 5/8 inch below top of rail. All ties shall be spiked with new spikes in the appropriate pattern as required by SBVR standards (Attachment A). Old spikes will not be reused. Spikes shall be started and driven vertically and square with the rail. Spikes shall have full bearing against the side of the rail base. Spikes shall not be overdriven; a gap of 1/8 to 3/16 inch shall remain between the underside of the spike and the top of the rail base.

Rail Anchoring

The Green Spring side track extension will have every other tie box anchored, i.e., an anchor on each side of a tie, on both rails, or four (4) anchors applied to one tie. Ties on the main track at Green Spring will be box anchored for 200 feet north of the point of switch. The Green Spring and Moorefield turnouts will have all ties possible box anchored on the through and diverging routes. Anchors shall be applied to the gage side of the rail against the same tie face on opposite rails. Rail anchors shall be securely fastened to the rail and have a solid bearing against the ties. They shall not be moved by driving them along the rail.

Ballast Section

There will be at least six inches of ballast between the filter fabric and bottom of switch ties. There will be six inches of ballast between the ends of the ties and the slope of the ballast shoulder. Cribs will be filled but no ballast will be left on top of the ties.

Surfacing and Alinement

Both turnouts and the new section of track at Green Spring will be surfaced and lined to match existing tracks. When surfacing a turnout, tamping will continue for a distance of at least 100 feet beyond the turnout to ensure uniform surface through the turnout. Contractor will use a mechanical tamper. Two insertions will be made for each tie.

MATERIALS

SBVR will provide the following:

- 1. Ballast at Moorefield. (Contractor will transport ballast to job site and place in track.)
- 2. A&K EZ-OP 51-A switch stand for Moorefield turnout (from existing turnout).
- 3. Switch plates for Moorefield turnout (from existing turnout).

Contractor will provide the following:

All materials must conform to AREMA design specifications where applicable.

- 1. Turnouts: One 132RB #8 RBMI turnout and one 132RE #10 RBMI turnout per AREMA design specifications. Switches may be new or reconditioned. Switch stand for the Green Spring turnout will be a new A&K EZ-OP 51-A. Self guarded frogs will not be accepted. The switch plates from the existing switch at Moorefield may be reused in the new switch.
- 2. Switch Ties: One set of switch ties for a #8 turnout and one set for a #10 turnout. Switch ties will be 100% end-plated, mixed hardwoods and oak, creosote pressure-treated to 7# or refusal.
- 3. Crossties: Ties shall be 7"x 9"x 8'6" industrial grade ties. The specifications set forth in Chapter 3 of the AREMA specifications will govern. The ties will be 100% end-plated, mixed hardwoods and oak, creosote pressure-treated to 7# or refusal. 1,100 crossties will be needed for the new runaround track.
- 4. Filter Fabric: For use beneath both turnouts. It shall be sixteen-ounce needle punch, non-woven.

- 5. Tie Plates: Tie plates for the 132RE rail shall be double shouldered and inclined-surfaced with all plates having 1:40 cant. They shall have eight square spike holes. Round holes are not acceptable. Plates shall not be bent or have excessively worn spike holes. They shall be a minimum of 13 inches in length and 7-3/4 inches in width.
- 6. Tie Plugs: Tie plugs shall be 5/8 inch and creosote-treated. Foam spike hole filler may also be used.
- 7. Track Spikes: Spikes shall be new 5/8 inch by 6 inch.
- 8. Rail Anchors: These shall be new drive-on design and be the proper size for the rail to which they are applied.
- 9. Track Bolts: New standard heat-treated carbon steel track bolts and nuts shall conform to the type and weight of the track material being used. Spring washers of the appropriate size shall be used on each bolt.
- 10. 132RE Rail: Rail shall conform to the following:
 - a. Wear shall be no greater than 1/4" on both the top and gage side.
 - b. Rails shall be straight horizontally except that not more than 10% of the order may have horizontal curves not greater than indicated by the mid-ordinate of ¼" in thirty feet.
 - c. Rails shall be straight vertically with no upsweep or droop permissible.
 - d. Rails shall be clean in appearance and free of obvious defects. Slight indentations or spike notching with a maximum depth of 1/8" and maximum length of ¾" is permissible. Slight pitting is also allowable. Webs must be free of visual defects. Slight pitting is permissible. Rails shall have gage wear on one side only. Metal flow on rail head shall not exceed 1/8" per side. Engine burns shall not be greater than ½" wide by 1 ½" long by 1/16" deep, shall not exceed two per rail and shall affect no more than 10% of the entire order.
 - Manganese steel rails shall not be provided. All rails shall be control cooled in accordance with AREMA specifications in effect at the time of the rail's manufacture.
- 11. Joint Bars: Six holes per bar with drilling pattern to match the above rail.
- 12. Compromise Bars: 132RE/112RE, six holes per bar to connect Moorefield switch to feed mill lead.
- 13. Rail Weld Kits: Thermite welds for the Green Spring side track extension.
- 14. Ballast: Contractor will provide ballast for Green Spring. The local supplier is Allegany Aggregates at 301-777-1777.

Ballast shall be crushed stone or slag and shall conform to the current AREMA "Specifications of Prepared Stone, Slag and Gravel Ballast." Size of ballast shall be AREMA #3 as indicated below:

Size of Opening	Percent Passing by Weight				
2 1/2"	100				
2"	90 - 100				
1 1/2".	35 - 70				
1"	0 - 15				
1/2"	0				

Contractor may have materials shipped to SBVR at Moorefield. The SBVR must be notified in advance of such deliveries. Contractor will be responsible for transportation of all materials it supplies to the work site.

COMPLETION DATE

The completion date for this project is June 30, 2012. The cost to the SBVR for the administration of the contract as well as train delays that will be incurred after that date make it necessary for the SBVR to assess liquidated damages against the contractor for each calendar day any work remains uncompleted after that date. The charge will be \$500.00 per day.

BID REQUIREMENTS

The contractor MUST have previous experience in railroad track construction.

All questions are to go to Frank Whittaker at the Purchasing Division at 304-558-2316 or at frank.m.whittaker@wv.gov. Contractors are not to contact the State Rail Authority directly. Contractor is to give a unit cost for each item listed on the cost sheet. Low bid will be determined by the lowest total amount for all unit costs multiplied by the quantities as listed on the attached cost sheet.

Attachment A

SPIKING PATTERN. " A"

ī.	الم الم
	0 0
ULIKING	0 0
Ŋ	0 0

SPIKING PATTERN 'B'

-	מ	u O	
	ט	ار	1
	-07	n	

SPIKING PATTERN "C"

ם	a O
	r
O O	_11

SPIKING PATTERN "O"

0

E - TANCK SPIKE

PATTERN

בריואבה הכת יוב

TONCK TITIE. THACK ALICHENT.
AND SPECO AUTHORIZEO

PLATE

TANGENTS AND CURVES LESS THAN 2 DEGREE

SOLIDI STONOCS AND STOLAGS

TANGENTS AND CUITVES LESS THAN 2 DEGASE

WITH SPEED UP TO 45 YEAR

WITH SPEED CREATER THAN 45 HPH

MAIN TRACK - A TRACK, DIMEN TMAN AN AUXILIARY TRACK, EXTENDING THATODON YATOS AND DETWEEN STATIONS, UPON MILEN TRAINS ARE CPENATED IN CONFORMANCE WILL MULES OR SPECIAL INSTRUCTIONS.

SIDING - AN AUXILIARY TRACK DESIGNATED IN SPECIAL INSTRUCTIONS FOR THE MEETING ON PASSING OF TRAINS.

D

SIDE TRACK - AN AUXILIARY TRACK FOR PURPOSES OTHER THAN MEETING OR PASSING TRAINS.

٥ ٥

TANGENTS AND CURVES LESS THAN G DECINE CURVES G DECINES AND OVER DUT LESS THAN 12 DECINE

SIDE INACKS - SPEEDS UP 10 25 MPM

בטשעבט סעפת ב סבכתבב

CURVES 2 DEGREE AND DVER BUT LESS THAN G DEGREE

ca

בטאעצי ב ספטעפני יאם סעפת סטד רפינה זומא א ספטאפב

CLITIVES OVER 4 DUGNEE

SIDE TRACKS - SPEEDS GREATER THAN 25 MPH FANGENTS AND CUIVES LESS THAN 2 DEGREE

כחעאבצ סאבע וב מככענב

MAIN TRACK SPIKING PATTERNS SIDE TRACK SPIKING PATTERNS

	SBVR Turnout Installation Cost Sheet							
Line Item	Description	Unit Cost	Unit of Measure	Quantity	Extended Cost			
	Turnout Installation							
1	Green Spring Turnout - complete with associated trackwork	\$ 108,820.00	per turnout	1	\$ 108,820.00			
- 2	2 Moorefield Turnout - complete with	\$ 56,675.00	per turnout	1	\$ 56,675.00			
	associated trackwork							
				Total Bid	\$ 165,495.0			

Notes:

- 1.) The above quantities are the agency's best estimate for the amount of work to be completed.

 Any variation in the actual quantities will be determine based on the unit price shown above for the given work.
- 2.) Vendors should complete this form in its entirety in lieu of submitting other quote forms. Submitted form should be provided in a legible form. (Typewritten form preferred.)
- 3.) Vendors must submit unit prices for all line items. Failure to provide unit prices will result in the disqualification of the vendor's bid.

		I .
Page	of	I
1 ago	OI .	,

Pre-Bid Conference SIGN IN SHEET

[Please Print]

Request for Proposal No.: RMA 13	2010 -Two Turnouts Date: 10/26	/11
Firm & Representative Name	ucled Tradework on SBVR <u>Mailing Address</u>	Telephone & FAX Numbers
1. GWReoples Boy Hawkins	rhawkins @ gwpeoples. Com	T: <u>412720-</u> 0985 , F:
2. Ben Swope Fritz Rumer-Cookeco	bswope@fixrail.com POBOX.07884 Columbus OH 43207	T: <u>614-444-8844</u> F:614 444 7224
3. Richard Hull American Railroad	2870 Monuandy Dr. Attanto, 54 80305	T: <u>404-915-</u> 3124 F: <u>770-393</u> -011D
4. BALFOUR BENNY FAIL LEE WILLIAMS	1600 RTE 136 WAS HINGTOD, PA 15301	T: 724.228-7636 F: 724.884.0024
5. Atlar RR Court.	1253 51. Pete 5 19 ENALY FOUR, PA 1.(328	T: 724-2284508 F: 124-228-3183
6. ARMOND CASSIL R.R.CONST.	6403 RINKE ST. WARREN, MI 48091	T: <u>586-754-4</u> 200 F: <u>586-754-4</u> 408
7. BOB MARTHEWS AMERICA RR CONTRACTORS	9436 EARLEY DRIVE HAGERSTOWN, MD ZIZGE	T: <u>301-797~3</u> 730 F: <u>301-797 - 3</u> 740
8		T: F:

Please print or write legibly. The fax number is essential to contact the attendees in a timely manner.



Request for Quotation

RFQ NUMBER

PAGE

RMA12010

ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER

NENDOR

RFQ COPY
TYPE NAME/ADDRESS HERE
Atlas Railroad Construction, LLC
1253 State Route 519
Eighty Four, PA 15330

WV STATE RAIL AUTHORITY
(DBA) SOUTH BRANCH VALLEY
RAILROAD
120 WATER PLANT DRIVE
MOOREFIELD, WV
26836 304-538-2305

DATE PRIN	TED	TER	MS OF SAL	E die g	SHIP.	/iA		F.O.B.		FREIGHT TERMS
09/27/	2011									
BID OPENING DATE:		11/17/	2011			BID	OPENI	NG TIME	01	:30PM
LINE	QUA	NTITY	UOP	CAT. NO.	ITEM NUI	MBER		UNIT PRICE	Ý.	AMOUNT
0001		1	EΑ		160-52		165,4	95.00		165,495.00
	TWO TU	IRNOUTS	AND	ASSOC	IATED TRA	CKWORK	ON SB	VR		
	THE WE BIDS F ASSOCI	ST VIR OR THE ATED T	GINIA CONS RACK	STAT TRUCT Work	HASING DI E RAIL AU ION OF TW ON THE SO E ATTACHE	THORITY O (2) T UTH BRA	IS S URNOU NCH V	OLICITIN TS AND ALLEY		
	AT THE INTERE FAILUR DISQUA	STED PRE TO A) INT ARTIE TTEND TION	ID WI ERCHA S ARE THE OF TH	DATORY PR LL BE HEL NGE AT GR REQUIRED MANDATORY E BID. N E BIDDER.	D 10/26 EEN SPR TO ATT PRE-BI	ING, END T D SHA	WV. ALL HIS MEET LL RESUL	ING	
	POTENT OFFICE PRE-BI REPRES IN DIS ACCEPT THE BI COMPLE SHEET WILL N FAILUR ADDITE	TIAL BI TAL DOC TO, FA SENTATI SQUALIF TANY O TODER I ETED THE THE TOT ASS RE TO C TON, WE	DDERS UMENT ILURE VE NA ICATI THER S RES E INF PURCH UME A OMPLE	TO COVERING PON OF COMMAN	LL BE MAD OMPLETE, FYING ATT ROVIDE YO THE ATTE THE BID, ENTATION BLE FOR E ION REQUI ON REQUI SPONSIBILE PRE-BIL HAT ALL F	THIS MEDICAL THIS MEDICAL THE SECONDANCE THE SECONDANCE TO VERICAL THE SECONDANCE	ILL S ANY A SHEET STATE FY AT THE A HE STA R A BI DANCE	ERVE AS HE MANDA ND WILL RE WILL NOT TENDANCE HAVE TTENDANC TE AGENC DDER-S SHEET.	SULT SULT SE SY	
				SEE RE	VERSE SIDE FOR				4	
SIGNATURE	n/1	usho				724-22	8-4500		DATED	ecember 6, 2011
Gregory Susko	o, Vice Pr	esident	^{EIN} 80-06	29111						TO BE NOTED ABOVE

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.

3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.

- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and vold, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia (Control of Control West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.

3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.

4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Fallure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130

5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



RFQ COPY

1253 State Route 519

Eighty Four, PA 15330

TYPE NAME/ADDRESS HERE

Atlas Railroad Construction, LLC

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for p Quotation

RMA12010

ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER 304-558-2316

RAILROAD 120 WATER PLANT DRIVE MOOREFIELD, WV

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY 304-538-2305 26836

DATE PRINT	ED .	TER	MS OF SAL	Ė, i i i i	SHIP V	IA *** * * * * [F.O.B.		FREIGHT TERMS
09/27/										
BID OPENING DATE:		11/17/	2011			BID	OPE	NING TIME		30PM
LINE	QUA	NTITY	UOP	CAT. NO.	ITEM NUM	ABER		UNIT PRICE		AMOUNT
	THE ST LATE, PORTIC BIDDEF PORTIC OF THE	ARTING BUT PR ON OF T ON OF T ON OF T	TIME IOR T HE PR ARRIV HE PR ID WI	FOR O THE E-BID E AFT E-BID LL NO	THE PRE-B DISMISSA WILL BE ER CONCLU	ID. BI L OF TH PERMITT SION OF ING ANY	DDE E T ED TH SU	TO SIGN I E TECHNIC BSEQUENT	N.	
	FRANK AT FRADE DEADL 4:00 I	WHITTA ANK.M.W INE FOR	KER I HITTA ALL TECH	N THE KEROW TECHN NICAL	WV PURCH V.GOV OR ICAL QUES QUESTION	ASING D VIA FAX STIONS I	IVI AT S 1	IN WRITE SION VIA 304-558- 1/01/2015 ADDRESSE	EMAI 4115. AT	
	EXHIB	IT 5								
	TION REQUI SUBMI THE B MUST OF TH CLE 1 TO SU THE B	FOR A FRES EACT AT THE SIGN E SIGN CHAPE BMIT THE SHALL BMIT THE S	UBLIC H VEN E SAN E ENCL ED AN R'S C TER 2 IE SIC L RES	IMPR DOR T SED D SUB COMPLI D S	OVEMENT ON HAT SUBMED AN AFFE MITTED WE WITH THE WEST RUG-FREE NO DISQUAL	CONSTRUC TS A BI IDAVIT O E WORKPL ITH THE I THE PR VIRGINI WORKPLA LIFICATI	D F CACE	ANY SOLO ON CONTRACT OR THE WO COMPLIANCE AFFIDAV DAS EVID ISIONS OF CODE. FAI AFFIDAVI OF SUCH	CT DRK TO E WITH IT ENCE ARTI- LURE T WITH	
	06/30	E TO PI /2012. ED IN I	THE /	AGENCY	IS CONTRA WILL IS	ACT IS T SUE THE	NO.	BE COMPLE TICE TO	TED BY	
	CANCE	LLATIO	TI					G RESERVE		
SIGNATURE	9	-0	/	SEERE	VERSE SIDE FOR	TERMS AND CO		ons	DATE	ecember 6, 2011
TITLE	yn.	Sun	FEIDO O	200444		124-22	. .			S TO BE NOTED ABOVE
Gregory Susk	o, Vice F	resident	80-08	529111				ADDRESS	CHANGE	, to be noted above



Request for Quotation

REQ NUMBER

PAGE

RMA12010

_____3

ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER

NENDOR

RFQ COPY
TYPE NAME/ADDRESS HERE
Atlas Railroad Construction, LLC
1253 State Route 519
Eighty Four, PA 15330

WV STATE RAIL AUTHORITY

(DBA) SOUTH BRANCH VALLEY

RAILROAD

120 WATER PLANT DRIVE

MOOREFIELD, WV

26836

304-538-2305

DATE PRINTE	ED :	TER	MS OF SAL	E .	SHIP V	IA ···	1,73(%)	F.O.B.	FREIGHT TERMS
09/27/2	2011								
BID OPENING DATE:		11/17/	2011						1:30PM
LINE	QUAN	NTITY	UOP	CAT, NO.	ITEM NUM	(BER		UNIT PRICE	AMOUNT
	NOTICE SUPPLI	TO TH ED ARE HE SPE	E VEN OF A	DOR I N INF	F THE MAT	ERIALS LITY OR	OR WO	PON WRITTEN RKMANSHIP OT CONFORM RACT	
 	THE HI RATES FO WES	GHER O AS EST T VIRG	F THE ABLIS INIA	U.S. HED F CODE	FOR	NT OF L IRE COU , SEQ.	ABOR NTY,		Ē
	INTERE REQUIR DR IN	ST FOR ED BY ANY AM	PAYM STATE ERICA	ENTS LAW) N INS	RENCES MA DUE (EXCE CONTAINE TITUTE OF TRACT ARE	PT FOR D IN TH ARCHIT	ANY I IS CO ECTS	NTEREST NTRACT DOCUMENTS	
								TO PROVIDE SUCCESSFUL	
1 1		THE I S CONT			ED BELOW	WILL BE	A RE	QUIREMENT	
	OF COM ISSUAN THE BI	MERCIA CE OF D DOCU	L GEN CONTR MENTS	ERAL ACT. , THE	LIABILITY	INSURA THERWIS	NCE P	CIFIED IN	
	FURNIS	H PROC	F OF	BUILD	ERS RISK	- ALL R	ISK I	'ENDOR SHALL INSURANCE IN IE CONTRACT.	
	THE BI	D PAYA	BLE T	O THE	STATE OF	WEST V	IRGIN	. AMOUNT OF NIA, SHALL B	
OLONIATION / /	77. 27			SEE RE	VERSE SIDE FOR T	ERMS AND CO	NDITIONS	IDATE	
SIGNATURE	- 1	luski				724-22	28-4500) איין	December 6, 2011
Gregory Susko	, Vice Pr	esident	90-08 ^{/18}	329111		27.27.27.11		ADDRESS CHANGE	S TO BE NOTED ABOVE



Request for AFONUMBER Quotation

RMA12010

ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER 304-558-2316

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE MOOREFIELD, WV 304-538-2305 26836

RFQ COPY TYPE NAME/ADDRESS HERE Atlas Railroad Construction, LLC 1253 State Route 519 Eighty Four, PA 15330

DATE PRINT	rED .	TÈRI	MS OF SALI	i e l	SHIP VIA		F.O.B.	FREIGHT TERMS
09/27/								
BID OPENING DATE:		11/17/	2011				PENING TIME 0	1:30PM
LINE	Francisco de la constante de l	NTITY	UOP	CAT. NO.	ITEM NUMBER	i 1	UNIT PRICE	AMOUNT
	BIDDER MATERI BONDS IRREVO SOLVEN STATE IN LIE UNDER ACCECF	SHALL AL BON MAY BE CABLE IT SURE OF WES U OF A \$100,0	ALSO D FOR PROV LETTE TY CO T VIR BOND OO. IN LI	FURN 100% IDED R OF MPANY GINIA WILL PERSO EU OF	ISH A PERFO OF THE AMO IN THE FORM CREDIT, OR AUTHORIZED A LETTER ONLY BE AL NAL OR BUSI	RMANCE UNT OF OF A BOND F TO DO OF CR LOWED NESS C BOND,	THE SUCCESSFUL BOND AND LABOR THE CONTRACT. CERTIFIED CHECK URNISHED BY A BUSINESS IN TH EDIT SUBMITTED FOR PROJECTS HECKS ARE NOT PERFORMANCE	,
	COVERI	NG THE	ROOF	ING S	A TWO (2) YSTEM WILL	YEAR BE A R	MAINTENANCE BON EQUIREMENT OF	D
	EXHIB:	TIC ALU	MINUM	, GLA	SS & STEEL	IN PUB	BLIC WORKS	
	SEQ., ALTERA PUBLIC IN THI MORE STEEL GLASS IN AD FOR U	EVERY ATION, C WORKS E CASE THAN \$E ARE RE , OR SI DITION, SE AT I	CONTR REPAI OF ST O,000 QUIRE EEL P ITEM	ACT F R, IM RE TH EEL O OR W D, TH RODUC S OF TE OF	PROVEMENT OF COST IS NOT THE C	CTION, OR MAIN HORE TH THE CO THAN 10 L ACCE O IN TH OR EQUITE KS SH	RECONSTRUCTION	JM S.
SIGNATURE	 	0	<u> </u> 	SEE RE	 EVERSE SIDE FOR TER TE	MS AND CON EPI24-22	iditions 8-4500 DAT	December 6, 2011
24	In C	Such	EINOC	00044		127-22	0 1000	
"Gregory Sus	ko, Viće F	President	E™80-0	62911	l		ADDRESS CHANG	ES TO BE NOTED ABOVE



Request for Quotation

RMA12010

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER 304-558-2316

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE MOOREFIELD, WV 304-538-2305 26836

RFQ COPY TYPE NAME/ADDRESS HERE Atlas Railroad Construction, LLC 1253 State Route 519 Eighty Four, PA 15330

DATE PRINT	rED	TER	MS OF SALE		SHIP VIA		A. (8)	F.O.B.		FREIGHT TERMS
09/27/										
BID OPENING DATE:		11/17/	2011			BID	1 1	NING TIME		30PM
LINE	QUAI	NTITY :::	UOP C	AT. VÖ,	ITEM NUMB	ER		UNIT PRICE		AMOUNT
					ED IN PUBL					
	FOREIG	N MADE	ALUMIN Y IF TH	UM, E C	GLASS OR	STEEL	PRO PRO	DUCTS MAY B	UND	
	TO BE	UNREAS	ONABLE.	S	UCH COST I	S UNRE	ASO	NABLE IF IT	IS	
	20% OR	MORE	HIGHER	THA	N THE BID	PRICE	FOR	FOREIGN MA S OR STEEL	DE	
	PRODUC	TS TO	BE SUPP	LIE	D OR PRODU	CED IN	A	"SUBSTANTIA	L	
	LABOR	SURPLU	S AREA"	, A	S DEFINED	BY THE	UN	ITED STATES		
	DEPART	MENT O	F LABOR	, F	OREIGN PRO	DUCTS	MAY	BE SUPPLIE HIGHER IN	ا ت	
	PRICE	THAN T	HE FORE	IGN	MADE PROD	UCTS	OKL	MIONEN 2N		
							Line	O THE ABOVE		
	IF, PF	RIOR TO	THE AW	IARL	NG DEFICE	RACT U	IE S	R THE ABOVE SPENDING UNI	т	
	DETERN	INES T	HAT THE	RE	EXISTS A I	BID FOR	R LI	KE FOREIGN		
	ALUMIN	NUM, GL	ASS OR	STE	EL THAT IS	REASO	NAE	BLE AND LOWE	R	
	THAN	THE LOW	EST BID) DC (MESTIC PRO WRITING,)DUCIS,	/ ΙΑΙ Ι	IE SPENDING		
	REDUC	INAT K	THE LO	WES	T BID FOR	SUCH I	OME	STIC PRODUC	TS.	
	ALL VI	ENDORS	MUST IN	DIG	CATE IN THE	EIR BII	O IF	THEY ARE		
	SUPPLY	YING FO	REIGN A	ALUI	INUM, GLAS	SS OR S	SILE	iL.		
	REV.	3/88								
	EXHIB	IT 9								
		E FOR I		E &	ACKNOWLED	GEMENT	OF	CONSTRUCTIO	N	
	THE A	RCHITEC	T/ENGI	NEE	R AND/OR A	GENCY	SHA	LL BE REQUI	RED	
	TO AB	IDE BY	THE FOI	LLO	WING SCHED ADDENDA FO	ULE IN	IS	SUING		
	1		1						DIIM	
	(1)	THE ARC	1				- 1	E THE ADDEN	บบท	
NO VATUE	0			SEE R	EVERSE SIDE FOR T	ERMS AND C	ONDIT	ION\$	DATE	Josephor 6, 2011
SIGNATURE	Lyn	Su	sh			724-2	28-4	1500	-	ecember 6, 2011
Gregory Sus	ko, Vice F	President	80-062	911	1	455550	2 141 6	ADDRESS CH		TO BE NOTED ABOVE



Request for Quotation

RFQ NUMBER

RMA12010

PAGE

PREMIE TERMS

ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER

RFQ COPY TYPE NAME/ADDRESS HERE Atlas Railroad Construction, LLC 1253 State Route 519 Eighty Four, PA 15330

WV STATE RAIL AUTHORITY
(DBA) SOUTH BRANCH VALLEY
RAILROAD
120 WATER PLANT DRIVE
MOOREFIELD, WV
26836 304-538-2305

DATE PRIN	IED	TER	MS OF SAL	.е	SHIP VIA	F.O.B.	PHEIGHT TERMS
09/27/	2011				Management of the second of th		
BID OPENING DATE:	170-171-171-171-171-171-171-171-171-171-	11/17/	2011		BID	OPENING TIME	01:30PM
LINE	QUA	YTITY	4	CAT. NO.		UNIT PRICE	
	AND A AND SP AND LI PURCHA SEND A	LIST O ECIFIC ST SHA SING D COPY	ATION LL BE IVISI OF TH	S FOR FORW ON. E ADD	IES THAT HAVE PR THE PROJECT. T ARDED TO THE BUY THE ARCHITECT/EN ENDUM TO THE STA ISSUED.	HE ADDENDUM ER IN THE STAT GINEER SHALL A	E
	INTERE OPENIN BUYER	STED P G DATE	ARTIE . AN FOUR	S AND Y ADD	END THE ADDENDUM , IF NECESSARY, ENDUM SHOULD BE (14) DAYS PRIOR	EXTEND THE BID RECEIVED BY TH	Street Control of the
	BIDDER DIVISI THAT SHALL EXCEPT	S AND ON, APPLY ALSO A ION MA	SUB THE TO PPLY Y BE	MITTE SAME THE TO AN FOR A	D BE FORMALLY ACD TO THE STATE RULES AND RESTRICT ORIGINAL BIDDING ADDENDUM DOCUMEN ADDENDUM THATE OF A BID OPENING	E PURCHASING GULATIONS G DOCUMENT NT. THE ONLY IS ISSUED FOR	
	REV. 1	1.755-12 1.76 - 550					
	ADDEND	OUM ACK	NOWLE	DGEME	NT		
,	ADDEND	UM(S)	AND H	AVE M	ECEIPT OF THE FO ADE THE NECESSAR OR SPECIFICATION	Y REVISIONS TO	
	ADDEND	OUM NOS	. :				
	NO. 1	1	1/07/2	Þ11			
SIGNATURE	4	7		SEE RE	VERSE SIDE FOR TERMS AND CO		December 6, 2011
TITLE	My	Jus	FINO C	000444			
Gregory Sust	o, Vice P	resident	80-06	629111		ADDRESS CHA	NGES TO BE NOTED ABOVE



VEZDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RMA12010

FREIGHT TERMS

... ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER 304-558-2316

RFQ COPY TYPE NAME/ADDRESS HERE Atlas Railroad Construction, LLC 1253 State Route 519 Eighty Four, PA 15330

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE MOOREFIELD, WV 304-538-2305 26836

DATE PRIN	TED TE	RMS OF SAL	E	SHIP VIA		F.O.B.	FREIGHT TERMS
09/27/		NAME OF TAKE			DAD CI	SENTING TIME O	1:30PM
BID OPENING DATE:	11/17	/2011		Fe		57.127	The second second second second
LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMB	ER	UNIT PRICE	AMOUNT
	NO. 2	dated 1	1/15/2	011			
	NO. 3	.dated.	1,1/28/2	011.			
	NO. 4						
	NO. 5						
	I UNDERSTAN ADDENDUM(S)	D THAT	FAIL E CAU	URE TO CON SE FOR REJ	FIRM THI ECTION	E RECEIPT OF TH OF THE BIDS.	E
	ORAL DISCUS AND ANY STA INFORMATION SPECIFICATI	ION MASSION HATE PER I ISSUE	DE OR ELD E SONNE D IN AN C	ASSUMED TETWEEN VENUEL IS NOT BETWEEN AND FRICIAL ADDRESS OF THE COMMENT OF THE C	O BE MAIDOR'S RINDING. ID ADDED DENDUM	DE DURING ANY EPRESENTATIVES ONLY THE TO THE IS BINDING.	
	December				DAT		
	REV. 11/96						
		c	NTRA	CTORS LICE	NSE		
	PERSONS DES	SIRING BE LIC BOARD	TO P CENSE IS EM	ERFORM CON D. THE WES POWERED TO	ST VIRGI	RES THAT ALL WORK IN THIS INIA CONTRACTOR THE CONTRACTORS RS LICENSE MAY	1
OLOMATURE			SEER	EVERSE SIDE FOR TO	ERMS AND CON	DITIONS DATE	^{re} December 6, 2011
SIGNATURE	yn Sus	le l	00011		TELEP 224-228	7 4000	RES TO BE NOTED ABOVE
Gregory Sus	ko Vice Presiden	t ''"80-0	62911	1		ADDRESS CHANC	SES TO BE NOTED ADOVE



RFQ COPY

TYPE NAME/ADDRESS HERE

1253 State Route 519

Atlas Railroad Construction, LLC

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RMA12010

PAGE 8

		ADDRESS CORRESPONDENCE	TO	ATTENTION C	F:
--	--	------------------------	----	-------------	----

ADDRESS CHANGES TO BE NOTED ABOVE

FRANK WHITTAKER 304-558-2316

SH-P TO

WV STATE RAIL AUTHORITY
(DBA) SOUTH BRANCH VALLEY
RAILROAD
120 WATER PLANT DRIVE
MOOREFIELD, WV
26836 304-538-23

DATE PRINT	ED :	TER	MS OF SAL	E & S. (31)	SHIP VIA		F.O.B.		FREIGHT TERMS
09/27/		<u> </u>			The transfer of the same of th				
BID OPENING DATE:		11/17/	2011		I	BID	OPENING TIME	01	:30PM
LINE		YTITY	UOP	CÁT. No.	ITEM NUMBER		UNIT PRICE		AMOUNT
	CAPITO	L COMP	LEX,	BUILD	WEST VIRGINT ING 3, ROOM 3 4) 558-7890.	IA D 319,	IVISION OF LAB CHARLESTON, W	OR V	
	PROSPE	IRGINI CTIVE E NUMB	BIDDE	R TO	DE 21-11-11 INCLUDE THE (R BID.	REQU	IRES ANY RACTORS		
	BIDDER	TO CO	MPLET	E :	Atlas Railroad 0	onet	ruction IIC		
	CONTRA	CTORS	NAME:	• • •	WV04854			• • •	
	A STATE OF THE STA	CTORS			.1			• • •	
	COPY O	CCESSF F THEI CHASE O	R CON	TRACT	ORS LICENSE	IRED PRIO	TO FURNISH A R TO ISSUANCE	0F	
				AP	PLICABLE LAW				
	AND RETHE "F	GULATI	ONS, FOR THE S	AND T QUOTA	HE INFORMATI	ON P BY	THE PURCHASING		3
	ANY OT	THER SO TERS TH UBED IN	URCE,	VERE	BAL OR WRITTE	N, W	ION MANUALS, C HICH CONTRADIO M THE SOURCES ID AND OF NO	CTS	
	FOR BA	ANKRUPT	CY PI	OTECT	TION, THE STAD, AND TERMIN	TE N	ONTRACTOR FILE AY DEEM THE SUCH CONTRACT	ES	

FEI80-0629111

Gregory Susko, Vice President



Request for Quotation

RMA12010

ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER 304-558-2316

NODZEK

RFQ COPY TYPE NAME/ADDRESS HERE Atlas Railroad Construction, LLC 1253 State Route 519 Eighty Four, PA 15330

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE MOOREFIELD, WV 26836 304-538-2305

DATEPHIN		IEn	MS OF SAL	C	SHIP V	<u>^</u>	r.o.s.	PACIGNI TENNO
09/27/								
BID OPENING DATE:		11/17/	2011			BID	OPENING TIME	01:30PM
LINE		ITITY	UOP	CAT. NO.	ITEM NUM	4 - 1 - 1	UNIT PRICE	AMOUNT
	REV. 5	/2009						
				NO	TICE			
	A SIGN	ED BID	MUST	BE S	UBMITTED	TO:		
	Р	EPARTM URCHAS UILDIN	ING D		INISTRATI ON	DN		
	. 2	019 WA	SHING	State of the second second second	TREET, EA 5305-0130	ST		
	12. 12010			12 12 12 13 CG	THIS INF D MAY NOT		N ON THE FACE SIDERED:	OF
	SEALED	BID						
	BUYER:				44			
	REQ. N	0.:			RMA	12010		
*	BID OP	ENING	DATE:		11/	17/2011		
	BID OP	ENING	TIME:		1:3	0 PM		
	TO CON		OU RE	GARDI	UMBER IN NG YOUR B 724-228-318	ID:	IS NECESSARY	
ě		PRINT NING T		UOTE:	Gregory	Susko		
SIGNATURE /		, ,		SEE RE	VERSE SIDE FOR T			IDATE D
SIGNATURE	2	lush				TELE 724-2	28-4500	DATE December 6, 2011
Gregory Susk	o, Vice P	resident	N 80-0	62911	1		ADDRESS CH	IANGES TO BE NOTED ABOVE
						ADDRESS	IN SPACE ABOVE LA	ABELED 'VENDOR'



VEZDOR

RFQ COPY

1253 State Route 519

Eighty Four, PA 15330

TYPE NAME/ADDRESS HERE

Atlas Railroad Construction, LLC

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RMA12010

PAGE

... ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER 304-558-2316

SH-P TO

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE MOOREFIELD, WV

26836 304-538-2305

FREIGHT TERMS F.O.B. SHIP VIA DATE PRINTED TERMS OF SALE 09/27/2011 BID OPENING TIME BID OPENING DATE: 11/17/2011 UNIT PRICE : AMOUNT ITEM NUMBER QUANTITY UOP LINE Gregory \$usko 165,495.00 RMA12010 ***** TOTAL: THIS IS THE END OF RFQ ***** SEE REVERSE SIDE FOR TERMS AND CONDITIONS DATE December 6, 2011 TELEP124-228-4500 SIGNATURE TITLE Gregory Susko, Vice President FEIN 80-0629111 ADDRESS CHANGES TO BE NOTED ABOVE

REQUEST FOR QUOTATION

The West Virginia Purchasing Division for the agency, the West Virginia State Rail Authority (SRA), is soliciting bids for the construction of two turnouts and associated trackwork on the South Branch Valley Railroad (SBVR).

DESCRIPTION OF WORK

Green Spring Turnout and Trackwork: Install a new or reconditioned 132RE #10 RBM turnout approximately 100 feet north of the existing turnout, remove the existing turnout, replace the old switch ties with new crossties and connect the side track with the new turnout. The point of switch for the turnout will be marked in the field.

Petersburg Turnout and Trackwork: Install a new or reconditioned 100RB #8 RBM turnout in Petersburg Yard to connect the south end of Greer side track with the main track. The point of switch for the turnout will be marked in the field. The distance from the point of switch of the new turnout and the connection with the existing side track is 265 feet.

CONDUCT OF WORK

General

The Green Spring site is located within yard limits. This is non-controlled track that is used jointly by SBVR and CSX train crews. The Petersburg site is also located within yard limits. SBVR crews operate to Petersburg twice a week. The SBVR will provide roadway worker protection and communication with the control office in Moorefield at both work sites.

There will be a mandatory pre-construction meeting held with the successful contractor prior to the start of work. This meeting will be held with SRA and SBVR employees and the contractor's project manager. The purpose of this meeting is to assure that everyone understands the entire scope of work as outlined in the awarded purchase order.

A weekly status report must be submitted to the SBVR. This report will be signed by the contractor and railroad representative and will list the work completed for the week. A final inspection of all completed work will be conducted by the contractor, SRA and SBVR to assure that all work is completed as stated in the specifications. Final payment will be withheld until this inspection is complete.

The contractor will comply with all safety rules and regulations as required by the Federal Railroad Administration, SBVR and other parties as applicable.

The contractor is responsible for clean-up of the work site. All debris and refuse will be removed from SBVR property and disposed of properly. Old rail and OTM will be placed in piles on the right of way clear of tracks and will remain the property of the SBVR.

On-track machinery and equipment can be stored on side tracks at Green Spring and Petersburg. There is vehicular access to each of these locations. No materials or equipment may be placed on property adjacent to the SBVR right of way without the property owner's permission.

The contractor will use Heavy & Highway Construction Rates as established for Hampshire (Green Spring) and Grant (Petersburg) Counties. These rates are pursuant to WV Code § 21-5A, et. Seq. and are available at www.wvsos.com/adlaw/wagerates. The contractor will be responsible for submitting certified payrolls to the SRA.

Grade Preparation

The SBVR will widen the grade in both locations to accommodate the turnouts and extended tracks.

Turnouts and Track Layout

Both turnouts will be built to AREMA design specifications. Filter fabric will be placed under the ballast and switch stands shall be placed eight feet from the center line of the track. The point of switch for each turnout will be marked in the field. The Green Spring turnout will be all-welded while the Petersburg turnout will use bolted joints. The side track extensions will have jointed rail.

Ties

All ties shall be placed in the track at right angles to the centerline of the track. The end of the tie on the line side shall be 4'3" from the centerline of the track. Switch ties shall be lined on the straight side, unless otherwise noted on plans. Crossties will not be spaced in excess of 21" centers in main track or in excess of 24" in side tracks. Switch ties will be spaced according to design. Where an existing tie is being respiked, it must be adzed, when necessary, to give the tie plate a full bearing across the tie and parallel with the plane of the track. Spike holes shall be plugged prior to placement of rail.

Before placing tie plates on the tie, dirt and other substances shall be removed form the bottom of the tie plate and the top of the tie. Care must be taken that canted tie plates incline toward the center of the track and that plates having a different amount of cant or flat plates are not mixed.

Rail

Rails shall be placed so that the joints in each line of rail shall be within the middle half of the opposite length of rail. To minimize the cutting of full length rails, short rails may be used in adjusting for proper spacing of joints, but no less than 33 feet in curves or 19'6" on tangents shall be used.

Flame cutting of rail shall not be permitted. Rail shall be cut with a rail saw. Bolt holes shall be drilled, not torch cut.

The bottom of the rail shall be cleaned before rail is laid. Rails shall be laid one at a time and, to ensure good adjustment, the rail ends brought squarely together against suitable rail expansion shims and bolted before spiking.

Bolted joints are to be centered between ties when possible. Field welded joints are to be centered between ties.

SBVR will perform any welding or grinding necessary to correct rail end mismatch.

Welded Rail Joints

Joints in the Green Spring turnout are to be thermite welded per the manufacturer's instructions. Contractor will follow AREMA section 2.5 for thermite welding of rail joints. The quality of all welds shall be checked by the contractor using magnetic particle or ultrasound inspection in accordance with AREMA Specifications for Fabrication of Continuous Welded Rail. Test results are to be provided to the SBVR.

Spiking

Rail will be gaged to 56 ½ inches plus or minus ¼ inch measured on a plane 5/8 inch below top of rail. All ties shall be spiked with new spikes in the appropriate pattern as required by SBVR standards (Attachment A). Old spikes will not be reused. Spikes shall be started and driven vertically and square with the rail. Spikes shall have full bearing against the side of the rail base. Spikes shall not be overdriven; a gap of 1/8 to 3/16 inch shall remain between the underside of the spike and the top of the rail base.

Rail Anchoring

Every fourth tie shall be box anchored, i.e., an anchor on each side of a tie, on both rails, or four (4) anchors applied to one tie. Turnouts will have all ties possible box anchored on the through and diverging routes. They shall be applied to the gage side of the rail against the same tie face on opposite rails. Rail anchors shall be securely fastened to the rail and have a solid bearing against the ties. They shall not be moved by driving them along the rail.

Ballast Section

There will be at least six inches of ballast between the filter fabric and bottom of switch ties. There will be six inches of ballast between the ends of the ties and the slope of the ballast shoulder. Cribs will be filled but no ballast will be left on top of the ties.

Surfacing and Alinement

The turnouts and new sections of track will be surfaced and lined to match existing tracks. When surfacing a turnout, tamping will continue for a distance of at least 100 feet beyond the turnout to ensure uniform surface through the turnout. Contractor will use a mechanical tamper. Two insertions will be made for each tie.

MATERIALS

SBVR will provide the following:

- 1. Ballast at Moorefield. (Contractor will transport ballast to job sites and place in track.)
- 2. Petersburg Turnout: 100RB rail, tie plates, joint bars and compromise joint bars.

Contractor will provide the following:

All materials must conform to AREMA design specifications where applicable.

1. Turnouts: One 100RB #8 RBMI turnout and one 132RE #10 RBMI turnout per AREMA design specifications. Switches may be new or reconditioned. Switch stands will be the New Century 51-A complete with bow handles. Self guarded frogs will not be accepted.

- 2. Switch Ties: One set of switch ties for a #8 turnout and one set for a #10 turnout. Switch ties will be 100% end-plated, mixed hardwoods and oak, creosote pressure-treated to 7# or refusal.
- 3. Crossties: Ties shall be 7"x 9"x 8'6" industrial grade ties. The specifications set forth in Chapter 3 of the AREMA specifications will govern. The ties will be 100% end-plated, mixed hardwoods and oak, creosote pressure-treated to 7# or refusal. 1,100 crossties will be needed for the new runaround track.
- 4. Filter Fabric: For use beneath both turnouts. It shall be sixteen-ounce needle punch, non-woven.
- 5. Tie Plates: Tie plates for the 132RE rail shall be double shouldered and inclined-surfaced with all plates having 1:40 cant. They shall have eight square spike holes. Round holes are not acceptable. Plates shall not be bent or have excessively worn spike holes. They shall be a minimum of 13 inches in length and 7-3/4 inches in width.
- 6. Tie Plugs: Tie plugs shall be 5/8 inch and creosote-treated. Foam spike hole filler may also be used.
- 7. Track Spikes: Spikes shall be new 5/8 inch by 6 inch.
- 8. Rail Anchors: These shall be new drive-on design and be the proper size for the rail to which they are applied.
- 9. Track Bolts: New standard heat-treated carbon steel track bolts and nuts shall conform to the type and weight of the track material being used. Spring washers of the appropriate size shall be used on each bolt.
- 10. 132RE Rail: Rail shall conform to the following:
 - a. Wear shall be no greater than 1/4" on both the top and gage side.
 - b. Rails shall be straight horizontally except that not more than 10% of the order may have horizontal curves not greater than indicated by the mid-ordinate of ¼" in thirty feet.
 - c. Rails shall be straight vertically with no upsweep or droop permissible.
 - d. Rails shall be clean in appearance and free of obvious defects. Slight indentations or spike notching with a maximum depth of 1/8" and maximum length of ¾" is permissible. Slight pitting is also allowable. Webs must be free of visual defects. Slight pitting is permissible. Rails shall have gage wear on one side only. Metal flow on rail head shall not exceed 1/8" per side. Engine burns shall not be greater than ½" wide by 1 ½" long by 1/16" deep, shall not exceed two per rail and shall affect no more than 10% of the entire order.
 - e. Manganese steel rails shall not be provided. All rails shall be control cooled in accordance with AREMA specifications in effect at the time of the rail's manufacture.

- 11. Joint Bars: Six holes per bar with drilling pattern to match the above rail.
- 12. Rail Weld Kits: Thermite welds for the Green Spring turnout.

Contractor may have materials shipped to SBVR at Moorefield. The SBVR must be notified in advance of such deliveries. Contractor will be responsible for transportation of all materials it supplies to the work site.

COMPLETION DATE

The completion date for this project is June 30, 2012. The cost to the SBVR for the administration of the contract as well as train delays that will be incurred after that date make it necessary for the SBVR to assess liquidated damages against the contractor for each calendar day any work remains uncompleted after that date. The charge will be \$500.00 per day.

BID REQUIREMENTS

The contractor MUST have previous experience in railroad track construction.

A mandatory prebid meeting will be held on October 26, 2011 at 10:00 am at the SBVR interchange tracks at Green Spring, WV. Contractors wishing to attend should inform Frank Whittaker at 304-558-2316 by October 25, 2011. Questions prior to the prebid meeting must be submitted in writing and will be addressed at the meeting. Please e-mail any questions to Frank Whittaker at frank.m.whittaker@wv.gov. All questions prior to the prebid meeting and all questions after the prebid meeting are to go to Frank Whittaker at the Purchasing Division. Other than questions addressed the day of the prebid meeting, contractors are not to contact the State Rail Authority directly.

Contractor is to give a unit cost for each item listed on the cost sheet. Low bid will be determined by the lowest total amount for all unit costs multiplied by the quantities as listed on the attached cost sheet.


Attachment A

SPIKING PATTERN. " A"

ם שר	a a	
ט ם	и О	
בו	ס	
0	-u-	

SPIKING PATTERN 'B'

ם	# 0
D D	
0 0	C)



SPIKING PATTERN "C"

ж С	
מ מ	
и и о о	
и о и	

SPIKING PATTERN "D"

	<u>п</u> п
	и п
2	
777 10	H H
	00

	SPIKES	1
TRACK ITPE. THACK ALIGNMENT.	PER TIE	SPIKING.
חאס מיהבכס אטואסמוצבס	PLATE	PATTERN.
אוא ומתכאב אונו בוטואפב		
TANGENTS AND CURVES LESS THAN 2 DEGREE	2	<
ATTH SPEED UP TO 45 HPH		
INNGENTS AND CURVES LESS THAN 2 DEGREE	n	6
ATTH SPECO CREATER THAN 45 NPH		
CURVES 2 DEGREE AND OVER BUT LESS THAN G DEGREE	A	υ
CURVES OVER G DEGREE	s	٥
SIDE TOACKS - SPEEDS UP 10 25 MPH		
TANGENTS AND CUTIVES LESS THAN G DEGREE	2	۲
CURVES 6 DEGREE AND OVER BUT LESS THAN 12 DEGRE	C	0
CUNVES OVER 12 DEGREE	4	U
SIDE TANCKS - SPEEDS CREATER THAN 25 MILL		
TANGENTS AND CUITVES LESS THAN 2 DEGILCE .	2	<
CHAVES 2 DEGREE AND OVER BUT LESS THAN 4 DEGREE	n	c
	٧	U
LINES OVER 1 DEGINE		

E - IDACK SPIKE

CONFORMANCE VIIII RULES OR SPECIAL INSTRUCTIONS. MAIN TRACK - A TRACK, OTHER THAN AN AUXILIARY STATIONS. UPON WILCH THAINS ARE CPERATED IN TRACK. EXTENDING THROUGH YARDS AND DETWEEN

SPECIAL INSTRUCTIONS FOR THE MEETING OR PASSING SIDING - AN AUXILIANY TRACK DESIGNATED IN OF TRAINS.

SIDE INACK - AN AUXILIAMY TRACK FOR PURPOSES OTHER THAN MEETING ON PASSING TRAINS. TRACK SPIKING PATTERNS TRACK SPIKING PATTERNS MAIN SIDE

SBVR Turnout Installation Cost Sheet

Line	Description	Unit	Unit	Quantity	Extended
Item		Cost	of Measure		Cost
	Turnout Installation	4 (1) (1) (1) (1) (1) (1) (1) (1			
:	Green Spring Turnout - complete with	\$	per turnout	1	\$
	associated trackwork				
	2 Petersburg Turnout - complete with	\$	per turnout	1	\$
	associated trackwork				
				Total Bid:	\$ 165,495.00

Notes:

1.) The above quantities are the agency's best estimate for the amount of work to be completed. Any variation in the actual quantities will be determine based on the unit price shown above for the given work.

2.) Vendors should complete this form in its entirety in lieu of submitting other quote forms. Submitted form should be provided in a legible form. (Typewritten form preferred.)

3.) Vendors must submit unit prices for all line items. Failure to provide unit prices will result in the disqualification of the vendor's bid.

BID BOND

KNOW ALL MEN BY THESE PRESENTS, T	That we, the undersigned, Atlas Railroad Construction, LLC
	Four, PA 15330, as Principal, and Arch Insurance Company
of 300 Plaza Three, Jersey City, NJ 0	7311-1107, a corporation organized and existing under the laws of the State of
	Kansas City , as Surety, are held and firmly bound unto the State
of West Virginia, as Obligee, in the penal sum of Five	e Percent (5%) of the Total (\$5% of the Total Amount) for the payment of which,
well and truly to be made, we jointly and severally bin	ount of the Bid of the Bid ourselves, our heirs, administrators, executors, successors and assigns.
The Condition of the above obligation is suc	h that whereas the Principal has submitted to the Purchasing Section of the
Department of Administration a certain bid or proposa	al, attached hereto and made a part hereof, to enter into a contract in writing for
Construction of Two (2) Turnouts and Associated Tr	rackwork on the South Branch Valley Railroad (SBVR)
NOW THEREFORE,	
(a) If said bid shall be rejected, or	
(b) If said bid shall be accepted and the Pri	incipal shall enter into a contract in accordance with the bid or proposal attached
hereto and shall furnish any other bonds and insurant	ce required by the bid or proposal, and shall in all other respects perform the en this obligation shall be null and void, otherwise this obligation shall remain in full
force and effect. It is expressly understood and agree	ed that the liability of the Surety for any and all claims hereunder shall, in no event,
exceed the penal amount of this obligation as herein	stated.
The Surety, for the value received, hereby s way impaired or affected by any extension of the time waive notice of any such extension.	tipulates and agrees that the obligations of said Surety and its bond shall be in no within which the Obligee may accept such bid, and said Surety does hereby
IN WITNESS WILEPESE Developed and Sur	set, have because and their hands and social and such of them as are cornerations
The state of the s	rety have hereunto set their hands and seals, and such of them as are corporations
	into and these presents to be signed by their proper officers, this
8th day of December , 20 11	-
201	Atlas Railroad Construction, LLC
Principal Corporate Seal	(Name of Principal)
	y De
	Must be President or
	Vice President)
	Garages Custo Vac Lasident
	(Title)
Surety Corporate Seal	Arch Insurance Company
	(Name of Surety)
	Ω
	(M) makehndee.
	Gemma B. Rendler Attorney-in-Fact
	Comma D. Politici

IMPORTANT – Surety executing bonds must be licensed in West Virginia to transact surety insurance. Raised corporate seals must be affixed, a power of attorney must be attached.

Arch Insurance Company

CONSENT OF SURETY

KNOW ALL MEN BY THESE PRESENTS,

That for and in consideration of the sum of One Dollar, lawful money of the United States, the receipt whereof is hereby acknowledged, paid the undersigned corporation, and for other valuable consideration, the

Arch Insurance Company, a corporation organized and existing under the laws of the State of

MO and licensed to do business in the State of West Virginia consents and agrees,

that if the contract for the State Of West Virginia, Department Of Administration:

Construction of Two (2) Turnouts and Associated Trackwork on the South Branch Valley Railroad (SBVR) RFQ No. RMA12010

be awarded to ATLAS RAILROAD CONSTRUCTION, LLC the undersigned corporation agrees with the said

State Of West Virginia, Department Of Administration to execute the final bonds as required by the specifications, and to

become surety in the full amount of the contract price for the faithful performance of the contract.

IN WITNESS WHEREOF, the undersigned corporation has caused this agreement to be signed by its duly authorized representative and its corporate seal be hereto affixed this

8th day of December, 2011.

Arch Insurance Company

Gemma B. Fendler, ATTORNEY-IN-FACT

POWER OF ATTORNEY

Know All Men By These Presents:

That the Arch Insurance Company, a corporation organized and existing under the laws of the State of Missouri, having its principal office in Kansas City, Missouri (hereinafter referred to as the "Company") does hereby appoint

James D. Toennies, Kelly A. Caswell, Erika L. Toennies and Gemma B. Fendler of Norristown, PA (EACH)

its true and lawful Attorney(s)-in-Fact, to make, execute, seal, and deliver from the date of issuance of this power for and on its behalf as surety, and as its act and deed:

Any and all bonds and undertakings

EXCEPTION: NO AUTHORITY is granted to make, execute, seal and deliver bonds or undertakings that guarantee the payment or collection of any promissory note, check, draft or letter of credit.

This authority does not permit the same obligation to be split into two or more bonds in order to bring each such bond within the dollar limit of authority as set forth herein.

The Company may revoke this appointment at any time.

The execution of such bonds and undertakings in pursuance of these presents shall be as binding upon the said Company as fully and amply to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at its principal office in Kansas City, Missouri.

This Power of Attorney is executed by authority of resolutions adopted by unanimous consent of the Board of Directors of the Company on March 3, 2003, true and accurate copies of which are hereinafter set forth and are hereby certified to by the undersigned Secretary as being in full force and effect:

"VOTED, That the Chairman of the Board, the President, or any Vice President, or their appointees designated in writing and filed with the Secretary, or the Secretary shall have the power and authority to appoint agents and attorneys-in-fact, and to authorize them to execute on behalf of the Company, and attach the seal of the Company thereto, bonds and undertakings, recognizances, contracts of indemnity and other writings, obligatory in the nature thereof, and any such officers of the Company may appoint agents for acceptance of process."

This Power of Attorney is signed, sealed and certified by facsimile under and by authority of the following resolution adopted by the unanimous consent of the Board of Directors of the Company on March 3, 2003:

VOTED, That the signature of the Chairman of the Board, the President, or any Vice President, or their appointees designated in writing and filed with the Secretary, and the signature of the Secretary, the seal of the Company, and certifications by the Secretary, may be affixed by facsimile on any power of attorney or bond executed pursuant to the resolution adopted by the Board of Directors on March 3, 2003, and any such power so executed, sealed and certified with respect to any bond or undertaking to which it is attached, shall continue to be valid and binding upon the Company.

ARCH INSURANCE COMPANY STATEMENT OF FINANCIAL CONDITION December 31, 2010

Assets

Cash in Banks Bonds owned Stocks Premiums in course of collection	\$ 89,745,338 1,055,658,067 367,171,766 146,978,596
Accrued interest and other assets	268,448,878
Total Assets	\$ 1,928,002,645
Liabilities	
Reserve for losses and adjustment expenses Reserve for unearned premiums Ceded reinsurance premiums payable Amounts withheld or retained by company for account of others Reserve for taxes, expenses and other liabilities	\$ 681,380,653 139,311,239 92,726,263 143,242,640 255,558,983
Total Liabilities	1,312,219,778
Surplus as regards policyholders	615,782,867
Total Surplus and Liabilities By: Attest: Maten Auch	\$ 1,928,002,645
Senior Vice President, Chief Financial Officer and Treasurer Senior Vice President, Secretary and General Counsel	etary

State of New York)

SS

County of Nassau)

Thomas James Ahern and Martin John Nilsen, being duly sworn, say that they are Senior Vice President and Chief Financial Officer and Secretary, respectively, of ARCH INSURANCE COMPANY, Missouri; and that the foregoing is a true and correct statement of financial condition of said company, as of December 31, 2010.

Subscribed and sworn to before me, this 16th day of March, 2011

Notary Public

BRYAN D. KOHLBECKER ID # 2403903 NOTARY PUBLIC OF NEW JERSEY My Commission Expires 1/19/2016



State of West Virginia DRUG FREE WORKPLACE CONFORMANCE AFFIDAVIT West Virginia Code §21-1D-5

STATE OF Pennsylvania			
COUNTY OF Washington , TO-WIT:			
I, <u>Gregory Susko</u> , after being first duly sworn, depose and state as follows:			
I am an employee of Atlas Railroad Construction, LLC ; and, (Company Name)			
2. I do hereby attest that Atlas Railroad Construction, LLC (Company Name)			
maintains a valid written drug free workplace policy and that such policy is in compliance with West Virginia Code §21-1D-5.			
The above statements are sworn to under the penalty of perjury.			
Atlas Railroad Construction, LLC			
(Company Name)			
By: Lyn Sento	-		
Title: Gregory Susko, Vice President	-		
Date: December 06, 2011	**		
Taken, subscribed and sworn to before me this 6th day of December	_•		
By Commission expires COMMONWEALTH OF DEALINEST VANIA Karen I. Johnson Commonwealth Of Dealinest VANIA			
North Strabane Twp., Washington County My Commission Expires Feb. 25, 2014 Member, Pennsylvania Association (Notaries)			
(Notary Public)			
Karen J Johnson THIS AFFIDAVIT MUST BE SUBMITTED WITH THE BID IN ORDER TO			
COMPLY WITH WV CODE PROVISIONS. FAILURE TO INCLUDE THE			
AEETDAVIT WITH THE RID SHALL RESULT IN DISCULALIFICATION OF	4		

THE BID.

Rev March 2009

	DMAA42040
RFQ No.	RMA12010
MI GINO.	

STATE OF WEST VIRGINIA **Purchasing Division**

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its **DEFINITIONS:** political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any Individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more countles or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more countles or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE Atlas Railroad Construction, LLC Vendor's Name: Date: December 06, 2011 Authorized Signature: _ Gregory Susko, Vice President State of Pennsylvania . to-wit: Washington County of December Notarial Seal My Commission expires Karen J. Johnson, Notary Public North Strabane Twp., Washington County My Commission Expires Feb. 25 20 TARY PUBLIC AFFIX SEAL HERE Member, Pennsylvania Association of Notaries Karen J Johnson