

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for p Quotation

RFQ NUMBER VET012094

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF

TARA LYLE 304-558-2544

\*820112204 800-346-0066 CENTURY EQUIPMENT INC 5959 ANGOLA RD

TOLEDO OH 43615

DIVISION OF VETERANS AFFAIRS ATTENTION: C. PRATHER SUITE 101 1321 PLAZA EAST CHARLESTON, WV 25301-1400 558-3661

DATE PRIN	TED TER	RMS OF SALE		SHIP VIA	F.O.B.		FREIGHT TERMS
06/04/2 BID OPENING DATE:							
	1 00/21/	1	*****	BTD (	PENTING TIME	01;	30PM
LINE	QUANTITY		AT. IO.	ITEM NUMBER	UNIT PRICE		AMOUNT
0001 t	TILITY VEHIO	EA CLE	(	)70-48-50-001 -	\$39,261.16		\$39,261.16
E M C	GENCY, WV DI OLICITING BI ODEL 07370, ARRIER FOR T	VISION DS TO P OR EQUA HE WV V	OF ROV L W	ASING DIVISION FOR VETERANS AFFAIRS IDE A TORO WORKMITH SWIVEL BASE RANS CEMETERY LONG CHED SPECIFICATI	, IS AN HDX, CASKET CATED IN		
E U V	USINESS ON C SPS, FAX, CC ENDOR RECEIV UESTIONS WII	6/12/20 URIER O ES AN U L BE AN	12. R E NFA SWE	BE ACCEPTED UNTI QUESTIONS MAY -MAIL. IN ORDER IR ADVANTAGE, NO RED ORALLY. IF EFERRED. ADDRES	BE SENT VIA TO ASSURE NO SUBSTANTIVE POSSIBLE.		
P 2	ARA LYLE EPARTMENT OF URCHASING DI 019 WASHINGT HARLESTON, W	VISION ON STRE	ET,	ATION EAST	2	100	OFN/FD N 18 AN 10: 26
The same of the sa	AX: 304-558 MAIL: TARA.	-4115 L.LYLE@N	WV.	GOV		V.V.	RUPCHLANG DIVISION
C	ANCELLATION:	58.08.90		TOR OF PURCHASIN		E	
SIGNATURE				TELEPHONE		DATE &	11/ 15
IIILE	To Service Ser	EIN		419-86	55-7400		-14-12
13000 600SE	, O wooded	34-44	781	46	ADDRESS CHA	NGES	TO BE NOTED ABOVE

# GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.

3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division

and have paid the required \$125 fee.

- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code,
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/htpaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

### INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly Indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate. shipping terms are clearly identified in the quotation.
- 4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Fallure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130 5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division.

is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for

RFQ NUMBER VET012094

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF

558-3661

TARA LYLE 304-558-2544

25301-1400

\*820112204 800-346-0066 CENTURY EQUIPMENT INC 5959 ANGOLA RD

TOLEDO OH 43615

DIVISION OF VETERANS AFFAIRS ATTENTION: C. PRATHER SUITE 101 1321 PLAZA EAST CHARLESTON, WV

DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. FREIGHT TERMS 06/04/2012 BID OPENING DATE: 06/21/2012 BID OPENING TIME 01:30PMCAT. QUANTITY UOP LINE ITEM NUMBER UNIT PRICE AMOUNT RIGHT TO CANGEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IN THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM O THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN. IN THE EVENT THE VENDOR/CONTRACTOR FILES BANKRUPTCY: OR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER. THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINDR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST Virginia legislative rules and regulations. ANY INDIVIDUAL SIGNING THIS BID IS CERTIFYING THAT: (1) HE OR SHE IS AUTHORIZED BY THE BIDDER TO EXECUTE THE BID OR ANY DOCUMENTS RELATED THERETO ON BEHALF OF THE BIDDER, (2) THAT HE OR SHE IS AUTHORIZED TO BIND THE BIDDER IN A CONTRACTUAL RELATIONSHIP, AND (3) THAT THE BIDDER HAS PROPERLY REGISTERED WITH ANY STATE AGENCIES THAT MAY REQUIRE REGISTRATION. VENDOR PREFERENCE CERTIFICATE THIS TEAM EXHIBIT HAS BEEN REPLACED BY THE ONLINE MERSION WHICH IS AVAILABLE HERE: HTTP://WWW.STATE.WV.US/ADMIN/PURCHASE/VRC/VENPREF.PDF SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE 6-14-12 419-865-7400 ADDRESS CHANGES TO BE NOTED ABOVE 34-4478146



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

RFQNUMBER VET012094 3

ADDRESS CORRESPONDENCE TO ATTENTION OF

558-3661

TARA LYLE 304-558-2544

\*820112204 800-346-0066 CENTURY EQUIPMENT INC 5959 ANGOLA RD

TOLEDO OH 43615

DIVISION OF VETERANS AFFAIRS ATTENTION: C. PRATHER SUITE 101 1321 PLAZA EAST CHARLESTON, WV 25301-1400

DATE PRINT	ED TER	IMS OF SAL	E	SHIP V	IA	F.O.B,		FREIGHT TERMS
06/04/2 BID OPENING DATE:								
00/21/4012			B0000000000000000000000000000000000000	BID Q	PENING TIME	IG TIME 01:30PM		
LINE	QUANTITY	UOP	CAT, NO.	ITEM NUM	BER	UNIT PRICE		AMOUNT
Z	PURCHASI BUILDING	NT OF NG DI 15	' ADMI VISIC	BMITTED T	N			
T	CHARLEST	ON, W	V 25 TAIN	305-0130 THIS INFO	RMATION	ON THE FACE IDERED:	OF	
	EALED BID			-TL/32				
					1		1	
P:		E A F	AX NU	MBER IN CA	ASE IT	IS NECESSARY -292-7635		
C	ONTACT PERSO	N (PL		PRINT CLEA		Tim Hughes		
SIGNATURE	X CUL				TELEPHONE		DATE	1.1.15
TITLE	S) SS	IN			419-8	65-7400	6	(5/5/2
B15100	s brached		44781	46		ADDRESS CH/	ANGES TO	BE NOTED ABOVE



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER VET012094 PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF

TARA LYLE 304-558-2544

\*820112204 800-346-0066 CENTURY EQUIPMENT INC 5959 ANGOLA RD

TOLEDO OH 43615

DIVISION OF VETERANS AFFAIRS ATTENTION: C. PRATHER SUITE 101 1321 PLAZA EAST CHARLESTON, WV 25301-1400 558-3661

DATE PRIN		JER	MS OF SAL	E	SHIP	VIA	F.O.B.		FREIGHT TERMS
06/04/2									
BID OPENING DATE:	<u>C</u>	6/21/2	2012	DESCRIPTION OF THE		BID (	PENING TI	ME 01	30PM
LINE	QUAN	ITITY	UOP	CAT. NO.	ITEM NU	IMBER	UNIT PR	CE	AMOUNT
		ITITY	UOP	CAT NO		MBER	100000000000000000000000000000000000000		
SIGNATURE	2			SEE REV	ERSE SIDE FOR T	TELEPHONE		DATE	-14-12
TITLE	-	FEI	N			419-8	65-7400	6	-14-13
TITLE OLUSIOSIS	Bears	LEK FE	34-	44781	46		ADDRES	S CHANGES	TO BE NOTED ABOVE
WHE	N RESPO		OPEO	INICEDI	CIANE AND	ADDDECCI	N SPACE AROL	/C I ADELE	DIVENDODI

# <u>VET012094</u> Division of Veterans Assistance

The WV Department of Veteran's Assistance is soliciting bids for a Toro Workman HDX, or equal with a casket carrier for the Donel Kinnard Memorial State Veterans Cemetery in Dunbar, WV.

The equipment must be manufactured for commercial use. All items must be new. Damaged or defective items must be replaced at no additional expense to the WV Department of Veterans Assistance.

## Additional specifications:

TORO Workman HDX - 4WD - Model 07370, or equal

Battery - 12 Volt

Transmission - Forward and reverse speeds

Fully automatic on-demand, bi-directional 4WD system

Steel frame

Hydraulic power steering

2-post rollover protective structure

4 wheel hydraulic disk brakes

Twin headlights

Standard lap seat belts

Throttle, brake and clutch pedals. Gear shifter, differential lock, parking brake, high-low range shifter and hydraulic lift levers.

7" ground clearance minimum

Rear tow hitch

Deluxe hard cab

Heater

Side mirrors

Vented front glass windshield Interior dome light 2 speed windshield wipers

Toro, or equal, alternator cover

2-year warranty manufacturer's warranty.

## With attached swivel base casket carrier:

Approximately 91" long, 32" wide and 34" tall
Approximate maximum capacity 4,000 lbs.
Base mount heavy gauge tubing with thick, flat plate bar material
Stainless steel hardware
Coated rollers with thick industrial polyurethane
Powder coated
All stainless steel nuts and bolts
Door locks during casket transportation

If bidding "or equal" brands, Vendors should attach manufacturer's literature documenting that it meets the requirements stated in the specifications. If vendors are bidding equivalent products, product literature should be included with your bid.

All items are to be FOB Destination. Freight or delivery prices should be included in the bid price. Items to be delivered to the Donel Kinnard Memorial State Veterans Cemetery located at 130 Academy Drive Dunbar, WV 25064. Delivery should occur 30 days after the purchase order issued to the successful vendor.

The contract will be awarded to one vendor with the lowest grand total meeting all of the specifications with the most complete bid. An authorized signature must be in the bid.

		VET012094		
*****		Bid Form		
item#	Description	Estimated Quantity	Unit Price	Extended Amount
	TORO Workman HDX Model 07370, or equal, with casket carrier per the specifications	1 ea	\$39,261.16	\$39,261.16
	Failure to use this form may result in disqualification		GRAND TOTAL:	s <u>3</u> 9,261.16
	Bidder / Vendor Information:			
	Name: Century Equipment Address: 5959 Angola Rd. Toledo, OH 43615			
	Phone#: 419-865-7400			
	Email Address: rsmolik@centuryequip.com  Authorized Signature:			

RFQ No. 1	/ET012094
-----------	-----------

# STATE OF WEST VIRGINIA Purchasing Division

# **PURCHASING AFFIDAVIT**

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

#### **DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

**EXCEPTION:** The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

### WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: <u>Century Equipment</u>	
Authorized Signature:	Date: 6-14-()
State of Ohio	
County of Cuyahogq , to-wit:	
Taken, subscribed, and sworn to before me this∕ <u> ⁴/t/</u> day	of June, 20/2.
My Commission expires 12-18-2015	, 20 <u>15</u> .
AFFIX SEAL HERE	NOTARY PUBLIC GUIDEL AND MUELLE

NOTARY PUBLIC STATE OF OHIO JUDITH DAVIS MUEHLBAUER MY APPOINTMENT EXPIRES DEC. 18TH 2015 Rev. 09/08

# State of West Virginia

# **VENDOR PREFERENCE CERTIFICATE**

Certification and application\* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1.	Application is made for 2.5% resident vendor preference for the reason checked:  Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this contification; or
	ing the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
	Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one number state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3.	Application is made for 2.5% resident vendor preference for the reason checked:  Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4.	Application is made for 5% resident vendor preference for the reason checked:  Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:  Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:  Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
requ agai	ler understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the lirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty inst such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency educted from any unpaid balance on the contract or purchase order.
auth the dee	submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and norizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information med by the Tax Commissioner to be confidential.
3497253970007	der penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate nges during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.
Bid	der: <u>Century Equipment</u> Signed:
	Title Dispersion of the Control of t

\*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.



VENDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Solicitation

NUMBER VET012094 PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF:

TARA LYLE 804-558-2544

RFQ COPY TYPE NAME/ADDRESS HERE

CENTURY EQUIPMENT 5959 Angola Rd. Toledo, OH 43615

DIVISION OF VETERANS AFFAIRS SHIP ATTENTION: C. PRATHER

SUITE 101

1321 PLAZA EAST ö CHARLESTON, WV

25301-1400 558-3661

DATE PRINTED 06/13/2012 BID OPENING DATE: 06/21/2012 BID OPENING TIME 01;30PM CAT. LINE **QUANTITY** UOP ITEM NUMBER UNIT PRICE THUOMA ADDENDUM NO. 1\$EE ATTACHMENTS FOR SOLICITATION - VETΦ12094 ENID OF ADDENDUM NO. 1 0001 μA Φ70-48-50-001 1. \$39,261.16 \$39,261.16 TILITY VEHICLE THIS IS THE END OF RFQ VET012094 \*\*\*\*\* TOTAL: \$39,261.16 TELEPHONE 6-14-12 419-865-7400 ADDRESS CHANGES TO BE NOTED ABOVE

De an waland 34-4478146 WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

# SOLICITATION NUMBER: VET012094 Addendum Number: 1

The purpose of this addendum is to modify the solicitation identified as VET012094 ("Solicitation") to reflect the change(s) identified and described below.

Applicable .	Addendum Category:
[ ]	Modify bid opening date and time
[ ]	Modify specifications of product or service being sought
[ X ]	Attachment of vendor questions and responses
[ ]	Attachment of pre-bid sign-in sheet
[ ]	Correction of error
[ ]	Other
Description	of Modification to Solicitation: To address vendor questions.
	Non-controller Decomposite Consoler Lie Alle Alle Alle Consoler

Additional Documentation: Documentation related to this Addendum (if any) has been included herewith as Attachment A and is specifically incorporated herein by reference.

#### Terms and Conditions:

- 1. All provisions of the Solicitation and other addenda not modified herein shall remain in full force and effect.
- 2. Vendor should acknowledge receipt of all addenda issued for this Solicitation by completing an Addendum Acknowledgment, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

# ATTACHMENT A

### QUESTIONS:

- Q1: While quoting our vehicle hard cab, it is necessary to choose a door option. The two options are a *Sliding* Window Door Kit, or a *Solid* Window Door Kit. Please review and indicate which option best suits your situation.
- A1: Sliding window door kit.

#### ADDITIONAL TERMS AND CONDITIONS

Various Legislative acts passed in the 2012 session require inclusion of certain provisions in all state contracts. Accordingly, this addendum will add the three provisions listed below to the solicitation and resulting contract entered into between the State of West Virginia and the vendor. In the event that the solicitation is not for construction or architectural/engineering work, sections 2 and 3 below will not apply.

BACKGROUND CHECK: In accordance with W. Va. Code § 15-2D-3, the Director of
the Division of Protective Services may require any service provider whose employees
are regularly employed on the grounds or in the buildings of the Capitol complex or who
have access to sensitive or critical information to submit to a fingerprint-based state and
federal background inquiry through the state repository.

After the contract for such services has been approved, but before any such employees are permitted to be on the grounds or in the buildings of the Capitol complex or have access to sensitive or critical information, the service provider shall submit a list of all persons who will be physically present and working at the Capitol complex to the Director of the Division of Protective Services for purposes of verifying compliance with this provision.

The State reserves the right to prohibit a service provider's employees from accessing sensitive or critical information or to be present at the Capitol complex based upon results addressed from a criminal background check.

2. SUBCONTRACTOR LIST SUBMISSION: In accordance with W. Va. Code § 5-22-1, The apparent low bidder on a contract for the construction, alteration, decoration, painting or improvement of a new or existing building or structure valued at more than \$500,000.00 shall submit a list of all subcontractors who will perform more than \$25,000.00 of work on the project including labor and materials. This provision shall not

apply to any other construction projects, such as highway, mine reclamation, water or sewer projects.

- a. Required Information. The subcontractor list shall contain the following information:
  - i. Bidder's name
  - ii. Name of each subcontractor
  - iii. License numbers as required by W. Va. Code § 21-11-1 et. seq.
  - Notation that no subcontractors will be used if the bidder will perform the work
- b. Submission. The completed subcontractor list shall be provided to the Purchasing Division within one business day of the opening of bids for review. Failure to submit the subcontractor list within one business day after the deadline for submitting bids shall result in disqualification of the bid.
- c. Substitution of Subcontractor. Written approval must be obtained from the Purchasing Division before any subcontractor substitution is permitted. Substitutions are not permitted unless;
  - i. The subcontractor listed in the original bid has filed for bankruptcy;
  - ii. The subcontractor in the original bid has been debarred or suspended; or
  - iii. The contractor certifies in writing that the subcontractor listed in the original bill fails, is unable, or refuses to perform his subcontract.
- 3. GREEN BUILDINGS MINIMUM ENERGY STANDARDS: In accordance with § 22-29-4, all new building construction projects of public agencies that have not entered the schematic design phase prior to July 1, 2012, or any building construction project receiving state grant funds and appropriations, including public schools, that have not entered the schematic design phase prior to July 1, 2012, shall be designed and constructed complying with the ICC International Energy Conservation Code, adopted by the State Fire Commission, and the ANSI/ASHRAE/IESNA Standard 90.1-2007: Provided, That if any construction project has a commitment of federal funds to pay for a portion of such project, this provision shall only apply to the extent such standards are consistent with the federal standards.

# ADDENDUM ACKNOWLEDGEMENT FORM SOLICITATION NO.: 1

**Instructions:** Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

**Acknowledgment:** I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

3 58 7		umbers Received: x next to each addendum recei	ved	)	
[ ]	x]	Addendum No. 1	[	]	Addendum No. 6
1	]	Addendum No. 2	[	]	Addendum No. 7
	]	Addendum No. 3	[	]	Addendum No. 8
1	]	Addendum No. 4	[	]	Addendum No. 9
1	]	Addendum No. 5		]	Addendum No. 10
further und discussion	ders hel	tand that that any verbal repres d between Vendor's representa	sent ativ	atio es ai	denda may be cause for rejection of this bid. In made or assumed to be made during any oral and any state personnel is not binding. Only the fications by an official addendum is binding.
				len	tury Equipment
			8	20	Company
					Authorized Signature
				6.	- (4-12
					Date

 $NOTE: \ This \ addendum \ acknowledgement \ should \ be \ submitted \ with \ the \ bid \ to \ expedite \ document \ processing.$ 



## QUOTATION

For: Division of Veterans Affairs 1321 Plaza East Suite 101 Charleston WV 25301

Attn: C. Prather

## Date 06/14/12

From: Toledo Office located at: 5959 Angola Rd.
Toledo, OH 43615
419-865-7400

SalesRep: Tim Hughes

			- 12************************************		
Qty	Model#	Description		Sell Price	Extension
	Workman_HDs				
1	07370	Workman HDX - 4WD (31.5 hp (23 kW) EFI Briggs & Stratto	nn®	23,349.04	23,349.04
		Daihatsu® engine)	one	20,043.04	23,349.04
1	07339	Deluxe Hard Cab (Does not include doors)		3,646.53	3,646.53
1	07349	Cab Heater		614.33	614.33
1	07375	Cab - Sliding Window Door Kit		1,038.16	1,038.16
1	117-4830	Cab Right / Left Mirrors		229.57	229.57
1	117-4867	Alternator Shield		79.32	79.32
		Sub-Total:		70.02	28,956.95
					20,930.93
	VP_ToroAllied				
1	BIS-CT	Casket Transporter		0.704.00	0.704.00
		Sub-Total:		9,724.00	9,724.00
					9,724.00
		965 No.	Merc	chandise Total	38,680.95
		(No Trades Quoted)	1	Trade-In Credit	0.00
			Desti	ination Charge	580.21
			0.00%	* Sales Tax	0.00
		Terms: Net 15 Days (Upon Credit Approval)			39,261.16
	TI: 0 0				
	This Quote Is Go				
		ACTURER WARRANTY			
	Casket Transpo	rter availability 6-8 weeks from time order.			
	* Sales Tax is sui	pject to change based on the current rules and regulations in e	effect at the t	ime of delivery	
	Accepted By:		Date:	,	
			Date		
	True Lease Fina	ncing Base = \$39,261.16	Rate Factor	0	
		J	Nate Factor	Payment	Residual%
	Conditional Sale	Financing Base = \$39,261.16	Rate Factor	Payment	
				The second of th	

# FUNCTIONAL AND DURABLE

The Swivel Base Casket Carrier was designed with the elements of weather in mind. The Carrier is entirely powder coated and all hardware is made of high quality stainless steel, including all nuts and bolts. Therefore, the Carrier is virtually impervious to the elements of weather.

Strength was also a primary consideration in the initial design phases. From the over-sized tubular steel frame to the thick plate steel used in the swivel base, the Carrier was over-engineered to stand the test of time.



Rear view showing the tubular frame, powder-coated interior as well as exterior components and the industrial processed rubberized rollers.

#### FEATURES

- Lite and Strong, 475 500 lbs shipping weight.
- Approximately 91" long 32" wide 34" tail
- Estimated maximum capacity is 4,000 lbs
- Base mount is heavy gauge tubing with thick, flat plate bar materials
- Hardware is all stainless steel
- Rollers are custom-coated with thick industrial polyurethane
- Powder coated through and through
- All nuts and boits are stainless steel
- Installation onto a Toro type chassis is estimated at no more than 2 hours
- Door locks, during casket transportation
- Entirely American Made
- Patent Pending

Contact Robert Lindholme today for pricing and shipping information. Dealer inquiries welcome.

#### SWIVEL BASE CASKET CARRIER

The Swivel Base Casket Carrier is entirely American made. It was designed specifically to serve the reverent workers of the American Cemetery System

Built of high quality materials and designed to withstand the harsh elements of weather and time, the Swivel Base Casket Carrier will provide a high return on investment.

Although the Swivel Base Casket Carrier is well suited to work on the Toro chassis as a casket carrier, it can be customized to fit virtually any application.



The Swivel Base Carrier pictured on a Toro chassis.

R&D Fabrication has been in business under the same ownership since 1974. Located in East Moline, Illinois, we create industrial solutions for large and small businesses.

We specialize in projects others consider too difficult to manage. Our clientele range from John Deere, to the US Department of Energy to local municipalities. Our expertise in custom fabrication includes stretching limousines, fortifying heavy construction equipment, restoring Hot Rods, repairing aluminum, stainless steel and cast iron components as well as building custom grilling systems for popular restaurants. No job is too large or too small.

#### R & D FABRICATION, LLC.


359 19th Street
East Moline, IL 61244
309-796-1126
www.RnDfab.com
Robert Lindholme, Founder/
President

### Made in the USA






## **Mounting Location for Swivel Bed Mount**






# Please place this I.D. tag on the base mount of your casket carrier



# This drawing shows an appropriate location for the tag


Thank you from the employees at R & D Fabrication

TORO. Count on it. Workman\* HD Series Tougher than your toughest job.



# Unmatched toughness.

The new Workman gets its remarkable strength from a rear DeDion axle built with the same kind of I-beam design used in skyscrapers. It gives the Workman superior vertical loading capacity by isolating the engine, transmission and main frame from all load forces.



#### A solid foundation.

The new Workman is engineered with a truss-like front space frame for superior strength and rigidity, and a rear frame with a C-channel design for unsurpassed performance in hauling heavy loads.

## Precision wheel bearings.

The most advanced integrated wheel bearing technology ensures the Workman keeps on rolling under the heaviest loads, day after day, job after job.



# More capacity. More productivity.

With a maximum capacity of 3,002 pounds—up to 35% more than the competition—the Workman is up to any challenge.





# Incredible stopping power.

A fully loaded Workman can build up a lot of momentum. It can also stop that momentum faster, thanks to 4-wheel hydraulic disc brakes. Not only are hydraulic disc brakes safer, they are easier to service than traditional drum brakes.



# Designed to bounce back.

Accidents happen. But with seven energy absorbing crush zones in the front bumper, an operator can drive a fully loaded Workman into a pole at 3 mph without any permanent damage. Don't try that with other utility vehicles.

## No slips. No slides.

The Workman is available with an on-demand four-wheel drive system that delivers surefooted traction in forward and reverse, without damaging your turf.



### **All-inclusive instrumentation.**

The easy-to-read instrument panel includes fuel and temperature gauges, an hour meter, and warning lights for oil pressure, check engine and battery charge. A tachometer and speedometer are also standard on all liquid cooled models.



## Workman® HD Series



# Top 10 benefits of the Workman EFI engine.

- **1.** Go farther with up to a 20% increase in fuel efficiency.
- **2.** Reduce maintenance and adjustments thanks to no choke or carburetor.
- **3.** Get moving faster with instant cold starting.
- **4.** Save technician time with automatic altitude compensation.
- **5.** Improve control with smoother throttle response.
- **6.** Boost performance with additional power across throttle range.
- Increase operator and bystander comfort with significant noise reduction.
- **8.** Simplify troubleshooting with onboard diagnostics.
- **9.** Meet EPA compliance for 2011 and California Blue Sky regulations with low emission engine.
- **10.** Stay on the job and out of the shop with legendary Toro reliability.

TORC

Count on it.




**Vicon Spreader** 

Pendulum action evenly spreads sand, fertilizers, seed and other dry materials.



#### **Canopy and Folding Windshield**

Durable, high-density polyethylene canopy protects operators and passengers from sun and rain. Easy folding acrylic windshield allows airflow to enhance comfort.



#### Rahn® Groomer

The triple row broom is perfect for leveling uneven playing fields, with a 2-way system that provides a lock and float position to match conditions. Also ideal for dethatching.



#### Topdresser 2500

25-cubic-foot capacity and all-wheel drive ensures a consistent application rate on uneven terrain.




#### ProCore® Processor

Sweeps, processes and disperses aeration cores in one easy operation.



#### Pro Sweep®

Efficiently picks up aeration cores and debris with a floating sweeper head. High dump hopper easily empties debris into the bed of a Workman.



#### **Synthetic Turf Conditioner**

Loosens infill from compacted fields, and evenly redistributes and levels the playing surface.



#### **Patriot Lift**

25-foot aerial lift simplifies maintenance of trees, golf courses, parks, streetlights and more.




### Topdresser 1800

18-cubic-foot conveyor belt topdresser mounts to the rear of Workman for precision application.



## **ROPS Signal Light Kit**

Protects operators with double amber warning lights and two single red taillights.



#### **Casket Transporter**

Heavy-duty transporter for cemetery applications.



#### 1/3 Vertical Lift

A sturdy, scissor-lift platform with 600-pound capacity that can be raised up to 96 inches.

Vehicle Model:	HDX, HDX-4WD	HDX-D, HDX-D-4WD	HD	Workman® HD Series Utility Vehicles			
Engine:	Briggs & Stratton® Daihatsu® 950G Fuel Injected	Briggs & Stratton® Daihatsu® 950D	Kohler® CH23	Length: Width:	127.6 in (324 cm) without bed; 130 in (330 cm) with bed 64.7 in (164.3 cm)		
Rating: Displacement:	31 hp (23.4 kW) 950 cc	24 hp (19.9 kW) 950 cc	23 hp (17.2 kW) 674 cc	Height:	75.8 in (192.5 cm) to top of ROPS		
Fuel: Cooling:	Gasoline Liquid	Diesel Liquid	Gasoline Air	Front Suspension:	Independent suspension with dual A frame control arms, dual coil springs and dual shock absorbers with anti-sway bar. Provides 5 3/4" travel.		
Maximum Speed:	19.8 mph (31.9 km/h)	19.8 mph (31.9 km/h)	19.8 mph (31.9 km/h)	Rear	DeDion rear axle (weight carrying axle) suspension independent of transaxle with dual leaf springs and dual shock absorbers.		
Total Capacity:	HDX: 2899 lbs (1318 kg) HDX-4WD: 2840 lbs (1291 kg)	HDX-D: 2894 lbs (1315 kg) HDX-D-4WD: 2835 lbs (1289 kg)	3002 lbs (1364 kg)	Suspension: Brakes:	Provides 3" travel.  4 wheel hydraulic disc brake system.		
Cargo Bed Capacity:	HDX: 2499 lbs (1136 kg) HDX-4WD:	HDX: 2494 lbs (1134 kg) HDX-4WD:	2602 lbs (1183 kg)	Transmission:	Rear transaxle directly connected to engine, twin axle drive.  3 speed synchromesh (forward speeds only), h-shift pattern with high-low range providing 6 forward speeds and 2 in reverse.		
	2440 lbs (1109 kg) 600 lbs (272 kg)	2435 lbs (1107 kg) 600 lbs (272 kg)	600 lbs (272 kg)	4WD Models:	Fully automatic on-demand, bi-directional system. Uses dual bi-directional clutches. In event of rear tire slippage, clutches transmit		
	tongue weight	tongue weight	tongue weight		power proportionally to front wheel with highest traction.		
Tow Hitch:	3500 lbs (1587 kg) trailer weight	3500 lbs (1587 kg) trailer weight	3500 lbs (1587 kg) trailer weight	Certifications:	Certified to meet SAE J2258. Certified to meet ISO/DIS 21299 for ROPS. Engine meets all applicable emission standards per the manufacturer. Certified to meet the CE Machinery Directive.		
	Trailers over 1500 lbs (680 kg) require trailer brakes	Trailers over 1500 lbs (680 kg) require trailer brakes	Trailers over 1500 lbs (680 kg) require trailer brakes	Warranty:	Two-year limited warranty. See Operator's Manual for further details.		

The Toro Workman meets the specifications of your toughest jobs. For more detailed information, visit www.toro.com.

## TORO® PROFESSIONAL SERVICES

Toro Financing A full-service offering for all your equipment and irrigation purchases. Flexible financing options can be tailored to meet your operational needs.

Toro Protection Plus Extended Protection Plan Protect your budget and your equipment investment. Plans are available for both new and used equipment, and you can choose from various terms to fit your financing terms. Toro Genuine Parts Keep the productivity and performance of your equipment at its peak. Learn about Performance Parts pricing and MVP kits. Find replacement parts online at Toro.com/partsviewer.

Toro Training Toro Factory Service Schools are available. Explore the training and customer care areas of Toro.com and ToroNSN.com for readily available education and training materials.

Toro Controller Repair Provides irrigation controller boards ready for immediate board exchange to assure that downtime is minimal and your turf stays protected. Toro is the choice for reliability.

Toro NSN® An industry-first support network that provides reliable, around-the-clock irrigation central control system troubleshooting and operation assistance. Call 1-800-ASK-TORO.

**NEW!** myTurf™ Fleet Management This on-line tool from Toro keeps track of maintenance for all of your turf equipment. Complete product information and parts ordering is also included. Ask your distributor for availability.

TORO. Count on it.